

data report

PHYSICAL, CHEMICAL AND BIOLOGICAL DATA

**CalCOFI Cruise 0307
17 - 31 July 2003**

**CC Reference 06-03
24 January 2006**

**UNIVERSITY OF CALIFORNIA, SAN DIEGO
SCRIPPS INSTITUTION OF OCEANOGRAPHY
LA JOLLA, CALIFORNIA 92093-0227**

PHYSICAL, CHEMICAL AND BIOLOGICAL DATA

**CalCOFI Cruise 0307
17 - 31 July 2003**

**CC Reference 06-05
January 2006**

CONTENTS

Introduction	3
Literature Cited	7
CalCOFI Cruise 0307	
List of Figures	8
Personnel	19
Tabulated Rosette Cast Data	20
Tabulated Primary Productivity Data	49
Tabulated Macrozooplankton Data	53

INTRODUCTION

The data presented in this report were collected during the cruise 0307 of the California Cooperative Oceanic Fisheries Investigations (CalCOFI) program aboard the aboard the RV *New Horizon* of Scripps Institution of Oceanography, University of California, San Diego. The CalCOFI program was organized in the late 1940's to study the causes of variations in population size of fishes of importance to the State of California. It is carried out by NOAA's National Marine Fisheries Service Southwest Fisheries Science Center, the California Department of Fish and Game, and the Integrative Oceanography Division (IOD) at Scripps Institution of Oceanography (SIO). IOD contributes to this program by investigations of the physical, chemical and biological structure of the California Current. Data from the cruises were collected and processed by personnel of the Integrative Oceanography Division and the Southwest Fisheries Science Center. Other SIO staff members and volunteers also assisted in the collection of data and chemical analyses at sea. CalCOFI data presented in this report and collected on previous cruises can be accessed at <http://www.calcofi.org>.

STANDARD PROCEDURES

CTD/Rosette Cast Data

A Sea-Bird Electronics, Inc., Conductivity-Temperature-Depth (CTD) instrument (Seabird 911, Serial number 1049) with a rosette was deployed at each station on these cruises. The rosette was equipped with 24 ten-liter plastic (PVC) bottles equipped with epoxy-coated springs and Viton O-rings. Each CTD/rosette cast usually sampled 20 depths to a maximum sampling depth of 525 meters, bottom depth permitting. Occasional stations have multiple bottles tripped at the same depth to provide more water for ancillary programs. The sample spacing was designed to sample depth intervals as close as 10 meters around the sharp upper thermocline features such as the chlorophyll, oxygen, nitrite maxima and the shallow salinity minimum. Salinity, oxygen and nutrients were determined at sea for all depths sampled. Chlorophyll-*a* and phaeopigments were determined at sea on samples from the top 200 meters, bottom depth permitting.

Pressures and temperatures assigned to the water sample data were derived from the CTD signals recorded just prior to the bottle trip. Pressures have been converted to depths by the Saunders (1981) pressure-to-depth conversion technique. CTD temperatures reported with the bottle data have been rounded to the nearest hundredth of a degree Celsius.

Salinity samples were collected from all rosette bottles and analyzed at sea using a Guildline model 8410 Portasal salinometer. Salinity samples were drawn into 200 ml Kimax high-alumina borosilicate bottles that were rinsed three times with sample prior to filling. The results were compared with the CTD salinity to verify that the rosette bottle did not mis-trip or leak. The salinometer was standardized before and after each group of samples with standardized seawater. Periodic checks on the conductivity of the standardized seawater were made by comparison with IAPSO Standard Seawater batch P140. Salinity values were calculated using the algorithms for the Practical Salinity Scale, 1978 (UNESCO, 1981a) and are reported to three decimal places, provided that accepted standards were met.

Dissolved oxygen samples were collected in calibrated 100 ml iodine flasks, allowing at least 200% overflow. The dissolved oxygen samples were analyzed at sea by the Winkler method, as modified by Carpenter (1965), using the equipment and procedure outlined by Anderson (1971). Percent oxygen saturation was calculated from the equations of Weiss (1970).

Nutrient samples were analyzed at sea by the Scripps Ocean Data Facility for dissolved silicate, phosphate, nitrate and nitrite using procedures similar to those described in Gordon et al., 1993. Samples were collected in 45 ml high-density polypropylene screw-capped tubes which were rinsed three times prior to filling. Standardizations were done at the beginning and end of each group of samples with a set of mid-concentration range standards prepared fresh for each run. Samples not analyzed immediately after collection were refrigerated and run the

* The first two digits represent the year and the last digits the month of the cruise.

following day. Sets of six different concentration standards were analyzed periodically to determine the deviation from linearity as a function of concentration, for the silicate, nitrate and phosphate analyses. Final sample concentrations were corrected for deviations from linearity using a second order polynomial.

Samples for chlorophyll-*a* and phaeopigments were collected in calibrated 138 ml polyethylene bottles and filtered onto Whatman GF/F filters. The pigments were extracted in cold 90% acetone (Venrick and Hayward, 1984) for a minimum of 24 hours. Chlorophyll *a* and pheopigment concentrations were determined from fluorescence readings before and after acidification with a Turner Designs Fluorometer Model 10-AU-005-CE (Yentsch and Menzel, 1963; Holm-Hansen *et al.*, 1965).

Evaluation of the water sample data involved comparisons with the CTD data, adjacent stations and consideration of the variation of a property as a function of density or depth and the relationships with other properties (Klein, 1973). Precision estimates for routine analyses were made on CalCOFI cruise 9003 and are reported in SIO Ref. 91-4.

Primary Productivity Sampling

Primary productivity samples were taken each day shortly before local apparent noon (LAN). Primary production was estimated from ^{14}C uptake using a simulated *in situ* technique. Light penetration was estimated from the Secchi depth (assuming that the 1% light level is three times the Secchi depth). The depths with ambient light intensities corresponding to light levels simulated by the on-deck incubators were identified and sampled on the rosette up-cast. Occasionally an extra bottle or two were tripped in addition to the usual 20 levels sampled in the combined rosette-productivity cast in order to maintain the normal sampling depth resolution. Triplicate samples (two light and one dark control) were drawn from each productivity sample depth into 250 ml polycarbonate incubation bottles. Samples were inoculated with 10 μCi of ^{14}C as NaHCO_3 (200 μl of 50 $\mu\text{Ci/ml}$ stock) prepared in a 0.3 g/liter solution of sodium carbonate (Fitzwater *et al.*, 1982). Samples were incubated from LAN to civil twilight in seawater-cooled incubators with neutral-density screens which simulate *in situ* light levels. At the end of the incubation, the samples were filtered onto Millipore HA filters and placed in scintillation vials. One half ml of 10% HCl was added to each sample. The sample was then allowed to sit, without a cap, at room temperature for 12 hours (after Lean and Burnison, 1979). Following this, 10 ml of scintillation cocktail were added to each sample and the samples were returned to SIO where the radioactivity was determined with a scintillation counter. Salinity, oxygen, nutrients, chlorophyll-*a* and phaeopigments were determined from all rosette productivity bottles.

Macrozooplankton Net Tows

Macrozooplankton was sampled with a 71 cm mouth diameter paired net (bongo net) equipped with 0.505mm plankton mesh. Bottom depth permitting, the nets were towed obliquely from 210 meters to the surface. The tow time for a standard tow was 21.5 minutes. Volumes filtered were determined from flowmeter readings and the mouth area of the net. Only one sample of each pair was retained and preserved. The biomass, as wet displacement volume, after removal of large (>5 ml) organisms, was determined in the laboratory ashore. These procedures are summarized in greater detail in Kramer *et al.* (1972). An Optical Plankton Counter (OPC, Dave Checkley, SIO) was routinely used in one side of the paired bongo net frame. The purpose of the OPC is to obtain information on the vertical distributions of size categories of zooplankton, using data from the counter, without affecting the ongoing time series of data obtained from the catches of the integrative bongo net.

Avifauna Observations (Point Reys Bird Observatory)

Sea birds were counted within a 300-meter wide strip off to one side of the ship. Counts were made while underway between stations during periods of daylight. These counts were summed over 20 nautical mile (nm) intervals, or the distance between consecutive stations, whichever was less. Included at the end of this report are individual maps of the most numerous bird species (individuals/nm).

Ancillary Programs

Several ancillary programs produced data on these cruises that are not presented in this report. These programs include:

- 1) *Underway Data.* Continuous near surface measurements of temperature, salinity and *in vivo* chlorophyll fluorescence were recorded from seawater pumped through the ship's uncontaminated seawater system. Water was drawn from a depth of approximately 3 meters. The data were logged in one-minute averages using a Sea-Bird Electronics, Inc., SBE 45 MicroTSG Thermosalinograph and a Wetlabs Wetstar fluorometer.
- 2) *ADCP.* Continuous profiles of ocean currents and acoustic backscatter between 20 and 500 meters deep were measured along the shiptrack from a hull-mounted 150 kHz Acoustic Doppler Current Profiler (ADCP). The ADCP data were averaged over 3-minute intervals. Sixty 8-meter depth bins were recorded. (T. Chereskin, SIO)
- 3) *Taxon-specific pigments.* Water samples were collected from a depth of 10 m for the analysis of taxon-specific pigments (chlorophylls and carotenoids) by high-pressure liquid chromatography (R. Goericke, SIO).
- 4) *Trace metals.* Surface seawater samples were obtained for iron analysis (dissolved and total iron) at approximately 30 stations using trace metal-clean GO-flo bottles and a trace metal-clean pole sampler. Iron addition incubations were also performed at several stations to assay for iron limitation in the phytoplankton community. (K. Barbeau, SIO).
- 5) *Particulate Calcium.* Samples were taken from prodo bottles and filtered for particulate calcium. Calcium determined by Flame Atomic Absorption Spectroscopy of acidified samples and normalized to light levels. (V. Fabry, CSUSM)

TABULATED DATA

CTD/Rosette Cast Data

The time reported is the Coordinated Universal Time (UTC) of the first rosette bottle trip on the up cast. The rosette bottles tripped on the up cast are reported as cast 2, where cast 1 is considered to be the down CTD profile. The sample number reported is the cast number followed by a two-digit rosette bottle number. Bottom depths, determined acoustically, have been corrected using British Admiralty Tables (Carter, 1980) and are reported in meters. Weather conditions have been coded using WMO code 4501. Secchi depths are reported for most daylight stations.

Data values from discreet sampled CTD rosette were interpolated and are reported for standard depths. Interpolated or extrapolated standard level data are noted by the footnote "ISL" printed after the depth. Multiple bottles tripped at the same depth to provide water for ancillary programs are not used in the calculation of standard depth data. Density-related parameters have been calculated from the International Equation of State of Seawater 1980 (UNESCO, 1981b). Computed values of potential temperature, sigma-theta, specific volume anomaly (SVA), and dynamic height or geopotential anomaly are included with both observed and interpolated standard depth levels.

On stations where primary productivity samples were drawn a footnote appears after each productivity depth sampled. The corresponding primary productivity data are reported in a separate section following the tabulated rosette cast data.

Primary Productivity Data

In addition to the normal hydrographic data that are reported in the rosette cast data section, the tabulated data include: the *in situ* light levels at which the samples were collected, the uptake from each of the replicate light bottles, uptake 1 and uptake 2 (which have been corrected for dark uptake by subtracting the dark value), the mean of the two uptake values and the dark uptake. The uptake values are totals for the incubation period. Also shown are the times of LAN, civil twilight, and the value of the mean uptake integrated from the surface to the deepest sample, assuming the shallowest value continues to the surface and that negative values (when dark uptake exceeds

light uptake) are zero. The uptake data are reported to two significant digits (values <1.00) or one decimal (values >1.00). Incubation time, LAN, and civil twilight are given in local Pacific Standard Time (PST); to convert to UTC, add eight hours to the PST time. Incubation light intensities are listed in a footnote at the bottom of each page.

Macrozooplankton Data

Macrozooplankton biomass volumes are tabulated as total biomass volume ($\text{cm}^3/1000\text{m}^3$ strained) and as the total volume minus the volume of larger organisms under the heading "Small." Tow times are given in local PST (+8) time.

FOOTNOTES

In addition to footnotes, special notations are used without footnotes because the meaning is always the same:

- D: CTD salinity value listed in place of normal shipboard salinity analysis.
- ISL: After a depth value indicates that this is an interpolated or extrapolated standard level.
- U: Uncertain value. Values which are not used in interpolation because they seem to be in error without apparent reason.

LITERATURE CITED

- Anderson, G. C., compiler, 1971. "Oxygen Analysis," Marine Technician's Handbook, SIO Ref. No. 71-8, Sea Grant Pub. No. 9.
- Carpenter, J. H., 1965. The Chesapeake Bay Institute technique for the Winkler dissolved oxygen method. *Limnol. Oceanogr.*, 10: 141-143.
- Carter, D. J. T., 1980. Echo-sounding correction tables. Third Edition. Hydrographic Department, Ministry of Defence, Taunton, U.K., NP 139: 150 pp.
- Culberson, C. H. 1991. Dissolved oxygen. WHP Operations and Methods -- July 1991.
- Fitzwater, S. E., G. A. Knauer and J. H. Martin, 1982. Metal contamination and its effect on primary production measurements. *Limnol. Oceanogr.*, 27: 544-551.
- Gordon, L. I., J. C. Jennings, Jr., A. A. Ross, and J. M. Krest, 1993. A suggested protocol for continuous flow automated analysis of seawater nutrients (phosphate, nitrate, nitrite and silicic acid) in the WOCE Hydrographic Program and the Joint Global Ocean Fluxes Study. WOCE Operations Manual, Part 3.1.3 "WHP Operations and Methods," *WHP Office Report WHPO 91-1*.
- Holm-Hansen, O., C. J. Lorenzen, R. W. Holmes and J. D. H. Strickland, 1965. Fluorometric determination of chlorophyll. *J. Cons. perm. int. Explor. Mer*, 30: 3-15.
- Klein, H. T., 1973. A new technique for processing physical oceanographic data. SIO Ref. No. 73-14.
- Kramer, D., M. J. Kalin, E. G. Stevens, J. R. Thrailkill and J. R. Zweifel, 1972. Collecting and processing data on fish eggs and larvae in the California Current region. *NOAA Technical Report NMFS CIRC-370*: 38 pp.
- Lean, D. R. S. and B. K. Burnison, 1979. An evaluation of errors in the ¹⁴C method of primary production measurement. *Limnol. Oceanogr.*, 24: 917-928.
- Reid, J. L. and A. W. Mantyla, 1976. The effect of the geostrophic flow upon coastal sea elevations in the northern North Pacific Ocean. *J. Geophys. Res.*, 81: 3100-3110.
- Parsons, T. R., Y. Maita, C. M. Lalli, 1984. *A Manual of Chemical and Biological Methods for Seawater Analysis*. Pergamon Press Ltd., 3-28.
- Saunders, P. M., 1981. Practical conversion of pressure to depth. *J. Phys. Oceanogr.*, 11: 573-574.
- Scripps Institution of Oceanography, University of California, 1991. Physical, Chemical and Biological Data, CalCOFI Cruises 9003 and 9004. SIO Ref. 91-4, 96 pp.
- UNESCO, 1981, a. Background papers and supporting data on the Practical Salinity Scale, 1978. *UNESCO Tech. Pap. in Mar. Sci.*, No. 37.
- UNESCO, 1981, b. Background papers and supporting data on the International Equation of State 1980. *UNESCO Tech. Pap. in Mar. Sci.*, No. 38.
- Venrick, E. L. and T. L. Hayward, 1984. Determining chlorophyll on the 1984 CalCOFI surveys. *CalCOFI Rep.*, Vol. XXV: 74-79.
- Weiss, R. F., 1970. The solubility of nitrogen, oxygen and argon in water and seawater. *Deep-Sea Res.*, 17: 721-735.
- Yentsch, C. S. and D. W. Menzel, 1963. A method for the determination of phytoplankton, chlorophyll and phaeophytin by fluorescence. *Deep-Sea Res.*, 10: 221-231.

FIGURES

Cruise 0307

1. CalCOFI Cruise 0307 track and station positions.
2. Horizontal distribution of dynamic height anomaly (0 over 500m). In areas shallower than 500 m, the dynamic heights were extrapolated on the basis of the offshore deeper steric height as described in Reid and Mantyla (1976).
3. Horizontal distributions at 10 meters: A) chlorophyll-*a*; B) potential density; C) temperature; and D) salinity.
4. Horizontal distributions at 200 meters: A) dynamic height anomaly (200 over 500 m); B) potential density; C) temperature; and D) salinity.
5. Sections along CalCOFI line 90 (vertical exaggeration, 1000): A) potential density; B) temperature; C) salinity; D) silicate; E) nitrate; F) phosphate; G) chlorophyll-*a*; H) oxygen saturation; I) oxygen; J) nitrite; and K) phaeopigments.




FIGURE 1




FIGURE 2




FIGURE 3A




FIGURE 3B




FIGURE 3C




FIGURE 3D




FIGURE 4A




FIGURE 4B




FIGURE 4C




FIGURE 4D

CALCOFI CRUISE 0307

20-22 July 2003

POTENTIAL DENSITY (σ_θ) ALONG CALCOFI LINE 90




FIGURE 5A

TEMPERATURE ($^{\circ}\text{C}$) ALONG CALCOFI LINE 90




FIGURE 5B

CALCOFI CRUISE 0307

20-22 July 2003

SALINITY ALONG CALCOFI LINE 90




FIGURE 5C




FIGURE 5D

CALCOFI CRUISE 0307

20-22 July 2003

NITRATE ($\mu\text{M/L}$) ALONG CALCOFI LINE 90




FIGURE 5E




FIGURE 5F

CALCOFI CRUISE 0307

20-22 July 2003

CHLOROPHYLL-a ($\mu\text{g/L}$) ALONG CALCOFI LINE 90




FIGURE 5G




FIGURE 5H

CALCOFI CRUISE 0307

20-22 July 2003

OXYGEN (ml/L) ALONG CALCOFI LINE 90




FIGURE 5I

NITRITE ($\mu\text{M/L}$) ALONG CALCOFI LINE 90




FIGURE 5J

PHAEOPIGMENTS ($\mu\text{g/L}$) ALONG CALCOFI LINE 90




FIGURE 5K

PERSONNEL

CalCOFI Cruise 0307

SHIP'S CAPTAIN

Murray A. Stein, RV *New Horizon*

PERSONNEL PARTICIPATING IN THE COLLECTION OF DATA

Wilkinson, James R. (Chief Scientist)	Programmer Analyst, SIO
Elliot, Rebeca A.	Volunteer
Faber, David N.	Graduate Student, Cal. State Univ. San Marcos
Hays, Amy E.	Fishery Biologist, NMFS
Hernandez, Juan S.	Volunteer
King, Andrew L.	Graduate Student, SIO
Manion, Susan M.	Fishery Biologist, NMFS
Nunnery, Joshawna K.	Volunteer
Powell, Jesse R.	Staff Research Associate, SIO
Ramirez, Fernando	Staff Research Associate, SIO
Schuller, Daniel	Staff Research Associate, SIO
Sheldon, Jennifer L	Scientific Aid, California Dept. of Fish and Game
Venrick, Elizabeth L.	Research Oceanographer
Wolgast, David M.	Staff Research Associate, SIO
Yakich, Jason	Bird Observer, Point Reyes Bird Observatory

San Diego-San Diego, 17-31 July, 2003

Table with 17 columns: LATITUDE, LONGITUDE, DAY/MO/YR, CAST TIME, BOTTOM, WIND SPEED, WAVES, WEA, BAROMETER, DRY, WET, SECCHI, CLD AMT, TYPE. Includes depth profile from 0 to 513 meters.

Table with 17 columns: LATITUDE, LONGITUDE, DAY/MO/YR, CAST TIME, BOTTOM, WIND SPEED, WAVES, WEA, BAROMETER, DRY, WET, SECCHI, CLD AMT, TYPE. Includes depth profile from 0 to 71 meters.

Table with 17 columns: LATITUDE, LONGITUDE, DAY/MO/YR, CAST TIME, BOTTOM, WIND SPEED, WAVES, WEA, BAROMETER, DRY, WET, SECCHI, CLD AMT, TYPE. Includes depth profile from 0 to 517 meters.

RV NEW HORIZON

CALCOFI CRUISE 0307

STATION 83 40.6

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE			
34 13.4 N	119 24.6 W	26/07/03	1427 UTC	34 m	260 04 kn	310 01 07	2	1016.0 mb	19.4 c	18.1 c		8/8	SC			
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	20.73	20.73	33.525	23.445	443.0	0.000	6.31	122.7	0.9	0.05	0.0	0.01	2.44	0.58	0	
2	20.73	20.73	33.525	23.445	443.1	0.009	6.31	122.7	0.9	0.05	0.0	0.01	2.44	0.58	2	205
5	19.58	19.58	33.522	23.745	414.5	0.022	6.31	120.1	0.9	0.05	0.0	0.01	2.46	0.64	5	204
10	15.63	15.63	33.394	24.597	333.5	0.040	6.47	114.1	1.9	0.32	0.3	0.02	2.28	0.85	10	203
20	13.54	13.54	33.344	25.003	295.0	0.072	6.07	102.5	4.4	0.68	2.9	0.16	0.90	0.52	20	202
28	12.66	12.66	33.361	25.191	277.3	0.095	5.25	87.1	7.8	0.99	7.4	0.33	0.45	0.38	28	201

RV NEW HORIZON

CALCOFI CRUISE 0307

STATION 83 42

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE			
34 10.8 N	119 30.5 W	26/07/03	1246 UTC	115 m	010 05 kn			1015.1 mb	18.4 c	17.3 c						
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	20.75	20.75	33.518	23.435	444.0	0.000	6.37	123.9	0.8	0.06	0.0	0.01	2.42	0.67	0	
2	20.75	20.75	33.518	23.435	444.1	0.009	6.37	123.9	0.8	0.06	0.0	0.01	2.42	0.67	2	210
10	18.80	18.80	33.414	23.861	403.6	0.043	6.28	117.8	1.0	0.23	0.0	0.01	1.73	0.53	10	209
20	14.01	14.01	33.337	24.901	304.7	0.078	5.78	98.6	4.5	0.75	4.4	0.17	1.00	0.49	20	208
30	12.29	12.29	33.383	25.280	268.9	0.107	4.89	80.5	9.3	1.13	10.3	0.30	0.47	0.37	30	207
40	11.27	11.27	33.413	25.493	248.8	0.133	4.24	68.3	12.9	1.41	15.1	0.29	0.26	0.39	40	206
50 ISL	10.78	10.77	33.507	25.653	233.8	0.157	3.79	60.4	16.5	1.60	18.7	0.07	0.15	0.29	50	
51	10.75	10.74	33.516	25.666	232.6	0.159	3.76	59.9	16.8	1.61	18.9	0.05	0.14	0.28	51	205
60	10.64	10.63	33.552	25.713	228.3	0.180	3.80	60.4	18.1	1.65	19.7	0.04	0.11	0.27	60	204
70	10.38	10.37	33.644	25.830	217.4	0.202	3.17	50.1	20.5	1.82	21.5	0.02	0.09	0.29	70	203
75 ISL	10.24	10.23	33.697	25.896	211.3	0.213	2.96	46.7	22.1	1.87	22.4	0.02	0.07	0.25	75	
85	10.00	9.99	33.804	26.020	199.7	0.234	2.65	41.6	25.1	1.95	24.1	0.02	0.03	0.14	85	202
100 ISL	9.93	9.92	33.941	26.139	188.7	0.263	2.27	35.6	28.1	2.08	25.4	0.02	0.02	0.09	101	
101	9.93	9.92	33.950	26.146	188.0	0.265	2.24	35.2	28.3	2.09	25.5	0.02	0.02	0.09	102	201

RV NEW HORIZON

CALCOFI CRUISE 0307

STATION 83 51

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE			
33 52.7 N	120 8.1 W	26/07/03	0712 UTC	103 m	310 08 kn			1015.4 mb	16.9 c	16.1 c						
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	17.55	17.55	33.417	24.170	373.8	0.000	6.51	119.2	1.1	0.25	0.0	0.01	2.32	0.69	0	
1	17.55	17.55	33.417	24.170	373.9	0.004	6.51	119.2	1.1	0.25	0.0	0.01	2.32	0.69	1	210
10	13.90	13.90	33.381	24.958	299.1	0.034	5.62	95.7	5.7	0.79	5.3	0.14	2.69	1.04	10	209
19	11.72	11.72	33.397	25.397	257.4	0.059	4.60	74.8	11.2	1.27	12.7	0.27	0.65	0.43	19	208
20 ISL	11.70	11.70	33.397	25.401	257.1	0.062	4.59	74.6	11.2	1.27	12.8	0.27	0.65	0.44	20	
30	11.55	11.55	33.401	25.432	254.4	0.087	4.53	73.4	11.6	1.32	13.3	0.26	0.60	0.49	30	207
41	10.36	10.36	33.643	25.832	216.5	0.113	3.31	52.3	21.0	1.76	20.8	0.08	0.15	0.21	41	206
50	10.32	10.31	33.692	25.878	212.4	0.132	3.13	49.5	22.4	1.80	21.4	0.09	0.14	0.34	50	205
60	10.23	10.22	33.712	25.909	209.7	0.154	3.06	48.3	23.0	1.84	22.0	0.06	0.11	0.21	60	204
71	10.26	10.25	33.728	25.916	209.2	0.177	3.00	47.4	23.6	1.84	22.0	0.09	0.11	0.24	71	203
75 ISL	10.23	10.22	33.747	25.936	207.4	0.185	2.95	46.5	24.1	1.87	22.3	0.10	0.11	0.24	75	
81	10.16	10.15	33.781	25.975	203.9	0.197	2.84	44.7	25.1	1.92	22.8	0.10	0.11	0.24	81	202
92	10.06	10.05	33.847	26.044	197.6	0.219	2.59	40.7	27.2	1.99	23.8	0.09	0.07	0.21	92	201

A) SECOND FLUOROMETER READING NOT RECORDED, CHLOROPHYLL AND PHAEOPIGMENT CALCULATED WITH ASSUMED ACID RATIO INTERPOLATED FROM ADJACENT LEVELS.

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE
33 29.7 N	119 19.4 W	23/07/03	0931	UTC	1649 m	270	10 kn			1014.5 mb	18.0 c	17.1 c				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	17.40	17.40	33.441	24.224	368.7	0.000	6.16	112.5	0.6	0.25	0.0	0.00	0.62	0.26	0	
2	17.40	17.40	33.441	24.224	368.7	0.007	6.16	112.5	0.6	0.25	0.0	0.00	0.62	0.26	2	220
10	16.56	16.56	33.437	24.419	350.4	0.036	6.25	112.3	0.6	0.26	0.0	0.01	0.73	0.32	10	219
20 ISL	12.92	12.92	33.418	25.184	277.8	0.068	5.76	96.1	0.8	0.78	6.4	0.48	1.49	0.67	20	
21	12.54	12.54	33.423	25.262	270.3	0.070	5.67	93.8	0.8	0.85	7.3	0.52	1.54	0.70	21	218
30 ISL	11.37	11.37	33.415	25.476	250.2	0.094	4.56	73.6	11.2	1.34	14.8	0.26	0.93	0.54	30	
31	11.31	11.31	33.415	25.487	249.2	0.096	4.44	71.6	12.5	1.39	15.5	0.22	0.83	0.51	31	217
40	10.72	10.72	33.512	25.668	232.2	0.118	3.83	61.0	16.7	1.56	18.5	0.06	0.23	0.22	40	216
50	10.24	10.23	33.642	25.852	214.8	0.140	3.37	53.2	19.7	1.69	20.4	0.03	0.10	0.14	50	215
60	10.23	10.22	33.781	25.963	204.6	0.161	2.74	43.2	23.0	1.89	22.9	0.02	0.06	0.14	60	214
70	9.88	9.87	33.845	26.072	194.4	0.181	2.60	40.7	25.2	1.94	23.8	0.02	0.03	0.09	70	213
75 ISL	9.82	9.81	33.872	26.103	191.5	0.191	2.67	41.8	25.7	1.94	24.0	0.02	0.02	0.07	75	
85	9.71	9.70	33.904	26.147	187.6	0.210	2.79	43.6	26.3	1.94	24.2	0.02	0.01	0.06	85	212
99	9.80	9.79	34.010	26.215	181.4	0.236	2.37	37.1	28.3	2.04	25.2	0.02	0.01	0.07	100	211
100 ISL	9.79	9.78	34.013	26.219	181.1	0.237	2.37	37.1	28.4	2.04	25.3	0.02	0.01	0.07	101	
119	9.47	9.46	34.050	26.301	173.6	0.271	2.30	35.7	30.6	2.10	26.3	0.02	0.01	0.06	120	210
125 ISL	9.47	9.46	34.075	26.321	171.9	0.281	2.20	34.2	31.4	2.14	26.7	0.02	0.01	0.06	126	
139	9.48	9.46	34.128	26.361	168.4	0.305	1.91	29.7	33.2	2.24	27.6	0.01	0.00	0.06	140	209
150 ISL	9.42	9.40	34.160	26.396	165.3	0.324	1.73	26.9	34.8	2.31	28.2	0.01	0.00	0.06	151	
168	9.24	9.22	34.200	26.457	159.9	0.353	1.50	23.2	37.4	2.40	29.2	0.01	0.01	0.07	169	208
199	8.81	8.79	34.246	26.561	150.4	0.401	1.25	19.2	41.9	2.53	30.6	0.01	0.01	0.05	200	207
200 ISL	8.80	8.78	34.247	26.564	150.2	0.402	1.25	19.2	42.0	2.53	30.6	0.01			201	
228	8.61	8.59	34.256	26.601	147.1	0.444	1.14	17.4	44.3	2.59	31.3	0.01			229	206
250 ISL	8.31	8.28	34.260	26.650	142.7	0.476	1.00	15.2	47.6	2.68	32.3	0.01			252	
268	8.06	8.03	34.263	26.690	139.1	0.501	0.89	13.4	50.5	2.76	33.2	0.02			270	205
300 ISL	7.77	7.74	34.266	26.736	135.2	0.545	0.77	11.5	54.3	2.82	34.3	0.03			302	
317	7.66	7.63	34.267	26.753	133.9	0.568	0.73	10.9	55.9	2.84	34.7	0.03			319	204
377	7.36	7.32	34.274	26.802	130.0	0.647	0.62	9.2	60.1	2.91	35.6	0.02			379	203
400 ISL	7.20	7.16	34.278	26.828	127.8	0.677	0.57	8.4	62.5	2.94	36.1	0.02			403	
438	6.93	6.89	34.286	26.872	124.0	0.725	0.48	7.0	66.5	3.00	37.0	0.02			441	202
500 ISL	6.64	6.59	34.298	26.921	120.1	0.800	0.39	5.7	71.3	3.08	37.9	0.02			504	
520	6.55	6.50	34.302	26.936	118.8	0.824	0.36	5.2	72.8	3.10	38.2	0.02			524	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE
33 19.6 N	119 39.9 W	23/07/03	1327	UTC	79 m	310	09 kn	290 02 05	2	1014.1 mb	17.0 c	16.2 c			8/8	ST
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	16.05	16.05	33.500	24.583	334.4	0.000	6.12	108.9	0.7	0.32	0.6	0.04	2.96	0.76	0	
2	16.05	16.05	33.500	24.584	334.5	0.007	6.12	108.9	0.7	0.32	0.6	0.04	2.96	0.76	2	209
6	15.62	15.62	33.469	24.656	327.7	0.020	6.20	109.3	0.8	0.35	0.8	0.06	3.40	0.98	6	208
10 ISL	12.68	12.68	33.404	25.220	274.1	0.032	5.18	86.0	6.1	0.99	9.6	0.22	2.61	0.74	10	
11	11.89	11.89	33.405	25.372	259.7	0.035	4.89	79.8	7.6	1.17	12.1	0.26	2.35	0.66	11	207
20 ISL	11.62	11.62	33.386	25.407	256.5	0.058	4.79	77.7	8.7	1.22	12.9	0.23	1.98	0.63	20	
21	11.59	11.59	33.384	25.411	256.2	0.060	4.78	77.5	8.8	1.22	13.0	0.23	1.97	0.63	21	206
30	11.06	11.06	33.608	25.682	230.6	0.082	3.80	61.0	17.1	1.56	17.6	0.17	0.70	0.64	30	205
40	10.88	10.88	33.646	25.744	225.0	0.105	3.60	57.6	18.5	1.62	18.7	0.17	0.79	0.84	40	204
50 ISL	10.44	10.43	33.732	25.888	211.4	0.127	3.23	51.2	21.7	1.76	20.8	0.17	0.45	0.50	50	
51	10.40	10.39	33.740	25.901	210.2	0.129	3.20	50.7	22.0	1.77	21.0	0.17	0.41	0.46	51	203
60	10.26	10.25	33.753	25.936	207.1	0.148	3.07	48.5	23.2	1.81	21.8	0.17	0.29	0.47	60	202
71	10.00	9.99	33.847	26.053	196.2	0.170	2.71	42.6	26.1	1.94	23.7	0.12	0.15	0.30	71	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE			
33 29.0 N	117 46.1 W	22/07/03	1859 UTC	69 m	220 03 kn	280 01 05	2	1014.0 mb	21.1 c	19.6 c	07m	8/8	ST			
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	20.50	20.50	33.505	23.491	438.6	0.000	6.01	116.4	1.1	0.17	0.0	0.00	1.03	0.38	0	
2 A	20.50	20.50	33.505	23.491	438.7	0.009	6.01	116.4	1.1	0.17	0.0	0.00	1.03	0.38	2	211
4 A	19.35	19.35	33.476	23.769	412.2	0.017	6.13	116.2	1.2	0.24	0.0	0.00	0.52	0.13	4	209
10 A	15.74	15.74	33.286	24.489	343.7	0.040	6.65	117.4	1.3	0.31	0.0	0.00	0.65	0.19	10	208
13 A	14.46	14.46	33.299	24.778	316.3	0.050	6.74	116.0	1.4	0.37	0.0	0.00	0.89	0.32	13	207
19 A	13.48	13.48	33.276	24.963	298.9	0.068	6.26	105.6	2.1	0.55	2.1	0.11	1.37	0.58	19	206
20 ISL	13.34	13.34	33.280	24.994	295.9	0.071	6.13	103.1	2.5	0.60	2.8	0.16	1.34	0.58	20	
27 A	12.58	12.58	33.317	25.173	279.0	0.091	5.30	87.7	5.5	0.94	7.4	0.48	1.12	0.57	27	205
30 ISL	12.34	12.34	33.317	25.219	274.7	0.100	5.24	86.3	6.4	1.01	8.3	0.51	0.95	0.55	30	
34	12.11	12.11	33.321	25.266	270.3	0.111	5.15	84.4	7.4	1.07	9.0	0.55	0.70	0.50	34	204
39	11.93	11.93	33.359	25.329	264.4	0.124	5.05	82.5	8.5	1.16	9.9	0.57	0.43	0.42	39	203
50	11.23	11.22	33.432	25.515	247.0	0.152	4.15	66.8	13.1	1.41	15.9	0.19	0.19	0.22	50	202
60	10.93	10.92	33.485	25.610	238.1	0.176	3.83	61.3	16.1	1.60	18.0	0.20	0.13	0.27	60	201

A) PRIMARY PRODUCTIVITY SAMPLES WERE TAKEN FROM THESE LEVELS.

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE			
33 25.0 N	117 54.5 W	22/07/03	1439 UTC	618 m	020 01 kn	220 01 05	2	1013.9 mb	19.6 c	18.6 c		8/8	ST			
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	21.09	21.09	33.523	23.347	452.4	0.000	5.73	112.2	1.1	0.16	0.0	0.00	0.85	0.27	0	
2	21.09	21.09	33.523	23.347	452.4	0.009	5.73	112.2	1.1	0.16	0.0	0.00	0.85	0.27	A	2 220
10 ISL	18.28	18.28	33.433	24.005	389.9	0.043	6.25	116.1	1.1	0.26	0.1	0.00	0.49	0.15	10	
11	17.75	17.75	33.415	24.121	378.9	0.047	6.33	116.3	1.1	0.28	0.1	0.00	0.45	0.14	11	219
20 ISL	13.41	13.41	33.082	24.827	311.8	0.078	6.33	106.5	0.7	0.43	0.6	0.06	1.04	0.45	20	
21	13.03	13.03	33.064	24.889	305.9	0.081	6.33	105.6	0.7	0.46	0.7	0.07	1.13	0.50	21	218
30	13.00	13.00	33.377	25.137	282.5	0.107	5.49	91.7	2.3	0.95	7.1	0.38	1.59	0.79	30	217
41	12.52	12.51	33.382	25.235	273.5	0.138	5.16	85.3	6.5	1.10	9.1	0.47	1.52	0.81	41	216
50 ISL	11.50	11.49	33.332	25.388	259.0	0.162	4.77	77.2	10.4	1.26	13.5	0.20	0.66	0.41	50	
51	11.38	11.37	33.330	25.408	257.1	0.164	4.72	76.2	10.8	1.28	14.0	0.17	0.56	0.36	51	215
59	10.83	10.82	33.403	25.564	242.5	0.184	4.18	66.7	14.1	1.43	16.5	0.06	0.16	0.19	59	214
70	10.46	10.45	33.485	25.693	230.5	0.210	3.91	61.9	16.1	1.51	17.8	0.04	0.07	0.12	70	213
75 ISL	10.22	10.21	33.503	25.748	225.3	0.222	3.92	61.7	16.9	1.52	18.2	0.04	0.05	0.11	75	
86	9.76	9.75	33.544	25.857	215.1	0.246	3.96	61.8	18.5	1.55	19.1	0.05	0.03	0.09	86	212
100	9.69	9.68	33.652	25.953	206.2	0.275	3.68	57.3	20.4	1.64	20.4	0.05	0.03	0.12	100	211
120	10.10	10.09	33.913	26.089	193.9	0.315	2.55	40.2	25.5	1.96	23.9	0.03	0.01	0.06	121	210
125 ISL	10.13	10.12	33.959	26.120	191.1	0.325	2.31	36.4	26.8	2.04	24.6	0.03	0.01	0.06	126	
139	10.21	10.19	34.078	26.199	183.9	0.351	1.81	28.6	29.9	2.20	26.1	0.03	0.01	0.07	140	209
150 ISL	10.00	9.98	34.099	26.252	179.1	0.371	1.88	29.6	31.0	2.20	26.6	0.03	0.01	0.07	151	
169	9.56	9.54	34.099	26.325	172.4	0.405	2.00	31.2	32.2	2.20	27.1	0.04	0.01	0.06	170	208
200 ISL	9.44	9.42	34.173	26.404	165.6	0.457	1.65	25.6	35.5	2.33	28.6	0.04	0.01	0.06	201	
201	9.44	9.42	34.176	26.406	165.4	0.459	1.63	25.3	35.6	2.34	28.7	0.04	0.01	0.06	202	207
228	9.24	9.21	34.221	26.474	159.5	0.503	1.39	21.5							229	206
250 ISL	9.13	9.10	34.243	26.509	156.5	0.537	1.28	19.8	39.8	2.48	30.2	0.03			251	
266	9.04	9.01	34.253	26.532	154.7	0.562	1.23	19.0	41.1	2.52	30.5	0.03			268	205
300 ISL	8.76	8.73	34.265	26.586	150.1	0.614	1.13	17.3	43.9	2.59	31.2	0.03			302	
316	8.60	8.57	34.267	26.613	147.8	0.638	1.09	16.6	45.3	2.62	31.5	0.03			318	204
377	7.91	7.87	34.267	26.717	138.5	0.725	0.89	13.4	52.1	2.77	33.7	0.03			379	203
400 ISL	7.69	7.65	34.276	26.757	135.0	0.757	0.77	11.5	54.9	2.83	34.4	0.03			403	
438	7.38	7.34	34.295	26.817	129.7	0.807	0.58	8.6	59.5	2.92	35.6	0.03			441	202
500 ISL	6.98	6.93	34.313	26.887	123.7	0.886	0.42	6.2	66.2	3.03	37.2	0.03			503	
521	6.84	6.79	34.320	26.912	121.5	0.911	0.37	5.4	68.5	3.07	37.8	0.03			525	201

A) SECOND FLUOROMETER READING NOT RECORDED, CHLOROPHYLL AND PHAEOPIGMENT CALCULATED WITH ASSUMED ACID RATIO INTERPOLATED FROM ADJACENT LEVELS.

Table with columns: LATITUDE, LONGITUDE, DAY/MO/YR, CAST TIME, BOTTOM, WIND SPEED, WAVES, WEA, BAROMETER, DRY, WET, SECCHI, CLD AMT TYPE, DEPTH, TEMP, POT TEMP, SALINITY, SIGMA, SVA, DYN HT, OXYGEN, OXY, SI03, P04, N03, N02, CHL-A, PHAE0, PRES, SAMP.

Table with columns: LATITUDE, LONGITUDE, DAY/MO/YR, CAST TIME, BOTTOM, WIND SPEED, WAVES, WEA, BAROMETER, DRY, WET, SECCHI, CLD AMT TYPE, DEPTH, TEMP, POT TEMP, SALINITY, SIGMA, SVA, DYN HT, OXYGEN, OXY, SI03, P04, N03, N02, CHL-A, PHAE0, PRES, SAMP.

A) SECOND FLUOROMETER READING NOT RECORDED, CHLOROPHYLL AND PHAEOPIGMENT CALCULATED WITH ASSUMED ACID RATIO INTERPOLATED FROM ADJACENT LEVELS.

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE
31 50.7 N	119 34.4 W	19/07/03	0010	UTC	1831 m	080	02 kn	290 03 07	2	1016.1 mb	18.6 c	17.0 c	30m	8/8		ST
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	18.05	18.05	33.165	23.856	403.8	0.000	5.55	102.4	1.8	0.37	0.1	0.00	0.09	0.02	0	
2	18.05	18.05	33.165	23.856	403.8	0.008	5.55	102.4	1.8	0.37	0.1	0.00	0.09	0.02	2	221
10 ISL	17.81	17.81	33.164	23.914	398.6	0.040	5.58	102.5	1.8	0.38	0.1	0.00	0.10	0.03	10	
11	17.77	17.77	33.164	23.924	397.7	0.044	5.58	102.4	1.8	0.38	0.1	0.00	0.10	0.03	11	219
20 ISL	17.72	17.72	33.163	23.935	396.9	0.080	5.60	102.7	1.7	0.37	0.1	0.00	0.13	0.03	20	
21	17.72	17.72	33.163	23.935	396.9	0.084	5.60	102.7	1.7	0.37	0.1	0.00	0.13	0.03	21	218
30	16.40	16.40	33.101	24.198	372.1	0.118	5.88	105.1	2.0	0.39	0.1	0.00	0.17	0.05	30	217
38	13.93	13.92	33.078	24.718	322.6	0.146	6.07	103.2	3.0	0.52	0.9	0.13	0.51	0.18	38	216
50 ISL	13.08	13.07	33.067	24.882	307.4	0.184	5.77	96.4	3.7	0.73	4.0	0.19	0.49	0.19	50	
51	13.01	13.00	33.066	24.895	306.1	0.187	5.73	95.5	3.8	0.75	4.3	0.20	0.49	0.19	51	215
60	11.89	11.88	32.996	25.055	291.0	0.214	5.51	89.7	5.7	1.02	6.3	0.13	0.47	0.22	60	214
69	11.24	11.23	33.084	25.243	273.3	0.239	5.20	83.5	8.2	1.03	9.7	0.07	0.47	0.24	69	213
75 ISL	10.93	10.92	33.133	25.336	264.5	0.256	5.04	80.4	9.6	1.11	11.6	0.05	0.37	0.20	75	
84	10.55	10.54	33.229	25.478	251.2	0.279	4.74	75.1	12.1	1.28	14.3	0.03	0.18	0.12	84	212
99	9.96	9.95	33.525	25.809	219.9	0.314	3.87	60.6	18.6	1.64	19.9	0.02	0.02	0.06	99	211
100 ISL	9.92	9.91	33.534	25.823	218.6	0.316	3.86	60.4	18.8	1.64	20.1	0.02	0.02	0.06	100	
119	9.31	9.30	33.637	26.004	201.7	0.356	3.73	57.6	21.8	1.71	21.6	0.01	0.01	0.05	120	210
125 ISL	9.22	9.21	33.681	26.053	197.2	0.368	3.65	56.3	22.8	1.74	22.2	0.01	0.01	0.04	126	
139	9.08	9.06	33.794	26.164	186.9	0.395	3.41	52.5	25.4	1.82	23.6	0.01	0.00	0.03	140	209
150 ISL	8.98	8.96	33.901	26.264	177.7	0.415	3.08	47.3	28.5	1.92	25.1	0.01	0.00	0.03	151	
169	8.82	8.80	34.056	26.411	164.1	0.448	2.54	38.9	33.7	2.09	27.5	0.01	0.00	0.03	170	208
200	8.51	8.49	34.089	26.485	157.5	0.497	2.39	36.4	37.3	2.24	28.8	0.01	0.00	0.03	201	207
230	8.05	8.03	34.090	26.555	151.2	0.544	2.16	32.5	41.6	2.33	30.6	0.01			231	206
250 ISL	8.02	7.99	34.147	26.605	146.8	0.574	1.80	27.1	44.3	2.44	31.5	0.00			251	
268	7.99	7.96	34.192	26.645	143.4	0.600	1.47	22.1	46.6	2.55	32.2	0.00			270	205
300 ISL	7.90	7.87	34.229	26.688	139.9	0.645	1.17	17.6	49.8	2.67	33.1	0.00			302	
319	7.81	7.78	34.239	26.709	138.1	0.671	1.06	15.9	51.8	2.73	33.6	0.00			321	204
379	7.17	7.13	34.272	26.827	127.5	0.751	0.66	9.7	61.3	2.93	36.4	0.00			381	203
400 ISL	6.85	6.81	34.252	26.855	124.9	0.778	0.65	9.5	64.8	2.97	37.4	0.00			403	
439	6.33	6.29	34.222	26.901	120.7	0.825	0.63	9.1	70.9	3.04	38.9	0.01			442	202
500 ISL	6.17	6.13	34.301	26.984	113.5	0.897	0.48	6.9	77.2	3.15	39.9	0.00			503	
518	6.12	6.07	34.325	27.010	111.3	0.917	0.44	6.3	79.0	3.18	40.2	0.00			521	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE
31 31.1 N	120 15.0 W	19/07/03	0543	UTC	3944 m	300	11 kn			1015.8 mb	17.0 c	16.1 c				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	17.98	17.98	33.112	23.832	406.0	0.000	5.55	102.3	1.8	0.36	0.1	0.00	0.12	0.03	0	
2	17.98	17.98	33.112	23.833	406.1	0.008	5.55	102.3	1.8	0.36	0.1	0.00	0.12	0.03	2	221
10 ISL	17.97	17.97	33.114	23.837	405.9	0.041	5.56	102.4	1.8	0.37	0.1	0.00	0.12	0.04	10	
11	17.97	17.97	33.114	23.837	406.0	0.045	5.56	102.4	1.8	0.37	0.1	0.00	0.12	0.04	11	219
20 ISL	17.70	17.70	33.112	23.901	400.2	0.081	5.62	103.0	1.8	0.37	0.1	0.00	0.15	0.05	20	
21	17.67	17.67	33.111	23.908	399.6	0.085	5.63	103.1	1.8	0.37	0.1	0.00	0.15	0.05	21	218
30 ISL	16.48	16.48	33.065	24.152	376.5	0.120	5.89	105.4	2.1	0.38	0.1	0.00	0.18	0.07	30	
31	16.29	16.29	33.059	24.191	372.8	0.124	5.92	105.5	2.1	0.38	0.1	0.00	0.19	0.07	31	217
40	14.54	14.53	33.039	24.561	337.7	0.156	6.16	106.0	2.3	0.43	0.1	0.00	0.28	0.11	40	216
50	13.77	13.76	33.054	24.733	321.6	0.189	5.85	99.1	3.0	0.59	2.0	0.27	0.58	0.18	50	215
60	12.93	12.92	33.099	24.936	302.4	0.220	5.52	91.9	4.3	0.86	6.1	0.35	0.62	0.30	60	214
70	12.15	12.14	33.199	25.165	280.9	0.249	5.12	83.9	7.4	1.06	10.3	0.10	0.40	0.30	70	213
75 ISL	11.87	11.86	33.220	25.234	274.4	0.263	5.01	81.6	8.5	1.12	11.5	0.08	0.30	0.27	75	
85	11.34	11.33	33.268	25.368	261.8	0.290	4.76	76.7	10.8	1.24	13.5	0.03	0.15	0.18	85	212
100	10.23	10.22	33.474	25.724	228.1	0.326	3.99	62.8	17.1	1.56	18.7	0.02	0.02	0.07	100	211
120	9.67	9.66	33.615	25.928	209.0	0.370	3.57	55.6	21.2	1.72	21.6	0.01	0.01	0.06	121	210
125 ISL	9.58	9.57	33.657	25.976	204.6	0.380	3.45	53.6	22.2	1.76	22.3	0.01	0.01	0.06	126	
139	9.38	9.36	33.770	26.097	193.4	0.408	3.13	48.5	25.0	1.87	24.0	0.01	0.01	0.05	140	209
150 ISL	9.21	9.19	33.833	26.174	186.3	0.429	2.99	46.1	26.8	1.92	25.0	0.01	0.01	0.04	151	
171	8.92	8.90	33.921	26.289	175.6	0.467	2.80	42.9	29.8	1.99	26.4	0.01	0.00	0.03	172	208
200 ISL	8.64	8.62	34.014	26.406	165.0	0.517	2.48	37.8	34.0	2.13	28.2	0.00	0.00	0.03	201	
201	8.63	8.61	34.016	26.409	164.7	0.518	2.47	37.7	34.2	2.13	28.3	0.00	0.00	0.03	202	207
231	8.13	8.11	34.056	26.517	154.9	0.566	2.32	35.0	39.4	2.24	29.8	0.01			232	206
250 ISL	7.83	7.81	34.065	26.568	150.2	0.595	2.20	32.9	42.5	2.31	30.7	0.01			251	
269	7.56	7.53	34.072	26.613	146.1	0.623	2.06	30.7	45.5	2.38	31.7	0.00			271	205
300 ISL	7.22	7.19	34.097	26.681	140.0	0.668	1.75	25.8	50.7	2.53	33.3	0.00			302	
317	7.06	7.03	34.113	26.716	136.9	0.691	1.56	23.0	53.6	2.61	34.2	0.00			319	204
379	6.53	6.50	34.171	26.834	126.3	0.773	0.93	13.5	64.6	2.87	37.2	0.00			381	203
400 ISL	6.35	6.31	34.184	26.868	123.2	0.799	0.78	11.3	68.2	2.94	38.1	0.00			402	
439	6.01	5.97	34.204	26.927	117.8	0.846	0.58	8.3	74.8	3.06	39.6	0.00			442	202
500 ISL	5.52	5.48	34.237	27.014	109.9	0.915	0.43	6.1	84.2	3.16	41.2	0.00			503	
516	5.39	5.35	34.246	27.037	107.8	0.933	0.39	5.5	86.7	3.18	41.6	0.00			519	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE
31 10.9 N	120 55.4 W	19/07/03	1110	UTC	3848 m	320	06 kn			1016.5 mb	16.1 c	15.3 c				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	PHY	SI03	P04	N03	N02	CHL-A	PHAEO	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	16.76	16.76	33.072	24.092	381.3	0.000	5.79	104.2	1.1	0.40	0.2	0.00	0.31	0.07	0	
2	16.76	16.76	33.072	24.092	381.3	0.008	5.79	104.2	1.1	0.40	0.2	0.00	0.31	0.07	2	220
10 ISL	16.64	16.64	33.081	24.127	378.3	0.038	5.84	104.8	1.1	0.39	0.2	0.00	0.36	0.12	10	
11	16.62	16.62	33.082	24.132	377.8	0.042	5.85	105.0	1.1	0.39	0.2	0.00	0.37	0.13	11	219
20	15.94	15.94	33.130	24.325	359.7	0.075	6.08	107.7	1.1	0.42	0.3	0.01	0.44	0.13	20	218
29	15.31	15.31	33.085	24.430	349.9	0.107	6.04	105.6	1.2	0.46	0.9	0.10	0.91	0.10	29	217
30 ISL	15.19	15.19	33.076	24.449	348.1	0.110	6.03	105.2	1.2	0.47	1.0	0.11	0.90	0.12	30	
41	13.95	13.94	33.011	24.663	328.1	0.148	5.85	99.4	1.5	0.60	2.3	0.25	0.59	0.35	41	216
49	13.60	13.59	33.034	24.752	319.7	0.174	5.73	96.7	3.2	0.68	3.3	0.41	0.52	0.32	49	215
50 ISL	13.52	13.51	33.036	24.770	318.1	0.177	5.72	96.4	3.3	0.69	3.5	0.40	0.50	0.32	50	
61	12.24	12.23	33.003	24.995	296.8	0.211	5.61	92.0	5.4	0.87	6.5	0.18	0.28	0.32	61	214
71	10.49	10.48	32.882	25.217	275.6	0.239	5.43	85.7	9.1	1.09	11.0	0.08	0.11	0.14	71	213
75 ISL	10.36	10.35	32.979	25.315	266.4	0.250	5.30	83.5	10.4	1.17	12.4	0.05	0.08	0.11	75	
84	10.08	10.07	33.187	25.525	246.6	0.273	4.92	77.1	13.3	1.33	15.0	0.02	0.04	0.07	84	212
100	9.67	9.66	33.446	25.796	221.2	0.310	4.12	64.1	18.2	1.57	19.3	0.02	0.02	0.06	100	211
120	9.58	9.57	33.726	26.030	199.4	0.353	3.20	49.8	23.9	1.84	23.3	0.01	0.01	0.06	121	210
125 ISL	9.51	9.50	33.770	26.076	195.1	0.362	3.06	47.5	25.0	1.88	24.0	0.01	0.01	0.06	126	
139	9.30	9.28	33.866	26.185	185.0	0.389	2.78	43.0	27.7	1.98	25.4	0.01	0.01	0.07	140	209
150 ISL	9.14	9.12	33.930	26.261	178.0	0.409	2.62	40.4	29.8	2.04	26.3	0.01	0.01	0.06	151	
169	8.88	8.86	34.014	26.368	168.1	0.442	2.42	37.1	33.3	2.13	27.6	0.01	0.00	0.05	170	208
198	8.55	8.53	34.081	26.472	158.7	0.489	2.11	32.1	37.6	2.26	29.2	0.01	0.00	0.04	199	207
200 ISL	8.52	8.50	34.082	26.478	158.2	0.492	2.11	32.1	37.8	2.27	29.3	0.01	0.00	0.04	201	
229	8.05	8.03	34.081	26.548	151.8	0.537	2.07	31.2	41.5	2.34	30.5	0.01	0.00	0.04	230	206
250 ISL	7.74	7.72	34.089	26.600	147.1	0.569	1.91	28.5	45.2	2.43	31.6	0.01	0.00	0.04	251	
269	7.49	7.46	34.100	26.645	143.1	0.596	1.72	25.6	48.8	2.52	32.6	0.01	0.00	0.04	271	205
300 ISL	7.17	7.14	34.124	26.709	137.3	0.640	1.42	21.0	54.2	2.65	34.1	0.01	0.00	0.04	302	
318	7.00	6.97	34.138	26.744	134.2	0.664	1.26	18.5	57.2	2.72	34.9	0.01	0.00	0.04	320	204
379	6.38	6.35	34.159	26.844	125.2	0.743	0.90	13.0	67.1	2.91	37.1	0.01	0.00	0.04	381	203
400 ISL	6.25	6.21	34.180	26.878	122.2	0.769	0.76	11.0	70.3	2.97	37.7	0.01	0.00	0.04	403	
438	6.07	6.03	34.223	26.935	117.2	0.815	0.54	7.8	75.6	3.08	38.7	0.01	0.00	0.04	441	202
500 ISL	5.74	5.70	34.271	27.015	110.2	0.885	0.36	5.1	83.2	3.19	39.9	0.01	0.00	0.04	503	
516	5.66	5.62	34.283	27.034	108.5	0.903	0.31	4.4	85.1	3.22	40.2	0.01	0.00	0.04	519	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE
30 51.3 N	121 36.0 W	19/07/03	1858	UTC	4067 m	010	06 kn	010 04 05	2	1018.8 mb	18.9 c	17.1 c	19m		8/8	SC
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	PHY	SI03	P04	N03	N02	CHL-A	PHAEO	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	17.21	17.21	32.739	23.731	415.7	0.000	5.67	102.7	1.9	0.39	0.1	0.00	0.17	0.04	0	
3 A	17.21	17.21	32.739	23.731	415.8	0.012	5.67	102.7	1.9	0.39	0.1	0.00	0.17	0.04	3	222
10 ISL	17.16	17.16	32.739	23.743	414.8	0.042	5.67	102.6	1.8	0.38	0.1	0.00	0.18	0.04	10	
13 A	17.13	17.13	32.739	23.751	414.3	0.054	5.67	102.5	1.7	0.38	0.1	0.00	0.18	0.04	13	220
20 ISL	17.13	17.13	32.745	23.755	414.0	0.083	5.66	102.4	1.7	0.39	0.0	0.00	0.20	0.05	20	
24 A	17.13	17.13	32.749	23.759	413.9	0.100	5.66	102.4	1.8	0.39	0.0	0.00	0.21	0.06	24	219
30 ISL	17.09	17.09	32.785	23.796	410.5	0.124	5.67	102.5	1.8	0.39	0.0	0.00	0.25	0.08	30	
37 A	16.98	16.97	32.804	23.836	406.8	0.153	5.70	102.8	1.8	0.38	0.0	0.00	0.30	0.10	37	218
44	16.74	16.73	33.008	24.049	386.8	0.181	5.76	103.5	1.8	0.38	0.1	0.00	0.34	0.13	44	217
50 ISL	16.17	16.16	33.081	24.236	369.1	0.203	5.80	103.1	1.8	0.37	0.1	0.00	0.33	0.17	50	
51 A	16.07	16.06	33.086	24.263	366.6	0.207	5.81	103.1	1.8	0.37	0.1	0.00	0.33	0.18	51	216
61	15.46	15.45	33.073	24.389	354.8	0.243	5.85	102.6	1.9	0.40	0.0	0.00	0.35	0.26	61	215
72 A	14.64	14.63	33.052	24.551	339.7	0.281	5.86	101.0	2.2	0.49	0.0	0.00	0.39	0.35	72	214
75 ISL	14.31	14.30	33.029	24.603	334.8	0.291	5.84	100.0	2.4	0.48	0.1	0.02	0.39	0.36	75	
77	14.10	14.09	33.016	24.636	331.6	0.298	5.83	99.4	2.5	0.48	0.2	0.03	0.39	0.37	77	213
85	13.75	13.74	33.022	24.713	324.4	0.324	5.77	97.7	2.8	0.51	0.6	0.09	0.34	0.38	85	212
94	12.30	12.29	32.977	24.964	300.5	0.352	5.53	90.8	4.5	0.79	4.8	0.06	0.21	0.24	94	211
100 ISL	12.17	12.16	33.075	25.065	291.1	0.370	5.36	87.8	5.8	0.92	7.1	0.04	0.14	0.17	100	
110	11.95	11.94	33.196	25.201	278.4	0.399	5.04	82.2	8.2	1.09	10.3	0.01	0.05	0.08	110	210
125	10.96	10.94	33.317	25.475	252.4	0.438	4.49	71.8	12.6	1.35	14.7	0.01	0.02	0.04	125	209
144	10.14	10.12	33.525	25.780	223.7	0.484	3.77	59.3	18.4	1.62	19.8	0.00	0.01	0.04	145	208
150 ISL	9.93	9.91	33.587	25.864	215.9	0.497	3.62	56.7	19.9	1.68	20.8	0.00	0.01	0.04	151	
169	9.41	9.39	33.761	26.086	195.1	0.536	3.28	50.8	23.8	1.81	23.0	0.01	0.00	0.04	170	207
200 ISL	9.04	9.02	33.933	26.280	177.1	0.594	2.96	45.5	28.1	1.94	25.2	0.01	0.00	0.03	201	
227	8.86	8.84	34.007	26.367	169.4	0.640	2.76	42.3	31.4	2.02	26.7	0.00	0.00	0.02	228	206
250 ISL	8.53	8.50	34.040	26.444	162.3	0.679	2.49	37.9	35.4	2.14	28.6	0.00	0.00	0.02	251	
268	8.27	8.24	34.054	26.495	157.7	0.707	2.28	34.5	38.5	2.23	30.0	0.00	0.00	0.02	269	205
300 ISL	7.92	7.89	34.087	26.573	150.7	0.757	1.96	29.4	43.1	2.37	31.6	0.00	0.00	0.02	302	
319	7.74	7.71	34.106	26.615	147.0	0.785	1.77	26.5	45.9	2.46</						

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE			
30 30.8 N	122 15.7 W	19/07/03	2333 UTC	4186 m	340 10 kn	360 04 08	2	1018.1 mb	18.1 c	16.9 c	23m	8/8	ST			
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	17.96	17.96	32.848	23.635	424.8	0.000	5.60	103.0	1.9	0.38	0.3	0.00	0.13	0.02	0	
2	17.96	17.96	32.848	23.635	424.9	0.008	5.60	103.0	1.9	0.38	0.3	0.00	0.13	0.02	2	221
10 ISL	17.84	17.84	32.846	23.663	422.5	0.042	5.61	102.9	1.9	0.37	0.2	0.00	0.12	0.03	10	
15	17.75	17.75	32.845	23.684	420.7	0.063	5.61	102.8	1.9	0.37	0.2	0.00	0.12	0.03	15	219
20 ISL	17.74	17.74	32.848	23.689	420.4	0.084	5.61	102.7	1.9	0.37	0.2	0.00	0.13	0.03	20	
30 ISL	17.71	17.70	32.847	23.696	420.0	0.127	5.61	102.7	1.9	0.37	0.2	0.00	0.15	0.03	30	
31	17.71	17.70	32.846	23.695	420.1	0.131	5.61	102.7	1.9	0.37	0.2	0.00	0.15	0.03	31	218
46	17.33	17.32	33.234	24.084	383.6	0.191	5.76	104.9	1.6	0.35	0.2	0.00	0.19	0.05	46	217
50 ISL	17.16	17.15	33.258	24.143	378.1	0.206	5.78	104.9	1.6	0.35	0.2	0.00	0.19	0.05	50	
59	16.65	16.64	33.245	24.252	367.9	0.240	5.82	104.6	1.7	0.36	0.2	0.00	0.20	0.07	59	216
74	15.33	15.32	33.145	24.474	347.2	0.293	5.90	103.2	2.0	0.39	0.2	0.00	0.23	0.14	74	215
75 ISL	15.22	15.21	33.138	24.492	345.4	0.297	5.90	103.0	2.0	0.39	0.2	0.00	0.24	0.15	75	
85	14.15	14.14	33.079	24.675	328.1	0.331	5.86	100.0	2.4	0.47	0.3	0.00	0.31	0.28	85	214
94	13.24	13.23	33.045	24.834	313.1	0.359	5.68	95.1	3.6	0.61	2.0	0.14	0.31	0.36	94	213
100 ISL	12.50	12.49	33.058	24.989	298.4	0.378	5.47	90.2	5.1	0.76	4.9	0.10	0.24	0.30	100	
104	12.05	12.04	33.083	25.094	288.4	0.390	5.32	86.9	6.2	0.86	6.9	0.05	0.19	0.25	104	212
115	11.49	11.48	33.209	25.296	269.4	0.420	4.96	80.1	8.7	1.04	9.9	0.02	0.14	0.18	115	211
125	11.41	11.39	33.358	25.427	257.2	0.447	4.54	73.3	10.9	1.18	12.2	0.01	0.10	0.13	125	210
138	11.10	11.08	33.516	25.606	240.4	0.479	4.09	65.7	13.6	1.34	14.8	0.01	0.03	0.06	138	209
150 ISL	10.63	10.61	33.612	25.764	225.6	0.507	3.81	60.6	16.4	1.48	17.2	0.01	0.02	0.05	150	
161	10.20	10.18	33.685	25.895	213.2	0.531	3.61	56.9	19.1	1.59	19.2	0.00	0.02	0.04	161	208
192	9.70	9.68	33.932	26.172	187.5	0.593	2.98	46.5	25.7	1.85	23.2	0.00	0.00	0.03	192	207
200 ISL	9.57	9.55	33.968	26.222	182.9	0.608	2.96	46.1	26.8	1.88	23.8	0.00			200	
227	9.08	9.06	34.037	26.356	170.5	0.656	2.90	44.7	30.3	1.93	25.2	0.00			227	206
250 ISL	8.59	8.56	34.053	26.445	162.3	0.694	2.86	43.6	34.1	1.99	26.6	0.00			250	
268	8.23	8.20	34.055	26.502	157.1	0.723	2.82	42.6	37.3	2.06	27.8	0.00			268	205
300 ISL	7.79	7.76	34.080	26.587	149.3	0.772	2.36	35.3	43.7	2.27	30.2	0.00			300	
317	7.61	7.58	34.095	26.625	145.9	0.797	2.07	30.8	47.0	2.39	31.5	0.00			317	204
379	6.99	6.95	34.138	26.746	135.0	0.884	1.41	20.7	56.3	2.67	34.9	0.00			379	203
400 ISL	6.93	6.89	34.176	26.785	131.6	0.912	1.13	16.6	59.1	2.77	35.8	0.00			400	
438	6.84	6.80	34.243	26.850	126.0	0.961	0.69	10.1	64.3	2.93	37.2	0.00			438	202
500 ISL	6.25	6.21	34.265	26.946	117.2	1.036	0.48	6.9	74.2	3.07	39.4	0.00			500	
516	6.10	6.05	34.272	26.971	115.0	1.055	0.43	6.2	76.8	3.11	40.0	0.00			516	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE			
30 10.9 N	122 55.7 W	20/07/03	0456 UTC	3742 m	360 08 kn			1018.3 mb	18.2 c	17.1 c						
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	19.03	19.03	33.157	23.607	427.6	0.000	5.43	102.1	1.5	0.36	0.3	0.00	0.08	0.02	0	
2	19.03	19.03	33.157	23.607	427.6	0.009	5.43	102.1	1.5	0.36	0.3	0.00	0.08	0.02	2	220
10 ISL	19.01	19.01	33.157	23.612	427.4	0.043	5.43	102.1	1.5	0.36	0.2	0.00	0.08	0.01	10	
16	19.00	19.00	33.157	23.615	427.4	0.068	5.44	102.2	1.5	0.36	0.2	0.00	0.08	0.01	16	219
20 ISL	18.96	18.96	33.157	23.625	426.5	0.085	5.45	102.3	1.5	0.36	0.2	0.00	0.09	0.01	20	
30	18.85	18.84	33.157	23.653	424.2	0.128	5.46	102.3	1.5	0.36	0.2	0.00	0.13	0.03	30	218
46	17.83	17.82	33.130	23.885	402.6	0.194	5.66	104.0	1.6	0.36	0.2	0.00	0.19	0.04	46	217
50 ISL	17.55	17.54	33.115	23.941	397.4	0.210	5.70	104.2	1.6	0.36	0.2	0.00	0.20	0.04	50	
61	16.84	16.83	33.104	24.100	382.5	0.253	5.78	104.2	1.7	0.37	0.2	0.00	0.22	0.06	61	216
75 ISL	16.35	16.34	33.237	24.316	362.3	0.305	5.81	103.8	1.4	0.37	0.1	0.00	0.24	0.10	75	
76	16.30	16.29	33.243	24.332	360.8	0.309	5.81	103.7	1.4	0.37	0.1	0.00	0.24	0.11	76	215
84	15.37	15.36	33.160	24.477	347.2	0.337	5.83	102.1	1.6	0.40	0.2	0.00	0.24	0.17	84	214
94	14.04	14.03	33.080	24.699	326.1	0.371	5.82	99.1	2.3	0.47	0.5	0.03	0.32	0.28	94	213
100 ISL	13.21	13.20	33.031	24.830	313.7	0.390	5.74	96.1	3.0	0.57	1.9	0.10	0.30	0.29	100	
104	12.71	12.70	33.009	24.911	306.0	0.402	5.66	93.7	3.6	0.64	3.1	0.13	0.28	0.29	104	212
115	11.80	11.79	33.040	25.108	287.3	0.435	5.41	87.9	5.7	0.84	6.9	0.05	0.22	0.21	115	211
125	11.66	11.64	33.174	25.238	275.2	0.463	5.07	82.2	7.4	0.98	9.1	0.02	0.17	0.18	125	210
140	10.69	10.67	33.304	25.513	249.1	0.502	4.77	75.8	10.8	1.17	12.9	0.01	0.09	0.11	140	209
150 ISL	10.30	10.28	33.424	25.674	234.0	0.527	4.41	69.5	13.6	1.33	15.6	0.00	0.06	0.08	150	
165	9.94	9.92	33.609	25.880	214.7	0.560	3.84	60.1	17.9	1.55	19.1	0.00	0.03	0.04	165	208
195	9.52	9.50	33.894	26.172	187.5	0.621	3.17	49.3	24.6	1.80	23.0	0.00	0.00	0.02	195	207
200 ISL	9.48	9.46	33.928	26.205	184.4	0.630	3.09	48.0	25.5	1.83	23.4	0.00			200	
231	9.21	9.18	34.065	26.357	170.6	0.685	2.72	42.0	30.2	1.99	25.5	0.00			231	206
250 ISL	8.86	8.83	34.086	26.429	163.9	0.717	2.65	40.6	32.9	2.05	26.6	0.00			250	
269	8.50	8.47	34.094	26.491	158.2	0.747	2.56	38.9	35.8	2.11	27.8	0.00			269	205
300 ISL	8.25	8.22	34.155	26.578	150.5	0.795	1.94	29.3	41.4	2.35	30.1	0.00			300	
320	8.13	8.10	34.193	26.626	146.2	0.825	1.50	22.6	45.2	2.52	31.6	0.00			320	204
381	7.33	7.29	34.206	26.753	134.7	0.910	1.07	15.9	55.1	2.74	34.6	0.00			381	203
400 ISL	7.18	7.14	34.215	26.781	132.2	0.936	0.95	14.0	57.6	2.80	35.3	0.00			400	
435	6.95	6.91	34.237	26.830	127.9	0.981	0.74	10.9	62.0	2.91	36.5	0.00			435	202
500 ISL	6.58	6.53	34.292	26.924	119.7	1.062	0.42	6.1	69.7	3.06	38.2	0.00			500	
514	6.50	6.45	34.304	26.944	117.9	1.078	0.35	5.1	71.4	3.09	38.6	0.00			514	201

PRIMARY PRODUCTIVITY CASTS

RV NEW HORIZON

CALCOFI CRUISE 0307

STATION 77 55

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
34 54.2 N	121 12.1 W	29/07/03	1841 UTC	10 m		1210 - 1933 PST	1210 PST	1935 PST	644.6 mg C/m ²							
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m ³)			
m	DEG C		THETA	mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	PCT	1	2	MEAN	DARK
2	15.38	33.176	24.484	6.52	114.2	1.4	0.54	3.3	0.15	0.52	0.28	74. A	20.8	20.0	20.4	0.31
7	15.29	33.188	24.513	6.57	114.9	1.2	0.53	3.4	0.15	0.71	0.35	34.	31.7	32.7	32.2	0.32
12	12.06	33.389	25.328	6.83	111.9	3.1	0.86	5.7	0.27	1.76	0.55	16.	32.7	34.5	33.6	0.33
20	10.93	33.410	25.551	5.96	88.9	12.7	1.35	15.0	0.34	1.72	0.70	4.6	13.8	19.1	16.4	0.25
26	10.82	33.407	25.568	5.42	86.4	13.8	1.39	15.5	0.36	1.58	0.68	1.8	6.2	6.8	6.5	0.31
38	10.55	33.524	25.707	4.98	79.0	18.2	1.58	17.7	0.34	0.57	0.43	0.29	0.00	0.04	0.02	0.21

RV NEW HORIZON

CALCOFI CRUISE 0307

STATION 77 90

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
33 42.7 N	123 38.1 W	28/07/03	2015 UTC	23 m		1315 - 1940 PST	1220 PST	1947 PST	131.0 mg C/m ²							
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m ³)			
m	DEG C		THETA	mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	PCT	1	2	MEAN	DARK
2	17.43	32.645	23.607	5.66	102.9	1.6	0.36	0.0	0.00	0.15	0.04	88. A	3.3	3.1	3.2	0.27
13	17.18	32.639	23.662	5.67	102.6	1.6	0.36	0.0	0.00	0.15	0.04	42.	3.2	3.3	3.2	0.30
30	14.34	32.687	24.331	6.18	105.7	2.2	0.38	0.0	0.00	0.16	0.05	14.	1.7	1.5	1.6	0.25
44	14.47	32.983	24.533	6.03	103.6	2.4	0.35	0.0	0.00	0.22	0.10	5.3	1.0	1.1	1.1	0.14
53	14.28	33.087	24.653	5.96	102.0	2.5	0.34	0.0	0.00	0.27	0.19					
62	13.23	32.982	24.787	5.87	98.3	3.2	0.45	0.9	0.08	0.35	0.30	1.6	0.94	0.96	0.95	0.25
67	12.65	32.996	24.911	5.70	94.3	4.0	0.58	2.7	0.21	0.31	0.31					
78	11.21	32.898	25.104	5.62	90.1	6.0	0.79	6.3	0.12	0.17	0.26					
86	10.92	33.004	25.238	5.45	86.9	7.1	0.87	7.8	0.05	0.14	0.19	0.32	-0.02	0.00	-0.01	0.15

RV NEW HORIZON

CALCOFI CRUISE 0307

STATION 80 80

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
33 29.5 N	122 31.6 W	27/07/03	1912 UTC	16 m		1223 - 1942 PST	1217 PST	1943 PST	496.4 mg C/m ²							
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m ³)			
m	DEG C		THETA	mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	PCT	1	2	MEAN	DARK
3	16.16	32.958	24.142	6.02	107.0	3.0	0.57	2.7	0.11	0.41	0.11	75. A	15.2	14.0	14.6	0.29
11	15.01	33.001	24.430	6.10	106.0	2.9	0.60	3.1	0.16	0.41	0.17	35.	17.9	18.0	18.0	0.29
21	13.73	33.014	24.709	6.30	106.6	4.2	0.71	4.8	0.17	0.61	0.32	13.	15.0	15.7	15.4	0.47
32	12.99	33.110	24.932	5.93	98.9	3.1	0.92	6.5	0.20	0.35	0.18	4.6	3.8	3.7	3.8	0.16
39	12.39	33.113	25.051	5.77	95.0	4.5	0.98	7.6	0.28	0.55	0.36					
45	11.88	33.145	25.173	5.62	91.6	6.8	1.10	9.3	0.26	0.32	0.25	1.3	1.5	1.9	1.7	0.29
53	11.70	33.231	25.273	5.60	90.9	8.5	1.19	10.7	0.26	0.25	0.24					
61	11.01	33.324	25.471	5.05	80.8	12.0	1.38	13.6	0.30	0.09	0.15	0.29	-0.01	0.07	0.03	0.17

RV NEW HORIZON

CALCOFI CRUISE 0307

STATION 82 47

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
34 17.2 N	120 1.3 W	26/07/03	1831 UTC	5 m		1208 - 1942 PST	1207 PST	1940 PST	2152.1 mg C/m ²							
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m ³)			
m	DEG C		THETA	mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	PCT	1	2	MEAN	DARK
2	19.41	33.477	23.754	6.35	120.5	1.0	0.08	0.0	0.01	1.83	0.55	54. A	167.3	201.6	184.5	1.4
3	19.26	33.474	23.791	6.39	120.9	1.1	0.09	0.0	0.02	1.91	0.58	40.	238.6	184.3	211.5	5.6
7	18.88	33.469	23.883	6.39	120.0	1.1	0.11	-0.2	0.22	2.54	0.95	12.	198.6	120.4	159.5	2.1
11	18.47	33.472	23.988	6.47	120.6	1.0	0.13	-0.3	0.34	2.74	0.86	3.4	90.4	90.0	90.2	2.2
15	17.15	33.444	24.286	6.69	121.6	1.0	0.19	-0.4	0.35	4.48	1.53	1.00	19.9	61.0	40.5	2.6
19	15.91	33.467	24.590	6.16	109.2	2.4	0.38	0.1	0.05	2.09	1.01	0.29	1.3	0.09	0.67	1.1

A) INCUBATION LIGHT INTENSITIES WERE 94, 39, 13, 5.0, 1.5, 0.29 PERCENT RESPECTIVELY.

PRIMARY PRODUCTIVITY CASTS

RV NEW HORIZON

CALCOFI CRUISE 0307

STATION 83 70

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
33 14.1 N	121 25.8 W	25/07/03	1835 UTC	20 m		1155 - 1935 PST	1210 PST	1934 PST	562.9 mg C/m ²							
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m ³)			
m	DEG C		THETA	mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	PCT	1	2	MEAN	DARK
2	17.14	32.968	23.923	5.69	103.1	1.5	0.38	0.0	0.00	0.23	0.06	86. A	6.6	6.8	6.7	0.16
12	17.00	32.959	23.950	5.71	103.1	1.5	0.38	0.0	0.00	0.25	0.07	40.	8.6	9.3	8.9	0.13
20	15.23	32.902	24.306	6.13	106.9	1.4	0.45	0.8	0.08	0.67	0.21					
28	13.74	32.817	24.555	6.22	105.1	1.4	0.52	1.6	0.18	0.90	0.31	12.	20.4	21.3	20.8	0.19
38	13.32	32.933	24.730	5.97	100.1	2.3	0.70	3.8	0.30	0.72	0.33	5.4	8.2	8.9	8.6	0.20
47	12.73	33.006	24.903	5.78	95.8	5.1	0.86	6.1	0.31	0.40	0.28					
56	12.14	33.028	25.033	5.59	91.5	6.4	1.01	8.1	0.40	0.20	0.16	1.4	0.48	0.54	0.51	0.22
66	12.61	33.361	25.202	5.48	90.8	6.8	1.02	6.6	0.30	0.08	0.14					
75	11.18	33.260	25.391	5.10	81.9	11.3	1.31	12.6	0.52	0.11	0.15	0.32	-0.02	0.03	0.01	0.15

RV NEW HORIZON

CALCOFI CRUISE 0307

STATION 87 55

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
33 9.3 N	120 1.0 W	23/07/03	1810 UTC	7 m		1215 - 1934 PST	1206 PST	1930 PST	738.9 mg C/m ²							
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m ³)			
m	DEG C		THETA	mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	PCT	1	2	MEAN	DARK
2	16.84	33.511	24.410	6.02	108.8	0.9	0.31	0.1	0.02	2.09	0.44	64. A	68.5	67.3	67.9	0.51
6	16.74	33.510	24.433	5.99	108.0	0.8	0.32	0.0	0.02	2.12	0.48	27.	60.4	60.4	60.4	0.55
9	16.43	33.524	24.516	5.96	106.8	0.8	0.37	0.4	0.03	2.15	0.64	14.	35.0	35.4	35.2	0.41
15	16.09	33.538	24.604	5.83	103.8	0.9	0.42	1.0	0.05	2.05	0.70	3.7	14.9	16.4	15.7	0.27
19	14.48	33.587	24.996	5.34	92.1	2.7	0.79	4.8	0.13	2.25	1.13	1.6	2.2	2.3	2.3	0.25
27	12.16	33.628	25.495	4.41	72.5	11.5	1.32	12.6	0.23	0.91	0.75	0.27	1.2	1.4	1.3	0.18

RV NEW HORIZON

CALCOFI CRUISE 0307

STATION 90 28

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
33 29.0 N	117 46.1 W	22/07/03	1859 UTC	7 m		1205 - 1937 PST	1200 PST	1931 PST	351.5 mg C/m ²							
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m ³)			
m	DEG C		THETA	mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	PCT	1	2	MEAN	DARK
2	20.50	33.505	23.491	6.01	116.4	1.1	0.17	0.0	0.00	1.03	0.38	64. A	48.3	52.5	50.4	0.37
4	19.35	33.476	23.769	6.13	116.2	1.2	0.24	0.0	0.00	0.52	0.13	42.	21.0	20.6	20.8	0.34
10	15.74	33.286	24.489	6.65	117.4	1.3	0.31	0.0	0.00	0.65	0.19	11.	12.7	12.5	12.6	0.39
13	14.46	33.299	24.778	6.74	116.0	1.4	0.37	0.0	0.00	0.89	0.32	5.8	6.5	7.2	6.8	0.39
19	13.48	33.276	24.963	6.26	105.6	2.1	0.55	2.1	0.11	1.37	0.58	1.6	4.0	4.5	4.2	0.29
27	12.58	33.317	25.173	5.30	87.7	5.5	0.94	7.4	0.48	1.12	0.57	0.27	0.08	0.12	0.10	0.13

RV NEW HORIZON

CALCOFI CRUISE 0307

STATION 90 60

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
32 25.6 N	119 58.2 W	21/07/03	1632 UTC	9 m		1210 - 1930 PST	1205 PST	1930 PST	636.8 mg C/m ²							
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m ³)			
m	DEG C		THETA	mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	PCT	1	2	MEAN	DARK
2	16.07	33.331	24.449	6.11	108.6	1.1	0.45	0.9	0.06	0.93	0.28	71. A	15.8	30.1	23.0	0.29
5	16.06	33.332	24.452	6.14	109.1	1.1	0.45	0.9	0.06	0.93	0.29	43.	38.8	38.8	38.8	0.27
12	14.47	33.247	24.735	6.15	105.8	1.6	0.57	2.1	0.15	1.45	0.48	13.	32.9	33.4	33.2	0.26
18	14.19	33.303	24.838	5.97	102.2	1.9	0.68	3.1	0.19	1.68	0.63	4.6	15.6	16.1	15.8	0.25
25	13.57	33.282	24.949	5.65	95.5	3.1	0.84	4.7	0.34	1.06	0.50	1.4	4.9	5.9	5.4	0.18
34	13.28	33.373	25.078	5.46	91.7	5.1	1.01	6.1	0.36	0.67	0.42	0.30	0.15	0.12	0.13	0.12

A) INCUBATION LIGHT INTENSITIES WERE 94, 39, 13, 5.0, 1.5, 0.29 PERCENT RESPECTIVELY.

PRIMARY PRODUCTIVITY CASTS

RV NEW HORIZON

CALCOFI CRUISE 0307

STATION 90 100

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
31 6.0 N	122 40.1 W	20/07/03	1701 UTC	21 m		1215 - 1933 PST	1215 PST	1936 PST	103.3 mg C/m ²							
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m ³)			
m	DEG C		THETA	mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	PCT	1	2	MEAN	DARK
3	18.30	33.005	23.673	5.50	101.9	1.6	0.36	0.3	0.00	0.10	0.03	80. A	1.8	1.6	1.7	0.10
13	18.28	33.003	23.676	5.50	101.9	1.5	0.37	0.2	0.00	0.10	0.03	39.	2.8	2.7	2.8	0.12
28	18.27	33.001	23.678	5.49	101.7	1.9	0.37	0.2	0.00	0.11	0.03	13.	2.1	2.1	2.1	0.11
40	18.23	32.990	23.680	5.51	101.9	1.8	0.36	0.3	0.00	0.13	0.03	5.4	0.87	0.86	0.87	0.09
57	16.82	33.070	24.079	5.77	103.9	1.9	0.37	0.3	0.00	0.21	0.07	1.6	0.64	0.69	0.67	0.08
68	16.26	33.085	24.219	5.78	103.0	2.0	0.37	0.2	0.00	0.21	0.09					
80	15.13	33.012	24.415	5.87	102.2	1.9	0.40	0.3	0.00	0.26	0.15	0.29	0.03	0.03	0.03	0.05

RV NEW HORIZON

CALCOFI CRUISE 0307

STATION 93 26.7

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
32 57.3 N	117 18.4 W	17/07/03	1825 UTC	4 m		1140 - 1935 PST	1155 PST	1926 PST	598.6 mg C/m ²							
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m ³)			
m	DEG C		THETA	mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	PCT	1	2	MEAN	DARK
2	22.10	33.588	23.119	6.76	134.8	0.8	0.05	0.0	0.01	4.06	0.93	46. A	98.8	101.5	100.2	1.5
4	21.85	33.579	23.182	6.77	134.4	0.6	0.04	0.0	0.01	3.78	0.90	22.	101.3	101.3	101.3	1.1
5	21.79	33.579	23.198	6.80	134.9	0.6	0.04	0.0	0.01	4.00 B	1.06 B	15.	54.4	54.8	54.6	1.1
8	19.13	33.392	23.761	5.95	112.3	1.2	0.21	0.0	0.00	0.85	0.27	4.6	7.0	7.6	7.3	0.56
12	16.76	33.374	24.324	6.33	114.1	1.0	0.27	0.0	0.00	0.74	0.25	1.00	3.0	3.4	3.2	0.38
15	15.34	33.393	24.660	6.60	115.7	1.1	0.28	0.0	0.00	0.78	0.31	0.32	0.06	0.04	0.05	0.35

B) SECOND FLUOROMETER READING NOT RECORDED, CHLOROPHYLL AND PHAEOPIGMENT CALCULATED WITH ASSUMED ACID RATIO INTERPOLATED FROM ADJACENT LEVELS.

RV NEW HORIZON

CALCOFI CRUISE 0307

STATION 93 50

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
32 10.1 N	118 54.3 W	18/07/03	1720 UTC	11 m		1215 - 1933 PST	1210 PST	1933 PST	756.9 mg C/m ²							
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m ³)			
m	DEG C		THETA	mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	PCT	1	2	MEAN	DARK
1	18.57	33.558	24.028	5.72	106.9	0.8	0.26	0.0	0.00	0.35	0.08	87. A	13.7	14.4	14.0	0.27
6	18.06	33.556	24.153	5.79	107.1	0.8	0.26	0.0	0.00	0.45	0.13	43.	14.6	14.9	14.7	0.37
15	12.80	33.531	25.295	5.47	91.1	4.0	0.90	8.8	0.39	3.58	1.20	12.	44.1	47.0	45.6	0.71
22	11.65	33.539	25.521	4.90	79.6	8.5	1.25	13.6	0.48	3.65	1.18	4.6	22.8	25.5	24.2	0.43
30	11.27	33.530	25.583	4.28	69.0	13.5	1.47	16.9	0.26	2.37	0.95	1.5	6.1	6.2	6.1	0.24
41	10.67	33.598	25.744	3.68	58.6	18.7	1.69	20.4	0.04	0.39	0.24	0.33	0.21	0.06	0.13	0.13

RV NEW HORIZON

CALCOFI CRUISE 0307

STATION 93 90

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
30 51.3 N	121 36.0 W	19/07/03	1858 UTC	19 m		1235 - 1928 PST	1210 PST	1939 PST	141.7 mg C/m ²							
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m ³)			
m	DEG C		THETA	mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	PCT	1	2	MEAN	DARK
3	17.21	32.739	23.731	5.67	102.7	1.9	0.39	0.1	0.00	0.17	0.04	78. A	3.8	3.8	3.8	0.20
13	17.13	32.739	23.751	5.67	102.5	1.7	0.38	0.1	0.00	0.18	0.04	35.	4.0	3.8	3.9	0.14
24	17.13	32.749	23.759	5.66	102.4	1.8	0.39	0.0	0.00	0.21	0.06	14.	2.8	2.8	2.8	0.20
37	16.98	32.804	23.836	5.70	102.8	1.8	0.38	0.0	0.00	0.30	0.10	5.0	1.8	1.9	1.8	0.09
44	16.74	33.008	24.049	5.76	103.5	1.8	0.38	0.1	0.00	0.34	0.13					
51	16.07	33.086	24.263	5.81	103.1	1.8	0.37	0.1	0.00	0.33	0.18	1.6	0.65	0.71	0.68	0.07
61	15.46	33.073	24.389	5.85	102.6	1.9	0.40	0.0	0.00	0.35	0.26					
72	14.64	33.052	24.551	5.86	101.0	2.2	0.49	0.0	0.00	0.39	0.35	0.30	0.06	0.05	0.05	0.05

A) INCUBATION LIGHT INTENSITIES WERE 94, 39, 13, 5.0, 1.5, 0.29 PERCENT RESPECTIVELY.

CalCOFI Cruise 0307

MACROZOOPLANKTON BIOMASS

Net Mesh Size: 0.505mm

Line	Sta.	Latitude N	Longitude W	Date Mo/Day	Time (PST)		Water Volume Strained (m ³)	Max. Tow Depth (m)	Volume per 1000 m ³ Strained	
					Start	End			Total (cm ³)	Small (cm ³)
77	49	35 05.4	120 47.6	07/29	1739	1745	123	49	114	114
77	51	35 00.9	120 54.5	07/29	1441	1502	417	209	141	141
77	55	34 54.1	121 12.2	07/29	0935	0957	449	203	468	468
77	60	34 43.7	121 33.5	07/29	0635	0657	444	211	126	126
77	70	34 23.9	122 15.7	07/29	0102	0124	448	221	89	89
77	80	34 03.9	122 58.1	07/28	1912	1933	456	210	162	162
77	90	33 42.2	123 38.7	07/28	1319	1341	457	212	20	20
77	100	33 24.1	124 20.5	07/28	0738	0759	458	210	13	13
80	51	34 26.9	120 31.3	07/26	1646	1652	136	56	88	88
80	55	34 19.5	120 49.8	07/26	1955	2017	490	206	69	69
80	60	34 09.1	121 11.7	07/26	2322	2344	462	202	204	204
80	70	33 47.7	121 49.5	07/27	0433	0454	437	214	300	300
80	80	33 28.9	122 30.1	07/27	1218	1240	453	206	525	525
80	90	33 08.2	123 12.1	07/27	2012	2033	455	212	79	79
80	100	32 48.4	123 55.4	07/28	0142	0204	472	211	32	32
82	47	34 18.3	120 00.3	07/26	1242	1303	432	216	58	58
83	40.6	34 13.0	119 24.5	07/26	0707	0710	76	25	40	40
83	42	34 11.6	119 30.7	07/26	0539	0547	159	69	132	132
83	51	33 52.1	120 08.4	07/26	0010	0021	244	104	566	566
83	55	33 44.6	120 25.9	07/25	2054	2115	470	196	345	345
83	60	33 34.6	120 42.4	07/25	1703	1724	457	210	306	306
83	70	33 14.6	121 26.6	07/25	0940	1002	488	202	156	156
83	80	32 54.8	122 06.9	07/25	0514	0535	415	213	516	516
83	90	32 36.1	122 48.8	07/24	2346	0008	454	217	37	37
83	100	32 15.9	123 30.2	07/24	1817	1838	461	212	41	41
87	33	33 52.7	118 29.9	07/22	1711	1717	119	48	68	68
87	35	33 49.5	118 38.9	07/22	1935	1957	465	210	189	189
87	40	33 38.7	118 59.4	07/22	2302	2323	455	204	103	103
87	45	33 29.9	119 20.3	07/23	0258	0319	430	202	536	536
87	50	33 19.8	119 40.6	07/23	0618	0625	140	63	136	136
87	55	33 09.3	120 02.0	07/23	0907	0928	437	209	73	73
87	60	32 58.4	120 22.5	07/23	1512	1533	457	214	162	162
87	70	32 38.3	121 03.5	07/23	2038	2060	501	211	116	116
87	80	32 18.9	121 42.0	07/24	0159	0220	458	211	131	131
87	90	31 59.3	122 24.5	07/24	0713	0734	448	212	58	58
87	100	31 40.6	123 05.1	07/24	1235	1256	469	213	51	51
90	28	33 28.5	117 46.5	07/22	0946	0954	181	74	294	294
90	30	33 24.0	117 55.2	07/22	0754	0816	438	200	130	130
90	35	33 14.4	118 16.8	07/22	0352	0414	458	204	98	98
90	37	33 11.3	118 25.4	07/22	0050	0112	467	208	94	94
90	45	32 55.1	118 57.4	07/21	1949	2010	449	212	67	67
90	53	32 39.9	119 30.1	07/21	1501	1522	448	210	181	181
90	60	32 25.3	119 57.8	07/21	0734	0755	424	208	219	219
90	70	32 05.6	120 39.8	07/21	0244	0306	464	201	222	222
90	80	31 45.3	121 20.6	07/20	2057	2118	469	210	160	160
90	90	31 25.1	122 00.3	07/20	1502	1524	470	205	109	87
90	100	31 05.4	122 39.8	07/20	0807	0829	428	213	19	19
90	110	30 46.5	123 21.1	07/20	0336	0357	457	208	42	42
93	26.7	32 57.0	117 18.5	07/17	1134	1139	113	41	89	89
93	28	32 52.8	117 23.1	07/17	1423	1445	470	204	38	38
93	30	32 49.4	117 31.9	07/17	1738	1759	448	218	45	45
93	35	32 39.5	117 53.3	07/17	2121	2143	484	198	122	122
93	40	32 32.3	118 15.1	07/18	0122	0143	479	200	140	140
93	45	32 19.6	118 33.9	07/18	0519	0540	458	207	120	120
93	50	32 10.3	118 54.0	07/18	0811	0832	453	210	141	141
93	55	32 59.6	119 14.9	07/18	1342	1403	461	208	217	217
93	60	31 50.1	119 35.1	07/18	1728	1750	467	205	73	73
93	70	31 31.9	120 15.8	07/18	2252	2313	451	206	106	106
93	80	31 11.3	120 56.5	07/19	0424	0446	454	211	298	262
93	90	30 51.3	121 36.0	07/19	0851	0912	440	216	52	52
93	100	30 31.2	122 16.3	07/19	1648	1709	464	212	62	30
93	110	30 11.4	122 56.7	07/19	2203	2224	468	215	26	26

FIGURES

Avifauna Observations

CalCOFI Cruise 0307

- 1a. Pink-footed Shearwater distribution.
- 1b. Leach's Storm Petrel distribution.
- 1c. Unidentified Dark Shearwater distribution.
- 1d. Unidentified Phalarope distribution.
- 1e. Cook's Petrel distribution.
- 1f. Western Gull distribution.

CalCOFI Cruise 0307

