

MRS. MARGARET K. ROBINSON
UNIVERSITY OF CALIFORNIA
SCRIPPS INSTITUTION OF OCEANOGRAPHY
LA JOLLA, CALIF.

UNIVERSITY OF CALIFORNIA SCRIPPS INSTITUTION OF OCEANOGRAPHY

DATA REPORT

PHYSICAL AND CHEMICAL DATA

CCOFI CRUISE 5209

(MLR 41)

4-19 September 1952

SIO Reference 57-10
26 February 1957

UNIVERSITY OF CALIFORNIA
SCRIPPS INSTITUTION OF OCEANOGRAPHY

PHYSICAL AND CHEMICAL DATA

CCOFI CRUISE 5209

(MLR 41)


4-19 September 1952

Sponsored by
Marine Research Committee

SIO Reference 57-10

26 February 1957

Approved for distribution:


Roger Revelle, Director

CONTENTS

List of Figures	ii
Introduction	iii
Personnel	iv
Tabulated Data at Standard Depths	1
Distribution List	46

FIGURES

1. CCOFI Cruise 5209 (MLR 41) Station Positions
2. Horizontal Distribution of Dynamic Height Anomaly (0 over 500 d-bar)
3. Horizontal Distribution of Temperature at 10 meters
4. Horizontal Distribution of Salinity at 10 meters
5. Horizontal Distribution of Temperature at 200 meters
6. Horizontal Distribution of Salinity at 200 meters






FIGURE 1



FROM H.O. CHART 0527

FIGURE 2



FROM H.O. CHART 0527

FIGURE 3





FIGURE 4



FROM H.O. CHART 0527

FIGURE 5

INTRODUCTION

The data in this report were collected on the forty-first full-scale cruise conducted in the Marine Life Research Program. The two ships participating were the MV CREST and the MV PAOLINA T, of the Scripps Institution of Oceanography.

Data are presented in the form of values tabulated at standard depths, and on charts of horizontal distributions. Values of observed depths will be included in a final publication, OCEANIC OBSERVATIONS OF THE PACIFIC. The presentation of data in these Physical and Chemical Reports does not constitute publication, and these interpretations may be subject to modification as the program continues.

In the tabulated data extrapolated values are indicated by parentheses. The time given is the time that the messenger was released. When more than one cast was made on a station, both messenger times and both wire angles are given; the time and the wire angle given first are for the shallow cast. Horizontal lines separate the casts.

Nansen bottle pretripping occurred on Station 120.90. Some of the depths of observation, therefore, may be slightly in error.

PERSONNEL

Ships' Captains

Davis, L., MV CREST
Newbegin, R. C., MV PAOLINA-T

PERSONNEL PARTICIPATING IN THE COLLECTION OF DATA

MV CREST

Smith, Alan C., Senior Marine Technician
Casey, Harold D., Fishery Aid
Greenbaum, Richard H., Marine Technician
Lamplugh, Roscoe W., Marine Technician
Schmidt, Don D., Marine Technician
Focke, Alfred B., Laboratory Assistant Trainee
Mills, Richard A., Laboratory Assistant Trainee

MV PAOLINA-T

Gossett, David A., Senior Marine Technician
Larrimore, Wayne, Marine Technician
Miller, Gaylord, Laboratory Assistant Trainee
Moyer, John S., Marine Technician

STATION 60.55 (Interpolated Values at Standard Depths)

PAOLINA T.: 37°49'N 123°14'W; September 17, 1952; 0907 GCT; wire angle: 10°; sounding: 53 fms; depth of observation: 75 m; weather: fog; sea: slight; wind: 360°, force 1.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	12.22	33.28	25.23		.000	7.84
10	10.40	33.35	25.62		.026	5.94
20	9.88	33.44	25.78		.049	4.80
30	9.60	33.53	25.89		.070	4.62
50	9.17	33.48	25.92		.113	4.17
75	8.90	33.73	26.16		.162	2.35

STATION 60.60 (Interpolated Values at Standard Depths)

PAOLINA T.: 37°38'N 123°36'W; September 17, 1952; 1552 GCT; wire angle: 21°; sounding: 1820 fms; depth of observation: 1139 m; weather: overcast; sea: slight; wind: 170°, force 1.

0	16.13	32.84	24.08		.000	6.11
10	15.58	32.92	24.26		.038	6.44
20	14.24	32.95	24.58		.073	6.42
30	12.70	33.03	24.95		.105	6.30
50	10.12	33.17	25.53		.160	5.49
75	9.53	33.32	25.74		.219	4.80
100	8.96	33.50	25.97		.273	4.07
150	8.20	33.75	26.28		.369	3.29
200	7.93	33.96	26.49		.453	2.24
250	7.47	33.97	26.56		.531	2.01
300	7.04	33.99	26.64		.605	1.86
400	6.35	34.07	26.80		.744	1.48
500	5.79	34.17	26.95		.869	0.60
600	5.25	34.25	27.07		.981	0.44
700	4.75	34.31	27.18		1.083	0.37
800	4.35	34.35	27.25		1.178	0.36
1000	3.77	34.41	27.36		1.349	0.49

STATION 60.70 (Interpolated Values at Standard Depths)

PAOLINA T.: 37°20'N 124°20'W; September 17, 1952; 2212 GCT; wire angle: 16°; sounding: 2050 fms; depth of observation: 576 m; weather: cloudy; sea: slight; wind: calm.

Depth	T	S	σ_t	$10^5 s$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	16.16	32.86	24.09		.000	5.70
10	15.90	32.89	24.17		.038	5.81
20	15.26	32.92	24.33		.075	6.13
30	13.40	32.87	24.69		.109	6.47
50	10.40	32.77	25.17		.170	5.69
75	9.23	33.16	25.66		.235	4.95
100	8.59	33.38	25.94		.290	4.17
150	8.19	33.78	26.31		.386	3.07
200	7.75	33.95	26.51		.469	2.70
250	7.16	34.01	26.64		.545	2.30
300	6.73	34.03	26.71		.615	1.73
400	6.04	34.09	26.85		.747	1.02
500	5.55	34.16	26.97		.868	0.57

STATION 60.80 (Interpolated Values at Standard Depths)

PAOLINA T.: 37°02'N 125°01'W; September 18, 1952; 0433 GCT; wire angle: 2°; sounding: 2360 fms; depth of observation: 1203 m; weather: no observation; sea: slight; wind: 300°, force 1.

0	16.70	32.97	24.05		.000	5.74
10	16.72	32.97	24.04		.039	5.80
20	16.69	32.98	24.06		.078	5.73
30	16.61	32.99	24.09		.116	5.78
50	11.13	32.94	25.17		.183	6.21
75	9.18	33.03	25.57		.248	5.31
100	8.43	33.31	25.91		.305	4.55
150	8.06	33.82	26.36		.401	3.03
200	7.64	34.00	26.56		.481	2.23
250	7.13	34.01	26.64		.555	1.83
300	6.53	34.02	26.73		.625	1.51
400	5.55	34.02	26.86		.756	0.95
500	5.13	34.13	26.99		.875	0.57
600	4.77	34.27	27.14		.981	0.37
700	4.50	34.35	27.24		1.076	0.34
800	4.23	34.40	27.31		1.166	0.37
1000	3.69	34.45	27.40		1.328	0.53

STATION 60.90 (Interpolated Values at Standard Depths)

PAOLINA T.: 36°38'N 125°47'W; September 18, 1952; 1125 GCT; wire angle: 5°; sounding: 2500 fms; depth of observation: 604 m; weather: overcast; sea: smooth; wind: 310°, force 2.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	16.74	33.06	24.11		.000	5.59
10	16.77	32.97	24.03		.039	5.89
20	16.78	32.99	24.05		.077	5.88
30	15.60	33.00	24.32		.115	5.85
50	11.34	33.03	25.20		.179	5.96
75	8.80	33.23	25.79		.242	4.88
100	8.27	33.43	26.02		.295	3.64
150	7.84	33.84	26.41		.386	3.09
200	7.46	33.96	26.56		.466	2.30
250	7.00	34.07	26.71		.538	1.65
300	6.41	34.02	26.75		.606	1.43
400	5.66	34.09	26.90		.734	0.89
500	5.05	34.14	27.01		.851	0.54
600	4.69	34.25	27.14		.956	0.35

STATION 60.100 (Interpolated Values at Standard Depths)

PAOLINA T.: 36°16'N 126°30'W; September 18, 1952; 1752 GCT; wire angle: 14°; sounding: 2570 fms; depth of observation: 982 m; weather: overcast; sea: smooth; wind: 320°, force 3.

0	16.70	32.74	23.87		.000	5.66
10	16.72	32.77	23.89		.040	5.62
20	16.70	32.75	23.88		.081	5.65
30	16.65	32.74	23.88		.121	5.77
50	13.30	32.75	24.61		.195	6.29
75	11.58	32.77	24.96		.275	6.38
100	10.10	32.81	25.24		.347	6.08
150	8.50	33.32	25.90		.469	4.46
200	7.80	33.77	26.36		.565	3.50
250	7.10	33.96	26.61		.645	2.88
300	6.41	33.97	26.71		.716	2.28
400	5.57	34.10	26.92		.845	1.23
500	5.09	34.11	26.98		.962	0.65
600	4.70	34.23	27.12		1.070	0.39
700	4.38	34.29	27.20		1.168	0.33
800	4.10	34.31	27.25		1.261	0.36
1000	(3.60)	(34.31)	(27.30)		(1.438)	(0.51)

STATION 60.110 (Interpolated Values at Standard Depths)

PAOLINA T.: 35°56'N 126°11'W; September 19, 1952; 0032 GCT; wire angle: 5°; sounding: 2750 fms; depth of observation: 601 m; weather: cloudy; sea: slight; wind: 310°, force 3.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	17.32	32.90	23.85		.000	5.50
10	17.33	32.83	23.79		.041	5.51
20	17.33	32.83	23.79		.082	5.57
30	17.31	32.84	23.81		.123	5.53
50	15.58	32.83	24.20		.202	5.89
75	12.00	32.81	24.91		.287	6.27
100	10.21	32.85	25.26		.360	5.69
150	8.79	33.53	26.02		.479	3.94
200	8.34	33.87	26.36		.572	2.68
250	7.70	33.98	26.54		.654	2.61
300	7.04	33.93	26.59		.730	2.33
400	6.08	33.99	26.77		.872	1.21
500	5.45	34.09	26.92		.998	0.67
600	5.16	34.23	27.07		1.112	0.36

STATION 63.52 (Interpolated Values at Standard Depths)

PAOLINA T.: 37°18'N 122°35'W; September 15, 1952; 1416 GCT; wire angle: 2°; sounding: 45 fms; depth of observation: 50 m; weather: overcast; sea: smooth; wind: calm.

0	12.79	33.37	25.19	.000	7.60
10	11.33	33.33	25.44	.027	6.49
20	9.98	33.37	25.70	.051	4.93
30	9.42	33.53	25.92	.073	4.06
50	8.97	33.69	26.12	.113	2.56

STATION 63.55 (Interpolated Values at Standard Depths)

PAOLINA T.: 37°17'N 122°49'W; September 15, 1952; 1609 GCT; wire angle: 5°; sounding: 90 fms; depth of observation: 155 m; weather: fog; sea: calm; wind: calm.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	12.14	33.08	25.09		.000	6.23
10	11.03	33.08	25.30		.028	5.93
20	9.79	33.05	25.49		.054	5.30
30	9.63	33.07	25.53		.079	4.72
50	9.44	33.49	25.89		.125	3.73
75	8.94	33.68	26.12		.175	2.92
100	8.54	33.77	26.25		.222	2.84
150	8.64	33.96	26.38		.309	1.97

STATION 67.50 (Interpolated Values at Standard Depths)

PAOLINA T.: 36°49'N 122°04'W; September 15, 1952; 0745 GCT; wire angle: 0°; sounding: 55 fms; depth of observation: 76 m; weather: fog; sea: calm; wind: calm.

0	11.92	33.42	25.40	.000	6.32
10	10.66	33.49	25.68	.025	4.94
20	10.32	33.48	25.73	.048	4.41
30	9.89	33.55	25.86	.070	3.80
50	9.49	33.78	26.11	.110	2.99
75	9.24	33.86	26.21	.157	2.36

STATION 67.55 (Interpolated Values at Standard Depths)

PAOLINA T.: 36°39'N 122°26'W; September 15, 1952; 0424 GCT; wire angle: 2°; sounding: 1100 fms; depth of observation: 607 m; weather: fog; sea: calm; wind: calm.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	13.60	33.31	24.98		.000	6.94
10	12.72	33.39	25.22		.029	6.20
20	11.94	33.39	25.37		.056	5.89
30	10.92	33.43	25.59		.081	5.15
50	9.66	33.64	25.97		.125	3.76
75	9.43	33.78	26.12		.175	2.53
100	9.18	33.86	26.22		.222	2.54
150	8.83	33.95	26.34		.311	2.28
200	8.26	33.98	26.46		.394	1.88
250	7.68	33.98	26.54		.473	2.04
300	7.67	34.11	26.64		.548	1.55
400	6.93	34.16	26.79		.687	0.94
500	5.99	34.16	26.91		.814	0.74
600	5.22	34.19	27.03		.930	0.45

STATION 67.65 (Interpolated Values at Standard Depths)

PAOLINA T.: 36°19'N 123°09'W; September 14, 1952; 2230 GCT; wire angle: 8°; sounding: 1750 fms; depth of observation: 600 m; weather: clear; sea: smooth; wind: 320°, force 2.

0	15.14	33.24	24.61		.000	5.91
10	13.72	33.24	24.91		.032	6.12
20	13.18	33.53	25.24		.061	6.08
30	11.82	33.51	25.49		.087	5.57
50	10.86	33.55	25.69		.136	4.52
75	9.40	33.68	26.04		.189	3.27
100	8.98	33.73	26.15		.238	2.79
150	8.22	33.93	26.42		.326	2.11
200	7.82	34.04	26.57		.405	1.73
250	7.40	34.07	26.65		.479	1.48
300	6.97	34.13	26.76		.548	1.20
400	6.16	34.16	26.89		.676	0.75
500	5.74	34.23	27.00		.794	0.46
600	5.22	34.29	27.11		.902	0.33

STATION 70.51 (Interpolated Values at Standard Depths)

PAOLINA T.: 36°10'N 121°46'W; September 13, 1952; 1742 GCT; wire angle: 0°; sounding: 180 fms; depth of observation: 155 m; weather: clear; sea: smooth; wind: calm.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	11.05	33.62	25.71		.000	6.26
10	10.60	33.69	25.85		.022	4.57
20	10.00	33.71	25.97		.043	3.50
30	9.86	33.72	26.00		.064	3.11
50	9.76	33.77	26.05		.104	2.84
75	9.55	33.84	26.14		.152	2.48
100	9.28	33.87	26.21		.199	2.30
150	8.89	34.04	26.40		.286	1.90

STATION 70.60 (Interpolated Values at Standard Depths)

PAOLINA T.: 35°55'N 122°25'W; September 13, 1952; 2320 GCT; wire angle: 11°; sounding: 1750 fms; depth of observation: 1196 m; weather: overcast; sea: slight; wind: 300°, force 2.

0	14.68	33.17	24.65		.000	6.00
10	14.50	33.24	24.74		.033	6.01
20	14.20	33.25	24.81		.064	6.06
30	13.75	33.29	24.94		.095	6.06
50	11.20	33.43	25.54		.150	5.01
75	9.25	33.56	25.97		.207	3.83
100	9.16	33.84	26.21		.255	3.61
150	8.50	33.98	26.42		.343	2.39
200	7.65	34.00	26.56		.422	2.62
250	7.35	34.08	26.67		.495	2.02
300	7.00	34.18	26.79		.563	1.40
400	6.10	34.13	26.87		.691	0.94
500	5.65	34.21	26.99		.809	0.68
600	5.15	34.29	27.12		.917	0.36
700	4.75	34.35	27.21		1.016	0.35
800	4.41	34.40	27.29		1.107	0.39
1000	3.85	34.42	27.36		1.275	0.54

STATION 70.70 (Interpolated Values at Standard Depths)

PAOLINA T.: 35°38'N 123°06'W; September 14, 1952; 0551 GCT; wire angle: 5°; sounding: 2140 fms; depth of observation: 605 m; weather: partly cloudy; sea: slight; wind: 300°, force 2.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	14.81	33.10	24.57		.000	6.49
10	14.80	33.10	24.57		.034	6.19
20	14.76	33.13	24.60		.067	6.29
30	14.60	32.93	24.48		.101	6.84
50	10.32	32.95	25.32		.163	5.69
75	9.20	33.18	25.68		.225	4.78
100	8.75	33.91	26.33		.276	3.88
150	8.26	33.84	26.35		.362	2.87
200	7.73	33.97	26.53		.444	2.26
250	7.08	33.98	26.63		.519	2.21
300	6.53	34.07	26.77		.588	1.73
400	5.86	34.13	26.90		.715	0.86
500	5.26	34.13	26.98		.833	0.47
600	4.90	34.22	27.09		.942	0.36

STATION 70.80 (Interpolated Values at Standard Depths)

PAOLINA T.: 35°15'N 123°48'W; September 14, 1952; 1206 GCT; wire angle: 5°; sounding: 400 fms; depth of observation: 608 m; weather: fog; sea: smooth; wind: 300°, force 1.

0	16.85	32.88	23.95	.000	5.63
10	16.87	32.90	23.96	.040	5.67
20	16.84	32.94	23.99	.079	5.59
30	16.80	32.93	24.00	.118	5.95
50	12.10	32.74	24.84	.189	6.47
75	10.55	32.79	25.16	.264	5.83
100	9.12	33.09	25.63	.329	5.00
150	8.60	33.70	26.18	.435	3.30
200	8.03	33.87	26.40	.524	2.46
250	7.53	34.02	26.59	.603	1.95
300	7.00	34.05	26.69	.675	1.46
400	6.30	34.13	26.85	.808	0.83
500	5.76	34.16	26.94	.931	0.51
600	5.28	34.26	27.08	1.043	0.37

STATION 73.50 (Interpolated Values at Standard Depths)

PAOLINA T.: 35°37'N 121°16'W; September 13, 1952; 0100 GCT; wire angle: 9°; sounding: 45 fms; depth of observation: 74 m; weather: clear; sea: slight; wind: 300°, force 4.

Depth	T	S	σ_t	$10^5 \sigma_s$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	11.43	33.57	25.61		.000	5.07
10	11.11	33.65	25.73		.023	4.76
20	10.76	33.64	25.78		.046	4.38
30	10.28	33.64	25.86		.068	3.74
50	9.91	33.64	25.93		.110	3.09
75	(9.43)	(33.82)	(26.15)		(.160)	(2.62)

STATION 73.60 (Interpolated Values at Standard Depths)

PAOLINA T.: 35°11'N 122°00'W; September 13, 1952; 0730 GCT; wire angle: 22°; sounding: 1650 fms; depth of observation: 656 m; weather: no observation; sea: moderate; wind: 290°, force 3.

0	13.12	33.28	25.06		.000	5.89
10	12.76	33.39	25.21		.028	5.87
20	12.41	33.39	25.28		.056	5.94
30	11.79	33.45	25.45		.082	5.62
50	10.26	33.47	25.73		.130	4.01
75	9.39	33.65	26.02		.184	3.10
100	9.04	33.73	26.14		.233	2.69
150	8.55	33.91	26.36		.323	2.23
200	8.17	34.07	26.54		.404	1.74
250	7.54	33.98	26.56		.481	1.69
300	7.32	34.09	26.68		.554	1.50
400	6.81	34.11	26.77		.692	0.87
500	6.06	34.15	26.90		.821	0.53
600	5.46	-	-		-	0.38

STATION 77.50 (Interpolated Values at Standard Depths)

PAOLINA T.: 35°04'N 120°52'W; September 12, 1952; 1830 GCT; wire angle: 15°; sounding: 68 fms; depth of observation: 96 m; weather: clear; sea: slight; wind: 290°, force 4.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O_2
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	11.32	33.58	25.63		.000	4.84
10	11.10	33.51	25.62		.024	4.44
20	10.84	33.54	25.69		.047	3.98
30	10.55	33.62	25.80		.070	3.78
50	9.85	33.76	26.03		.112	2.66
75	9.39	33.89	26.21		.160	2.30

STATION 77.55 (Interpolated Values at Standard Depths)

PAOLINA T.: 34°46'N 121°05'W; September 12, 1952; 1342 GCT; wire angle: 17°; sounding: 300 fms; depth of observation: 404 m; weather: partly cloudy; sea: rough; wind: 300°, force 6.

0	13.43	33.44	25.12		.000	5.82
10	13.43	33.44	25.12		.029	5.84
20	13.33	33.41	25.12		.057	5.65
30	12.39	33.35	25.26		.085	5.45
50	10.70	33.26	25.50		.137	4.99
75	9.33	33.63	26.01		.194	3.50
100	8.95	33.69	26.12		.243	3.17
150	8.73	33.97	26.38		.333	2.36
200	8.38	34.09	26.52		.414	1.59
250	8.34	34.14	26.57		.491	1.23
300	8.04	34.16	26.63		.566	1.09
400	7.20	34.21	26.79		.706	0.85

STATION 77.65 (Interpolated Values at Standard Depths)

PAOLINA T.: 34°30'N 121°52'W; September 12, 1952; 0620 GCT; wire angle: 38°; sounding: 2060 fms; depth of observation: 412 m; weather: partly cloudy; sea: rough; wind: 300°, force 7.

Depth	T	S	σ_t	10 ⁵ δ	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	15.92	32.97	24.23		.000	5.79
10	15.94	32.99	24.24		.037	5.83
20	15.70	32.94	24.25		.074	5.98
30	15.15	33.13	24.52		.109	6.05
50	11.57	32.83	25.01		.174	6.32
75	10.23	32.77	25.20		.246	5.60
100	9.65	33.35	25.74		.309	4.84
150	8.93	33.73	26.16		.413	3.22
200	8.02	33.85	26.39		.503	2.79
250	7.38	34.07	26.65		.581	2.38
300	7.02	34.09	26.72		.651	1.57
400	6.17	34.13	26.87		.782	-

STATION 80.51 (Interpolated Values at Standard Depths)

PAOLINA T.: 34°26'N 120°33'W; September 10, 1952; 0005 GCT; wire angle: 8°; sounding: 70 fms; depth of observation: 50 m; weather: partly cloudy; sea: moderate; wind: 300°, force 5.

0	11.24	33.57	25.64	235.8	.000	4.83
10	10.59	33.60	25.78	222.8	.023	4.30
20	10.40	33.60	25.81	219.9	.045	4.08
30	10.43	33.62	25.82	219.1	.067	4.04
50	10.16	33.62	25.87	215.1	.110	3.59

STATION 80.55 (Interpolated Values at Standard Depths)

PAOLINA T.: 34°18'N 120°50'W; September 10, 1952; 0403 GCT; wire angle: 20°; sounding: 440 fms; depth of observation: 621 m; weather: partly cloudy; sea: slight; wind: 310°, force 3.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	12.24	33.48	25.38	260.1	.000	5.63
10	12.25	33.49	25.39	259.8	.026	5.48
20	12.19	33.49	25.40	258.9	.052	5.39
30	11.94	33.50	25.46	253.9	.078	5.24
50	10.20	33.64	25.88	214.3	.124	3.43
75	9.47	33.76	26.09	194.2	.175	2.88
100	9.32	33.82	26.16	187.9	.223	2.72
150	9.14	33.95	26.29	176.5	.314	2.02
200	8.82	34.08	26.45	162.9	.399	1.71
250	8.51	34.19	26.58	150.9	.478	1.53
300	8.20	34.23	26.66	144.2	.551	1.12
400	7.26	34.23	26.80	132.2	.690	0.74
500	6.49	34.23	26.90	123.0	.817	0.63
600	5.78	34.26	27.02	112.7	.935	0.39

STATION 80.60 (Interpolated Values at Standard Depths)

PAOLINA T.: 34°07'N 121°12'W; September 10, 1952; 0727, 0810 GCT; wire angle: 20°, 25°; sounding: 1410 fms; depth of observation: 1308 m; weather: clear; sea: slight; wind: 310°, force 4.

0	13.30	33.39	25.11	286.5	.000	6.20
10	13.33	33.39	25.10	287.3	.029	6.63
20	13.30	33.39	25.11	287.0	.057	6.53
30	13.25	33.40	25.13	285.5	.086	6.00
50	10.93	33.28	25.47	253.0	.140	5.04
75	9.77	33.47	25.82	220.4	.199	3.90
100	9.04	33.69	26.11	193.2	.251	3.21
150	8.59	33.86	26.31	174.8	.343	2.76
200	7.97	33.98	26.50	157.6	.426	2.33
250	7.38	34.01	26.61	147.9	.502	1.89
300	6.97	34.05	26.70	140.0	.574	1.62
400	6.44	34.23	26.91	121.0	.705	0.74
500	6.03	34.29	27.01	112.5	.821	0.50
600	5.63	34.35	27.11	104.1	.929	0.39
700	5.18	34.39	27.19	96.6	1.029	0.35
800	4.70	34.41	27.26	90.2	1.124	0.39
1000	3.93	34.47	27.39	78.2	1.292	0.60

STATION 80.70 (Interpolated Values at Standard Depths)

PAOLINA T.: 33°45'N 121°56'W; September 10, 1952; 1452 GCT; wire angle: 14°; sounding: 2150 fms; depth of observation: 594 m; weather: partly cloudy; sea: moderate; wind: 300°, force 3.

Depth	T	S	σ_t	10 ⁵ δ	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	16.24	32.95	24.14	378.7	.000	6.12
10	16.26	32.95	24.13	379.4	.038	5.60
20	16.25	32.97	24.15	378.0	.076	5.79
30	16.20	32.99	24.18	375.8	.113	5.75
50	15.25	32.97	24.38	357.6	.187	6.43
75	12.00	32.83	24.93	305.7	.270	6.49
100	10.09	32.85	25.28	271.9	.342	5.48
150	8.88	33.58	26.05	199.9	.460	3.85
200	8.13	33.89	26.40	166.6	.551	3.29
250	7.60	34.01	26.58	151.0	.631	2.43
300	6.87	34.06	26.72	137.9	.703	1.91
400	6.11	34.14	26.88	123.3	.833	1.04
500	5.60	34.24	27.02	110.6	.950	0.51
600	(5.10)	(34.31)	(27.14)	(100.4)	(1.056)	(0.36)

STATION 80.80 (Interpolated Values at Standard Depths)

PAOLINA T.: 33°24'N 122°38'W; September 10, 1952; 2119 GCT; wire angle: 18°; sounding: 2000+ fms; depth of observation: 1153 m; weather: partly cloudy; sea: rough; wind: 300°, force 5.

0	17.75	33.13	23.92	.000	5.42
10	17.74	33.13	23.93	.040	5.45
20	17.71	33.13	23.93	.080	5.44
30	17.68	33.11	23.92	.120	5.45
50	17.00	33.08	24.06	.199	5.65
75	12.82	32.91	24.83	.286	6.23
100	11.18	32.88	25.12	.362	5.83
150	9.00	33.50	25.97	.485	4.35
200	8.24	33.86	26.36	.580	3.14
250	7.83	34.00	26.54	.661	2.30
300	7.38	34.07	26.65	.736	1.73
400	6.50	34.11	26.81	.873	1.03
500	5.76	34.09	26.89	1.001	0.73
600	5.17	34.19	27.04	1.118	0.50
700	4.77	34.27	27.14	1.223	0.35
800	4.43	34.34	27.24	1.320	0.38
1000	3.89	34.43	27.37	1.492	0.52

STATION 80.90 (Interpolated Values at Standard Depths)

PAOLINA T.: 33°09'N 123°13'W; September 11, 1952; 0303, 0332 GCT;
 wire angle: 25°, 30°; sounding: 2400 fms; depth of observation:
 609 m; weather: cloudy; sea: rough; wind: 320°, force 4.

Depth	T	S	σ_t	$10^5 S$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	17.74	33.01	23.83		.000	5.56
10	17.76	33.03	23.84		.041	5.51
20	17.75	32.95	23.79		.082	5.48
30	17.71	32.95	23.80		.123	5.49
50	16.50	32.84	24.00		.204	5.67
75	12.75	32.87	24.81		.292	6.21
100	11.71	32.90	25.03		.369	6.07
150	9.43	33.39	25.81		.498	3.84
200	8.43	33.73	26.23		.600	3.59
250	7.62	33.91	26.50		.685	3.03
300	7.29	33.99	26.60		.762	2.21
400	6.63	34.07	26.76		.904	1.05
500	5.93	34.16	26.92		1.032	0.64
600	5.11	-	-		-	0.47

STATION 80.100 (Interpolated Values at Standard Depths)

PAOLINA T.: 32°49'N 123°52'W; September 11, 1952; 0953 GCT; wire
 angle: 10°; sounding: 2400 fms; depth of observation: 1355 m; weather:
 partly cloudy; sea: slight; wind: 310°, force 3.

0	17.90	33.19	23.93		.000	5.35
10	17.92	33.17	23.91		.040	5.48
20	17.93	33.16	23.90		.080	5.49
30	17.94	33.15	23.89		.120	5.51
50	16.81	33.13	24.15		.199	5.95
75	13.78	33.06	24.76		.286	6.05
100	11.94	33.01	25.08		.363	5.91
150	9.83	33.23	25.62		.496	4.71
200	8.91	33.64	26.09		.605	3.50
250	8.15	33.90	26.41		.696	2.53
300	7.31	33.95	26.57		.776	2.31
400	6.20	34.03	26.78		.918	1.70
500	5.48	34.10	26.93		1.044	0.78
600	4.94	34.15	27.03		1.159	0.44
700	4.60	34.24	27.14		1.265	0.31
800	4.33	34.32	27.23		1.362	0.37
1000	3.83	34.35	27.31		1.540	0.62
1200	3.36	34.37	27.37		1.706	0.80

STATION 85.38 (Interpolated Values at Standard Depths)

PAOLINA T.: 34°00'N 119°02'W; September 8, 1952; 2013 GCT; wire angle: 10°; sounding: 45 fms; depth of observation: 50 m; weather: clear; sea: slight; wind: 315°, force 3.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	14.36	33.31	24.83	313.1	.000	6.20
10	13.83	33.28	24.91	305.1	.031	6.20
20	12.98	33.28	25.09	289.0	.061	5.58
30	12.10	33.28	25.26	273.0	.089	5.39
50	10.44	33.31	25.58	242.6	.140	4.26

STATION 85.40 (Interpolated Values at Standard Depths)

PAOLINA T.: 33°56'N 119°10'W; September 8, 1952; 1825 GCT; wire angle: 29°; sounding: 450 fms; depth of observation: 566 m; weather: clear; sea: moderate; wind: 320°, force 4.

0	18.06	33.40	24.05	386.6	.000	5.90
10	18.03	33.25	23.95	397.3	.039	5.86
20	16.60	33.35	24.36	358.0	.077	6.31
30	14.24	33.35	24.88	308.6	.110	6.34
50	11.80	33.31	25.34	265.9	.168	5.68
75	10.25	33.40	25.68	233.3	.230	4.00
100	9.60	33.64	25.98	205.6	.285	3.09
150	9.26	33.97	26.29	176.9	.381	2.31
200	8.90	34.10	26.45	162.6	.465	1.96
250	8.72	34.13	26.50	158.6	.546	1.60
300	8.40	34.19	26.60	150.2	.623	1.25
400	7.57	34.22	26.75	137.4	.767	0.72
500	6.72	34.22	26.86	126.9	.899	0.50

STATION 85.50 (Interpolated Values at Standard Depths)

PAOLINA T.: 33°37'N 119°52'W; September 8, 1952; 1200 GCT; wire angle: 19°; sounding: 150 fms; depth of observation: 148 m; weather: clear; sea: very rough; wind: 310°, force 5.

0	15.86	33.35	24.53	341.5	.000	5.95
10	15.88	33.33	24.51	343.5	.034	6.02
20	15.40	33.36	24.64	331.4	.068	6.12
30	12.70	33.45	25.27	271.5	.098	6.02
50	9.71	33.57	25.91	211.6	.146	3.58
75	9.46	33.74	26.08	195.5	.197	3.55
100	9.07	33.81	26.20	184.8	.245	2.53
150	(8.92)	(33.93)	(26.31)	(174.6)	(.335)	(2.29)

STATION 85.60 (Interpolated Values at Standard Depths)

PAOLINA T.: 33°19'N 120°34'W; September 8, 1952; 0405 GCT; wire angle: 28°; sounding: 450 fms; depth of observation: 593 m; weather: clear; sea: moderate; wind: 320°, force 3.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	16.63	33.31	24.33	361.2	.000	5.75
10	16.64	33.31	24.32	361.4	.036	5.72
20	15.75	33.30	24.52	343.2	.071	5.76
30	15.19	33.46	24.76	319.9	.105	5.56
50	13.50	33.46	25.12	286.5	.165	5.43
75	10.00	33.49	25.79	222.6	.229	3.65
100	9.11	33.70	26.10	193.6	.281	2.87
150	8.37	33.91	26.38	167.8	.371	2.28
200	7.86	34.01	26.54	153.8	.452	1.70
250	7.36	34.15	26.72	137.2	.524	1.44
300	7.06	34.05	26.68	141.2	.594	1.26
400	6.57	34.25	26.91	121.2	.725	0.50
500	5.99	34.20	26.94	118.6	.845	0.42
600	(5.53)	(34.25)	(27.04)	(110.2)	(.959)	(0.33)

STATION 90.28 (Interpolated Values at Standard Depths)

PAOLINA T.: 33°28'N 117°47'W; September 6, 1952; 0500 GCT; wire angle: 12°; sounding: 280 fms; depth of observation: 407 m; weather: cloudy; sea: smooth; wind: 250°, force 1.

0	17.76	33.31	24.06	386.2	.000	6.27
10	14.50	33.26	24.76	319.9	.035	6.82
20	12.14	33.18	25.17	280.9	.065	6.78
30	11.47	33.12	25.25	273.6	.093	6.18
50	10.60	33.24	25.50	250.4	.145	4.65
75	10.10	33.50	25.79	223.5	.205	3.60
100	9.94	33.67	25.94	208.9	.259	3.01
150	9.70	33.97	26.22	183.8	.357	2.50
200	9.43	34.20	26.44	163.5	.444	1.62
250	9.12	34.17	26.47	161.8	.525	1.53
300	8.66	34.16	26.53	156.4	.605	1.37
400	7.80	34.21	26.70	141.5	.753	0.79

STATION 90.30 (Interpolated Values at Standard Depths)

PAOLINA T.: 33°24'N 117°55'W; September 6, 1952; 0742 GCT; wire angle: 12°; sounding: 320 fms; depth of observation: 496 m; weather: cloudy; sea: smooth; wind: 300°, force 3.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	18.86	33.28	23.76	414.2	.000	6.61
10	18.09	33.30	23.97	395.1	.040	6.20
20	15.70	33.25	24.49	345.8	.078	6.55
30	14.13	33.23	24.81	315.2	.111	6.52
50	11.49	33.24	25.34	265.6	.169	5.36
75	9.90	33.26	25.63	238.0	.232	4.77
100	9.25	33.60	26.00	203.1	.287	4.25
150	9.45	33.96	26.25	180.6	.383	2.41
200	9.33	34.11	26.39	168.6	.470	1.87
250	8.05	33.95	26.46	161.9	.553	2.52
300	8.31	34.18	26.60	149.6	.630	1.17
400	7.44	34.22	26.76	135.5	.773	0.73
500	(6.72)	(34.25)	(26.89)	(124.7)	(.903)	(0.51)

STATION 90.37 (Interpolated Values at Standard Depths)

PAOLINA T.: 33°10'N 118°22'W; September 6, 1952; 1235 GCT; wire angle: 5°; sounding: 240 fms; depth of observation: 355 m; weather: partly cloudy; sea: slight; wind: 310°, force 2.

0	21.14	33.57	23.39	449.9	.000	5.15
10	20.82	33.60	23.50	440.1	.045	5.31
20	16.40	33.55	24.56	339.0	.083	5.72
30	11.09	33.46	25.58	242.0	.113	5.72
50	9.94	33.57	25.87	215.1	.158	4.80
75	9.63	33.74	26.05	198.2	.210	3.10
100	9.40	33.91	26.22	182.5	.257	2.82
150	9.23	34.12	26.41	165.3	.344	1.96
200	8.83	34.20	26.54	154.2	.424	1.80
250	8.83	34.27	26.59	149.9	.500	1.26
300	8.41	34.25	26.64	146.1	.574	1.12

STATION 90.45 (Interpolated Values at Standard Depths)

PAOLINA T.: 32°54'N 119°01'W; September 6, 1952; 1825 GCT; wire angle: 15°; sounding: 950 fms; depth of observation: 598 m; weather: partly cloudy; sea: moderate; wind: 310°, force 3.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O_2
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	18.99	33.42	23.84	407.6	.000	5.37
10	18.98	33.46	23.87	403.8	.041	5.42
20	18.44	33.46	24.01	392.0	.080	5.56
30	13.00	33.35	25.14	284.5	.114	5.50
50	10.85	33.31	25.51	249.4	.168	4.80
75	9.65	33.45	25.82	220.0	.226	4.00
100	9.09	33.71	26.12	192.5	.278	3.59
150	8.88	34.02	26.39	167.3	.368	2.52
200	8.60	34.15	26.54	154.4	.448	1.73
250	8.00	34.21	26.67	141.9	.522	1.31
300	7.42	34.25	26.79	131.4	.591	0.83
400	6.82	34.29	26.91	121.7	.717	0.56
500	6.40	34.31	26.98	115.9	.836	0.34
600	(5.84)	(34.31)	(27.05)	(109.8)	(.949)	(0.27)

STATION 90.53 (Interpolated Values at Standard Depths)

PAOLINA T.: 32°38'N 119°29'W; September 6, 1952; 2357 GCT; wire angle: 24°; sounding: 800 fms; depth of observation: 1263 m; weather: clear; sea: very rough; wind: 300°, force 6.

0	18.08	33.44	24.08	384.4	.000	
10	18.07	33.46	24.10	383.0	.038	
20	18.00	33.40	24.07	386.0	.077	
30	12.09	33.21	25.20	278.0	.110	
50	10.12	33.42	25.72	229.2	.161	
75	9.42	33.54	25.93	209.7	.216	
100	9.21	33.72	26.10	193.6	.266	
150	8.29	33.92	26.40	165.9	.356	
200	8.07	34.09	26.57	150.9	.435	
250	7.86	34.16	26.66	143.6	.509	
300	7.63	34.22	26.74	136.6	.579	
400	6.89	34.30	26.90	121.9	.708	
500	6.27	34.30	26.99	114.9	.826	
600	5.65	34.35	27.10	104.4	.936	
700	5.12	34.44	27.24	92.1	1.034	
800	4.66	34.50	27.34	83.0	1.123	
1000	4.06	34.51	27.41	76.9	1.282	
1200	3.88	34.50	27.42	-	1.436	

STATION 90.60 (Interpolated Values at Standard Depths)

PAOLINA T.: 32°23'N 119°57'W; September 7, 1952; 0605 GCT; wire angle: 22°; sounding: 550 fms; depth of observation: 619 m; weather: partly cloudy; sea: very rough; wind: 310°, force 5.

Depth	T	S	σ_t	10 ⁵ δ	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	16.44	33.30	24.36	357.5	.000	-
10	16.44	33.27	24.34	360.0	.036	-
20	16.40	33.24	24.32	361.6	.072	-
30	15.00	33.20	24.61	335.0	.107	-
50	12.60	33.06	24.99	298.8	.170	-
75	10.15	32.96	25.36	264.2	.241	-
100	9.44	33.46	25.86	216.6	.301	-
150	8.65	33.81	26.26	179.4	.400	-
200	8.05	33.93	26.45	162.5	.485	-
250	7.51	34.00	26.58	150.4	.563	-
300	6.99	34.05	26.69	140.3	.636	-
400	6.26	34.11	26.84	127.5	.770	-
500	5.67	34.17	26.96	116.7	.892	-
600	5.28	34.33	27.13	101.1	1.001	-

STATION 90.70 (Interpolated Values at Standard Depths)

PAOLINA T.: 32°01'N 120°40'W; September 7, 1952; 1342 GCT; wire angle: 30°; sounding: 2100 fms; depth of observation: 1014 m; weather: clear; sea: rough; wind: 320°, force 4.

0	16.62	33.01	24.10	382.6	.000	5.61
10	16.62	33.01	24.10	382.9	.038	5.68
20	16.62	33.03	24.11	381.7	.077	5.60
30	16.60	33.02	24.11	382.3	.115	5.60
50	16.35	32.94	24.11	383.2	.191	5.70
75	12.45	32.99	24.97	301.8	.277	6.35
100	10.52	33.09	25.39	261.2	.347	4.85
150	9.00	33.52	25.98	206.1	.464	3.58
200	8.34	33.80	26.30	176.4	.560	2.80
250	7.82	33.95	26.50	158.5	.643	2.46
300	7.43	33.98	26.58	151.6	.721	1.96
400	6.54	33.96	26.68	142.3	.868	1.35
500	5.62	34.08	26.90	122.8	1.000	0.53
600	5.25	34.21	27.04	109.6	1.116	0.34
700	4.86	34.32	27.17	97.8	1.220	0.28
800	4.47	34.42	27.30	86.6	1.313	0.35
1000	3.82	34.45	27.39	78.4	1.477	0.62

STATION 93.27 (Interpolated Values at Standard Depths)

PAOLINA T.: 32°56'N 117°19'W; September 5, 1952; 1945 GCT; wire angle: 2°; sounding: 48 fms; depth of observation: 50 m; weather: partly cloudy; sea: calm; wind: 300°, force 1.

Depth	T	S	σ_t	10 ⁵ δ	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	19.02	33.31	23.75	416.3	.000	5.99
10	12.65	33.21	25.10	287.7	.035	6.80
20	11.56	33.22	25.31	267.4	.063	5.77
30	10.83	33.27	25.48	251.6	.089	4.65
50	10.55	33.48	25.69	231.8	.137	3.71

STATION 93.30 (Interpolated Values at Standard Depths)

PAOLINA T.: 32°50'N 117°23'W; September 5, 1952; 1630 GCT; wire angle: 10°; sounding: 380 fms; depth of observation: 236 m; weather: clear; sea: slight; wind: 300°, force 1.

0	19.68	33.35	23.61	428.8	.000	5.69
10	15.74	33.21	24.45	349.4	.039	6.37
20	13.32	33.19	24.95	302.0	.071	6.83
30	12.13	33.20	25.19	279.4	.101	6.85
50	10.58	33.41	25.63	237.5	.152	3.79
75	10.06	33.47	25.77	225.1	.210	3.44
100	9.94	33.69	25.96	207.4	.264	2.65
150	9.74	33.89	26.15	190.4	.364	1.99
200	9.57	34.11	26.35	172.4	.454	1.54

STATION 93.40 (Interpolated Values at Standard Depths)

PAOLINA T.: 32°29'N 118°07'W; September 5, 1952; 1005 GCT; wire angle: 3°; sounding: 950 fms; depth of observation: 606 m; weather: cloudy; sea: slight; wind: 290°, force 3.

Depth	T	S	σ_t	1058	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	18.95	33.21	23.69	421.7	.000	5.47
10	18.72	33.28	23.80	411.9	.042	5.44
20	17.30	33.17	24.06	387.2	.082	5.74
30	15.90	33.01	24.26	367.8	.119	6.23
50	12.65	32.95	24.90	307.8	.187	6.00
75	11.20	33.04	25.24	275.8	.260	5.44
100	9.89	33.37	25.72	230.2	.323	4.23
150	8.52	33.81	26.28	177.4	.425	3.02
200	8.18	33.93	26.43	164.0	.510	2.53
250	7.92	34.16	26.65	144.4	.588	1.88
300	7.68	34.14	26.67	143.3	.659	1.14
400	7.13	34.34	26.90	122.3	.792	0.57
500	6.30	34.25	26.94	119.0	.913	0.36
600	5.67	34.32	27.08	106.8	1.026	0.32

STATION 93.50 (Interpolated Values at Standard Depths)

PAOLINA T.: 32°06'N 118°52'W; September 5, 1952; 0321 GCT; wire angle: 10°; sounding: 750 fms; depth of observation: 647 m; weather: partly cloudy; sea: moderate; wind: 300°, force 4.

0	18.24	33.17	23.83	407.7	.000	5.51
10	18.26	33.12	23.79	411.9	.041	5.54
20	17.32	33.12	24.02	391.0	.081	5.77
30	15.80	33.15	24.39	355.5	.118	6.30
50	12.83	33.04	24.93	304.6	.184	5.75
75	10.75	33.15	25.40	260.1	.255	4.87
100	9.98	33.41	25.74	228.7	.316	4.16
150	8.96	33.73	26.15	190.0	.421	3.51
200	8.27	33.91	26.40	167.2	.510	2.39
250	7.83	34.05	26.57	151.3	.590	1.64
300	7.37	34.15	26.72	138.1	.662	1.23
400	6.88	34.26	26.87	124.7	.793	0.68
500	6.35	34.27	26.95	118.2	.915	0.34
600	5.78	34.27	27.03	112.0	1.030	0.28

STATION 97.30 (Interpolated Values at Standard Depths)

PAOLINA T.: 32°15'N 117°09'W; September 4, 1952; 0143 GCT; wire angle: 3°; sounding: 35 fms; depth of observation: 50 m; weather: partly cloudy; sea: smooth; wind: 300°, force 2.

Depth	T	S	σ_t	10 ⁵ s	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	18.82	33.31	23.80	411.3	.000	5.73
10	15.46	33.33	24.61	334.5	.037	6.53
20	12.04	33.35	25.32	266.5	.067	5.02
30	11.66	33.39	25.42	257.1	.094	5.00
50	10.96	33.46	25.61	240.2	.143	3.96

STATION 97.32 (Interpolated Values at Standard Depths)

PAOLINA T.: 32°11'N 117°17'W; September 4, 1952; 0626 GCT; wire angle: 2°; sounding: 770 fms; depth of observation: 610 m; weather: clear; sea: slight; wind: 290°, force 2.

0	19.43	33.35	23.67	422.9	.000	5.60
10	18.29	33.24	23.88	404.1	.041	6.04
20	15.60	33.32	24.57	338.5	.078	6.28
30	11.30	33.36	25.47	253.0	.108	6.26
50	10.26	33.43	25.70	230.9	.156	3.73
75	10.14	33.66	25.90	212.3	.212	2.50
100	10.05	33.71	25.96	207.7	.264	2.29
150	9.83	33.88	26.13	192.6	.364	2.02
200	10.06	34.16	26.31	176.6	.457	1.20
250	9.34	34.13	26.40	168.3	.543	1.40
300	9.12	34.28	26.56	154.7	.624	0.95
400	7.57	34.16	26.70	141.8	.772	1.04
500	7.20	34.29	26.85	128.5	.907	0.45
600	6.21	34.31	27.00	114.7	1.028	0.28

STATION 97.40 (Interpolated Values at Standard Depths)

PAOLINA T.: 31°53'N 117°51'W; September 4, 1952; 1232 GCT; wire angle: 35°; sounding: 900 fms; depth of observation: 484 m; weather: partly cloudy; sea: slight; wind: 310°, force 3.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	20.06	33.42	23.56	433.3	.000	5.18
10	20.06	33.41	23.56	434.4	.043	5.35
20	19.60	33.39	23.66	425.0	.086	5.33
30	16.00	33.33	24.48	346.6	.125	6.60
50	10.98	33.40	25.55	245.0	.184	4.44
75	9.86	33.70	25.97	204.8	.241	3.02
100	10.01	33.99	26.18	186.4	.290	1.95
150	9.75	34.05	26.27	178.7	.381	1.63
200	9.68	34.26	26.45	163.1	.466	1.31
250	9.23	34.27	26.53	156.2	.546	1.13
300	8.71	34.27	26.61	149.0	.622	1.05
400	7.87	34.31	26.77	135.1	.764	0.65
500	(6.70)	(34.31)	(26.94)	(120.0)	(.892)	(0.57)

STATION 97.50 (Interpolated Values at Standard Depths)

PAOLINA T.: 31°30'N 118°32'W; September 4, 1952; 1934 GCT; wire angle: 12°; sounding: 2100 fms; depth of observation: 652 m; weather: partly cloudy; sea: moderate; wind: 300°, force 4.

0	18.96	33.28	23.74	416.6	.000	5.28
10	18.96	33.28	23.74	417.1	.042	4.78
20	18.88	33.28	23.76	415.6	.083	5.00
30	17.50	33.27	24.09	384.3	.123	5.55
50	14.83	33.21	24.65	331.3	.195	5.94
75	12.95	33.22	25.05	294.2	.273	5.69
100	10.43	33.23	25.52	249.4	.341	5.01
150	9.74	33.75	26.04	200.7	.454	3.01
200	8.86	33.99	26.37	170.1	.546	2.54
250	8.11	34.12	26.59	150.2	.626	2.73
300	7.71	34.21	26.72	138.5	.698	2.65
400	6.87	34.24	26.86	126.0	.831	2.05
500	6.34	34.25	26.94	119.5	.953	1.59
600	5.72	34.25	27.02	112.7	1.069	0.73

STATION 100.29 (Interpolated Values at Standard Depths)

CREST: 31°42'N 116°44'W; September 4, 1952; 0425 GCT; wire angle: 3°; sounding: 83 fms; depth of observation: 50 m; weather: partly cloudy; sea: slight; wind: 300°, force 1.

Depth	T	S	σ_t	10 ⁵ δ	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	14.93	33.37	24.75		.000	6.84
10	11.98	33.28	25.28		.030	5.87
20	11.09	33.33	25.48		.056	5.07
30	10.70	33.39	25.60		.080	4.15
50	10.25	33.42	25.70		.127	4.06

STATION 100.30 (Interpolated Values at Standard Depths)

CREST: 31°40'N 116°47'W; September 4, 1952; 0553 GCT; wire angle: 20°; sounding: 270 fms; depth of observation: 379 m; weather: partly cloudy; sea: slight; wind: 300°, force 1.

0	18.24	33.42	24.03		.000	6.46
10	17.31	33.40	24.23		.038	6.73
20	13.40	33.35	25.06		.071	6.58
30	11.30	33.35	25.46		.098	4.65
50	10.33	33.55	25.79		.146	3.44
75	10.15	33.61	25.86		.201	3.05
100	9.96	33.67	25.94		.254	3.06
150	10.00	33.76	26.00		.357	2.57
200	10.05	34.20	26.34		.452	1.33
250	9.74	34.25	26.43		.537	0.99
300	9.16	34.24	26.52		.618	0.87

STATION 100.40 (Interpolated Values at Standard Depths)

CREST: 31°21'N 117°34'W; September 4, 1952; 1123 GCT; wire angle: 10°; sounding: 1050 fms; depth of observation: 1237 m; weather: partly cloudy; sea: moderate; wind: 320°, force 5.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	20.28	33.40	23.49		.000	5.21
10	20.27	33.40	23.49		.044	5.21
20	17.00	33.19	24.15		.085	5.22
30	15.37	33.13	24.47		.121	6.13
50	13.71	33.10	24.80		.188	6.33
75	12.12	33.16	25.16		.263	5.74
100	10.48	33.39	25.63		.328	4.38
150	9.45	33.81	26.14		.436	3.22
200	8.48	33.99	26.43		.525	2.76
250	7.91	34.07	26.58		.603	2.24
300	7.49	34.15	26.70		.676	1.51
400	7.29	34.29	26.84		.810	0.57
500	6.69	34.31	26.94		.934	0.30
600	5.99	34.35	27.06		1.048	0.30
700	5.33	34.39	27.17		1.152	0.29
800	4.81	34.41	27.25		1.248	0.31
1000	4.08	34.43	27.35		1.423	0.49

STATION 100.50 (Interpolated Values at Standard Depths)

CREST: 31°01'N 118°07'W; September 4, 1952; 1703 GCT; wire angle: 33°; sounding: 2000+ fms; depth of observation: 523 m; weather: partly cloudy; sea: moderate; wind: 330°, force 5.

0	20.11	33.44	23.57		.000	5.37
10	20.12	33.39	23.53		.044	5.39
20	20.10	33.38	23.52		.087	5.37
30	16.65	33.21	24.24		.128	6.26
50	12.92	33.20	25.04		.194	6.74
75	10.28	33.34	25.63		.261	4.64
100	9.72	33.54	25.88		.317	4.07
150	9.01	33.85	26.24		.417	3.15
200	8.80	34.13	26.49		.502	1.99
250	8.72	34.31	26.64		.578	1.09
300	8.28	34.32	26.72		.649	0.78
400	7.00	34.26	26.86		.781	0.53
500	6.12	34.30	27.01		.901	0.37

STATION 100.60 (Interpolated Values at Standard Depths)

CREST: 30°41'N 118°48'W; September 4, 1952; 2237 GCT; wire angle: 38°; sounding: 2000+ fms; depth of observation: 1094 m; weather: cloudy; sea: rough; wind: 300°, force 5.

Depth	T	S	σ_t	10 ⁵ δ	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	19.18	33.24	23.65		.000	5.52
10	19.17	33.26	23.67		.042	6.00
20	19.00	33.18	23.65		.085	6.12
30	16.60	33.14	24.20		.125	6.21
50	14.60	33.12	24.63		.196	6.34
75	13.50	33.12	24.86		.276	6.24
100	11.87	33.14	25.19		.350	6.18
150	9.46	33.55	25.93		.473	4.25
200	8.65	33.91	26.34		.569	3.43
250	8.01	34.05	26.55		.651	2.66
300	7.58	34.15	26.69		.725	1.80
400	6.82	34.21	26.84		.859	0.80
500	6.22	34.26	26.96		.981	0.61
600	5.63	34.33	27.09		1.093	0.50
700	5.11	34.41	27.22		1.193	0.45
800	4.65	34.45	27.30		1.285	0.45
1000	3.91	34.49	27.41		1.448	0.62

STATION 100.70 (Interpolated Values at Standard Depths)

CREST: 30°21'N 119°27'W; September 5, 1952; 0454, 0520 GCT; wire angle: 32°, 35°; sounding: 2000+ fms; depth of observation: 586 m; weather: cloudy; sea: very rough; wind: 305°, force 6.

0	18.74	33.19	23.73		.000	5.60
10	18.73	33.19	23.73		.042	6.00
20	18.71	33.13	23.69		.084	6.02
30	17.40	33.19	24.05		.124	5.51
50	15.00	33.17	24.58		.197	6.31
75	13.30	33.14	24.91		.277	6.48
100	11.57	33.14	25.25		.350	5.50
150	9.42	33.44	25.85		.474	4.48
200	8.63	33.92	26.35		.571	3.51
250	8.04	34.02	26.52		.653	2.61
300	7.49	34.07	26.64		.729	2.06
400	6.54	34.14	26.83		.866	1.22
500	5.94	34.22	26.97		.989	0.63
600	(5.52)	(34.30)	27.08		1.100	-

STATION 100.80 (Interpolated Values at Standard Depths)

CREST: 30°01'N 120°07'W; September 5, 1952; 1059 GCT; wire angle: 18°; sounding: 2000+ fms; depth of observation: 1268 m; weather: partly cloudy; sea: moderate; wind: 355°, force 5.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	18.10	33.17	23.87		.000	5.61
10	18.08	33.17	23.87		.040	5.60
20	18.02	33.11	23.84		.081	5.67
30	16.88	33.10	24.11		.121	5.75
50	15.03	33.17	24.58		.193	6.22
75	13.75	33.07	24.77		.275	6.08
100	10.80	33.12	25.37		.348	5.45
150	9.05	33.59	26.03		.464	4.06
200	8.24	33.90	26.40		.557	3.31
250	7.65	33.97	26.54		.637	2.66
300	7.12	34.02	26.65		.712	1.98
400	6.38	34.13	26.84		.848	0.95
500	5.98	34.23	26.97		.970	0.40
600	5.49	34.31	27.09		1.080	0.29
700	4.93	34.36	27.20		1.181	0.30
800	4.48	34.40	27.28		1.274	0.40
1000	3.78	34.49	27.43		1.437	0.68

STATION 103.30 (Interpolated Values at Standard Depths)

CREST: 31°05'N 116°25'W; September 6, 1952; 1335 GCT; wire angle: 3°; sounding: 40 fms; depth of observation: 50 m; weather: partly cloudy; sea: slight; wind: 20°, force 3.

0	16.01	33.30	24.46	.000	5.99
10	15.54	33.26	24.53	.034	6.18
20	12.22	33.28	25.23	.065	5.87
30	11.38	33.28	25.39	.092	5.37
50	10.30	33.46	25.63	.142	3.74

STATION 103.35 (Interpolated Values at Standard Depths)

CREST: 30°57'N 116°46'W; September 6, 1952; 1013 GCT; wire angle: 10°; sounding: 900 fms; depth of observation: 588 m; weather: partly cloudy; sea: moderate; wind: 330°, force 5.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	15.07	33.33	24.69		.000	6.69
10	15.04	33.35	24.71		.033	6.64
20	14.80	33.28	24.71		.065	6.49
30	13.18	33.26	25.03		.096	6.09
50	10.75	33.31	25.53		.150	5.02
75	10.46	33.63	25.83		.209	3.35
100	10.22	33.73	25.94		.262	2.56
150	10.30	34.08	26.20		.361	1.53
200	10.33	34.28	26.35		.450	1.14
250	9.88	34.33	26.47		.534	1.20
300	8.63	34.26	26.62		.612	1.18
400	7.01	34.05	26.69		.757	1.38
500	6.49	34.25	26.92		.889	0.81
600	(5.91)	(34.31)	(27.04)		(1.005)	-

STATION 103.40 (Interpolated Values at Standard Depths)

CREST: 30°46'N 117°06'W; September 6, 1952; 0626 GCT; wire angle: 10°; sounding: 900 fms; depth of observation: 634 m; weather: partly cloudy; sea: moderate; wind: 27°, force 4.

0	20.44	33.46	23.49		.000	5.21
10	20.45	33.49	23.51		.044	5.32
20	16.37	33.33	24.40		.084	6.42
30	13.10	33.33	25.10		.116	6.19
50	10.28	33.45	25.72		.167	3.97
75	9.61	33.62	25.96		.222	3.50
100	9.40	33.85	26.17		.271	2.88
150	8.57	33.98	26.41		.359	2.67
200	8.27	34.09	26.54		.439	1.97
250	7.88	34.17	26.66		.513	1.64
300	7.52	34.24	26.77		.583	0.93
400	6.80	34.28	26.90		.710	0.57
500	6.19	34.32	27.01		.828	0.45
600	5.75	34.37	27.11		.936	0.36

STATION 107.32 (Interpolated Values at Standard Depths)

CREST: 30°26'N 116°11'W; September 6, 1952; 1840 GCT; wire angle: 5°; sounding: 250 fms; depth of observation: 344 m; weather: partly cloudy; sea: slight; wind: 335°, force 2.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O_2
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	16.36	33.37	24.43		.000	-
10	12.60	33.26	25.14		.032	6.14
20	12.11	33.26	25.24		.060	5.89
30	11.58	33.27	25.35		.087	5.35
50	11.04	33.44	25.58		.137	4.04
75	10.96	33.42	25.57		.198	3.99
100	10.58	33.58	25.77		.257	3.44
150	10.32	33.82	26.00		.365	2.19
200	10.35	34.03	26.16		.464	1.12
250	10.29	34.25	26.34		.555	1.22
300	9.30	34.35	26.58		.637	0.87

STATION 107.35 (Interpolated Values at Standard Depths)

CREST: 30°20'N 116°23'W; September 6, 1952; 2055 GCT; wire angle: 21°; sounding: 900 fms; depth of observation: 617 m; weather: partly cloudy; sea: moderate; wind: 330°, force 4.

0	19.20	33.35	23.73		.000	5.93
10	15.60	33.24	24.51		.038	6.43
20	13.50	33.21	24.93		.070	6.50
30	13.03	33.23	25.04		.100	6.36
50	11.29	33.31	25.43		.155	4.85
75	10.61	33.48	25.68		.217	3.60
100	10.46	33.73	25.90		.273	2.38
150	10.39	34.13	26.23		.372	0.75
200	10.67	34.34	26.34		.461	0.88
250	9.62	34.27	26.47		.545	1.35
300	9.63	34.38	26.55		.624	0.72
400	8.31	34.40	26.78		.770	0.41
500	6.94	34.35	26.94		.897	0.34
600	6.09	34.31	27.02		1.014	0.30

STATION 107.40 (Interpolated Values at Standard Depths)

CREST: 30°11'N 116°43'W; September 7, 1952; 0007 GCT; wire angle: 31°; sounding: 1500 fms; depth of observation: 548 m; weather: partly cloudy; sea: moderate; wind: 340°, force 4.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	20.75	33.42	23.38		.000	5.20
10	20.71	33.44	23.41		.045	5.37
20	16.85	33.22	24.21		.086	5.88
30	15.90	33.30	24.48		.122	6.05
50	14.63	33.22	24.70		.189	6.09
75	12.50	33.19	25.11		.266	5.90
100	11.11	33.25	25.42		.335	4.40
150	9.55	33.69	26.03		.450	3.20
200	8.68	34.01	26.41		.542	2.58
250	8.29	34.09	26.54		.622	1.98
300	7.91	34.16	26.65		.697	1.42
400	6.92	34.24	26.85		.833	0.85
500	6.07	34.25	26.97		.954	0.49

STATION 110.33 (Interpolated Values at Standard Depths)

CREST: 29°50'N 115°52'W; September 8, 1952; 0012 GCT; wire angle: 6°; sounding: 38 fms; depth of observation: 50 m; weather: partly cloudy; sea: moderate; wind: 320°, force 4.

0	19.40	33.30	23.64	.000	5.83
10	16.07	33.18	24.35	.039	6.14
20	14.28	33.08	24.67	.074	6.33
30	13.83	33.17	24.83	.106	6.47
50	11.51	33.22	25.32	.164	5.44

STATION 110.35 (Interpolated Values at Standard Depths)

CREST: 29°46'N 116°00'W; September 7, 1952; 2211 GCT; wire angle: 25°; sounding: 840 fms; depth of observation: 578 m; weather: partly cloudy sea: moderate; wind: 340°, force 4.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	20.46	33.37	23.42		.000	-
10	19.56	33.35	23.64		.044	5.82
20	18.00	33.17	23.89		.085	6.13
30	15.48	33.17	24.48		.123	6.15
50	13.26	33.10	24.89		.188	6.18
75	11.50	33.24	25.34		.260	5.96
100	10.31	33.42	25.69		.322	4.68
150	9.46	33.80	26.13		.429	3.82
200	9.53	34.20	26.43		.518	2.00
250	9.13	34.28	26.55		.598	1.46
300	8.65	34.29	26.64		.673	0.99
400	7.72	34.35	26.83		.811	0.43
500	6.97	34.40	26.97		.935	0.26

STATION 110.40 (Interpolated Values at Standard Depths)

CREST: 29°34'N 116°21'W; September 7, 1952; 1903 GCT; wire angle: 12°; sounding: 1150 fms; depth of observation: 627 m; weather: clear; sea: moderate; wind: 340°, force 4.

0	21.00	33.42	23.31		.000	5.33
10	20.86	33.42	23.35		.046	5.23
20	20.60	33.44	23.44		.091	5.30
30	17.80	33.30	24.04		.132	5.67
50	14.50	33.10	24.64		.205	6.26
75	12.70	33.20	25.08		.282	6.05
100	11.02	33.42	25.56		.350	4.51
150	10.56	34.00	26.10		.460	2.01
200	9.72	34.17	26.37		.551	1.78
250	8.67	34.20	26.56		.632	1.50
300	8.59	34.30	26.66		.706	0.86
400	7.87	34.34	26.80		.845	0.43
500	6.78	34.31	26.93		.972	0.37
600	6.02	34.31	27.03		1.089	0.28

STATION 110.50 (Interpolated Values at Standard Depths)

CREST: 29°18'N 117°02'W; September 7, 1952; 1435 GCT; wire angle: 24°; sounding: 1750 fms; depth of observation: 1149 m; weather: clear; sea: moderate; wind: 335°, force 4.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	21.22	33.46	23.29		.000	5.46
10	21.06	33.46	23.33		.046	5.35
20	17.78	33.26	24.02		.088	5.92
30	17.18	33.27	24.17		.127	5.98
50	15.91	33.37	24.54		.199	6.15
75	14.19	33.30	24.86		.280	6.33
100	12.47	33.31	25.21		.354	5.54
150	9.68	33.50	25.86		.479	4.50
200	8.90	33.92	26.31		.577	2.90
250	8.67	34.15	26.53		.660	1.80
300	8.22	34.24	26.67		.735	1.23
400	7.23	34.26	26.83		.872	0.79
500	6.85	34.32	26.93		.997	0.47
600	6.00	34.37	27.08		1.112	0.24
700	5.23	34.38	27.18		1.215	0.29
800	4.81	34.38	27.23		1.313	0.38
1000	4.22	34.41	27.32		1.493	0.55

STATION 110.60 (Interpolated Values at Standard Depths)

CREST: 28°59'N 117°45'W; September 7, 1952; 0842 GCT; wire angle: 30°; sounding: 1830 fms; depth of observation: 535 m; weather: partly cloudy; sea: rough; wind: 285°, force 4.

0	21.26	33.49	23.30		.000	5.65
10	21.27	33.50	23.30		.046	5.22
20	21.28	33.51	23.31		.092	5.33
30	20.18	33.44	23.55		.137	5.51
50	14.90	33.33	24.73		.213	6.35
75	12.80	33.35	25.18		.288	5.85
100	10.74	33.66	25.80		.351	5.47
150	9.50	34.02	26.29		.451	2.54
200	8.58	34.10	26.50		.535	2.60
250	8.51	34.26	26.64		.611	1.69
300	8.09	34.31	26.74		.681	1.21
400	7.59	34.35	26.84		.814	0.67
500	6.72	34.34	26.96		.937	0.34

STATION 113.30 (Interpolated Values at Standard Depths)

CREST: 29°22'N 115°18'W; September 8, 1952; 0433 GCT; wire angle: 0°; sounding: 30 fms; depth of observation: 30 m; weather: clear; sea: moderate; wind: 330°, force 5.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	19.54	33.54	23.79		.000	5.73
10	15.90	33.48	24.62		.037	6.28
20	12.86	33.53	25.30		.067	5.11
30	11.62	33.57	25.57		.093	3.91

STATION 113.40 (Interpolated Values at Standard Depths)

CREST: 29°02'N 115°58'W; September 8, 1952; 0908 GCT; wire angle: 17°; sounding: 850 fms; depth of observation: 607; weather: clear; sea: moderate; wind: 310°, force 4.

0	21.13	33.45	23.30		.000	5.26
10	21.12	33.44	23.30		.046	5.25
20	18.78	33.51	23.96		.089	5.90
30	16.43	33.31	24.37		.126	6.08
50	12.82	33.30	25.13		.191	5.82
75	11.71	33.37	25.40		.259	4.70
100	10.67	33.72	25.86		.319	3.28
150	11.54	34.30	26.15		.421	1.25
200	11.00	34.37	26.30		.513	0.88
250	10.74	34.53	26.48		.597	0.33
300	9.98	34.51	26.59		.676	0.35
400	7.87	34.33	26.79		.818	0.67
500	6.69	34.29	26.92		.946	0.50
600	5.94	34.33	27.05		1.061	0.37

STATION 117.26 (Interpolated Values at Standard Depths)

CREST: 28°56'N 114°41'W; September 8, 1952; 2024 GCT; wire angle: 0°; sounding: 45 fms; depth of observation: 50 m; weather: partly cloudy; sea: slight; wind: 255°, force 3.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O_2
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	22.10	33.58	23.13		.000	5.78
10	19.99	33.44	23.60		.045	6.01
20	15.22	33.42	24.73		.083	6.57
30	12.44	33.27	25.18		.113	5.67
50	11.14	33.71	25.77		.164	2.47

STATION 117.30 (Interpolated Values at Standard Depths)

CREST: 28°49'N 115°03'W; September 8, 1952; 1835 GCT; wire angle: 5°; sounding: 53 fms; depth of observation: 50 m; weather: partly cloudy; sea: smooth; wind: 295°, force 2.

0	18.38	33.28	23.88		.000	5.95
10	17.85	33.28	24.01		.040	5.97
20	15.71	33.22	24.47		.077	6.23
30	14.40	33.26	24.78		.110	6.27
50	12.78	33.22	25.08		.171	5.94

STATION 117.40 (Interpolated Values at Standard Depths)

CREST: 28°28'N 115°36'W; September 8, 1952; 1405 GCT; wire angle: 7°; sounding: 550 fms; depth of observation: 584 m; weather: clear; sea: slight; wind: 340°, force 2.

0	20.50	33.35	23.39		.000	5.34
10	20.07	33.40	23.55		.044	5.93
20	18.09	33.35	24.01		.086	6.51
30	17.08	33.30	24.21		.124	6.23
50	13.74	33.22	24.89		.192	6.62
75	12.80	33.27	25.11		.267	5.84
100	11.58	33.63	25.62		.332	3.86
150	11.54	34.16	26.04		.443	1.34
200	11.28	34.30	26.20		.540	0.91
250	11.01	34.44	26.36		.630	0.63
300	10.00	34.45	26.54		.712	0.70
400	8.00	34.33	26.77		.858	0.50
500	7.03	34.33	26.91		.988	0.42
600	(5.92)	(34.33)	(27.06)		(1.104)	-

STATION 120.25 (Interpolated Values at Standard Depths)

CREST: 28°23'N 114°14'W; September 9, 1952; 0450 GCT; wire angle: 0°; sounding: 30 fms; depth of observation: 30 m; weather: clear; sea: slight; wind: 290°, force 3.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	21.12	33.46	23.31		.000	5.68
10	18.97	33.44	23.86		.043	5.97
20	15.31	33.35	24.65		.080	6.69
30	14.20	33.22	24.79		.112	6.60

STATION 120.30 (Interpolated Values at Standard Depths)

CREST: 28°13'N 114°34'W; September 9, 1952; 0740, 0752 GCT; wire angle: 18°, 18°; sounding: 47 fms; depth of observation: 71 m; weather: clear; sea: moderate; wind: 310°, force 4.

0	21.13	33.55	23.38		.000	5.48
10	21.05	33.49	23.35		.045	5.49
20	20.45	33.48	23.51		.090	5.61
30	19.42	33.42	23.73		.133	5.74
50	14.71	33.21	24.68		.208	5.61

STATION 120.35 (Interpolated Values at Standard Depths)

CREST: 28°02'N 114°58'W; September 9, 1952; 1122 GCT; wire angle: 0°; sounding: 42 fms; depth of observation: 50 m; weather: clear; sea: smooth; wind: 335°, force 1.

0	(21.08)	33.49	23.35		.000	5.60
10	21.07	33.48	23.34		.045	5.65
20	20.30	33.46	23.53		.090	5.75
30	17.48	33.24	24.07		.131	6.27
50	12.80	33.19	25.05		.199	6.46

STATION 120.45 (Interpolated Values at Standard Depths)

CREST: 27°43'N 115°33'W; September 10, 1952; 0013 GCT; wire angle: 20°; sounding: 1450 fms; depth of observation: 1212 m; weather: partly cloudy; sea: moderate; wind: 335°, force 5.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	21.30	33.49	23.29		.000	5.45
10	21.30	33.49	23.29		.046	5.60
20	19.60	33.47	23.72		.090	6.28
30	17.22	33.42	24.27		.129	6.27
50	13.79	33.31	24.95		.196	5.90
75	11.70	33.37	25.40		.267	5.00
100	10.59	33.58	25.76		.328	4.37
150	9.69	34.00	26.24		.429	2.89
200	9.72	34.26	26.44		.516	1.95
250	9.33	34.31	26.55		.595	1.22
300	8.87	34.33	26.63		.671	0.82
400	7.73	34.30	26.79		.811	0.49
500	7.04	34.34	26.91		.939	0.31
600	6.24	34.34	27.02		1.057	0.32
700	5.45	34.34	27.12		1.165	0.39
800	4.84	34.37	27.22		1.265	0.46
1000	4.00	34.45	27.37		1.440	0.60

STATION 120.50 (Interpolated Values at Standard Depths)

CREST: 27°32'N 115°53'W; September 10, 1952; 0351 GCT; wire angle: 33°; sounding: 1850 fms; depth of observation: 547 m; weather: clear; sea: rough; wind: 350°, force 5.

0	22.76	33.58	22.95	.000	5.17
10	22.74	33.59	22.96	.049	5.15
20	16.71	33.45	24.41	.091	6.30
30	13.66	33.42	25.06	.124	6.50
50	12.30	33.57	25.44	.178	3.56
75	10.70	33.59	25.75	.239	3.42
100	10.57	33.92	26.03	.292	2.21
150	9.97	34.18	26.34	.386	1.53
200	9.23	34.29	26.55	.467	1.08
250	8.92	34.33	26.63	.542	0.65
300	8.49	34.34	26.70	.614	0.40
400	7.76	34.37	26.84	.749	0.21
500	6.88	34.37	26.96	.872	0.20

STATION 120.60 (Interpolated Values at Standard Depths)

CREST: 27°13'N 116°32'W; September 10, 1952; 0931 GCT; wire angle: 23°; sounding: 2000+ fms; depth of observation: 1279 m; weather: cloudy; sea: moderate; wind: 330°, force 4.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	22.28	33.48	23.01		.000	5.32
10	22.22	33.44	22.99		.049	5.26
20	18.20	33.38	24.00		.093	5.84
30	13.07	33.37	25.14		.127	5.89
50	11.50	33.44	25.49		.180	4.28
75	10.56	33.55	25.75		.240	3.62
100	9.69	33.68	25.99		.294	3.24
150	9.81	34.31	26.47		.385	1.50
200	10.46	34.23	26.29		.470	1.23
250	8.52	34.21	26.60		.552	1.20
300	8.06	34.31	26.74		.623	0.67
400	7.30	34.34	26.88		.753	0.28
500	6.24	34.34	27.02		.872	0.24
600	5.56	34.35	27.12		.979	0.25
700	5.08	34.39	27.20		1.078	0.28
800	4.68	34.41	27.27		1.172	0.38
1000	4.05	34.46	27.37		1.342	0.62

STATION 120.70 (Interpolated Values at Standard Depths)

CREST: 26°52'N 117°10'W; September 10, 1952; 1500 GCT; wire angle: 22°; sounding: 2000+ fms; depth of observation: 590 m; weather: cloudy; sea: moderate; wind: 350°, force 5.

0	21.60	33.42	23.15	.000	5.21
10	21.59	33.44	23.17	.047	5.17
20	19.29	33.34	23.70	.092	5.60
30	16.69	33.24	24.26	.131	6.23
50	14.05	33.13	24.75	.200	6.24
75	11.29	33.36	25.47	.272	4.76
100	10.58	33.71	25.87	.331	3.14
150	10.83	34.27	26.26	.430	1.08
200	10.52	34.42	26.43	.517	0.72
250	10.08	34.45	26.53	.597	0.55
300	9.38	34.44	26.64	.673	0.60
400	8.10	34.39	26.80	.813	0.33
500	6.87	34.36	26.95	.938	0.30
600	(6.12)	(34.36)	27.05	1.053	(0.34)

STATION 120.80 (Interpolated Values at Standard Depths)

CREST: 26°32'N 117°49'W; September 10, 1952; 2030 GCT; wire angle: 30°; sounding: 2000+ fms; depth of observation: 1136 m; weather: cloudy; sea: moderate; wind: 350°, force 5.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	21.86	33.41	23.07		.000	4.95
10	21.83	33.42	23.09		.048	5.30
20	20.86	33.37	23.31		.095	5.67
30	17.45	33.37	24.18		.137	5.82
50	16.08	33.37	24.50		.209	5.92
75	14.70	33.40	24.82		.291	5.79
100	12.75	33.30	25.15		.367	5.40
150	10.53	33.63	25.81		.493	3.78
200	9.45	33.93	26.23		.595	3.34
250	8.78	34.11	26.48		.681	2.32
300	8.24	34.23	26.65		.758	1.29
400	7.35	34.33	26.86		.893	0.60
500	6.54	34.38	27.01		1.012	0.29
600	5.83	34.39	27.11		1.120	0.22
700	5.29	34.43	27.21		1.220	0.28
800	4.82	34.46	27.29		1.312	0.37
1000	4.04	34.47	27.38		1.479	0.56

STATION 120.90 (Interpolated Values at Standard Depths)

CREST: 26°13'N 118°28'W; September 11, 1952; 0206 GCT; wire angle: 28°; sounding: 2000+ fms; depth of observation: 522 m; weather: cloudy; sea: rough; wind: 10°, force 5.

0	21.42	33.84	23.52		.000	5.02
10	23.04	33.81	23.04		.046	5.20
20	23.03	33.81	23.05		.094	5.06
30	20.99	33.73	23.55		.140	5.42
50	18.30	33.63	24.17		.222	5.86
75	16.42	33.55	24.56		.312	5.90
100	15.29	33.51	24.78		.394	5.64
150	10.80	33.53	25.69		.533	4.05
200	9.86	33.99	26.21		.638	2.98
250	9.37	34.19	26.44		.726	1.46
300	8.86	34.27	26.59		.804	0.97
400	7.74	34.33	26.81		.946	0.68
500	6.78	34.34	26.95		1.071	0.37

STATION 123.37 (Interpolated Values at Standard Depths)

CREST: 27°21'N 114°40'W; September 12, 1952; 0320 GCT; wire angle: 0°; sounding: 35 fms; depth of observation: 30 m; weather: clear; sea: moderate; wind: 315°, force 5.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	18.64	33.75	24.18		.000	5.57
10	18.58	33.77	24.21		.037	5.59
20	16.90	33.86	24.68		.072	4.31
30	16.15	33.82	24.83		.104	4.04

STATION 123.40 (Interpolated Values at Standard Depths)

CREST: 27°15'N 114°47'W; September 12, 1952; 0138 GCT; wire angle: 35°; sounding: 200 fms; depth of observation: 233 m; weather: clear; sea: rough; wind: 315°, force 6.

0	18.58	33.71	24.16		.000	5.68
10	18.40	33.71	24.21		.037	5.66
20	16.20	33.68	24.71		.072	5.00
30	15.03	33.70	24.98		.104	3.56
50	14.41	33.94	25.30		.160	2.35
75	13.53	34.02	25.55		.225	1.08
100	12.98	34.21	25.80		.284	0.79
150	12.23	34.53	26.20		.386	0.61
200	11.67	34.59	26.35		.476	0.43

STATION 123.50 (Interpolated Values at Standard Depths)

CREST: 27°01'N 115°32'W; September 11, 1952; 2025 GCT; wire angle: 25°; sounding: 2000+ fms; depth of observation: 602 m; weather: clear; sea: rough; wind: 350°, force 6.

Depth	T	S	σ_t	1058	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	21.49	33.51	23.25		.000	5.66
10	21.50	33.55	23.28		.046	5.12
20	20.50	33.50	23.51		.091	5.80
30	17.60	33.35	24.13		.132	7.06
50	14.24	33.24	24.80		.202	7.05
75	11.80	33.28	25.31		.275	5.58
100	10.48	33.53	25.74		.337	4.10
150	9.88	34.11	26.30		.439	2.24
200	9.56	34.26	26.47		.523	1.25
250	9.23	34.35	26.59		.601	0.78
300	9.00	34.45	26.71		.673	0.34
400	7.68	34.34	26.82		.808	0.42
500	6.86	34.42	27.00		.931	0.31
600	6.09	34.38	27.07		1.041	0.25

STATION 127.34 (Interpolated Values at Standard Depths)

CREST: 26°55'N 114°06'W; September 12, 1952; 0720 GCT; wire angle: 15°; sounding: 42 fms; depth of observation: 48 m; weather: clear; sea: slight; wind: 20°, force 5.

0	21.48	33.57	23.30	.000	5.42
10	21.46	33.60	23.33	.046	5.40
20	20.60	33.60	23.56	.090	5.43
30	16.60	33.24	24.28	.130	6.11

STATION 127.40 (Interpolated Values at Standard Depths)

CREST: 26°44'N 114°30'W; September 12, 1952; 1043 GCT; wire angle: 18°; sounding: 1800 fms; depth of observation: 618 m; weather; clear; sea: moderate; wind: 330°, force 5.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	22.38	33.53	23.02		.000	5.21
10	22.37	33.46	22.97		.049	5.21
20	21.65	33.51	23.21		.097	5.35
30	17.59	33.44	24.20		.139	6.36
50	12.76	33.38	25.21		.204	5.35
75	10.68	33.48	25.67		.268	4.22
100	10.23	33.69	25.91		.324	3.48
150	9.62	34.13	26.36		.420	2.48
200	9.65	34.26	26.45		.503	1.60
250	8.96	34.30	26.60		.581	1.15
300	8.86	34.42	26.71		.654	0.54
400	7.33	34.34	26.87		.786	0.55
500	7.09	34.47	27.01		.906	0.27
600	6.06	34.42	27.11		1.015	0.28

STATION 127.50 (Interpolated Values at Standard Depths)

CREST: 26°23'N 115°10'W; September 12, 1952; 1609 GCT; wire angle: 32°; sounding: 1720 fms; depth of observation: 554 m; weather: partly cloudy; sea: moderate; wind: 330°, force 5.

0	22.70	33.70	23.06		.000	5.25
10	22.73	33.71	23.06		.048	5.07
20	22.73	33.71	23.06		.096	5.18
30	22.65	33.71	23.08		.145	5.12
50	18.47	33.51	24.04		.232	5.87
75	16.21	33.69	24.71		.321	5.51
100	13.25	33.63	25.30		.396	4.80
150	10.61	33.90	26.01		.515	2.85
200	9.72	34.19	26.39		.608	1.95
250	8.85	34.26	26.58		.688	1.41
300	8.51	34.31	26.68		.761	0.98
400	7.49	34.37	26.87		.895	0.37
500	6.64	34.39	27.01		1.013	0.31

STATION 130.30 (Interpolated Values at Standard Depths)

CREST: 26°29'N 113°29'W; September 13, 1952; 1448 GCT; wire angle: 5°; sounding: 41 fms; depth of observation: 49 m; weather: clear; sea: slight; wind: 40°, force 3.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	24.48	33.91	22.70		.000	4.95
10	24.48	33.91	22.70		.052	4.92
20	20.88	33.68	23.54		.099	5.49
30	14.60	33.33	24.79		.137	6.00

STATION 130.35 (Interpolated Values at Standard Depths)

CREST: 26°14'N 113°46'W; September 13, 1952; 1206 GCT; wire angle: 20°; sounding: 68 fms; depth of observation: 70 m; weather: clear; sea: slight; wind: 335°, force 4.

0	20.86	33.60	23.49		.000	5.40
10	20.74	33.60	23.52		.044	5.47
20	17.60	33.33	24.11		.085	5.95
30	15.58	33.33	24.58		.121	6.04
50	13.84	33.27	24.90		.185	6.03

STATION 130.40 (Interpolated Values at Standard Depths)

CREST: 26°06'N 114°06'W; September 13, 1952; 0854 GCT; wire angle: 40°; sounding: 950 fms; depth of observation: 1019 m; weather: clear; sea: rough; wind: 20°, force 5.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	21.82	33.51	23.16		.000	5.25
10	21.85	33.57	23.20		.047	5.20
20	21.79	33.51	23.17		.094	5.29
30	17.46	33.52	24.29		.136	5.95
50	16.25	33.57	24.61		.206	6.04
75	14.41	33.41	24.89		.287	5.85
100	12.12	33.36	25.31		.359	5.49
150	11.00	34.13	26.12		.474	1.30
200	11.00	34.34	26.28		.568	1.08
250	9.78	34.33	26.49		.653	1.15
300	9.67	34.45	26.60		.731	0.56
400	8.34	34.49	26.84		.871	0.27
500	7.29	34.41	26.93		.995	0.24
600	6.22	34.39	27.06		1.110	0.40
700	5.52	34.38	27.14		1.215	0.45
800	5.00	34.39	27.21		1.314	0.35
1000	4.23	(34.48)	27.37		1.491	0.54

STATION 130.50 (Interpolated Values at Standard Depths)

CREST: 25°49'N 114°46'W; September 13, 1952; 0329 GCT; wire angle: 30°; sounding: 1850 fms; depth of observation: 537 m; weather: partly cloudy; sea: moderate; wind: 330°, force 6.

0	22.94	33.60	22.91		.000	5.31
10	22.95	33.57	22.89		.050	4.83
20	22.95	33.60	22.91		.099	4.78
30	20.05	33.48	23.61		.146	5.27
50	17.39	33.37	24.19		.226	5.60
75	15.30	33.28	24.60		.315	6.04
100	13.77	33.28	24.93		.396	5.98
150	10.21	33.43	25.71		.530	4.15
200	9.87	34.08	26.28		.633	2.15
250	9.40	34.20	26.45		.719	1.63
300	8.87	34.26	26.58		.798	1.23
400	8.04	34.36	26.79		.941	0.43
500	7.00	34.38	26.95		1.067	0.28

STATION 130.60 (Interpolated Values at Standard Depths)

CREST: 25°29'N 115°24'W; September 12, 1952; 2202 GCT; wire angle: 22°; sounding: 2000+ fms; depth of observation: 1165 m; weather: partly cloudy; sea: moderate; wind: 345°, force 5.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	23.27	33.64	22.85		.000	5.23
10	23.25	33.68	22.88		.050	5.22
20	23.15	33.81	23.01		.099	5.40
30	21.21	33.82	23.56		.145	5.50
50	18.40	33.75	24.24		.226	5.60
75	16.33	33.61	24.62		.314	6.15
100	15.42	33.57	24.80		.396	5.62
150	11.04	33.60	25.70		.534	4.06
200	9.90	34.10	26.29		.637	2.56
250	9.16	34.19	26.48		.722	1.52
300	8.69	34.24	26.59		.800	0.98
400	8.04	34.37	26.79		.942	0.64
500	6.96	34.41	26.98		1.066	0.25
600	6.21	34.34	27.03		1.181	0.11
700	5.55	34.37	27.13		1.289	0.32
800	4.98	34.41	27.23		1.387	0.49
1000	4.10	34.47	27.38		1.560	0.52

STATION 133.25 (Interpolated Values at Standard Depths)

CREST: 26°04'N 112°47'W; September 13, 1952; 1856 GCT; wire angle: 0°; sounding: 45 fms; depth of observation: 50 m; weather: clear; sea: slight; wind: 305°, force 3.

0	22.97	33.71	22.99	.000	5.17
10	20.22	33.53	23.61	.046	5.63
20	15.16	33.31	24.66	.084	6.07
30	14.84	33.33	24.74	.117	5.91
50	12.82	33.51	25.30	.176	4.54

STATION 133.30 (Interpolated Values at Standard Depths)

CREST: 25°54'N 113°08'W; September 13, 1952; 2104 GCT; wire angle: 4°; sounding: 105 fms; depth of observation: 149 m; weather: clear; sea: slight; wind: 270°, force 3.

Depth	T	S	σ_t	$10^5 s$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	23.48	33.89	22.98		.000	4.96
10	23.20	33.91	23.07		.049	5.01
20	21.90	33.89	23.42		.095	5.11
30	19.70	33.82	23.96		.137	5.11
50	12.69	33.64	25.42		.203	3.56
75	11.93	34.10	25.92		.261	2.20
100	12.80	34.41	26.00		.313	0.89
150	(12.45)	(34.56)	(26.13)		(.411)	(0.50)

STATION 137.23 (Interpolated Values at Standard Depths)

CREST: 25°34'N 112°19'W; September 14, 1952; 0443 GCT; wire angle: 5°; sounding: 40 fms; depth of observation: 50 m; weather: clear; sea: slight; wind: 315°, force 3.

0	24.90	33.95	22.60		.000	5.84
10	24.40	33.91	22.72		.052	5.61
20	17.80	33.33	24.06		.097	5.98
30	16.04	33.33	24.48		.134	6.07
50	13.52	33.58	25.21		.196	4.45

STATION 137.30 (Interpolated Values at Standard Depths)

CREST: 25°23'N 112°48'W; September 14, 1952; 0124 GCT; wire angle: 10°; sounding: 160 fms; depth of observation: 192 m; weather: partly cloudy; sea: slight; wind: 300°, force 4.

0	22.42	33.62	23.07		.000	5.12
10	22.34	33.62	23.10		.048	5.18
20	21.80	33.52	23.17		.095	5.31
30	19.65	33.51	23.74		.140	5.64
50	16.61	33.55	24.51		.216	5.92
75	13.40	33.67	25.30		.293	4.28
100	12.62	33.81	25.57		.357	2.91
150	12.26	34.53	26.19		.465	0.29
200	(11.76)	(34.63)	(26.37)		(.555)	(0.14)

DISTRIBUTION LIST

Dr. E. H. Ahlstrom
U. S. Fish & Wildlife Service
c/o Scripps Institution of Oceanography
La Jolla, California

British Joint Services
(Navy Staff)
1910 K Street N.W.
Washington, D. C.

Librarian (4)
Department of Fish & Game
California State Fisheries Laboratory
Terminal Island, California

Chief, Division of Fisheries
Commonwealth Scientific & Industrial
Research Organization
P. O. Box 21
Crunulla, NSW, AUSTRALIA

Herrn Professor Dr. A. Defant
Sternwartestrasse 38
Innsbruck
AUSTRIA

Mr. Seth Gordon, Director
California Department of Fish & Game
Marine Fisheries Branch
926 J Street
Sacramento 14, California

Mr. John Hawk
c/o Seafarers' International Union
of North America
450 Harrison Street
San Francisco 5, California

Mr. Milton C. James
Pacific Mar. Fish. Comm.
340 State Office Building
1400 S. W. Fifth Avenue
Portland 1, Oregon

Mr. Joseph Mardesich
Franco-Italian Packing Company
Fish Harbor Wharf
Terminal Island, California

Dr. J. L. McHugh
Virginia Fisheries Laboratory
Gloucester Point, Virginia

Dr. Rolf L. Bolin
Hopkins Marine Station
Pacific Grove, California

Mr. J. G. Burnette, Chairman
Marine Research Committee
P. O. Box 807
Los Altos, California

Mr. Ray Cannon
Research Education
Ocean Fish Protective Association
645 N. Serrano Street
Los Angeles 4, California

Dr. R. S. Croker
California Department of Fish & Game
926 J Street
Sacramento 14, California

Director of Research
Fish Commission of Oregon
Route 1, Box 31A
Clackamas, Oregon

Hancock Library of Biology & Oceanography
Allan Hancock Foundation
University of Southern California
Los Angeles 7, California

Dr. Robert W. Hiatt
University of Hawaii
Honolulu, T. H.

Dr. H. Kitamura
Oceanographic Section
Kobe Marine Observatory
Kobe, JAPAN

Mr. J. C. Marr
U. S. Fish & Wildlife Service
c/o Scripps Institution of Oceanography
La Jolla, California

Dr. H. J. McLellan
Atlantic Oceanographic Group
St. Andrews, New Brunswick
CANADA

Mr. Arthur H. Mendonca
c/o R. E. Booth Company, Inc.
280 Battery Street
San Francisco 11, California

Mr. John V. Morris
French Sardine Company
582 Tuna Street
Terminal Island, California

Dr. Yngve H. Olsen
Journal of Marine Research
Yale University
New Haven, Connecticut

Dr. E. L. Pickard
Institute of Oceanography
University of British Columbia
Vancouver, B. C.
CANADA

Dr. D. W. Pritchard
Chesapeake Bay Institute
The Johns Hopkins University
121 Maryland Hall
Baltimore 18, Maryland

Dr. Gordon A. Riley
Bingham Oceanographic Foundation
Yale University
New Haven, Connecticut

Mr. J. F. Theodore Saur
Code 2235
U. S. Navy Electronics Laboratory
San Diego 52, California

Dr. M. B. Schaefer
Inter-American Tropical Tuna Commission
c/o Scripps Institution of Oceanography
La Jolla, California

Mr. O. E. Sette, Chief
Ocean Research
U. S. Fish & Wildlife Service
450-B Jordan Hall
Stanford, California

Mr. W. E. Stewart
c/o California State Chamber of Commerce
350 Bush Street
San Francisco 4, California

Dr. R. C. Miller
California Academy of Sciences
Golden Gate Park
San Francisco 18, California

Dr. A. W. H. Needler, Director
Pacific Biological Station
Nanaimo, B. C.
CANADA

Librarian
Pacific Oceanic Fishery Investigations
P. O. Box 3830
Honolulu, T. H.

Mr. Don Powell
U. S. Fish & Wildlife Service
2725 Montlake Boulevard
Seattle 2, Washington

Dr. Roger Revelle
University of California
Scripps Institution of Oceanography
La Jolla, California

Mrs. Margaret K. Robinson
University of California
Scripps Institution of Oceanography
La Jolla, California

Mr. Don T. Saxby
California Packing Corporation
215 Fremont Street
San Francisco, California

Library
Scripps Institution of Oceanography
La Jolla, California

President Robert G. Sproul
University of California
Berkeley 4, California

Miss Margaret Storey, Librarian
Natural History Museum
Stanford, California

Dr. Harald U. Sverdrup
Norwegian Polar Institute
Observatorieggt 1
Oslo, NORWAY

Department of Oceanography
Texas A. & M. College
College Station, Texas

Dr. John P. Tully
Pacific Oceanographic Group
P. O. Drawer 6
Nanaimo, B. C.
CANADA

U. S. Hydrographic Office (2)
Navy Department
Washington 25, D. C.
Att'n: Mr. John Lyman

Library (2)
U. S. Navy Electronics Laboratory
San Diego 52, California

University of California
Department of Zoology
Berkeley 4, California

University of California (2)
General Library
Berkeley 4, California
Att'n: Gifts & Exchange Department

Director
University of Miami
Marine Laboratory
Coral Gables, Florida

Librarian
University of Washington
Oceanographic Laboratories
Friday Harbor, Washington

Librarian (2)
University of Washington
Oceanographic Laboratories
Seattle 5, Washington

Director
University of Washington
School of Fisheries
Seattle 4, Washington

Mr. Gilbert C. Van Camp, Sr.
772 Tuna Street
Terminal Island, California

Mr. Richard C. Vetter
Geophysics Branch
Office of Naval Research
Washington 25, D. C.

Dr. Lionel A. Walford
Chief, Branch of Fishery Biology
U. S. Fish & Wildlife Service
Washington 25, D. C.

Dr. Boyd W. Walker
University of California
Department of Zoology
Los Angeles 24, California

Director
Woods Hole Oceanographic Institution
Woods Hole, Massachusetts