

CORRECTIONS MADE :
STATION POSITIONS ~~HB~~

UNIVERSITY OF CALIFORNIA SCRIPPS INSTITUTION OF OCEANOGRAPHY

data report

PHYSICAL AND CHEMICAL DATA
CCOFI Cruise 5303
(MLR 46)
6 March-5 April 1953

SIO Reference 57-37
3 September 1957

UNIVERSITY OF CALIFORNIA
SCRIPPS INSTITUTION OF OCEANOGRAPHY

PHYSICAL AND CHEMICAL DATA

CCOFI CRUISE 5303

(MLR 46)

6 March-5 April 1953

Sponsored by

Marine Research Committee

SIO Reference 57-37
3 September 1957

Approved for distribution:



Roger Revelle, Director

CONTENTS

List of Figures	ii
Introduction	iii
Personnel	iv
Tabulated Data at Standard Depths	1
Distribution List	74

FIGURES

1. CCOFI Cruise 5303 (MLR 46), Station Positions
2. Horizontal Distribution of Dynamic Height Anomaly (0 over 500 d-bar)
3. Surface Currents measured by Geomagnetic Electrokinetograph (GEK)
4. Horizontal Distribution of Temperature at 10 Meters
5. Horizontal Distribution of Salinity at 10 Meters
6. Horizontal Distribution of Temperature at 200 Meters
7. Horizontal Distribution of Salinity at 200 Meters




FIGURE 1




FIGURE 2




FIGURE 3A




FIGURE 3B




FIGURE 4




FIGURE 5




FIGURE 6




FIGURE 7

INTRODUCTION

The data in this report were collected on the forty-sixth full-scale cruise conducted in the Marine Life Research Program. The three ships participating were the MV CREST, the MV E. W. SCRIPPS, and the MV SPENCER F. BAIRD, of the Scripps Institution of Oceanography.

Data are presented in the form of values tabulated at standard depths, and on charts of horizontal distributions. Values of observed depths will be included in a final publication, OCEANIC OBSERVATIONS OF THE PACIFIC. The presentation of data in these Physical and Chemical Data Reports does not constitute publication, and these interpretations may be subject to modification as the program continues.

In the tabulated data extrapolated values are indicated by parentheses. The time given is the time that the messenger was released. When more than one cast was made on a station, both messenger times and both wire angles are given; the time and the wire angle given first are for the shallow cast. Horizontal lines separate the casts.

Nansen bottle pretripping occurred on Stations 85.60, 87.45, 87.55, 97.40, 113.35, 113.50, 137.30, and 137.40. Some of the depths of observation, therefore, may be slightly in error.

PERSONNEL

Ships' Captains

Davis, L. E., MV CREST
Brandal, G., MV E. W. SCRIPPS
Colbeth, C. W., MV SPENCER F. BAIRD

PERSONNEL PARTICIPATING IN THE COLLECTION OF DATA

MV CREST

Cunningham, Leonard M., Jr., Senior Marine Technician
Greenbaum, Richard H., Marine Technician
Poffendorf, Lawrence W., Marine Technician
Riber, Donald N., Marine Technician
Thraillkill, James R., Fisheries Research Biologist, U. S. Fish and Wildlife Service
Worrall, Charles G., Senior Marine Technician

MV E. W. SCRIPPS

Coolidge, Richard N., Senior Marine Technician
*Duiker, Wesley J., Marine Technician
*Howell, Robert W., Marine Technician
Kircher, Robert J., Marine Technician
MacGregor, John S., Marine Biologist, U. S. Fish and Wildlife Service
Mattson, George M., Scientific Illustrator, U. S. Fish and Wildlife Service
*Schwartzlose, Richard A., Laboratory Technician

MV SPENCER F. BAIRD

Smith, Alan C., Senior Marine Technician
Counts, Robert C., Fisheries Research Biologist, U. S. Fish and Wildlife Service
Howell, Robert W., Marine Technician
King, Robert D., Marine Technician
Lance, James R., Marine Technician

*These personnel did not make the full cruise.

STATION 80.51 (Interpolated Values at Standard Depths)

E. W. SCRIPPS: 34°26' 120°32'; March 10, 1953; 2035 GCT;
 wire angle: 10°; sounding: 51 fms; depth of observation:
 50 m; weather: partly cloudy; sea: moderate; wind: 80°,
 force 2.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	12.30	33.38	25.30		.000	5.93
10	12.20	33.36	25.30		.027	5.90
20	11.88	33.38	25.37		.053	5.75
30	11.04	33.49	25.61		.078	4.93
50	10.63	33.55	25.73		.125	4.30

STATION 80.55 (Interpolated Values at Standard Depths)

E. W. SCRIPPS: 34°19' 120°48'; March 10, 1953; 2254 GCT;
 wire angle: 11°; sounding: 800 fms; depth of observation:
 588 m; weather: partly cloudy; sea: moderate; wind: 110°,
 force 1.

0	12.90	33.34	25.15		.000	6.05
10	12.68	33.31	25.17		.028	6.09
20	12.26	33.37	25.30		.056	6.18
30	11.85	33.37	25.43		.083	5.83
50	10.27	33.54	25.79		.130	4.05
75	9.38	33.91	26.22		.180	2.80
100	9.04	33.89	26.26		.225	2.47
150	8.87	34.07	26.43		.311	1.92
200	8.53	34.12	26.52		.391	1.67
250	8.31	34.20	26.62		.466	1.42
300	8.00	34.25	26.71		.538	1.26
400	7.33	34.26	26.81		.673	0.90
500	6.53	34.28	26.94		.799	0.55
600	(5.78)	(34.34)	(27.08)		(.912)	-

STATION 80.60 (Interpolated Values at Standard Depths)

E. W. SCRIPPS: 34°09' 121°09'; March 11, 1953; 0228 GCT;
 wire angle: 10°; sounding: 1200 fms; depth of observation:
 1192 m; weather: partly cloudy; sea: very rough; wind: 280°,
 force 1.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	12.54	33.35	25.23		.000	6.37
10	12.16	33.37	25.31		.027	6.43
20	11.83	33.39	25.39		.053	6.32
30	11.69	33.39	25.42		.079	6.07
50	11.47	33.37	25.44		.131	5.83
75	9.79	33.43	25.78		.191	4.20
100	9.11	33.69	26.10		.243	3.33
150	8.58	33.89	26.34		.334	2.70
200	8.03	34.09	26.58		.415	2.20
250	7.48	34.11	26.67		.488	1.74
300	7.03	34.12	26.74		.557	1.28
400	6.44	34.23	26.91		.686	0.63
500	6.03	34.31	27.03		.802	0.63
600	5.55	34.32	27.09		.910	0.32
700	5.17	34.40	27.20		1.010	0.30
800	4.83	34.44	27.27		1.103	0.34
1000	4.09	34.46	27.37		1.273	0.54
1200	(3.51)	(34.49)	(27.45)		(1.427)	(0.70)

STATION 80.70 (Interpolated Values at Standard Depths)

E. W. SCRIPPS: 33°49' 121°51'; March 11, 1953; 0843 GCT;
 wire angle: 5°; sounding: 1900 + fms; depth of observa-
 tion: 602 m; weather: clear; sea: rough; wind: 280°,
 force 1.

0	12.97	33.06	24.92		.000	6.19
10	12.98	33.05	24.91		.031	6.35
20	12.46	33.09	25.04		.060	6.40
30	12.31	33.11	25.08		.090	6.32
50	11.51	33.28	25.37		.145	6.09
75	10.50	33.40	25.64		.207	4.20
100	9.03	33.60	26.04		.262	3.45
150	8.61	33.90	26.34		.355	2.99
200	7.78	34.01	26.55		.436	2.43
250	7.35	34.06	26.64		.510	2.13
300	6.88	34.10	26.75		.580	1.77
400	5.99	34.15	26.90		.708	1.08
500	5.54	34.26	27.05		.823	1.24
600	5.01	34.35	27.18		.925	0.83

STATION 80.80 (Interpolated Values at Standard Depths)

E. W. SCRIPPS: 33°32' 122°31'; March 11, 1953; 1529 GCT;
 wire angle: 6°; sounding: 1200 fms; depth of observation:
 604 m; weather: cloudy; sea: very rough; wind: 280°,
 force 1.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	13.28	33.06	24.86		.000	6.09
10	13.29	33.05	24.85		.031	6.21
20	13.23	33.06	24.87		.062	5.97
30	13.12	33.06	24.89		.093	6.06
50	12.85	33.09	24.96		.154	6.15
75	11.99	33.13	25.16		.227	5.77
100	9.68	33.06	25.51		.294	5.02
150	8.51	33.58	26.10		.405	3.97
200	8.06	33.90	26.42		.494	3.01
250	7.43	34.07	26.65		.572	2.67
300	6.88	34.10	26.75		.641	1.96
400	6.03	34.21	26.95		.767	0.87
500	5.56	34.27	27.05		.880	0.60
600	5.10	34.30	27.13		.984	0.45

STATION 80.90 (Interpolated Values at Standard Depths)

E. W. SCRIPPS: 33°10' 123°14'; March 11, 1953; 2145 GCT;
 wire angle: 6°; sounding: 2150 fms; depth of observation:
 601 m; weather: partly cloudy; sea: very rough; wind: 320°,
 force 1.

0	13.74	33.06	24.76		.000	6.04
10	13.46	33.08	24.84		.032	6.03
20	13.39	33.07	24.84		.063	6.07
30	13.33	33.10	24.88		.094	5.96
50	13.08	33.07	24.90		.155	6.04
75	12.75	33.09	24.98		.231	6.14
100	12.45	33.10	25.05		.306	5.92
150	9.72	33.18	25.60		.440	4.86
200	8.52	33.70	26.20		.547	3.49
250	8.05	33.93	26.45		.634	2.65
300	7.43	34.01	26.60		.713	2.02
400	6.57	34.06	26.76		.855	1.18
500	5.52	34.13	26.95		.981	0.97
600	5.14	34.35	27.17		1.089	0.47

STATION 80.100 (Interpolated Values at Standard Depths)

E. W. SCRIPPS: 32°49' 123°54'; March 12, 1953; 0358 GCT;
 wire angle: 6°; sounding: 2000+ fms; depth of observa-
 tion: 607 m; weather: partly cloudy; sea: very rough; wind:
 calm.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O_2
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	14.10	33.02	24.66		.000	6.23
10	13.60	33.08	24.81		.032	5.76
20	13.53	33.07	24.81		.064	6.08
30	13.41	33.06	24.83		.095	6.08
50	13.32	33.11	24.89		.157	6.02
75	13.04	33.06	24.90		.234	6.00
100	12.42	33.09	25.05		.310	5.79
150	9.46	33.42	25.83		.438	4.30
200	8.82	33.80	26.23		.539	2.91
250	8.21	33.97	26.46		.626	2.62
300	7.60	34.07	26.62		.704	1.96
400	6.66	34.16	26.82		.842	1.09
500	5.92	34.22	26.97		.964	0.70
600	5.38	34.31	27.11		1.074	0.43

STATION 83.40 (Interpolated Values at Standard Depths)

E. W. SCRIPPS: 34°14' 119°22'; March 9, 1953; 1858 GCT;
 wire angle: 0°; sounding: 12 fms; depth of observation:
 20 m; weather: clear; sea: slight; wind: 230°, force 2.

0	13.03	33.33	25.11	.000	6.41
10	12.10	33.37	25.33	.028	6.43
20	11.50	33.39	25.45	.054	6.07

STATION 83.43 (Interpolated Values at Standard Depths)

E. W. SCRIPPS: 34°08' 119°34'; March 9, 1953; 1702 GCT;
 wire angle: 0°; sounding: 139 fms; depth of observation:
 152 m; weather: partly cloudy; sea: slight; wind: 270°,
 force 2.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	12.87	33.41	25.21		.000	6.47
10	12.36	33.43	25.32		.027	6.56
20	12.11	33.43	25.37		.054	6.28
30	11.86	33.44	25.43		.079	5.88
50	11.14	33.49	25.60		.129	4.96
75	10.18	33.62	25.87		.186	3.85
100	9.61	33.87	26.16		.237	3.09
150	8.94	34.15	26.48		.324	2.11

STATION 83.48 (Interpolated Values at Standard Depths)

E. W. SCRIPPS: 33°58' 119°54'; March 8, 1953; 2057 GCT;
 wire angle: 3°; sounding: 105 fms; depth of observation:
 75 m; weather: cloudy; sea: slight; wind: calm.

0	13.57	33.30	24.98		.000	6.10
10	13.28	33.31	25.05		.030	6.15
20	12.72	33.31	25.16		.058	6.12
30	11.98	33.41	25.38		.085	5.65
50	10.38	33.57	25.79		.134	4.33
75	9.72	33.67	25.98		.187	3.39

STATION 83.51 (Interpolated Values at Standard Depths)

E. W. SCRIPPS: 33°52' 120°08'; March 8, 1953; 1846 GCT;
 wire angle: 5°; sounding: 90 fms; depth of observation:
 100 m; weather: overcast; sea: slight; wind: calm.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(mL/L)
0	12.96	33.30	25.11		.000	6.09
10	12.69	33.29	25.15		.028	6.18
20	12.30	33.37	25.29		.056	6.01
30	11.92	33.43	25.41		.082	6.04
50	9.54	33.75	26.07		.128	3.29
75	9.21	33.93	26.27		.175	2.80
100	9.08	33.99	26.34		.218	2.48

STATION 83.55 (Interpolated Values at Standard Depths)

E. W. SCRIPPS: 33°44' 120°24'; March 8, 1953; 1600 GCT;
 wire angle: 5°; sounding: 625 fms; depth of observation:
 603 m; weather: overcast; sea: slight; wind: calm.

0	12.82	33.34	25.16		.000	5.89
10	12.25	33.35	25.28		.028	6.12
20	11.95	33.32	25.32		.054	6.04
30	11.86	33.32	25.33		.081	5.99
50	11.37	33.37	25.46		.133	5.43
75	9.50	33.71	26.05		.190	3.39
100	8.93	33.75	26.17		.238	3.07
150	8.37	33.98	26.44		.325	2.49
200	7.95	34.10	26.60		.403	2.20
250	7.84	34.15	26.65		.476	1.71
300	7.60	34.31	26.81		.544	0.84
400	7.02	34.34	26.92		.669	0.51
500	6.35	34.37	27.03		.785	0.36
600	5.74	34.40	27.13		.891	0.31

STATION 83.60 (Interpolated Values at Standard Depths)

E. W. SCRIPPS: 33°34' 120°45'; March 8, 1953; 1235 GCT;
 wire angle: 5°; sounding: 780 fms; depth of observation:
 602 m; weather: cloudy; sea: slight; wind: calm.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	12.38	33.41	25.30		.000	6.07
10	11.93	33.41	25.39		.026	6.12
20	11.51	33.41	25.47		.052	5.87
30	11.30	33.44	25.53		.077	5.61
50	10.52	33.57	25.77		.124	4.07
75	9.30	33.65	26.03		.177	3.45
100	8.76	33.81	26.25		.225	3.01
150	8.27	33.99	26.46		.310	2.59
200	7.82	34.05	26.58		.387	2.09
250	7.41	34.09	26.67		.461	1.45
300	7.13	34.18	26.78		.529	1.11
400	6.25	34.21	26.92		.656	0.67
500	5.96	34.23	26.97		.773	0.56
600	5.44	34.38	27.15		.881	0.43

STATION 85.39 (Interpolated Values at Standard Depths)

E. W. SCRIPPS: 34°00' 119°04'; March 7, 1953; 1435 GCT;
 wire angle: 0°; sounding: 275 m; depth of observation:
 300 m; weather: clear; sea: slight; wind: calm.

0	11.88	33.36	25.36		.000	6.00
10	11.83	33.30	25.32		.026	5.81
20	11.68	33.32	25.37		.053	5.54
30	11.46	33.37	25.44		.079	5.28
50	11.06	33.43	25.56		.129	4.96
75	10.08	33.55	25.83		.187	3.71
100	9.57	33.75	26.07		.239	3.05
150	9.37	33.97	26.27		.333	2.50
200	8.96	34.11	26.45		.418	2.03
250	8.55	34.20	26.58		.496	1.60
300	8.36	34.16	26.58		.572	1.41

STATION 85.40 (Interpolated Values at Standard Depths)

E. W. SCRIPPS: 33°57' 119°10'; March 7, 1953; 1633 GCT;
 wire angle: 0°; sounding: 400 fms; depth of observation:
 604 m; weather: clear; sea: slight; wind: calm.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	12.96	33.23	25.05		.000	6.30
10	12.72	33.29	25.14		.029	6.12
20	12.42	33.29	25.20		.057	5.88
30	12.00	33.30	25.29		.084	5.59
50	10.64	33.43	25.64		.135	4.92
75	9.94	33.65	25.93		.191	3.39
100	9.47	33.71	26.05		.242	3.35
150	9.12	34.02	26.35		.334	2.39
200	8.96	34.15	26.48		.417	2.15
250	8.56	34.20	26.58		.494	1.79
300	7.93	34.21	26.68		.568	1.35
400	7.20	34.26	26.83		.703	0.85
500	6.66	34.29	26.93		.828	0.55
600	6.06	34.31	27.02		.945	0.43

STATION 85.45 (Interpolated Values at Standard Depths)

E. W. SCRIPPS: 33°47' 119°31'; March 7, 1953; 2043 GCT;
 wire angle: 9°; sounding: 1000 fms; depth of observation:
 602 m; weather: clear; sea: slight; wind: calm.

0	13.55	33.26	24.96		.000	6.22
10	12.93	33.29	25.10		.029	6.13
20	12.10	33.35	25.31		.057	5.94
30	11.93	33.36	25.35		.084	5.89
50	11.70	33.32	25.36		.136	5.61
75	10.10	33.49	25.78		.197	4.10
100	9.24	33.81	26.17		.249	3.06
150	8.97	33.93	26.31		.340	2.83
200	8.58	34.08	26.48		.423	2.07
250	8.21	34.16	26.60		.500	1.60
300	7.82	34.21	26.70		.572	1.23
400	7.04	34.29	26.88		.705	0.80
500	6.41	34.32	26.98		.825	0.58
600	5.85	34.34	27.07		.936	0.33

STATION 85.50 (Interpolated Values at Standard Depths)

E. W. SCRIPPS: 33°37' 119°52'; March 8, 1953; 0040 GCT;
 wire angle: 0°; sounding: 180 fms; depth of observation:
 205 m; weather: fog; sea: slight; wind: 240°, force 2.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	12.72	33.37	25.21		.000	5.95
10	12.10	33.36	25.32		.027	5.73
20	11.84	33.37	25.37		.054	5.51
30	11.59	33.39	25.44		.079	5.22
50	10.79	33.46	25.64		.129	4.57
75	9.91	33.56	25.86		.185	3.80
100	9.09	33.82	26.20		.235	2.92
150	8.78	34.16	26.52		.320	1.93
200	8.39	-	-		-	1.48

STATION 85.55 (Interpolated Values at Standard Depths)

E. W. SCRIPPS: 33°27' 120°12'; March 8, 1953; 0458 GCT;
 wire angle: 5°; sounding: 570 fms; depth of observation:
 602 m; weather: fog; sea: slight; wind: 240°, force 2.

0	12.72	33.32	25.17	.000	6.31
10	12.58	33.33	25.20	.028	6.24
20	12.25	33.32	25.26	.055	6.23
30	11.91	33.32	25.32	.082	6.20
50	11.82	33.34	25.36	.135	6.03
75	9.54	33.51	25.89	.195	3.91
100	8.97	33.71	26.13	.246	3.08
150	8.43	33.93	26.39	.335	2.50
200	7.98	34.07	26.57	.415	2.17
250	7.66	34.16	26.69	.488	1.64
300	7.39	34.22	26.77	.556	1.04
400	6.77	34.30	26.92	.683	0.63
500	6.24	34.32	27.01	.799	0.42
600	5.74	34.33	27.08	.909	0.34

STATION 85.60 (Interpolated Values at Standard Depths)

E. W. SCRIPPS: 33°17' 120°34'; March 8, 1953; 0858 GCT;
 wire angle: 3°; sounding: 900 fms; depth of observation:
 480 m; weather: fog; sea: slight; wind: 270°, force 3.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	12.20	33.29	25.24		.000	5.59
10	12.24	33.31	25.25		.027	4.94
20	11.72	33.29	25.34		.054	5.31
30	11.80	33.30	25.33		.081	5.09
50	11.20	33.34	25.47		.133	4.77
75	9.60	33.57	25.92		.191	3.58
100	8.72	33.78	26.23		.240	3.37
150	8.29	34.03	26.49		.324	2.02
200	8.03	34.08	26.57		.402	1.62
250	7.69	34.12	26.65		.475	1.67
300	6.94	34.15	26.78		.544	1.31
400	6.29	34.20	26.91		.671	0.52
500	(5.72)	(34.29)	(27.05)		(.786)	(0.44)

STATION 87.35 (Interpolated Values at Standard Depths)

E. W. SCRIPPS: 33°50' 118°38'; March 7, 1953; 1030, 1050
 GCT; wire angle: 0°, 0°; sounding: 300 fms; depth of ob-
 servation: 255, 299 m; weather: clear; sea: moderate;
 wind: calm.

0	13.53	33.30	24.99		.000	6.23
10	13.28	33.37	25.10		.029	6.18
20	12.87	33.27	25.10		.058	5.25
30	12.27	33.27	25.22		.086	4.68
50	11.14	33.31	25.46		.139	4.43
75	10.02	33.55	25.84		.198	3.56
100	9.54	33.82	26.13		.250	3.03
150	9.25	34.07	26.37		.340	2.47
200	8.94	34.14	26.48		.422	2.03
250	8.56	34.22	26.60		.500	1.60
300	(8.07)	(34.27)	(26.71)		(.572)	(1.28)

STATION 87.40 (Interpolated Values at Standard Depths)

E. W. SCRIPPS: 33°40' 118°58'; March 7, 1953; 0635, 0703 GCT; wire angle: 0°, 0°; sounding: 425 fms; depth of observation: 249, 603 m; weather: clear; sea: rough; wind: calm.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	13.42	33.35	25.05		.000	5.51
10	13.13	33.27	25.05		.029	6.24
20	12.68	33.27	25.14		.058	5.96
30	12.42	33.27	25.19		.086	5.48
50	11.10	33.35	25.49		.139	4.44
75	10.18	33.56	25.82		.198	3.39
100	10.11	33.76	25.99		.251	2.61
150	9.16	33.93	26.28		.347	2.47
200	8.72	34.12	26.49		.431	1.92
250	8.31	34.17	26.60		.508	1.44
300	7.89	34.22	26.70		.581	1.17
400	6.96	34.27	26.87		.713	0.47
500	6.43	34.30	26.97		.834	(0.57)
600	5.79	34.35	27.09		.946	-

STATION 87.45 (Interpolated Values at Standard Depths)

E. W. SCRIPPS: 33°31' 119°16'; March 7, 1953; 0317 GCT; wire angle: 0°; sounding: 450 fms; depth of observation: 320 m; weather: clear; sea: slight; wind: calm.

0	13.44	33.39	25.08		.000	5.45
10	12.39	33.39	25.29		.028	6.01
20	12.15	33.37	25.32		.055	5.79
30	11.88	33.41	25.40		.081	5.46
50	10.34	33.50	25.74		.130	4.38
75	9.30	33.78	26.14		.182	3.15
100	9.01	33.91	26.28		.228	2.74
150	8.78	34.01	26.40		.313	2.29
200	8.36	34.18	26.60		.392	2.02
250	8.05	34.22	26.67		.465	1.42
300	7.67	34.22	26.73		.534	1.07

STATION 87.50 (Interpolated Values at Standard Depths)

E. W. SCRIPPS: 33°20' 119°40'; March 7, 1953; 0010 GCT;
 wire angle: 0°; sounding: 42 fms; depth of observation:
 50 m; weather: clear; sea: moderate; wind: calm.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	13.85	33.34	24.96		.000	5.59
10	12.61	33.32	25.19		.029	6.04
20	12.46	33.32	25.22		.057	6.07
30	12.19	33.31	25.26		.084	5.81
50	10.28	33.59	25.82		.133	4.24

STATION 87.55 (Interpolated Values at Standard Depths)

E. W. SCRIPPS: 33°08' 120°00'; March 6, 1953; 2003, 2042
 GCT; wire angle: 8°, 10°; sounding: 540 fms; depth of
 observation: 200, 598 m; weather: clear; sea: slight;
 wind: 160°, force 1.

0	12.64	33.27	25.14		.000	5.38
10	12.24	33.28	25.23		.028	5.17
20	12.13	33.37	25.32		.055	6.09
30	12.12	33.37	25.32		.082	5.95
50	12.02	33.41	25.37		.135	5.95
75	11.15	33.39	25.52		.199	6.06
100	9.39	33.57	25.96		.256	-
150	8.52	33.90	26.35		.350	-
200	7.99	34.01	26.52		.432	-
250	7.68	34.11	26.64		.507	-
300	7.42	34.18	26.74		.577	-
400	6.94	34.27	26.87		.708	-
500	6.34	34.34	27.01		.827	-
600	(5.77)	(34.37)	(27.11)		(.935)	-

STATION 90.28 (Interpolated Values at Standard Depths)

E. W. SCRIPPS: 33°28' 117°47'; March 14, 1953; 1343 GCT;
 wire angle: 1°; sounding: 270 fms; depth of observation:
 205 m; weather: clear; sea: slight; wind: calm.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(mL/L)
0	13.34	33.45	25.15		.000	6.42
10	13.24	33.33	25.07		.029	6.45
20	12.30	33.29	25.23		.057	5.70
30	11.13	33.28	25.43		.084	4.55
50	10.51	33.50	25.72		.132	3.77
75	10.47	33.71	25.89		.188	3.02
100	9.82	33.78	26.05		.239	2.94
150	9.50	33.92	26.21		.335	2.57
200	9.26	34.14	26.42		.422	1.91

STATION 90.30 (Interpolated Values at Standard Depths)

E. W. SCRIPPS: 33°24' 117°55'; March 14, 1953; 1143 GCT;
 wire angle: 1°; sounding: 325 fms; depth of observation:
 500 m; weather: clear; sea: calm; wind: calm.

0	13.53	33.36	25.04		.000	6.71
10	13.52	33.33	25.02		.029	6.60
20	12.74	33.33	25.17		.058	5.95
30	11.88	33.33	25.34		.086	5.00
50	10.82	33.39	25.58		.136	4.22
75	10.20	33.59	25.84		.194	3.63
100	9.83	33.76	26.03		.246	3.06
150	9.69	34.04	26.28		.341	2.31
200	9.47	34.24	26.47		.426	1.77
250	8.97	34.28	26.58		.504	1.40
300	8.04	34.17	26.64		.579	1.42
400	7.32	34.22	26.78		.719	0.85
500	6.66	34.25	26.90		.847	0.58

STATION 90.37 (Interpolated Values at Standard Depths)

E. W. SCRIPPS: 33°10' 118°24'; March 14, 1953; 0715 GCT;
 wire angle: 10°; sounding: 640 fms; depth of observation:
 579 m; weather: clear; sea: slight; wind: 270°, force 2.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	14.10	33.36	24.92		.000	6.04
10	14.10	33.35	24.91		.030	5.97
20	13.90	33.36	24.96		.061	5.96
30	13.48	33.37	25.06		.090	5.80
50	11.98	33.36	25.34		.146	4.81
75	10.92	33.53	25.67		.209	3.95
100	10.23	33.58	25.83		.266	3.54
150	9.67	33.89	26.16		.368	2.82
200	9.06	34.10	26.42		.457	2.04
250	8.49	34.19	26.58		.535	1.55
300	8.10	34.20	26.65		.609	1.31
400	7.02	34.32	26.90		.743	0.80
500	6.26	34.35	27.03		.859	0.52

STATION 90.45 (Interpolated Values at Standard Depths)

E. W. SCRIPPS: 32°54' 118°56'; March 20, 1953; 0705 GCT;
 wire angle: 10°; sounding: 940 fms; depth of observation:
 593 m; weather: overcast; sea: moderate; wind: 250°,
 force 4.

0	14.14	33.29	24.86		.000	-
10	14.16	33.29	24.85		.031	-
20	14.16	33.28	24.85		.062	-
30	14.05	33.30	24.88		.093	-
50	12.65	33.29	25.16		.152	-
75	10.30	33.49	25.74		.216	-
100	9.69	33.74	26.04		.269	-
150	9.00	33.93	26.30		.363	-
200	8.65	34.11	26.50		.447	-
250	8.20	34.25	26.68		.522	-
300	7.80	34.25	26.74		.591	-
400	7.06	34.31	26.89		.722	-
500	6.41	34.32	26.98		.841	-
600	(5.82)	(34.36)	(27.09)		(.951)	-

STATION 90.50 (Interpolated Values at Standard Depths)

E. W. SCRIPPS: 32°45' 119°17'; March 20, 1953; 1050 GCT;
 wire angle: 10°; sounding: 215 fms; depth of observation:
 73 m; weather: overcast; sea: moderate; wind: 250°,
 force 4.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	13.60	33.34	25.01		.000	6.10
10	13.60	33.35	25.02		.030	6.15
20	13.52	33.34	25.02		.059	6.12
30	12.84	33.34	25.16		.088	5.80
50	11.22	33.33	25.46		.142	5.16
75	(10.30)	(33.45)	(25.71)		(.202)	(4.43)

STATION 90.55 (Interpolated Values at Standard Depths)

E. W. SCRIPPS: 32°35' 119°37'; March 20, 1953; 1505 GCT;
 wire angle: 25°; sounding: 625 fms; depth of observation:
 541 m; weather: overcast; sea: rough; wind: 300°, force 4.

0	13.20	33.28	25.04	.000	6.03
10	13.20	33.29	25.05	.029	6.12
20	13.20	33.27	25.03	.059	6.18
30	13.22	33.29	25.05	.088	6.02
50	13.19	33.26	25.03	.147	6.03
75	10.51	33.32	25.58	.214	4.95
100	9.54	33.52	25.89	.271	3.80
150	8.73	33.85	26.28	.369	2.71
200	8.25	34.05	26.51	.452	1.89
250	7.81	34.20	26.69	.527	1.19
300	7.46	34.26	26.79	.594	0.93
400	6.82	34.29	26.91	.721	0.57
500	6.32	34.30	26.98	.839	0.41

STATION 90.60 (Interpolated Values at Standard Depths)

E. W. SCRIPPS: 32°25' 119°58'; March 13, 1953; 1335 GCT;
 wire angle: 17°; sounding: 2000+ fms; depth of observation:
 572 m; weather: partly cloudy; sea: very rough; wind:
 320°, force 4.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(mL/L)
0	13.68	33.19	24.88		.000	5.53
10	13.68	33.21	24.89		.031	6.17
20	13.57	33.23	24.93		.061	6.41
30	13.22	33.16	24.95		.092	6.22
50	12.60	33.23	25.12		.151	5.92
75	10.79	33.25	25.47		.218	3.75
100	9.42	33.53	25.92		.276	2.64
150	8.72	33.89	26.31		.372	1.49
200	8.50	34.08	26.50		.455	1.27
250	8.08	34.22	26.67		.531	1.12
300	7.60	34.27	26.78		.599	0.97
400	6.88	34.32	26.92		.726	0.58
500	6.24	34.35	27.03		.841	0.40

STATION 90.70 (Interpolated Values at Standard Depths)

E. W. SCRIPPS: 32°04' 120°39'; March 13, 1953; 0733 GCT;
 wire angle: 16°; sounding: 1750 fms; depth of observation:
 577 m; weather: partly cloudy; sea: slight; wind: 300°,
 force 1.

0	12.94	33.13	24.98	.000	6.50
10	12.97	33.13	24.97	.030	6.40
20	12.92	33.14	24.99	.060	6.45
30	12.65	33.17	25.07	.089	6.40
50	12.03	33.17	25.18	.146	6.22
75	11.89	33.24	25.26	.216	5.94
100	9.72	33.36	25.74	.278	4.25
150	8.75	33.75	26.20	.382	3.03
200	8.13	33.95	26.45	.468	2.43
250	7.58	34.03	26.59	.546	2.14
300	7.09	34.13	26.74	.618	2.04
400	6.52	34.21	26.88	.747	1.45
500	6.02	34.30	27.02	.865	1.02

STATION 90.80 (Interpolated Values at Standard Depths)

E. W. SCRIPPS: 31°45' 121°19'; March 13, 1953; 0200 GCT;
 wire angle: 20°; sounding: 1850 fms; depth of observation:
 570 m; weather: partly cloudy; sea: moderate; wind: 300°,
 force 1.

Depth	T	S	σ_t	$10^5\delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	13.58	33.05	24.79		.000	6.07
10	13.56	33.02	24.77		.032	6.30
20	13.13	33.09	24.91		.063	6.40
30	12.77	33.14	25.02		.093	6.37
50	12.42	33.14	25.09		.152	6.19
75	11.90	33.16	25.20		.223	5.82
100	9.77	33.10	25.53		.289	5.12
150	8.87	33.51	25.99		.402	3.93
200	8.32	33.94	26.41		.495	2.86
250	7.69	34.03	26.58		.574	2.68
300	7.14	34.08	26.70		.646	1.79
400	6.26	34.07	26.81		.782	0.93
500	5.66	34.23	27.01		.903	-

STATION 90.90 (Interpolated Values at Standard Depths)

E. W. SCRIPPS: 31°25' 121°59'; March 12, 1953; 2035 GCT;
 wire angle: 10°; sounding: 2100 fms; depth of observation:
 596 m; weather: partly cloudy; sea: moderate; wind: 300°,
 force 3.

0	14.62	33.23	24.71		.000	5.93
10	14.60	33.29	24.76		.032	5.82
20	14.59	33.22	24.71		.064	5.84
30	14.52	33.24	24.74		.097	5.81
50	13.69	33.15	24.84		.160	5.97
75	12.70	33.17	25.06		.236	5.86
100	10.82	33.11	25.36		.306	5.02
150	8.71	33.60	26.09		.421	3.90
200	8.26	33.85	26.35		.513	3.86
250	7.55	34.02	26.59		.593	3.03
300	6.86	34.11	26.76		.664	1.95
400	6.14	34.12	26.86		.793	0.92
500	5.55	34.26	27.05		.910	0.62
600	(5.13)	(34.27)	(27.10)		(1.016)	(0.47)

STATION 93.27 (Interpolated Values at Standard Depths)

E. W. SCRIPPS: 32°56' 117°19'; March 16, 1953; 0119, 0132
 GCT; wire angle: 8°, 8°; sounding: 105 fms; depth of obser-
 vation: 99,150 m; weather: partly cloudy; sea: slight; wind:
 270°, force 1.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	14.19	33.33	24.88		.000	6.32
10	13.38	33.30	25.02		.030	6.46
20	11.41	33.34	25.43		.058	5.40
30	10.95	33.40	25.56		.083	4.14
50	10.44	33.57	25.78		.129	3.35
75	9.94	33.76	26.02		.183	3.05
100	9.75	33.86	26.12		.232	2.66
150	9.36	34.01	26.31		.324	2.25

STATION 93.30 (Interpolated Values at Standard Depths)

E. W. SCRIPPS: 32°50' 117°32'; March 16, 1953; 0336, 0411
 GCT; wire angle: 11°, 13°; sounding: 440 fms; depth of ob-
 servation: 246, 597 m; weather: clear; sea: slight; wind:
 250°, force 1.

0	14.40	33.31	24.82	.000	6.08
10	14.23	33.27	24.82	.031	6.03
20	13.97	33.29	24.89	.062	6.02
30	13.10	33.29	25.07	.092	6.00
50	10.78	33.25	25.47	.147	4.61
75	9.97	33.62	25.90	.205	3.45
100	9.69	33.87	26.14	.255	2.81
150	9.42	34.11	26.37	.345	2.12
200	9.38	34.25	26.49	.427	1.62
250	9.12	34.33	26.59	.504	1.34
300	8.78	34.33	26.65	.578	1.06
400	7.50	34.31	26.83	.716	0.88
500	6.70	34.35	26.97	.839	0.42
600	(5.95)	(34.39)	(27.10)	(.950)	(0.34)

STATION 93.40 (Interpolated Values at Standard Depths)

E. W. SCRIPPS: 32°30' 118°12'; March 16, 1953; 0931 GCT;
 wire angle: 5°; sounding: 900 fms; depth of observation:
 603 m; weather: clear; sea: slight; wind: 290°, force 1.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	14.22	33.42	24.94		.000	5.92
10	14.22	33.41	24.93		.030	6.01
20	14.02	33.39	24.96		.060	6.01
30	13.78	33.40	25.02		.090	6.12
50	11.86	33.37	25.37		.146	4.75
75	10.11	33.62	25.88		.206	3.65
100	9.72	33.81	26.09		.257	3.00
150	9.20	34.09	26.39		.348	2.27
200	8.70	34.21	26.57		.427	1.78
250	8.02	34.19	26.66		.501	1.52
300	7.62	34.19	26.71		.571	1.11
400	6.92	34.33	26.92		.701	0.58
500	6.35	34.39	27.05		.815	0.53
600	5.78	34.47	27.18		.919	0.28

STATION 93.50 (Interpolated Values at Standard Depths)

E. W. SCRIPPS: 32°12' 118°49'; March 16, 1953; 1529 GCT;
 wire angle: 6°; sounding: 800 fms; depth of observation:
 601 m; weather: cloudy; sea: rough; wind: 300°, force 3.

0	13.88	33.43	25.02		.000	6.01
10	13.90	33.39	24.99		.030	6.04
20	13.76	33.37	25.00		.059	6.04
30	12.90	33.38	25.18		.088	5.55
50	11.20	33.45	25.55		.141	4.20
75	10.21	33.68	25.91		.198	3.45
100	10.17	33.75	25.97		.250	2.89
150	9.54	34.00	26.27		.347	2.51
200	9.06	34.17	26.48		.431	2.00
250	8.57	34.23	26.60		.509	1.78
300	8.01	34.27	26.72		.580	1.64
400	7.01	34.30	26.89		.711	0.87
500	6.39	34.33	26.99		.830	0.40
600	5.68	34.33	27.09		.940	0.41

STATION 97.30 (Interpolated Values at Standard Depths)

E. W. SCRIPPS: 32°16' 117°08'; March 21, 1953; 0933 GCT;
 wire angle: 5°; sounding: 30 fms; depth of observation:
 30 m; weather: cloudy; sea: moderate; wind: 300°, force 2.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	13.62	33.31	24.98		.000	6.11
10	13.60	33.31	24.98		.030	6.16
20	12.41	33.33	25.24		.058	5.84
30	12.00	33.32	25.31		.086	5.33

STATION 97.35 (Interpolated Values at Standard Depths)

E. W. SCRIPPS: 32°06' 117°29'; March 21, 1953; 0550 GCT;
 wire angle: 8°; sounding: 625 fms; depth of observation:
 597 m; weather: partly cloudy; sea: rough; wind: 300°,
 force 2.

0	14.48	33.28	24.78		.000	6.07
10	14.50	33.30	24.79		.032	6.14
20	14.51	33.30	24.79		.063	5.99
30	14.52	33.28	24.77		.095	5.93
50	13.96	33.25	24.86		.158	6.05
75	11.90	33.18	25.22		.232	5.11
100	10.50	33.47	25.69		.296	4.13
150	9.62	33.88	26.16		.401	3.00
200	9.40	34.19	26.44		.489	1.92
250	8.53	34.24	26.62		.567	1.55
300	7.75	34.22	26.72		.639	1.30
400	7.00	34.22	26.83		.772	0.69
500	6.30	34.31	26.99		.894	0.45
600	(5.72)	(34.31)	(27.06)		(1.006)	(0.34)

STATION 97.40 (Interpolated Values at Standard Depths)

E. W. SCRIPPS; 31°56' 117°51'; March 21, 1953; 0145 GCT;
 wire angle: 20°; sounding: 1000 fms; depth of observation:
 369 m; weather: overcast; sea: rough; wind: 320°,
 force 4.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	14.30	33.27	24.81		.000	5.70
10	14.33	33.26	24.80		.032	5.95
20	14.33	33.34	24.86		.063	5.94
30	14.32	33.29	24.82		.094	5.92
50	14.23	33.29	24.84		.157	5.89
75	11.35	33.24	25.36		.229	5.05
100	9.90	33.40	25.74		.291	4.80
150	9.25	33.94	26.27		.392	3.00
200	8.90	34.11	26.46		.478	2.30
250	8.32	34.18	26.60		.555	1.89
300	7.73	34.26	26.75		.626	1.42

STATION 97.50 (Interpolated Values at Standard Depths)

E. W. SCRIPPS; 31°36' 118°32'; March 16, 1953; 2048 GCT;
 wire angle: 18°; sounding: 1200 fms; depth of observation:
 576 m; weather: overcast; sea: rough; wind: 280°, force 3.

0	14.30	33.31	24.84	.000	5.94
10	14.30	33.29	24.82	.031	5.91
20	14.30	33.30	24.83	.063	5.97
30	14.28	33.28	24.82	.094	5.94
50	13.70	33.35	25.00	.155	5.83
75	10.88	33.33	25.52	.224	4.35
100	9.71	33.57	25.91	.281	3.61
150	9.25	33.94	26.27	.379	2.70
200	8.80	34.10	26.47	.464	2.02
250	8.56	34.25	26.62	.541	1.39
300	8.06	34.30	26.74	.612	0.97
400	6.99	34.30	26.89	.742	0.71
500	6.25	34.30	26.99	.861	0.42

STATION 100.29 (Interpolated Values at Standard Depths)

CREST: 31°42' 116°44'; March 27, 1953; 0945 GCT; wire
 angle: 0°; sounding: 100 fms; depth of observation: 155 m;
 weather: clear; sea: moderate; wind: 330°, force 2.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	12.91	33.57	25.32		.000	7.86
10	11.92	33.55	25.50		.026	6.57
20	10.71	33.64	25.79		.049	3.61
30	10.23	33.76	25.97		.071	3.06
50	9.98	33.90	26.12		.110	2.65
75	10.02	34.02	26.20		.157	2.12
100	10.02	34.08	26.25		.203	1.98
150	9.81	34.12	26.32		.291	1.84

STATION 100.30 (Interpolated Values at Standard Depths)

CREST: 31°40' 116°47'; March 27, 1953; 0816 GCT; wire
 angle: 13°; sounding: 250 fms; depth of observation: 383 m;
 weather: clear; sea: moderate; wind: 340°, force 3.

0	13.14	33.52	25.24		.000	7.06
10	12.28	33.52	25.41		.027	5.97
20	10.63	33.63	25.80		.051	3.81
30	10.33	33.71	25.91		.072	3.20
50	10.03	33.84	26.06		.113	2.74
75	9.82	34.02	26.24		.160	2.32
100	9.83	34.10	26.30		.205	2.01
150	9.60	34.20	26.41		.290	1.60
200	9.37	34.25	26.49		.371	1.45
250	8.93	34.36	26.65		.447	1.20
300	8.79	34.39	26.69		.518	0.85

STATION 100.40 (Interpolated Values at Standard Depths)

CREST: 31°20' 117°24'; March 27, 1953; 0343 GCT; wire angle: 14°; sounding: 1100 fms; depth of observation: 1142 m; weather: partly cloudy; sea: moderate; wind: 340°, force 2.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O_2
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	15.14	33.40	24.73		.000	5.73
10	15.15	33.37	24.70		.032	5.82
20	15.11	33.41	24.74		.065	5.72
30	15.10	33.42	24.75		.097	5.68
50	15.02	33.42	24.77		.161	5.65
75	13.30	33.28	25.02		.238	5.90
100	10.21	33.29	25.60		.305	4.63
150	9.04	33.69	26.11		.414	3.56
200	8.73	34.05	26.44		.503	2.62
250	8.33	34.18	26.60		.582	1.92
300	7.92	34.24	26.71		.654	1.40
400	6.90	34.32	26.92		.784	0.84
500	6.13	34.36	27.05		.898	0.38
600	5.55	34.40	27.16		1.002	0.29
700	5.14	34.43	27.23		1.098	0.30
800	4.72	34.47	27.31		1.188	0.36
1000	4.02	34.56	27.46		1.346	0.57

STATION 100.50 (Interpolated Values at Standard Depths)

CREST: 31°01' 118°08'; March 26, 1953; 2302 GCT; wire angle: 7°; sounding: 950 fms; depth of observation: 579 m; weather: partly cloudy; sea: very rough; wind: 360°, force 4.

0	14.84	33.35	24.76		.000	5.62
10	14.60	33.37	24.82		.032	5.70
20	14.56	33.38	24.84		.063	5.78
30	14.58	33.38	24.83		.094	5.72
50	14.57	33.37	24.83		.157	5.61
75	11.65	33.27	25.33		.230	5.00
100	9.92	33.48	25.80		.291	4.00
150	8.89	33.87	26.27		.391	3.11
200	8.09	34.04	26.53		.474	2.80
250	7.55	34.08	26.64		.549	2.26
300	7.13	34.12	26.73		.620	1.71
400	6.48	34.28	26.94		.747	0.81
500	6.01	34.36	27.07		.860	0.36

STATION 100.60 (Interpolated Values at Standard Depths)

CREST: 30°41' 118°47'; March 26, 1953; 1756 GCT; wire angle: 17°; sounding: 1650 fms; depth of observation: 1126 m; weather: overcast; sea: rough; wind: 320°, force 3.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	13.80	33.27	24.91		.000	5.83
10	13.80	33.28	24.92		.030	5.83
20	13.80	33.27	24.91		.061	5.78
30	13.73	33.28	24.94		.091	5.78
50	13.39	33.31	25.03		.151	5.77
75	11.50	33.19	25.30		.222	5.30
100	10.29	33.39	25.67		.285	4.37
150	9.13	33.73	26.12		.392	3.31
200	8.62	34.00	26.42		.482	2.68
250	7.77	34.04	26.58		.561	2.33
300	7.28	34.13	26.72		.633	1.71
400	6.62	34.24	26.89		.764	0.91
500	6.05	34.31	27.02		.881	0.44
600	5.51	34.36	27.13		.987	0.29
700	4.99	34.41	27.23		1.084	0.30
800	4.57	34.45	27.31		1.173	0.40
1000	3.91	34.51	27.43		1.334	0.63

STATION 100.70 (Interpolated Values at Standard Depths)

CREST: 30°21' 119°25'; March 26, 1953; 1308 GCT; wire angle: 15°; sounding: 2000+ fms; depth of observation: 575 m; weather: overcast; sea: rough; wind: 300°, force 4.

0	14.02	33.29	24.88		.000	5.77
10	14.04	33.29	24.88		.031	5.81
20	14.06	33.32	24.90		.062	5.79
30	14.00	33.30	24.89		.092	5.84
50	13.85	33.28	24.91		.154	5.83
75	11.89	33.17	25.21		.227	5.40
100	10.40	33.22	25.52		.293	4.87
150	9.17	33.63	26.04		.405	3.66
200	8.59	34.05	26.46		.496	2.40
250	8.30	34.14	26.57		.574	1.93
300	7.86	34.21	26.70		.647	1.55
400	6.80	34.32	26.93		.777	0.71
500	5.99	34.32	27.04		.891	0.41

STATION 100.80 (Interpolated Values at Standard Depths)

CREST: 30°01' 120°07'; March 26, 1953; 0729, 0800 GCT;
 wire angle: 10°, 11°; sounding: 2150 fms; depth of obser-
 vation: 25, 1556 m; weather: partly cloudy; sea: rough;
 wind: 330°, force 3.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	14.40	33.30				
10	14.42	33.27				
20a	14.42	33.28				

500	(5.82)	(34.26)				
600	5.33	34.36				
700	4.93	34.43				
800	4.58	34.45				
1000	3.91	34.46				
1200	3.39	34.54				
1500	2.84	34.61				

STATION 105.32 (Interpolated Values at Standard Depths)

CREST: 30°44' 116°23'; March 24, 1953; 0600 GCT; wire
 angle: 0°; sounding: 100 fms; depth of observation: 152 m;
 weather: overcast; sea: slight; wind: calm.

0	11.90	33.72	25.63	.000	-
10	11.90	33.75	25.66	.024	5.93
20	11.48	33.77	25.75	.047	4.90
30	10.66	33.79	25.91	.068	3.50
50	10.28	33.93	26.09	.109	2.49
75	10.01	34.13	26.29	.155	2.12
100	10.00	34.19	26.34	.198	1.92
150	10.46	34.47	26.48	.281	0.94

a. Data not interpolated from this depth to 500-m level
 because depth of pretrip could not be determined.

STATION 105.35 (Interpolated Values at Standard Depths)

CREST: 30°40' 116°34'; March 24, 1953; 0753 GCT; wire angle: 10°; sounding: 750 fms; depth of observation: 570 m; weather: fog; sea: slight; wind: calm.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	14.62	33.31	24.77		.000	5.75
10	14.49	33.28	24.78		.032	5.70
20	14.42	33.29	24.80		.064	5.79
30	14.22	33.31	24.86		.095	5.78
50	12.36	33.18	25.13		.154	5.40
75	10.44	33.47	25.70		.219	3.79
100	10.30	33.74	25.94		.274	3.05
150	10.33	34.08	26.20		.373	1.70
200	9.19	34.19	26.47		.460	2.05
250	8.70	34.29	26.63		.536	1.34
300	8.36	34.28	26.68		.609	0.99
400	7.51	34.34	26.85		.744	0.57
500	6.56	34.32	26.96		.866	0.38

STATION 105.40 (Interpolated Values at Standard Depths)

CREST: 30°28' 116°54'; March 24, 1953; 1055 GCT; wire angle: 10°; sounding: 1120 fms; depth of observation: 578 m; weather: clear; sea: slight; wind: 10°, force 3.

0	14.90	33.35	24.74		.000	5.69
10	14.86	33.32	24.73		.032	5.66
20	14.76	33.29	24.73		.064	5.65
30	14.65	33.27	24.74		.097	5.68
50	14.40	33.29	24.80		.161	5.76
75	13.30	33.19	24.95		.238	5.70
100	10.78	33.16	25.40		.309	4.92
150	9.84	33.72	26.00		.425	3.25
200	9.27	34.00	26.31		.520	2.46
250	8.67	34.12	26.50		.603	1.84
300	8.30	34.20	26.62		.680	1.17
400	7.26	34.28	26.84		.818	0.60
500	6.42	34.38	27.03		.938	0.40

STATION 105.50 (Interpolated Values at Standard Depths)

CREST: 30°09' 117°34'; March 24, 1953; 1606 GCT; wire angle: 5°; sounding: 730 fms; depth of observation: 588 m; weather: cloudy; sea: rough; wind: 340°, force 3.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	15.68	33.61	24.77		.000	5.59
10	15.70	33.59	24.75		.032	5.52
20	15.68	33.56	24.73		.064	5.56
30	15.63	33.57	24.75		.096	5.54
50	15.60	33.59	24.77		.160	5.53
75	15.60	33.59	24.77		.240	5.49
100	12.85	33.39	25.20		.315	5.14
150	10.31	33.67	25.88		.440	3.80
200	9.50	34.09	26.35		.537	2.45
250	8.96	34.26	26.57		.618	1.80
300	8.36	34.30	26.69		.692	1.32
400	7.37	34.35	26.88		.825	0.71
500	6.48	34.41	27.05		.942	0.42
600	(5.72)	(34.45)	(27.17)		(1.046)	-

STATION 105.60 (Interpolated Values at Standard Depths)

CREST: 29°48' 118°15'; March 24, 1953; 2052 GCT; wire angle: 26°; sounding: 1900 fms; depth of observation: 523 m; weather: overcast; sea: moderate; wind: 300°, force 5.

0	15.83	33.60	24.73		.000	5.62
10	15.83	33.61	24.74		.032	5.51
20	15.75	33.61	24.76		.064	5.55
30	15.72	33.61	24.76		.096	5.54
50	15.69	33.61	24.77		.160	5.50
75	15.67	33.61	24.77		.240	5.53
100	12.30	33.40	25.31		.314	5.27
150	10.05	33.57	25.85		.436	3.79
200	9.61	34.07	26.31		.535	2.61
250	8.96	34.18	26.50		.619	2.00
300	8.50	34.24	26.62		.695	1.41
400	7.28	34.38	26.91		.830	0.71
500	6.48	34.40	27.04		.946	0.39

STATION 105.70 (Interpolated Values at Standard Depths)

CREST: 29°30' 118°55'; March 25, 1953; 1844 GCT; wire angle: 18°; sounding: 1800 fms; depth of observation: 626 m; weather: cloudy; sea: rough; wind: 330°, force 5.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	15.18	33.35	24.68		.000	5.49
10	15.18	33.37	24.70		.033	5.45
20	15.17	33.41	24.73		.065	5.60
30	15.17	33.38	24.71		.097	5.64
50	15.14	33.38	24.71		.163	5.64
75	14.96	33.38	24.75		.243	5.60
100	11.51	33.22	25.32		.317	5.09
150	9.61	33.67	26.00		.436	3.65
200	8.79	33.99	26.38		.529	2.97
250	8.32	34.11	26.55		.610	2.21
300	7.64	34.14	26.67		.684	1.52
400	6.87	34.21	26.84		.819	0.72
500	6.29	34.30	26.98		.941	0.39
600	5.61	34.36	27.12		1.050	0.31

STATION 105.80 (Interpolated Values at Standard Depths)

CREST: 29°09' 119°34'; March 25, 1953; 2350 GCT; wire angle: 18°; sounding: 2000+ fms; depth of observation: 606 m; weather: cloudy; sea: rough; wind: 15°, force 4.

0	15.00	33.30	24.68		.000	5.72
10	15.02	33.29	24.67		.033	5.73
20	14.90	33.27	24.68		.066	5.63
30	14.84	33.22	24.66		.098	5.68
50	14.90	33.31	24.71		.164	5.66
75	13.48	33.19	24.92		.243	5.81
100	12.16	33.19	25.18		.317	5.50
150	9.61	33.43	25.81		.443	3.99
200	8.64	33.85	26.30		.543	3.13
250	8.60	34.02	26.43		.628	2.34
300	8.30	34.21	26.63		.706	1.81
400	7.01	34.22	26.82		.844	0.92
500	6.37	34.39	27.04		.964	0.46
600	5.63	34.47	27.20		1.066	0.82

STATION 110.33 (Interpolated Values at Standard Depths)

CREST: 29°50' 115°52'; March 23, 1953; 2313 GCT; wire angle: 18°; sounding: 47 fms; depth of observation: 73 m; weather: partly cloudy; sea: rough; wind: 300°, force 4.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	13.78	33.39	25.01		.000	5.87
10	13.20	33.42	25.15		.029	5.96
20	11.69	33.54	25.53		.055	4.70
30	10.98	33.51	25.64		.079	4.07
50	11.42	33.73	25.73		.126	4.01
75	(10.50)	(33.95)	(26.07)		(.179)	(2.38)

STATION 110.35 (Interpolated Values at Standard Depths)

CREST: 29°47' 116°00'; March 23, 1953; 2130 GCT; wire angle: 25°; sounding: 650 fms; depth of observation: 515 m; weather: clear; sea: rough; wind: 5°, force 3.

0	14.41	33.35	24.85		.000	5.76
10	14.00	33.37	24.95		.031	5.80
20	13.79	33.36	24.98		.061	5.80
30	13.63	33.36	25.02		.090	5.77
50	12.17	33.33	25.28		.147	4.99
75	10.77	33.54	25.70		.210	3.90
100	10.39	33.83	25.99		.264	2.70
150	10.57	34.38	26.39		.357	1.09
200	10.37	34.44	26.47		.440	0.76
250	9.81	34.51	26.62		.517	0.61
300	9.19	34.51	26.72		.589	0.52
400	8.10	34.45	26.85		.722	0.34
500	6.96	34.43	27.00		.844	0.26

STATION 110.40 (Interpolated Values at Standard Depths)

CREST: 29°36' 116°18'; March 23, 1953; 1849 GCT; wire angle: 5°; sounding: 1550 fms; depth of observation: 589 m; weather: fog; sea: moderate; wind: 360°, force 3.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	14.59	33.28	24.76		.000	5.67
10	14.50	33.32	24.81		.032	5.73
20	14.50	33.37	24.84		.063	5.74
30	14.50	33.33	24.81		.094	5.73
50	14.38	33.34	24.85		.157	5.70
75	13.40	33.38	25.08		.233	5.71
100	11.11	33.22	25.39		.302	4.70
150	10.00	33.94	26.15		.415	2.83
200	10.01	34.31	26.43		.504	1.60
250	9.50	34.41	26.60		.583	1.21
300	8.81	34.38	26.68		.656	0.90
400	7.51	34.36	26.86		.790	0.65
500	6.73	34.39	27.00		.910	0.34
600	(5.96)	(34.39)	(27.10)		(1.020)	-

STATION 110.50 (Interpolated Values at Standard Depths)

CREST: 29°20' 116°58'; March 23, 1953; 1403 GCT; wire angle: 16°; sounding: 1550 fms; depth of observation: 1140 m; weather: clear; sea: moderate; wind: 360°, force 4.

0	15.19	33.49	24.79		.000	5.53
10	15.21	33.49	24.78		.032	5.62
20	15.19	33.47	24.77		.064	5.59
30	15.12	33.44	24.76		.095	5.55
50	15.01	33.41	24.77		.160	5.58
75	14.45	33.41	24.89		.238	5.48
100	11.53	33.31	25.39		.310	4.55
150	10.22	33.86	26.05		.425	2.92
200	9.66	34.10	26.33		.519	2.20
250	9.03	34.22	26.52		.602	1.79
300	8.61	34.32	26.67		.677	1.16
400	7.87	34.46	26.89		.811	0.46
500	6.60	34.35	26.98		.931	0.50
600	6.09	34.44	27.12		1.040	0.22
700	5.36	34.45	27.22		1.139	0.24
800	4.74	34.49	27.32		1.229	0.33
1000	4.12	34.53	27.42		1.389	0.53

STATION 110.60 (Interpolated Values at Standard Depths)

CREST: 26°56' 117°38'; March 23, 1953; 0905 GCT; wire angle: 7°; sounding: 2000+ fms; depth of observation: 581 m; weather: clear; sea: very rough; wind: 360°, force 3.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(mL/L)
0	15.18	33.45	24.76		.000	5.59
10	15.20	33.51	24.80		.032	5.61
20	15.18	33.44	24.75		.064	5.59
30	15.19	33.52	24.81		.095	5.62
50	15.17	33.45	24.76		.159	5.60
75	15.12	33.43	24.76		.239	5.61
100	13.69	33.28	24.94		.315	5.41
150	10.50	33.77	25.93		.444	3.41
200	9.95	34.17	26.33		.541	1.72
250	9.36	34.23	26.48		.625	2.10
300	8.88	34.30	26.61		.702	1.38
400	7.92	34.40	26.84		.842	0.65
500	6.99	34.46	27.02		.963	0.30
600	(5.81)	(34.38)	(27.11)		(1.071)	-

STATION 110.70 (Interpolated Values at Standard Depths)

CREST: 28°36' 118°18'; March 22, 1953; 1153, 1250 GCT; wire angle: 16°, 25°; sounding: 1600 fms; depth of observation: 381, 1484 m; weather: clear; sea: very rough; wind: 360°, force 5.

0	15.62	33.48	24.69	.000	5.53
10	15.65	33.54	24.72	.032	5.56
20	15.65	33.53	24.72	.065	5.56
30	15.65	33.52	24.71	.097	5.52
50	15.66	33.58	24.75	.162	5.48
75	15.68	33.59	24.76	.242	5.51
100	14.14	33.54	25.05	.320	5.24
150	12.55	33.60	25.42	.458	4.00
200	11.30	34.40	26.27	.569	1.34
250	9.87	34.40	26.53	.653	1.15
300	8.77	34.38	26.69	.727	1.15
400	7.57	34.38	26.87	.861	0.63
500	6.66	34.39	27.01	.981	0.38
600	6.00	34.40	27.10	1.090	0.30
700	5.40	34.46	27.22	1.190	0.30
800	4.89	34.51	27.32	1.279	0.33
1000	4.08	34.58	27.47	1.436	0.57
1200	3.53	34.57	27.51	1.576	0.80
1500	(2.93)	(34.64)	(27.63)	(1.763)	-

STATION 113.30 (Interpolated Values at Standard Depths)

CREST: 29°22' 115°18'; March 21, 1953; 0959 GCT; wire angle: 10°; sounding: 27 fms; depth of observation: 30 m; weather: clear; sea: rough; wind: 340°, force 5.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	12.88	33.71	25.44		.000	4.24
10	12.84	33.70	25.44		.026	4.23
20	12.56	33.70	25.49		.051	3.61
30	11.58	33.74	25.71		.075	1.92

STATION 113.35 (Interpolated Values at Standard Depths)

CREST: 29°14' 115°42'; March 21, 1953; 1245 GCT; wire angle: 32°; sounding: 550 fms; depth of observation: 286 m; weather: clear; sea: high; wind: 350°, force 6.

0	12.60	33.41	25.26		.000	5.63
10	12.62	33.46	25.30		.027	5.59
20	12.35	33.45	25.34		.054	5.40
30	12.18	33.52	25.43		.080	5.33
50	11.65	33.51	25.52		.130	4.06
75	10.50	33.71	25.88		.188	3.47
100	10.19	33.98	26.14		.239	2.79
150	11.15	34.51	26.39		.328	0.79
200	10.56	34.59	26.55		.409	0.70
250	10.09	34.59	26.64		.484	0.69

STATION 113.40 (Interpolated Values at Standard Depths)

CREST: 29°05' 116°00'; March 21, 1953; 1551 GCT; wire angle: 30°; sounding: 1050 fms; depth of observation: 552 m; weather: partly cloudy; sea: high; wind: 340°, force 6.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	14.23	33.46	24.97		.000	5.26
10	14.25	33.43	24.94		.030	5.66
20	14.24	33.41	24.93		.060	5.52
30	14.23	33.40	24.92		.091	5.46
50	13.30	33.39	25.11		.150	5.43
75	12.10	33.44	25.38		.219	4.84
100	10.96	33.64	25.74		.280	3.34
150	10.74	34.08	26.13		.385	2.02
200	10.19	34.37	26.45		.474	1.41
250	9.85	34.49	26.60		.553	0.65
300	9.16	34.50	26.72		.625	0.50
400	7.99	34.50	26.90		.756	0.32
500	7.06	34.47	27.01		.874	0.23

STATION 113.50 (Interpolated Values at Standard Depths)

CREST: 28°42' 116°37'; March 21, 1953; 2058 GCT; wire angle: 16°; sounding: 1900 fms; depth of observation: 561 m; weather: cloudy; sea: very high; wind: 360°, force 6.

0	14.64	33.37	24.81	.000	5.71
10	14.65	33.39	24.83	.031	5.77
20	14.63	33.43	24.86	.063	5.79
30	14.63	33.39	24.83	.094	5.71
50	14.31	33.37	24.88	.156	5.82
75	12.23	33.53	25.42	.227	4.05
100	10.87	33.70	25.81	.287	3.43
150	9.95	34.02	26.22	.388	2.51
200	9.48	34.16	26.40	.476	1.96
250	8.90	34.29	26.60	.555	1.41
300	8.79	34.37	26.68	.629	0.76
400	7.37	34.33	26.86	.763	0.54
500	6.51	34.28	26.94	.886	0.41

STATION 113.60 (Interpolated Values at Standard Depths)

CREST: 28°22' 117°16'; March 22, 1953; 0417 GCT; wire angle: 32°; sounding: 2000+ fms; depth of observation: 556 m; weather: cloudy; sea: high; wind: 360°, force 6.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O_2
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	14.99	33.59	24.91		.000	5.60
10	15.01	33.50	24.83		.031	5.65
20	15.02	33.47	24.81		.062	5.65
30	15.01	33.51	24.84		.094	5.64
50	14.99	33.52	24.85		.156	5.62
75	12.15	33.47	25.39		.228	4.34
100	10.71	33.82	25.93		.287	2.80
150	10.13	33.96	26.14		.387	2.25
200	9.32	34.24	26.49		.475	1.89
250	8.60	34.30	26.65		.551	1.54
300	8.11	34.35	26.77		.620	0.97
400	7.22	34.35	26.90		.748	0.45
500	6.23	34.34	27.02		.865	0.31

STATION 117.26 (Interpolated Values at Standard Depths)

CREST: 28°56' 114°41'; March 21, 1953; 0159 GCT; wire angle: 14°; sounding: 40 fms; depth of observation: 48 m; weather: partly cloudy; sea: rough; wind: 320°, force 6.

0	14.20	33.63	25.11	.000	5.42
10	14.22	33.63	25.10	.029	5.47
20	13.46	33.66	25.28	.057	4.36
30	12.49	33.67	25.48	.083	3.21

STATION 117.30 (Interpolated Values at Standard Depths)

CREST: 28°48' 114°56'; March 20, 1953; 2352 GCT; wire
 angle: 8°; sounding: 48 fms; depth of observation: 74 m;
 weather: partly cloudy; sea: rough; wind: 330°, force 4.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	13.90	33.66	25.19		.000	5.57
10	13.88	33.71	25.24		.028	5.55
20	13.57	33.66	25.26		.055	5.31
30	13.13	33.62	25.32		.082	5.21
50	11.60	33.65	25.64		.132	3.56
75	(10.84)	(34.05)	(26.08)		(.186)	(2.10)

STATION 117.35 (Interpolated Values at Standard Depths)

CREST: 28°38' 115°16'; March 20, 1953; 2116 GCT; wire
 angle: 7°; sounding: 123 fms; depth of observation: 199 m;
 weather: partly cloudy; sea: very rough; wind: 320°, force 4.

0	14.21	33.61	25.09		.000	5.79
10	14.16	33.60	25.09		.029	5.89
20	14.01	33.59	25.12		.058	5.73
30	13.95	33.58	25.12		.086	5.72
50	13.91	33.61	25.15		.143	5.80
75	11.88	33.86	25.75		.207	3.11
100	11.42	34.26	26.14		.259	1.62
150	10.95	34.42	26.35		.350	0.80
200	(10.41)	(34.48)	(26.50)		(.432)	(0.84)

STATION 117.40 (Interpolated Values at Standard Depths)

CREST: 28°28' 115°36'; March 20, 1953; 1806 GCT; wire angle: 5°; sounding: 500 fms; depth of observation: 635 m; weather: partly cloudy; sea: rough; wind: 340°, force 4.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	15.17	33.62	24.89		.000	5.70
10	15.17	33.58	24.86		.031	5.65
20	15.14	33.62	24.90		.062	5.67
30	14.32	33.59	25.05		.092	5.55
50	12.49	33.60	25.43		.147	4.19
75	10.91	33.81	25.89		.206	3.15
100	11.18	33.90	25.91		.259	2.20
150	10.61	34.36	26.37		.355	1.31
200	10.59	34.56	26.53		.436	0.75
250	10.08	34.54	26.60		.513	0.60
300	9.43	34.51	26.68		.586	0.50
400	8.29	34.46	26.83		.722	0.40
500	7.07	34.42	26.97		.846	0.28
600	6.23	34.40	27.07		.959	0.22

STATION 117.50 (Interpolated Values at Standard Depths)

CREST: 28°08' 116°15'; March 20, 1953; 0604 GCT; wire angle: 22°; sounding: 2000+ fms; depth of observation: 603 m; weather: partly cloudy; sea: very rough; wind: 360°, force 5.

0	15.41	33.53	24.77		.000	5.63
10	15.42	33.51	24.75		.032	5.66
20	15.40	33.51	24.76		.064	5.65
30	15.26	33.46	24.75		.096	5.24
50	14.65	33.55	24.95		.158	5.58
75	12.50	33.55	25.39		.229	3.99
100	11.10	33.89	25.91		.288	3.10
150	9.71	34.12	26.33		.384	2.50
200	9.30	34.29	26.53		.466	1.82
250	8.74	34.31	26.64		.541	1.49
300	8.35	34.42	26.79		.611	0.91
400	7.74	34.40	26.86		.740	0.48
500	6.74	34.39	27.00		.861	0.39
600	6.06	34.49	27.16		.968	0.32

STATION 117.60 (Interpolated Values at Standard Depths)

CREST: 27°48' 116°54'; March 20, 1953; 0037 GCT; wire angle: 20°; sounding: 2000 fms; depth of observation: 609 m; weather: partly cloudy; sea: very rough; wind: 80°, force 5.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	15.04	33.43	24.77		.000	5.67
10	15.02	33.42	24.77		.032	5.74
20	14.95	33.41	24.78		.064	5.60
30	14.91	33.45	24.82		.095	5.60
50	14.35	33.38	24.88		.158	5.61
75	13.60	33.34	25.01		.234	5.49
100	11.86	33.60	25.55		.302	3.60
150	10.44	33.91	26.05		.413	2.70
200	9.68	34.19	26.39		.506	1.92
250	9.09	34.23	26.52		.587	1.50
300	8.19	34.23	26.66		.662	1.20
400	7.16	34.34	26.90		.795	0.57
500	6.28	34.36	27.03		.912	0.32
600	5.62	34.40	27.15		1.017	0.32

STATION 120.25 (Interpolated Values at Standard Depths)

CREST: 28°23' 114°14'; March 18, 1953; 1059 GCT; wire angle: 0°; sounding: 36 fms; depth of observation: 50 m; weather: overcast; sea: moderate; wind: 360°, force 3.

0	14.82	33.63	24.98	.000	5.63
10	14.84	33.64	24.98	.030	5.58
20	14.82	33.55	24.91	.060	5.02
30	14.76	33.68	25.03	.090	5.54
50	12.80	33.60	25.37	.146	3.15

STATION 120.30 (Interpolated Values at Standard Depths)

CREST: 28°13' 114°34'; March 18, 1953; 1332 GCT; wire angle: 10°; sounding: 50 fms; depth of observation: 74 m; weather: overcast; sea: rough; wind: 30°, force 6.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	14.90	33.58	24.92		.000	5.48
10	14.90	33.55	24.90		.031	5.48
20	14.90	33.59	24.93		.061	5.70
30	14.90	33.59	24.93		.092	5.48
50	14.10	33.53	25.05		.151	5.98
75	(11.82)	(33.66)	(25.60)		(.218)	(3.08)

STATION 120.35 (Interpolated Values at Standard Depths)

CREST: 28°03' 114°54'; March 18, 1953; 1628 GCT; wire angle: 5°; sounding: 47 fms; depth of observation: 75 m; weather: clear; sea: rough; wind: 20°, force 5.

0	14.90	33.55	24.90		.000	5.54
10	14.92	33.55	24.89		.031	5.69
20	14.88	33.56	24.91		.061	5.73
30	14.88	33.55	24.90		.092	5.60
50	14.80	33.59	24.95		.153	5.50
75	12.56	33.56	25.38		.224	3.12

STATION 120.45 (Interpolated Values at Standard Depths)

CREST: 27°43' 115°33'; March 19, 1953; 1025, 1055 GCT;
 wire angle: 30°, 42°; sounding: 1200 fms; depth of obser-
 vation: 354, 1016 m; weather: cloudy; sea: rough; wind:
 10°, force 5.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O_2
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	14.86	33.56	24.91		.000	5.43
10	14.87	33.64	24.97		.030	5.59
20	14.86	33.66	24.99		.060	5.61
30	14.86	33.66	24.99		.090	5.62
50	14.85	33.60	24.95		.150	5.60
75	12.89	33.60	25.35		.221	4.37
100	11.43	33.76	25.75		.283	3.01
150	11.09	34.31	26.24		.385	1.40
200	10.57	34.42	26.42		.472	0.96
250	10.29	34.57	26.59		.551	0.51
300	9.91	34.57	26.65		.626	0.36
400	8.43	34.47	26.81		.765	0.38
500	7.38	34.48	26.98		.889	0.25
600	6.46	34.45	27.08		1.001	0.25
700	5.69	34.45	27.18		1.105	0.26
800	5.13	34.48	27.27		1.199	0.29
1000	4.33	34.52	27.39		1.369	0.46

STATION 120.50 (Interpolated Values at Standard Depths)

CREST: 27°34' 115°50'; March 19, 1953; 1357 GCT; wire
 angle: 20°; sounding: 2050 fms; depth of observation: 603
 m.; weather: partly cloudy; sea: rough; wind: 30°, force 5.

0	15.31	33.45	24.73	.000	5.64
10	15.33	33.46	24.73	.032	5.58
20	15.31	33.45	24.73	.064	5.61
30	15.32	33.46	24.74	.097	5.62
50	15.18	33.53	24.82	.161	5.57
75	14.81	33.61	24.96	.238	5.53
100	12.62	33.55	25.37	.309	3.82
150	11.22	33.99	25.97	.427	2.32
200	9.41	34.05	26.33	.522	2.50
250	8.90	34.23	26.55	.604	2.17
300	8.40	34.27	26.66	.679	1.07
400	7.60	34.39	26.87	.813	0.42
500	6.93	34.42	26.99	.934	0.22
600	6.18	34.45	27.12	1.043	0.24

(STATION 120.60 (Interpolated Values at Standard Depths))

CREST: 27°10' 116°32'; March 19, 1953; 1907 GCT; wire angle: 20°; sounding: 2050 fms; depth of observation: 1210 m; weather: partly cloudy; sea: rough; wind: 220°, force 5.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	15.92	33.63	24.73		.000	5.62
10	15.90	33.55	24.68		.032	5.55
20	15.89	33.54	24.67		.065	5.50
30	15.88	33.54	24.67		.098	5.49
50	15.83	33.54	24.68		.164	5.55
75	14.08	33.45	24.99		.242	5.53
100	11.68	33.36	25.40		.312	4.71
150	10.34	33.82	25.99		.429	2.70
200	9.71	34.19	26.39		.522	1.86
250	8.72	34.19	26.55		.603	1.68
300	8.28	34.29	26.70		.677	1.08
400	7.50	34.35	26.86		.811	0.43
500	6.63	34.36	26.99		.932	0.35
600	5.82	34.38	27.11		1.042	0.25
700	5.27	34.38	27.17		1.143	0.28
800	4.82	34.40	27.24		1.238	0.36
1000	4.10	34.51	27.41		1.408	0.59
1200	3.59	34.49	27.44		1.559	0.74

(STATION 123.37 (Interpolated Values at Standard Depths))

CREST: 27°24' 114°40'; March 18, 1953; 0126 GCT; wire angle: 10°; sounding: 40 fms; depth of observation: 49 m; weather: clear; sea: rough; wind: 330°, force 5.

0	13.63	33.76	25.33	.000	4.85
10	13.61	33.76	25.33	.027	4.80
20	13.08	33.80	25.47	.052	4.11
30	12.40	33.75	25.56	.077	3.21

STATION 123.40 (Interpolated Values at Standard Depths)

CREST: 27°18' 114°52'; March 17, 1953; 2350 GCT; wire angle: 15°; sounding: 80 fms; depth of observation: 97 m; weather: clear; sea: rough; wind: 340°, force 6.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O_2
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	14.38	33.65	25.08		.000	5.59
10	14.33	33.65	25.10		.029	5.62
20	14.17	33.64	25.12		.057	5.35
30	12.60	33.51	25.34		.085	4.15
50	11.90	33.74	25.65		.135	3.08
75	11.61	34.00	25.91		.191	2.45
100	(11.54)	(34.41)	(26.24)		(.240)	(0.90)

STATION 123.50 (Interpolated Values at Standard Depths)

CREST: 26°58' 115°32'; March 17, 1953; 1753 GCT; wire angle: 16°; sounding: 2000+ fms; depth of observation: 618 m; weather: partly cloudy; sea: very rough; wind: 360°, force 5.

0	15.61	33.65	24.82	.000	5.60
10	15.62	33.65	24.82	.031	5.65
20	15.61	33.60	24.78	.063	5.54
30	15.60	33.64	24.81	.095	5.67
50	15.26	33.62	24.87	.157	5.45
75	13.50	33.63	25.25	.230	3.92
100	11.32	33.67	25.70	.294	3.48
150	11.48	34.31	26.17	.399	1.42
200	10.85	34.48	26.42	.488	0.79
250	10.22	34.57	26.60	.567	0.62
300	9.58	34.55	26.69	.640	0.42
400	8.38	34.47	26.82	.777	0.28
500	7.09	34.41	26.96	.901	0.29
600	6.28	34.43	27.09	1.013	0.21

STATION 123.60 (Interpolated Values at Standard Depths)

CREST: 26°39' 116°10'; March 17, 1953; 1149 GCT; wire angle: 21°; sounding: 2000+ fms; depth of observation: 598 m; weather: cloudy; sea: rough; wind: 340°, force 5.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	16.46	33.90	24.82		.000	5.60
10	16.48	33.89	24.80		.031	5.53
20	16.48	33.88	24.80		.063	5.63
30	16.48	33.93	24.83		.095	5.59
50	16.50	33.81	24.74		.158	5.60
75	16.44	33.87	24.80		.238	5.53
100	12.50	33.63	25.45		.310	4.06
150	10.99	34.02	26.03		.425	2.35
200	10.12	34.24	26.36		.518	1.74
250	9.80	34.38	26.52		.600	0.93
300	9.19	34.45	26.68		.675	0.66
400	7.94	34.45	26.87		.810	0.42
500	7.05	34.40	26.96		.932	0.23
600	(6.24)	(34.42)	(27.09)		(1.044)	(0.20)

STATION 127.34 (Interpolated Values at Standard Depths)

CREST: 26°55' 114°06'; March 16, 1953; 0804 GCT; wire angle: 0°; sounding: 44 fms; depth of observation: 50 m; weather: clear; sea: moderate; wind: 140°, force 2.

0	15.05	33.82	25.07	.000	5.94
10	15.04	33.81	25.07	.029	5.94
20	15.04	33.88	25.12	.058	6.01
30	14.98	33.86	25.12	.086	5.82
50	12.82	33.63	25.39	.141	4.28

STATION 127.40 (Interpolated Values at Standard Depths)

CREST: ⁴³26°13' 114°28'; March 16, 1953; 1915 GCT; wire
 angle: 0°; sounding: 1800 fms; depth of observation:
 592 m; weather: cloudy; sea: moderate; wind: 320°, force 3.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	15.66	33.90	25.00		.000	5.74
10	15.62	33.87	24.98		.030	5.72
20	15.60	33.88	25.00		.060	5.76
30	15.54	33.87	25.00		.089	5.84
50	13.52	33.75	25.34		.146	4.35
75	12.48	33.92	25.68		.208	2.60
100	12.44	34.43	26.08		.262	1.30
150	11.78	34.58	26.32		.355	0.63
200	11.16	34.70	26.53		.437	0.46
250	10.44	34.65	26.62		.513	0.37
300	9.59	34.60	26.73		.585	0.58
400	8.21	34.51	26.88		.717	0.31
500	7.28	34.52	27.02		.836	0.22
600	6.39	(34.49)	(27.12)		(.944)	(0.17)

STATION 127.50 (Interpolated Values at Standard Depths)

CREST: 26°22' 115°06'; March 17, 1953; 0045 GCT; wire
 angle: 17°; sounding: 1600 fms; depth of observation:
 568 m; weather: cloudy; sea: rough; wind: 340°, force 4.

0	17.10	34.00	24.74	.000	5.29
10	17.13	33.98	24.72	.032	5.50
20	17.10	34.02	24.76	.064	5.47
30	17.10	34.03	24.77	.096	5.44
50	17.06	34.02	24.77	.160	5.35
75	14.30	33.65	25.10	.237	5.78
100	11.90	33.63	25.56	.303	3.90
150	10.79	34.09	26.12	.413	2.17
200	10.66	34.43	26.41	.503	1.06
250	10.22	34.53	26.57	.583	0.59
300	9.65	34.55	26.68	.657	0.33
400	8.43	34.49	26.83	.794	0.25
500	7.47	34.57	27.03	.915	0.25

STATION 127.60 (Interpolated Values at Standard Depths)

CREST: 26°04' 115°46'; March 17, 1953; 0548, 0605 GCT;
 wire angle: 20°, 23°; sounding: 2000+ fms; depth of obser-
 vation: 66, 562 m; weather: clear; sea: rough; wind:
 350°, force 5.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	17.11	33.99	24.73		.000	5.43
10	17.11	33.98	24.73		.032	5.39
20	17.11	34.01	24.75		.064	5.41
30	17.12	34.01	24.75		.097	5.44
50	17.11	34.01	24.75		.161	5.36
75	17.04	34.01	24.77		.241	5.37
100	13.00	33.53	25.28		.316	4.61
150	9.98	33.92	26.13		.432	2.96
200	9.66	34.36	26.53		.519	1.57
250	9.10	34.47	26.71		.592	1.04
300	8.77	34.46	26.75		.661	0.73
400	7.70	34.45	26.91		.790	0.40
500	6.64	34.46	27.06		.905	0.34

STATION 130.30 (Interpolated Values at Standard Depths)

CREST: 26°29' 113°29'; March 16, 1953; 0332 GCT; wire
 angle: 12°; sounding: 40 fms; depth of observation: 49 m;
 weather: clear; sea: moderate; wind: 300°, force 4.

0	16.02	33.94	24.95	.000	5.92
10	16.03	33.97	24.97	.030	5.62
20	15.79	33.95	25.01	.060	5.50
30	15.48	33.94	25.07	.089	5.06

STATION 130.35 (Interpolated Values at Standard Depths)

CREST: 26°19' 113°48'; March 16, 1953; 0023 GCT; wire angle: 10°; sounding: 180 fms; depth of observation: 289 m; weather: cloudy; sea: moderate; wind: 310°, force 4.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	15.93	33.97	24.99		.000	5.34
10	15.79	33.93	24.99		.030	5.28
20	15.48	33.93	25.06		.059	5.26
30	15.26	33.93	25.11		.088	5.25
50	14.94	33.88	25.14		.145	4.80
75	12.92	34.19	25.80		.209	2.30
100	12.19	34.38	26.09		.261	1.34
150	11.68	34.56	26.33		.353	0.80
200	11.61	34.73	26.47		.437	0.36
250	10.76	34.64	26.56		.516	0.32

STATION 130.40 (Interpolated Values at Standard Depths)

CREST: 26°09' 114°07'; March 15, 1953; 2107 GCT; wire angle: 13°; sounding: 1250 fms; depth of observation: 1149 m; weather: cloudy; sea: moderate; wind: 320°, force 4.

0	16.58	34.01	24.87	.000	5.55
10	16.37	33.94	24.87	.031	5.53
20	16.35	33.92	24.86	.062	5.43
30	16.31	33.92	24.87	.093	5.30
50	16.16	34.01	24.97	.154	5.20
75	12.10	33.68	25.57	.222	3.42
100	11.72	34.12	25.93	.279	2.70
150	11.78	34.55	26.30	.374	0.72
200	11.03	34.64	26.51	.458	0.52
250	10.43	34.67	26.64	.534	0.31
300	9.50	34.55	26.70	.606	0.37
400	8.26	34.51	26.87	.739	0.23
500	7.17	34.55	27.06	.857	0.21
600	6.34	34.53	27.16	.961	0.20
700	5.72	34.52	27.23	1.058	0.20
800	5.20	34.54	27.31	1.149	0.20
1000	4.34	34.59	27.45	1.310	0.45

STATION 130.50 (Interpolated Values at Standard Depths)

CREST: 25°48' 114°45'; March 15, 1953; 1530 GCT; wire angle: 7°; sounding: 1900 fms; depth of observation: 636 m; weather: cloudy; sea: rough; wind: 340°, force 4.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	17.34	34.01	24.69		.000	5.32
10	17.35	34.01	24.69		.033	5.32
20	17.36	34.02	24.70		.065	5.27
30	17.35	34.01	24.69		.098	5.24
50	17.30	33.98	24.68		.163	5.40
75	14.50	33.66	25.07		.241	4.62
100	12.25	33.75	25.59		.308	3.26
150	11.28	34.35	26.24		.414	1.48
200	11.00	34.59	26.48		.500	0.51
250	10.34	34.61	26.61		.578	0.42
300	9.71	34.59	26.70		.650	0.33
400	8.21	34.52	26.89		.783	0.24
500	7.10	34.53	27.06		.900	0.20
600	6.27	34.51	27.15		1.005	0.15

STATION 130.60 (Interpolated Values at Standard Depths)

CREST: 25°29' 115°24'; March 15, 1953; 0833, 0925 GCT; wire angle: 20°, 30°; sounding: 2000+ fms; depth of observation: 372, 1139 m; weather: clear; sea: rough; wind: 340°, force 4.

0	17.30	33.95	24.66		.000	5.36
10	17.30	33.98	24.68		.033	5.41
20	17.30	33.98	24.68		.066	5.49
30	17.30	33.97	24.67		.098	5.49
50	17.30	33.87	24.60		.165	5.40
75	15.17	33.71	24.96		.245	5.01
100	12.12	33.66	25.55		.314	4.20
150	10.20	34.07	26.21		.421	2.76
200	10.08	34.27	26.39		.510	1.61
250	9.63	34.41	26.57		.590	1.00
300	9.16	34.49	26.71		.663	0.58
400	8.09	34.57	26.94		.793	0.25
500	7.00	34.47	27.02		.908	0.22
600	6.06	34.44	27.12		1.016	0.24
700	5.40	34.49	27.25		1.113	0.29
800	4.90	34.52	27.33		1.202	0.33
1000	4.14	34.56	27.44		1.360	0.51

STATION 133.25 (Interpolated Values at Standard Depths)

CREST: 26°03' 112°46'; March 14, 1953; 1113 GCT; wire angle: 13°; sounding: 45 fms; depth of observation: 73 m; weather: clear; sea: very rough; wind: 340°, force 5.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	16.97	33.94	24.73		.000	5.34
10	16.98	33.94	24.73		.032	5.32
20	16.99	33.94	24.72		.065	5.33
30	16.95	33.96	24.75		.097	5.28
50	14.86	33.92	25.19		.157	4.30
75	13.36	33.81	25.42		.224	2.45

STATION 133.30 (Interpolated Values at Standard Depths)

CREST: 25°54' 113°08'; March 14, 1953; 1430 GCT; wire angle: 11°; sounding: 104 fms; depth of observation: 122 m; weather: cloudy; sea: rough; wind: 340°, force 5.

0	17.39	(33.98)	(24.66)		.000	5.27
10	17.41	33.99	24.66		.033	5.13
20	17.40	34.02	24.69		.066	5.32
30	17.39	34.01	24.68		.098	5.32
50	17.23	33.97	24.69		.164	5.24
75	14.40	33.97	25.33		.238	3.10
100	13.05	34.15	25.74		.300	1.91

STATION 133.40 (Interpolated Values at Standard Depths)

CREST: 25°30' 113°49'; March 14, 1953; 2012 GCT; wire angle: 9°; sounding: 1650 fms; depth of observation: 631 m; weather: cloudy; sea: rough; wind: 320°, force 3.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	17.96	34.05	24.57		.000	5.27
10	17.86	34.05	24.60		.034	5.30
20	17.82	34.13	24.67		.067	5.32
30	17.82	34.12	24.66		.100	5.38
50	17.82	34.09	24.64		.166	5.25
75	13.90	33.81	25.31		.241	4.21
100	12.71	34.14	25.80		.303	2.20
150	11.49	34.44	26.27		.403	1.30
200	11.12	34.64	26.49		.488	0.49
250	10.67	34.69	26.61		.565	0.37
300	10.06	34.65	26.69		.638	0.29
400	8.51	34.59	26.89		.771	0.30
500	7.25	34.54	27.04		.889	0.28
600	6.46	34.53	27.14		.995	0.24

STATION 133.50 (Interpolated Values at Standard Depths)

CREST: 25°14' 114°24'; March 15, 1953; 0125 GCT; wire angle: 8°; sounding: 1850 fms; depth of observation: 630 m; weather: cloudy; sea: rough; wind: 330°, force 4.

0	17.38	34.03	24.70	.000	5.37
10	17.38	34.05	24.71	.032	5.24
20	17.16	34.03	24.75	.065	5.41
30	17.14	34.04	24.76	.097	5.40
50	17.12	34.03	24.76	.161	5.38
75	15.70	33.76	24.88	.240	4.85
100	11.90	33.67	25.60	.309	4.02
150	10.62	34.03	26.11	.418	2.51
200	9.70	34.32	26.49	.506	1.67
250	9.56	34.48	26.64	.583	0.91
300	9.20	34.52	26.73	.654	0.48
400	7.99	34.54	26.93	.783	0.24
500	7.14	34.55	27.07	.897	0.19
600	6.38	34.53	27.15	1.001	0.20

STATION 137.23 (Interpolated Values at Standard Depths)

CREST: 25° 36' 112° 20'; March 14, 1953; 0628 GCT; wire angle: 6°; sounding: 43 fms; depth of observation: 50 m; weather: clear; sea: rough; wind: 310°, force 4.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O_2
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	17.00	33.98	24.75		.000	5.39
10	17.01	33.99	24.76		.032	5.35
20	17.01	33.99	24.76		.064	5.36
30	17.00	34.02	24.78		.096	5.18
50	15.58	34.00	25.09		.157	3.11

STATION 137.30 (Interpolated Values at Standard Depths)

CREST: 25° 22' 112° 16'; March 14, 1953; 0241 GCT; wire angle: 19°; sounding: 170 fms; depth of observation: 170 m; weather: partly cloudy; sea: rough; wind: 320°, force 5.

0	17.37	34.11	24.76	.000	5.33
10	17.42	34.12	24.76	.032	5.35
20	17.42	34.12	24.76	.064	5.35
30	17.41	34.12	24.76	.096	5.20
50	16.10	34.10	25.05	.157	4.17
75	14.16	34.23	25.58	.224	1.75
100	13.31	34.35	25.85	.282	1.19
150	12.11	34.53	26.22	.383	0.48

STATION 137.40 (Interpolated Values at Standard Depths)

CREST: 25°01' 113°24'; March 13, 1953; 2052 GCT; wire angle: 23°; sounding: 1700 fms; depth of observation: 549 m; weather: cloudy; sea: rough; wind: 340°, force 5.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	17.61	34.03	24.64		.000	5.26
10	17.62	34.01	24.63		.033	5.26
20	17.59	34.01	24.63		.066	5.31
30	17.53	34.02	24.66		.100	5.35
50	17.16	34.01	24.74		.165	5.28
75	13.85	33.72	25.25		.240	3.80
100	13.33	34.21	25.73		.303	1.60
150	12.28	34.58	26.23		.406	0.55
200	11.49	34.67	26.45		.493	0.36
250	10.86	34.71	26.59		.572	0.26
300	10.15	34.67	26.69		.645	0.20
400	8.61	34.49	26.80		.783	0.14
500	7.48	34.47	26.95		.909	0.18

STATION 137.50 (Interpolated Values at Standard Depths)

CREST: 24°40' 114°02'; March 13, 1953; 1411 GCT; wire angle: 23°; sounding: 1950 fms; depth of observation: 581 m; weather: cloudy; sea: rough; wind: 330°, force 5.

0	17.80	34.01	24.58		.000	5.26
10	17.82	34.00	24.57		.034	5.22
20	17.81	34.00	24.57		.068	5.18
30	17.80	34.00	24.58		.101	5.17
50	17.74	33.98	24.57		.169	5.21
75	15.95	33.68	24.76		.251	5.02
100	12.60	33.55	25.37		.325	4.00
150	10.93	34.21	26.19		.437	1.68
200	10.50	34.47	26.47		.524	0.85
300	9.25	34.47	26.68		.676	0.49
400	8.14	34.47	26.86		.811	0.23
500	7.15	34.45	26.99		.933	0.17
600	(6.36)	(34.43)	(27.08)		(1.045)	-

STATION 113.30 (Interpolated Values at Standard Depths)

SPENCER F. BAIRD: 29°25' 115°19'; April 5, 1953; 1645 GCT;
 wire angle: 4°; sounding: 33 fms; depth of observation:
 30 m; weather: overcast; sea: smooth; wind: 320°, force 1.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O_2
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	12.51	33.72	25.52		.000	4.64
10	12.45	33.69	25.51		.025	5.07
20	11.99	33.75	25.64		.049	3.36
30	11.54	33.80	25.76		.072	2.47

STATION 113.35 (Interpolated Values at Standard Depths)

SPENCER F. BAIRD: 29°16' 115°42'; April 5, 1953; 1409,
 1421 GCT; wire angle: 5°, 5°; sounding: 470 fms; depth
 of observation: 612 m; weather: overcast; sea: slight;
 wind: 200°, force 1.

0	12.87	33.45	25.24	.000	6.34
10	12.79	33.54	25.32	.027	6.45
20	12.62	33.55	25.37	.053	6.30
30	12.10	33.63	25.53	.079	4.32
50	10.40	33.65	25.85	.125	3.41
75	10.47	33.86	26.00	.178	2.49
100	11.04	34.23	26.19	.226	1.57
150	10.83	34.40	26.36	.316	1.00
200	10.27	34.48	26.52	.397	0.72
250	9.76	34.46	26.59	.474	0.53
300	9.31	34.43	26.64	.549	0.63
400	8.22	34.42	26.81	.688	0.43
500	7.11	34.35	26.91	.815	0.47
600	6.26	34.36	27.04	.933	0.36

STATION 113.40 (Interpolated Values at Standard Depths)

SPENCER F. BAIRD: 29°06' 116°01'; April 5, 1953; 1034,
1051 GCT; wire angle: 18°, 20°; sounding: 1000 fms;
depth of observation: 33, 578 m; weather: overcast; sea:
moderate; wind: 280°, force 2.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	14.87	33.41	24.80		.000	6.41
10	14.88	33.40	24.79		.032	5.40
20	14.86	33.36	24.76		.064	4.94
30	14.87	33.36	24.76		.096	5.67
50	14.87	33.38	24.77		.160	5.93
75	12.80	33.15	25.02		.237	5.68
100	10.53	33.34	25.59		.304	4.31
150	9.65	33.96	26.22		.411	2.45
200	9.25	34.16	26.44		.498	1.73
250	9.25	34.32	26.57		.577	1.07
300	8.51	34.30	26.67		.651	1.00
400	7.63	34.26	26.77		.790	0.57
500	6.65	34.25	26.90		.920	0.44

STATION 113.50 (Interpolated Values at Standard Depths)

SPENCER F. BAIRD: 28°42' 116°38'; April 5, 1953; 0408,
0417 GCT; wire angle: 9°, 9°; sounding: 1150 fms; depth
of observation: 607 m; weather: cloudy; sea: moderate;
wind: 330°, force 2.

0	15.00	33.43	24.78	.000	5.89
10	15.07	33.40	24.74	.032	5.86
20	14.96	33.34	24.72	.064	5.92
30	14.68	33.33	24.77	.096	6.00
50	13.80	33.36	24.98	.158	6.13
75	12.88	33.30	25.12	.231	5.66
100	11.25	33.52	25.60	.298	4.00
150	11.04	34.10	26.09	.407	2.34
200	11.03	34.37	26.30	.501	0.92
250	11.39	34.58	26.40	.588	0.62
300	9.98	34.64	26.69	.666	0.41
400	8.52	34.60	26.90	.799	0.31
500	7.32	34.52	27.02	.918	0.31
600	6.48	-	-	-	0.22

STATION 113.60 (Interpolated Values at Standard Depths)

SPENCER F. BAIRD: 28°23' 117°20'; April 4, 1953; 2221
 GCT; wire angle: 6°; sounding: 1975 fms; depth of obser-
 vation: 609 m; weather: cloudy; sea: moderate; wind: 320°,
 force 3.

Depth	T	S	σ_t	10 ⁵ δ	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	15.65	33.56				
10	15.60	33.57				
20a	15.36	33.60				

300	7.97	34.25
400	6.93	34.27
500	6.24	34.34
600	5.74	34.40

STATION 113.70 (Interpolated Values at Standard Depths)

SPENCER F. BAIRD: 28°02' 117°56'; April 4, 1953; 1643
 GCT; wire angle: 15°; sounding: 1900 fms; depth of obser-
 vation: 594 m; weather: cloudy; sea: moderate; wind: 320°,
 force 3.

0	15.54	33.57	24.77	.000	5.97
10	15.52	33.55	24.76	.032	5.88
20	15.42	33.55	24.78	.064	5.55
30	15.20	33.50	24.79	.096	5.90
50	14.08	33.48	25.02	.157	5.84
75	11.50	33.58	25.60	.224	3.90
100	10.74	33.69	25.82	.282	3.42
150	10.10	34.09	26.24	.382	2.35
200	9.26	34.23	26.49	.467	1.83
250	8.83	34.30	26.62	.544	1.32
300	8.39	34.42	26.78	.614	0.92
400	7.63	34.44	26.91	.742	0.42
500	6.51	34.43	27.06	.857	0.30
600	(5.68)	(34.39)	(27.13)	(.962)	(0.29)

a. Data not interpolated from this depth to 300-m level
 because depth of pretrip could not be determined.

STATION 117.26 (Interpolated Values at Standard Depths)

SPENCER F. BAIRD: 28°57' 114°42'; April 3, 1953; 1112
 GCT; wire angle: 6°; sounding: 40 fms; depth of obser-
 vation: 50 m; weather: overcast; sea: moderate; wind:
 280°, force 1.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	14.20	33.60	25.08		.000	6.39
10	14.20	33.59	25.08		.029	6.53
20	14.18	33.61	25.10		.058	6.17
30	11.78	33.69	25.63		.084	3.04
50	11.04	33.89	25.92		.129	2.10

STATION 117.30 (Interpolated Values at Standard Depths)

SPENCER F. BAIRD: 28°48' 114°56'; April 3, 1953; 1343
 GCT; wire angle: 4°; sounding: 60 fms; depth of obser-
 vation: 75 m; weather: overcast; sea: moderate; wind: 310°,
 force 2.

0	14.86	33.55	24.91		.000	6.49
10	14.86	33.54	24.90		.031	6.51
20	14.12	33.55	25.06		.061	6.57
30	13.80	33.58	25.15		.089	6.92
50	12.96	33.57	25.31		.144	5.11
75	11.54	34.00	25.92		.204	2.01

STATION 117.35 (Interpolated Values at Standard Depths)

SPENCER F. BAIRD: 28°38' 115°17'; April 3, 1953; 1625
 GCT; wire angle: 18°; sounding: 160 fms; depth of obser-
 vation: 247 m; weather: overcast; sea: moderate; wind:
 310°, force 2.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	14.41	33.55	25.00		.000	6.58
10	14.38	33.65	25.08		.029	6.46
20	13.80	33.72	25.26		.057	4.75
30	11.61	33.80	25.75		.082	4.00
50	10.56	33.96	26.06		.124	2.51
75	11.17	34.16	26.11		.173	1.80
100	10.80	34.33	26.31		.219	1.49
150	10.27	34.44	26.49		.302	0.90
200	9.99	34.55	26.62		.379	0.54
250	(9.49)	(34.48)	(26.65)		(.451)	(0.51)

STATION 117.40 (Interpolated Values at Standard Depths)

SPENCER F. BAIRD: 28°29' 115°35'; April 3, 1953; 1916
 GCT; wire angle: 15°; sounding: 550 fms; depth of obser-
 vation: 569 m; weather: overcast; sea: slight; wind:
 340°, force 1.

0	14.03	33.36	24.93	.000	6.13
10	13.77	33.32	24.96	.030	6.20
20	13.56	33.37	25.04	.060	6.19
30	13.21	33.34	25.09	.089	6.17
50	11.30	33.23	25.37	.144	5.02
75	10.85	33.52	25.67	.206	3.99
100	10.04	33.72	25.97	.262	3.09
150	9.70	34.11	26.33	.357	2.27
200	9.45	34.40	26.60	.437	0.78
250	9.47	34.53	26.69	.510	0.60
300	8.97	34.49	26.74	.579	0.58
400	7.97	34.46	26.88	.710	0.38
500	7.07	34.45	27.00	.830	0.39

STATION 117.50 (Interpolated Values at Standard Depths)

SPENCER F. BAIRD: 28°09' 116°15'; April 4, 1953; 0045
 GCT; wire angle: 9°; sounding: 2100 fms; depth of obser-
 vation: 661 m; weather: cloudy; sea: moderate; wind:
 320°, force 1.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	15.22	33.43	24.73		.000	6.08
10	14.69	33.39	24.82		.032	6.02
20	14.57	33.40	24.85		.063	6.10
30	14.33	33.38	24.89		.094	6.00
50	14.02	33.42	24.98		.155	5.97
75	11.90	33.34	25.34		.226	4.80
100	10.60	33.61	25.79		.287	3.80
150	10.31	34.22	26.31		.387	1.50
200	10.31	34.53	26.55		.469	0.89
250	9.87	34.60	26.68		.543	0.32
300	9.23	34.57	26.76		.612	0.39
400	8.31	34.49	26.85		.744	0.30
500	7.23	34.46	26.98		.866	0.19
600	6.26	34.47	27.12		.976	0.20

STATION 117.60 (Interpolated Values at Standard Depths)

SPENCER F. BAIRD: 27°48' 116°54'; April 4, 1953; 0623
 GCT; wire angle: 2°; sounding: 1940 fms; depth of obser-
 vation: 607 m; weather: overcast; sea: moderate; wind:
 320°, force 1.

0	15.64	33.44	24.65		.000	5.76
10	15.48	33.46	24.70		.033	5.78
20	15.41	33.45	24.71		.065	5.76
30	15.40	33.47	24.73		.098	5.84
50	15.31	33.42	24.71		.163	5.75
75	13.90	33.19	24.83		.243	5.82
100	11.98	33.37	25.35		.315	4.95
150	10.01	33.87	26.09		.431	3.10
200	9.45	34.13	26.38		.522	2.18
250	8.63	34.21	26.58		.602	1.70
300	8.09	34.24	26.68		.675	1.15
400	7.17	34.33	26.89		.808	0.53
500	6.24	34.40	27.07		.923	0.39
600	5.63	34.41	27.15		1.027	0.30

STATION 117.70 (Interpolated Values at Standard Depths)

SPENCER F. BAIRD: 27°28' 117°32'; April 4, 1953; 1133
 GCT; wire angle: 12°; sounding: 1930 fms; depth of obser-
 vation: 594 m; weather: overcast; sea: slight; wind:
 300°, force 1.

Depth	T	S	σ_t	$10^5 s$	ΔD	O_2
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	15.52	33.42	24.66		.000	5.75
10	15.54	33.41	24.65		.033	5.84
20	15.45	33.41	24.67		.066	5.92
30	15.35	33.40	24.68		.099	5.91
50	15.32	33.41	24.70		.164	6.11
75	14.30	33.29	24.82		.244	5.96
100	12.40	33.40	25.29		.318	5.25
150	10.19	33.74	25.96		.438	3.78
200	8.89	34.02	26.39		.532	3.15
250	8.36	34.11	26.54		.613	2.41
300	8.04	34.22	26.68		.687	1.44
400	7.14	34.32	26.89		.820	0.62
500	6.39	34.38	27.03		.937	0.33
600	(5.70)	(34.39)	(27.13)		(1.044)	(0.30)

STATION 120.25 (Interpolated Values at Standard Depths)

SPENCER F. BAIRD: 28°23' 114°15'; April 3, 1953; 0638
 GCT; wire angle: 6°; sounding: 34 fms; depth of obser-
 vation: 30 m; weather: overcast; sea: moderate; wind:
 320°, force 2.

0	14.81	33.60	24.95	.000	5.95
10	14.82	33.56	24.92	.030	6.02
20	14.82	33.58	24.94	.061	5.27
30	14.42	33.58	25.02	.091	5.73

STATION 120.30 (Interpolated Values at Standard Depths)

SPENCER F. BAIRD: 28°10' 114°33'; April 3, 1953; 0342
 GCT; wire angle: 8°; sounding: 45 fms; depth of obser-
 vation: 50 m; weather: overcast; sea: moderate; wind:
 340°, force 1.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	14.13	33.59	25.09		.000	6.40
10	14.15	33.55	25.06		.029	6.36
20	14.06	33.54	25.07		.058	6.22
30	13.82	33.54	25.12		.087	6.07
50	12.12	33.45	25.38		.142	4.86

STATION 120.35 (Interpolated Values at Standard Depths)

SPENCER F. BAIRD: 28°03' 114°54'; April 3, 1953; 0059
 GCT; wire angle: 4°; sounding: 42 fms; depth of obser-
 vation: 50 m; weather: cloudy; sea: moderate; wind: 340°,
 force 3.

0	14.90	33.61	24.94		.000	6.56
10	14.50	33.62	25.04		.030	6.83
20	14.04	33.57	25.09		.059	5.92
30	13.47	33.55	25.20		.087	5.49
50	12.44	33.48	25.35		.142	5.24

STATION 120.45 (Interpolated Values at Standard Depths)

SPENCER F. BAIRD: 27°43' 115°32'; April 2, 1953; 1432
 GCT; wire angle: 18°; sounding: 1400 fms; depth of
 observation: 594 m; weather: overcast; sea: moderate;
 wind: 300°, force 1.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	14.79	33.56	24.93		.000	6.48
10	14.82	33.60	24.95		.030	6.53
20	14.82	33.60	24.95		.060	6.56
30	14.82	33.61	24.96		.091	6.50
50	14.13	33.55	25.06		.150	5.76
75	11.77	33.67	25.62		.216	3.34
100	10.60	33.88	26.00		.272	2.58
150	11.12	34.44	26.34		.366	0.93
200	10.81	34.53	26.46		.450	0.53
250	10.20	34.55	26.59		.528	0.51
300	9.53	34.44	26.61		.603	0.38
400	8.31	34.42	26.79		.745	0.44
500	7.08	34.33	26.90		.874	0.48
600	(6.20)	(34.36)	(27.04)		(.991)	(0.30)

STATION 120.50 (Interpolated Values at Standard Depths)

SPENCER F. BAIRD: 27°32' 115°51'; April 2, 1953; 1053
 GCT; wire angle: 13°; sounding: 2050 fms; depth of obser-
 vation: 1210 m; weather: overcast; sea: moderate; wind:
 330°, force 1.

0	15.46	33.43	24.68		.000	5.80
10	15.50	33.41	24.66		.033	6.03
20	15.49	33.45	24.69		.066	5.93
30	15.47	33.45	24.70		.098	5.80
50	15.43	33.43	24.69		.164	5.80
75	13.39	33.35	25.06		.241	5.40
100	11.50	33.44	25.49		.309	4.46
150	10.80	33.98	26.04		.423	2.21
200	9.41	34.07	26.34		.516	2.35
250	8.89	34.20	26.53		.599	1.53
300	8.41	34.24	26.64		.674	1.09
400	7.63	34.31	26.81		.813	0.55
500	6.80	34.29	26.91		.940	0.34
600	6.17	34.35	27.04		1.057	0.20
700	5.57	34.38	27.14		1.164	0.29
800	5.06	34.39	27.21		1.263	0.38
1000	4.18	34.39	27.30		1.446	0.48
1200	3.60	34.47	27.43		1.609	0.73

STATION 120.60 (Interpolated Values at Standard Depths)

SPENCER F. BAIRD: 27°16' 116°32'; April 2, 1953; 0536
 GCT; wire angle: 9°; sounding: 2015 fms; depth of obser-
 vation: 612 m; weather: cloudy; sea: moderate; wind: 320°,
 force 1.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	15.75	33.54	24.70		.000	5.87
10	15.63	33.49	24.69		.033	5.76
20	15.52	33.49	24.71		.065	5.97
30	15.52	33.49	24.71		.098	5.87
50	15.50	33.49	24.72		.163	5.83
75	13.73	33.48	25.09		.239	5.37
100	11.76	33.50	25.49		.307	4.51
150	9.68	33.80	26.09		.419	3.71
200	9.62	34.25	26.45		.509	1.93
250	8.97	34.28	26.58		.588	1.50
300	8.37	34.30	26.69		.661	1.26
400	7.48	34.34	26.85		.795	0.48
500	6.53	34.40	27.03		.914	0.30
600	5.77	34.38	27.11		1.022	0.21

STATION 120.70 (Interpolated Values at Standard Depths)

SPENCER F. BAIRD: 26°56' 117°13'; April 2, 1953; 0043
 GCT; wire angle: 17°; sounding: 2150 fms; depth of obser-
 vation: 1186 m; weather: cloudy; sea: moderate; wind:
 340°, force 2.

0	16.76	33.67	24.57		.000	5.80
10	16.25	33.69	24.70		.033	5.73
20	16.20	33.67	24.70		.066	5.71
30	16.20	33.66	24.69		.098	5.66
50	16.23	33.66	24.69		.164	5.57
75	16.20	33.68	24.71		.246	5.86
100	13.17	33.52	25.23		.321	4.26
150	11.01	33.94	25.97		.442	2.38
200	9.39	34.11	26.38		.537	2.63
250	8.89	34.24	26.56		.617	1.79
300	8.16	34.23	26.67		.691	1.34
400	7.37	34.37	26.89		.825	0.60
500	6.41	34.39	27.04		.942	0.33
600	5.70	34.39	27.13		1.048	0.35
700	5.14	34.45	27.24		1.144	0.33
800	4.74	34.48	27.31		1.233	0.38
1000	4.13	34.50	27.40		1.397	0.52

STATION 120.80 (Interpolated Values at Standard Depths)

SPENCER F. BAIRD: 26°33' 118°02'; April 1, 1953; 1923
 GCT; wire angle: 6°; sounding: 1600 fms; depth of observation: 606 m; weather: cloudy; sea: moderate; wind: 340°, force 1.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	16.34	33.61	24.62		.000	5.87
10	16.05	33.61	24.69		.033	5.97
20	15.99	33.60	24.69		.066	5.86
30	15.96	33.61	24.71		.098	6.13
50	16.02	33.65	24.73		.163	6.16
75	15.62	33.59	24.77		.244	5.76
100	12.30	33.51	25.40		.317	4.81
150	11.50	34.10	26.00		.433	2.10
200	10.50	34.26	26.31		.528	1.76
250	9.90	34.45	26.56		.611	1.18
300	9.30	34.47	26.67		.685	0.64
400	7.97	34.52	26.92		.818	0.38
500	7.08	34.52	27.05		.933	0.23
600	6.08	34.46	27.14		1.039	0.23

STATION 120.90 (Interpolated Values at Standard Depths)

SPENCER F. BAIRD: 26°13' 118°28'; April 1, 1953; 1435
 GCT; wire angle: 10°; sounding: 2150 fms; depth of observation: 1205 m; weather: cloudy; sea: moderate; wind: 5°, force 1.

0	15.99	33.52	24.63		.000	5.01
10	16.02	33.50	24.61		.033	6.38
20	16.00	33.51	24.62		.067	5.99
30	15.99	33.54	24.65		.100	5.63
50	15.97	33.58	24.68		.166	5.60
75	14.70	33.47	24.88		.246	5.63
100	12.30	33.60	25.47		.316	4.74
150	10.73	33.98	26.05		.430	2.53
200	10.26	34.42	26.47		.520	1.40
250	9.62	34.46	26.61		.598	0.92
300	9.19	34.52	26.73		.669	0.54
400	7.73	34.49	26.93		.798	0.37
500	6.86	34.47	27.04		.913	0.34
600	6.04	34.49	27.17		1.018	0.21
700	5.31	34.54	27.30		1.111	0.28
800	4.76	34.57	27.38		1.194	0.39
1000	3.96	34.56	27.46		1.345	0.59
1200	3.51	34.58	27.52		1.483	0.80

STATION 123.37 (Interpolated Values at Standard Depths)

SPENCER F. BAIRD: 27°24' 114°40'; March 31, 1953; 1210
 GCT; wire angle: 0°; sounding: 40 fms; depth of obser-
 vation: 50 m; weather: partly cloudy; sea: slight; wind:
 0°, force 1.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	12.82	33.98	25.66		.000	4.32
10	12.81	33.99	25.67		.023	4.21
20	12.80	33.87	25.58		.047	4.37
30	12.69	34.00	25.70		.071	3.79
50	11.70	34.11	25.97		.114	1.94

STATION 123.40 (Interpolated Values at Standard Depths)

SPENCER F. BAIRD: 27°18' 114°52'; March 31, 1953; 1440
 GCT; wire angle: 21°; sounding: 340 fms; depth of obser-
 vation: 473 m; weather: cloudy; sea: slight; wind: 340°,
 force 2.

0	14.69	33.63	25.00		.000	6.13
10	14.70	33.60	24.98		.030	6.12
20	14.68	33.62	25.00		.060	6.10
30	14.53	33.60	25.01		.089	5.61
50	12.19	33.56	25.46		.144	4.60
75	11.83	33.96	25.83		.204	2.57
100	10.88	34.06	26.09		.255	2.22
150	10.90	34.47	26.40		.346	0.92
200	10.31	34.57	26.58		.425	0.63
250	9.92	34.60	26.67		.499	0.55
300	9.24	34.55	26.75		.569	0.37
400	8.40	34.60	26.92		.698	0.22
500	(7.47)	(34.52)	(27.00)		(.816)	-

STATION 123.50 (Interpolated Values at Standard Depths)

SPENCER F. BAIRD: 26°56' 115°30'; March 31, 1953; 2007
 GCT; wire angle: 19°; sounding: 1750 fms; depth of obser-
 vation: 620 m; weather: cloudy; sea: moderate; wind:
 320°, force 2.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	15.54	33.51	24.73		.000	5.86
10	15.42	33.60	24.82		.032	5.89
20	15.36	33.52	24.77		.063	5.96
30	15.35	33.55	24.80		.095	5.98
50	15.31	33.56	24.82		.158	5.88
75	14.63	33.55	24.95		.236	5.65
100	13.04	33.61	25.33		.307	4.66
150	11.19	34.10	26.06		.424	1.90
200	10.61	34.48	26.46		.514	0.90
250	10.16	34.55	26.59		.593	0.48
300	9.63	34.50	26.64		.667	0.34
400	8.20	34.47	26.85		.804	0.29
500	6.90	34.41	26.99		.926	0.19
600	6.07	34.45	27.13		1.035	0.18

STATION 123.60 (Interpolated Values at Standard Depths)

SPENCER F. BAIRD: 26°40' 116°08'; April 1, 1953; 0146
 GCT; wire angle: 14°; sounding: 2100 fms; depth of obser-
 vation: 640 m; weather: cloudy; sea: moderate; wind: 320°,
 force 2.

0	16.17	33.73	24.75		.000	5.76
10	16.18	33.65	24.69		.032	5.69
20	16.10	33.67	24.72		.065	5.72
30	16.11	33.69	24.74		.097	5.70
50	16.12	33.68	24.73		.162	5.67
75	15.82	33.66	24.78		.242	5.46
100	12.55	33.59	25.41		.315	5.10
150	10.20	33.98	26.14		.428	3.12
200	9.48	34.16	26.40		.517	2.70
250	9.38	34.39	26.60		.597	2.09
300	9.07	34.45	26.70		.669	0.98
400	7.78	34.35	26.82		.805	0.52
500	6.77	34.40	27.00		.928	0.37
600	5.91	34.42	27.13		1.036	0.23

STATION 127.34 (Interpolated Values at Standard Depths)

SPENCER F. BAIRD: 26°56' 114°06'; March 31, 1953; 0638
 GCT; wire angle: 2°; sounding: 40 fms; depth of obser-
 vation: 50 m; weather: partly cloudy; sea: moderate;
 wind: 320°, force 3.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	14.26	33.76	25.19		.000	6.37
10	14.24	33.83	25.25		.028	6.41
20	14.26	33.84	25.26		.055	6.38
30	13.56	33.81	25.38		.082	5.32
50	11.74	33.89	25.80		.130	2.76

STATION 127.40 (Interpolated Values at Standard Depths)

SPENCER F. BAIRD: 26°44' 114°27'; March 31, 1953; 0252
 GCT; wire angle: 31°; sounding: 1550 fms; depth of obser-
 vation: 548 m; weather: partly cloudy; sea: moderate; wind:
 320°, force 4.

0	14.48	33.72	25.12		.000	6.57
10	14.50	33.75	25.14		.028	6.51
20	14.49	33.71	25.11		.057	6.27
30	13.76	33.73	25.28		.085	5.34
50	11.80	33.85	25.75		.135	2.90
75	11.71	34.08	25.95		.189	2.07
100	11.57	34.40	26.22		.238	1.14
150	11.42	34.60	26.41		.325	0.53
200	10.82	34.57	26.49		.407	0.44
250	10.07	34.59	26.64		.483	0.33
300	9.49	34.59	26.74		.554	0.29
400	8.30	34.51	26.86		.686	0.22
500	7.11	34.47	27.01		.807	0.18

STATION 127.50 (Interpolated Values at Standard Depths)

SPENCER F. BAIRD: 26°29' 115°04'; March 30, 1953; 2107 GCT; wire angle: 24°; sounding: 2050 fms; depth of observation: 593 m; weather: cloudy; sea: rough; wind: 310°, force 3.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	16.86	33.85	24.69		.000	5.72
10	16.84	33.83	24.67		.033	5.72
20	16.72	33.87	24.73		.065	5.73
30	16.63	33.83	24.72		.098	5.76
50	16.06	33.68	24.74		.162	6.00
75	13.30	33.54	25.22		.237	4.82
100	11.68	33.65	25.62		.302	3.50
150	10.98	34.21	26.18		.409	2.00
200	11.22	34.50	26.37		.499	0.81
250	10.31	34.53	26.55		.580	0.62
300	9.54	34.51	26.67		.655	0.56
400	8.18	34.52	26.89		.789	0.29
500	7.01	34.45	27.01		.908	0.35
600	(6.23)	(34.45)	(27.11)		(1.017)	(0.24)

STATION 127.60 (Interpolated Values at Standard Depths)

SPENCER F. BAIRD: 26°02' 115°51'; March 30, 1953; 1422 GCT; wire angle: 22°; sounding: 2050 fms; depth of observation: 611 m; weather: overcast; sea: rough; wind: 320°, force 4.

0	17.14	33.91	24.67		.000	5.62
10	17.14	33.96	24.70		.033	5.61
20	17.11	33.90	24.66		.065	5.61
30	17.15	33.93	24.68		.098	5.59
50	17.17	33.91	24.66		.164	5.50
75	15.90	33.78	24.85		.245	5.43
100	11.81	33.50	25.48		.315	4.19
150	10.27	33.92	26.09		.428	2.68
200	9.77	34.17	26.36		.520	2.00
250	9.45	34.31	26.53		.602	1.11
300	9.24	34.40	26.63		.678	0.52
400	7.84	34.34	26.80		.818	0.41
500	6.88	34.38	26.97		.943	0.27
600	5.93	34.38	27.09		1.054	0.22

STATION 130.30 (Interpolated Values at Standard Depths)

SPENCER F. BAIRD: 26°30' 113°30'; March 29, 1953; 1347
 GCT; wire angle: 0°; sounding: 40 fms; depth of obser-
 vation: 50 m; weather: cloudy; sea: moderate; wind: 45°,
 force 2.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	15.98	33.90	24.93		.000	6.13
10	15.98	33.89	24.92		.030	6.15
20	14.90	33.88	25.15		.060	5.07
30	13.12	33.97	25.59		.086	2.66
50	12.68	34.24	25.89		.131	0.92

STATION 130.35 (Interpolated Values at Standard Depths)

SPENCER F. BAIRD: 26°19' 113°48'; March 29, 1953; 1648
 GCT; wire angle: 21°; sounding: 320 fms; depth of obser-
 vation: 338 m; weather: overcast; sea: moderate; wind:
 320°, force 2.

0	16.73	33.89	24.75		.000	5.91
10	16.73	33.90	24.75		.032	5.71
20	16.62	33.88	24.76		.064	5.20
30	16.29	33.82	24.79		.096	4.76
50	12.63	33.61	25.41		.154	4.31
75	11.90	33.95	25.81		.214	2.47
100	12.14	34.42	26.13		.265	1.18
150	11.39	34.53	26.36		.356	0.71
200	10.79	34.59	26.51		.438	0.47
250	10.37	34.60	26.60		.515	0.29
300	9.88	34.58	26.66		.589	0.34

STATION 130.40 (Interpolated Values at Standard Depths)

SPENCER F. BAIRD: 26°09' 114°10'; March 29, 1953; 2019
 GCT; wire angle: 19°; sounding: 1550 fms; depth of obser-
 vation: 1233 m; weather: partly cloudy; sea: rough;
 wind: 310°, force 4.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O_2
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	16.07	33.82	24.84		.000	5.87
10	16.04	33.81	24.84		.031	5.90
20	15.93	33.81	24.87		.062	5.95
30	14.00	33.78	25.26		.091	5.90
50	12.78	33.66	25.42		.144	4.10
75	12.51	34.10	25.81		.204	2.26
100	11.41	34.30	26.18		.255	1.59
150	11.11	34.56	26.43		.343	0.77
200	10.67	34.60	26.54		.423	0.50
250	9.95	34.60	26.67		.497	0.30
300	9.39	34.55	26.72		.568	0.24
400	7.92	34.46	26.88		.700	0.31
500	7.02	34.39	26.96		.821	0.24
600	6.10	34.42	27.10		.933	0.19
700	5.44	34.46	27.22		1.033	0.19
800	4.98	34.49	27.30		1.124	0.20
1000	4.13	34.49	27.39		1.291	0.41
1200	3.55	34.54	27.49		1.440	0.68

STATION 130.50 (Interpolated Values at Standard Depths)

SPENCER F. BAIRD: 25°46' 114°54'; March 30, 1953; 0205
 GCT; wire angle: 26°; sounding: 2050 fms; depth of obser-
 vation: 602 m; weather: partly cloudy; sea: rough; wind:
 340°, force 4.

0	14.95	33.61	24.93		.000	6.43
10	14.96	33.59	24.91		.030	6.66
20	14.97	33.59	24.91		.061	6.49
30	14.96	33.63	24.95		.091	6.15
50	14.68	33.61	24.99		.152	5.76
75	14.44	33.60	25.03		.226	5.50
100	12.73	33.65	25.42		.295	4.19
150	11.64	34.24	26.09		.409	1.73
200	11.17	34.54	26.41		.500	0.66
250	10.39	34.55	26.55		.581	0.53
300	9.73	34.53	26.65		.656	0.39
400	8.19	34.47	26.85		.793	0.21
500	7.25	34.45	26.97		.916	0.20
600	6.35	34.43	27.08		1.028	0.20

STATION 130.60 (Interpolated Values at Standard Depths)

SPENCER F. BAIRD: 25°30' 115°25'; March 30, 1953; 0824
 GCT; wire angle: 21°; sounding: 2000 fms; depth of obser-
 vation: 1206 m; weather: cloudy; sea: rough; wind: 320°,
 force 5.

Depth	T	S	σ_t	$10^5 s$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	17.40	33.96	24.64		.000	5.94
10	17.43	33.93	24.61		.033	5.50
20	17.42	33.94	24.62		.067	5.40
30	17.40	33.94	24.63		.100	5.44
50	17.43	33.96	24.63		.167	5.75
75	16.18	33.77	24.78		.248	5.44
100	12.31	33.52	25.40		.321	4.62
150	11.33	34.33	26.21		.432	1.36
200	10.49	34.39	26.41		.520	1.27
250	10.17	34.49	26.54		.601	0.63
300	9.25	34.44	26.66		.676	0.55
400	8.05	34.38	26.80		.814	0.30
500	6.95	34.39	26.97		.939	0.21
600	5.83	34.34	27.07		1.052	0.24
700	5.31	34.38	27.17		1.155	0.29
800	4.94	34.44	27.26		1.250	0.36
1000	4.20	34.49	27.38		1.421	0.39
1200	3.68	34.53	27.47		1.573	0.63

STATION 133.25 (Interpolated Values at Standard Depths)

SPENCER F. BAIRD: 26°05' 112°51'; March 29, 1953; 0818
 GCT; wire angle: 2°; sounding: 50 fms; depth of obser-
 vation: 50 m; weather: cloudy; sea: moderate; wind:
 320°, force 3.

0	16.48	33.95	24.85	.000	5.95
10	16.48	33.95	24.85	.031	5.64
20	16.48	33.94	24.84	.062	6.03
30	15.53	33.94	25.06	.092	4.88
50	15.48	33.94	25.07	.151	4.99

STATION 133.30 (Interpolated Values at Standard Depths)

SPENCER F. BAIRD: 25°58' 113°04'; March 29, 1953; 0556
GCT; wire angle: 9°; sounding: 70 fms; depth of obser-
vation: 98 m; weather: overcast; sea: rough; wind: 320°,
force 4.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	16.77	33.91	24.75		.000	5.84
10	16.76	33.91	24.75		.032	5.92
20	15.54	33.82	24.96		.063	6.33
30	15.04	33.76	25.03		.093	5.67
50	13.92	33.75	25.26		.150	4.04
75	12.78	34.07	25.74		.212	2.30
100	(12.47)	(34.39)	(26.04)		(.266)	(1.07)

STATION 133.40 (Interpolated Values at Standard Depths)

SPENCER F. BAIRD: 25°35' 113°44'; March 29, 1953; 0010
GCT; wire angle: 20°, sounding: 1275 fms; depth of obser-
vation: 605 m; weather: overcast; sea: rough; wind: 310°,
force 4.

0	17.29	33.93	24.64		.000	5.87
10	17.31	33.94	24.65		.033	5.76
20	17.22	33.91	24.65		.066	5.74
30	16.89	33.87	24.69		.099	5.75
50	16.28	33.84	24.81		.163	5.83
75	13.44	33.68	25.30		.237	3.63
100	12.68	33.93	25.65		.300	2.31
150	11.81	34.51	26.26		.404	1.00
200	11.53	34.73	26.49		.489	0.34
250	10.80	34.71	26.61		.567	0.19
300	9.78	34.66	26.74		.639	0.18
400	8.21	34.56	26.92		.768	0.18
500	7.21	34.54	27.05		.884	0.22
600	6.44	34.53	27.15		.990	0.20

STATION 133.50 (Interpolated Values at Standard Depths)

SPENCER F. BAIRD: 25°11' 114°27'; March 28, 1953; 1719
 GCT; wire angle: 22°; sounding: 2000 fms; depth of obser-
 vation: 618 m; weather: cloudy; sea: rough; wind:
 320°, force 4.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(mL/L)
0	17.85	34.03	24.59		.000	5.61
10	17.84	34.00	24.57		.034	5.55
20	17.75	34.04	24.62		.067	5.57
30	17.27	33.97	24.68		.100	5.69
50	16.94	33.95	24.74		.165	5.75
75	13.90	33.70	25.22		.240	4.41
100	11.91	33.68	25.60		.305	3.90
150	10.50	34.12	26.20		.412	2.34
200	9.88	34.22	26.38		.501	2.21
250	9.87	34.47	26.58		.581	0.82
300	9.51	34.57	26.72		.654	0.49
400	8.18	34.53	26.90		.786	0.27
500	7.23	34.55	27.05		.902	0.19

STATION 133.60 (Interpolated Values at Standard Depths)

SPENCER F. BAIRD: 24°55' 115°01'; March 28, 1953; 1148
 GCT; wire angle: 27°; sounding: 2150 fms; depth of obser-
 vation: 499 m; weather: cloudy; sea: moderate; wind: 340°,
 force 3.

0	17.78	34.02	24.60		.000	5.52
10	17.79	33.98	24.56		.034	5.55
20	17.74	34.03	24.61		.067	5.60
30	17.60	34.05	24.66		.101	5.67
50	17.43	34.00	24.66		.167	5.66
75	16.00	33.82	24.86		.247	5.46
100	12.50	33.77	25.56		.317	3.49
150	11.33	34.18	26.10		.427	2.23
200	9.48	34.13	26.38		.518	2.70
250	9.70	34.43	26.58		.599	0.89
300	9.37	34.49	26.68		.673	0.44
400	8.03	34.46	26.87		.807	0.37
500	(6.89)	(34.46)	(27.03)		(.926)	(0.20)

STATION 137.23 (Interpolated Values at Standard Depths)

SPENCER F. BAIRD: 25°34' 112°18'; March 27, 1953; 0937
 GCT; wire angle: 0°; sounding: 40 fms; depth of obser-
 vation: 50 m; weather: partly cloudy; sea: slight; wind:
 270°, force 1.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	17.22	33.93	24.66		.000	6.01
10	16.63	33.91	24.78		.032	5.86
20	16.02	33.99	24.99		.063	5.16
30	14.72	33.82	25.14		.092	4.05
50	13.76	34.13	25.58		.145	1.52

STATION 137.30 (Interpolated Values at Standard Depths)

SPENCER F. BAIRD: 25°19' 112°44'; March 27, 1953; 1419
 GCT; wire angle: 16°; sounding: 210 fms; depth of obser-
 vation: 244 m; weather: partly cloudy; sea: moderate;
 wind: 310°, force 2.

0	17.66	33.95	24.57		.000	5.38
10	17.64	33.94	24.57		.034	5.80
20	17.41	33.96	24.64		.067	5.75
30	17.16	33.96	24.70		.100	5.59
50	16.70	33.95	24.80		.165	5.47
75	13.65	34.09	25.58		.235	2.20
100	13.00	34.30	25.87		.292	1.16
150	11.83	34.54	26.28		.391	0.37
200	11.19	34.66	26.50		.475	0.19
250	(10.80)	(34.66)	(26.57)		(.553)	(0.20)

STATION 137.40 (Interpolated Values at Standard Depths)

SPENCER F. BAIRD: 24°58' 113°22'; March 27, 1953; 1944
 GCT; wire angle: 14°; sounding: 1800 fms; depth of obser-
 vation: 597 m; weather: partly cloudy; sea: rough;
 wind: 320°, force 4.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	18.06	34.10	24.59		.000	6.01
10	17.92	34.10	24.62		.033	4.95
20	17.75	34.14	24.69		.066	5.56
30	17.36	34.13	24.78		.099	5.36
50	14.88	33.96	25.22		.158	3.84
75	13.63	34.15	25.63		.223	2.25
100	12.77	34.35	25.95		.279	1.13
150	11.94	34.60	26.31		.375	0.50
200	11.25	34.67	26.49		.459	0.30
250	10.61	34.66	26.60		.536	0.20
300	9.78	34.61	26.70		.609	0.19
400	8.52	34.60	26.90		.741	0.12
500	7.23	34.49	27.01		.860	0.18
600	(6.28)	(34.49)	(27.14)		(.968)	(0.17)

STATION 137.50 (Interpolated Values at Standard Depths)

SPENCER F. BAIRD: 24°37' 114°06'; March 28, 1953; 0138
 GCT; wire angle: 14°; sounding: 2000 fms; depth of obser-
 vation: 595 m; weather: partly cloudy; sea: moderate;
 wind: 330°, force 4.

0	18.46	34.04	24.44		.000	5.45
10	18.41	34.03	24.45		.035	5.34
20	17.90	33.98	24.54		.070	5.48
30	17.84	33.95	24.53		.104	5.44
50	17.73	33.99	24.58		.172	5.36
75	16.93	33.58	24.46		.258	5.37
100	12.55	33.57	25.39		.334	4.19
150	11.22	34.13	26.08		.449	1.90
200	10.88	34.47	26.40		.540	0.88
250	10.00	34.49	26.57		.620	0.67
300	9.40	34.49	26.67		.694	0.41
400	8.36	34.44	26.80		.833	0.22
500	7.42	34.45	26.95		.959	0.11
600	(6.41)	(34.43)	(27.07)		(1.073)	(0.16)

STATION 137.60 (Interpolated Values at Standard Depths)

SPENCER F. BAIRD: 24°20' 114°40'; March 28, 1953; 0634
 GCT; wire angle: 14°; sounding: 2000 fms; depth of obser-
 vation: 582 m; weather: cloudy; sea: rough; wind: 320°,
 force 3.

Depth	T	S	σ_t	$10^5 \delta$	ΔD	O ₂
(m)	(°C)	(‰)	(mg/cm ³)		(dyn.m.)	(ml/L)
0	18.78	34.17	24.46		.000	5.90
10	18.78	34.19	24.48		.035	6.13
20	18.71	34.17	24.48		.069	5.46
30	18.54	34.21	24.55		.104	5.59
50	18.42	34.14	24.53		.172	5.44
75	17.80	34.04	24.61		.257	5.55
100	12.63	33.47	25.30		.333	4.70
150	10.71	33.96	26.04		.451	2.80
200	10.61	34.35	26.36		.544	1.16
250	10.23	34.47	26.52		.626	0.69
300	9.47	34.46	26.64		.703	0.56
400	8.24	34.44	26.82		.842	0.13
500	7.23	34.49	27.01		.964	0.12
600	(6.23)	(34.46)	(27.12)		(1.073)	-

DISTRIBUTION LIST

Dr. E. H. Ahlstrom U. S. Fish and Wildlife Service c/o Scripps Institution of Oceanography La Jolla, California	Dr. J. L. McHugh Virginia Fisheries Laboratory Gloucester Point, Virginia
British Joint Services (Navy Staff) 1910 K Street N.W. Washington, D. C.	Dr. Rolf L. Bolin Hopkins Marine Station Pacific Grove, California
Librarian (4) Department of Fish and Game California State Fisheries Laboratory Terminal Island, California	Mr. J. G. Burnette, Chairman Marine Research Committee P. O. Box 807 Los Altos, California
Chief, Division of Fisheries Commonwealth Scientific and Industrial Research Organization P. O. Box 21 Crunulla, N.S.W., AUSTRALIA	Mr. Ray Cannon Research Education Ocean Fish Protective Association 645 N. Serrano Street Los Angeles 4, California
Herrn Professor Dr. A. Defant Sternwartestrasse 38 Innsbruck AUSTRIA	Dr. R. S. Croker California Department of Fish and Game 926 J Street Sacramento 14, California
Mr. Seth Gordon, Director California Department of Fish and Game Marine Fisheries Branch 926 J Street Sacramento 14, California	Director of Research Fish Commission of Oregon Route 1, Box 31A Clackamas, Oregon
Mr. John Hawk c/o Seafarers' International Union of North America 450 Harrison Street San Francisco 5, California	Hancock Library of Biology and Oceanography Allan Hancock Foundation University of Southern California Los Angeles 7, California
Mr. Milton C. James Pacific Marine Fishery Commission 340 State Office Building 1400 S. W. Fifth Avenue Portland 1, Oregon	Dr. Robert W. Hiatt University of Hawaii Honolulu, T.H.
Mr. Joseph Mardesich Franco-Italian Packing Company Fish Harbor Wharf Terminal Island, California	Dr. H. Kitamura Oceanographic Section Kobe Marine Observatory Kobe, JAPAN
	Dr. E. C. La Fond Code 2235 U. S. Navy Electronics Laboratory San Diego 52, California

DISTRIBUTION LIST (Cont'd)

Mr. J. C. Marr
U. S. Fish and Wildlife Service
c/o Scripps Institution of Oceanography
La Jolla, California

Dr. H. J. McLellan
Atlantic Oceanographic Group
St. Andrews, New Brunswick
CANADA

Mr. Arthur H. Mendonca
c/o R. E. Booth Company, Inc.
280 Battery Street
San Francisco 11, California

Mr. John V. Morris
French Sardine Company
532 Tuna Street
Terminal Island, California

Dr. Yngve H. Olsen
Journal of Marine Research
Yale University
New Haven, Connecticut

Dr. E. L. Pickard
Institute of Oceanography
University of British Columbia
Vancouver, B.C.
CANADA

Dr. D. W. Pritchard
Chesapeake Bay Institute
The Johns Hopkins University
121 Maryland Hall
Baltimore 18, Maryland

Dr. Gordon A. Riley
Bingham Oceanographic Foundation
Yale University
New Haven, Connecticut

Dr. M. B. Schaefer
Inter-American Tropical Tuna Commission
c/o Scripps Institution of Oceanography
La Jolla, California

Mr. O. E. Sette, Chief
Ocean Research
U. S. Fish and Wildlife Service
450-B Jordan Hall
Stanford, California

Mr. W. E. Stewart
c/o California State Chamber of
Commerce
350 Bush Street
San Francisco 4, California

Dr. R. C. Miller
California Academy of Science
Golden Gate Park
San Francisco 18, California

Dr. A. W. H. Needler, Director
Pacific Biological Station
Nanaimo, B.C.
CANADA

Librarian
Pacific Oceanic Fishery
Investigations
P. O. Box 3830
Honolulu, T.H.

Mr. Don Powell
U. S. Fish and Wildlife Service
2725 Montlake Boulevard
Seattle 2, Washington

Dr. Roger Revelle
University of California
Scripps Institution of Oceanography
La Jolla, California

Mrs. Margaret K. Robinson
University of California
Scripps Institution of Oceanography
La Jolla, California

Mr. Don T. Saxby
California Division
California Packing Corporation
2600 Seventh Street
Berkeley 10, California

Library
Scripps Institution of Oceanography
La Jolla, California

President Robert G. Sproul
University of California
Berkeley 4, California

DISTRIBUTION LIST (Cont'd)

Miss Margaret Storey, Librarian
Natural History Museum
Stanford, California

Dr. Harold U. Sverdrup
Norwegian Polar Institute
Observatoriegte 1
Oslo, NORWAY

Dr. John P. Tully
Pacific Oceanographic Group
P. O. Drawer 6
Nanaimo, B.C.
CANADA

Library (2)
U. S. Navy Electronics Laboratory
San Diego 52, California

University of California (2)
General Library
Berkeley 4, California
Attn: Gifts and Exchange Department

Librarian
University of Washington
Oceanographic Laboratories
Friday Harbor, Washington

Director
University of Washington
School of Fisheries
Seattle 4, Washington

Mr. Richard C. Vetter
Geophysics Branch
Office of Naval Research
Washington 25, D. C.

Dr. Boyd W. Walker
University of California
Department of Zoology
Los Angeles 24, California

Department of Oceanography
Texas A. and M. College
College Station, Texas

U. S. Hydrographic Office (2)
Navy Department
Washington 25, D. C.
Attn: Mr. John Lyman

University of California
Department of Zoology
Berkeley 4, California

Director
University of Miami
Marine Laboratory
Coral Gables, Florida

Librarian (2)
University of Washington
Oceanographic Laboratories
Seattle 5, Washington

Mr. Gilbert C. Van Camp, Sr.
772 Tuna Street
Terminal Island, California

Dr. Lionel A. Walford
Chief, Branch of Fishery Biology
U. S. Fish and Wildlife Service
Washington 25, D. C.

Director
Woods Hole Oceanographic
Institution
Woods Hole, Massachusetts