

UNIVERSITY OF CALIFORNIA SCRIPPS INSTITUTION OF OCEANOGRAPHY

data report

PHYSICAL AND CHEMICAL DATA
CCOFI CRUISE 5509
(MLR 76)
10-25 September 1955

SIO Reference 59-47
19 May 1959

UNIVERSITY OF CALIFORNIA

SCRIPPS INSTITUTION OF OCEANOGRAPHY

PHYSICAL AND CHEMICAL DATA

CCOFI CRUISE 5509

(MLR 76)

10-25 September 1955


Sponsored by

Marine Research Committee

SIO Reference 59-47

19 May 1959

Approved for distribution:



Roger Revelle, Director

CONTENTS

List of Figures	ii
Introduction	iii
Personnel	vi
Tabulated Data	173
Distribution List	191

FIGURES

1. CCOFI Cruise 5509 (MLR 76), station positions
2. Horizontal distribution of temperature and salinity at 10 meters
3. Horizontal distribution of temperature and salinity at 20 meters

INTRODUCTION

The data presented in this report were collected on the seventy-sixth consecutive cruise of the California Cooperative Oceanic Fisheries Investigations program. The R/V Black Douglas of the U. S. Fish and Wildlife Service, and the R/V Paolina-T of the Scripps Institution participated in this cruise.

The data are tabulated at observed depths; the interpolated and computed values are tabulated at standard depths and are accompanied by charts of horizontal distribution. The presentation of data in this report does not constitute publication; however, the data contained in this report have been carefully edited and no modifications should be necessary before final publication.

STANDARD PROCEDURES

Processing of the data was carried out using the method described by Klein.^{1/} Certain approximations have been introduced for the determination of the integrated pressure terms which may result in errors whose maximum values are less than 0.5 dynamic centimeter at 0 over 200 decibars, 1.0 dynamic centimeter at 0 over 500 decibars, and 2.0 dynamic centimeters at 0 over 1000 decibars. The 125-meter level was introduced into the integration to obtain greater accuracy in the determination of ΔD . The interpolated values at 125 meters are not tabulated.

To indicate degree of accuracy, temperatures are recorded in tenths of a degree when obtained by bucket thermometer, thermograph, or bathythermograph, while temperatures from reversing thermometers are recorded in hundredths of a degree. Extrapolated values and values interpolated between remote observations are entered within parentheses. A hyphen is used to indicate a missing observed value. The time is the time of messenger release. When more than one cast was made on a station, messenger times and wire angles are given in the order of increasing depth. A line is left blank between the observed data of each cast.

^{1/} Klein, Hans T. A new technique for processing physical oceanographic data. MS.

FOOTNOTES

Footnotes which appear frequently are "loose bottle cap" and "possible evaporation." To avoid any confusion as to their meaning the following explanation is included.

Laboratory personnel, before titrating the salinity samples, note any possible imperfections in the sealing of the bottles as follows:

- | | |
|-----------------------|--|
| Loose bottle cap: | The cap is definitely loose so that it could be moved with very little applied pressure. The salinity values obtained from these samples may be usable depending on time and/or conditions of storage. |
| Possible evaporation: | Either the cap was sealed with less than usual pressure, the bottle edge chipped, the rubber washer cracked, or the bale broke on opening, etc. |

Use of the above values in interpolation depends upon consistency with other values of salinity and other properties, and these footnotes are supplemented with "falls on property curve" or "does not fall on property curve," depending upon whether the property curve was drawn through the value or not.

In addition to footnotes, three special notations are used without footnotes because their meaning is always the same.

To indicate a premature or a delayed reversal of the water-sampling device which results in certain depth and property errors, the following notation is used.

p: pretrip or posttrip.

Values which are not drawn through because they seem to be in error without apparent reason are indicated by one of the following notations.


r: rejected value (value seems to be definitely wrong),

u: uncertain value (value may be correct; occasionally it can influence the drawing of the property curve).

FORMAT

These data are typed in the format of the University of California Press publication, "Oceanic Observations of the Pacific." So that these pages can be used as copy for the 1955 volume, the first page of the Cruise 5509 data is numbered 173.

VELOCITY OF GEOSTROPHIC FLOW



CCOFI CRUISE 5509
(MLR 76)

10-25 SEPTEMBER 1955

STATION POSITIONS

DIRECTION OF TRAVEL →

• NET TOW STATION
◎ HYDROGRAPHIC STATION




FIGURE 1

120°

120°


CCOFI CRUISE 5509

10-25 SEPTEMBER 1955

10 METER TEMPERATURE

CONTOUR INTERVAL 1.0 °C


35°

PAOLINA - T
10-17 SEPTEMBER


10 METER SALINITY

CONTOUR INTERVAL 0.20 ‰


35°




35°

BLACK DOUGLAS
13-20 SEPTEMBER


35°




35°

PAOLINA - T
18-23 SEPTEMBER


35°



35°

BLACK DOUGLAS
21-25 SEPTEMBER

35°



120°

120°

FIGURE 2

120°

120°

CCOFI CRUISE 5509


10-25 SEPTEMBER 1955

200 METER TEMPERATURE


CONTOUR INTERVAL 1.0°C

..... APPROXIMATE 200 METER BOTTOM CONTOUR


35°

PAOLINA - T
10-17 SEPTEMBER


35°

BLACK DOUGLAS
13-20 SEPTEMBER

35°

PAOLINA - T
18-23 SEPTEMBER

35°


BLACK DOUGLAS
21-25 SEPTEMBER

200 METER SALINITY


CONTOUR INTERVAL 0.20‰

..... APPROXIMATE 200 METER BOTTOM CONTOUR


35°



35°



35°



35°



120°

120°

FIGURE 3

PERSONNEL

SHIPS' CAPTAINS

Forster, Charles W., R/V Black Douglas
Haines, Robert B., R/V Paolina-T

PERSONNEL PARTICIPATING IN THE COLLECTION OF DATA

R/V Black Douglas

Kramer, David, Fishery Research Biologist, U. S. Fish and Wildlife Service
Berdeguer, Julio, Fishery Trainee, Mexico
Christiansen, Neils B., Marine Technician
Counts, Robert C., Fishery Research Biologist, U. S. Fish and Wildlife Service

R/V Paolina-T

Stover, Allan J., Jr., Senior Marine Technician
Grom, Robert A., Fishery Aid, U. S. Fish and Wildlife Service
Vrooman, Andrew M., Fishery Biologist, U. S. Fish and Wildlife Service

OBSERVED						INTERPOLATED				COMPUTED				SIO
Z m	T °C	S ‰	O ₂ ml/L	δT_3 10^{-5} cm/g	Z m	T °C	S ‰	O ₂ ml/L	σ_t g/L	δT_3 10^{-5} cm/g	ΔD dyn. m	CCOFI 5509		
PAOLINA-T; September 12, 1955; 0625 GCT; 34°14'N, 119°22'W; sounding, 13 fm; wind, 300°, force 1; weather, fog; sea, slight; wire angle, 00°.												83.40a)		
0	16.4	33.60			335	0	16.4	33.60						
10	16.03	33.62			325	10	16.03	33.62						
20	14.7	-			-	20	14.7							
PAOLINA-T; September 13, 1955; 1731 GCT; 33°35.5'N, 120°43'W; sounding, 840 fm; wind, 330°, force 5; weather, overcast; sea, very rough; wire angle, 05°.												83.60		
0	15.9	33.62			322	0	15.9	33.62						
26	-	33.64			-	10		33.63						
61	-	33.74			-	20		33.63						
106	-	33.88			-	30		33.65						
211	7.86	34.18			138	50		33.70						
310	7.08	34.25			122	75		33.78						
						100		33.86						
						150		34.01						
						200		34.15						
						250		34.22						
						300		34.25						
PAOLINA-T; September 14, 1955; 1825 GCT; 33°59'N, 119°05.5'W; sounding, 400 fm; wind, 320°, force 3; weather, clear; sea, moderate; wire angle, 10°.												85.39		
0	14.5	33.53			300	0	14.5	33.53						
25	-	33.58			-	10		33.55						
59	-	33.51			-	20		33.57						
102	-	33.69			-	30		33.58						
206	8.90	34.07			161	50		33.53						
305	8.21	34.27			144	75		33.54						
						100		33.67						
						150		33.88						
						200		34.05						
						250		34.17						
						300		34.26						
PAOLINA-T; September 14, 1955; 0651 GCT; 33°35.5'N, 119°49'W; sounding, 260 fm; wind, 300°, force 6; weather, clear; sea, rough; wire angle, 25°.												85.50		
0	17.5	33.67			354	0	17.5	33.67						
23	-	33.57			-	10		33.60						
53	-	33.63			-	20		33.57						
95	-	33.89			-	30		33.57						
190	8.22	34.22			140	50		33.62						
281	7.78	34.29			130	75		33.75						
						100		33.92						
						150		34.13						
						200		34.23						
						250		34.27						
PAOLINA-T; September 13, 1955; 2142 GCT; 33°20'N, 120°31.5'W; sounding, 640 fm; wind, 330°, force 5; weather, cloudy; sea, rough; wire angle, 22°.												85.60		
0	16.3	33.58			334	0	16.3	33.58						
23	-	33.57			-	10		33.58						
56	-	33.48			-	20		33.58						
97	-	33.67			-	30		33.56						
196	7.77	34.01			149	50		33.49						
290	6.86	34.12			129	75		33.54						
						100		33.69						
						150		33.88						
						200		34.02						
						250		34.08						

- a) Because the same station pattern was repeated several times on Cruise 5509, the stations are grouped by tracks. The stations of each track are presented in numerical order. As a result, stations of the same number will not appear together.

SIO
CCOFI
5509

	OBSERVED					INTERPOLATED					COMPUTED		
	Z m	T °C	S ‰	O ₂ ml/L	δT ₃ 10 ⁻⁵ cm/g	Z m	T °C	S ‰	O ₂ ml/L	σ _t g/L	δT ₃ 10 ⁻⁵ cm/g	ΔD dyn. m	

87.35 PAOLINA-T; September 15, 1955; 1847 GCT; 33°50'N, 118°38'W; sounding, 390 fm; wind, 270°, force 2; weather, clear; sea, moderate; wire angle, 06°.

0	17.8	33.61	366	0	17.8	33.61
26	15.4	33.57	316	10	17.4	33.60
60	11.1	33.51	238	20	16.9	33.58
104	9.7	33.64	205	30	13.9	33.56
210	8.56	34.10	154	50	11.6	33.52
308	8.14	34.29	141	75	10.5	33.53
			100		9.8	33.62
			150		9.0	33.84
			200		8.7	34.06
			250		8.5	34.19
			300		8.2	34.28

87.45 PAOLINA-T; September 16, 1955; 0343 GCT; 33°30.5'N, 119°19'W; sounding, 900 fm; wind, 270°, force 5; weather, clear; sea, rough; wire angle, 15°.

0	16.2	33.67	325	0	16.2	33.67
24	15.3	33.49	320	10	16.2	33.57
58	10.7	33.62	223	20	16.0	33.50
101	9.9	33.80	196	30	13.9	33.50
203	8.26	34.16	145	50	11.0	33.58
299	7.94	34.29	138	75	10.3	33.70
			100		9.9	33.80
			150		9.0	33.99
			200		8.3	34.15
			250		8.0	34.24
			300	(7.9)	(34.29)	

87.60 BLACK DOUGLAS; September 18, 1955; 1311 GCT; 33°00'N, 120°22'W; sounding, 440 fm; wind, 320°, force 6; weather, cloudy; sea, very rough; wire angle, 12°.

0	15.7	33.57	322	0	15.7	33.57
10	15.67	33.60	317	10	15.67	33.60
59	-	33.48	-	20	15.6	(33.59)
103	-	33.52	-	30	15.5	(33.56)
205	8.46	33.80	175	50	12.5	(33.50)
303	7.76	34.08	143	75	33.48	
			100		33.52	
			150		33.63	
			200		33.78	
			250		33.93	
			300		34.07	

87.60 PAOLINA-T; September 18, 1955; 0425 GCT; 33°29'N, 117°46'W; sounding, 250 fm; wind, 260°, force 1; weather, cloudy; sea, slight; wire angle, 00°.

0	20.9	33.68	435	0	20.9	33.68
25	13.3	33.58	262	10	20.9	33.64
61	10.5	33.46	230	20	14.5	33.60
107	9.3	33.66	198	30	12.5	33.56
211	8.98	34.11	159	50	11.1	33.48
310	8.20	34.31	133	75	10.0	33.49
			100		9.4	33.62
			150		8.8	33.88
			200		8.9	34.08
			250		8.9	34.20
			300		8.4	34.29

OBSERVED					INTERPOLATED				COMPUTED				SIO
Z m	T °C	S %	O ₂ ml/L	δT_3 $10^5 \text{ cm}^3/\text{g}$	Z m	T °C	S %	O ₂ ml/L	σ_t g/L	δT_3 $10^5 \text{ cm}^3/\text{g}$	ΔD dyn. m	CCOFI 5509	
PAOLINA-T; September 17, 1955; 1055 GCT; 33°06'N, 118°36.5'W; sounding, 500 fm; wind, 320°, force 4; weather, overcast; sea, rough; wire angle, 10°.												90.40	
0 20.1 33.71	414	0 20.1 33.71											
25 18.0 33.51	378	10 20.1 33.62											
59 11.3 33.44	246	20 20.1 33.55											
102 9.2 33.71	192	30 15.9 33.49											
207 8.20 34.14	146	50 12.0 33.44											
293 7.92 34.31	129	75 10.3 33.50											
		100 9.2 33.69											
		150 8.7 33.96											
		200 8.3 34.12											
		250 8.0 34.23											
PAOLINA-T; September 16, 1955; 1848 GCT; 32°31.5'N, 119°39'W; sounding, 280 fm; wind, 270°, force 7; weather, missing; sea, very rough; wire angle, 21°.												90.55	
0 17.2 33.64	350	0 17.2 33.64											
24 17.0 33.55	352	10 17.2 33.60											
56 11.1 33.49	239	20 17.2 33.57											
98 9.1 33.66	195	30 15.6 33.53											
197 7.88 34.16	140	50 11.6 33.49											
289 7.30 34.26	124	75 10.0 33.55											
		100 9.0 33.67											
		150 8.2 33.93											
		200 7.8 34.17											
		250 7.5 34.24											
BLACK DOUGLAS; September 15, 1955; 0205 GCT; 34°14'N, 119°22'W; sounding, 11 fm; wind, 320°, force 2; weather, missing; sea, moderate; wire angle, 10°.												83.40	
0 16.8 33.57	346	0 16.8 33.57											
10 13.20 33.55	273	10 13.20 33.55											
20 12.82 33.53	267	20 12.82 33.53											
BLACK DOUGLAS; September 15, 1955; 2227 GCT; 33°34'N, 120°45'W; sounding, 720 fm; wind, 320°, force 4; weather, clear; sea, rough; wire angle, 12°.												83.60	
0 15.74 33.66	316	0 15.74 33.66											
98 9.74 33.73	199	10 15.7 (33.66)											
200 8.0 34.14	142	20 15.7 (33.67)											
244 7.8 34.23	133	30 15.7 (33.67)											
279 7.52 34.28	126	50 13.6 (33.69)											
303 - 34.26	-	75 10.3 (33.70)											
		100 9.7 33.74											
		150 8.0 33.93											
		200 8.0 34.14											
		250 7.8 34.24											
		300 34.27											
BLACK DOUGLAS; September 17, 1955; 0029 GCT; 33°59'N, 119°06'W; sounding, 360 fm; wind, 320°, force 2; weather, clear; sea, slight; wire angle, 17°.												85.39	
0 19.1 33.60	397	0 19.1 33.60											
10 17.63 33.62	360	10 17.63 33.62											
57 - 33.51	-	20 (33.61)											
100 - 33.67	-	30 (33.58)											
201 8.84 34.07	160	50 (33.52)											
296 8.50 34.25	143	75 33.57											
		100 33.67											
		150 33.87											
		200 34.07											
		250 34.17											

SIO CCOFI 5509	OBSERVED					INTERPOLATED					COMPUTED		
	Z m	T °C	S ‰	O ₂ ml/L	δT ₃ 10 ⁻⁵ cm/g	Z m	T °C	S ‰	O ₂ ml/L	σ _t g/L	δT ₃ 10 ⁻⁵ cm/g	ΔD dyn. m	

85.50 BLACK DOUGLAS; September 16, 1955; 1041, 1118 GCT; 33°37'N, 119°52'W; sounding, 200 fm; wind, 300°, force 6; weather, clear; sea, very rough; wire angle, 15°, 15°.

0	15.9	33.59	324	0	15.9	33.59
10	15.80	33.60	322	10	15.80	33.60
58	10.0	33.62	212	20	15.7	(33.60)
101	9.2	33.97	173	30	12.4	(33.61)
203	8.56	34.21	145	50	10.9	(33.61)
				75	9.4	33.75
299	8.14	34.25	136	100	9.2	33.96
				150	8.8	34.10
				200	8.6	34.20
				250	8.4	34.24
				300	(8.1)	(34.25)

85.60 BLACK DOUGLAS; September 16, 1955; 0155 GCT; 33°17'N, 120°33'W; sounding, 760 fm; wind, 300°, force 5; weather, partly cloudy; sea, very rough; wire angle, 28°.

0	16.4	33.58	336	0	16.4	33.58
88	10.05	33.58	215	10	(33.58)	
181	-	34.02	-	20	(33.58)	
221	-	34.06	-	30	(33.58)	
252	7.24	34.09	136	50	(33.58)	
278	6.96	34.14	128	75	(33.58)	
				100	33.60	
				150	33.86	
				200	34.05	
				250	34.09	

87.35 BLACK DOUGLAS; September 17, 1955; 1802 GCT; 33°50'N, 118°37.5'W; sounding, 300 fm; wind, 270°, force 1; weather, partly cloudy; sea, slight; wire angle, 0°.

0	18.2	33.60	376	0	18.2	33.60
10	17.27	33.60	354	10	17.27	33.60
60	-	33.53	-	20	(33.59)	
105	-	33.68	-	30	(33.58)	
210	8.69	34.00	163	50	(33.54)	
310	8.34	34.25	139	75	33.56	
				100	33.66	
				150	33.83	
				200	33.97	
				250	34.11	
				300	34.23	

87.45 BLACK DOUGLAS; September 18, 1955; 0129, 0140 GCT; 33°30'N, 119°19'W; sounding, 900 fm; wind, 270°, force 5; weather, partly cloudy; sea, very rough; wire angle, 10°, 10°.

0	17.7	33.66	360	0	17.7	33.66
10	15.52	33.57	318	10	15.52	33.57
				20	(33.54)	
59	-	33.51	-	30	(33.53)	
103	-	33.82	-	50	(33.51)	
207	8.55	34.25	142	75	33.58	
305	7.83	34.27	130	100	33.80	
				150	34.05	
				200	34.24	
				250	34.26	
				300	34.27	

87.60

SEE P 174

SIO
CCOFI
5509

OBSERVED					INTERPOLATED				COMPUTED			
Z m	T °C	S %	O ₂ ml/L	δT_3 10^{-5} cm/g	Z m	T °C	S %	O ₂ ml/L	σ_t g/L	δT_3 10^{-5} cm/g	ΔD dyn.m	

PAOLINA-T; September 21, 1955; 2256 GCT; 33°00'N, 120°15.5'W; sounding, 250+ fm; wind, 320°, force 5; weather, overcast; sea, very rough; wire angle, missing.

0	16.0	33.58	327	0	16.0	33.58
32	15.4	33.85	295	10	15.8	(33.69)
67	11.4	33.44	248	20	15.7	(33.80)
101p	10.04	33.58	217	30	15.5	(33.85)
112	9.2	33.58	199	50	13.9	33.67
216	7.86	34.02	150	75	11.4	33.45
				100	10.2	33.53
				150	8.5	33.73
				200	8.0	33.95

87.60

MOVE TO
P 179

BLACK DOUGLAS; September 20, 1955; 2045 GCT; 33°28.5'N, 117°46.5'W; sounding, 290 fm; wind, 270°, force 1; weather, clear; sea, slight; wire angle, 07°.

0	19.9	33.62	415	0	19.9	33.62
10	18.41	33.60	380	10	18.41	33.60
60	-	33.47	-	20	16.1	(33.57)
104	-	33.60	-	30	14.0	(33.54)
209	9.09	34.07	164	50	12.0	(33.49)
309	7.88a)	34.26	132	75		33.50
				100		33.59
				150		33.80
				200		34.03
				250		34.16
				300		34.25

90.28

BLACK DOUGLAS; September 19, 1955; 0755 GCT; 33°05'N, 118°36'W; sounding, 350 fm; wind, 290°, force 3; weather, missing; sea, slight; wire angle, 05°.

0	19.6	33.68	403	0	19.6	33.68
10	19.83	33.68	409	10	19.83	33.68
60	11.3	33.40	249	20	15.4	(33.64)
105	-	33.68	-	30	13.0	(33.57)
209	8.17	34.14	145	50	11.7	(33.43)
309	7.62	34.22	132	75		33.46
				100		33.64
				150		33.91
				200		34.11
				250		34.20
				300		34.22

90.40

BLACK DOUGLAS; September 18, 1955; 2120 GCT; 32°35'N, 119°37'W; sounding, 620 fm; wind, 320°, force 4; weather, partly cloudy; sea, rough; wire angle, 10°.

0	17.6	33.68	356	0	17.6	33.68
10	17.62	33.68	356	10	17.62	33.68
59	10.8	33.46	236	20	17.6	(33.65)
103	9.4	33.58	220	30	15.3	(33.60)
207	8.15	34.16	144	50	11.6	(33.49)
305	7.34	34.20	129	75	10.2	33.48
				100	9.5	33.57
				150	8.6	33.83
				200	8.2	34.13
				250	7.8	34.20
				300	7.4	34.20

90.55

PAOLINA-T; September 19, 1955; 0240 GCT; 34°13.5'N, 119°22.5'W; sounding, 11 fm; wind, 270°, force 5; weather, clear; sea, moderate; wire angle, 00°.

0	16.3	-	-	0	16.3	
10	13.50	33.52	280	10	13.50	33.52

83.40

a) Alternate value, 8.34°C.

SIO
CCOFI
5509

	OBSERVED					INTERPOLATED					COMPUTED		
	Z m	T °C	S %	O ₂ ml/L	δT 10 ⁻⁵ cm ³ /g	Z m	T °C	S %	O ₂ ml/L	σ _t g/L	δT 10 ⁻⁵ cm ³ /g	ΔD dyn. m	

83.60	PAOLINA-T; September 20, 1955; 0220 GCT; 33°33.5'N, 120°43'W; sounding, 750 fm; wind, 290°, force 5; weather, cloudy; sea, very rough; wire angle, 10°.												
	0	15.9	33.63	322		0	15.9	33.63					
	25	15.8	33.64	319		10	15.9	33.64					
	59	11.2	33.50	240		20	15.9	33.64					
	103	8.7	33.75	182		30	15.8	33.64					
	208	8.06	34.16	142		50	13.0	33.54					
	306	7.38	34.22	128		75	9.7	33.55					
					100		8.7	33.72					
					150		8.4	33.97					
					200		8.1	34.14					
					250		7.8	34.20					
					300		7.4	34.22					
85.39	PAOLINA-T; September 20, 1955; 2251 GCT; 33°56.5'N, 119°02.5'W; sounding, 400+ fm; wind, 020°, force 3; weather, clear; sea, slight; wire angle, 23°.												
	0	19.0	33.62	393		0	19.0	33.62					
	23	15.5	33.50	323		10	17.5	33.56					
	55	11.1	33.47	240		20	16.0	33.51					
	97	9.6	33.62	205		30	14.4	33.49					
	193	8.70	33.98	165		50	11.5	33.47					
	285	8.42	34.23	142		75	10.2	33.52					
					100		9.5	33.63					
					150		8.9	33.84					
					200		8.7	34.00					
					250		8.6	34.14					
85.50	PAOLINA-T; September 20, 1955; 1422 GCT; 33°38.5'N, 119°50'W; sounding, missing; wind, 300°, force 3; weather, clear; sea, rough; wire angle, 05°.												
	0	14.5	33.61	294		0	14.5	33.61					
	25	11.4	33.68	230		10	14.0	33.64					
	60	9.7	33.73	198		20	12.5	33.67					
	105	8.7	33.98	165		30	10.4	33.69					
	211	8.23	34.21	141		50	9.8	33.71					
	311	7.98	34.23	136		75	9.4	33.80					
					100		8.8	33.95					
					150		8.2	34.10					
					200		8.3	34.19					
					250		8.1	34.23					
					300		8.0	34.23					
85.60	PAOLINA-T; September 20, 1955; 0547 GCT; 33°17'N, 120°33.5'W; sounding, 800 fm; wind, 290°, force 5; weather, clear; sea, very rough; wire angle, 05°.												
	0	16.2	33.55	334		0	16.2	33.55					
	25	16.0	33.55	330		10	16.2	33.55					
	60	11.2	33.47	242		20	16.1	33.55					
	106	9.2	33.66	206		30	16.0	33.54					
	209	7.50	34.05	142		50	12.5	33.49					
	309	6.69	34.18	122		75	10.3	33.50					
					100		9.3	33.63					
					150		8.2	33.85					
					200		7.6	34.02					
					250		7.2	34.12					
					300		6.8	34.17					

OBSERVED					INTERPOLATED				COMPUTED			SIO CCOFI 5509
Z m	T °C	S %	O ₂ ml/L	δ_T $10^{-5} \text{ cm}^3/\text{g}$	Z m	T °C	S %	O ₂ ml/L	σ_t g/L	δ_T $10^{-5} \text{ cm}^3/\text{g}$	ΔD dyn. m	
PAOLINA-T; September 21, 1955; 0225 GCT; 33°49'N, 118°36.5'W; sounding, 250 fm; wind, 280°, force 5; weather, clear; sea, rough; wire angle, 20°.												87.35
0	17.7	33.58		366	0	17.7	33.58					
23	16.5	33.53		342	10	17.6	33.56					
56	11.6	33.49		248	20	17.5	33.54					
99	9.8	33.64		207	30	14.6	33.52					
197	8.65	34.00		163	50	12.0	33.49					
292	8.94	34.02		165	75	10.7	33.54					
					100	9.8	33.64					
					150	9.0	33.85					
					200	8.7	34.01					
					250	8.8	34.02					
PAOLINA-T; September 21, 1955; 1143 GCT; 33°31.5'N, 119°19'W; sounding, 920 fm; wind, 290°, force 4; weather, fog; sea, rough; wire angle, 05°.												87.45
0	16.6	33.55		353	0	16.6	33.55					
26	13.4	33.44		284	10	16.6	33.50					
61	10.4	33.43		232	20	14.5	33.46					
106	8.9	33.68		190	30	12.8	33.44					
209	8.51	34.15		149	50	11.0	33.43					
311	8.04	34.25		135	75	9.8	33.47					
					100	9.0	33.63					
					150	8.8	33.90					
					200	8.6	34.12					
					250	8.3	34.21					
					300	8.1	34.25					
PAOLINA-T; September 23, 1955; 0933 GCT; 33°28.5'N, 117°46.5'W; sounding, 95 fm; wind, 290°, force 1; weather, overcast; sea, moderate; wire angle, 00°.												90.28
0	19.5	33.64		404	0	19.5	33.64					
25	14.2	33.50		296	10	19.5	33.57					
60	10.75	33.48		234	20	15.1	33.51					
105	9.87	33.59		212	30	13.5	33.49					
					50	11.4	33.48					
					75	10.4	33.51					
					100	10.0	33.57					
PAOLINA-T; September 22, 1955; 1824 GCT; 33°05.5'N, 118°36'W; sounding, 350 fm; wind, 280°, force 3; weather, overcast; sea, moderate; wire angle, 03°.												90.40
0	19.2	33.78		384	0	19.2	33.78					
25	16.5	33.51		344	10	19.2	33.66					
60	11.9	33.38		261	20	18.3	33.55					
105	9.4	33.73		194	30	15.4	33.48					
210	8.02	34.07		148	50	12.8	33.39					
310	7.60	34.24		130	75	10.8	33.45					
					100	9.5	33.69					
					150	8.6	33.91					
					200	8.1	34.05					
					250	7.8	34.15					
					300	7.6	34.23					

87.60
SEE P177

SIO
CCOFI
5509

	OBSERVED					INTERPOLATED					COMPUTED		
	Z m	T °C	S %	O ₂ ml/L	δT ₃ 10 ⁻⁵ cm/g	Z m	T °C	S %	O ₂ ml/L	σ _t g/L	δT ₃ 10 ⁻⁵ cm/g	ΔD dyn. m	

90.55

PAOLINA-T; September 22, 1955; 0452 GCT; 32°35'N, 119°36'W; sounding, 600 fm; wind, 300°, force 5; weather, cloudy; sea, rough; wire angle, 08°.

0	17.0	33.57	350	0	17.0	33.57
25	17.0	33.58	349	10	17.0	33.58
59	11.5	33.44	250	20	17.0	33.58
104	8.9	33.68	190	30	17.0	33.57
209	7.84	34.11	153	50	11.5	33.48
307	7.18	34.23	124	75	10.4	33.49
				100	9.0	33.65
				150	8.2	33.89
				200	7.9	34.08
				250	7.6	34.18
				300	7.3	34.22

83.40

BLACK DOUGLAS; September 21, 1955; 0912 GCT; 34°14'N, 119°20'W; sounding, 11 fm; wind, calm; weather, missing; sea, moderate; wire angle, 00°.

0	15.8	33.58	323	0	15.8	33.58
10	14.96	33.55	308	10	14.96	33.55
20	13.30	33.53	276	20	13.30	33.53

83.60

BLACK DOUGLAS; September 22, 1955; 0123 GCT; 33°34'N, 120°45'W; sounding, 750 fm; wind, 300°, force 4; weather, overcast; sea, very rough; wire angle, 10°.

0	16.1	33.60	334	0	16.1	33.60
10	16.01	33.64	323	10	16.01	33.64
59	11.1	33.58	233	20	16.0	(33.63)
103	8.8	33.79	180	30	15.9	(33.62)
207	7.84	34.13	140	50	12.1	(33.58)
306	7.30	34.27	124	75	10.0	33.64
				100	8.8	33.77
				150	8.3	33.96
				200	7.9	34.11
				250	7.6	34.20
				300	7.3	34.26

85.39

BLACK DOUGLAS; September 22, 1955; 2045 GCT; 33°59'N, 119°06'W; sounding, 350 fm; wind, 270°, force 1; weather, overcast; sea, slight; wire angle, 13°.

0	18.2u	33.60	-	0	17.9	33.60
10	17.70	33.62	362	10	17.70	33.62
58	11.6	33.46	250	20	17.5	(33.61)
102	9.4	33.65	200	30	14.0	(33.57)
205	8.70	34.11	155	50	12.1	(33.48)
302	8.20	34.26	137	75	10.7	33.51
				100	9.5	33.64
				150	9.0	33.89
				200	8.7	34.09
				250	8.5	34.20
				300	8.21	34.26

85.50

BLACK DOUGLAS; September 22, 1955; 1215 GCT; 33°37'N, 119°52'W; sounding, 120 fm; wind, 240°, force 1; weather, missing; sea, moderate; wire angle, 00°.

0	14.2u	33.66	-	0	14.1	33.66
10	14.10	33.75	276	10	14.10	33.75
25	10.8	33.81	210	20	11.2	33.79
60	9.7	34.26r	-	30	10.7	(33.89)
105	8.65	33.96	165	50	10.1	(33.86)
210	8.10	34.14	142	75	9.2	(33.91)
				100	8.8	(33.95)
				150	8.3	34.04
				200	8.1	34.12

OBSERVED					INTERPOLATED				COMPUTED		
Z m	T °C	S ‰	O ₂ ml/L	δT ₃ 10 ⁻⁵ cm/g	Z m	T °C	S ‰	O ₂ ml/L	σ _t g/L	δT ₃ 10 ⁻⁵ cm/g	ΔD dyn. m

BLACK DOUGLAS; September 22, 1955; 0443 GCT; 33°17'N, 120°33'W; sounding, 750 fm; wind, 280°, force 4; weather, missing; sea, rough; wire angle, 32°.

0	15.8	33.57	-	0	16.0	33.57
8	16.01	33.58	330	10	16.0	(33.58)
51	11.7	33.47	251	20	16.0	(33.56)
90	9.6	33.61	206	30	15.9	(33.53)
178	8.07	33.98	156	50	11.8	(33.47)
263	7.16	34.07	136	75	10.2	33.55
				100	9.2	33.66
				150	8.4	33.87
				200	7.8	34.02
				250	7.3	34.06

BLACK DOUGLAS; September 23, 1955; 0021 GCT; 33°50'N, 118°37.5'W; sounding, 290 fm; wind, 270°, force 3; weather, cloudy; sea, moderate; wire angle, 15°.

0	17.8	33.59	367	0	17.8	33.59
10	17.82	33.57	368	10	17.82	33.57
58	11.8	33.48	252	20	14.9	(33.55)
101	9.7	33.66	204	30	14.8	(33.53)
203	8.86	34.07	161	50	12.7	(33.49)
299	8.22	34.25	138	75	10.4	33.54
				100	9.8	33.66
				150	9.3	33.87
				200	8.90	34.06
				250	8.5	34.17
				300	(8.2)	(34.25)

BLACK DOUGLAS; September 23, 1955; 0735 GCT; 33°30'N, 119°19'W; sounding, 920 fm; wind, 220°, force 1; weather, clear; sea, slight; wire angle, 15°.

0	16.8	33.58	345	0	16.8	33.58
10	16.76	33.57	345	10	16.76	33.57
58	11.4	33.42	250	20	16.4	(33.54)
101	9.7	33.58	210	30	13.5	(33.51)
203	8.64	34.17	150	50	11.8	(33.43)
299	7.98	34.31	140	75	10.5	33.45
				100	9.8	33.57
				150	8.9	33.86
				200	8.7	34.16
				250	8.4	34.26
				300	(7.9)	(34.31)

BLACK DOUGLAS; September 23, 1955; 1757 GCT; 33°00'N, 120°21'W; sounding, 390 fm; wind, 280°, force 2; weather, overcast; sea, slight; wire angle, 05°.

0	16.1	33.57	330	0	16.1	33.57
10	16.11	33.58	330	10	16.11	33.58
60	12.0	33.48	256	20	15.5	(33.57)
105	10.1	33.55	219	30	15.9	(33.54)
209	8.08	34.04	151	50	13.9	(33.50)
309	7.24	34.18	129	75	11.1	33.49
				100	10.3	33.54
				150	9.0	33.75
				200	8.2	34.00
				250	7.6	34.12
				300	7.3	34.17

SIO
CCOFI
5509

85.60

87.45

87.60

SIO

CCOFI
5509

	OBSERVED					INTERPOLATED					COMPUTED		
	Z m	T °C	S ‰	O ₂ ml/L	δT ₃ 10 ⁻⁵ cm/g	Z m	T °C	S ‰	O ₂ ml/L	σ _t g/L	δT ₃ 10 ⁻⁵ cm/g	ΔD dyn. m	

90.28 BLACK DOUGLAS; September 25, 1955; 0535 GCT; 33°28.5'N, 117°47'W; sounding, 200 fm; wind, 260°, force 2; weather, clear; sea, moderate; wire angle, 00°.

0	19.1	33.67	392	0	19.1	33.67
10	16.36	33.55	337	10	16.36	33.55
60	11.2	33.46	243	20	15.2	(33.52)
105	9.4	33.64	200	30	14.1	(33.50)
210	8.89	34.12	157	50	11.9	(33.47)
310	8.18	34.27	136	75	10.5	33.50
			100		9.6	33.61
			150		9.0	33.86
			200		9.0	34.09
			250		8.6	34.19
			300		8.3	34.26

90.40 BLACK DOUGLAS; September 24, 1955; 1800 GCT; 33°05'N, 118°38'W; sounding, 300 fm; wind, 300°, force 2; weather, overcast; sea, slight; wire angle, 03°.

0	18.1	33.70	366	0	18.1	33.70
10	18.00	33.69	364	10	18.00	33.69
60	11.4	33.44	248	20	17.9	(33.66)
105	9.5	33.69	198	30	16.5	(33.60)
210	8.09	34.11	146	50	12.0	(33.47)
310	7.59	34.21	132	75	10.7	33.49
			100		9.7	33.65
			150		8.7	33.90
			200		8.2	34.09
			250		7.9	34.16
			300		7.6	34.20

90.55 BLACK DOUGLAS; September 24, 1955; 0000 GCT; 32°35'N, 119°37'W; sounding, 610 fm; wind, 300°, force 2; weather, overcast; sea, moderate; wire angle, 20°.

0	17.1	33.64	337	0	17.1	33.64
9	17.01	33.63	336	10	17.0	(33.63)
56	12.1	33.52	255	20	15.7	(33.61)
99	9.5	33.58	206	30	15.2	(33.58)
197	8.17	34.08	150	50	12.2	(33.53)
291	7.55	34.16	135	75	10.3	33.53
			100		9.5	33.58
			150		8.9	33.80
			200		8.1	34.09
			250		7.7	34.14

Station	Date	Time GCT	Latitude North	Longitude West	Sounding (fm)	Wind Dir	Wind Force	Weather	Sea	10 Meters T	10 Meters S	
FIRST TRACK												
83.42-P	IX-12	0930	34°15.0'	119°33.5'	58	300°	1	fog	slight	16.22	33.61	
83.44-P		12	34°14.0'	119°46.0'	148	280°	4	fog	moderate	16.07	33.62	
83.46-P		13	0100	34°14.5'	120°00.0'	350	280°	4	fog	moderate	16.18	33.63
83.48-P		13	0400	33°58.5'	119°55.0'	50	300°	4	clear	slight	16.33	33.62
83.51-P		13	0820	33°52.0'	120°08.0'	123	260°	4	clear	rough	17.12	33.68
83.52 ⁵ -P		13	1030	33°47.5'	120°16.0'	180	270°	4	clear	moderate	17.17	33.68
83.55-P		13	1240	33°44.0'	120°24.0'	680	280°	4	missing	rough	17.18	33.65
83.57 ⁵ -P		13	1500	33°39.0'	120°34.5'	600	270°	4	overcast	rough	15.78	33.63
85.40-P		14	1650	33°57.5'	119°11.0'	48	320°	5	clear	moderate	16.10	33.55
85.42 ⁵ -P		14	1245	33°53.0'	119°21.0'	470	300°	1	clear	slight	17.22	33.65
85.45-P		14	1110	33°47.5'	119°30.5'	990	var.	1	partly cloudy	moderate	16.61	33.60
85.47 ⁵ -P		14	0900	33°41.5'	119°40.5'	990	320°	6	clear	very rough	16.90	33.68
85.52 ⁵ -P		14	0404	33°30.0'	119°58.5'	340	290°	5	clear	rough	15.98	33.68
85.55-P		14	0200	33°26.5'	120°12.0'	680	330°	6	clear	rough	16.44	33.68
85.57 ⁵ -P		13	2330	33°23.0'	120°24.5'	550	330°	5	clear	rough	16.47	33.58
87.37 ⁵ -P		15	2050	33°43.0'	118°51.5'	500	270°	3	clear	rough	19.45	33.70
87.40-P		15	2255	33°41.0'	118°56.5'	490	270°	5	clear	moderate	18.84	33.67
87.42 ⁵ -P		16	0120	33°35.5'	119°09.0'	143	270°	6	clear	rough	18.78	33.66

TEMPERATURE AND SALINITY AT 10 METERS (NET-TOW STATIONS)

Station	Date	Time GCT	Latitude North	Longitude West	Sounding (fm)	Wind		Weather	Sea	10 Meters	
						Dir	Force			T	S
87.47 ⁵ -P	IX-16	0620	33°25.0'	119°29.5'	450	270°	6	clear	very rough	15.84	33.66
87.50-P	16	0930	33°19.0'	119°38.0'	39	270°	6	clear	very rough	15.53	33.64
87.52 ⁵ -P	16	1210	33°15.0'	119°49.5'	65	270°	6	clear	very rough	15.45	33.64
90.30-P	18	0231	33°24.5'	117°55.0'	340	240°	2	cloudy	moderate	17.62	33.58
90.32 ⁵ -P	18	0045	33°19.5'	118°05.0'	460	240°	3	cloudy	moderate	20.07	33.71
90.35-P	17	1500	33°16.0'	118°15.5'	105	290°	4	overcast	rough	17.86	33.60
90.37 ⁵ -P	17	1300	33°12.0'	118°27.0'	650	310°	3	overcast	rough	19.14	33.68
90.42 ⁵ -P	17	0820	32°59.0'	118°45.5'	720	290°	4	overcast	very rough	19.33	33.71
90.45-P	17	0620	32°54.0'	118°55.5'	930	300°	6	overcast	very rough	18.60	33.68
90.47 ⁵ -P	17	0403	32°48.5'	119°05.5'	600	270°	6	overcast	very rough	18.26	33.65
90.50-P	16	2350	32°45.0'	119°16.0'	135	300°	5	cloudy	very rough	17.66	33.64
90.52 ⁵ -P	16	2200	32°40.0'	119°25.0'	530	270°	6	cloudy	very rough	18.0a)	-
83.42-B	15	0530	34°14.0'	119°34.0'	50	280°	4	missing	rough	17.08	33.66
83.44-B	15	0740	34°14.0'	119°46.0'	137	280°	4	missing	rough	16.49	33.67
83.46-B	15	1000	34°14.0'	120°00.0'	320	220°	5	missing	rough	15.41	33.65
83.48-B	15	1210	33°58.0'	119°55.0'	50	270°	6	clear	rough	14.16	33.60
83.51-B	15	1500	33°52.0'	120°09.0'	200	300°	5	clear	rough	14.68	33.61

a) Temperature from bathythermograph.

TEMPERATURE AND SALINITY AT 10 METERS (NET-TOW STATIONS)

Station	Date	Time GCT	Latitude North	Longitude West	Sounding (fm)	Wind Dir	Force	Weather	Sea	10 Meters	T	S
83.52 ⁵ -B	IX-15	1650	33°48.0'	120°16.5'	400	300°	5	clear	very rough	16.16	33.62	
83.55-B	15	1815	33°44.0'	120°24.5'	535	300°	4	clear	very rough	15.12	33.62	
83.57 ⁵ -B	15	2015	33°39.0'	120°35.0'	740	300°	5	clear	rough	-	33.67	
85.40-B	16	2318	33°57.0'	119°10.5'	480	300°	1	partly cloudy	slight	15.04	33.55	
85.42 ⁵ -B	16	1953	33°52.0'	119°21.0'	400	300°	1	overcast	slight	18.48a)	33.64	
85.45-B	16	1533	33°47.0'	119°31.0'	1020	300°	1	cloudy	slight	15.11	33.62	
85.47 ⁵ -B	16	1300	33°42.0'	119°41.5'	900	320°	3	clear	moderate	15.79	33.64	
85.52 ⁵ -B	16	0815	33°32.0'	120°02.0'	500	300°	6	missing	high	14.62	33.60	
85.55-B	16	0610	33°27.0'	120°12.0'	640	300°	5	clear	very rough	16.24	33.62	
85.57 ⁵ -B	16	0405	33°22.0'	120°23.0'	540	300°	5	clear	very rough	16.27	33.57	
87.37 ⁵ -B	17	1955	33°45.0'	118°48.0'	500	270°	1	clear	slight	18.90	33.61	
87.40-B	17	2123	33°40.0'	118°58.5'	480	270°	2	clear	moderate	19.94	33.66	
87.42 ⁵ -B	17	2329	33°35.0'	119°09.0'	240	270°	3	clear	moderate	17.56	33.58	
87.47 ⁵ -B	18	0415	33°25.0'	119°29.0'	450	310°	5	clear	very rough	14.34	33.64	
87.50-B	18	0600	33°20.0'	119°39.0'	40	320°	5	missing	very rough	14.79	33.63	
87.52 ⁵ -B	18	0750	33°15.0'	119°50.0'	60	320°	5	missing	very rough	15.14	33.60	
87.55-B	18	0934	33°10.0'	120°00.0'	680	270°	5	cloudy	very rough	15.94	33.60	

a) Alternate value, 18.02°C.

Station	Date	Time GCT	Latitude North	Longitude West	Sounding (fm)	Wind		Weather	Sea	10 Meters	
						Dir	Force			T	S
87.57 ⁵ -B	IX-18	1120	33°05.0'	120°11.0'	360	320°	8	missing	very rough	15.93	33.55
90.30-B	20	1915	33°24.5'	117°55.0'	330	270°	1	clear	slight	19.13	33.64
90.32 ⁵ -B	20	1750	33°19.5'	118°05.0'	420	270°	1	clear	slight	18.57	33.59
90.35-B	19	1150	33°15.0'	118°15.0'	250	calm		missing	slight	18.49	33.61
90.37 ⁵ -B	19	0950	33°10.0'	118°25.0'	680	280°	1	missing	slight	18.73	33.63
90.42 ⁵ -B	19	0552	32°59.0'	118°46.0'	750	300°	3	clear	moderate	16.82	33.58
90.45-B	19	0419	32°55.0'	118°56.0'	940	320°	3	cloudy	moderate	18.42	33.68
90.47 ⁵ -B	19	0237	32°50.0'	119°06.0'	750	300°	3	cloudy	moderate	17.32	33.63
90.50-B	19	0055	32°45.0'	119°17.0'	135	320°	4	partly cloudy	rough	16.00	33.61
90.52 ⁵ -B	18	2320	32°40.0'	119°26.0'	580	320°	5	partly cloudy	rough	17.43	33.58
SECOND TRACK											
83.42-P	19	0440	34°14.5'	119°33.0'	50	280°	4	clear	rough	15.64	33.68
83.44-P	19	0700	34°15.5'	119°47.0'	103	250°	2	clear	rough	14.63	33.58
83.46-P	19	1055	34°14.0'	120°02.0'	320	calm		clear	moderate	15.76	-
83.48-P	19	1340	33°58.5'	119°55.0'	60	300°	2	clear	slight	15.05	33.58
83.51-P	19	1800	33°51.5'	120°08.5'	95	270°	5	cloudy	rough	13.48	33.62
83.52 ⁵ -P	19	2025	33°49.0'	120°19.5'	400	290°	5	overcast	rough	14.67	33.59
83.55-P	19	2150	33°44.0'	120°25.0'	580	270°	4	cloudy	moderate	15.16	33.69
83.57 ⁵ -P	20	0000	33°38.0'	120°34.5'	650	290°	5	cloudy	rough	14.89	33.62

TEMPERATURE AND SALINITY AT 10 METERS (NET-TOW STATIONS)

TEMPERATURE AND SALINITY AT 10 METERS (NET-TOW STATIONS)

Station	Date	Time GCT	Latitude North	Longitude West	Sounding (fm)	Wind Dir	Wind Force	Weather	Sea	10 Meters T	10 Meters S
85.40-P	IX-20	2050	33°58.0'	119°13.5'	420	020°	3	clear	moderate	18.0a)	-
85.42 ⁵ -P	20	1845	33°53.0'	119°23.0'	400	020°	3	clear	moderate	16.94	33.61
85.45-P	20	1739	33°49.5'	119°29.0'	700	020°	3	clear	moderate	16.28	33.58
85.47 ⁵ -P	20	1605	33°43.0'	119°39.5'	1000	calm		clear	rough	13.90	33.62
85.52 ⁵ -P	20	1200	33°32.5'	120°01.5'	400	320°	5	partly cloudy	very rough	15.40	33.62
85.55-P	20	1005	33°27.5'	120°12.0'	680	320°	6	clear	very rough	15.77	33.59
85.57 ⁵ -P	20	0755	33°22.0'	120°23.0'	500	300°	5	clear	very rough	15.98	33.57
87.37 ⁵ -P	21	0440	33°45.0'	118°48.0'	500	280°	5	clear	rough	17.51	33.59
87.40-P	21	0640	33°40.5'	118°59.5'	485	280°	3	clear	slight	16.96	33.59
87.42 ⁵ -P	21	0920	33°35.5'	119°09.5'	175	280°	3	clear	moderate	16.28	33.58
87.47 ⁵ -P	21	1340	33°27.5'	119°29.5'	425	290°	4	fog	rough	14.72	33.62
87.50-P	21	1532	33°20.5'	119°39.5'	45	290°	5	overcast	rough	15.04	33.59
87.52 ⁵ -P	21	1715	33°15.0'	119°48.5'	80	280°	5	overcast	very rough	15.26	33.60
87.55-P	21	1855	33°10.0'	119°57.5'	660	300°	5	overcast	very rough	15.82	33.58
87.57 ⁵ -P	21	2050	33°05.0'	120°06.5'	400	320°	5	overcast	moderate	15.95	33.55
90.30-P	23	0735	33°24.5'	117°55.0'	340	220°	4	overcast	moderate	19.12	33.68
90.32 ⁵ -P	23	0555	33°19.5'	118°05.0'	450	180°	3	overcast	moderate	19.06	33.68

a) Temperature from bathythermograph.

TEMPERATURE AND SALINITY AT 10 METERS (NET-TOW STATIONS)

Station	Date	Time GCT	Latitude North	Longitude West	Sounding (fm)	Wind		Weather	Sea	10 Meters	
						Dir	Force			T	S
90.35-P	IX-22	2300	33°16.0'	118°15.0'	125	280°	3	cloudy	moderate	19.17	33.68
90.37 ⁵ -P	22	2050	33°11.5'	118°24.0'	650	290°	3	cloudy	moderate	17.79	33.60
90.42 ⁵ -P	22	1641	33°00.5'	118°45.0'	700	320°	2	overcast	moderate	17.21	33.64
90.45-P	22	1515	32°55.5'	118°55.5'	900+	320°	3	overcast	moderate	18.28	33.69
90.47 ⁵ -P	22	1340	32°50.5'	119°06.0'	650	320°	3	overcast	moderate	15.77	33.63
90.50-P	22	1202	32°45.5'	119°16.5'	210	320°	3	overcast	moderate	17.37	33.65
90.52 ⁵ -P	22	0645	32°40.5'	119°24.5'	650	280°	5	overcast	very rough	17.20	33.62
83.42-B	21	1050	34°14.0'	119°32.0'	47	calm		missing	slight	15.74a)	33.66
83.44-B	21	1230	34°14.0'	119°44.0'	95	220°	2	missing	slight	15.20	33.64
83.46-B	21	1439	34°14.0'	120°00.0'	320	270°	1	partly cloudy	slight	14.3b)	33.62
83.48-B	21	1717	33°58.0'	119°55.0'	100	270°	1	overcast	slight	15.12	33.58
83.51-B	21	1900	33°52.0'	120°08.0'	90	270°	2	overcast	rough	14.92	33.57
83.53-B	21	2040	33°48.0'	120°16.5'	400	290°	3	hazy	moderate	14.07	33.57
83.55-B	21	2200	33°44.0'	120°25.0'	580	290°	3	overcast	rough	14.3b)	33.60
83.57 ⁵ -B	21	2335	33°39.5'	120°35.0'	640	290°	3	cloudy	rough	14.7b)	33.58
85.40-B	22	1930	33°57.0'	119°10.5'	400	270°	2	overcast	slight	18.24	33.64

a) Alternate value, 17.80°C.

b) Temperature from bathythermograph.

TEMPERATURE AND SALINITY AT 10 METERS (NET-TOW STATIONS)

Station	Date	Time GCT	Latitude North	Longitude West	Sounding (fm)	Wind		Weather	Sea	10 Meters	
						Dir	Force			T	S
85.42 ⁵ -B	IX-22	1753	33°52.0'	119°21.0'	400	270°	1	overcast	slight	17.08	33.61
85.45-B	22	1603	33°47.0'	119°31.0'	1000	270°	2	overcast	moderate	15.08	33.53
85.47 ⁵ -B	22	1400	33°42.0'	119°42.0'	900	270°	1	overcast	slight	13.92	33.64
85.52 ⁵ -B	22	1015	33°32.0'	120°02.5'	490	290°	1	missing	slight	14.90	33.58
85.55-B	22	0810	33°27.0'	120°13.0'	650	290°	2	missing	rough	15.22	33.58
85.57 ⁵ -B	22	0643	33°22.0'	120°23.0'	540	270°	3	missing	moderate	15.85	33.57
87.37 ⁵ -B	23	0221	33°45.0'	118°48.0'	500	270°	2	clear	moderate	17.18	33.59
87.40-B	23	0359	33°40.0'	118°58.5'	450	270°	2	clear	slight	16.20	33.57
87.42 ⁵ -B	23	0545	33°35.0'	119°08.5'	220	240°	1	clear	moderate	16.48	33.59
87.47 ⁵ -B	23	0920	33°25.0'	119°29.0'	450	270°	1	clear	slight	15.16	33.62
87.50-B	23	1050	33°20.0'	119°39.5'	48	270°	1	missing	slight	15.02	33.60
87.52 ⁵ -B	23	1245	33°15.0'	119°50.0'	100	270°	1	missing	moderate	15.94	33.58
87.55-B	23	1428	33°10.0'	120°00.0'	640	260°	2	cloudy	moderate	15.96	33.60
87.57 ⁵ -B	23	1559	33°05.0'	120°11.0'	270	270°	1	cloudy	moderate	15.94	33.58
90.30-B	25	0350	33°24.0'	117°55.0'	330	280°	2	clear	slight	19.04	33.64
90.32 ⁵ -B	25	0215	33°19.0'	118°05.5'	440	290°	2	clear	slight	19.07	33.66
90.35-B	25	0026	33°15.0'	118°15.5'	250	290°	2	clear	slight	18.78	33.66
90.37 ⁵ -B	24	2245	33°10.0'	118°25.0'	680	270°	1	partly cloudy	slight	18.52	33.60

Station	Date	Time GCT	Latitude North	Longitude West	Sounding (fm)	Wind Dir	Wind Force	Weather	Sea	10 Meters T	10 Meters S
90.42 ⁵ -B	IX-24	1545	32°59.0'	118°46.0'	750	270°	2	overcast	moderate	17.73	33.65
90.45-B	24	1415	32°54.5'	118°56.0'	920	300°	2	cloudy	moderate	18.50	33.69
90.47 ⁵ -B	24	1233	32°50.0'	119°06.0'	720	320°	2	overcast	moderate	17.03	33.60
90.50-B	24	1055	32°44.5'	119°16.5'	150	330°	2	overcast	slight	16.32	33.66
91 ⁵ .50-B	24	0630	32°24.0'	119°07.5'	150	270°	2	overcast	slight	18.20	33.83
90.52 ⁵ -B	24	0150	32°39.5'	119°26.0'	680	300°	3	overcast	slight	17.16	33.60
90.55-B	24	0030	32°45.0'	119°15.0'	750	300°	2	overcast	moderate	17.50	33.65
90.58-B	24	0300	32°40.0'	118°55.0'	750	300°	2	overcast	moderate	17.50	33.65
90.60-B	24	0430	32°35.0'	118°50.0'	750	300°	2	overcast	moderate	17.50	33.65
90.62-B	24	0600	32°30.0'	118°45.0'	750	300°	2	overcast	moderate	17.50	33.65
90.65-B	24	0730	32°25.0'	118°40.0'	750	300°	2	overcast	moderate	17.50	33.65
90.68-B	24	0900	32°20.0'	118°35.0'	750	300°	2	overcast	moderate	17.50	33.65
90.70-B	24	1030	32°15.0'	118°30.0'	750	300°	2	overcast	moderate	17.50	33.65
90.72-B	24	1200	32°10.0'	118°25.0'	750	300°	2	overcast	moderate	17.50	33.65
90.75-B	24	1330	32°05.0'	118°20.0'	750	300°	2	overcast	moderate	17.50	33.65
90.78-B	24	1500	32°00.0'	118°15.0'	750	300°	2	overcast	moderate	17.50	33.65
90.80-B	24	1630	31°55.0'	118°10.0'	750	300°	2	overcast	moderate	17.50	33.65
90.82-B	24	1800	31°50.0'	118°05.0'	750	300°	2	overcast	moderate	17.50	33.65
90.85-B	24	1930	31°45.0'	118°00.0'	750	300°	2	overcast	moderate	17.50	33.65
90.88-B	24	2100	31°40.0'	117°55.0'	750	300°	2	overcast	moderate	17.50	33.65
90.90-B	24	2230	31°35.0'	117°50.0'	750	300°	2	overcast	moderate	17.50	33.65
90.92-B	24	2400	31°30.0'	117°45.0'	750	300°	2	overcast	moderate	17.50	33.65
90.95-B	24	2530	31°25.0'	117°40.0'	750	300°	2	overcast	moderate	17.50	33.65
90.98-B	24	2700	31°20.0'	117°35.0'	750	300°	2	overcast	moderate	17.50	33.65
91.00-B	24	2830	31°15.0'	117°30.0'	750	300°	2	overcast	moderate	17.50	33.65
91.02-B	24	3000	31°10.0'	117°25.0'	750	300°	2	overcast	moderate	17.50	33.65
91.05-B	24	3130	31°05.0'	117°20.0'	750	300°	2	overcast	moderate	17.50	33.65
91.08-B	24	3300	31°00.0'	117°15.0'	750	300°	2	overcast	moderate	17.50	33.65
91.10-B	24	3430	30°55.0'	117°10.0'	750	300°	2	overcast	moderate	17.50	33.65
91.12-B	24	3600	30°50.0'	117°05.0'	750	300°	2	overcast	moderate	17.50	33.65
91.15-B	24	3730	30°45.0'	117°00.0'	750	300°	2	overcast	moderate	17.50	33.65
91.18-B	24	3900	30°40.0'	116°55.0'	750	300°	2	overcast	moderate	17.50	33.65
91.20-B	24	4030	30°35.0'	116°50.0'	750	300°	2	overcast	moderate	17.50	33.65
91.22-B	24	4200	30°30.0'	116°45.0'	750	300°	2	overcast	moderate	17.50	33.65
91.25-B	24	4330	30°25.0'	116°40.0'	750	300°	2	overcast	moderate	17.50	33.65
91.28-B	24	4500	30°20.0'	116°35.0'	750	300°	2	overcast	moderate	17.50	33.65
91.30-B	24	4630	30°15.0'	116°30.0'	750	300°	2	overcast	moderate	17.50	33.65
91.32-B	24	4800	30°10.0'	116°25.0'	750	300°	2	overcast	moderate	17.50	33.65
91.35-B	24	4930	30°05.0'	116°20.0'	750	300°	2	overcast	moderate	17.50	33.65
91.38-B	24	5100	30°00.0'	116°15.0'	750	300°	2	overcast	moderate	17.50	33.65
91.40-B	24	5230	29°55.0'	116°10.0'	750	300°	2	overcast	moderate	17.50	33.65
91.42-B	24	5400	29°50.0'	116°05.0'	750	300°	2	overcast	moderate	17.50	33.65
91.45-B	24	5530	29°45.0'	116°00.0'	750	300°	2	overcast	moderate	17.50	33.65
91.48-B	24	5700	29°40.0'	115°55.0'	750	300°	2	overcast	moderate	17.50	33.65
91.50-B	24	5830	29°35.0'	115°50.0'	750	300°	2	overcast	moderate	17.50	33.65
91.52-B	24	6000	29°30.0'	115°45.0'	750	300°	2	overcast	moderate	17.50	33.65
91.55-B	24	6130	29°25.0'	115°40.0'	750	300°	2	overcast	moderate	17.50	33.65
91.58-B	24	6300	29°20.0'	115°35.0'	750	300°	2	overcast	moderate	17.50	33.65
91.60-B	24	6430	29°15.0'	115°30.0'	750	300°	2	overcast	moderate	17.50	33.65
91.62-B	24	6600	29°10.0'	115°25.0'	750	300°	2	overcast	moderate	17.50	33.65
91.65-B	24	6730	29°05.0'	115°20.0'	750	300°	2	overcast	moderate	17.50	33.65
91.68-B	24	6900	29°00.0'	115°15.0'	750	300°	2	overcast	moderate	17.50	33.65
91.70-B	24	7030	28°55.0'	115°10.0'	750	300°	2	overcast	moderate	17.50	33.65
91.72-B	24	7200	28°50.0'	115°05.0'	750	300°	2	overcast	moderate	17.50	33.65
91.75-B	24	7330	28°45.0'	115°00.0'	750	300°	2	overcast	moderate	17.50	33.65
91.78-B	24	7500	28°40.0'	114°55.0'	750	300°	2	overcast	moderate	17.50	33.65
91.80-B	24	7630	28°35.0'	114°50.0'	750	300°	2	overcast	moderate	17.50	33.65
91.82-B	24	7800	28°30.0'	114°45.0'	750	300°	2	overcast	moderate	17.50	33.65
91.85-B	24	7930	28°25.0'	114°40.0'	750	300°	2	overcast	moderate	17.50	33.65
91.88-B	24	8100	28°20.0'	114°35.0'	750	300°	2	overcast	moderate	17.50	33.65
91.90-B	24	8230	28°15.0'	114°30.0'	750	300°	2	overcast	moderate	17.50	33.65
91.92-B	24	8400	28°10.0'	114°25.0'	750	300°	2	overcast	moderate	17.50	33.65
91.95-B	24	8530	28°05.0'	114°20.0'	750	300°	2	overcast	moderate	17.50	33.65
91.98-B	24	8700	28°00.0'	114°15.0'	750	300°	2	overcast	moderate	17.50	33.65
92.00-B	24	8830	27°55.0'	114°10.0'	750	300°	2	overcast	moderate	17.50	33.65
92.02-B	24	9000	27°50.0'	114°05.0'	750	300°	2	overcast	moderate	17.50	33.65
92.05-B	24	9130	27°45.0'	114°00.0'	750	300°	2	overcast	moderate	17.50	33.65
92.08-B	24	9300	27°40.0'	113°55.0'	750	300°	2	overcast	moderate	17.50	33.65
92.10-B	24	9430	27°35.0'	113°50.0'	750	300°	2	overcast	moderate	17.50	33.65
92.12-B	24	9600	27°30.0'	113°45.0'	750	300°	2	overcast	moderate	17.50	33.65
92.15-B	24	9730	27°25.0'	113°40.0'	750	300°	2	overcast	moderate	17.50	33.65
92.18-B	24	9900	27°20.0'	113°35.0'	750	300°	2	overcast	moderate	17.50	33.65
92.20-B	24	10030	27°15.0'	113°30.0'	750	300°	2	overcast	moderate	17.50	33.65
92.22-B	24	10200	27°10.0'	113°25.0'	750	300°	2	overcast	moderate	17.50	33.65
92.25-B	24	10330	27°05.0'	113°20.0'	750	300°	2	overcast	moderate	17.50	33.65
92.28-B	24	10500	27°00.0'	113°15.0'	750	300°	2	overcast	moderate	17.50	33.65
92.30-B	24	10630	26°55.0'	113°10.0'	750	300°	2	overcast	moderate	17.50	33.65
92.32-B	24	10800	26°50.0'	113°05.0'	750	300°	2	overcast	moderate	17.50	33.65
92.35-B	24	10930	26°45.0'	113°00.0'	750	300°	2	overcast	moderate	17.50	33.65
92.38-B	24	11100	26°40.0'	112°55.0'	750	300°	2	overcast	moderate	17.50	33.65
92.40-B	24	11230	26°35.0'	112°50.0'	750	300°	2	overcast	moderate	17.50	33.65
92.42-B	24	11400	26°30.0'	112°45.0'	750	300°	2	overcast	moderate	17.50	33.65
92.45-B	24	11530	26°25.0'	112°40.0'	750	300°	2	overcast	moderate	17.50	33.65
92.48-B	24	11700	26°20.0'	112°35.0'	750	300°	2	overcast	moderate	17.50	33.65
92.50-B	24	11830	26°15.0'	112°30.0'	750	300°	2	overcast	moderate	17.50	33.65
92.52-B	24	12000	26°10.0'	112°25.0'	750	300°	2	overcast	moderate	17.50	33.65
92.55-B	24	12130	26°05.0'	112°20.0'	750	300°	2	overcast	moderate	17.50	33.65
92.58-B	24	12300	26°00.0'	112°15.0'	750	300°	2	overcast	moderate	17.50	33.65
92.60-B	24	12430	25°55.0'	112°10.0'	750	300°	2	overcast	moderate	17.50	33.65
92.62-B	24	12600	25°50.0'	112°05.0'	750	300°	2	overcast	moderate	17.50	33.65
92.65-B	24	12730	25°45.0'	112°00.0'	750	300°	2	overcast	moderate	17.50	33.65
92.68-B	24	12900	25°40.0'	111°55.0'	750	300°	2	overcast	moderate	17.50	33.65
92.70-B	24	13030	25°35.0'	111°50.0'	750	300°	2	overcast	moderate	17.50	33.65
92.72-B	24	13200	25°30.0'	111°45.0'	750	300°	2	overcast	moderate	17.50	33.65
92.75-B	24	13330	25°25.0'	111°40.0'	750	300°	2	overcast	moderate	17.50	33.65
92.78-B	24	13500	25°20.0'	111°35.0'	750	300°	2	overcast	moderate	17.50	33.65
92.80-B	24	13630	25°15.0'	111°30.0'	750	300°	2	overcast	moderate	17.50	33.65
92.82-B	24	13800	25°10.0'	111°25.0'	750	300°	2	overcast	moderate	17.50	33.65
92.85-B	24	13930	25°05.0'	111°20.0'	750	300°	2	overcast	moderate	17.50	33.65
92.88-B	24	14100	25°00.0'	111°15.0'	750	300°	2	overcast	moderate	17.50	33.65
92.90-B	24	14230	24°55.0'	111°10.0'	750	300°	2	overcast	moderate	17.50	33.65
92.92-B	24	14400	24°50.0'	111°05.0'	750	300°	2	overcast	moderate	17.50	33.65
92.95-B	24	14530	24°45.0'	111°00.0'	750	300°	2	overcast	moderate	17.50	33.65
92.98-B	24	14700	24°40.0'	110°55.0'	750	300°	2	overcast	moderate	17.50	33.65
93.00-B	24	14830	24°35.0'	110°50.0'	750	300°	2	overcast	moderate	17.50	33.65
93.02-B	24	15000	24°30.0'								

TEMPERATURE AND SALINITY AT 10 METERS (NET-TOW STATIONS)

DISTRIBUTION LIST

Mr. D. L. Alverson, Chief
North Pacific Fisheries Exploration and
Gear Research
Bureau of Commercial Fisheries
2725 Montlake Boulevard
Seattle 2, Washington

Mr. William Anderson
Bureau of Commercial Fisheries
Brunswick, Georgia

Mr. William E. Batzler
Code 2232
U. S. Navy Electronics Laboratory
San Diego 52, California

British Joint Services
(Navy Staff)
1910 K Street N. W.
Washington, D. C.

Mr. J. G. Burnette, Chairman
Marine Research Committee
P. O. Box 807
Los Altos, California

Librarian (4)
Department of Fish and Game
California State Fisheries Laboratory
Terminal Island, California

Library
Oceanographic Group
Central Fisheries Experiment Station
Pusan, Korea

Dr. Ernest R. Anderson
Code 2233
U. S. Navy Electronics Laboratory
San Diego 52, California

Mr. Thomas S. Austin
Bureau of Commercial Fisheries
Biological Laboratory
P. O. Box 3830
Honolulu 12, Hawaii

Dr. Rolf Bolin
Hopkins Marine Station
Pacific Grove, California

Librarian
Bureau of Commercial Fisheries
Biological Laboratory
P. O. Box 3830
Honolulu 12, Hawaii

Dr. Wayne V. Burt
Assoc. Prof. of Oceanography
School of Science
Oregon State College
Corvallis, Oregon

Mr. Ray Cannon
Ocean Fish Protective Association
645 N. Serrano Street
Los Angeles 4, California

Mr. Harold B. Clemens, Jr.
Marine Resources Operations
California State Fisheries Laboratory
Terminal Island, California

Chief, Division of Fisheries
Commonwealth Scientific and Industrial
Research Organization
P. O. Box 21
Crunulla, N. S. W., Australia

Mr. R. S. Croker, Director
California Department of Fish and Game
Marine Fisheries Laboratory Branch
772 Capitol Avenue
Sacramento 14, California

Deutsches Hydrographisches Institut
Bernhard-Nocht-Str. 78
Hamburg 4, Germany

Director of Research
Fish Commission of Oregon
Route 1, Box 31A
Clackamas, Oregon

Dr. Paul M. Fye
Woods Hole Oceanographic Institution
Woods Hole, Massachusetts

Dr. William J. Hargis, Jr., Director
Virginia Fisheries Laboratory
Gloucester Point, Virginia

Dr. Robert W. Hiatt
University of Hawaii
Honolulu 12, Hawaii

Dr. G. M. Cresswell
Department of Earth Sciences
Stanford Research Institute
Menlo Park, California

Herrn Professor Dr. A. Defant
Sternwartestrasse 38
Innsbruck
Austria

Chief
Division of Biological Research
U. S. Fish and Wildlife Service
Bureau of Commercial Fisheries
Washington 25, D. C.

Dr. Richard H. Fleming
University of Washington
Oceanographic Laboratories
Seattle 5, Washington

Hancock Library of Biology and
Oceanography
Allan Hancock Foundation
University of Southern California
Los Angeles 7, California

Mr. John Hawk
c/o Seafarers' International Union of
North America
450 Harrison Street
San Francisco 5, California

Mr. T. Hirano
Tokai Regional Fisheries Research
Laboratory
Tsukishima
Tokyo, Japan

Director
Instituto de Geofísica
Torre de Ciencias, 3er piso
Universidad Nacional Autónoma de
México
Villa Obregón, D. F.,
México

Japan Meteorological Agency
Oceanographical Section
Tokyo, Japan

Dr. E. Koto
Institute of Fisheries
Hokkaido University
Hakodate, Japan

Cdr. J. R. Lumby, Director
IGY WDC-A, Oceanography
Texas A. and M. College
College Station, Texas

Mr. Joseph Mardesich
Franco-Italian Packing Company
Fish Harbor Wharf
Terminal Island, California

Mr. Jotaro Masuzuwa
Japan Meteorological Agency
Oceanographical Section
Tokyo, Japan

Dr. Hugh J. McLellan
Department of Oceanography
Texas A. and M. College
College Station, Texas

Dr. R. C. Miller, Director
California Academy of Science
Golden Gate Park
San Francisco 18, California

Mr. Milton C. James
Pacific Marine Fishery Commission
340 State Office Building
1400 S. W. Fifth Avenue
Portland 1, Oregon

Dr. H. Kitamura
Oceanographic Section
Kobe Marine Observatory
Kobe, Japan

Dr. E. C. LaFond
Code 2250
U. S. Navy Electronics Laboratory
San Diego 52, California

Dr. John Lyman
National Science Foundation
Washington 25, D. C.

Mr. John C. Marr
Bureau of Commercial Fisheries
Biological Laboratory
P. O. Box 3830
Honolulu 12, Hawaii

Dr. J. L. McHugh, Chief
Division of Biological Research
Bureau of Commercial Fisheries
Washington 25, D. C.

Mr. Arthur H. Mendonca
c/o R. E. Booth Company, Inc.
280 Battery Street
San Francisco 11, California

Librarian
Ministry of Agriculture, Fisheries
and Food
Fisheries Laboratory
Lowestoft, Suffolk
England

Mr. John V. Morris
French Sardine Company
582 Tuna Street
Terminal Island, California

Mr. A. W. H. Needler, Director
Pacific Biological Station
Nanaimo, B. C.
Canada

Dr. Robert M. Norris
Department of Physical Sciences
University of California
Santa Barbara Campus
Goleta, California

Chief of Naval Research
Office of Naval Research
Geophysics Branch
Washington 25, D. C.

Dr. E. L. Pickard
Institute of Oceanography
University of British Columbia
Vancouver, B. C.
Canada

Dr. D. W. Pritchard, Director
Chesapeake Bay Institute
The Johns Hopkins University
121 Maryland Hall
Baltimore 18, Maryland

Mr. John Radovich
California Department of Fish and Game
California State Fisheries Laboratory
Terminal Island, California

Mr. Don T. Saxby
California Division
California Packing Corporation
2600 Seventh Street
Berkeley 10, California

National Marine Consultants, Inc.
2913 De la Vina
Santa Barbara, California
Attn: Dr. Richard Kent

Mr. Kenneth S. Norris, Curator
Marineland of the Pacific
Portuguese Bend
Marineland, California

Director
Norwegian Polar Institute
Observatorieg 1
Oslo, Norway

Dr. Yngve H. Olsen
Journal of Marine Research
Yale University
New Haven, Connecticut

Dr. G. Pogade, Librarian
Deutscher Wetterdienst Seewetteramt
Hamburg, Germany

Pusan Fisheries College
Pusan
Korea

Dr. Gordon A. Riley
Bingham Oceanographic Foundation
Yale University
New Haven, Connecticut

Dr. O. E. Sette, Chief
Bureau of Commercial Fisheries
Biological Laboratory
450-B Jordan Hall
Stanford, California

Mr. D. Shoji
Japanese Hydrographic Office
Tsukiji
Tokyo, Japan

Mr. Henry M. Stommel
Woods Hole Oceanographic Institution
Woods Hole, Massachusetts

Dr. Y. Takenouti
Oceanographical Section
Japan Meteorological Agency
Chuo-ku
Tokyo, Japan

Department of Oceanography
Texas A. and M. College
College Station, Texas

Dr. M. Uda
Tokyo University of Fisheries
Minato-ku
Tokyo, Japan

Library, Code 2420 (2)
U. S. Navy Electronics Laboratory
San Diego 52, California

University of California (2)
Serials Department
General Library
Berkeley 4, California

Librarian
University of Washington
Oceanographic Laboratories
Friday Harbor, Washington

Mr. W. E. Stewart
c/o California State Chamber of
Commerce
350 Bush Street
San Francisco 4, California

Miss Margaret Storey, Librarian
Natural History Museum
Stanford, California

Mr. Norman Tebble
Annelida Section
British Museum (Natural History)
Cromwell Road
London SW7, England

Dr. John P. Tully
Pacific Oceanographic Group
P. O. Drawer 6
Nanaimo, B. C.,
Canada

U. S. Hydrographic Office (2)
Navy Department
Washington 25, D. C.
Attn: Dr. Boyd E. Olson
Division of Oceanography

University of California
Department of Zoology
Berkeley 4, California

Director
University of Miami
Marine Laboratory
Coral Gables, Florida

Librarian (2)
University of Washington
Oceanographic Laboratories
Seattle 5, Washington

Director
University of Washington
School of Fisheries
Seattle 4, Washington

Mr. Richard C. Vetter
Secretary to the Committee on
Oceanography
National Academy of Sciences
2101 Constitution Avenue
Washington 25, D. C.

Dr. Boyd W. Walker
University of California
Department of Zoology
Los Angeles 24, California

Dr. M. Pat Wennekens
Oceanic Research Division
(Code 508)
Naval Ordnance Test Station
China Lake, California

Inter-American Tropical Tuna Commission
(c/o Scripps Institution of Oceanography)

Dr. M. B. Schaefer

Scripps Institution of Oceanography

Mrs. A. Alvariño de Leira
Dr. Leo D. Berner
Dr. Maurice Blackburn
Dr. Edward Brinton
Dr. Abraham Fleminger
Mr. Jeffery D. Frautschy
Mr. John D. Isaacs
Dr. Martin W. Johnson
Mr. Hans T. Klein
Mr. Garth I. Murphy

Mr. Gilbert C. Van Camp, Sr.
772 Tuna Street
Terminal Island, California

Dr. Lionel A. Walford,
Laboratory Director
Biological Laboratory
Bureau of Commercial Fisheries
734 Jackson Place, N. W.
Washington 25, D. C.

Mr. William E. Warne
California Department of Fish and Game
926 J Street
Sacramento 14, California

Dr. Kozo Yoshida
Geophysical Institute
Tokyo University
Bunkyo-ku
Tokyo, Japan

U. S. Bureau of Commercial Fisheries
(c/o Scripps Institution of Oceanography)

Dr. E. H. Ahlstrom
Mr. Gerald V. Howard

Mr. Joseph L. Reid, Jr.
Dr. Roger Revelle
Mrs. Margaret K. Riedel
Mrs. Margaret K. Robinson
Mr. Gunnar I. Roden
Mr. Richard A Schwartzlose
Dr. Warren S. Wooster
Mr. Charles G. Worrall (20)
Library (4)
Library, SFA