

CORRECTIONS MADE :
STATION POSITIONS ~~S&S~~

UNIVERSITY OF CALIFORNIA SCRIPPS INSTITUTION OF OCEANOGRAPHY

data report

PHYSICAL AND CHEMICAL DATA
CCOFI CRUISE 5809
(MLR 112)
4-19 September 1958

SIO Reference 58-84
1 December 1958

UNIVERSITY OF CALIFORNIA
SCRIPPS INSTITUTION OF OCEANOGRAPHY

PHYSICAL AND CHEMICAL DATA

CCOFI CRUISE 5809

(MLR 112)


4-19 September 1958

Sponsored by

Marine Research Committee

SIO Reference 58-84
1 December 1958

Approved for distribution:



Roger Revelle

Roger Revelle, Director

CONTENTS

List of Figures	ii
Introduction	iii
Personnel	v
Tabulated Data	253
Hydrographic Casts	253
Observations at 10 and 50 Meters (Net-Tow Stations)	270
Distribution List	272

FIGURES

1. CCOFI Cruise 5809 (MLR 112), station positions
2. Horizontal distribution of dynamic height anomaly (0 over 500 d-bar)
3. Horizontal distribution of temperature at 10 meters
4. Horizontal distribution of salinity at 10 meters
5. Horizontal distribution of temperature at 200 meters
6. Horizontal distribution of salinity at 200 meters

INTRODUCTION

The data presented in this report were collected on the one hundred and twelfth consecutive cruise of the California Cooperative Oceanic Fisheries Investigations program. The R/V Black Douglas of the U. S. Fish and Wildlife Service and the R/V Orca of the Scripps Institution participated in this cruise.

The data are tabulated at observed depths, and the interpolated and computed values are tabulated at standard depths. They are accompanied by charts of horizontal distribution. The presentation of data in this report does not constitute publication; however, the data contained in this report have been carefully edited and no modifications should be necessary before final publication.

STANDARD PROCEDURES

Processing of the data was carried out using the method described by Klein.^{1/} Certain approximations have been introduced for the determination of the integrated pressure terms which may result in errors whose maximum values are less than 0.5 dynamic centimeter at 0 over 200 decibars, 1.0 dynamic centimeter at 0 over 500 decibars, and 2.0 dynamic centimeters at 0 over 1000 decibars. The 125-meter level was introduced into the integration to obtain greater accuracy in the determination of ΔD . The interpolated values at 125 meters are not tabulated.

To indicate degree of accuracy, temperatures are recorded in tenths of a degree when obtained by bucket thermometer, thermograph, or bathythermograph, while temperatures from reversing thermometers are recorded in hundredths of a degree. Extrapolated values and values interpolated between remote observations are entered within parentheses. A hyphen is used to indicate a missing observed value. The time is the time of messenger release. When more than one cast was made on a station, each messenger time and wire angle is given in the order of increasing depth. A line is left blank between the observed data of each cast.

1/

Klein, Hans T. A new technique for processing physical oceanographic data. MS. Contribution from the Scripps Institution of Oceanography, New Series, No. 000.

FOOTNOTES

Standard footnotes which appear frequently are "loose bottle cap" and "possible evaporation." To avoid any confusion as to their meaning the following explanation is included.

Laboratory personnel, before titrating the salinity samples, note any possible imperfections in the sealing of the bottles as follows:

"Loose bottle cap": The cap is definitely loose so that it could be moved with very little applied pressure. The salinity values obtained from these samples may be usable depending on time and/or conditions of storage.

"Possible evaporation": Either the cap was sealed with less than usual pressure, the bottle edge chipped, the rubber washer cracked, or the bale broke on opening, etc.

Use of the above values in interpolation depends upon consistency with other values of salinity and other properties, and these footnotes are supplemented with "falls on property curve" or "does not fall on property curve," depending upon whether the property curve was drawn through the value or not.

In addition to standard footnotes, three special notations are used without footnotes because their meaning is always the same.

To indicate a premature or a delayed reversal of the water-sampling device which results in certain depth and property errors, the following notation is used.

p: pretrip or posttrip.


Values which are not drawn through because they seem to be in error without apparent reason are indicated by one of the following notations.

r: rejected value (value seems to be definitely wrong),

u: uncertain value (value may be correct; occasionally it can influence the drawing of the property curve).

VELOCITY OF GEOSTROPHIC FLOW

G.I.R.






FIGURE I




FIGURE 2




FIGURE 3




FIGURE 4




FIGURE 5




FIGURE 6

PERSONNEL
CRUISE 5809

SHIPS' CAPTAINS

Forster, Charles W., R/V Black Douglas
Newbegin, Robert C., R/V Orca

PERSONNEL PARTICIPATING IN THE COLLECTION OF DATA

R/V Black Douglas

Vrooman, Andrew M., Fishery Research Biologist, U. S. Fish and Wildlife Service
Joyal, Norman F., Marine Technician
Kimura, Makota, Fishery Research Biologist, U. S. Fish and Wildlife Service
MacGregor, John S., Fishery Research Biologist, U. S. Fish and Wildlife Service
Tebble, Norman, Senior Scientific Officer, British Museum of Natural History,
London, England

R/V Orca

Brown, Daniel M., Senior Marine Technician
Ames, Nicholas C., Marine Technician (first part of cruise)
Bottom, Kenneth S., Marine Technician (second part of cruise)
Brennan, Robert E., Marine Technician
Hubbard, Lyle T., Jr., Fishery Aid, U. S. Fish and Wildlife Service
Tracy, Robert S., Marine Technician

OBSERVED					INTERPOLATED				COMPUTED		
Z m	T °C	S %	O ₂ ml/L	δT ₃ 10 ⁻⁵ cm ³ /g	Z m	T °C	S %	O ₂ ml/L	σ _t g/L	δT ₃ 10 ⁻⁵ cm ³ /g	ΔD dyn. m

ORCA; September 10, 1958; 0940 GCT; 33°24.5'N, 117°55'W; sounding, 340 fm; wind, 240°, force 1; weather, clear; sea, moderate; wire angle, 08°.

90.30

1	21.65	33.51	4.53	468	0	(21.65)	(33.51)	(4.53)	(23.20)	(468)	(0.00)
10	21.66	33.53	5.41	467	10	21.66	33.53	5.41	23.21	467	0.05
30	15.70	33.22	6.26	347	20	19.94	33.44	5.68	23.59	431	0.09
40	14.70	33.15	6.29	332	30	15.70	33.22	6.26	24.47	347	0.13
50	13.76	33.18	6.19	311	50	13.76	33.18	6.19	24.86	311	0.20
60	13.01	33.22	5.47	293	75	11.96	33.27	5.10	25.28	270	0.27
71	12.12	33.26	5.18	274	100	10.54	33.37	4.43	25.61	238	0.33
85	11.54	33.31	4.91	260	150	9.41	33.68	3.65	26.02	198	0.44
99	10.56	33.37	4.44	239	200	8.84	33.93	2.59	26.32	171	0.54
114	10.09	33.47	4.17	224	250	8.50	34.07	1.96	26.49	155	0.62
135	9.66	33.64	3.84	205	300	8.08	34.17	1.80	26.63	142	0.70
164	9.15	33.71	3.48	191	400	7.26	34.26	0.86	26.82	124	0.84
196	8.85	33.91	2.60	172	500	6.55	34.31	0.50	26.96	111	0.96
241	8.58	34.05	1.98	157							
315	7.96	34.20	1.75	138							
410	7.20	34.27	0.73	122							
534	6.26	34.32	0.43	106							

ORCA; September 14, 1958; 0530, 0607 GCT; 33°24'N, 117°55.5'W; sounding, 321 fm; wind, calm; weather, clear; sea, moderate; wire angle, 02°, 02°.

90.30

0	21.42	33.44	5.36	467	0	21.42	33.44	5.36	23.21	467	0.00
10	21.37	33.48	5.37	462	10	21.37	33.48	5.37	23.26	462	0.05
30	16.01	33.25	6.22	352	20	19.74	33.41	5.66	23.64	426	0.09
40	15.85	33.49	5.98	330	30	16.01	33.25	6.22	24.42	352	0.13
50	14.70	33.44	5.89	311	50	14.70	33.44	5.89	24.85	311	0.20
60	13.24	33.32	5.45	290	75	11.70	33.30	4.97	25.35	264	0.27
70	12.06	33.30	5.13	270	100	11.10	33.53	4.45	25.64	236	0.33
84	11.28	33.32	4.01r	255	150	9.88	33.83	2.78	26.08	194	0.44
98	11.18	33.48	4.61	241	200	9.48	34.07	2.17	26.34	170	0.53
112	10.70	33.68	3.43	218	250	8.38	34.05	2.10	26.49	155	0.62
137	10.16	33.78	2.99	202	300	8.27	34.16	1.50	26.60	145	0.69
165	9.64	33.88	2.59	186	400	7.35	34.25	0.70	26.80	126	0.83
197	9.52	34.07	2.18	170	500	6.41	34.30	0.53	26.96	110	0.96
244	8.41	34.04	2.14	156							
321	8.24	34.20	1.33	142							
417	7.14	34.26	0.62	122							
543	6.02	34.33	0.50	103							

ORCA; September 17, 1958; 0948 GCT; 33°24.5'N, 117°55'W; sounding, 300+ fm; wind, calm; weather, clear; sea, smooth; wire angle, 00°.

90.30

0	21.25	33.44	5.34	462	0	21.25	33.44	5.34	23.26	462	0.00
10	21.09	33.40	5.34	461	10	21.09	33.40	5.34	23.28	461	0.05
30	16.00	33.15	6.28	359	20	18.50	33.27	5.84	23.84	407	0.09
41	14.79	33.18	6.20	331	30	16.00	33.15	6.28	24.35	359	0.13
49	13.52	33.22	5.92	303	50	13.45	33.23	5.85	24.96	301	0.19
60	12.69	33.38	4.77	276	75	11.40	33.44	4.29	25.50	249	0.26
69	11.33	33.31	4.80	256	100	10.87	33.58	3.80	25.71	229	0.32
83	11.28	33.55	4.19	238	150	9.99	33.79	2.93	26.04	198	0.43
98	10.92	33.58	3.98	229	200	8.81	33.94	2.47	26.34	170	0.53
112	10.74	33.67	3.39	220	250	8.66	34.13	1.70	26.51	153	0.61
135	10.26	33.72	3.15	208	300	8.02	34.14	1.63	26.62	143	0.68
164	9.74	33.86	2.75	189	400	7.38	34.23	0.89	26.79	127	0.82
196	8.84	33.93	2.52	170	500	6.45	34.30	0.52	26.96	110	0.95
244	8.76	34.13	1.72	154							
321	7.83	34.14	1.60	140							
419	7.26	34.25	0.72	124							
548	5.84	34.33	0.42	100							

SIO

CCOFI
5809

	OBSERVED					INTERPOLATED					COMPUTED		
	Z m	T °C	S %	O ₂ ml/L	δT ₃ 10 ⁻⁵ cm/g	Z m	T °C	S %	O ₂ ml/L	σ _t g/L	δT ₃ 10 ⁻⁵ cm/g	ΔD dyn.m	

90.37 ORCA; September 10, 1958; 1505, 1555 GCT; 33°10.5'N, 118°23.5'W; sounding, 600+ fm; wind, 290°, force 4; weather, partly cloudy; sea, moderate; wire angle, 18°, 18°.

0	21.36	33.48	5.32	462	0	21.36	33.48	5.32	23.26	462	0.00
10	21.36	33.49	5.37	462	10	21.36	33.49	5.37	23.26	462	0.05
28	17.05	33.27	6.29	373	20	21.35	33.49	5.38	23.27	461	0.09
43	14.32	33.17	6.37	327	30	16.55	33.25	6.34	24.29	364	0.13
52	13.44	33.19	6.18	304	50	13.57	33.18	6.22	24.89	307	0.20
63	12.86	33.22	5.42	291	75	11.72	33.34	4.88	25.38	261	0.27
72	11.95	33.31	4.99	267	100	10.30	33.53	4.08	25.78	223	0.33
91	10.74	33.49	4.38	233	150	9.08	33.82	3.00	26.20	183	0.44
105	10.12	33.55	3.96	219	200	8.52	34.04	2.20	26.47	157	0.52
					250	8.02	34.09	1.64	26.58	146	0.60
119	9.78	33.59	3.73	210	300	7.72	34.17	1.27	26.69	136	0.67
139	9.26	33.75	3.22	190	400	7.10	34.29	0.72	26.86	120	0.81
168	8.82	33.90	2.65	173	500	6.48	34.32	0.48	26.98	109	0.93
204	8.49	34.05	2.17	156							
257	7.96	34.10	1.56	145							
336	7.50	34.23	1.05	129							
436	6.88	34.31	0.56	115							
578	5.95	34.33	0.39	102							

90.37 ORCA; September 14, 1958; 1105, 1147 GCT; 33°10.5'N, 118°23.5'W; sounding, 678 fm; wind, 020°, force 1; weather, clear; sea, moderate; wire angle, 05°, 03°.

0	21.20	33.42	5.39	463	0	21.20	33.42	5.39	23.26	463	0.00
10	21.20	33.47	5.37	459	10	21.20	33.47	5.37	23.30	459	0.05
30	17.36	33.37	6.17	372	20	21.16	33.47	5.38	23.31	458	0.09
40	15.14	33.23	6.44	335	30	17.36	33.37	6.17	24.20	372	0.13
50	13.72	33.17	6.36	330	50	13.72	33.17	6.36	24.86	310	0.20
60	13.19	33.17	6.12	300	75	12.26	33.33	5.03	25.26	272	0.27
69	12.60	33.30	5.27	280	100	10.61	33.50	4.07	25.70	230	0.34
84	11.68	33.38	4.71	258	150	9.00	33.85	2.98	26.24	179	0.44
98	10.62	33.50	4.08	230	200	8.53	34.00	2.43	26.44	160	0.53
113	9.96	33.57	3.91	215	250	8.01	34.10	1.92	26.59	146	0.61
136	9.35	33.73	3.40	193	300	7.78	34.18	1.43	26.68	137	0.68
163	8.84	33.91	2.78	172	400	6.99	34.19	0.90	26.81	125	0.82
					500	6.40	34.27	0.46	26.95	112	0.94
198	8.54	34.00	2.44	161							
246	8.01	34.10	1.94	146							
323	7.61	34.20	1.25	133							
422	6.80	34.19	0.80	123							
549	6.13	34.36	0.37	101							

90.37 ORCA; September 17, 1958; 1545 GCT; 33°10.5'N, 118°23.5'W; sounding, 600 fm; wind, 270°, force 3; weather, cloudy; sea, slight; wire angle, 03°.

0	20.41	33.44	5.22	441	0	20.41	33.44	5.22	23.49	441	0.00
10	20.38	33.43	4.72	441	10	20.38	33.43	4.72	23.49	441	0.04
30	19.31	33.37	5.25	419	20	20.25	33.42	4.78	23.51	438	0.09
45	14.58	33.15	5.80	329	30	19.31	33.37	5.25	23.72	419	0.13
55	13.60	33.15	5.97	310	50	14.12	33.15	5.88	24.76	320	0.20
66	12.56	33.22	5.47	285	75	11.85	33.30	5.26	25.32	266	0.28
76	11.82	33.30	5.24	266	100	10.30	33.50	4.05	25.75	226	0.34
95	10.44	33.48	4.12	229	150	9.13	33.76	3.32	26.15	188	0.44
110	10.05	33.55	3.94	218	200	8.56	33.99	2.40	26.42	162	0.53
124	9.60	33.63	3.69	204	250	7.92	34.06	1.92	26.57	148	0.61
148	9.16	33.76	3.34	188	300	7.52	34.13	1.43	26.68	137	0.69
176	8.87	33.89	2.73	174	400	6.95	34.23	0.72	26.84	122	0.82
213	8.38	34.02	2.24	157	500	6.38	34.29	0.45	26.96	110	0.94
266	7.76	34.07	1.81	144	600	(5.83)	(34.34)	(0.40)	(27.07)	(100)	(1.05)
347	7.29	34.19	1.01	129							
447	6.64	34.26	0.50	116							
590	5.90	34.33	0.40	102							

OBSERVED					INTERPOLATED				COMPUTED		
Z m	T °C	S ‰	O ₂ ml/L	δ _T 10 ⁻⁵ cm ³ /g	Z m	T °C	S ‰	O ₂ ml/L	σ _t g/L	δ _T 10 ⁻⁵ cm ³ /g	ΔD dyn. m

SIO
CCOFI
5809

ORCA; September 10, 1958; 2235, 2248 GCT; 32°55'N, 118°56'W; sounding, 800 fm; wind, 320°, force 5;
weather, cloudy; sea, very rough; wire angle, 11°, 11°.

0	20.41	33.51	5.41	436	0	20.41	33.51	5.41	23.54	436	0.00
10	20.40	33.51	5.57	436	10	20.40	33.51	5.57	23.54	436	0.04
					20	15.97	33.35	5.90	24.52	343	0.08
34	14.34	33.30	6.00	313	30	14.80	33.31	5.97	24.74	322	0.12
44	13.38	33.37	5.43	289	50	12.90	33.39	5.18	25.19	279	0.18
58	12.15	33.42	4.83	263	75	11.20	33.50	4.44	25.60	240	0.24
69	11.68	33.48	4.53	250	100	9.90	33.61	3.82	25.90	211	0.30
78	10.86	33.52	4.39	233	150	9.03	33.92	2.69	26.30	174	0.39
98	9.95	33.60	3.83	212	200	8.65	34.10	2.00	26.49	155	0.48
115	9.40	33.78	3.15	190	250	8.16	34.16	1.65	26.61	143	0.55
130	9.44	33.80u	3.13	-	300	7.80	34.17	1.56	26.67	138	0.63
153	8.93	33.93	2.57	172	400	6.99	34.24	1.12	26.85	121	0.76
189	8.75	34.06	2.18	159	500	6.43	34.29	0.64	26.96	111	0.88
226	8.36	34.16	1.73	146	600	5.89	34.36	0.48	27.08	99	0.99
282	7.94	34.16	1.60	140							
368	7.22	34.22	1.37	126							
477	6.58	34.28	0.69	113							
626	5.78	34.38	0.42	96							

ORCA; September 14, 1958; 1643 GCT; 32°57'N, 118°56.5'W; sounding, 950 fm; wind, 120°, force 2; weather,
clear; sea, rough; wire angle, 08°.

0	19.78	33.50	5.47	420	0	19.78	33.50	5.47	23.70	420	0.00
10	19.35	33.49	5.64	411	10	19.35	33.49	5.64	23.80	411	0.04
30	13.41	33.35	5.48	291	20	14.08	33.37	5.49	24.93	304	0.08
40	12.31	33.37	4.80	269	30	13.41	33.35	5.48	25.06	291	0.11
51	11.76	33.41	4.53	256	50	11.80	33.41	4.57	25.42	256	0.16
60	11.20	33.46	4.46	243	75	10.15	33.54	3.92	25.81	220	0.22
68	10.38	33.52	4.05	225	100	9.59	33.68	3.44	26.01	201	0.28
85	9.92	33.58	3.80	233	150	8.92	33.99	2.55	26.36	167	0.37
99	9.60	33.68	3.45	201	200	8.40	34.08	1.95	26.51	153	0.45
112	9.43	33.77	3.23	191	250	8.05	34.15	1.70	26.62	143	0.52
136	9.08	33.90	2.78	176	300	7.66	34.19	1.43	26.72	134	0.60
164	8.73	34.05	2.29	160	400	6.84	34.26	0.71	26.88	118	0.73
196	8.44	34.07	2.00	154	500	6.40	34.29	0.50	26.96	110	0.84
243	8.08	34.14	1.72	143							
320	7.46	34.21	1.29	130							
415	6.78	34.27	0.65	116							
541	6.22	34.30	0.47	107							

ORCA; September 17, 1958; 2107, 2149 GCT; 32°55'N, 118°56'W; sounding, 900 fm; wind, 270°, force 3;
weather, cloudy; sea, slight; wire angle, 09°, 08°.

0	20.02	33.39	5.51	435	0	20.02	33.39	5.51	23.55	435	0.00
10	19.74	33.38	5.51	428	10	19.74	33.38	5.51	23.62	428	0.04
					20	19.50	33.37	5.53	23.67	423	0.09
30	14.45	33.20	5.83	322	30	14.45	33.20	5.83	24.73	322	0.12
45	13.10	33.33	5.42	287	50	13.01	33.32	5.46	25.11	286	0.18
55	12.92	33.31	5.48a)	285	75	11.44	33.42	4.51	25.49	250	0.25
65	12.16	33.38	4.92	266	100	9.77	33.62	3.80	25.94	208	0.31
74	11.45	33.42	4.52	250	150	8.95	33.90	2.60	26.28	175	0.41
93	10.00	33.59	3.96	214	200	8.62	34.02	2.14	26.44	160	0.49
107	9.59	33.66	3.65	202	250	8.10	34.09	1.70	26.57	148	0.57
121	9.35	33.77	3.07	190	300	7.72	34.11	1.46	26.64	141	0.64
144	8.98	33.89	2.64	176	400	6.99	34.18	0.98	26.80	126	0.78
172	8.85	33.96	2.39	168	500	6.40	34.27	0.62	26.95	112	0.91
209	8.54	34.04	2.07	158	600	(5.82)	(34.35)		(27.08)	(99)	(1.02)
261	8.00	34.10	1.62	146							
340	7.41	34.12	1.32	136							
439	6.71	34.22	0.70	119							
580	5.92	34.33	0.50	101							

a) Alternate value, 5.24 ml/L, not used in interpolation.

SIO CCOFI 5809	OBSERVED					INTERPOLATED					COMPUTED		
	Z m	T °C	S %	O ₂ ml/L	δT ₃ 10 ⁻⁵ cm/g	Z m	T °C	S %	O ₂ ml/L	σ _t g/L	δT ₃ 10 ⁻⁵ cm/g	ΔD dyn.m	
90.50	ORCA; September 11, 1958; 0255 GCT; 32°44'N, 119°15'W; sounding, 112 fm; wind, 320°, force 5; weather, clear; sea, very rough; wire angle, 20°.	0	19.14	33.45	5.68	409	0	19.14	33.45	5.68	23.82	409	0.00
	9	19.14	33.46	5.69	408		10	19.13	33.46	5.69	23.84	407	0.04
	28	18.76	33.42	5.71	402		20	19.08	33.45	5.69	23.85	406	0.08
	47	14.98	33.28	6.32	328		30	18.70	33.42	5.72	23.90	401	0.12
	70	12.26	33.40	4.86	267		50	14.78	33.29	6.25	24.72	324	0.19
	94	11.23	33.52	4.26	240		75	12.00	33.42	4.70	25.38	260	0.27
						100	(10.90)	(33.57)	(4.05)	(25.70)	(230)	(0.33)	
90.50	ORCA; September 14, 1958; 2105 GCT; 32°45.5'N, 119°14.5'W; sounding, 128 fm; wind, 300°, force 3; weather, clear; sea, rough; wire angle, 01°.	0	19.98	33.53	5.68	424	0	19.98	33.53	5.68	23.67	424	0.00
	10	19.12	33.48	5.62	406		10	19.12	33.48	5.62	23.85	406	0.04
	30	16.64	33.40	5.68	355		20	18.88	33.47	5.63	23.91	401	0.08
	50	13.14	33.29	5.80	290		30	16.64	33.40	5.68	24.39	355	0.12
	76	11.60	33.40	4.98	254		50	13.14	33.29	5.80	25.07	290	0.18
	100	10.67	33.57	3.99	226		75	11.63	33.40	5.01	25.44	256	0.25
						100	10.67	33.57	3.99	25.74	226	0.31	
90.50	ORCA; September 18, 1958; 0145 GCT; 32°44.5'N, 119°16.5'W; sounding, 180 fm; wind, 300°, force 4; weather, cloudy; sea, moderate; wire angle, 18°.	0	19.08	33.47	5.55	406	0	19.08	33.47	5.55	23.86	406	0.00
	9	19.28	33.44	5.60	413		10	19.28	33.44	5.60	23.78	413	0.04
	28	17.06	33.36	5.85	367		20	18.05	33.39	5.79	24.05	387	0.08
	47	13.62	33.30	5.55	299		30	17.05	33.40	5.85	24.29	364	0.12
	73	11.52	33.37	4.84	256		50	13.45	33.33	5.45	25.05	292	0.18
	96	9.75	33.62	3.53	208		75	11.40	33.38	4.83	25.46	253	0.25
						100	(9.48)	(33.64)	(3.35)	(26.00)	(202)	(0.31)	
90.60	ORCA; September 11, 1958; 1055, 1240 GCT; 32°22'N, 119°57.5'W; sounding, 450+ fm; wind, 300°, force 6; weather, clear; sea, very rough; wire angle, 26°, 22°.	0	18.88	33.26	5.86	416	0	18.88	33.26	5.86	23.74	416	0.00
	9	18.85	33.31	5.56	412		10	18.86	33.31	5.57	23.78	412	0.04
	27	18.89	33.26	5.66	416		20	18.87	33.28	5.61	23.76	415	0.08
	40	16.22	33.24	6.19	357		30	18.77	33.25	5.70	23.76	415	0.12
	50	15.37	33.25	6.02	338		50	15.37	33.25	6.02	24.57	338	0.20
	59	14.66	33.22	6.16	326		75	13.78	33.21	6.09	24.87	309	0.28
	69	14.06	33.21	6.13	315		100	11.26	33.27	5.23	25.40	259	0.35
	86	13.08	33.21	5.94	295		150	9.23	33.64	4.02	26.05	197	0.47
	98	11.36	33.26	5.26	261		200	8.47	33.96	2.93	26.41	163	0.56
	111	10.59	33.35	5.08	241		250	7.77	33.99	2.36	26.54	150	0.64
	131	9.63	33.44	4.73	220		300	7.12	34.08	1.64	26.70	135	0.71
	155	9.16	33.68	3.88	194		400	6.41	34.14	0.82	26.84	122	0.85
						500	5.82	34.20	0.57	26.97	110	0.97	
	201	8.46	33.96	2.93	163								
	251	7.76	33.99	2.35	150								
	327	6.86	34.11	1.37	130								
	423	6.30	34.15	0.74	120								
	559	5.44	34.26	0.48	101								

OBSERVED					INTERPOLATED					COMPUTED		
Z m	T °C	S ‰	O ₂ ml/L	δT ₃ 10 ⁻⁵ cm/g	Z m	T °C	S ‰	O ₂ ml/L	σ _t g/L	δT ₃ 10 ⁻⁵ cm/g	ΔD dyn. m	

SIO
CCOFI
5809

ORCA; September 15, 1958; 0435 GCT; 32°23'N, 119°52.5'W; sounding, 500 fm; wind, 300°, force 3; weather, clear; sea, very rough; wire angle, 08°.

0	18.72	33.38	5.67	404	0	18.72	33.38	5.67	23.88	404	0.00
10	18.65	33.42	-	400	10	18.65	33.42	-	23.92	400	0.04
30	18.42	33.40	5.71	395	20	18.54	33.41	5.68	23.95	397	0.08
40	16.46	33.34	6.14	355	30	18.42	33.40	5.71	23.97	395	0.12
50	15.58	33.31	6.20	338	50	15.58	33.31	6.20	24.56	338	0.19
59	14.71	33.25	6.36	325	75	13.70	33.29	5.60	24.95	302	0.27
70	14.28	33.31	5.51	311	100	11.26	33.31	5.20	25.44	255	0.34
84	12.43	33.23	5.80	283	150	9.40	33.59	4.32	25.98	204	0.46
100	11.26	33.31	5.20	255	200	8.50	33.92	2.92	26.38	166	0.55
114	10.28	33.36	4.74	235	250	7.78	34.05	2.08	26.58	146	0.63
138	9.60	33.48	4.67	216	300	7.38	34.11	1.60	26.70	136	0.71
166	9.14	33.71	3.70	192	400	6.40	34.19	0.90	26.89	117	0.84
199	8.50	33.92	2.92	166	500	5.92	34.27	0.57	27.00	106	0.96
245	7.81	34.04	2.13	148							
319	7.19	34.14	1.36	132							
413	6.32	34.20	0.87	116							
540	5.74	34.31	0.45	100							

ORCA; September 18, 1958; 0858 GCT; 32°25'N, 119°57.5'W; sounding, 450 fm; wind, 240°, force 5; weather, clear; sea, rough; wire angle, 15°.

0	18.83	33.28	5.51	414	0	18.83	33.28	5.51	23.77	414	0.00
10	18.83	33.31	5.53	412	10	18.83	33.31	5.53	23.79	412	0.04
28	18.83	33.28	5.46	414	20	18.83	33.28	5.50	23.77	414	0.08
43	15.48	33.26	6.07	340	30	18.82	33.28	5.46	23.77	414	0.12
53	15.00	33.26	6.06	330	50	15.17	33.26	6.06	24.61	334	0.20
62	14.50	33.31	6.02	316	75	13.66	33.30	5.86	24.97	300	0.28
72	13.90	33.30	5.92	305	100	11.60	33.39	5.27	25.44	255	0.35
92	12.31	33.36	5.44	270	150	9.41	33.51	4.26	25.91	210	0.46
105	11.14	33.41	5.18	246	200	8.72	33.93	2.45	26.35	168	0.56
119	10.37	33.45	4.99	229	250	8.17	34.04	1.83	26.52	152	0.64
142	9.48	33.49	4.41	213	300	7.40	34.04	1.50	26.63	142	0.72
169	9.22	33.73	3.34	191	400	6.41	34.11	0.87	26.82	124	0.86
206	8.62	33.95	2.36	166	500	5.84	34.19	0.50	26.96	111	0.98
256	8.09	34.04	1.77	151							
334	6.92	34.04	1.31	136							
434	6.20	34.15	0.64	118							
573	5.40	34.23	0.33	103							

ORCA; September 11, 1958; 2025, 2048 GCT; 32°05.5'N, 120°36'W; sounding, 2000+ fm; wind, 320°, force 5; weather, clear; sea, very rough; wire angle, 35°, 45°.

0	18.86	33.25	5.62	417	0	18.86	33.25	5.62	23.74	417	0.00
8	18.82	33.28	5.67	414	10	18.82	33.28	5.66	23.77	414	0.04
24	18.82	33.24	5.65	417	20	18.82	33.25	5.65	23.75	416	0.08
36	18.28	33.30	5.74	399	30	18.81	33.24	5.65	23.75	416	0.12
44	16.44	33.30	6.36	358	50	15.46	33.28	6.17	24.57	338	0.20
53	15.30	33.28	6.15	334	75	14.42	33.25	6.14	24.77	318	0.28
62	14.87	33.28	6.16	326	100	13.10	33.35	5.72	25.11	286	0.36
79	14.24	33.24	6.14	316	150	9.56	33.57	4.90	25.92	209	0.48
90	13.56	33.24	6.12	302							
107	11.94	33.40	5.59	260							
129	10.33	33.48	5.15	227							
160	9.30	33.63	4.74	200							

SIO

CCOFI
5809

	OBSERVED					INTERPOLATED					COMPUTED		
	Z m	T °C	S %	O ₂ ml/L	δT ₃ 10 ⁻⁵ cm/g	Z m	T °C	S %	O ₂ ml/L	σ _t g/L	δT ₃ 10 ⁻⁵ cm/g	ΔD dyn. m	

90.70

ORCA; September 15, 1958; 1120 GCT; 32°01.5'N, 120°30'W; sounding, 2100+ fm; wind, 300°, force 2; weather, clear; sea, rough; wire angle, 08°.

0	18.66	33.36	5.62	404		0	18.66	33.36	5.62	23.87	404	0.00
10	18.64	33.42	5.30	399		10	18.64	33.42	5.30	23.92	399	0.04
30	18.71	33.35	5.42	406		20	18.68	33.37	5.40	23.87	404	0.08
39	18.38	33.36	5.45	397		30	18.71	33.35	5.42	23.85	406	0.12
49	15.86	33.33	5.83	342		50	15.80	33.33	5.85	24.53	342	0.20
59	15.20	33.31	5.96	330		75	14.44	33.32	5.85	24.82	313	0.28
68	14.72	33.31	5.89	320		100	13.58	33.40	5.69	25.06	291	0.36
82	14.15	33.35	5.85	306		150	9.20	33.55	4.42	25.95	205	0.48
97	13.69	33.39	5.72	294		200	8.41	33.87	3.18	26.34	169	0.57
110	11.77	33.45	5.24	253		250	7.86	33.96	2.42	26.50	154	0.65
132	9.88	33.51	4.95	218		300	7.32	34.03	1.85	26.64	141	0.73
159	9.13	33.64	4.37	196		400	6.45	34.12	0.98	26.83	123	0.87
191	8.57	33.84	3.35	173		500	5.75	34.13	0.95	26.92	114	0.99
235	8.01	33.94	2.64	158								
309	7.21	34.04	1.77	139								
401	6.44	34.12	0.97	123								
527	5.58	34.13	0.95	112								

93.27

ORCA; September 10, 1958; 0011, 0037 GCT; a) 32°55'N, 117°21.5'W; sounding, 300 fm; wind, 300°, force 4; weather, clear; sea, moderate; wire angle, 15°, 18°.

227	9.10	34.04	2.14	167
238	8.80	34.07	2.05	160
247	8.86	34.11	1.64	158
256	8.80	34.14	1.64	155
265	8.64	34.16	1.57	151
274	8.70	34.20	1.38	149
283	8.61	34.18	1.38	149
293	8.45	34.18	1.40	146
302	8.45	34.16	1.33	147
312	8.36	34.21	1.29	143
321	8.23	34.20	1.24	142
330	8.18	34.21	1.21	140
340	8.00	34.22	1.16	137
350	7.95	34.21	1.22	137
359	7.88	34.22	1.09	135
368	7.84	-	1.13	-
378	7.77	34.22	0.96	133

93.27

ORCA; September 13, 1958; 1800, 1828 GCT; 32°55'N, 117°21.5'W; sounding, 228 fm; b) wind, 180°, force 3; weather, clear; sea, moderate; wire angle, 05°, 05°.

0	19.36	33.39	5.97	418		0	19.36	33.39	5.97	23.73	418	0.00
10	16.09	33.30	6.29	350		10	16.09	33.30	6.29	24.44	350	0.04
20	15.24	33.60r	6.24	-		20	15.24	33.33	6.24	24.65	330	0.07
30	14.54	33.59r	6.29	-		30	14.54	33.36	6.29	24.83	313	0.10
40	14.28	33.37	5.95	307		50	13.06	33.35	5.00	25.12	285	0.16
50	13.06	33.35	5.00	285		75	11.53	33.51	4.54	25.54	245	0.23
70	11.64	33.48	4.63	250		100	10.98	33.56	4.17	25.67	233	0.29
90	11.26	33.55	4.30	238		150	10.12	33.75	3.32	25.98	203	0.40
69	11.78u	33.48u	4.42u	-		200	9.55	33.96	2.43	26.24	179	0.50
93	10.96u	-	4.30u	-		300	8.57	34.17	1.60	26.56	148	0.67
116	10.54	33.58	3.90	223								
139	10.23	33.69	3.50	210								
186	9.68	33.90	2.66	186								
236	9.24	34.07	1.96	166								
282	8.73	34.15	1.86	152								
315p	8.42	34.20	1.47	145								

a) Test cast.

b) Sounding varies from 228 to 195 fathoms.

OBSERVED					INTERPOLATED					COMPUTED		
Z m	T °C	S %	O ₂ ml/L	δT_3 $10^{-5} \text{ cm}^3/\text{g}$	Z m	T °C	S %	O ₂ ml/L	σ_t g/L	δT_3 $10^{-5} \text{ cm}^3/\text{g}$	ΔD dyn. m	

ORCA; September 17, 1958; 0000 GCT; 32°55'N, 117°21.5'W; sounding, 275 fm; wind, calm; weather, clear; sea, slight; wire angle, 11°.

0	22.32	33.47	5.30	489	0	22.32	33.47	5.30	22.98	489	0.00
10	21.68	33.41	5.45	476	10	21.68	33.41	5.45	23.12	476	0.05
20	17.80	33.31	6.05	387	20	17.80	33.31	6.05	24.05	387	0.09
29	15.10	33.31	5.67	328	30	15.05	33.31	5.64	24.68	327	0.13
40	13.36	33.33	5.11	291	50	12.52	33.39	4.80	25.26	272	0.19
50	12.52	33.39	4.80	272	75	11.42	33.50	4.23	25.55	244	0.25
60	11.98	33.46	4.72	257	100	11.01	33.53	3.94	25.65	235	0.31
78	11.34	33.51	4.15	242	150	10.04	33.73	3.08	25.98	204	0.42
97	11.02	33.53	3.95	235	200	9.41	33.92	2.57	26.23	180	0.52
126	10.32	33.60	3.68	218	250	8.87	34.09	1.80	26.45	159	0.61
150	10.04	33.73	3.08	204	300	8.39	34.15	1.44	26.57	148	0.69
173	9.87	33.84	2.82	193	400	(7.25)	(34.20)	(1.02)	(26.78)	(128)	(0.83)
196	9.46	33.91	2.59	181							
243	8.94	34.07	1.88	162							
294	8.47	34.14	1.51	149							
341	7.83	34.19	1.08	136							
390	7.28	34.20	1.02	128							

ORCA; September 19, 1958; 1528 GCT; 32°55'N, 117°21.5'W; sounding, 272 fm; wind, 270°, force 1; weather, overcast; sea, slight; wire angle, 09°.

0	20.90	33.44	5.84	453	0	20.90	33.44	5.84	23.36	453	0.00
10	-	33.24	6.19	-	10	20.10	33.24	6.19	23.42	447	0.04
20	15.86	33.29	6.25	346	20	15.86	33.29	6.25	24.48	346	0.08
29	13.90	33.22	6.18	310	30	13.85	33.22	6.15	24.86	310	0.12
39	13.28	33.30	5.68	292	50	12.55	33.26	5.27	25.16	282	0.18
49	12.60	33.26	5.34	283	75	11.10	33.46	4.39	25.58	242	0.24
58	12.09	33.40	4.70	263	100	10.63	33.55	3.92	25.73	227	0.30
78	10.99	33.47	4.32	239	150	10.10	33.78	3.03	26.01	201	0.41
97	10.66	33.55	3.95	227	200	9.57	33.92	2.29	26.20	183	0.51
125	10.39	33.68	3.31	213	250	8.80	34.05	1.78	26.43	161	0.60
149	10.12	33.78	3.03	201	300	8.38	34.17	1.27	26.58	146	0.68
170	10.04	33.88	2.38	193	400	(7.03)	(34.25)	(0.62)	(26.85)	(121)	(0.82)
195	9.64	33.91	2.34	184							
242	8.88	34.02	1.91	165							
294	8.47	34.16	1.36	148							
342	7.60	34.22	0.93	131							
392	7.12	34.25	0.66	123							

ORCA; September 13, 1958; 1505 GCT; 32°50'N, 117°31.5'W; sounding, 400+ fm; wind, 150°, force 2; weather, partly cloudy; sea, moderate; wire angle, 04°.

0	21.72	33.53	-	468	0	21.72	33.53		23.20	468	0.00
10	21.32	33.53	5.60	457	10	21.32	33.53	5.60	23.32	457	0.05
30	14.98	33.48a)	6.35	-	20	18.28	33.44	5.97	24.03	389	0.09
40	14.24	33.34	6.05	308	30	14.98	33.36	6.35	24.74	322	0.12
51	13.38	33.39	5.54	288	50	13.46	33.39	5.58	25.08	290	0.18
61	12.40	33.42	4.93	268	75	11.42	33.49	4.34	25.54	245	0.25
71	11.60	33.48	4.57	249	100	10.83	33.63	3.73	25.76	225	0.31
85	11.10	33.50	4.00	238	150	10.40	33.78	2.95	25.96	206	0.42
100	10.83	33.63	3.73	225	200	10.10	33.98	2.24	26.16	187	0.52
114	10.66	33.74a)	3.55	-	250	9.00	34.02	2.34	26.37	166	0.61
138	10.45	33.75	3.14	209	300	8.19	34.06	2.17	26.53	152	0.69
167	10.27	33.86	2.61	198	400	7.48	34.24	1.06	26.78	128	0.84
200	10.10	33.98	2.24	187	500	6.73	34.29	0.53	26.92	114	0.96
247	9.07	34.02	2.36	167							
324	7.88	34.08	1.99	146							
420	7.40	34.27	0.85	125							
548	6.21	34.30	0.37	108							

a) Cracked bottle; value does not fall on property curve.

SIO
COFFI
5809

9327

9330

259

SIO

CCOFI
5809

	OBSERVED				INTERPOLATED				COMPUTED		
	Z m	T °C	S ‰	O ₂ ml/L	δT ₃ 10 ⁻⁵ cm/g	Z m	T °C	S ‰	O ₂ ml/L	σ _t g/L	δT ₃ 10 ⁻⁵ cm/g

93.30

ORCA; September 16, 1958; 2120 GCT; 32°50.5'N, 117°31.5'W; sounding, 400 fm; wind, 300°, force 2;
weather, clear; sea, slight; wire angle, 26°.

0	22.55	33.48	5.24	493	0	22.55	33.48	5.24	22.94	493	0.00
9	22.05	33.49	5.42	480	10	21.98	33.49	5.44	23.09	478	0.05
27	17.92	33.31	6.09	390	20	19.80	33.39	5.79	23.61	429	0.09
36	16.44	33.30	6.24	358	30	17.37	33.31	6.15	24.15	377	0.13
44	14.20	33.22	6.09	316	50	13.40	33.30	5.63	25.02	295	0.20
53	12.95	33.35	5.34	283	75	11.32	33.45	4.48	25.53	246	0.27
62	11.99	33.38	4.71	263	100	10.80	33.57	3.70	25.72	228	0.33
75	11.32	33.45	4.48	246	150	10.23	33.83	2.58	26.02	200	0.44
88	11.00	33.53	3.73	235	200	9.56	33.96	2.47	26.24	179	0.53
101	10.79	33.58	3.69	227	250	8.78	34.04	2.23	26.42	162	0.62
120	10.50	33.71	3.18	213	300	8.07	34.09	1.76	26.58	147	0.70
146	10.30	33.82	2.61	201	400	7.50	34.24	0.90	26.76	129	0.84
175	9.92	33.90	2.51	189	500	(6.58)	(34.28)	(0.48)	(26.94)	(113)	(0.97)
218	9.30	34.01	2.43	171							
287	8.19	34.07	1.91	150							
376	7.72	34.22	1.03	133							
497	6.60	34.28	0.50	113							

93.30

ORCA; September 19, 1958; 1300 GCT; 32°50'N, 117°31.5'W; sounding, 400 fm; wind, 320°, force 1;
weather, overcast; sea, slight; wire angle, 06°.

0	21.71	33.47	5.45	472	0	21.71	33.47	5.45	23.16	472	0.00
11	21.42	33.47	5.48	465	10	21.60	33.47	5.46	23.19	469	0.05
30	13.79	33.17	6.13	312	20	18.90	33.36	5.70	23.82	409	0.09
40	12.38	33.28	5.43	277	30	13.79	33.17	6.13	24.84	312	0.13
49	12.10	33.33	5.18	269	50	12.08	33.34	5.14	25.30	268	0.18
59	11.82	33.46	4.62	254	75	11.42	33.49	4.20	25.54	246	0.25
69	11.65	33.48	4.28	250	100	10.68	33.56	3.55	25.73	227	0.31
83	11.06	33.51	4.12	237	150	10.35	33.79	2.68	25.97	204	0.42
98	10.70	33.56	3.70	227	200	9.89	34.03	2.15	26.23	179	0.52
113	10.61	33.65	3.25	219	250	9.37	34.14	1.73	26.41	163	0.60
135	10.42	33.73	2.96	210	300	8.72	34.16	1.57	26.52	152	0.68
163	10.25	33.84	2.55	199	400	7.40	34.19	1.11	26.74	131	0.83
196	9.95	34.00	2.19	181	500	6.58	34.25	0.60	26.91	115	0.96
243	9.44	34.14	1.78	164							
318	8.46	34.16	1.51	148							
413	7.21	34.20	1.00	128							
541	6.32	34.28	0.47	110							

93.40 ORCA; September 13, 1958; 0729 GCT; 32°31'N, 118°13'W; sounding, 900+ fm; wind, 270°, force 5;
weather, clear; sea, very rough; wire angle, 18°.

0	19.72	33.31a)	5.59	433	0	19.72	33.31	5.59	23.57	433	0.00
10	19.71	-	5.57	-	10	19.71	33.31	5.57	23.58	432	0.04
28	16.56	-	6.10	-	20	19.10	33.30	5.67	23.72	419	0.08
43	15.30	33.27	6.22	335	30	16.40	33.28	6.14	24.35	358	0.12
57	14.08	33.20	6.14	316	50	14.73	33.23	6.22	24.70	326	0.19
65	13.45	33.17	6.03	305	75	12.55	33.28	5.64	25.17	280	0.27
75	12.55	33.28	5.64	280	100	10.41	33.38	4.80	25.64	236	0.34
93	10.72	33.33	5.09	244	150	9.15	33.75	3.12	26.13	189	0.44
110	10.04	33.49	4.36	222	200	8.60	33.97	2.46	26.40	164	0.53
123	9.74	33.62	3.92	207	250	8.04	34.05	1.94	26.55	150	0.61
144	9.34	33.70	3.28	195	300	7.46	34.12	1.48	26.68	137	0.68
178	8.79	33.91	2.72	171	400	6.80	34.22	0.85	26.86	120	0.82
212	8.46	34.00	2.26	160	500	6.22	34.27	0.48	26.96	110	0.94
265	7.82	34.07	1.72	145	600	(5.62)	(34.29)	(0.34)	(27.07)	(100)	(1.05)
345	7.11	34.18	1.16	128							
450	6.50	34.25	0.57	114							
592	5.70	34.29	0.34	102							

a) Salinity bottle numbers were not recorded on the data sheet. Since standard handling and titrating procedures were used, it is assumed that the salinity values are in the order listed.

OBSERVED					INTERPOLATED				COMPUTED		
Z m	T °C	S %	O ₂ ml/L	δT ₃ 10 ⁻⁵ cm/g	Z m	T °C	S %	O ₂ ml/L	σ _t g/L	δT ₃ 10 ⁻⁵ cm/g	ΔD dyn. m

ORCA; September 16, 1958; 1325 GCT; 32°30'N, 118°13.5'W; sounding, 900 fm; wind, 290°, force 1; weather, clear; sea, slight; wire angle, 06°.

9340

0	20.51	33.53	5.36	437	0	20.51	33.53	5.36	23.52	437	0.00
10	20.50	33.92r	5.20	-	10	20.50	33.53	5.20	23.52	437	0.04
30	20.20	33.52	5.48	430	20	20.37	33.53	5.32	23.56	434	0.09
40	15.56	33.15	6.19	349	30	20.20	33.52	5.48	23.60	430	0.13
51	14.64	33.19	6.20	328	50	14.78	33.19	6.20	24.64	331	0.21
60	13.96	33.19	6.16	314	75	12.66	33.20	5.60	25.08	289	0.28
70	13.04	33.19	5.76	296	100	10.64	33.33	4.85	25.56	244	0.35
84	11.98	33.24	5.32	273	150	9.12	33.81	3.24	26.19	184	0.46
98	10.70	33.31	4.88	246	200	8.81	33.99	2.44	26.38	166	0.55
112	9.87	33.48	4.44	220	250	7.97	34.05	1.87	26.56	149	0.63
136	9.24	33.80	3.53	186	300	7.45	34.14	1.32	26.69	136	0.70
164	9.06	33.83	3.13	181	400	6.84	34.21	0.78	26.84	122	0.84
196	8.87	34.16u	2.48	-	500	6.21	34.26	0.50	26.96	110	0.96
243	8.03	34.04	1.97	150							
319	7.30	34.15	1.14	132							
415	6.77	34.22	0.71	120							
543	5.93	34.28	0.40	105							

ORCA; September 19, 1958; 0608 GCT; 32°30.5'N, 118°11'W; sounding, 1000 fm; wind, calm; weather, cloudy; sea, moderate; wire angle, 03°.

9340

0	20.78	33.45	5.36	450	0	20.78	33.45	5.36	24.40	450	0.00
10	20.75	33.48	5.40	447	10	20.75	33.48	5.40	23.42	447	0.04
30	20.20	33.51	5.53	430	20	20.66	33.49	5.42	23.45	444	0.09
40	16.10	33.27	6.16	352	30	20.20	33.51	5.53	23.60	430	0.13
50	15.47	33.28	6.18	339	50	15.47	33.28	6.18	24.56	339	0.21
60	14.18	33.17	6.18	320	75	13.80	33.15	6.06	24.82	314	0.29
69	14.10	33.16	6.14	319	100	11.62	33.22	5.27	25.30	268	0.37
84	12.88	33.12	5.92	298	150	9.52	33.62	3.70	25.98	204	0.48
98	11.74	33.22	5.32	270	200	8.59	33.94	2.44	26.37	166	0.58
112	10.48	33.33	4.89	241	250	8.05	34.03	2.18	26.52	152	0.66
135	9.78	33.47	4.28	219	300	7.64	34.10	1.66	26.64	141	0.74
163	9.26	33.80	3.05	186	400	6.79	34.21	0.85	26.84	122	0.87
196	8.62	33.93	2.47	168	500	6.25	34.25	0.62	26.95	112	0.99
244	8.10	34.02	2.21	154							
321	7.46	33.96u	1.41	-							
417	6.66	34.22	0.78	119							
545	6.06	34.26	0.56	108							

ORCA; September 12, 1958; 2210, 2303 GCT; 32°08'N, 118°55'W; sounding, 700 fm; wind, 300°, force 6; weather, partly cloudy; sea, high; wire angle, 30°, 35°.

9350

0	19.92	33.46	5.43	427	0	19.92	33.46	5.43	23.63	427	0.00
8	19.87	33.53	5.49	421	10	19.86	33.53	5.50	23.69	421	0.04
31	16.72	33.37	6.30	359	20	19.84	33.53	5.51	23.70	420	0.08
					30	17.23	33.39	6.18	24.25	368	0.12
40	15.12	33.33	6.59	327	50	13.48	33.37	5.93	25.05	292	0.19
52	13.42	33.37	5.82	290	75	10.96	33.43	4.33	25.58	241	0.26
61	12.18	33.40	4.87	265	100	9.55	33.55	4.06	25.92	209	0.31
70	11.26	33.40	4.51	249	150	9.20	33.89	2.64	26.24	179	0.41
86	10.36	33.53	3.92	224	200	8.52	34.02	2.24	26.45	159	0.50
103	9.46	33.55	4.08	208	250	7.80	34.14	2.00	26.65	140	0.57
115	9.22	33.69	3.52	194	300	7.30	34.14	1.48	26.72	133	0.64
137	9.04	33.78	2.95	184	400	6.59	34.22	0.76	26.88	118	0.78
170	8.70	-	2.53	-	500	5.99	34.30	0.53	27.02	104	0.89
204	8.42	34.04	2.17	156							
254	7.74	34.14	1.96	139							
332	7.02	34.14	1.18	130							
435	6.36	34.27	0.65	111							
574	5.66	34.32	0.43	99							

23.40

SIO

CCOFI
5809

	OBSERVED					INTERPOLATED					COMPUTED		
	Z m	T °C	S %	O ₂ ml/L	δT 10 ⁻⁵ cm ³ /g	Z m	T °C	S %	O ₂ ml/L	σ _t g/L	δT 10 ⁻⁵ cm ³ /g	ΔD dyn. m	

9350 ORCA; September 16, 1958; 0558 GCT; 32°10.5'N, 118°53'W; sounding, 750 fm; wind, 320°, force 2; weather, clear; sea, rough; wire angle, 06°.

0	20.27	33.33	5.42	445		0	20.27	33.33	5.42	23.44	445	0.00
10	19.94	33.25	5.39	442		10	19.94	33.25	5.39	23.48	442	0.04
30	19.83	33.30	5.39	436		20	19.88	33.27	5.39	23.50	440	0.09
40	16.61	33.30	6.19	361		30	19.83	33.30	5.39	23.54	436	0.13
49	14.42	33.30	6.30	315		50	14.30	33.30	6.27	24.83	313	0.21
60	12.90	33.33	5.44	283		75	11.04	33.40	4.46	25.54	245	0.28
67	11.56	33.38	4.60	255		100	9.83	33.55	3.92	25.88	214	0.34
84	10.77	33.45	4.25	236		150	8.90	33.90	2.46	26.29	174	0.43
98	9.85	33.53	3.93	216		200	8.34	33.97	2.27	26.44	160	0.52
112	9.44	33.71	3.13	196		250	7.88	34.05	1.84	26.57	147	0.60
136	9.04	33.85	2.60	180		300	7.38	34.12	1.36	26.69	136	0.67
164	8.76	33.94	2.39	168		400	6.79	34.20	0.81	26.84	122	0.80
197	8.34	33.97	2.27	160		500	6.16	34.25	0.46	26.96	110	0.92
245	7.90	34.05	1.85	148								
322	7.21	34.14	1.21	132								
418	6.64	34.22	0.67	119								
547	5.81	34.26	0.36	105								

9350 ORCA; September 18, 1958; 2255 GCT; 32°10.5'N, 118°54.5'W; sounding, 715 fm; wind, 300°, force 3; weather, cloudy; sea, rough; wire angle, 10°.

0	20.48	33.48	5.38	440		0	20.48	33.48	5.38	23.49	440	0.00
10	20.45	33.41	5.22	444		10	20.45	33.41	5.22	23.45	444	0.04
29	19.58	33.44	5.43	420		20	20.43	33.41	5.23	23.45	444	0.09
43	15.08	33.24	5.93	333		30	19.57	33.44	5.44	23.71	419	0.13
53	14.64	33.23	5.93	325		50	14.82	33.23	5.93	24.68	327	0.21
63	13.68	33.20	6.07	307		75	12.96	33.30	5.48	25.10	287	0.28
72	13.20	33.28	5.67	292		100	11.02	33.44	4.38	25.58	242	0.35
92	11.82	33.38	4.74	260		150	9.08	33.78	3.04	26.17	185	0.46
106	10.40	33.48	4.19	228		200	8.60	34.01	2.02	26.43	161	0.54
119	9.54	33.55	4.08	209		250	7.89	34.06	1.78	26.58	147	0.62
142	9.19	33.73	3.29	190		300	7.26	34.09	1.55	26.68	137	0.70
171	8.87	33.91	2.57	173		400	6.70	34.15	1.00	26.82	124	0.83
208	8.46	34.03	1.93	158		500	6.20	34.26	0.53	26.97	110	0.96
260	7.78	34.07	1.76	144		600	(5.61)	(34.32)		(27.08)	(99)	(1.07)
339	6.87	34.10	1.31	130								
439	6.52	34.22	0.70	117								
581	5.76	34.31	0.37	101								

9360 ORCA; September 12, 1958; 1305, 1400 GCT; 31°46'N, 119°35'W; sounding, 1400 fm; wind, 300°, force 5; weather, clear; sea, very rough; wire angle, 33°, 31°.

0	19.62	33.44	5.46	421		0	19.62	33.44	5.46	23.70	421	0.00
8	19.60	33.47	5.62	418		10	19.60	33.47	5.63	23.72	418	0.04
25	18.76	33.43	5.82	401		20	19.60	33.47	5.63	23.72	418	0.08
38	14.88	33.28	6.31	326		30	16.28	33.33	6.14	24.42	352	0.12
51	14.11	33.30	6.06	309		50	14.20	33.30	6.09	24.85	311	0.19
58	13.38	33.35	5.44	291		75	11.93	33.33	5.02	25.32	266	0.26
67	12.62	33.36	5.16	276		100	10.32	33.54	4.10	25.79	222	0.32
83	11.24	33.30	4.86	256		150	8.93	33.88	2.76	26.28	175	0.42
98	10.38	33.53	4.11	224		200	8.42	34.00	2.28	26.44	160	0.51
110	9.93	33.58	4.07	213		250	7.98	34.10	1.77	26.60	145	0.59
126	9.43	33.71	3.47	196		300	7.59	34.15	1.36	26.68	137	0.66
155	8.86	33.89	2.69	174		400	6.80	34.22	0.95	26.85	121	0.79
185	8.62	33.95	2.48	166		500	6.05	34.26	0.57	26.98	108	0.91
230	8.12	34.08	1.95	149								
303	7.59	34.15	1.36	136								
429	6.59	34.23	0.83	117								
562	5.67	34.29	0.40	101								

OBSERVED					INTERPOLATED					COMPUTED			SIO
Z m	T °C	S %	O ₂ ml/L	δT ₃ 10 ⁻⁵ cm/g	Z m	T °C	S %	O ₂ ml/L	σ _t g/L	δT ₃ 10 ⁻⁵ cm/g	ΔD dyn. m	CCOFI 5809	
ORCA; September 15, 1958; 2250 GCT; 31°49.5'N, 119°32'W; sounding, 1400 fm; wind, 290°, force 3; weather, clear; sea, rough; wire angle, 11°.													9360
0	19.98	33.48	5.64	427	0	19.98	33.48	5.64	23.63	427	0.00		
10	19.30	33.48	5.53	410	10	19.30	33.48	5.53	23.81	410	0.04		
30	19.14	33.46	5.46	408	20	19.14	33.46	5.46	23.83	408	0.08		
39	16.64	33.33	5.89	360	30	19.14	33.46	5.46	23.83	408	0.12		
49	14.70	33.31	5.78	320	50	14.67	33.31	5.77	24.77	319	0.20		
59	13.42	33.28	5.70	297	75	11.70	33.32	4.78	25.36	262	0.27		
68	12.70	33.31	5.20	281	100	10.83	33.43	4.52	25.61	239	0.33		
82	11.66	33.37	4.72	258	150	9.14	33.79	3.08	26.17	185	0.44		
98	10.88	33.42	4.55	241	200	8.58	34.02	2.39	26.44	160	0.53		
112	10.09	33.55	4.02	218	250	7.88	34.06	2.10	26.58	147	0.60		
134	9.44	33.69	3.42	198	300	7.55	34.14	1.48	26.68	136	0.68		
162	8.98	33.86	2.89	178	400	6.76	34.22	0.78	26.86	120	0.81		
193	8.66	34.01	2.43	162	500	6.08	34.29	0.41	27.00	106	0.93		
239	7.96	34.05	2.17	148									
313	7.42	34.16	1.34	134									
407	6.72	34.22	0.74	119									
532	5.91	34.31	0.36	103									
ORCA; September 18, 1958; 1510 GCT; 31°52.5'N, 119°35'W; sounding, 1500 fm; wind, 320°, force 4; weather, cloudy; sea, very rough; wire angle, 25°.													9360
0	19.44	33.48	5.48	414	0	19.44	33.48	5.48	23.76	414	0.00		
9	19.44	33.44	5.41	416	10	19.41	33.44	5.42	23.74	416	0.04		
27	19.13	33.46	5.52	408	20	19.18	33.46	5.50	23.81	410	0.08		
41	15.34	33.24	6.18	338	30	19.12	33.46	5.53	23.84	407	0.12		
51	13.32	33.30	5.49	294	50	13.41	33.29	5.52	25.01	296	0.19		
59	12.50	33.35	4.94	274	75	11.27	33.38	4.57	25.49	250	0.26		
69	11.80	33.35	4.73	262	100	9.95	33.60	3.73	25.89	212	0.32		
86	10.38	33.50	4.16	226	150	8.98	33.80	3.00	26.21	182	0.42		
99	9.97	33.60	3.74	212	200	8.32	33.97	2.42	26.44	160	0.51		
112	9.60	33.68	3.48	201	250	7.82	34.06	1.83	26.58	146	0.58		
134	9.17	33.75	3.19	189	300	7.38	34.12	1.40	26.70	136	0.66		
160	8.83	33.84	2.90	177	400	6.76	34.21	0.80	26.85	121	0.79		
195	8.36	33.96	2.47	161	500	6.32	34.26	0.51	26.96	101	0.91		
244	7.86	34.05	1.85	147									
319	7.24	34.14	1.28	133									
415	6.63	34.22	0.70	118									
549	6.08	34.29	0.42	106									
ORCA; September 12, 1958; 0340, 0435 GCT; 31°31'N, 120°14'W; sounding, 2000+ fm; wind, 320°, force 5; weather, clear; sea, very rough; wire angle, 35°, 38°.													9370
0	19.23	33.17	5.68	432	0	19.23	33.17	5.68	23.58	432	0.00		
8	19.20	33.21	5.51	427	10	19.18	33.21	5.51	23.63	427	0.04		
28	19.06	33.18	5.52	426	20	19.08	33.19	5.52	23.63	427	0.08		
37	17.42	33.40	6.07	372	30	19.02	33.18	5.53	23.64	426	0.13		
					50	15.74	33.39	6.09	24.60	335	0.20		
48	15.83	33.40	6.09	337	75	14.25	33.39	5.58	24.91	305	0.28		
56	15.44	33.36	6.07	332	100	11.43	33.40	4.94	25.47	252	0.36		
64	14.90	-	5.98	-	150	9.26	33.82	3.53	26.18	185	0.47		
79	13.94	33.40	5.39	298	200	8.55	33.95	2.61	26.39	165	0.56		
95	11.75	33.37	5.14	259	250	8.02	34.04	1.92	26.55	150	0.64		
106	11.10	33.44	4.74	243	300	7.45	34.13	1.52	26.69	136	0.71		
127	9.96	33.53	4.14	217	400	6.78	34.23	0.86	26.87	119	0.84		
158	9.08	33.89	3.32	177	500	6.07	34.29	0.51	27.01	106	0.96		
190	8.65	33.93	2.79	168									
237	8.14	34.02	2.02	153									
310	7.39	34.14	1.46	134									
409	6.72	34.24	0.85	118									
546	5.72	34.31	0.38	100									

S10

CCOFI
5809

	OBSERVED					INTERPOLATED					COMPUTED		
	Z m	T °C	S ‰	O ₂ ml/L	δ _T 10 ⁻⁵ cm ³ /g	Z m	T °C	S ‰	O ₂ ml/L	σ _t g/L	δ _T 10 ⁻⁵ cm ³ /g	ΔD dyn. m	

93.70

ORCA; September 15, 1958; 1639 GCT; 31°30'N, 120°06'W; sounding, 2200 fm; wind, 300°, force 2; weather, clear; sea, rough; wire angle, 06°.

0	19.05	33.33	5.61	415	0	19.05	33.33	5.61	23.76	415	0.00
10	18.98	33.39	5.69	410	10	18.98	33.39	5.69	23.82	410	0.04
30	18.61	33.23	5.72	412	20	18.86	33.33	5.70	23.82	410	0.08
41	16.12	33.08	6.23	366	30	18.61	33.23	5.72	23.79	412	0.12
50	15.35	33.30	6.21	334	50	15.35	33.30	6.21	24.61	334	0.20
60	14.78	33.28	6.25	324	75	14.17	33.29	6.00	24.86	310	0.28
70	14.35	33.27	6.11	316	100	12.00	33.37	5.12	25.35	264	0.35
84	13.76	33.34	5.78	299	150	9.45	33.59	3.78	25.96	205	0.47
98	12.16	33.37	5.19	267	200	8.66	33.84	2.76	26.29	174	0.57
113	11.08	33.40	4.73	246	250	8.08	34.03	1.95	26.52	152	0.65
136	9.88	33.50	4.20	218	300	7.61	34.11	1.41	26.66	140	0.73
164	9.18	33.68	3.51	194	400	6.73	34.21	0.70	26.86	120	0.86
197	8.70	33.83	2.91	176	500	6.18	34.26	0.50	26.97	110	0.98
244	8.18	34.01	2.09	155							
320	7.41	34.14	1.28	135							
417	6.62	34.22	0.64	118							
544	5.96	34.28	0.43	106							

113.30

BLACK DOUGLAS; September 5, 1958; 0737 GCT; 29°22.5'N, 115°17.5'W; sounding, 30 fm; wind, 290°, force 4; weather, clear; sea, moderate; wire angle, 00°.

0	18.72	33.60	5.52	388	0	18.72	33.60	5.52	24.04	388	0.00
9	18.69	33.59	5.54	388	10	18.68	33.59	5.54	24.04	388	0.04
19	15.54	33.56	5.20	319	20	15.48	33.56	5.17	24.78	318	0.07
28	13.58	33.58	4.08	278							

113.35

BLACK DOUGLAS; September 5, 1958; 1100 GCT; 29°12'N, 115°39'W; sounding, 620 fm; wind, 310°, force 3; weather, clear; sea, moderate; wire angle, 00°.

0	19.20	33.55	6.03	403	0	19.20	33.55	6.03	23.88	403	0.00
9	19.23	33.54	6.00	404	10	19.22	33.54	6.00	23.87	404	0.04
28	14.97	33.46	5.20	314	20	16.40	33.49	5.46	24.51	343	0.08
37	14.02	33.50	5.03	293	30	14.86	33.46	5.18	24.84	312	0.11
47	12.92	33.46	5.00	274	50	12.76	33.51	4.84	25.31	268	0.17
56	12.57	33.62	4.34	256	75	12.15	33.86	2.89	25.69	231	0.23
65	12.46	33.71	3.57	247	100	11.76	33.87	1.62	25.78	223	0.29
79	12.02a)	33.87	2.72	229	150	11.38	33.94	1.60	25.91	210	0.40
92	11.90	33.87	1.79	225	200	10.44	34.12	1.70	26.21	182	0.50
105	11.66	33.87	1.61	221	250	10.48	34.41	1.02	26.43	161	0.59
127	11.44	33.86	1.65	218	300	9.71	34.42	0.66	26.57	148	0.67
154	11.33	33.96	1.56	208	400	7.60	34.21	1.12	26.73	132	0.81
185	10.36	34.10	1.96	188	500	6.79	34.26	0.53	26.89	117	0.94
230	10.64	34.40	1.14	165							
302	9.70	34.42	0.65	147							
393	7.65	34.21	1.13	133							
514	6.63	34.27	0.41	114							

a) Mean value of 11.96° and 12.08°C.

OBSERVED					INTERPOLATED				COMPUTED		
Z m	T °C	S %	O ₂ ml/L	δT ₃ 10 ⁻⁵ cm/g	Z m	T °C	S %	O ₂ ml/L	σ _t g/L	δT ₃ 10 ⁻⁵ cm/g	ΔD dyn. m

BLACK DOUGLAS; September 5, 1958; 1415, 1443 GCT; 29°02'N, 115°58'W; sounding, 1000 fm; wind, 310°, force 4; weather, cloudy; sea, moderate; wire angle, 08°, 04°.

II340

0	20.50	33.52	5.41	437	0	20.50	33.52	5.41	23.53	437	0.00
9	20.52	33.49	5.42	440	10	20.50	33.49	5.43	23.51	439	0.04
28	17.06	33.48	5.94	358	20	17.62	33.48	5.87	24.23	370	0.08
37	16.28	33.47	5.95	342	30	17.00	33.48	5.95	24.37	356	0.12
47	15.62a)	33.48	5.96	326	50	15.30	33.48	5.92	24.76	320	0.19
56	14.76	33.47	5.74	309	75	12.30	33.43	5.22	25.34	265	0.26
65	13.56	33.44	5.56	287	100	13.26	34.14	2.60	25.68	231	0.32
79	12.30	33.47	5.06	262	150	11.68	34.26	1.24	26.10	192	0.43
93	13.36	34.02	4.49	241	200	11.59	34.48	0.85	26.28	175	0.52
106	13.19	34.16	2.17	228	250	10.35	34.41	0.87	26.45	159	0.61
128	11.48	34.06	2.23	204	300	10.04	34.44	0.87	26.53	151	0.69
154	11.72	34.30	1.01	190	400	8.28	34.42	0.72	26.80	126	0.83
184	12.15	34.52	0.81	182	500	7.17	34.33	0.75	26.89	117	0.96
231	10.50	34.39	0.87	163							
307	9.98	34.45	0.87	150							
397	8.38	34.42	0.71	127							
516	7.00	34.32	0.75	116							

BLACK DOUGLAS; September 6, 1958; 0239 GCT; 29°11'N, 114°55'W; sounding, 40 fm; wind, 290°, force 3; weather, partly cloudy; sea, moderate; wire angle, 02°.

II527

0	20.10	33.60	5.58	422	0	20.10	33.60	5.58	23.69	422	0.00
10	19.67	33.56	5.65	413	10	19.67	33.56	5.65	23.78	413	0.04
19	16.71	33.56	5.74	344	20	16.60	33.56	5.73	24.52	342	0.08
33	14.70	33.60	4.68	299	30	15.05	33.59	4.98	24.89	307	0.11
57	12.79	33.62	3.11	260	50	13.12	33.62	3.38	25.32	266	0.17

BLACK DOUGLAS; September 6, 1958; 0038 GCT; 29°05'N, 115°08'W; sounding, 52 fm; wind, 310°, force 4; weather, partly cloudy; sea, moderate; wire angle, 13°.

II530

0	20.55	33.62	5.50	431	0	20.55	33.62	5.50	23.59	431	0.00
9	20.12	33.61	5.46	421	10	20.10	33.61	5.46	23.70	420	0.04
23	16.55	33.48	6.00	346	20	19.00	33.57	5.63	23.95	397	0.08
42	14.42	33.55	5.02	296	30	15.50	33.50	5.65	24.73	322	0.12
60	13.82	33.94	2.32	256	50	14.17	33.68	3.88	25.16	282	0.18
78	13.02	33.97	1.70	239	75	13.21	33.96	1.82	25.57	243	0.25

BLACK DOUGLAS; September 5, 1958; 2139 GCT; 28°55'N, 115°27.5'W; sounding, 600 fm; wind, 320°, force 4; weather, partly cloudy; sea, moderate; wire angle, 06°.

II535

0	21.20	33.60	5.39	450	0	21.20	33.60	5.39	23.39	450	0.00
9	21.06	33.60	5.37	446	10	21.06	33.60	5.37	23.43	446	0.04
28	19.85	33.58	5.61	417	20	20.74	33.60	5.44	23.52	438	0.09
38	17.20	33.64	5.03	350	30	19.50	33.59	5.56	23.84	407	0.13
47	15.98	33.79	4.37	311	50	15.60	33.74	4.44	24.89	307	0.20
57	14.70	33.60	4.64	299	75	13.12	33.66	3.95	25.36	263	0.27
66	13.44	33.53	4.63	279	100	11.58	33.78	2.98	25.74	226	0.34
80	12.97	33.73	3.54	255	150	11.39	34.18	1.51	26.09	193	0.44
93	11.94	33.78	2.94	233	200	10.66	34.30	1.37	26.31	172	0.54
107	11.36	33.80	3.01	221	250	9.83	34.27	1.45	26.44	160	0.62
130	11.72	34.07	1.82	207	300	9.77	34.42	0.70	26.56	148	0.70
156	11.28	34.20	1.47	191	400	7.48	34.22	0.91	26.75	130	0.85
187	10.99	34.33	1.34	175	500	6.64	34.25	0.56	26.90	116	0.98
232	9.89	34.22	1.50	166							
303	9.74	34.42	0.55	148							
394	7.59	34.22	0.92	131							
514	6.51	34.26	0.50	114							

a) Mean value of 15.56° and 15.67°C.

SIO

CCOFI
5809

	OBSERVED					INTERPOLATED					COMPUTED		
	Z m	T °C	S %	O ₂ ml/L	δ _T 10 ⁻⁵ cm ³ /g	Z m	T °C	S %	O ₂ ml/L	σ _t g/L	δ _T 10 ⁻⁵ cm ³ /g	ΔD dyn. m	

II540

BLACK DOUGLAS; September 5, 1958; 1809 GCT; 28°45'N, 115°47'W; sounding, 620 fm; wind, 290°, force 4; weather, clear; sea, moderate; wire angle, 07°.

0	21.00	33.54a)	5.29	449	0	21.00	33.54	5.29	23.40	449	0.00
10	20.90	33.53	5.45	447	10	20.90	33.53	5.45	23.42	447	0.04
28	17.69	33.52	5.95	370	20	19.30	33.52	5.73	23.84	407	0.09
37	16.18	33.50	5.56	337	30	17.52	33.52	5.93	24.28	365	0.13
47	15.14	33.51	5.33	314	50	14.86	33.52	5.20	24.87	309	0.19
56	14.35	33.53	4.87	297	75	12.22	33.64	4.44	25.51	248	0.26
66	12.82	33.63	4.47	260	100	11.84	33.90	2.41	25.79	222	0.32
80	11.97	33.64	4.42	243	150	11.38	34.22	1.19	26.12	190	0.43
94	11.80	33.83	2.94	226	200	10.90	34.40	1.07	26.34	169	0.52
107	11.86	33.94	2.25	219	250	10.08	34.39	0.95	26.49	155	0.60
129	11.71	34.13	1.71	203	300	9.37	34.37	1.03	26.59	146	0.68
156	11.29	34.26	1.14	186	400	8.68	34.42	0.64	26.73	132	0.82
187	11.14	34.39	1.14	173	500	7.07	34.31	0.58	26.88	118	0.96
231	10.40	34.40	0.92	160							
301	9.37	34.37	1.03	146							
392	8.79	34.42	0.66	133							
512	6.84	34.29	0.56	116							

II7.26

BLACK DOUGLAS; September 6, 1958; 0539 GCT; 28°56'N, 114°41'W; sounding, 41 fm; wind, 280°, force 3; weather, clear; sea, moderate; wire angle, 05°.

0	20.28	33.60	5.47	426	0	20.28	33.60	5.47	23.64	426	0.00
9	19.92	33.57	5.58	419	10	19.72	33.56	5.60	23.77	414	0.04
19	16.95	33.51	5.88	354	20	16.80	33.51	5.87	24.44	350	0.08
33	14.82	33.50	5.40	309	30	15.15	33.50	5.53	24.80	316	0.11
57	13.26	33.69	3.58	263	50	13.65	33.63	4.02	25.22	275	0.17

II7.30

BLACK DOUGLAS; September 6, 1958; 0758 GCT; 28°48'N, 114°56.5'W; sounding, 55 fm; wind, 280°, force 3; weather, clear; sea, moderate; wire angle, 08°.

0	20.06	33.57	5.44	423	0	20.06	33.57	5.44	23.67	423	0.00
9	19.96	33.53	5.61	423	10	19.94	33.53	5.61	23.68	422	0.04
23	15.65	33.55	5.73	322	20	16.35	33.54	5.72	24.57	337	0.08
42	13.86	33.58	4.91	283	30	14.92	33.56	5.55	24.90	306	0.11
61	13.04	33.79	3.06	252	50	13.40	33.68	3.84	25.31	267	0.17
80	12.86	33.90	2.65	241	75	12.93	33.88	2.74	25.56	243	0.23

II7.35

BLACK DOUGLAS; September 6, 1958; 1136 GCT; 28°38'N, 115°16'W; sounding, 104 fm; wind, 280°, force 7; weather, cloudy; sea, moderate; wire angle, 02°.

0	20.78	33.62	5.33	438	0	20.78	33.62	5.33	23.52	438	0.00
9	20.70	33.58	5.44	438	10	20.70	33.58	5.44	23.52	438	0.04
19	19.64	33.58	5.55	412	20	19.53	33.58	5.60	23.82	409	0.09
28	18.78	33.58	5.88	391	30	18.60	33.57	5.88	24.05	387	0.13
41	15.74	33.43	5.81	333	50	14.50	33.42	5.77	24.88	308	0.20
65	13.92	33.53	5.11	288	75	13.08	33.53	4.80	25.26	272	0.27
88	12.78	33.60	4.52	261	100	12.92	33.87	3.48	25.54	245	0.33
124	13.20	34.12	1.82	231	150	12.01	34.07	1.64	25.88	213	0.45
160	11.76	34.07	1.60	208							

a) Salinity bottle numbers appear to have been listed out of order on the original data sheet; present order assumed to be correct, but these salinity data must be considered doubtful.

SIO
CCOFI
5809

OBSERVED					INTERPOLATED				COMPUTED		
Z m	T °C	S %	O ₂ ml/L	δ _T -5 cm ³ /g	Z m	T °C	S %	O ₂ ml/L	σ _t g/L	δ _T -5 cm ³ /g	ΔD dyn. m

BLACK DOUGLAS; September 6, 1958; 1440 GCT; 28°28'N, 115°35.5'W; sounding, 400 fm; wind, 310°, force 3; weather, clear; sea, moderate; wire angle, 00°.

0	21.55	33.73	5.16	450	0	21.55	33.73	5.16	23.39	450	0.00
9	21.58	33.71	5.35	452	10	21.20	33.69	5.40	23.47	443	0.04
28	17.30	33.55	5.76	358	20	20.00	33.65	5.52	23.75	416	0.09
37	16.20	33.55	5.59	334	30	16.50	33.51	5.75	24.49	345	0.13
47	15.45	33.67	4.98	309	50	15.30	33.67	4.90	24.90	306	0.19
56	14.96	33.68	4.59	298	75	12.48	33.62	4.21	25.44	254	0.26
65	13.64	33.64	4.20	275	100	13.17	34.25	1.67	25.80	221	0.32
78	12.26	33.62	4.22	250	150	11.54	34.06	25.96	205	0.43	
91	13.42	34.27	2.19	224	200	11.07	34.32	1.48	26.25	178	0.53
105	13.00	34.23	1.52	219	250	10.58	34.36	1.04	26.37	167	0.62
127	11.66	33.96	2.51	214	300	9.80	34.39	0.78	26.53	152	0.70
154	11.32	34.05	2.26	202	400	8.32	34.35	0.48	26.74	132	0.84
186	11.18	34.31	1.74	180	500	6.80	34.29	0.36	26.91	115	0.98
230	10.85	34.34	1.18	172							
303	9.76	34.39	0.77	151							
395	8.40	34.35	0.48	133							
517	6.54	34.28	0.35	112							

BLACK DOUGLAS; September 7, 1958; 0236 GCT; 28°40.5'N, 114°25.5'W; sounding, 43 fm; wind, 320°, force 4; weather, partly cloudy; sea, moderate; wire angle, 10°.

0	20.80	33.62	5.44	438	0	20.80	33.62	5.44	23.52	438	0.00
9	20.72	33.62	5.26	436	10	20.70	33.62	5.26	23.55	435	0.04
28	16.84	33.43	6.11	357	20	19.74	33.57	5.47	23.76	415	0.09
47	14.68	33.69	4.06	292	30	16.32	33.47	5.72	24.51	343	0.12
70	12.54	33.65	3.00	253	50	14.88	33.80	3.53	25.09	288	0.19

BLACK DOUGLAS; September 6, 1958; 2327 GCT; 28°30.5'N, 114°45.5'W; sounding, 59 fm; wind, 320°, force 4; weather, partly cloudy; sea, moderate; wire angle, 22°.

0	22.59	33.68	5.13	481	0	22.59	33.68	5.13	23.07	481	0.00
8	22.55	33.69	5.02	479	10	22.52	33.69	5.03	23.10	478	0.05
26	22.07	33.71	5.22	465	20	22.26	33.71	5.15	23.18	470	0.10
44	18.26	33.64	5.42	374	30	21.90	33.71	5.23	23.28	460	0.14
66	15.60	33.94	3.29	293	50	16.98	33.66	5.05	24.52	343	0.22
88	14.89	34.08	1.90	267	75	15.30	34.00	2.68	25.16	282	0.30

BLACK DOUGLAS; September 6, 1958; 1932 GCT; 28°20.5'N, 115°05'W; sounding, 64 fm; wind, 320°, force 5; weather, partly cloudy; sea, slight; wire angle, 08°.

0	22.48	33.70	5.22	476	0	22.48	33.70	5.22	23.12	476	0.00
9	22.45	33.71	5.10	474	10	22.44	33.71	5.10	23.14	474	0.05
28	21.46	33.68	5.29	451	20	22.18	33.71	5.14	23.20	468	0.09
47	17.30	33.81	4.55	339	30	21.10	33.69	5.22	23.49	440	0.14
70	15.94	34.04	2.97	293	50	17.16	33.82	4.45	24.59	335	0.22
94	14.95	34.06	2.01	270	75	15.70	34.04	2.70	25.10	287	0.30
					100	(14.75)	(34.06)	(1.87)	(25.32)	(266)	(0.37)

BLACK DOUGLAS; September 6, 1958; 2124 GCT; 28°19'N, 114°53'W; sounding, 59 fm; wind, 320°, force 5; weather, partly cloudy; sea, moderate; wire angle, 07°.

0	22.62	33.75	5.24	476	0	22.62	33.75	5.24	23.12	476	0.00
9	22.58	33.71	5.06	478	10	22.56	33.71	5.06	23.10	478	0.05
28	22.36	33.69	5.09	474	20	22.45	33.70	5.08	23.12	476	0.10
47	22.16	33.71	5.08	466	30	22.34	33.69	5.09	23.15	473	0.14
71	18.44	33.57	5.40	384	50	20.50	33.58	5.40	23.56	434	0.23
94	13.82	33.62	3.35	280	75	17.92	33.58	5.19	24.21	372	0.33

BLACK DOUGLAS; September 7, 1958; 0524 GCT; 28°23'N, 114°14.5'W; sounding, 27 fm; wind, 300°, force 3; weather, clear; sea, moderate; wire angle, 02°.

0	21.60	33.69	5.35	454	0	21.60	33.69	5.35	23.35	454	0.00
9	21.50	33.63	5.38	455	10	21.48	33.63	5.38	23.34	455	0.04
28	17.46	33.59	5.53	359	20	20.20	33.62	5.44	23.68	423	0.09
38	16.58	33.67	4.96	334	30	17.15	33.60	5.42	24.43	351	0.13

SIO

CCOF1
5809

	OBSERVED					INTERPOLATED					COMPUTED		
	Z m	T °C	S %	O ₂ ml/L	δT_3 10^{-5} cm/g	Z m	T °C	S %	O ₂ ml/L	σ_t g/L	δT_3 10^{-5} cm/g	ΔD dyn. m	

120.30

BLACK DOUGLAS; September 7, 1958; 0915 GCT; 28°13'N, 114°34'W; sounding, 50 fm; wind, calm; weather, clear; sea, slight; wire angle, 00°.

0	22.47	33.75	5.09	473	0	22.47	33.75	5.09	23.15	473	0.00
9	22.49	33.72	5.06	474	10	22.49	33.72	5.06	23.14	474	0.05
24	22.46	33.75	5.08	472	20	22.47	33.74	5.07	23.15	473	0.09
43	22.35	33.71	5.10	472	30	22.42	33.74	5.08	23.16	472	0.14
62	18.54	33.61	5.50	383	50	21.90	33.69	5.14	23.28	461	0.24
81	14.24	33.62	3.97	288	75	15.08	33.62	4.25	24.91	305	0.33

120.35

BLACK DOUGLAS; September 7, 1958; 1538 GCT; 28°03'N, 114°54'W; sounding, 47 fm; wind, 360°, force 2; weather, partly cloudy; sea, slight; wire angle, 00°.

0	22.44	33.73	5.49	473	0	22.44	33.73	5.49	23.15	473	0.00
10	22.44	33.66	5.05	478	10	22.44	33.66	5.05	23.10	478	0.05
19	22.40	33.71	5.02	473	20	22.40	33.71	5.02	23.15	473	0.10
33	21.89	33.68	5.25	462	30	22.20	33.70	5.10	23.19	469	0.14
52	18.55	33.63	5.66	381	50	18.90	33.64	5.63	24.02	390	0.23
76	14.32	33.73	2.67	281	75	14.39	33.73	2.72	25.14	283	0.31

120.45

BLACK DOUGLAS; September 8, 1958; 0036 GCT; 27°43'N, 115°33'W; sounding, 1200 fm; wind, 320°, force 3; weather, cloudy; sea, rough; wire angle, 21°.

173a)	11.45	34.23	1.22	191
217	10.95	34.38	0.83	171
288	10.41	34.42	0.49	159
378	8.95	34.37	0.53	140
499	7.08	34.27	0.32	121

	200	11.12	34.33	0.95	26.26	178
	250	10.68	34.40	0.63	26.39	165
	300	10.26	34.42	0.49	25.47	157
	400	8.59	34.35	0.53	26.70	136
	500	(7.07)	(34.27)	(0.31)	26.86	120

130.30

BLACK DOUGLAS; September 9, 1958; 1722 GCT; 26°29'N, 113°29'W; sounding, 44 fm; wind, 270°, force 2; weather, partly cloudy; sea, rough; wire angle, 00°.

0	25.94	34.19	4.81	539	0	25.94	34.19	4.81	22.46	539	0.00
10	25.51	34.16	4.87	528	10	25.51	34.16	4.87	22.57	528	0.05
19	21.56	33.82	5.47	443	20	21.00	33.80	5.54	23.60	430	0.10
33	18.80	33.96	5.74	364	30	18.72	33.83	5.70	24.22	371	0.14
57	17.85	34.28	3.49	318	50	18.97	34.28	3.80	24.50	344	0.21

130.35

BLACK DOUGLAS; September 9, 1958; 1440 GCT; 26°18.5'N, 113°48.5'W; sounding, 175 fm; wind, variable, force 1; weather, partly cloudy; sea, rough; wire angle, 07°.

0	25.92	34.14	4.73	542	0	25.92	34.14	4.73	22.43	542	0.00
9	24.80	34.16	5.05	508	10	24.60	34.15	5.07	22.84	502	0.05
23	21.50	34.03	5.40	426	20	22.18	34.06	5.33	23.47	443	0.10
47	16.42	33.77	5.37	323	30	18.00	33.82	5.40	24.39	355	0.14
70	15.90	34.46	2.81	261	50	16.30	33.80	5.32	24.78	318	0.21
88	15.82	34.53	1.52	254	75	15.88	34.47	2.55	25.38	260	0.28
119	14.88	34.63	0.97	228	100	15.53	34.58	1.27	25.56	244	0.34
136	14.21	34.63	0.77	213	150	13.93	34.62	0.70	25.93	208	0.46
163	13.62	34.61	0.66	203	200	12.78	34.61	0.49	26.16	187	0.56
208	12.58	34.61	0.45	183	250	11.06	34.56	0.63	26.44	160	0.65
254	10.88	34.55	0.66	158							

a) Because of irregularities in cast, all data above 173 meters are too uncertain to be recorded.

SIO
CCOFI
5809

OBSERVED					INTERPOLATED					COMPUTED		
Z m	T °C	S ‰	O ₂ ml/L	δ _T 10 ⁻⁵ cm ³ /g	Z m	T °C	S ‰	O ₂ ml/L	σ _t g/L	δ _T 10 ⁻⁵ cm ³ /g	ΔD dyn. m	

BLACK DOUGLAS; September 9, 1958; 1137 GCT; 26°09'N, 114°07'W; sounding, 1100 fm; wind, calm;
weather, clear; sea, rough; wire angle, 00°.

0	24.40	33.87	5.00	517	0	24.40	33.87	5.00	22.69	517	0.00
10	22.98	34.02	5.18	467	10	22.98	34.02	5.18	23.21	467	0.05
28	22.35	34.09	5.22	445	20	22.63	34.06	5.19	23.34	455	0.10
38	21.03	33.98	5.40	418	30	22.20	34.08	5.24	23.48	441	0.14
47	18.85	33.82	5.72	375	50	18.28	33.86	5.71	24.34	359	0.22
56	17.49	33.93	5.56	335	75	15.88	33.97	4.22	25.01	296	0.30
65	16.84	33.94	5.27	320	100	14.53	34.02	2.99	25.33	265	0.37
79	15.29	33.99	3.62	282	150	10.76	33.91	2.14	26.00	202	0.49
92	14.61	34.00	2.99	268	200	10.24	34.20	1.73	26.30	173	0.59
105	13.66	33.93	3.01	254	250	9.67	34.26	1.44	26.44	160	0.67
127	12.88	34.14	2.14	224	300	8.89	34.26	1.22	26.57	148	0.75
153	10.60	33.90	-	201	400	8.06	34.39	0.42	26.81	125	0.89
185	10.40	34.18	1.81	176	500	6.88	34.35	0.34	26.95	112	1.02
230	9.97	34.43u	1.51	-							
301	8.88	34.26	1.21	147							
392	8.17	34.39	0.43	126							
514	6.71	34.34	0.33	110							

BLACK DOUGLAS; September 9, 1958; 0828 GCT; 25°59'N, 114°26'W; sounding, 2000 fm; wind, calm;
weather, clear; sea, rough; wire angle, 02°.

0	24.30	33.91	4.98	511	0	24.30	33.91	4.98	22.75	511	0.00
9	23.34	33.90	5.08	485	10	23.26	33.89	5.08	23.04	483	0.05
28	22.37	33.82	5.05	464	20	22.78	33.85	5.06	23.15	473	0.10
38	20.80	33.72	5.52	431	30	22.00	33.79	5.14	23.32	457	0.14
47	19.36	33.73	5.68	393	50	18.91	33.73	5.70	24.09	383	0.23
57	18.08	33.73	5.76	364	75	14.88	33.46	5.88	24.84	312	0.32
66	16.87	33.55	5.88	349	100	14.32	34.07	2.00	25.42	257	0.39
80	15.26	33.62	5.47	309	150	12.67	34.40	0.94	26.02	200	0.50
93	15.16	33.95	3.46	282	200	12.43	34.64	0.28	26.25	178	0.60
106	14.24	34.30	1.75	238	250	11.60	34.64	0.22	26.41	163	0.69
129	13.29	34.37	1.15	214	300	10.92	34.61	0.22	26.50	154	0.77
155	12.64	34.44	0.87	197	400	9.03	34.46	0.30	26.71	134	0.92
186	12.68	34.63	0.40	184	500	7.66	34.39	0.31	26.86	120	1.05
231	11.85	34.65	0.23	167							
303	10.89	34.61	0.22	153							
394	9.13	34.47	0.29	135							
516	7.44	34.38	0.31	118							

TEMPERATURE AND SALINITY AT 10 AND 50 METERS (NET-TOW STATIONS)

Station	Date	Time GCT	Latitude North	Longitude West	Sounding (fm)	Wind		Weather	Sea	10 Meters		50 Meters	
						Dir	Force			T	S	T	S
90.28-O	IX-10	0727	33°28.5'	117°47.0'	230	300°	1	clear	moderate	18.28	33.42		
90.28-O	14	0320	33°28.0'	117°46.0'	200	320°	1	clear	moderate	20.62	33.49		
90.28-O	17	0750	33°28.5'	117°47.0'	200	calm		clear	smooth	18.86	33.37		
90.55-O	11	0640	32°33.5'	119°37.5'	600+	320°	5	clear	very rough	19.14	33.55		
90.55-O	15	0110	32°34.5'	119°33.0'	600	300°	3	clear	rough	18.92	33.48		
90.55-O	18	0518	32°34.0'	119°38.0'	500	310°	4	partly cloudy	moderate	18.46	33.33		
90.65-O	11	1700	32°10.5'	120°18.0'	2000+	320°	5	clear	very rough	18.60	33.22		
90.65-O	15	0815	32°12.5'	120°12.0'	2000	300°	3	clear	very rough	18.96	33.47		
93.35-O	13	1115	32°40.0'	117°52.0'	300	270°	2	partly cloudy	moderate	21.56	33.55		
93.35-O	16	1718	32°39.5'	117°52.5'	300	310°	3	clear	slight	20.66	33.46		
93.35-O	19	0950	32°39.5'	117°52.0'	350	320°	1	overcast	slight	21.30	33.53		
93.45-O	13	0330	32°20.5'	118°32.0'	500	300°	6	clear	very rough	19.76	33.42		
93.45-O	16	0930	32°20.5'	118°33.0'	425	300°	2	clear	rough	20.43	33.55		
93.45-O	19	0230	32°21.0'	118°32.0'	600	300°	3	cloudy	rough	21.09	33.58		
93.55-O	12	1810	31°58.0'	119°13.0'	800	300°	6	partly cloudy	very rough	19.60	33.46		
93.55-O	16	0220	31°59.5'	119°12.5'	760	290°	3	clear	rough	19.97	33.30		
93.55-O	18	1905	32°02.5'	119°13.5'	750	320°	4	overcast	very rough	20.05	33.34		
93.65-O	12	0910	31°38.0'	119°55.0'	2000+	320°	5	partly cloudy	very rough	19.06	33.48		
93.65-O	15	1922	31°38.5'	119°52.0'	2100	320°	2	clear	rough	18.76	33.42		

TEMPERATURE AND SALINITY AT 10 AND 50 METERS (NET-TOW STATIONS)

Station	Date	Time GCT	Latitude North	Longitude West	Sounding (fm)	Wind		Weather	Sea	10 Meters		50 Meters	
						Dir	Force			T	S	T	S
110.33-B	IX-5	0210	29°50.5'	115°52.0'	50	310°	3	partly cloudy	moderate	-	-		
110.35-B	5	0045	29°46.5'	116°00.0'	740	310°	3	partly cloudy	moderate	19.60	33.40		
110.40-B	4	2203	29°36.5'	116°19.5'	1200	290°	4	cloudy	moderate	21.70	33.73		
118 ³ .36-B	6	1830	28°20.0'	115°11.0'	30	170°	1	partly cloudy	slight	21.34	33.75		
120 ⁷ .26 ⁵ -B	7	0650	28°12.5'	114°15.5'	21	280°	3	clear	moderate	21.78	33.66		
120 ⁵ .31-B	7	1018	28°06.0'	114°33.0'	42	calm		clear	slight	22.51	33.70		
120 ⁵ .37 ⁵ -B	7	1729	27°53.0'	115°01.0'	20	100°	1	partly cloudy	slight	20.26	33.97		
120.40-B	7	1915	27°56.5'	115°14.0'	21	300°	1	cloudy	slight	20.90	33.64		
121 ³ .30 ⁵ -B	7	1145	27°58.5'	114°26.5'	20	calm		clear	slight	21.06	33.58		
121 ² .34-B	7	1335	27°53.0'	114°43.0'	23	320°	1	clear	slight	21.76	33.66		
123.37-B	8	1410	27°24.0'	114°39.5'	40	calm		partly cloudy	moderate	21.48	33.78		
123.42-B	8	1052	27°13.0'	115°01.0'	1500	calm		clear	moderate	22.83	34.00		
123.45-B	8	0613	27°05.0'	115°15.5'	2200	320°	1	partly cloudy	moderate	-	-		
127.34-B	8	2000	26°55.5'	114°06.0'	45	calm		cloudy	moderate	22.20	34.14		
127.40-B	8	2309	26°43.5'	114°29.5'	1500	220°	1	cloudy	very rough	23.56	33.84		
127.45-B	9	0220	26°33.0'	114°48.5'	1800	calm		partly cloudy	moderate	23.75	33.90		
133.25-B	10	0125	26°04.5'	112°48.0'	45	270°	1	cloudy	rough	26.70	34.34		
133.30-B	9	2245	25°54.5'	113°07.5'	100	320°	1	partly cloudy	rough	24.92	34.03		
137.23-B	10	0620	25°34.0'	112°18.5'	42	300°	1	clear	moderate	27.17	34.36		
137.30-B	10	0953	25°20.0'	112°45.5'	150	300°	1	clear	rough	26.04	34.37		

DISTRIBUTION LIST

Dr. E. H. Ahlstrom
U. S. Fish and Wildlife Service
c/o Scripps Institution of Oceanography
La Jolla, California

Mr. William Anderson
U. S. Fish and Wildlife Service
Brunswick, Georgia

Dr. Rolf Bolin
Hopkins Marine Station
Pacific Grove, California

Dr. Wayne V. Burt
Assoc. Prof. of Oceanography
School of Science
Oregon State College
Corvallis, Oregon

Librarian (4)
Department of Fish and Game
California State Fisheries Laboratory
Terminal Island, California

Chief, Division of Fisheries
Commonwealth Scientific and Industrial
Research Organization
P. O. Box 21
Crunulla, N. S. W., Australia

Herrn Professor Dr. A. Defant
Sternwartestrasse 38
Innsbruck
Austria

Dr. Ernest R. Anderson
Code 2233
U. S. Navy Electronics Laboratory
San Diego 52, California

Mr. Thomas S. Austin
Pacific Oceanic Fishery Investigations
U. S. Fish and Wildlife Service
P. O. Box 3830
Honolulu 12, T. H.

British Joint Services
(Navy Staff)
1910 K Street N. W.
Washington, D. C.

Mr. J. G. Burnette, Chairman
Marine Research Committee
P. O. Box 807
Los Altos, California

Mr. Ray Cannon
Ocean Fish Protective Association
645 N. Serrano Street
Los Angeles 4, California

Mr. R. S. Croker, Director
California Department of Fish and Game
Marine Fisheries Laboratory Branch
722 Capitol Avenue
Sacramento 14, California

Director of Research
Fish Commission of Oregon
Route 1, Box 31A
Clackamas, Oregon

Dr. Richard H. Fleming
University of Washington
Oceanographic Laboratories
Seattle 5, Washington

Dr. Paul M. Fye
Woods Hole Oceanographic Institution
Woods Hole, Massachusetts

Hancock Library of Biology and
Oceanography
Allan Hancock Foundation
University of Southern California
Los Angeles 7, California

Dr. Robert W. Hiatt
University of Hawaii
Honolulu, T. H.

Director
Instituto de Geofisica
Torre de Ciencias, 3er piso
Universidad Nacional Autonoma de Mexico
Villa Obregon, D. F.
Mexico

Mr. Milton C. James
Pacific Marine Fishery Commission
340 State Office Building
1400 S. W. Fifth Avenue
Portland 1, Oregon

Mr. Hans T. Klein
University of California
Scripps Institution of Oceanography
La Jolla, California

Dr. E. C. La Fond
Code 2235
U. S. Navy Electronics Laboratory
San Diego 52, California

Mr. Jeffery D. Frautschy
University of California
Scripps Institution of Oceanography
La Jolla, California

Mr. Seth Gordon, Director
California Department of Fish and Game
926 J Street
Sacramento 14, California

Mr. John Hawk
c/o Seafarers' International Union
of North America
450 Harrison Street
San Francisco 5, California

Mr. T. Hirano
Tokai Regional Fisheries Research
Laboratory
Tsukishima
Tokyo, Japan

Mr. John D. Isaacs
Program Director, Marine Life Research
University of California
Scripps Institution of Oceanography
La Jolla, California

Dr. H. Kitamura
Oceanographic Section
Kobe Marine Observatory
Kobe, Japan

Dr. E. Koto
Institute of Fisheries
Hokkaido University
Hakodate, Japan

Mr. Joseph Mardesich
Franco-Italian Packing Company
Fish Harbor Wharf
Terminal Island, California

Mr. J. C. Marr
U. S. Fish and Wildlife Service
c/o Scripps Institution of Oceanography
La Jolla, California

Dr. H. J. McLellan
Atlantic Oceanographic Group
St. Andrews, New Brunswick
Canada

Dr. R. C. Miller, Director
California Academy of Science
Golden Gate Park
San Francisco 18, California

National Marine Consultants, Inc.
Administration Airport
Goleta, California
Attn: Dr. R. Kent

Mr. Kenneth S. Norris, Curator
Marineland of the Pacific
Portuguese Bend
Marineland, California

Pusan Fisheries College
Pusan
Korea

Chief of Naval Research
Office of Naval Research
Geophysics Branch
Washington 25, D. C.

Dr. E. L. Pickard
Institute of Oceanography
University of British Columbia
Vancouver, B. C.
Canada

Dr. J. L. McHugh
Virginia Fisheries Laboratory
Gloucester Point, Virginia

Mr. Arthur H. Mendonca
c/o R. E. Booth Company, Inc.
280 Battery Street
San Francisco 11, California

Mr. John V. Morris
French Sardine Company
582 Tuna Street
Terminal Island, California

Dr. A. W. H. Needler, Director
Pacific Biological Station
Nanaimo, B. C.
Canada

Director
Norwegian Polar Institute
Observatorieg 1
Oslo, Norway

Dr. Yngve H. Olsen
Journal of Marine Research
Yale University
New Haven, Connecticut

Librarian
Pacific Oceanic Fishery Investigations
P. O. Box 3830
Honolulu 12, T. H.

Mr. Don Powell
U. S. Fish and Wildlife Service
2725 Montlake Boulevard
Seattle 2, Washington

Dr. D. W. Pritchard, Director
Chesapeake Bay Institute
The Johns Hopkins University
121 Maryland Hall
Baltimore 18, Maryland

Mr. Joseph L. Reid, Jr.
University of California
Scripps Institution of Oceanography
La Jolla, California

Dr. Gordon A. Riley
Bingham Oceanographic Foundation
Yale University
New Haven, Connecticut

Mr. Gunnar I. Roden
University of California
Scripps Institution of Oceanography
La Jolla, California

Dr. M. B. Schaefer
Inter-American Tropical Tuna Commission
c/o Scripps Institution of Oceanography
La Jolla, California

Mr. O. E. Sette, Chief
Ocean Research
U. S. Fish and Wildlife Service
450-B Jordan Hall
Stanford, California

Mr. W. E. Stewart
c/o California State Chamber of
Commerce
350 Bush Street
San Francisco 4, California

Dr. Y. Takenouti
Oceanographical Section
Japanese Meteorological Agency
Chuo-ku
Tokyo, Japan

Mr. John Radovich
California Department of Fish and Game
California State Fisheries Laboratory
Terminal Island, California

Dr. Roger Revelle
University of California
Scripps Institution of Oceanography
La Jolla, California

Mrs. Margaret K. Robinson
University of California
Scripps Institution of Oceanography
La Jolla, California

Mr. Don T. Saxby
California Division
California Packing Corporation
2600 Seventh Street
Berkeley 10, California

Mr. Richard A. Schwartzlose
University of California
Scripps Institution of Oceanography
La Jolla, California

Mr. D. Shoji
Japanese Hydrographic Office
Tsukiji
Tokyo, Japan

Miss Margaret Storey, Librarian
Natural History Museum
Stanford, California

Chief, Biological Division
Division of Biological Research
Bureau of Commercial Fisheries
U. S. Fish and Wildlife Service
Washington 25, D. C.

Department of Oceanography
Texas A. and M. College
College Station, Texas

Dr. M. Uda
Tokyo University of Fisheries
Minato-ku
Tokyo, Japan

Library (2)
U. S. Navy Electronics Laboratory
San Diego 52, California

Library (4)
University of California
Scripps Institution of Oceanography
La Jolla, California

University of California (2)
Serials Department
General Library
Berkeley 4, California

Librarian
University of Washington
Oceanographic Laboratories
Friday Harbor, Washington

Director
University of Washington
School of Fisheries
Seattle 4, Washington

Mr. Richard C. Vetter
Geophysics Branch
Office of Naval Research
Washington 25, D. C.

Dr. John P. Tully
Pacific Oceanographic Group
P. O. Drawer 6
Nanaimo, B. C.
Canada

U. S. Hydrographic Office
Navy Department
Washington 25, D. C.
Attn: Mr. John Lyman

University of California
Department of Zoology
Berkeley 4, California

Library
University of California
Scripps Institution of Oceanography
Scripps Field Annex
La Jolla, California

Director
University of Miami
Marine Laboratory
Coral Gables, Florida

Librarian (2)
University of Washington
Oceanographic Laboratories
Seattle 5, Washington

Mr. Gilbert C. Van Camp, Sr.
772 Tuna Street
Terminal Island, California

Dr. Lionel A. Walford, Chief
Atlantic Fishery Oceanographic
Research Center
U. S. Fish and Wildlife Service
734 Jackson Place, N. W.
Washington 25, D. C.

Dr. Boyd W. Walker
University of California
Department of Zoology
Los Angeles 24, California

Mr. John G. Wyllie (20)
University of California
Scripps Institution of Oceanography
La Jolla, California

Dr. Warren S. Wooster
University of California
Scripps Institution of Oceanography
La Jolla, California

Dr. Kozo Yoshida
Geophysical Institute
Tokyo University
Bunkyo-ku
Tokyo, Japan