

CORRECTIONS MADE:

STATION POSITIONS X8

Errata 28 Oct 63
P 85°, 87, 75°

progress report

PHYSICAL AND CHEMICAL DATA
CCOFI CRUISE 5902
6-28 February 1959

UNIVERSITY OF CALIFORNIA SCRIPPS INSTITUTION OF OCEANOGRAPHY

SIO Reference 60-13
21 October 1959

UNIVERSITY OF CALIFORNIA

SCRIPPS INSTITUTION OF OCEANOGRAPHY

PHYSICAL AND CHEMICAL DATA

CCOFI CRUISE 5902


6-28 February 1959

Sponsored by

Marine Research Committee

SIO Reference 60-13
21 October 1959

Approved for distribution:



Roger Revelle, Director

CONTENTS

List of Figures	ii
Introduction.	iii
Personnel	v
Tabulated Data	69
Distribution List	104

FIGURES

1. CCOFI Cruise 5902, station positions
2. Horizontal distribution of dynamic height anomaly (0 over 500 d-bar)
3. Horizontal distribution of temperature at 10 meters
4. Horizontal distribution of salinity at 10 meters.
5. Horizontal distribution of temperature at 200 meters
6. Horizontal distribution of salinity at 200 meters

INTRODUCTION

The data presented in this report were collected on the one hundred and seventeenth consecutive cruise of the California Cooperative Oceanic Fisheries Investigations program. The R/V Black Douglas of the U. S. Bureau of Commercial Fisheries, the R/V Orca and the R/V Paolina-T of the Scripps Institution participated in this cruise.

The data are tabulated at observed depths, and the interpolated and computed values are tabulated at standard depths. They are accompanied by charts of horizontal distribution. The presentation of data in this report does not constitute publication; however, the data contained in this report have been carefully edited and no modifications should be necessary before final publication.

STANDARD PROCEDURES

Processing of the data was carried out using the method described by Klein.^{1/} Certain approximations have been introduced for the determination of the integrated pressure terms which may result in errors whose maximum values are less than 0.5 dynamic centimeter at 0 over 200 decibars, 1.0 dynamic centimeter at 0 over 500 decibars, and 2.0 dynamic centimeters at 0 over 1000 decibars. The 125-meter level was introduced into the integration to obtain greater accuracy in the determination of ΔD . The interpolated values at 125 meters are not tabulated.

To indicate degree of accuracy, temperatures are recorded in tenths of a degree when obtained by bucket thermometer, thermograph, or bathythermograph, while temperatures from reversing thermometers are recorded in hundredths of a degree. Extrapolated values and values interpolated between remote observations are entered within parentheses. A hyphen is used to indicate a missing observed value. The time is the time of messenger release. When more than one cast was made on a station, messenger times and wire angles are given in the order of increasing depth. A line is left blank between the observed data of each cast.

1/

Klein, Hans T. A new technique for processing physical oceanographic data. MS.

FOOTNOTES

In addition to standard footnotes, three special notations are used without footnotes because their meaning is always the same.

To indicate a premature or a delayed reversal of the water-sampling device which results in certain depth and property errors, the following notation is used.

p: pretrip or posttrip.


Values which are not drawn through because they seem to be in error without apparent reason are indicated by one of the following notations.

r: rejected value (value seems to be definitely wrong),

u: uncertain value (value may be correct; occasionally it can influence the drawing of the property curve).

FORMAT

These data are typed in the format of the University of California Press publication, "Oceanic Observations of the Pacific." So that these pages can be used as copy for the 1959 volume, the first page of the Cruise 5902 data is numbered 69.



VELOCITY OF GEOSTROPHIC FLOW

G.R.




FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4




FIGURE 5




FIGURE 6

PERSONNEL

SHIPS' CAPTAINS

Forster, Charles W., R/V Black Douglas
Miller, Frank, R/V Paolina-T
Phinney, Alan W., R/V Orca

PERSONNEL PARTICIPATING IN THE COLLECTION OF DATA

R/V Black Douglas

Thrailkill, James R., Fishery Research Biologist, Bureau of Commercial Fisheries
Kiwala, Robert S., Senior Marine Technician

R/V Orca

*Davoll, Peter J., Senior Marine Technician
**Anderson, Norman E., Senior Marine Technician
*Bassel, John B., Marine Technician
**Bingman, Allen R., Marine Technician
*Bottom, Kenneth S., Marine Technician
*Claussen, Leighton G., Fishery Research Biologist, Bureau of Commercial Fisheries
***Guillén, Oscar, visitor, Consejo de Investigaciones Hidrobiológicas,
Lima, Perú
*Kimura, Makota, Fishery Research Biologist, Bureau of Commercial Fisheries
**Lawson, Jan B., Marine Technician

R/V Paolina-T

Lawson, Jan B., Marine Technician
Claussen, Leighton G., Fishery Research Biologist, Bureau of Commercial Fisheries

*Participated in first part of cruise only.
**Participated in second part of cruise only.
***Disembarked at Avila, California.

OBSERVED					INTERPOLATED					COMPUTED		
Z m	T °C	S ‰	O ₂ ml/L	δT ₃ 10 ⁻⁵ cm/g	Z m	T °C	S ‰	O ₂ ml/L	σ _t g/L	δT ₃ 10 ⁻⁵ cm/g	ΔD dyn. m	

SIO
CCOFI
5902

ORCA; February 11, 1959; 0038 GCT; 35°36'N, 121°20.5'W; sounding, 110 fm; wind, 220°, force 6; weather, rain; sea, very rough; wire angle, 25°.

73.51

1	13.63	33.44	5.96	289	0	(13.63)	(33.44)	(5.96)	(25.09)	(289)	(0.00)
10	13.63	33.43	5.93	290	10	13.63	33.43	5.93	25.08	290	0.03
29	13.62	33.46	6.03	287	20	13.63	33.45	5.98	25.09	288	0.06
47	13.52	33.49	5.76	283	30	13.63	33.46	6.02	25.10	287	0.09
70	11.57	33.62	4.03	238	50	13.40	33.50	5.60	25.18	280	0.14
93	10.56	33.69	3.42	215	75	11.30	33.64	3.87	25.68	232	0.21
116	10.15	33.78	3.13	202	100	10.46	33.70	3.36	25.88	212	0.26
154	9.16	33.94	2.40	174	150	9.26	33.92	2.49	26.25	178	0.36
192	8.29	34.08	1.81	151	200	(8.08)	(34.10)	(1.72)	(26.58)	(147)	(0.44)

ORCA; February 10, 1959; 2302 GCT; 35°39'N, 121°26.5'W; sounding, 250 fm; wind, 220°, force 5; weather, overcast; sea, very rough; wire angle, 25°.

73.53

1	13.68	33.47	5.91	288	0	(13.68)	(33.47)	(5.91)	(25.10)	(288)	(0.00)
10	13.70	33.47	5.87	288	10	13.70	33.47	5.87	25.10	288	0.03
29	13.69	33.50	5.85	286	20	13.70	33.49	5.86	25.11	286	0.06
47	12.50	33.46	4.75	266	30	13.69	33.50	5.85	25.12	285	0.09
69	11.24	33.43	4.45	246	50	12.06	33.45	4.62	25.40	259	0.14
91	10.21	33.67	3.67	211	75	11.18	33.44	4.43	25.55	244	0.20
113	10.06	33.76	3.29	202	100	10.13	33.74	3.37	25.97	204	0.26
147	9.48	33.87	2.64	185	150	9.45	33.89	2.58	26.20	183	0.36
182	9.16	33.99	2.27	171	200	8.98	34.00	2.15	26.36	167	0.45
226	8.69	34.03	1.99	161	250	8.40	34.06	1.84	26.50	154	0.53
271	8.14	34.10	1.70	148	300	7.82	34.14	1.50	26.65	140	0.60
370	7.19	34.23	1.00	125							

ORCA; February 10, 1959; 2124 GCT; 35°35'N, 121°33.5'W; sounding, 600 fm; wind, 220°, force 5; weather, rain; sea, rough; wire angle, 25°.

73.55

1	13.54	33.48	5.83	284	0	(13.54)	(33.48)	(5.83)	(25.14)	(284)	(0.00)
11	13.54	33.58	5.84	277	10	13.54	33.57	5.84	25.20	278	0.03
34	13.58	33.52	5.82	282	20	13.55	33.56	5.83	25.20	278	0.06
61	11.90	33.51	4.38	252	30	13.57	33.52	5.83	25.16	282	0.08
69	11.55	33.51	4.29	246	50	12.32	33.51	4.80	25.39	260	0.14
89	10.10	33.54	4.17	219	75	10.50	33.52	4.22	25.74	227	0.20
101	9.69	33.60	3.87	208	100	9.70	33.59	3.90	25.92	209	0.25
114	9.42	33.68	3.62	198	150	8.98	33.83	3.10	26.23	180	0.35
140	9.12	33.81	3.22	184	200	8.50	33.98	2.38	26.42	162	0.44
156	8.90	33.85	2.99	177	250	8.05	34.12	1.76	26.60	144	0.52
181	8.69	33.95	2.64	166	300	7.58	34.12	1.52	26.67	138	0.59
211	8.40	34.00	2.27	159	400	6.39	34.18	0.88	26.88	118	0.72
235	8.18	34.12	1.91	147	500	5.83	34.22	0.69	26.97	109	0.84
276	7.80	34.12	1.59	141							
330	7.30	34.15	1.44	132							
416	6.25	34.19	0.81	116							
496	5.86	34.21	0.72	110							
564	5.46	34.28	0.31	100							

0.40

SIO
CCOFI
5902

	OBSERVED				INTERPOLATED				COMPUTED		
	Z m	T °C	S %	O ₂ ml/L	δT 10 ⁻⁵ cm ³ /g	Z m	T °C	S %	O ₂ ml/L	σ _t g/L	δT 10 ⁻⁵ cm ³ /g

73.57

ORCA; February 10, 1959; 1934 GCT; 35°31'N, 121°40'W; sounding, 600 fm; wind, 220°, force 3; weather, drizzle; sea, rough; wire angle, 20°.	2	13.58	33.42	5.88	289	0	(13.58)	(33.42)	(5.88)	(25.08)	(289)	(0.00)
	11	13.58	33.48	6.05	285	10	13.58	33.48	6.05	25.12	285	0.03
	30	13.58	33.48	5.89	285	20	13.58	33.48	6.05	25.12	285	0.06
	58	13.57	33.51	5.80	282	30	13.58	33.48	5.89	25.12	285	0.08
	67	12.36	33.39	5.15	269	50	13.58	33.49	5.84	25.13	284	0.14
	82	10.87	33.51	4.31	234	75	10.90	33.50	4.35	25.64	236	0.21
	96	10.50	33.60	4.06	221	100	10.00	33.68	3.64	25.94	207	0.26
	110	9.95	33.69	3.59	205	150	8.88	33.90	2.68	26.30	173	0.36
	132	9.20	33.82	3.10	184	200	8.43	34.07	2.07	26.50	154	0.44
	151	8.87	33.91	2.67	173	250	7.72	34.16	1.59	26.68	138	0.52
	178	8.60	34.02	2.28	160	300	7.08	34.15	1.39	26.75	130	0.59
	206	8.36	34.09	1.99	152	400	6.32	34.21	0.84	26.92	115	0.71
	233	7.98	34.16	1.68	140	500	5.78	34.30	0.44	27.05	102	0.83
	279	7.32	34.14	1.48	133							
	328	6.81	34.32r	1.22	-							
	407	6.27	34.22	-	114							
	487	5.84	34.29	0.48	104							
	570	5.28	34.34	0.38	93							

73.60

ORCA; February 10, 1959; 1725 GCT; 35°24'N, 121°52.5'W; sounding, 1300 fm; wind, 220°, force 3; weather, cloudy; sea, rough; wire angle, 15°.	1	13.85	33.39	5.77	297	0	(13.85)	(33.39)	(5.77)	(25.00)	(297)	(0.00)
	11	13.84	33.37	5.83	298	10	13.84	33.38	5.83	24.98	298	0.03
	31	13.81	33.42	5.82	294	20	13.83	33.39	5.82	25.00	296	0.06
	59	12.16	33.36	5.15	267	30	13.82	33.42	5.82	25.03	294	0.09
	69	10.88	33.39	4.25	243	50	13.70	33.42	5.80	25.05	292	0.15
	83	10.08	33.57	4.03	217	75	10.10	33.56	4.04	25.83	218	0.21
	97	9.35	33.64	3.93	200	100	9.30	33.65	3.89	26.04	198	0.26
	111	9.18	33.68	3.64	194	150	8.56	33.92	2.79	26.37	167	0.36
	132	8.82	33.80	3.24	180	200	7.99	34.05	2.13	26.56	149	0.44
	151	8.56	33.92	2.79	167	250	7.62	34.14	1.65	26.68	138	0.51
	178	8.32	33.99	2.41	158	300	7.29	34.18	1.32	26.75	130	0.58
	204	7.92	34.07	-	146	400	6.54	34.24	0.82	26.91	115	0.71
	231	7.68	34.11	1.84	140	500	5.90	34.31	0.51	27.04	103	0.82
	277	7.52	34.17	1.37	134							
	327	7.00	34.19	1.28	126							
	405	6.52	34.25	0.80	114							
	485	5.99	34.30	0.53	104							
	567	5.52	34.34	0.39	96							

73.70

ORCA; February 10, 1959; 1155 GCT; 34°56.5'N, 122°39'W; sounding, 2000 fm; wind, 330°, force 4; weather, missing; sea, rough; wire angle, 04°.	1	13.86	33.33	5.76	302	0	(13.86)	(33.33)	(5.76)	(24.95)	(302)	(0.00)
	11	13.86	33.45	5.72	293	10	13.86	33.44	5.73	25.04	294	0.03
	31	13.88	33.37	5.70	299	20	13.88	33.43	5.72	25.02	295	0.06
	62	13.48	33.45	5.63	285	30	13.88	33.37	5.70	24.98	299	0.09
	72	10.81	33.43	4.45	239	50	13.88	33.37	5.70	24.98	299	0.15
	87	10.23	33.46	4.24	227	75	10.69	33.43	4.40	25.63	237	0.22
	102	9.54	33.60	3.67	205	100	9.65	33.57	3.77	25.92	210	0.27
	117	9.10	33.75	3.52	188	150	8.68	33.88	2.73	26.32	171	0.37
	142	8.74	33.87	2.82	173	200	7.93	34.04	2.24	26.56	149	0.45
	162	8.55	33.95	2.44	164	250	7.46	34.12	1.79	26.68	137	0.52
	192	8.06	34.04	2.30	151	300	6.94	34.12	1.38	26.76	130	0.59
	222	7.63	34.04	2.08	145	400	6.28	34.22	0.68	26.92	114	0.72
	252	7.44	34.12	1.78	137	500	5.68	34.27	0.44	27.04	103	0.83
	301	6.93	34.12	1.35	129	600	5.05	34.34	0.37	27.16	92	0.93
	356	6.50	34.20	0.90	118							
	440	6.08	34.23	0.48	111							
	526	5.49	34.29	0.42	99							
	610	5.01	34.34	0.36	90							

OBSERVED						INTERPOLATED				COMPUTED			SIO CCOFI 5902
Z m	T °C	S ‰	O ₂ ml/L	δT 10 ⁻⁵ cm ³ /g		Z m	T °C	S ‰	O ₂ ml/L	σ _t g/L	δT 10 ⁻⁵ cm ³ /g	ΔD dyn. m	
ORCA; February 11, 1959; 0705 GCT; 35°04.5'N, 120°52'W; sounding, 90 fm; wind, 200°, force 5; weather, rain; sea, very rough; wire angle, 25°.												77.50	
2a)	13.42	33.43	5.89	286		0	(13.42)	(33.43)	(5.89)	(25.11)	(286)	(0.00)	
11	13.41	33.40	5.95	288		10	13.41	33.40	5.95	25.10	288	0.03	
29	13.26	33.44	5.68	282		20	13.34	33.41	5.86	25.11	286	0.06	
47	13.02	33.49	5.51	274		30	13.25	33.44	5.67	25.16	282	0.08	
68	12.80	33.51	5.34	268		50	12.99	33.50	5.47	25.26	272	0.14	
88	11.57	33.64	4.11	236		75	12.49	33.54	5.03	25.38	260	0.21	
105	11.04	33.72	3.73	221		100	11.06	33.69	3.86	25.76	224	0.27	
124	10.70	33.78	3.47	211									
ORCA; February 11, 1959; 0930 GCT; 34°58'N, 121°04.5'W; sounding, 250 fm; wind, 200°, force 5; weather, cloudy; sea, very rough; wire angle, 13°.												77.53	
2	13.80	33.35	5.83	299		0	(13.80)	(33.35)	(5.83)	(24.98)	(299)	(0.00)	
11	13.80	33.33	5.80	300		10	13.80	33.33	5.80	24.96	300	0.03	
31	13.80	33.37	5.89	298		20	13.80	33.35	5.85	24.98	299	0.06	
51	13.57	33.50	5.73	283		30	13.80	33.37	5.89	24.99	298	0.09	
75	12.78	33.57	4.98	263		50	13.59	33.50	5.75	25.13	284	0.15	
99	11.44	33.58	4.18	239		75	12.78	33.57	4.98	25.36	263	0.22	
124	10.12	33.68	3.44	209		100	11.38	33.58	4.14	25.62	238	0.28	
162	9.52	33.86	2.64	186		150	9.73	33.79	2.94	26.08	194	0.39	
201	8.70	34.00	2.25	163		200	8.71	34.00	2.26	26.41	163	0.48	
248	7.95	34.16	1.59	140		250	7.93	34.16	1.58	26.65	140	0.56	
297	7.62	34.18	1.34	135		300	7.61	34.18	1.33	26.71	134	0.63	
400	6.98	34.24	0.84	121		400	6.98	34.24	0.84	26.85	121	0.76	
ORCA; February 11, 1959; 1132, 1203 GCT; 34°54'N, 121°13'W; sounding, 320 fm; wind, 200°, force 5; weather, partly cloudy; sea, very rough; wire angle, 00°, 05°.												77.55	
1	13.66	33.46	5.82	288		0	(13.66)	(33.46)	(5.82)	(25.10)	(288)	(0.00)	
11	13.66	33.46	5.79	288		10	13.66	33.46	5.79	25.10	288	0.03	
31	13.65	33.46	5.74	288		20	13.66	33.46	5.76	25.10	288	0.06	
56	13.13	33.53	5.12	272		30	13.65	33.46	5.74	25.10	288	0.09	
66	12.66	33.55	5.07	262		50	13.57	33.47	5.64	25.12	286	0.14	
76	12.04	33.49	4.70	256		75	12.15	33.50	4.80	25.42	257	0.21	
91	11.34	33.58	3.90	237		100	10.07	33.64	3.88	25.90	211	0.27	
107	9.76	33.67	3.85	204		150	9.27	33.86	2.83	26.21	182	0.37	
132	9.43	33.84	2.99	186		200	8.60	34.04	2.30	26.45	159	0.46	
151	9.26	33.86	2.83	182		250	8.04	34.11	1.71	26.59	145	0.53	
177	8.92	33.98	2.53	168		300	7.69	34.15	1.42	26.68	138	0.61	
207	8.48	34.05	2.21	156		400	6.94	34.25	0.81	26.86	120	0.74	
237	8.16	34.10	1.80	148		500	6.16	34.26	0.55	26.96	110	0.86	
277	7.84	34.13	1.56	142									
338	7.42	34.20	1.16	130									
408	6.88	34.25	0.79	120									
483	6.31	34.26	0.59	111									
564	5.51	34.26b)	0.38	102									
ORCA; February 12, 1959; 2025 GCT; 34°54'N, 121°23'W; sounding, 268 fm; wind, 270°, force 3; weather, partly cloudy; sea, rough; wire angle, 10°.												77.57	
2	14.04	33.34	5.74	305		0	(14.04)	(33.34)	(5.74)	(24.92)	(305)	(0.00)	
12	13.97	33.31	5.67	305		10	13.99	33.32	5.68	24.92	305	0.03	
31	13.94	33.27	-	308		20	13.96	33.30	-	24.90	306	0.06	
159c)	9.40	33.82	3.18	-		30	13.94	33.27	-	24.88	308	0.09	
197c)	8.59	33.97	2.49	-									
245c)	7.95	34.14	1.70	-									
293c)	7.42	34.19	1.42	-									
396c)	6.52	34.30	0.61	-									

- a) Depths may be slightly in error owing to hydrographic weight dragging on bottom.
 b) Salinity bottle number was not recorded on the data sheet. Since standard handling and titrating procedures were used, this salinity value is assumed to be listed correctly.
 c) Pretrip; too uncertain for interpolation.

SIO

CCOFI
5902

	OBSERVED					INTERPOLATED					COMPUTED		
	Z m	T °C	S ‰	O ₂ ml/L	δT ₃ 10 ⁻⁵ cm/g	Z m	T °C	S ‰	O ₂ ml/L	σ _t g/L	δT ₃ 10 ⁻⁵ cm/g	ΔD dyn. m	

77.60

ORCA; February 12, 1959; 2305 GCT; 34°45'N, 121°36'W; sounding, 500 fm; wind, 270°, force 3; weather, partly cloudy; sea, rough; wire angle, 19°.

1	13.66	33.33	5.74	298	0	(13.66)	(33.33)	(5.74)	(24.99)	(298)	(0.00)	
10	13.62	33.30	5.62	300	10	13.62	33.30	5.62	24.97	300	0.03	
29	13.56	33.31	5.68	297	20	13.59	33.30	5.64	24.99	298	0.06	
58	13.52	33.33	5.82	294	30	13.56	33.31	5.69	25.00	296	0.09	
67	12.80	33.33	5.39	282	50	13.53	33.32	5.74	25.01	296	0.15	
82	10.76	33.31	4.91	246	75	11.44	33.31	5.07	25.40	259	0.22	
96	10.32	33.47	4.24	227	100	10.09	33.51	4.13	25.80	221	0.28	
110	9.48	33.60	3.91	205	150	8.90	33.89	2.85	26.28	174	0.38	
133	9.08	33.81	3.05	183	200	8.08	34.01	2.64	26.51	153	0.46	0.39
152	8.89	33.89	2.84	174	250	7.53	34.07	1.81	26.64	141	0.54	
179	8.44	33.96	2.89	162	300	6.88	34.12	1.26	26.77	129	0.60	
207	7.97	34.03	2.46	150	400	6.33	34.19	0.89	26.90	117	0.73	
235	7.72	34.05	2.08	145	500	5.79	34.30	0.52	27.04	102	0.85	
281	7.10	34.11	1.38	133								
332	6.64	34.14	1.15	124								
413	6.27	34.20	0.82	115								
494	5.82	34.29	0.54	103								
577	5.50	34.34	0.34	96								

77.70

ORCA; February 13, 1959; 0428 GCT; 34°25.5'N, 122°16.5'W; sounding, 2200 fm; wind, 320°, force 3; weather, partly cloudy; sea, moderate; wire angle, 05°.

1	14.03	33.31	5.76	306	0	(14.03)	(33.31)	(5.76)	(24.90)	(306)	(0.00)	
11	14.04	33.30	5.74	308	10	14.04	33.30	5.74	24.89	307	0.03	
30	14.06	33.33	5.65	306	20	14.05	33.32	5.69	24.89	307	0.06	
61	14.00	33.30	5.70	307	30	14.06	33.33	5.65	24.90	306	0.09	
71	13.40	33.29	5.71	296	50	14.05	33.32	5.69	24.89	307	0.15	
86	10.96	33.29	5.01	251	75	11.90	33.29	5.31	25.30	268	0.22	
101	10.06	33.36	4.71	232	100	10.10	33.36	4.75	25.67	233	0.29	
116	9.38	33.49	4.35	211	150	8.92	33.82	3.28	26.23	180	0.39	
139	9.02	33.66	3.95	194	200	8.17	34.02	2.50	26.50	154	0.48	0.39
160	8.81	33.91	2.84	172	250	7.58	34.04	2.24	26.60	144	0.56	
191	8.32	34.00	2.68	157	300	7.04	34.12	1.52	26.74	131	0.62	
220	7.86	34.04	2.20	148	400	6.36	34.20	0.72	26.90	117	0.75	
250	7.58	34.04	2.24	144	500	5.63	34.25	0.50	27.03	104	0.87	
299	7.05	34.12	1.53	131	600	4.90	34.27	0.37	27.13	95	0.97	
353	6.66	34.15	1.07	124								
437	6.14	34.23	0.59	112								
521	5.46	34.25	0.48	102								
605	4.88	34.27	0.35	94								

80.53

ORCA; February 14, 1959; 1430 GCT; 34°23'N, 120°40'W; sounding, 244 fm; wind, direction missing, force 1; weather, cloudy; sea, moderate; wire angle, 00°.

0	14.03	33.55	5.96	289	0	14.03	33.55	5.96	25.08	289	0.00	
10	14.02	33.54	6.09	289	10	14.02	33.54	6.09	25.08	289	0.03	
30	13.88	33.54	6.01	286	20	14.00	33.54	6.08	25.08	289	0.06	
50	12.96	33.53	5.13	269	30	13.88	33.54	6.01	25.11	286	0.09	
75	11.06	33.66	3.62	226	50	12.96	33.53	5.13	25.29	269	0.14	
100	10.86	33.68	3.49	221	75	11.06	33.66	3.62	25.74	226	0.20	
125	10.34	33.73	3.30	208	100	10.86	33.68	3.49	25.80	221	0.26	
165	9.62	33.86	2.86	188	150	9.89	33.80	3.04	26.06	196	0.37	
206	9.16	33.98	2.41	172	200	9.22	33.96	2.50	26.30	174	0.46	
256	8.5a)	34.07	1.75	155	250	8.59	34.06	1.82	26.47	156	0.54	
306	7.98	34.12	1.50	144	300	8.03	34.11	1.55	26.60	145	0.62	
411	7.24	34.22	1.10	126	400	7.30	34.21	1.14	26.78	128	0.76	

a) Both protected reversing thermometers at this level malfunctioned. Since an acceptable depth value was obtained, the temperature value was determined by calculation, using the unprotected thermometer reading.

OBSERVED					INTERPOLATED				COMPUTED		
Z m	T °C	S %	O ₂ ml/L	δT $10^{-5} \text{ cm}^3/\text{g}$	Z m	T °C	S %	O ₂ ml/L	σ_t g/L	δT $10^{-5} \text{ cm}^3/\text{g}$	ΔD dyn. m

SIO
CCOFI
5902

ORCA; February 14, 1959; 1215 GCT; 34°16.5'N, 120°49.5'W; sounding, 415 fm; wind, direction missing, force 1; weather, missing; sea, moderate; wire angle, 01°.

80.55

1	14.06	33.56	5.89	289	0	(14.06)	(33.56)	(5.89)	(25.08)	(289)	(0.00)
11	14.06	33.62	5.99	284	10	14.06	33.62	5.99	25.13	284	0.03
31	14.08	33.50	5.94	293	20	14.07	33.57	5.97	25.09	288	0.06
41	12.52	33.46	5.23	267	30	14.08	33.50	5.95	25.04	293	0.09
52	11.66	33.43	4.77	254	50	11.72	33.43	4.82	25.44	255	0.14
67	10.96	33.57	4.03	231	75	10.71	33.63	3.84	25.78	222	0.20
82	10.53	33.68	3.69	215	100	9.92	33.75	3.29	26.02	200	0.25
102	9.86	33.76	3.27	199	150	9.03	33.96	2.62	26.33	171	0.35
127	9.38	33.86	2.91	184	200	8.38	34.03	2.09	26.48	156	0.43
147	9.05	33.96	2.64	172	250	8.13	34.10	1.81	26.57	147	0.51
177	8.64	33.98	2.30	164	300	7.79	34.16	1.45	26.67	138	0.58
207	8.35	34.04	2.03	155	400	6.98	34.28	0.84	26.88	118	0.71
236	8.18	34.09	1.86	148	500	6.26	34.29	0.55	26.98	108	0.83
277	7.98	34.13	1.64	143							
337	7.44	34.20	1.09	131							
412	6.9a)	34.29	0.82	116							
488	6.33	34.28	0.58	110							
568	5.80	34.34	0.42	99							

ORCA; February 14, 1959; 1020 GCT; 34°13'N, 120°56'W; sounding, 500 fm; wind, calm; weather, partly cloudy; sea, moderate; wire angle, 00°.

80.57

1	13.52	33.53	6.12	280	0	(13.52)	(33.53)	(6.12)	(25.17)	(280)	(0.00)
11	13.51	33.51	6.06	281	10	13.51	33.51	6.06	25.16	281	0.03
31	13.49	33.51	5.84	281	20	13.50	33.51	5.96	25.16	281	0.06
41	13.46	33.55	5.91	278	30	13.49	33.51	5.85	25.16	281	0.08
51	11.74	33.48	4.82	251	50	11.90	33.49	4.93	25.46	253	0.14
66	11.00	33.44	4.48	241	75	10.46	33.46	4.37	25.69	231	0.20
81	10.31	33.48	4.32	227	100	9.95	33.73	3.38	26.00	202	0.25
101	9.94	33.73	3.37	202	150	8.89	33.96	2.50	26.34	169	0.35
126	9.29	33.83	3.09	185	200	8.44	34.05	2.01	26.48	156	0.43
146	8.92	33.95	2.53	149	250	8.07	34.13	1.71	26.61	144	0.51
176	8.67	34.00	2.25	163	300	7.71	34.16	1.38	26.68	138	0.58
207	8.39	34.06	1.95	154	400	6.75	34.28	0.77	26.91	116	0.71
236	8.14	34.13	1.78	146	500	6.12	34.32	0.44	27.02	104	0.82
277	7.93	34.14	1.52	141							
337	7.28	34.20	1.09	129							
412	6.67	34.29	0.70	114							
488	6.20	34.32	0.46	106							
568	5.68	34.31	0.38	100							

ORCA; February 14, 1959; 0811 GCT; 34°08'N, 121°08'W; sounding, 1200 fm; wind, calm; weather, partly cloudy; sea, moderate; wire angle, 00°.

80.60

1	13.67	33.57	6.16	280	0	(13.67)	(33.57)	(6.16)	(25.17)	(280)	(0.00)
11	13.66	33.63	6.28	276	10	13.66	33.62	6.28	25.22	276	0.03
31	13.56	33.55	6.07	279	20	13.61	33.60	6.19	25.20	277	0.06
56	12.98	33.53	5.38	270	30	13.57	33.55	6.07	25.18	279	0.08
66	12.37	33.56	4.27	256	50	13.40	33.54	5.91	25.20	277	0.14
76	11.38	33.60	3.99	236	75	11.46	33.60	3.99	25.62	237	0.20
91	10.29	33.56	4.02	221	100	9.88	33.60	3.94	25.90	211	0.26
106	9.66	33.64	3.82	204	150	8.89	33.90	2.93	26.30	173	0.36
131	9.10	33.82	3.22	182	200	8.48	34.06	2.02	26.49	155	0.44
152	8.88	33.91	2.91	172	250	7.96	34.16	1.58	26.64	141	0.52
177	8.69	34.00	2.33	163	300	7.52	34.19	1.27	26.73	132	0.58
207	8.40	34.08	1.95	153	400	6.75	34.29	0.73	26.92	115	0.71
237	8.10	34.14	1.67	144	500	6.08	34.34	0.44	27.05	102	0.83
277	7.66	34.18	1.40	135							
337	7.36	34.23	1.05	127							
412	6.67	34.30	0.67	113							
488	6.17	34.34	0.45	103							
568	5.58	34.33	0.34	97							

a) Both protected reversing thermometers at this level malfunctioned. Since an acceptable depth value was obtained, the temperature value was determined by calculation, using the unprotected thermometer reading.

73

SIO
CCOFI
5902

Z m	OBSERVED				INTERPOLATED				COMPUTED		
	T °C	S %	O ₂ ml/L	δT $10^{-5} \text{ cm}^3/\text{g}$	Z m	T °C	S %	O ₂ ml/L	σ_t g/L	δT $10^{-5} \text{ cm}^3/\text{g}$	ΔD dyn. m

80.70

ORCA; February 14, 1959; 0221 GCT; 33°49'N, 121°45'W; sounding, 2000 fm; wind, 340°, force 2; weather, partly cloudy; sea, moderate; wire angle, 00°.

1	14.72	33.47	5.73	308	0	(14.72)	(33.47)	(5.73)	(24.88)	(308)	(0.00)
11	14.54	33.46	5.86	306	10	14.55	33.46	5.85	24.90	306	0.03
31	14.51	33.46	5.80	305	20	14.52	33.46	5.83	24.91	305	0.06
56	14.50	33.40	5.75	309	30	14.51	33.46	5.80	24.91	305	0.09
66	14.48	33.45	5.59	305	50	14.50	33.40	5.77	24.87	309	0.15
76	14.20	33.45	5.68	300	75	14.28	33.45	5.66	24.96	301	0.23
91	11.87	33.45	4.73	256	100	11.20	33.47	4.57	25.57	243	0.30
106	10.82	33.50	4.45	234	150	9.20	33.82	3.01	26.18	184	0.40
132	9.61	33.70	3.53	200	200	8.76	34.04	2.12	26.42	162	0.49
152	9.18	33.83	2.98	183	250	8.26	34.10	1.80	26.55	150	0.57
177	8.94	34.01	2.34	166	300	7.75	34.16	1.46	26.68	137	0.65
207	8.70	34.04	2.07	160	400	6.78	34.26	0.87	26.89	117	0.78
237	8.39	34.07	1.87	153	500	6.26	34.29	0.50	26.98	108	0.90
277	7.97	34.14	1.63	142							
337	7.38	34.20	1.13	130							
412	6.69	34.27	0.80	115							
487	6.32	34.29	0.52	109							
568	5.82	34.29	0.40	104							

80.80

ORCA; February 13, 1959; 2038, 2111 GCT; 33°31.5'N, 122°29'W; sounding, 2000 fm; wind, 320°, force 2; weather, partly cloudy; sea, moderate; wire angle, 01°, 00°.

2	14.56	33.41	5.69	310	0	(14.56)	(33.41)	(5.69)	(24.87)	(310)	(0.00)
12	14.47	33.44	5.63	306	10	14.48	33.43	5.64	24.90	306	0.03
32	14.48	33.48	5.60	303	20	14.47	33.46	5.62	24.92	304	0.06
58	14.47	33.44	5.65	306	30	14.48	33.48	5.61	24.93	303	0.09
68	14.46	33.44	5.72	306	50	14.47	33.45	5.64	24.91	306	0.15
78	13.68	33.40	5.52	293	75	14.28	33.42	5.71	24.93	303	0.23
93	11.81	33.44	4.83	255	100	11.15	33.46	4.66	25.58	242	0.30
108	10.54	33.49	4.50	230	150	9.31	33.72	3.62	26.09	193	0.41
133	9.54	33.62	3.92	204	200	8.27	34.00	2.40	26.47	157	0.50
153	9.26	33.74	3.57	192	250	7.86	34.08	1.86	26.59	145	0.57
				300		7.42	34.14	1.48	26.70	135	0.64
178	8.62	33.93	2.75	168	400	6.44	34.17	0.96	26.86	120	0.78
208	8.18	34.03	2.26	153	500	6.03	34.31	0.54	27.02	105	0.90
238	7.92	34.05	2.00	148							
278	7.70	34.13	1.56	139							
339	6.86	34.14	1.36	127							
414	6.39	34.18	0.86	118							
488	6.11	34.29	0.56	106							
569	5.54	34.40	0.40	91							

80.90

ORCA; February 13, 1959; 1447 GCT; 33°10.5'N, 123°17.5'W; sounding, 2100 fm; wind, 320°, force 2; weather, partly cloudy; sea, moderate; wire angle, 06°.

1	14.26	33.30	5.82	311	0	(14.26)	(33.30)	(5.82)	(24.85)	(311)	(0.00)
11	14.25	33.33	5.84	310	10	14.25	33.33	5.84	24.86	310	0.03
31	14.28	33.30	5.65	312	20	14.25	33.32	5.76	24.85	311	0.06
56	13.74	33.32	5.80	300	30	14.27	33.30	5.66	24.84	312	0.09
66	13.23	33.28	5.57	293	50	13.95	33.32	5.75	24.92	305	0.16
76	12.32	33.24	5.40	279	75	12.40	33.24	5.42	25.17	281	0.23
91	11.37	33.37	5.10	252	100	10.45	33.42	4.90	25.66	234	0.29
106	10.36	33.43	4.87	231	150	8.85	33.74	4.20	26.18	185	0.40
131	9.20	33.60	4.27	200	200	8.18	33.99	3.43	26.48	156	0.48
151	8.83	33.74	4.19	185	250	7.64	34.11	1.83	26.64	140	0.56
176	8.48	33.93	3.66	165	300	6.93	34.12	1.45	26.76	130	0.63
206	8.11	34.01	3.37	154	400	6.01	34.17	0.84	26.92	114	0.76
236	7.81	34.09	2.04	144	500	5.52	34.26	0.49	27.06	102	0.87
275	7.32	34.12	1.59	135							
336	6.42	34.13	1.25	122							
410	5.98	34.18	0.79	113							
484	5.60	34.25	0.50	104							
564	5.26	34.34	0.39	93							

OBSERVED					INTERPOLATED					COMPUTED		
Z m	T °C	S %	O ₂ ml/L	δT_3 10^{-5} cm/g	Z m	T °C	S %	O ₂ ml/L	σ_t g/L	δT_3 10^{-5} cm/g	ΔD dyn. m	

SIO

CCOFI
5902

ORCA; February 14, 1959; 1943 GCT; 34°14.5'N, 119°59.5'W; sounding, 316 fm; wind, 090°, force 3; weather, cloudy; sea, slight; wire angle, 07°.											82.47
1	14.36	33.51	6.06	298	0	(14.36)	(33.51)	(6.06)	(24.99)	(298)	(0.00)
11	14.31	33.56	5.96	294	10	14.32	33.56	5.97	25.04	294	0.03
31	14.28	33.55	5.76	294	20	14.30	33.56	5.86	25.04	294	0.06
51	13.30	33.55	4.93	274	30	14.29	33.55	5.77	25.04	294	0.09
76	11.50	33.57	4.04	240	50	13.40	33.55	5.00	25.21	277	0.14
101	10.71	33.68	3.49	218	75	11.51	33.57	4.05	25.59	241	0.21
125	10.25	33.80	2.99	202	100	10.72	33.68	3.50	25.82	219	0.27
165	9.50	33.98	2.37	177	150	9.72	33.93	2.55	26.18	184	0.37
205	9.10	34.07	2.07	164	200	9.15	34.06	2.10	26.38	166	0.46
254	8.5a)	34.15	1.50	149	250	8.54	34.15	1.55	26.55	150	0.54
303	7.98	34.18	1.38	139	300	8.01	34.18	1.40	26.65	140	0.62
407	7.14	34.22	0.80	125	400	7.19	34.22	0.85	26.80	126	0.75
ORCA; February 15, 1959; 0101 GCT; 34°14'N, 119°22'W; sounding, 12 fm; wind, direction missing, force 1; weather, cloudy; sea, slight; wire angle, 01°.											83.40
1	14.58	33.60	5.85	296	0	(14.58)	(33.60)	(5.85)	(25.01)	(296)	(0.00)
11	14.42	33.53	5.91	298	10	14.43	33.53	5.91	24.99	298	0.03
ORCA; February 14, 1959; 2315 GCT; 34°08'N, 119°33.5'W; sounding, 128 fm; wind, 120°, force 3; weather, cloudy; sea, slight; wire angle, 03°.											83.43
1	14.56	33.51	5.87	302	0	(14.56)	(33.51)	(5.87)	(24.94)	(302)	(0.00)
11	14.48	33.50	5.88	302	10	14.49	33.50	5.88	24.95	302	0.03
31	14.43	33.52	5.75	299	20	14.44	33.52	5.77	24.97	300	0.06
51	13.11	33.48	4.67	276	30	14.43	33.52	5.77	24.97	300	0.09
76	11.92	33.66	3.90	241	50	13.15	33.48	4.71	25.21	277	0.15
102	10.84	33.71	3.31	219	75	11.98	33.66	3.93	25.57	242	0.21
127	10.4a)	33.79	2.91	206	100	10.88	33.70	3.37	25.81	220	0.27
167	9.33	34.02	2.21	171	150	9.77	33.94	2.49	26.18	184	0.38
207	8.67	34.08	1.80	157	200	8.78	34.07	1.87	26.45	159	0.46
ORCA; February 15, 1959; 0646 GCT; 33°52'N, 120°07.5'W; sounding, 100 fm; wind, 140°, force 3; weather, cloudy; sea, slight; wire angle, 03°.											83.51
0	14.56	33.51	5.76	302	0	14.56	33.51	5.76	24.94	302	0.00
10	14.50	33.57	5.72	297	10	14.50	33.57	5.72	25.00	297	0.03
30	14.14	33.53	5.72	292	20	14.37	33.56	5.72	25.02	295	0.06
50	12.34	33.53	4.75	258	30	14.14	33.53	5.72	25.04	292	0.09
75	10.92	33.60	4.00	228	50	12.34	33.53	4.75	25.40	258	0.14
100	10.2a)	33.75	3.27	205	75	10.92	33.60	4.00	25.72	228	0.20
126	9.46	33.89	2.72	183	100	10.2	33.75	3.27	25.96	205	0.26
155	9.19	33.98	2.31	172	150	9.22	33.96	2.39	26.30	174	0.35

a) Both protected reversing thermometers at this level malfunctioned. Since an acceptable depth value was obtained, the temperature value was determined by calculation, using the unprotected thermometer reading.

SIO

CCOFI
5902

	OBSERVED					INTERPOLATED					COMPUTED		
	Z m	T °C	S %	O ₂ ml/L	δT ₃ 10 ⁻⁵ cm ³ /g	Z m	T °C	S %	O ₂ ml/L	σ _t g/L	δT ₃ 10 ⁻⁵ cm ³ /g	ΔD dyn. m	

83.55

ORCA; February 15, 1959; 0907, 0939 GCT; 33°44'N, 120°24.5'W; sounding, 600 fm; wind, 140°, force 6; weather, cloudy; sea, moderate; wire angle, 12°, 19°.

1	14.14	33.53	5.69	293	0	(14.14)	(33.53)	(5.69)	(25.04)	(293)	(0.00)
11	14.14	33.60	5.60	287	10	14.14	33.60	5.60	25.10	287	0.03
30	14.05	33.53	5.55	291	20	14.10	33.57	5.58	25.08	289	0.06
59	12.53	33.51	4.62	263	30	14.05	33.53	5.55	25.06	291	0.09
69	11.81	33.55	4.47	247	50	13.50	33.52	5.18	25.17	281	0.14
83	10.95	33.58	4.08	230	75	11.42	33.56	4.28	25.60	240	0.21
97	10.29	33.68	3.76	212	100	10.20	33.68	3.70	25.91	210	0.27
112	9.62	33.71	3.18	199	150	8.76	33.94	2.43	26.36	168	0.36
136	8.94	33.89	2.75	175	200	8.43	34.08	1.81	26.51	153	0.44 0.44
155	8.72	33.96	2.34	166	250	8.06	34.12	1.64	26.60	144	0.52
184	8.60	34.07	1.83	156	300	7.65	34.16	1.25	26.69	136	0.59
212	8.32	34.09	1.80	151	400	7.12	34.22	0.82	26.81	125	0.72
					500	6.54	34.26	0.60	26.93	114	0.85
239	8.15	34.11	1.72	147	600	(5.75)	(34.35)		(27.09)	(98)	(0.96)
287	7.73	34.16	1.30	137							
339	7.44	34.16	1.14	134							
420	7.0a)	34.23	0.77	123							
503	6.52	34.27	0.58	113							
587	5.88	34.34	0.50	100							

83.60

ORCA; February 15, 1959; 1243 GCT,^{b)} 33°34'N, 120°45'W; sounding, 800 fm; wind, 140°, force 6; weather, overcast; sea, moderate; wire angle, 11°.

1	14.16	33.41	5.68	301	0	(14.16)	(33.41)	(5.68)	(24.95)	(301)	(0.00)
11	14.16	33.39	5.80	303	10	14.16	33.39	5.80	24.93	303	0.03
21	14.18	33.38	5.76	304	20	14.18	33.38	5.76	24.92	304	0.06
30	14.17	33.37	5.84	304	30	14.17	33.37	5.84	24.92	304	0.09
40	14.14	33.39	5.80	302	50	14.12	33.39	5.83	24.94	302	0.15
50	14.12	33.39	5.83	302	75	13.50	33.41	5.53	25.09	288	0.22
59	14.01	33.40	5.82	300	100	11.12	33.48	4.50	25.60	240	0.29
69	13.84	33.42	5.75	294	150	8.99	33.84	3.32	26.24	179	0.40
79	12.96	33.39	5.21	280	200	(8.23)	(34.05)	(2.27)	(26.52)	(153)	(0.48)
89	12.38	33.43	4.91	266							
99	11.14	33.48	4.51	241							
108	10.22	33.52	4.16	223							
118	9.90	33.56	4.04	214							
129	9.51	33.68	3.94	199							
139	9.3a)	33.74	3.51	191							
149	9.00	33.84	3.33	180							
173	8.70	33.91	2.59	170							
198	8.25	34.04	2.28	154							

a) Both protected reversing thermometers at this level malfunctioned. Since an acceptable depth value was obtained, the temperature value was determined by calculation, using the unprotected thermometer reading.

b) Special cast, upper.

OBSERVED					INTERPOLATED					COMPUTED		
Z m	T °C	S ‰	O ₂ ml/L	δT ₃ 10 ⁻⁵ cm ³ /g	Z m	T °C	S ‰	O ₂ ml/L	σ _t g/L	δT ₃ 10 ⁻⁵ cm ³ /g	ΔD dyn. m	

SIO
CCOFI
5902

ORCA; February 15, 1959; 1335 GCT; ^{a)} 33°34'N, 120°45'W; sounding, 800 fm; wind, 140°, force 6; weather, overcast; sea, moderate; wire angle, 20°.

93	11.68	33.44	4.76	253								
130	9.52	33.68	3.94	199								
139	9.28	33.71	3.65	194								
149	9.10	33.78	3.37	186								
158	8.91	33.86	2.98	176								
168	8.75	33.89	2.70	172								
177	8.66	33.94	2.46	167								
187	8.54	33.98	2.34	162	150	9.08	33.78	3.36	26.17	186		
197	8.32	34.04	2.22	154	200	8.30	34.04	2.21	26.50	154		
206	8.24	34.05	2.12	153	250	7.90	34.11	1.74	26.62	143		
216	8.12	34.04	2.01	152								
225	8.06	34.05	1.95	150								
235	7.98	34.06	1.84	148								
245	8.0b)	34.10	1.75	146								
254	7.78	34.13	1.63	140								
264	7.72	34.14	1.59	139								
274	7.64	34.14	1.55	138								
283	7.54	34.16	1.47	135								

ORCA; February 15, 1959; 1538 GCT; 33°34'N, 120°45'W; sounding, 800 fm; wind, 150°, force 7; weather, overcast; sea, rough; wire angle, 28°.

1	14.13	33.41	5.82	301	0	(14.13)	(33.41)	(5.82)	(24.96)	(301)	(0.00)	
10	14.14	33.39	5.88	302	10	14.14	33.39	5.88	24.94	302	0.03	
32	14.18	33.43	5.76	300	20	14.15	33.39	5.84	24.94	302	0.06	
59	13.90	33.42	5.84	296	30	14.17	33.42	5.77	24.96	301	0.09	
68	13.10	33.37	5.14	284	50	14.16	33.43	5.77	24.96	300	0.15	
85	10.73	33.46	4.36	235	75	12.14	33.38	4.77	25.33	265	0.22	
100	10.34	33.50	4.23	226	100	10.34	33.50	4.23	25.74	226	0.28	
113	9.92	33.58	4.18	213	150	9.18	33.78	3.15	26.16	187	0.39	
139	9.34	33.69	3.56	196	200	8.39	33.94	2.28	26.41	163	0.48	5.40
157	9.06	33.83	2.91	182	250	7.89	34.05	1.76	26.57	148	0.56	
184	8.56	33.91	2.46	168	300	7.42	34.12	1.30	26.69	136	0.63	
215	8.25	33.97	2.14	159	400	6.48	34.16	0.80	26.85	121	0.76	
242	7.96	34.04	1.82	149	500	6.04	34.24	0.57	26.97	110	0.88	
288	7.51	34.11	1.38	138	600	5.56	34.31	0.37	27.08	98	0.99	
347	6.94	34.14	0.97	128								
441	6.2b)	34.18	0.70	116								
527	5.96	34.26	0.50	107								
600	5.56	34.31	0.37	98								

a) Special cast, lower.

b) Both protected reversing thermometers at this level malfunctioned. Since an acceptable depth value was obtained, the temperature value was determined by calculation, using the unprotected thermometer reading.

SIO

CCOFI
5902

	OBSERVED					INTERPOLATED					COMPUTED		
	Z m	T °C	S %	O ₂ ml/L	δT 10 ⁻⁵ cm ³ /g	Z m	T °C	S %	O ₂ ml/L	σ _t g/L	δT 10 ⁻⁵ cm ³ /g	ΔD dyn. m	

83.70

ORCA; February 18, 1959; 1732 GCT; 33°13'N, 121°30'W; sounding, 2000 fm; wind, 310°, force 2; weather, partly cloudy; sea, very rough; wire angle, 06°.

1	14.70	33.46	5.74	309	0	(14.70)	(33.46)	(5.74)	(24.87)	(309)	(0.00)	
11	14.66	33.46	5.66	308	10	14.67	33.46	5.66	24.88	308	0.03	
31	14.52	33.48	5.75	304	20	14.59	33.47	5.71	24.90	306	0.06	
56	14.38	33.46	5.72	302	30	14.53	33.48	5.75	24.93	304	0.09	
66	14.28	33.46	5.64	300	50	14.42	33.47	5.73	24.94	303	0.15	
77	13.72	33.44	5.46	290	75	14.00	33.45	5.54	25.01	296	0.23	
92	12.51	33.44	4.95	268	100	12.10	33.46	4.82	25.39	259	0.30	
106	11.38	33.51	4.60	242	150	9.03	33.74	3.61	26.15	188	0.41	
131	9.36	33.64	4.02	200	200	8.33	33.97	2.64	26.44	160	0.50	0.40
151	9.02	33.75	3.57	187	250	7.69	34.04	2.12	26.59	146	0.57	
175	8.58	33.89	3.01	169	300	7.23	34.06	1.66	26.67	138	0.65	
205	8.28	33.99	2.59	158	400	6.39	34.18	0.90	26.88	118	0.78	
234	7.86	34.04	2.31	148	500	5.77	34.20	0.60	26.98	109	0.90	
275	7.46	34.04	1.81	142								
334	6.92	34.13	1.39	128								
407	6.34	34.18	0.86	118								
481	5.90	34.19	0.66	112								
558	5.30	34.26	0.47	99								

83.80

ORCA; February 18, 1959; 1152 GCT; 32°50'N, 122°10'W; sounding, 2000 fm; wind, 190°, force 2; weather, partly cloudy; sea, rough; wire angle, 01°.

1	14.75	33.51	5.76	306	0	(14.75)	(33.51)	(5.76)	(24.90)	(306)	(0.00)	
11	14.75	33.49	5.74	307	10	14.75	33.49	5.74	24.89	307	0.03	
31	14.62	33.49	5.74	305	20	14.71	33.49	5.74	24.90	306	0.06	
56	13.70	33.49	5.18	287	30	14.62	33.49	5.74	24.91	305	0.09	
66	11.37	33.44	4.35	248	50	14.62	33.49	5.74	24.91	305	0.15	
77	10.72	33.49	4.32	232	75	10.80	33.48	4.32	25.65	235	0.22	
92	10.25	33.57	3.95	219	100	9.97	33.65	3.79	25.93	208	0.28	
107	9.74	33.72	3.65	200	150	8.85	33.89	2.72	26.29	174	0.37	
132	9.12	33.82	2.89	183	200	7.98	33.98	2.58	26.50	154	0.46	0.39
151	8.84	33.89	2.72	174	250	7.41	34.04	1.99	26.63	142	0.53	
177	8.28	33.93	2.72	162	300	7.02	34.06	1.68	26.70	136	0.60	
207	7.90	34.00	2.47	152	400	6.40	34.21	0.92	26.90	116	0.73	
237	7.52	34.04	2.07	144	500	5.76	34.28	0.30	27.04	103	0.85	
277	7.24	34.05	1.83	139								
337	6.68	34.10	1.34	128								
413	6.35	34.23	0.83	114								
488	5.84	34.27	0.30	105								
568	5.49	34.33	0.33	96								

83.90

ORCA; February 18, 1959; 0653 GCT; 32°32'N, 122°48.5'W; sounding, 2400 fm; wind, 210°, force 2; weather, partly cloudy; sea, very rough; wire angle, 01°.

1	14.78	33.48	5.77	309	0	(14.78)	(33.48)	(5.77)	(24.87)	(309)	(0.00)	
11	14.77	33.46	5.62	310	10	14.77	33.46	5.62	24.86	310	0.03	
31	14.66	33.48	5.74	306	20	14.71	33.48	5.69	24.88	308	0.06	
56	14.62	33.47	5.68	306	30	14.67	33.48	5.73	24.90	306	0.09	
66	14.16	33.46	5.56	298	50	14.63	33.48	5.70	24.90	306	0.15	
76	11.35	33.51	4.27	242	75	11.46	33.50	4.32	25.55	245	0.22	
91	10.43	33.58	3.79	221	100	10.00	33.63	3.62	25.90	211	0.28	
107	9.66	33.68	3.48	202	150	8.87	33.83	2.81	26.24	178	0.38	
132	9.02	33.80	3.12	183	200	8.14	34.02	2.07	26.51	153	0.46	0.38
152	8.84	33.84	2.78	177	250	7.50	34.12	1.50	26.68	138	0.54	
176	8.41	33.93	2.59	164	300	6.90	34.11	1.26	26.76	130	0.60	
206	8.07	34.04	1.98	151	400	6.08	34.17	0.74	26.91	115	0.73	
236	7.69	34.11	1.60	141	500	5.67	34.26	0.44	27.04	103	0.84	
276	7.19	34.12	1.35	133								
336	6.50	34.10	1.11	126								
410	6.02	34.18	0.68	114								
485	5.72	34.25	0.45	105								
565	5.44	34.31	0.35	97								

OBSERVED					INTERPOLATED					COMPUTED			SIO CCOFI 5902
Z m	T °C	S ‰	O ₂ ml/L	δT ₃ 10 ⁻⁵ cm/g	Z m	T °C	S ‰	O ₂ ml/L	σ _t g/L	δT ₃ 10 ⁻⁵ cm/g	ΔD dyn. m		
0	15.35	33.54	5.72	316	0	15.35	33.54	5.72	24.80	316	0.00		
12	15.36	33.55	5.77	316	10	15.35	33.55	5.77	24.80	316	0.03		
32	15.27	33.55	5.64	314	20	15.32	33.55	5.71	24.81	315	0.06		
52	15.04	33.43u	5.66	-	30	15.28	33.55	5.65	24.82	314	0.09		
77	12.82	33.64	4.13	258	50	15.06	33.44	5.66	24.78	318	0.16		
102	11.60	33.68	3.63	234	75	12.98	33.63	4.23	25.36	263	0.23		
					100	11.78	33.68	3.69	25.62	237	0.29		
ORCA; February 19, 1959; 1102 GCT; 33°50'N, 118°37.5'W; sounding, 156 fm; wind, 240°, force 4; weather, partly cloudy; sea, moderate; wire angle, 05°.												87.35	
1	15.33	33.57a)	5.75	314	0	(15.33)	(33.57)	(5.75)	(24.82)	(314)	(0.00)		
11	15.31	33.57	5.74	313	10	15.32	33.57	5.74	24.83	313	0.03		
31	15.13	33.55	5.65	311	20	15.29	33.57	5.72	24.83	313	0.06		
55	14.15	33.51	5.02	294	30	15.15	33.55	5.67	24.85	311	0.09		
65	13.10	33.53	4.82	272	50	14.90	33.54	5.52	24.88	308	0.16		
75	12.16	33.60	4.03	250	75	12.16	33.60	4.03	25.50	250	0.22		
89	11.39	33.60	3.93	236	100	11.12	33.68	3.61	25.74	226	0.29		
104	11.04	33.72	3.49	222	150	9.89	33.87	2.69	26.11	191	0.39		
129	10.30	33.84	3.01	200	200	9.02	34.02	2.10	26.36	167	0.48	0.41	
149	9.90	33.87	2.70	191	250	8.48	34.10	1.78	26.52	152	0.56		
174	9.54	34.01	2.34	176	300	7.94	34.16	1.43	26.64	140	0.64		
203	8.96	34.02	2.02	166	400	7.10	34.28	0.80	26.86	120	0.77		
233	8.61	34.08	1.84	156	500	6.35	34.34	0.50	27.01	106	0.89		
273	8.25	34.14	1.68	146									
333	7.57	34.17	1.18	134									
407	7.04	34.29	0.76	118									
482	6.48	34.33	0.52	108									
560	5.99	34.36	0.39	100									
ORCA; February 19, 1959; 0747 GCT; 33°39'N, 118°58.5'W; sounding, 350 fm; wind, 270°, force 3; weather, partly cloudy; sea, rough; wire angle, 10°.												87.40	
4	14.66	33.48	5.65	306	0	14.7	(33.48)	(5.65)	(24.88)	(308)	(0.00)		
14	14.52	33.48	5.64	304	10	14.59	33.48	5.64	24.91	305	0.03		
34	14.30	33.51	5.59	297	20	14.47	33.48	5.64	24.94	302	0.06		
44	13.58	33.49	5.14	284	30	14.35	33.50	5.62	24.98	299	0.09		
59	12.06	33.51	4.40	254	50	12.93	33.49	4.80	25.26	272	0.15		
					75	10.83	33.60	3.81	25.74	227	0.21		
73	10.92	33.59	3.86	229	100	10.19	33.68	3.34	25.92	210	0.27		
98	10.20	33.68	3.35	210	150	9.32	33.82	2.84	26.16	186	0.37		
118	9.90	33.73	3.17	202	200	8.92	34.04	2.12	26.40	164	0.45	0.41	
138	9.51	33.78	3.03	192	250	8.36	34.13	1.78	26.56	148	0.53		
158	9.21	33.86	2.66	182	300	7.93	34.18	1.40	26.66	139	0.61		
188	9.05	34.00	2.25	168	400	7.12	34.24	0.77	26.83	123	0.74		
224	8.54	34.08	1.90	155	500	6.44	34.30	0.47	26.96	110	0.86		
254	8.32	34.14	1.72	147	600	5.90	34.35	0.39	27.07	100	0.98		
304	7.89	34.18	1.37	138									
359	7.41	34.21	0.92	130									
444	6.8b)	34.29	0.63	115									
529	6.26	34.31	0.40	107									
614	5.86	34.36	0.39	98									
ORCA; February 16, 1959; 2218, 2257 GCT; 33°33.5'N, 119°13.5'W; sounding, 900 fm; wind, 160°, force 4; weather, cloudy; sea, very rough; wire angle, 05, 01°.												87.45	
4	14.66	33.48	5.65	306	0	14.7	(33.48)	(5.65)	(24.88)	(308)	(0.00)		
14	14.52	33.48	5.64	304	10	14.59	33.48	5.64	24.91	305	0.03		
34	14.30	33.51	5.59	297	20	14.47	33.48	5.64	24.94	302	0.06		
44	13.58	33.49	5.14	284	30	14.35	33.50	5.62	24.98	299	0.09		
59	12.06	33.51	4.40	254	50	12.93	33.49	4.80	25.26	272	0.15		
					75	10.83	33.60	3.81	25.74	227	0.21		
73	10.92	33.59	3.86	229	100	10.19	33.68	3.34	25.92	210	0.27		
98	10.20	33.68	3.35	210	150	9.32	33.82	2.84	26.16	186	0.37		
118	9.90	33.73	3.17	202	200	8.92	34.04	2.12	26.40	164	0.45	0.41	
138	9.51	33.78	3.03	192	250	8.36	34.13	1.78	26.56	148	0.53		
158	9.21	33.86	2.66	182	300	7.93	34.18	1.40	26.66	139	0.61		
188	9.05	34.00	2.25	168	400	7.12	34.24	0.77	26.83	123	0.74		
224	8.54	34.08	1.90	155	500	6.44	34.30	0.47	26.96	110	0.86		
254	8.32	34.14	1.72	147	600	5.90	34.35	0.39	27.07	100	0.98		
304	7.89	34.18	1.37	138									
359	7.41	34.21	0.92	130									
444	6.8b)	34.29	0.63	115									
529	6.26	34.31	0.40	107									
614	5.86	34.36	0.39	98									

- a) Salinity bottle numbers were not recorded on the data sheet. Since standard handling and titrating procedures were used, these salinity values are assumed to be in the order listed.
- b) Both protected reversing thermometers at this level malfunctioned. Since an acceptable depth value was obtained, the temperature value was determined by calculation, using the unprotected thermometer reading.

SIO
CCOFI
5902

	OBSERVED					INTERPOLATED					COMPUTED		
	Z m	T °C	S %	O ₂ ml/L	δT_3 10 ⁻⁵ cm/g	Z m	T °C	S %	O ₂ ml/L	σ_t g/L	δT_3 10 ⁻⁵ cm/g	ΔD dyn. m	

87.55	ORCA; February 17, 1959; 0517 GCT; 33°10'N, 120°02'W; sounding, 600 fm; wind, 150°, force 3; weather, partly cloudy; sea, very rough; wire angle, 00°.	1	15.28	33.56	5.64	314	0	(15.28)	(33.56)	(5.64)	(24.82)	(314)	(0.00)
		11	15.27	33.55	5.59	314	10	15.27	33.55	5.59	24.82	314	0.03
		31	14.92	33.48	5.59	312	20	15.03	33.50	5.59	24.83	313	0.06
		56	14.70	33.49	5.60	306	30	14.93	33.48	5.59	24.84	312	0.09
		67	13.18	33.44	4.96	280	50	14.79	33.49	5.60	24.88	308	0.16
		77	11.84	33.49	4.52	252	75	12.92	33.49	4.55	25.45	254	0.23
		91	10.97	33.49	4.23	237	100	10.38	33.55	4.06	25.78	223	0.29
		107	10.34	33.55	4.03	222	150	9.38	33.77	3.17	26.11	191	0.39
		131	9.67	33.69	3.47	201	200	8.32	33.97	2.33	26.44	160	0.48 0.40
		152	9.33	33.78	3.12	189	250	7.81	34.07	1.79	26.59	145	0.56
		176	8.72	33.93	2.57	169	300	7.32	34.10	1.48	26.69	136	0.63
		207	8.22	33.98	2.26	158	400	6.76	34.20	0.78	26.84	122	0.76
		237	7.91	34.03	1.89	150	500	6.21	34.27	0.44	26.98	109	0.88
		277	7.54	34.10	1.66	139							
		337	7.05	34.09	1.22	134							
		412	6.7a)	34.22	0.73	119							
		488	6.26	34.27	0.47	110							
		568	5.81	34.28	0.37	104							
87.60	ORCA; February 9, 1959; 0510 GCT; 32°58'N, 120°19'W; sounding, 400 fm; wind, 320°, force 6; weather, cloudy; sea, very rough; wire angle, 20°.	1	15.12	33.59		308	0	(15.12)	(33.59)		(24.88)	(308)	(0.00)
X		10	15.13	33.57		309	10	15.13	33.57		24.87	309	0.03
		29	14.58	33.54		300	20	14.96	33.56		24.89	307	0.06
		57	13.41	-		-	30	14.56	33.54		24.97	300	0.09
		66	12.20	33.57		252	50	13.78	33.55		25.14	284	0.15
		80	11.01	33.60		230	75	11.30	33.59		25.65	235	0.22
		95	10.44	33.64		216	100	10.35	33.66		25.87	214	0.27
		108	10.20	33.71		208	150	9.42	33.92		26.22	180	0.37
		131	9.78	33.86		190	200	8.40	34.04		26.48	156	0.46 0.38
		147	9.49	33.91		182	250	7.75	34.14		26.66	140	0.53
		175	8.74	34.01		163	300	7.29	34.17		26.75	130	0.60
		202	8.38	34.04		155	400	6.56	34.27		26.94	113	0.73
		229	8.07	34.13		144	500	5.87	34.32		27.06	101	0.84
		273	7.44	34.14		135							
		324	7.14	34.20		126							
		400	6.56	34.27		113							
		481	5.98	34.32		102							
		563	5.49	34.34		96							
87.60	ORCA; February 17, 1959; 0848 GCT; 33°01'N, 120°24'W; sounding, 400 fm; wind, 200°, force 3; weather, partly cloudy; sea, very rough; wire angle, 01°.	2	15.00	33.57	5.64	307	0	(15.00)	(33.57)	(5.64)	(24.89)	(307)	(0.00)
		12	14.99	33.50	5.67	312	10	15.00	33.50	5.67	24.84	312	0.03
		32	14.85	33.49	5.65	310	20	14.94	33.50	5.66	24.85	311	0.06
		57	14.78	33.49	5.48	308	30	14.86	33.49	5.65	24.86	310	0.09
		68	13.05	33.48	4.66	275	50	14.82	33.49	5.62	24.87	309	0.16
		78	12.08	33.49	4.36	256	75	12.38	33.49	4.44	25.36	262	0.23
		93	10.42	33.59	3.86	220	100	10.10	33.58	3.87	25.85	216	0.29
		108	9.95	33.58	3.88	213	150	9.12	33.84	2.95	26.21	182	0.39
		133	9.46	33.99r	3.01	-	200	8.33	33.98	2.31	26.44	160	0.48 0.40
		153	9.04	33.86	2.90	179	250	7.83	34.04	1.90	26.57	147	0.56
		178	8.46	33.97	2.48	162	300	7.42	34.10	1.59	26.67	138	0.63
		208	8.28	33.98	2.27	158	400	6.56	34.20	0.81	26.88	119	0.76
		238	7.92	34.03	2.00	150	500	5.98	34.28	0.45	27.01	106	0.88
		278	7.64	34.07	1.71	143							
		339	7.01	34.15	1.42	128							
		413	6.48	34.21	0.71	117							
		489	6.03	34.28	0.45	107							
		569	5.64	34.29	0.50	102							

a) Both protected reversing thermometers at this level malfunctioned. Since an acceptable depth value was obtained, the temperature value was determined by calculation, using the unprotected thermometer reading.

OBSERVED					INTERPOLATED				COMPUTED		
Z m	T °C	S ‰	O ₂ ml/L	δT ₃ 10 ⁻⁵ cm/g	Z m	T °C	S ‰	O ₂ ml/L	σ _t g/L	δT ₃ 10 ⁻⁵ cm/g	ΔD dyn. m

ORCA; February 9, 1959; 0136 GCT; 32°45'N, 120°43.5'W; sounding, 2100 fm; wind, 320°, force 6; weather, partly cloudy; sea, rough; wire angle, 25°.

1	14.18	33.48	297	0	(14.18)	(33.48)	(25.00)	(297)	(0.00)
9	14.17	33.49	295	10	14.16	33.49	25.02	295	0.03
29	14.13	33.51	293	20	14.14	33.50	25.03	294	0.06
56	14.00	33.62	283	30	14.12	33.51	25.04	293	0.09
65	13.34	33.51	278	50	14.05	33.60	25.11	286	0.15
78	12.27	33.53	257	75	12.58	33.52	25.35	264	0.22
92	11.06	33.64	228	100	10.63	33.67	25.82	218	0.28
105	10.43	33.69	213	150	8.97	33.86	26.26	177	0.38
127	9.64	33.81	192	200	8.27	34.04	26.50	154	0.46
144	9.11	33.84	181	250	7.75	34.13	26.66	139	0.53
170	8.60	33.98	163	300	7.02	34.18	26.79	127	0.60
194	8.36	34.02	156	400	6.22	34.23	26.94	112	0.73
218	8.06	34.11	146	500	5.89	34.31	27.04	102	0.84
259	7.64	34.14	138						
303	6.98	34.18	126						
372	6.38	34.22	115						
446	6.01	34.25	109						
522	5.85	34.34	100						

ORCA; February 17, 1959; 1426 GCT; 32°43'N, 121°07.5'W; sounding, 2000 fm; wind, 220°, force 3; weather, cloudy; sea, very rough; wire angle, 00°.

1	14.92	33.56	5.75	306	0	(14.92)	(33.56)	(5.75)	(24.90)	(306)	(0.00)
11	14.90	33.57	5.72	305	10	14.91	33.57	5.72	24.91	305	0.03
31	14.86	33.53	5.72	307	20	14.88	33.56	5.72	24.91	305	0.06
56	14.67	33.55	5.73	302	30	14.86	33.53	5.72	24.89	307	0.09
66	13.78	33.50	5.15	288	50	14.74	33.54	5.73	24.92	304	0.15
76	12.28	33.48	4.73	261	75	12.45	33.48	4.77	25.34	264	0.22
91	11.23	33.52	4.27	239	100	10.89	33.59	3.91	25.72	228	0.29
106	10.72	33.62	3.78	223	150	8.91	33.82	2.93	26.24	179	0.39
131	9.28	33.73	3.64	192	200	8.33	34.02	2.21	26.48	156	0.47
152	8.87	33.84	2.82	178	250	7.66	34.08	1.77	26.62	143	0.55
177	8.60	33.96	2.42	165	300	7.21	34.15	1.33	26.74	132	0.62
207	8.24	34.03	2.16	154	400	6.51	34.21	0.77	26.89	117	0.75
237	7.79	34.05	1.90	146	500	5.99	34.28	0.43	27.01	106	0.86
277	7.46	34.13	1.55	136							
337	6.86	34.17	0.97	125							
412	6.45	34.22	0.72	116							
487	6.06	34.27	0.48	108							
567	5.74	34.32	0.39	100							

ORCA; February 8, 1959; 1917 GCT; 32°23'N, 121°30'W; sounding, 2100 fm; wind, 330°, force 6; weather, cloudy; sea, rough; wire angle, 08°.

0	15.1	33.42	320	0	15.1	33.42	24.76	320	0.00
10	15.13	33.42	321	10	15.13	33.42	24.75	321	0.03
31	15.16	33.42	321	20	15.14	33.42	24.75	321	0.06
60	14.97	33.48	313	30	15.15	33.42	24.75	321	0.10
69	13.02	33.40	281	50	15.12	33.43	24.76	320	0.16
85	11.70	33.48	250	75	12.48	33.43	25.30	268	0.23
100	10.66	33.53	229	100	10.66	33.53	25.71	229	0.30
115	9.83	33.57	213	150	9.12	33.82	26.20	183	0.40
138	9.28	33.75	191	200	8.31	34.03	26.49	156	0.49
159	9.01	33.86	178	250	7.60	34.13	26.67	138	0.56
189	8.47	34.00	160	300	7.00	34.13	26.76	130	0.63
218	8.06	34.06	150	400	6.19	34.23	26.94	112	0.76
249	7.62	34.13	138	500	5.86	34.31	27.05	102	0.87
298	7.03	34.13	130	600	5.26	34.35	27.15	93	0.97
352	6.40	34.16	120						
437	6.10	34.27	108						
521	5.76	34.32	100						
605	5.22	34.35	92						

S10
CCOFI
5902

87.70

0.39

X

81

SIO
CCOFI
5902

	OBSERVED					INTERPOLATED					COMPUTED		
	Z m	T °C	S ‰	O ₂ ml/L	δT 10 ⁻⁵ cm ³ /g	Z m	T °C	S ‰	O ₂ ml/L	σ _t g/L	δT 10 ⁻⁵ cm ³ /g	ΔD dyn. m	

87.80

ORCA; February 17, 1959; 1924 GCT; 32°29.5'N, 121°41'W; sounding, 2000 fm; wind, 100°, force 3; weather, overcast; sea, very rough; wire angle, 08°.

1	14.94	33.48	5.77	312	0	(14.94)	(33.48)	(5.77)	(24.84)	(312)	(0.00)
11	14.84	33.40	5.47	316	10	14.85	33.40	5.50	24.80	316	0.03
31	14.76	33.46	5.46	310	20	14.79	33.44	5.46	24.84	312	0.06
56	14.73	33.46	5.63	309	30	14.76	33.46	5.46	24.86	310	0.09
66	14.52	33.44	5.57	306	50	14.74	33.46	5.60	24.86	310	0.16
76	12.62	33.39	4.92	274	75	12.80	33.39	4.99	25.21	277	0.23
91	11.44	33.44	4.52	249	100	10.70	33.43	4.42	25.63	236	0.30
106	10.38	33.43	4.35	231	150	9.04	33.80	2.91	26.19	184	0.40
130	9.60	33.64	3.49	204	200	8.28	33.94	2.38	26.43	161	0.49 0.40
150	9.04	33.80	2.91	184	250	7.60	34.04	1.87	26.60	144	0.57
175	8.64	33.91	2.61	169	300	7.10	34.08	1.42	26.70	135	0.64
205	8.20	33.95	2.31	160	400	6.36	34.15	0.88	26.86	120	0.77
234	7.80	34.02	2.04	149	500	5.64	(34.19)	(0.56)	(26.98)	(108)	(0.89)
273	7.32	34.07	1.63	138							
333	6.88	34.09	1.14	131							
406	6.31	34.16	0.85	119							
481	5.74	34.19	0.60	110							
559	5.48	-	-	-							

87.90

ORCA; February 8, 1959; 1344 GCT; 32°01'N, 122°19'W; sounding, 2300 fm; wind, 360°, force 4; weather, drizzle; sea, moderate; wire angle, 18°.

1	14.80	33.54		305	0	(14.80)	(33.54)		(24.91)	(305)	(0.00)
11	14.81	33.55		304	10	14.81	33.55		24.92	304	0.03
29	14.80	33.55		304	20	14.80	33.55		24.92	304	0.06
53	14.81	33.53		306	30	14.80	33.55		24.92	304	0.09
63	14.81	33.55		304	50	14.81	33.53		24.90	306	0.15
73	14.52	33.52		301	75	14.14	33.50		25.03	294	0.23
86	11.78	33.48		252	100	10.40	33.51		25.74	226	0.29
100	10.40	33.51		226	150	9.13	33.82		26.20	183	0.40
123	9.58	33.69		200	200	8.39	34.02		26.47	157	0.48 0.39
142	9.28	33.77		189	250	7.61	34.08		26.63	142	0.56
164	8.88	33.91		173	300	7.05	34.14		26.76	130	0.63
191	8.55	33.99		162	400	6.26	34.20		26.91	115	0.76
216	8.12	34.05		151	500	5.60	34.31		27.08	99	0.87
254	7.54	34.09		140							
310	6.96	34.15		128							
381	6.39	34.18		118							
452	5.94	34.29		105							
531	5.36	34.31		96							

87.90

ORCA; February 18, 1959; 0124 GCT; 32°04.5'N, 122°18.5'W; sounding, 2000 fm; wind, 220°, force 2; weather, partly cloudy; sea, very rough; wire angle, 03°.

0	15.19	33.46	5.63	319	0	15.19	33.46	5.63	24.77	319	0.00
10	14.94	33.45	5.65	315	10	14.94	33.45	5.65	24.81	315	0.03
30	14.84	33.46	5.70	312	20	14.87	33.45	5.67	24.83	313	0.06
55	14.80	33.46	5.74	310	30	14.84	33.46	5.70	24.84	312	0.09
65	14.78	33.48	5.58	309	50	14.81	33.46	5.73	24.85	311	0.16
75	13.68	33.40	5.31	293	75	13.68	33.40	5.31	25.04	293	0.23
91	11.28	33.42	4.42	248	100	10.48	33.54	4.03	25.76	225	0.30
106	10.12	33.63	3.86	213	150	9.06	33.74	3.88	26.14	188	0.40
130	9.50	33.66	3.66	201	200	8.31	33.94	2.86	26.42	162	0.49 0.40
150	9.06	33.74	3.88	188	250	7.59	34.05	1.99	26.61	144	0.57
176	8.59	33.89	3.05	170	300	7.16	34.06	1.39	26.68	137	0.64
206	8.23	33.96	2.79	160	400	6.52	34.14	0.78	26.83	123	0.78
236	7.76	34.05	2.15	146	500	5.57	34.26	0.43	27.04	103	0.89
276	7.38	34.05	1.63	140							
336	6.84	34.10	1.09	130							
411	6.46	34.14	0.73	122							
486	5.64	34.24	0.46	105							
565	5.34	34.33	0.31	94							

OBSERVED					INTERPOLATED				COMPUTED			SIO CCOFI 5902
Z m	T °C	S ‰	O ₂ ml/L	δT ₃ 10 ⁻⁵ cm/g	Z m	T °C	S ‰	O ₂ ml/L	σ _t g/L	δT ₃ 10 ⁻⁵ cm/g	ΔD dyn.m	
0	15.68	33.50	5.74	326	0	15.68	33.50	5.74	24.68	326	0.00	
10	15.36	33.49	5.82	320	10	15.36	33.49	5.82	24.76	320	0.03	
30	15.06	33.50	5.74	314	20	15.21	33.49	5.78	24.79	317	0.06	
50	12.44	33.60	3.98	256	30	15.06	33.50	5.74	24.82	314	0.10	
75	11.44	33.69	3.40	230	50	12.44	33.60	3.98	25.44	256	0.15	
100	10.61	33.78	3.19	210	75	11.44	33.69	3.40	25.70	230	0.21	
125	9.88	33.93	2.53	187	100	10.61	33.78	3.19	25.92	210	0.27	
166	9.47	34.11	1.94	167	150	9.55	34.04	2.15	26.30	173	0.36	
206	9.63	34.20	1.48	163	200	9.60	34.19	1.50	26.41	163	0.45	
ORCA; February 28, 1959; 0901 GCT; 33°28.5'N, 117°47'W; sounding, 300 fm; wind, calm; weather, clear; sea, slight; wire angle, 01°.												90.28
2	15.74	33.55	5.57	324	0	(15.74)	(33.55)	(5.57)	(24.71)	(324)	(0.00)	
12	15.30	33.55	5.65	315	10	15.34	33.55	5.65	24.80	316	0.03	
22	15.12	33.53	5.34	313	20	15.15	33.53	5.36	24.83	313	0.06	
32	15.02	33.55	4.93	309	30	15.05	33.55	4.99	24.86	310	0.09	
42	13.92	33.55	4.36	287	50	12.90	33.58	3.95	25.34	265	0.15	
52	12.84	33.58	3.94	264	75	11.97	33.63	3.50	25.56	244	0.22	
62	12.62	33.58	3.90	260	100	10.89	33.74	3.14	25.83	217	0.27	
77	11.85	33.64	3.46	242	150	9.83	33.93	2.56	26.16	186	0.38	
92	11.24	33.74	3.16	224	200	9.23	34.13	1.81	26.42	162	0.46	0.42
108	10.54	33.74	3.12	211	250	9.02	34.24	1.23	26.54	150	0.54	
132	9.88	33.83	3.00	194	300	8.43	34.27	1.05	26.66	140	0.62	
162	9.80	33.99	2.24	181	400	7.51	34.28	0.70	26.80	126	0.76	
197	9.24	34.12	1.84	163	500	6.49	34.27	0.56	26.94	113	0.88	
247	9.03	34.24	1.27	151								
297	8.46	34.27	1.07	140								
353	8.10	34.30	0.76	132								
428	7.17	34.27	0.69	122								
503	6.46	34.27	0.54	112								
ORCA; February 28, 1959; 0646 GCT; 33°23.5'N, 117°55'W; sounding, 320 fm; wind, direction missing, force 1; weather, clear; sea, slight; wire angle, 00°.												90.30
1	15.58	33.53	5.59	322	0	(15.58)	(33.53)	(5.59)	(24.74)	(322)	(0.00)	
11	15.35	33.53	5.57	317	10	15.37	33.53	5.58	24.79	317	0.03	
31	14.93	33.54	5.42	308	20	15.21	33.53	5.52	24.82	314	0.06	
41	13.89	33.58	4.51	284	30	15.00	33.54	5.44	24.88	308	0.09	
52	12.79	33.59	4.09	262	50	12.90	33.58	4.11	25.34	264	0.15	
67	11.61	33.68	3.57	234	75	11.27	33.68	3.51	25.72	228	0.21	
81	11.09	33.68	3.45	225	100	10.77	33.74	3.02	25.86	214	0.27	
101	10.76	33.75	3.01	214	150	10.03	33.94	2.42	26.14	188	0.37	
126	10.33	33.82	2.71	202	200	9.65	34.16	1.63	26.38	166	0.46	0.41
151	10.02	33.95	2.40	188	250	8.81	34.24	1.46	26.57	147	0.54	
176	9.62	34.07	2.01	172	300	8.34	34.26	1.10	26.66	139	0.62	
201	9.64	34.16	1.61	166	400	7.44	34.29	0.70	26.82	124	0.75	
256	8.72	34.24	1.42	146	500	6.46	34.29	0.52	26.96	110	0.87	
306	8.30	34.26	1.04	138								
357	7.86	34.29	0.73	130								
406	7.39	34.29	0.70	123								
511	6.38	34.29	0.50	110								
561	6.06	34.31	0.39	105								
ORCA; February 28, 1959; 0438 GCT; 33°19.5'N, 118°04'W; sounding, 814 fm; wind, 270°, force 1; weather, clear; sea, slight; wire angle, 02°.												90.32

SIO
CCOFI
5902

	OBSERVED					INTERPOLATED					COMPUTED		
	Z m	T °C	S ‰	O ₂ ml/L	δT ₃ 10 ⁻⁵ cm ³ /g	Z m	T °C	S ‰	O ₂ ml/L	σ _t g/L	δT ₃ 10 ⁻⁵ cm ³ /g	ΔD dyn. m	

90.37

ORCA; February 28, 1959; 0142 GCT; 33°10.5'N, 118°23.5'W; sounding, 647 fm; wind, 270°, force 1; weather, partly cloudy; sea, moderate; wire angle, 07°.

1	15.66	33.58	5.53	320	0	(15.66)	(33.58)	(5.53)	(24.76)	(320)	(0.00)	
10	15.28	33.58	5.69	312	10	15.28	33.58	5.69	24.84	312	0.03	
30	15.22	33.58	5.69	311	20	15.24	33.58	5.69	24.84	312	0.06	
50	14.93	33.64	5.34	300	30	15.22	33.58	5.69	24.85	311	0.09	
65	14.02	33.64	4.68	282	50	14.93	33.64	5.34	24.96	300	0.16	
80	12.39	33.71	3.93	246	75	12.60	33.70	4.01	25.49	250	0.22	
100	11.40	33.69	3.74	230	100	11.40	33.69	3.74	25.70	230	0.28	
115	10.70	33.73	3.36	215	150	9.83	33.89	2.70	26.13	189	0.39	
130	10.40	33.80	2.95	204	200	9.48	34.06	2.25	26.32	171	0.48	0.47
150	9.83	33.89	2.70	189	250	9.13	34.21	1.50	26.50	154	0.57	
180	9.27	33.95	2.52	176	300	8.26	34.22	1.28	26.65	140	0.64	
205	9.51	34.07	2.17	170	400	7.02	34.20	0.80	26.81	125	0.78	
255	9.04	34.22	1.45	152	500	6.28	34.28	0.47	26.98	109	0.90	
310	8.09	34.22	1.24	138								
359	7.33	34.18	0.98	131								
410	6.96	34.21	0.76	123								
514	6.15	34.29	0.43	107								
564	5.88	34.33	0.31	101								

90.45

ORCA; February 27, 1959; 1837 GCT;^{a)} 32°55.5'N, 118°58'W;^{b)} sounding, 920 fm; wind, 270°, force 1; weather, cloudy; sea, rough; wire angle, 05°.

1	15.58	33.55	5.36	320	0	(15.58)	(33.55)	(5.36)	(24.75)	(320)	(0.00)	
11	15.39	33.55	5.60	316	10	15.40	33.55	5.57	24.79	316	0.03	
32	15.37	33.55	5.39	316	20	15.39	33.55	5.50	24.79	316	0.06	
42	14.99	33.55	5.30	308	30	15.38	33.55	5.40	24.79	316	0.10	
52	14.25	33.56	4.85	292	50	14.38	33.56	4.91	25.03	294	0.16	
67	13.02	33.53	4.36	271	75	12.45	33.56	4.10	25.40	258	0.22	
81	12.10	33.59	3.92	249	100	11.00	33.68	3.50	25.76	224	0.29	
101	10.98	33.68	3.49	223	150	9.49	33.84	2.99	26.15	187	0.39	
127	10.14	33.77	3.14	203	200	9.10	34.09	2.10	26.41	163	0.48	0.47
151	9.48	33.84	2.98	187	250	8.40	34.16	1.69	26.58	146	0.56	
176	9.32	34.06	2.19	168	300	7.71	34.24	1.23	26.75	131	0.63	
201	9.09	34.09	2.09	163	400	7.01	34.26	0.71	26.86	120	0.76	
256	8.31	34.17	1.63	145	500	6.34	34.33	0.48	27.00	106	0.88	
306	7.65	34.25	1.21	130								
356	7.22	34.24	1.00	125								
405	6.98c)	34.26	0.71	120								
510	6.26	34.34	0.46	104								
561	5.92	34.36	0.35	99								

a) Special cast, top.

b) Ship drifted two miles while on station.

c) Mean value of 6.95 and 7.01°C.

OBSERVED					INTERPOLATED				COMPUTED			SIO CCOFI 5902
Z m	T °C	S ‰	O ₂ ml/L	δT 10 ⁻⁵ cm ³ /g	Z m	T °C	S ‰	O ₂ ml/L	σ _t g/L	δT 10 ⁻⁵ cm ³ /g	ΔD dyn. m	
ORCA; February 27, 1959; 2104 GCT; ^{a)} 32°53.5'N, 118°56'W; ^{b)} sounding, 920 fm; wind, 270°, force 1; weather, cloudy; sea, rough; wire angle, 06°.												90.45
404	6.96	34.27	0.73	119								
454	6.62	34.34	0.53	109								
504	6.37	34.33	0.43	106								
554	5.94	34.39	0.38	97								
604	5.69	34.37	0.24	96								
654	5.48	34.41	0.34	90								
705	5.16	34.45	0.34	84								
754	4.97	34.44	0.27	82								
804	4.83	34.49	0.32	78								
854	4.56	34.50	0.48	74								
904	4.42	34.52	0.41	71								
954	4.29	34.51	0.44	70								
1004	4.14	34.53	0.52	67	500	6.39	34.33	0.45	27.00	106		
1054	4.05	34.52	0.63	67	600	5.71	34.37	0.25	27.12	96		
1105	4.02	34.54	0.56	65	700	5.20	34.45	0.34	27.24	84		
1155	3.92	34.54	0.61	64	800	4.85	34.49	0.31	27.30	78		
1205	3.88	34.54	0.70	64	1000	4.15	34.53	0.51	27.42	68		
1255	3.84	34.56	0.56	62	1200	3.89	34.54	0.69	27.45	64		
ORCA; February 27, 1959; 1941 GCT; ^{c)} 32°54.5'N, 118°57'W; ^{b)} sounding, 920 fm; wind, 270°, force 1; weather, cloudy; sea, rough; wire angle, 09°.												90.45
964	4.26	34.49	0.43	71								
1014	4.12	34.50	0.48	69								
1038	4.10	34.52	0.53	67								
1063	4.08	34.49	0.50	69								
1088	4.04	34.51	0.48	68								
1113	4.00	34.51	0.49	68								
1139	3.98	34.52	0.52	66								
1164	3.94	34.52	0.50	66								
1188	3.93	34.52	0.50	66								
1213	3.84	34.53	0.56	64								
1238	3.86	34.53	0.54	64								
1263	3.82	34.52	0.49	64								
1288	3.80	34.52	0.56	64								
1314	3.82	34.54	0.59	64								
1338	3.80	34.54	0.56	63								
1388	3.76	34.55	0.57	62								
1438	3.75	34.56	0.50	60	1000	4.16	34.50	0.47	27.40	69		
1513	3.72	34.56	0.60	60	1200	3.89	34.53	0.53	27.44	65		
					1500	3.73	34.56	0.58	27.48	61		
ORCA; February 27, 1959; 1520 GCT; 32°47.5'N, 119°18'W; sounding, missing; wind, 280°, force 2; weather, cloudy; sea, rough; wire angle, missing.												90.50
2	15.24	33.55	5.62	313	0	(15.24)	(33.55)	(5.62)	(24.83)	(313)	(0.00)	
12	15.24	33.56	5.64	313	10	15.24	33.56	5.64	24.83	313	0.03	
32	15.16	33.55	5.70	312	20	15.24	33.56	5.67	24.83	313	0.06	
52	14.22	33.52	5.39	295	30	15.18	33.56	5.69	24.84	312	0.09	
					50	14.30	33.52	5.42	25.01	296	0.15	
ORCA; February 27, 1959; 1056 GCT; 32°29'N, 119°39.5'W; sounding, missing; wind, 280°, force 2; weather, cloudy; sea, rough; wire angle, 05°.												90.55
1	15.69	33.57	5.39	322	0	(15.69)	(33.57)	(5.39)	(24.74)	(322)	(0.00)	
11	15.71	33.56	5.46	322	10	15.71	33.56	5.46	24.74	322	0.03	
31	15.71	33.55	5.33	323	20	15.71	33.56	5.45	24.73	323	0.06	
51	15.70	33.56	5.26	322	30	15.71	33.55	5.33	24.72	323	0.10	
75	14.04	33.52	4.91	292	50	15.70	33.56	5.26	24.73	322	0.16	
100	12.82	33.55	4.47	266	75	14.04	33.52	4.91	25.05	292	0.24	
125	11.15	33.64	3.94	229	100	12.82	33.55	4.47	25.32	266	0.31	
165	9.65	33.85	3.00	189	150	10.08	33.77	3.36	25.99	202	0.43	
205	9.00	34.00	2.41	168	200	9.07	33.98	2.47	26.33	170	0.52	

a) Special cast, middle.

b) Ship drifted two miles while on station.

c) Special cast, bottom

SIO CCOFI 5902	OBSERVED					INTERPOLATED				COMPUTED		
	Z m	T °C	S %	O ₂ ml/L	δT ₃ 10 ⁻⁵ cm ³ /g	Z m	T °C	S %	O ₂ ml/L	σ _t g/L	δT ₃ 10 ⁻⁵ cm ³ /g	ΔD dyn. m

90.60	ORCA; February 7, 1959; 1505 GCT; 32°28.5'N, 119°56'W; sounding, 485 fm; wind, 270°, force 3; weather, cloudy; sea, moderate; wire angle, 01°.	0	15.16	33.64	305	0	15.16	33.64	24.91	305	0.00	
		10	15.17	33.64	305	10	15.17	33.64	24.91	305	0.03	
		30	15.18	33.60	308	20	15.18	33.61	24.89	307	0.06	
		55	12.15	33.52	256	30	15.18	33.60	24.88	308	0.09	
		65	10.60	33.57	225	50	15.21	33.61	24.87	309	0.15	
X		75	10.16	33.63	213	75	10.16	33.63	25.88	213	0.22	
		90	9.68	33.69	201	100	9.44	33.74	26.08	194	0.27	
		106	9.35	33.77	190	150	8.72	33.96	26.36	167	0.36	
		131	9.12	33.84	181	200	8.02	34.05	26.55	150	0.44 0.57	
		151	8.71	33.96	166	250	7.50	34.12	26.68	137	0.52	
		176	8.34	34.02	156	300	6.83	34.18	26.82	124	0.58	
		206	7.94	34.06	148	400	6.30	34.37	27.04	103	0.70	
		236	7.68	34.11	141	500	5.92	34.34	27.06	100	0.81	
		276	7.11	34.15	130							
		336	6.56	34.24	116							
		411	6.27	34.37	103							
		486	5.98	34.34	101							
		566	5.72	34.36	96							
90.60	ORCA; February 27, 1959; 0755 GCT; 32°22.5'N, 119°58'W; sounding, 400 fm; wind, 270°, force 3; weather, clear; sea, very rough; wire angle, 07°.	1	15.88	33.56	5.47	326	0	(15.88)	(33.56)	(5.47)	(24.69)	(326) (0.00)
		11	15.88	33.58	5.49	325	10	15.88	33.58	5.49	24.70	325 0.03
		30	15.82	33.57	5.60	324	20	15.86	33.57	5.59	24.71	324 0.06
		50	15.60	33.55	4.67u	321	30	15.82	33.57	5.60	24.71	324 0.10
		66	14.63	33.55	5.00	301	50	15.60	33.55		24.75	321 0.16
		81	13.08	33.57	4.41	269	75	13.68	33.56	4.62	25.17	280 0.24
		101	11.54	33.52	4.54	244	100	11.59	33.52	4.54	25.54	245 0.30
		116	10.52	33.56	4.42	224	150	9.65	33.74	3.34	26.05	197 0.42
		131	10.00	33.62	4.13	212	200	8.46	34.00	2.37	26.45	159 0.50 0.40
		151	9.64	33.75	3.28	196	250	7.82	34.08	1.93	26.60	144 0.58
		181	8.86	33.93	2.62	171	300	7.14	34.12	1.55	26.74	132 0.66
		206	8.36	34.02	2.31	157	400	6.82	34.26	0.61	26.88	118 0.78
		256	7.74	34.09	1.88	143	500	6.16	34.32	0.54	27.02	105 0.90
		311	7.03	34.14	1.45	130						
		360	7.04	34.24	-	122						
		410	6.76	34.26	0.59	117						
		516	6.04	34.33	0.52	103						
		566	5.72	34.35	0.30	97						
90.70	ORCA; February 7, 1959; 2028 GCT; 32°10'N, 120°37.5'W; sounding, 2000 fm; wind, 230°, force 3; weather, rain; sea, rough; wire angle, 04°.	1	14.86	33.50	309	0	(14.86)	(33.50)	(24.87)	(309)	(0.00)	
		11	14.80	33.49	309	10	14.80	33.49	24.87	309	0.03	
		31	14.72	33.53	304	20	14.76	33.51	24.89	307	0.06	
		56	14.54	33.49	303	30	14.73	33.53	24.92	304	0.09	
		67	14.52	33.48	303	50	14.57	33.50	24.93	303	0.15	
		77	13.02	33.46	276	75	13.38	33.46	25.15	283	0.23	
		92	11.70	33.46	252	100	10.84	33.50	25.66	234	0.29	
		107	10.27	33.56	220	150	9.10	33.77	26.15	187	0.40	
		131	9.34	33.69	196	200	8.44	33.99	26.44	160	0.48 0.39	
		151	9.09	33.77	187	250	7.74	34.15	26.67	138	0.56	
		176	8.73	33.92	170	300	7.13	34.13	26.74	132	0.63	
		207	8.35a)	34.00	158	400	6.29	34.19	26.90	116	0.76	
		236	7.96	34.16	140	500	5.75	34.24	27.01	106	0.87	
		275	7.41	34.13	136							
		335	6.80	34.14	126							
		409	6.23	34.20	115							
		483	5.83	34.23	108							
		563	5.44	34.33	96							

a) Alternate value, 8.59°C, not used in interpolation.

OBSERVED					INTERPOLATED				COMPUTED		
Z m	T °C	S %	O ₂ ml/L	δT 10 ⁻⁵ cm ³ /g	Z m	T °C	S %	O ₂ ml/L	σ _t g/L	δT 10 ⁻⁵ cm ³ /g	ΔD dyn. m

ORCA; February 27, 1959; 0242 GCT; 32°00'N, 120°36'W; sounding, 2140 fm; wind, 330°, force 3; weather, partly cloudy; sea, very rough; wire angle, 24°.

2	15.15	33.34	5.44	320	0	(15.15)	(33.34)	(5.44)	(24.76)	(320)	(0.00)
11	15.10	33.36	5.62	324	10	15.11	33.36	5.60	24.71	324	0.03
30	15.02	33.37	5.52	323	20	15.07	33.36	5.58	24.72	324	0.06
48	15.01	33.38	5.55	321	30	15.02	33.37	5.52	24.73	323	0.10
66	14.88	33.37	5.62	320	50	15.00	33.38	5.57	24.75	321	0.16
80	14.82	33.42	5.60	314	75	14.84	33.42	5.61	24.81	315	0.24
103	12.34	33.30	5.28	275	100	12.74	33.32	5.34	25.17	281	0.32
115	11.04	33.42	4.55	244	150	9.64	33.65	4.10	25.98	204	0.44
128	10.36	33.55	4.19	222	200	8.54	33.86	2.95	26.33	171	0.53
144	9.78	33.64	4.12	206	250	7.72	34.00	2.14	26.55	150	0.61
172	9.22	33.71	3.98	193	300	7.19	34.06	1.70	26.68	138	0.69
193	8.70	33.85	3.09	174	400	6.43	34.18	0.90	26.87	119	0.82
240	7.85	33.98	2.24	152	500	5.78	34.19	0.60	26.96	110	0.94
283	7.32	34.03	1.85	142							
331	6.96	34.10	1.42	132							
377	6.60	34.16	1.01	122							
475	5.85	34.18	0.63	112							
523	5.72	34.21	0.55	108							

ORCA; February 8, 1959; 0217, 0243 GCT; 31°44.5'N, 121°19.5'W; sounding, 3200 fm; wind, 240°, force 2; weather, cloudy; sea, moderate; wire angle, 03°, 04°.

0	16.42	33.78	5.23	322	0	16.42	33.78	5.23	24.74	322	0.00
11	16.46	33.76	5.39	324	10	16.46	33.76	5.39	24.71	324	0.03
31	16.46	33.75	5.35	325	20	16.46	33.75	5.37	24.71	324	0.06
56	16.51	33.75	5.41	326	30	16.46	33.75	5.35	24.70	325	0.10
66	16.46	33.78	5.13	323	50	16.50	33.75	5.40	24.69	326	0.16
76	16.48	33.75	5.12	326	75	16.48	33.75	5.12	24.69	326	0.24
91	16.49	33.74	5.35	326	100	16.48	33.74	5.37	24.69	326	0.33
106	15.76	33.68	5.39	315	150	9.82	33.67	4.46	24.97	205	0.46
131	12.41a)	33.61	4.85	254	200	8.58	33.91	2.90	26.36	168	0.56
					250	7.83	34.03	2.16	26.56	148	0.64
151	9.76	33.68	4.44	203	300	7.16	34.11	1.67	26.71	134	0.71
176	9.16	33.75	3.83	189	400	6.32	34.21	0.68	26.91	115	0.84
206	8.48	33.93	2.79	165	500	6.06	34.34	0.37	27.05	102	0.96
236	8.08	34.00	2.30	154							
276	7.38	34.08	1.95	139							
335	6.92	34.14	1.25	128							
409	6.28	34.23	0.62	113							
485	6.12	34.24	0.37	104							
565	5.72	34.34	0.38	98							

ORCA; February 26, 1959; 2128 GCT; 31°44'N, 121°18'W; sounding, 2000 fm; wind, 300°, force 3; weather, overcast; sea, very rough; wire angle, 11°.

1	16.15	33.61	5.48	328	0	(16.15)	(33.61)	(5.48)	(24.67)	(328)	(0.00)
11	16.10	33.62	5.46	327	10	16.10	33.62	5.46	24.68	327	0.03
30	16.06	33.62	5.47	326	20	16.07	33.62	5.46	24.69	326	0.06
50	16.06	33.62	5.50	326	30	16.06	33.62	5.47	24.69	326	0.10
65	16.06	33.62	5.44	326	50	16.06	33.62	5.50	24.69	326	0.16
80	16.08	33.64	5.48	325	75	16.07	33.64	5.48	24.70	325	0.24
100	15.88	33.58	5.48	325	100	15.88	33.58	5.48	24.70	325	0.33
115	14.19	33.58	5.36	290	150	10.83	33.58	4.73	25.71	228	0.47
130	13.07	33.60	5.16	266	200	9.20	33.70	3.73	26.09	193	0.57
149	10.88	33.57	4.77	230	250	8.10	33.96	2.67	26.46	158	0.66
179	9.69	33.62	4.26	206	300	7.33	34.01	2.08	26.61	144	0.74
203	9.12	33.71	3.65	191	400	6.50	34.13	1.10	26.83	123	0.88
252	8.06	33.97	2.61	156	500	5.84	34.20	0.61	26.96	110	1.00
307	7.24	34.02	1.97	141							
358	6.76	34.09	1.40	129							
407	6.46	34.14	1.05	122							
511	5.79	34.21	0.57	108							
560	5.58	34.25	0.42	103							

a) Mean value of 12.34 and 12.48 °C

SIO

CCOFI
5902

OBSERVED					INTERPOLATED					COMPUTED		
Z m	T °C	S %	O ₂ ml/L	δT ₃ 10 ⁻⁵ cm/g	Z m	T °C	S %	O ₂ ml/L	σ _t g/L	δT ₃ 10 ⁻⁵ cm/g	ΔD dyn. m	

90.90	ORCA; February 8, 1959; 0753 GCT; 31°24.5'N, 122°00'W; sounding, 2000 fm; wind, 250°, force 2; weather, drizzle; sea, moderate; wire angle, 01°.	0	15.80	33.49	330	0	15.80	33.49	24.66	330	0.00	
		10	15.78	33.49	330	10	15.78	33.49	24.66	330	0.03	
		30	15.77	33.51	327	20	15.78	33.50	24.67	328	0.06	
		55	15.83	33.48	331	30	15.77	33.51	24.68	327	0.10	
		65	16.30	33.65	328	50	15.80	33.48	24.65	330	0.16	
		75	16.25	33.76	320	75	16.25	33.76	24.76	320	0.24	
X		90	15.17	33.77	296	100	14.09	33.71	25.20	278	0.32	
		105	12.75	33.46	271	150	9.96	33.59	25.88	213	0.45	
		131	11.73	33.68	236	200	8.61	33.90	26.34	169	0.54 0.40	
		150	9.96	33.59	213	250	7.79	34.06	26.59	146	0.62	
		176	9.08	33.78	186	300	7.23	34.10	26.70	135	0.70	
		206	8.50	33.93	165	400	6.32	34.20	26.90	116	0.83	
		236	7.98	34.04	150	500	5.74	34.24	27.01	106	0.94	
		276	7.50	34.08	141							
		336	6.82	34.13	128							
		411	6.26	34.20	115							
		486	5.81	34.23	108							
		567	5.36	34.34	94							
90.90	ORCA; February 26, 1959; 1600 GCT; 31°19.5'N, 121°58.5'W; sounding, 2100 fm; wind, 300°, force 3; weather, partly cloudy; sea, very rough; wire angle, 10°.	2	15.02	33.30	5.68	328	0	(15.02)	(33.30)	(5.68)	(24.67)	(328) (0.00)
		12	15.02	33.28	5.62	329	10	15.02	33.28	5.62	24.66	329 0.03
		31	15.10	33.31	5.63	328	20	15.05	33.28	5.62	24.66	329 0.06
		50	15.04	33.28	5.58	329	30	15.09	33.31	5.63	24.67	328 0.10
		65	15.01	33.30	5.52	328	50	15.04	33.28	5.58	24.66	329 0.16
		80	14.99	33.30	5.59	327	75	15.00	33.30	5.56	24.68	327 0.25
		100	13.33	33.29	5.45	294	100	13.33	33.29	5.45	25.03	294 0.33
		115	13.04	33.53	4.97	271	150	9.82	33.55	3.98	25.87	214 0.45
		130	11.16	33.42	4.59	246	200	8.83	33.86	2.96	26.28	175 0.55 0.42
		149	9.87	33.54	4.01	216	250	7.90	33.97	2.74	26.50	154 0.64
		178	9.06	33.77	3.22	186	300	7.31	34.04	1.90	26.64	141 0.72
		202	8.80	33.87	2.95	174	400	6.38	34.15	0.96	26.86	120 0.85
		252	7.88	33.97	2.73	154	500	5.72	34.22	0.50	26.99	108 0.97
		307	7.24	34.05	1.78	139						
		357	6.74	34.13	1.24	126						
		407	6.34	34.16	0.92	119						
		511	5.68	34.23	0.47	106						
		560	5.44	34.27	0.41	100						
93.28	ORCA; February 6, 1959; 2352 GCT; ^{a)} 32°54.5'N, 117°22'W; sounding, 325 fm; wind, 270°, force 2; weather, cloudy; sea, moderate; wire angle, 06°.	332	7.88	34.24		134						
		341	7.82	34.20		136						
		351	7.72	34.22		133						
		361	7.56	34.20		132						
		371	7.50	34.22		130						
		380	7.34	34.22		128						
		391	7.14	34.22		125						
		399	7.09	34.23		124						
		410	6.97	34.25		120						
		420	6.85	34.25		119						
		430	6.82	34.27		117						
		439	6.69	34.28		115						
		449	6.61	34.27		114						
		459	6.58	34.28		113						
		468	6.51	34.27		113						
		479	6.46	34.33u		-						
		488	6.46	34.29		111						

a) Special cast.

OBSERVED					INTERPOLATED				COMPUTED			SIO	
Z m	T °C	S %	O ₂ ml/L	δ_{T_3} 10 cm/g	Z m	T °C	S %	O ₂ ml/L	σ_t g/L	δ_{T_3} 10 cm/g	ΔD dyn.m	CCOFI 5902	
ORCA; February 24, 1959; 2014 GCT; 32°54.5'N, 117°22.5'W; sounding, 324 fm; wind, 290°, force 1; weather, partly cloudy; sea, moderate; wire angle, 02°.													93.28
0	15.42	33.57	5.28	316	0	15.42	33.57	5.28	24.80	316	0.00		
10	15.13	33.57	5.18	310	10	15.13	33.57	5.18	24.86	310	0.03		
30	14.94	33.57	4.90	306	20	15.02	33.57	5.04	24.88	308	0.06		
50	13.36	33.60	3.63	272	30	14.94	33.57	4.90	24.91	306	0.09		
75	12.14	33.66	3.27	245	50	13.36	33.60	3.63	25.26	272	0.15		
100	10.92	33.73	2.77	218	75	12.14	33.66	3.27	25.54	245	0.22		
125	10.18	33.85	2.77	197	100	10.92	33.73	2.77	25.82	218	0.27		
165	10.14	34.14	1.67	175	150	10.15	34.04	2.07	26.20	182	0.37		
205	10.06	34.27	0.99	165	200	10.10	34.26	1.03	26.37	166	0.46		
255	8.96	34.20	1.33	152	250	9.06	34.21	1.31	26.51	153	0.54		
305	8.31	34.22	1.13	142	300	8.37	34.22	1.17	26.63	142	0.62		
360	7.88	34.25	0.95	133	400	7.59	34.24	0.89	26.75	130	0.76		
410	7.50	34.23	0.87	129									
ORCA; February 24, 1959; 2217 GCT; 32°49.5'N, 117°32'W; sounding, 425 fm; wind, 290°, force 4; weather, partly cloudy; sea, moderate; wire angle, 12°.													93.30
1	15.96	33.56	5.61	328	0	(15.96)	(33.56)	(5.61)	(24.67)	(328)	(0.00)		
10	15.42	33.56	5.73	317	10	15.42	33.56	5.73	24.79	317	0.03		
30	15.36	33.58	6.79u	314	20	15.40	33.57	5.63	24.81	315	0.06		
40	15.31	33.57	5.30	313	30	15.36	33.58	5.37	24.82	314	0.10		
50	15.63	33.52	4.68	283	50	15.63	33.52	4.68	25.15	283	0.16		
65	12.59	33.60	3.30	258	75	11.93	33.63	3.24	25.56	244	0.22		
80	11.70	33.64	3.23	239	100	11.07	33.73	3.36	25.80	220	0.28		
104	10.94	33.75	3.36	217	150	10.08	33.96	2.38	26.15	188	0.38		
129	10.36	33.84	2.72	201	200	9.86	34.18	1.74	26.36	168	0.47	0.43	
153	10.04	33.98	2.32	186	250	9.47	34.32	0.92	26.54	151	0.56		
188	9.93	34.11	-	174	300	8.80	34.25	1.45	26.59	146	0.63		
212	9.78	34.24	1.51	162	400	7.76	34.29	0.89	26.77	128	0.77		
262	9.37	34.33	0.83	149	500	6.74	34.30	0.57	26.93	114	0.90		
311	8.63	34.24	1.52	144									
367	8.06	34.27	0.95	134									
417	7.61a)	34.30	0.85	125									
521	6.52	34.30	0.51	111									
571	6.10	34.31	0.50	105									
ORCA; February 25, 1959; 0211 GCT; 32°39.5'N, 117°52.5'W; sounding, 320 fm; wind, 330°, force 3; weather, partly cloudy; sea, moderate; wire angle, 10°.													93.35
0	15.72	33.55	5.17	324	0	15.72	33.55	5.17	24.72	324	0.00		
10	15.49	33.55	5.46	319	10	15.49	33.55	5.46	24.77	319	0.03		
30	15.37	33.58	5.46	314	20	15.39	33.56	5.46	24.81	315	0.06		
50	14.33	33.55	4.94	294	30	15.37	33.58	5.46	24.82	314	0.10		
75	12.30	33.55	4.38	256	50	14.33	33.55	4.94	25.02	294	0.16		
99	11.14	33.62	3.92	230	75	12.30	33.55	4.38	25.42	256	0.22		
124	10.52	33.75	3.12	210	100	11.10	33.62	3.90	25.70	230	0.29		
164	9.63	33.96	2.49	180	150	9.93	33.89	2.70	26.12	190	0.39		
203	9.16	34.14	1.90	160	200	9.19	34.12	1.96	26.43	161	0.48		
253	8.66	34.21	1.47	147	250	8.70	34.21	1.47	26.57	148	0.56		
302	8.11	34.20	1.19	140	300	8.13	34.20	1.20	26.64	140	0.64		
357	7.70	34.26	0.94	130	400	7.27	34.31	0.73	26.85	121	0.77		
407	7.20	34.32	0.69	119									

a) Mean value of 7.58 and 7.64 °C.

SIO

CCOFI
5902

	OBSERVED					INTERPOLATED				COMPUTED		
	Z m	T °C	S ‰	O ₂ ml/L	δT 10 ⁻⁵ cm ³ /g	Z m	T °C	S ‰	O ₂ ml/L	σ _t g/L	δT 10 ⁻⁵ cm ³ /g	ΔD dyn. m

93.40	ORCA; February 25, 1959; 0506, 0539 GCT; 32°37.5'N, 118°12.5'W; sounding, 850 fm; wind, 270°, force 3; weather, clear; sea, moderate; wire angle, 09°, 14°.	0	15.74	33.58	5.58	322	0	15.74	33.58	5.58	24.74	322	0.00
		11	15.60	33.58	5.63	319	10	15.61	33.58	5.63	24.77	319	0.03
		31	15.46	33.57	5.61	317	20	15.53	33.57	5.62	24.78	318	0.06
		41	15.36	33.58	5.47	314	30	15.47	33.57	5.61	24.79	317	0.10
		50	13.86	33.53	4.79	287	50	13.86	33.53	4.79	25.10	287	0.16
		65	12.84	33.58	4.33	264	75	12.15	33.59	3.99	25.49	250	0.22
		80	11.86	33.60	3.85	244	100	11.12	33.67	3.54	25.73	227	0.28
		106	10.95	33.69	3.47	222	150	9.91	33.91	2.63	26.14	189	0.39
		129	10.38	33.84	2.99	201	200	9.27	34.12	1.99	26.41	163	0.48 0.40
		155	9.81	33.93	2.54	186	250	8.77	34.22	1.49	26.57	147	0.56
		190	9.37	34.10	2.12	166	300	8.00	34.22	1.31	26.69	136	0.63
						400		6.81	34.22	0.73	26.85	121	0.76
		209	9.20	34.14	1.82	160	500	6.19	34.28	0.53	26.98	108	0.88
		255	8.71	34.23	1.46	146							
		304	7.94	34.22	1.29	136							
		358	7.34	34.22	1.00	128							
		406	6.74	34.22	0.70	120							
		509	6.14	34.29	0.50	107							
		559	5.96	34.30	0.38	104							
93.50	ORCA; February 25, 1959; 1129 GCT; 32°12'N, 118°54'W; sounding, 750 fm; wind, 280°, force 2; weather, clear; sea, moderate; wire angle, 13°.	0	15.20	33.54	5.26	313	0	15.20	33.54	5.26	24.83	313	0.00
		10	15.17	33.53	5.66	313	10	15.17	33.53	5.66	24.83	313	0.03
		30	15.17	33.55	5.85a)	312	20	15.17	33.54	5.78	24.83	313	0.06
		40	14.98	33.52	5.54	310	30	15.17	33.55	5.85	24.84	312	0.09
		50	13.26	33.51	4.87	277	50	13.26	33.51	4.87	25.21	277	0.15
		65	12.12	33.51	4.40	256	75	11.14	33.56	3.87	25.65	235	0.22
		79	10.97	33.57	3.78	231	100	10.74	33.66	3.69	25.80	221	0.28
		99	10.76	33.66	3.71	221	150	9.11	33.88	2.69	26.25	178	0.37
		123	9.77	33.77	3.04	196	200	8.75	34.00	2.22	26.40	164	0.46 0.41
		147	9.16	33.87	2.75	180	250	8.36	34.09	1.74	26.53	152	0.54
		176	8.89	33.98	2.32	168	300	7.97	34.14	1.32	26.63	142	0.62
		200	8.75	34.00	2.22	164	400	7.08	34.25	0.74	26.84	122	0.75
		248	8.38	34.09	1.75	152	500	6.41	34.29	0.43	26.96	110	0.88
		302	7.95	34.14	1.31	142							
		352	7.40	34.18	1.03	132							
		402	7.06	34.25	0.73	122							
		505	6.38	34.29	0.42	110							
		554	6.02	34.30	0.30	105							
93.60	ORCA; February 25, 1959; 1744 GCT; 31°57.5'N, 119°35'W; sounding, 1200 fm; wind, 280°, force 2; weather, clear; sea, very rough; wire angle, 02°.	1	15.76	33.55	5.39	324	0	(15.76)	(33.55)	(5.39)	(24.72)	(324)	(0.00)
		11	15.70	33.55	5.38	323	10	15.70	33.55	5.38	24.73	323	0.03
		30	15.71	33.55	5.38	323	20	15.70	33.55	5.38	24.73	323	0.06
		52	15.70	33.55	5.50	323	30	15.71	33.55	5.38	24.73	323	0.10
		65	14.66	33.54	4.92	302	50	15.70	33.55	5.49	24.73	323	0.16
		81	12.90	33.59	4.13	264	75	13.50	33.57	4.38	25.21	277	0.24
		101	11.91	33.60	4.00	246	100	11.96	33.60	4.00	25.54	246	0.30
		116	11.07	33.66	3.43	226	150	9.58	33.69	3.79	26.02	200	0.41
		130	10.31	33.71	3.70	210	200	8.86	33.90	2.59	26.30	173	0.51 0.40
		151	9.55	33.69	3.79	200	250	8.03	34.10	1.78	26.58	146	0.59
		176	9.23	33.81	3.20	186	300	7.49	34.14	1.41	26.70	136	0.66
		201	8.84	33.91	2.57	172	400	6.62	34.24	0.87	26.89	117	0.79
		256	7.95	34.11	1.70	144	500	5.87	34.29	0.67	27.03	104	0.91
		307	7.41	34.14	1.38	135							
		357	6.92	34.22	1.02	122							
		407	6.57	34.24	0.85	116							
		512	5.80	34.30	0.61	102							
		562	5.77	34.33	0.33	100							

a) Alternate value, 5.41 ml/L, not used in interpolation.

OBSERVED					INTERPOLATED				COMPUTED			SIO CCOFI 5902
Z m	T °C	S ‰	O ₂ ml/L	δT 10 ⁻⁵ cm/g	Z m	T °C	S ‰	O ₂ ml/L	σ _t g/L	δT 10 ⁻⁵ cm/g	ΔD dyn. m	

ORCA; February 25, 1959; 2350 GCT; 31°30'N, 120°19.5'W; sounding, 2100 fm; wind, 280°, force 2; weather, clear; sea, very rough; wire angle, 10°.

1	16.20	33.57	5.56	332	0	(16.20)	(33.57)	(5.56)	(24.63)	(322)	(0.00)
10	15.68	33.58	5.52	321	10	15.68	33.58	5.52	24.75	321	0.03
30	15.66	33.57	5.50	321	20	15.66	33.58	5.51	24.75	321	0.06
51	15.67	33.54	5.50	323	30	15.66	33.57	5.50	24.75	321	0.10
65	15.66	33.57	5.58	321	50	15.67	33.54	5.50	24.73	323	0.16
80	15.64	33.57	5.52	320	75	15.65	33.57	5.53	24.75	321	0.24
100	14.22	33.62	5.47	287	100	14.22	33.62	5.47	25.10	287	0.32
114	13.14	33.55	5.17	272	150	10.09	33.59	4.00	25.86	215	0.45
129	11.28	33.44	4.58	246	200	8.76	33.86	3.09	26.28	175	0.54 0.42
148	10.14	33.57	4.07	217	250	8.03	34.00	2.10	26.50	154	0.63
176	9.34	33.71	3.34	194	300	7.39	34.07	1.55	26.66	139	0.71
201	8.74	33.86	3.08	174	400	6.62	34.14	0.89	26.82	124	0.84
249	8.05	33.99	2.14	155	500	5.90	34.24	0.55	26.98	108	0.96
302	7.36	34.07	1.53	139							
352	6.80	34.09	1.34	130							
400	6.62	34.14	0.89	124							
503	5.89	34.24	0.54	108							
552	5.61	34.27	0.44	102							

ORCA; February 26, 1959; 0449 GCT; 31°07'N, 120°56'W; sounding, 2200 fm; wind, 280°, force 3; weather, clear; sea, very rough; wire angle, 12°.

1	16.20	33.66	5.09	326	0	(16.20)	(33.66)	(5.09)	(24.70)	(326)	(0.00)
11	16.21	33.67	5.25	325	10	16.21	33.67	5.24	24.71	325	0.03
31	16.16	33.65	5.36	326	20	16.19	33.66	5.30	24.70	326	0.06
50	16.14	33.68	5.38	323	30	16.16	33.65	5.36	24.70	326	0.10
64	16.14	33.66	5.40	325	50	16.14	33.68	5.38	24.73	323	0.16
79	16.15	33.68	5.48	323	75	16.14	33.67	5.44	24.72	324	0.24
103	14.58	33.58	5.50	298	100	15.00	33.60	5.50	24.92	305	0.32
117	12.63	33.55	4.91	262	150	10.48	33.57	4.49	25.77	223	0.45
132	11.16	33.55	4.69	236	200	8.90	33.82	3.49	26.23	180	0.56 0.42
151	10.44	33.57	4.48	222	250	8.03	33.98	2.46	26.49	155	0.64
185	9.26	33.75	3.97	190	300	7.47	34.05	2.07	26.63	142	0.72
209	8.71	33.86	3.19	174	400	6.53	34.13	1.08	26.82	124	0.86
259	7.92	34.00	2.35	152	500	5.94	34.28	0.75	27.01	106	0.98
308	7.37	34.05	2.00	140							
362	6.84	34.14	1.37	127							
412	6.46	34.13	1.02	123							
515	5.84	34.30	0.71	103							
565	5.49	34.29	0.64	99							

ORCA; February 26, 1959; 1001 GCT; 30°47'N, 121°36'W; sounding, 2240 fm; wind, 280°, force 3; weather, clear; sea, very rough; wire angle, 10°.

1	16.28	33.68	5.40	327	0	(16.28)	(33.68)	(5.40)	(24.68)	(327)	(0.00)
11	16.30	33.65	5.47	329	10	16.30	33.65	5.47	24.67	329	0.03
30	16.30	33.71	5.42	325	20	16.30	33.67	5.41	24.68	327	0.06
50	16.32	33.69	5.21	326	30	16.30	33.71	5.42	24.71	325	0.10
64	16.35	33.73	5.37	324	50	16.32	33.69	5.21	24.69	326	0.16
79	16.36	33.72	5.03	325	75	16.36	33.71	5.20	24.71	325	0.24
100	16.35	33.73	5.06	324	100	16.35	33.73	5.06	24.72	324	0.33
115	14.50	33.62	5.29	293	150	11.42	33.57	4.84	25.60	240	0.47
130	13.11	33.60	4.84	268	200	9.16	33.74	3.66	26.13	189	0.58 0.43
150	11.42	33.57	4.84	240	250	8.41	33.97	2.41	26.43	161	0.67
179	9.72	33.66	4.10	204	300	7.67	34.07	2.01	26.61	143	0.75
204	9.08	33.77	3.55	187	400	6.67	34.13	1.06	26.81	125	0.89
253	8.38	33.98	2.37	160	500	6.03	34.24	0.50	26.97	109	1.01
307	7.56	34.08	1.95	141							
357	7.04	34.12	1.41	132							
407	6.62	34.14	1.02	124							
510	5.98	34.25	0.46	108							
559	5.68	34.29	0.41	102							

SIO
CCOFI
5902

	OBSERVED					INTERPOLATED					COMPUTED		
	Z m	T °C	S ‰	O ₂ ml/L	δT ₃ 10 ⁻⁵ cm/g	Z m	T °C	S ‰	O ₂ ml/L	σ _t g/L	δT ₃ 10 ⁻⁵ cm/g	ΔD dyn. m	

97.32 PAOLINA-T; February 7, 1959; 0430, 0509 GCT; a) 32°11.5'N, 117°17'W; sounding, 791 fm; wind, 270°, force 1; weather, partly cloudy; sea, moderate; wire angle, 00°, 00°.

439	7.10	34.34	0.48	116
449	6.96	34.34	0.52	114
459	6.82	34.35	0.43	111
469	6.66	34.36	0.42	108
479	6.60	34.34	0.42	109
489	6.52	34.46r	0.42	-
499	6.42	34.34	0.43	107
509	6.35	34.36	0.41	104
518	6.30	34.42	0.42	99
528	6.25	34.38	0.42	102
538	6.18	34.36	0.42	102
548	6.08	34.35	0.42	102
558	6.02	34.37	0.37	100
570	5.91	34.38	0.35	97
580	5.82	34.40	0.34	95
590	5.78	34.38	0.32	96
601	5.74	34.40	0.32	94

97.32 BLACK DOUGLAS; February 12, 1959; 0406 GCT; a) 32°11.5'N, 117°17'W; sounding, 675 fm; wind, 200°, force 4; weather, overcast; sea, rough; wire angle, 10°.

384	8.14	34.34	1.01	130
392	8.02	34.32	-	130
398	7.92	34.31	0.63	129
407	7.82	34.33	0.71	126
416	7.68b)	34.34	0.70	124
425	7.42	34.33	-	120
435	7.30	34.31	0.64	120
443	7.11	34.29	0.64	120
451	6.90	34.27	0.66	118
461	6.84	34.29	0.72	116
469	6.74	34.31	0.68	113
478	6.64	34.30	0.56	113
486	6.56	34.29	0.51	112
495	6.49	34.29	0.60	111
504	6.44	34.27	0.55	112
513	6.30	34.31	0.63	107
522	6.26	34.31	0.41	107
530	6.24	34.27	-	110

a) Special cast.

b) Mean value of 7.62 and 7.75°C.

OBSERVED					INTERPOLATED				COMPUTED			SIO CCOFI 5902	
Z m	T °C	S %	O ₂ ml/L	δT 10 ⁻⁵ cm/g	Z m	T °C	S %	O ₂ ml/L	σ _t g/L	δT 10 ⁻⁵ cm/g	ΔD dyn. m		
PAOLINA-T; February 13, 1959; 1735 GCT; 31°11'N, 119°10'W; sounding, 1950 fm; wind, 320°, force 4; weather, partly cloudy; sea, rough; wire angle, 08°.													97.60
2	15.75	33.58	5.64	322	0	(15.75)	(33.58)	(5.64)	(24.73)	(322)	(0.00)		
12	15.77	33.57	5.60	323	10	15.76	33.57	5.63	24.73	322	0.03		
31	15.78	33.56	5.63	324	20	15.77	33.57	5.63	24.72	323	0.06		
61	14.24	33.67	4.64	284	30	15.78	33.56	5.63	24.71	324	0.10		
71	13.77	33.64	4.50	277	50	15.79	33.56	5.59	24.73	322	0.16		
86	12.82	33.64	4.16a)	259	75	13.42	33.63	4.40	25.27	271	0.24		
100	12.29	33.65	4.17	249	100	12.29	33.65	4.17	25.50	249	0.30		
115	11.05	33.72	3.49	221	150	9.76	33.80	3.51	26.08	194	0.41		
140	9.98	33.73	3.85	203	200	8.77	34.04	-	26.44	160	0.50	0.39	
159	9.58	33.89	3.04	185	250	7.85	34.09	-	26.61	144	0.58		
190	8.88	34.04	2.54	163	300	7.37	34.16	1.50	26.73	132	0.65		
219	8.50	34.05	-	157	400	6.69	34.31	0.63	26.94	112	0.78		
248	7.86	34.09	-	144	500	6.22	34.36	0.46	27.05	102	0.89		
297	7.40	34.16	1.55	133	600	5.69	34.40	0.40	27.13	94	0.99		
352	6.94	34.25	0.92	120									
435	6.51	34.34	0.48	108									
520	6.16	34.37	0.44	101									
604	5.66	34.40	0.38	93									
PAOLINA-T; February 11, 1959; 2307 GCT; 30°50'N, 118°39'W; sounding, 1500 fm; wind, 220°, force 5; weather, drizzle; sea, very rough; wire angle, 13°.													100.60
2	16.32	33.69	5.00	326	0	(16.32)	(33.69)	(5.00)	(24.69)	(326)	(0.00)		
10	16.36	33.71	5.54	325	10	16.36	33.71	5.54	24.70	325	0.03		
36	16.32	33.73	5.53	323	20	16.34	33.72	5.55	24.71	324	0.06		
65	15.15	33.64	4.91	305	30	16.32	33.73	5.55	24.72	323	0.10		
75	13.54	33.56	4.70	279	50	16.31	33.74	5.53	24.73	322	0.16		
94	11.78	33.58	4.33	244	75	13.54	33.56	4.70	25.19	279	0.24		
108	10.94	33.62	4.17	227	100	11.42	33.59	4.29	25.62	238	0.30		
123	10.09	33.73	3.84	205	150	9.54	33.89	3.07	26.19	184	0.41		
151	9.52	33.89	3.04	184	200	8.93	34.05	2.33	26.41	163	0.50	0.39	
171	9.20	33.95	2.74	174	250	8.40	34.19	1.63	26.60	145	0.57		
201	8.92	34.05	2.31	163	300	7.70	34.23	1.13	26.74	131	0.65		
236	8.58	34.16	1.77	150	400	6.84	34.33	0.70	26.93	113	0.77		
263	8.26	34.22	1.52	141	500	6.09	34.35	0.42	27.05	102	0.89		
313	7.53	34.24	1.02	129	600	5.50	34.38	0.38	27.14	93	0.99		
377	7.03	34.32	0.77	116									
475	6.24	34.34	0.45	105									
564	5.69	34.36	0.38	96									
638	5.32	34.39	0.38	90									
PAOLINA-T; February 10, 1959; 0251 GCT; 30°07'N, 118°26'W; sounding, 2100 fm; wind, 300°, force 4; weather, partly cloudy; sea, very rough; wire angle, 08°.													103.60
1	16.16	33.63	5.66b)	327	0	(16.16)	(33.63)	(5.66)	(24.68)	(327)	(0.00)		
11	16.21	33.62	5.50	329	10	16.21	33.62	5.50	24.66	329	0.03		
31	16.15	33.60	5.55	329	20	16.20	33.61	5.52	24.66	329	0.06		
60	16.10	33.62	5.49	327	30	16.15	33.60	5.55	24.66	329	0.10		
70	16.14	33.61	5.53	328	50	16.10	33.60	5.50	24.68	327	0.16		
86	14.39	33.55	5.53	296	75	16.19	33.61	5.53	24.66	329	0.25		
99	13.35	33.57	5.33	274	100	13.34	33.57	5.33	25.24	274	0.32		
115	11.02	33.58	4.77	231	150	9.70	33.68	4.06	25.99	202	0.44		
139	10.06	33.61	4.34	213	200	8.70	33.97	2.79	26.37	166	0.53	0.40	
159	9.40	33.75	3.76	192	250	8.06	34.13	2.01	26.61	144	0.61		
188	8.96	33.91	3.05	174	300	7.62	34.19	1.60	26.71	134	0.69		
217	8.36	34.04	2.40	155	400	6.72	34.27	0.80	26.91	115	0.82		
246	8.09	34.12	2.08	146	500	6.16	34.34	0.49	27.04	103	0.93		
295	7.68	34.18	1.65	135	600	5.54	34.41	0.37	27.17	91	1.03		
349	7.02	34.22	1.14	124									
433	6.52	34.30	0.63	111									
517	6.05	34.35	0.45	102									
603	5.52	34.41	0.37	91									

a) Mean value of 4.08 and 4.25 ml/L.

b) Mean value of 5.60 and 5.73 ml/L.

SIO
CCOFI
5902

	OBSERVED					INTERPOLATED					COMPUTED		
	Z m	T °C	S ‰	O ₂ ml/L	δT 10 ⁻⁵ cm ³ /g	Z m	T °C	S ‰	O ₂ ml/L	σ _t g/L	δT 10 ⁻⁵ cm ³ /g	ΔD dyn. m	

107.60 PAOLINA-T; February 8, 1959; 1309 GCT; 29°28'N, 117°57.5'W; sounding, 1900 fm; wind, 200°, force 3; weather, rain; sea, slight; wire angle, 02°.

1	17.17	33.89	5.44	330	0	(17.17)	(33.89)	(5.44)	(24.65)	(330)	(0.00)
11	17.20	33.91	5.22	330	10	17.20	33.91	5.25	24.65	330	0.03
31	17.20	33.91	5.18	330	20	17.20	33.91	5.21	24.65	330	0.07
56	17.20	33.92	5.33	329	30	17.20	33.91	5.20	24.65	330	0.10
66	17.20	33.90	5.40	331	50	17.20	33.91	5.27	24.66	329	0.16
76	17.20	33.91	5.40	330	75	17.20	33.91	5.40	24.65	330	0.25
90	14.94	33.68	5.49	298	100	14.10	33.68	5.34	25.16	281	0.33
105	13.78	33.68	-	275	150	10.09	33.77	3.34	25.99	202	0.44
130	11.02	33.69	4.38	223	200	9.51	33.94	2.88	26.23	180	0.54
150	10.09	33.77	3.34	202	250	8.95	34.07	2.18	26.42	162	0.63
174	9.84	33.85	3.10	192	300	8.25	34.20	1.60	26.63	142	0.71
204	9.46	33.96	2.82	178	400	7.25	34.31	0.62	26.86	120	0.84
234	9.12	34.04	2.38	167	500	6.54	34.41	0.37	27.05	102	0.96
274	8.70	34.13	1.85	154							
333	7.69	34.28	1.33	128							
407	7.20	34.31	0.58	120							
481	6.68	34.42	0.38	104							
562	6.10	34.39	0.33	99							

107.70 PAOLINA-T; February 9, 1959; 0140 GCT; 29°10'N, 118°39.5'W; sounding, 1860 fm; wind, 290°, force 6; weather, rain; sea, rough; wire angle, 20°.

2	17.14	33.89a)	5.49	330	0	(17.14)	(33.89)	(5.49)	(24.65)	(330)	(0.00)
11	17.18	33.86	5.45	333	10	17.19	33.86	5.46	24.62	333	0.03
30	17.16	33.86	5.43	332	20	17.18	33.86	5.44	24.62	333	0.07
57	17.12	33.87	5.47	331	30	17.16	33.86	5.43	24.63	332	0.10
65	17.06	33.89	5.44	328	50	17.13	33.87	5.45	24.64	331	0.17
78	16.94	33.89	5.36	326	75	16.97	33.89	5.38	24.69	326	0.25
93	14.96	33.77	5.44	292	100	14.83	33.77	5.42	25.08	289	0.33
108	14.30	33.91	5.11	268	150	10.59	33.73	3.77	25.88	213	0.45
128	11.59	33.58	4.70	241	200	8.95	33.91	3.14	26.30	173	0.55
146	10.74	33.71	3.87	217	250	8.30	34.11	2.29	26.55	149	0.63
172	9.69	33.84	3.30	190	300	7.76	34.20	1.59	26.71	134	0.71
199	8.96	33.91	3.13	174	400	6.91	34.28	0.80	26.89	117	0.84
226	8.50	34.05	2.69	156	500	6.34	34.39	0.39	27.05	102	0.95
270	8.18	34.16	1.94	144							
319	7.51	34.23	1.37	129							
398	6.92	34.28	0.80	117							
479	6.44	34.38	0.41	104							
561	6.10	34.41	0.33	98							

110.60 BLACK DOUGLAS; February 14, 1959; 0605 GCT; 28°56.5'N, 117°39'W; sounding, 2040 fm; wind, 360°, force 4; weather, cloudy; sea, moderate; wire angle, 05°.

0	17.12	33.82	5.62	335	0	17.12	33.82	5.62	24.61	335	0.00
10	17.13	33.82	5.76	335	10	17.13	33.82	5.76	24.61	335	0.03
28	17.14	33.82	5.70	335	20	17.14	33.82	5.73	24.61	335	0.07
51	17.08	33.81	5.69	335	30	17.14	33.82	5.70	24.61	335	0.10
60	16.94	33.78	5.82	333	50	17.09	33.81	5.69	24.61	335	0.17
69	16.92	33.77	5.76	334	75	16.92	33.77	5.70	24.61	334	0.25
82	16.65	33.78	5.69	327	100	14.42	33.67	5.20	25.10	288	0.33
95	14.86	33.69	5.37	296	150	11.65	33.82	3.41	25.75	225	0.46
118	12.76	33.62	4.39	260	200	10.54	34.04	2.27	26.13	189	0.56
136	12.16	33.75	3.66	238	250	9.12	34.12	2.12	26.44	160	0.65
159	11.32	33.86	3.22	216	300	8.71	34.25	1.50	26.60	145	0.73
184	10.80	33.96	2.62	200	400	7.89	34.36	0.54	26.81	125	0.87
212	10.34	34.11	2.04	180	500	6.90	34.34	0.42	26.94	113	1.00
248	9.14	34.11	2.13	161							
300	8.71	34.25	1.50	145							
368	8.31	34.36	0.67	131							
434	7.36	34.35	0.49	118							
506	6.86	34.34	0.41	113							

94 a) Salinity bottle numbers were not recorded on the data sheet. Since standard handling and titrating procedures were used, these salinity values are assumed to be in the order listed.

OBSERVED					INTERPOLATED					COMPUTED		
Z m	T °C	S %	O ₂ ml/L	δT ₃ 10 ⁻⁵ cm/g	Z m	T °C	S %	O ₂ ml/L	σ _t g/L	δT ₃ 10 ⁻⁵ cm/g	ΔD dyn.m	

SIO
CCOFI
5902

BLACK DOUGLAS; February 14, 1959; 0022 GCT; 28°36.5'N, 118°18'W; sounding, 1550 fm; wind, 340°, force 3; weather, cloudy; sea, rough; wire angle, 03°.

110.70

1	17.56	33.84	-	343	0	(17.56)	(33.84)		(24.51)	(343)	(0.00)
10	17.56	33.87	-	341	10	17.56	33.87		24.54	341	0.03
28	17.40	33.87	-	338	20	17.48	33.87		24.55	340	0.07
51	17.39	33.84	-	340	30	17.40	33.87		24.57	338	0.10
59	17.38	33.84	-	340	50	17.39	33.84		24.55	340	0.17
69	17.40	33.84	-	340	75	17.40	33.84		24.55	340	0.25
82	17.13	33.83	-	334	100	14.10	33.66		25.16	282	0.33
95	14.34	-	-	-	150	11.16	33.86		25.88	213	0.46
118	12.44	33.61	-	254	200	10.60	34.14	1.83	26.20	183	0.56
136	11.19	33.73	-	223	250	9.19	34.20	1.81	26.48	156	0.64
159	11.15	33.93	-	208	300	8.70	34.28	1.22	26.63	142	0.72
186	10.86	34.02	2.24	196	400	7.47	34.31	0.64	26.83	123	0.86
213	10.34	34.25	1.56	170	500	(6.37)	(34.33)	(0.42)	(27.00)	(107)	(0.98)
249	9.26	34.20	1.83	156							
304	8.64	34.29	1.18	141							
372	7.90	34.31	0.76	128							
428p	7.06	34.31	0.53	118							
491p	6.44	34.33	0.42	108							

BLACK DOUGLAS; February 15, 1959; 1222, 1302 GCT; 28°42'N, 116°37.5'W; sounding, 1750 fm; wind, 080°, force 3; weather, partly cloudy; sea, moderate; wire angle, 02°, 05°.

113.50

1	17.05	33.78	5.65	336	0	(17.05)	(33.78)	(5.65)	(24.59)	(336)	(0.00)
10	17.07	33.79	5.63	336	10	17.07	33.79	5.63	24.59	336	0.03
29	17.05	33.79	5.62	336	20	17.06	33.79	5.62	24.59	336	0.07
51	17.06	33.80	5.25	335	30	17.05	33.79	5.61	24.59	336	0.10
60	17.06	33.82	5.58	333	50	17.06	33.80	5.26	24.60	335	0.17
69	17.04	33.88	5.69	329	75	17.00	33.88	5.69	24.67	328	0.25
83	16.50	33.78	5.67	324	100	14.21	33.69	5.00	25.15	282	0.33
96	14.90	33.68	5.37	297	150	11.48	33.96	2.77	25.90	211	0.45
119	12.66	33.77	3.85	246	200	10.93	34.32	1.36	26.28	175	0.55
137	12.00	33.95	3.00	221	250	10.25	34.49	0.80	26.54	151	0.63
160	11.18	33.96	-	206	300	9.33	34.42	0.78	26.63	142	0.71
					400	7.92	34.35	0.58	26.80	126	0.85
159 a)	11.20	33.96	2.61	206	500	6.72	34.32	0.41	26.95	112	0.97
186	10.98	34.18	1.71	186							
213	10.84	34.40	1.14	168							
249	10.26	34.49	0.80	151							
304	9.26	34.42	0.78	141							
371	8.40	34.40	0.57	129							
439	7.26	34.29	0.61	122							
511	6.61	34.33	0.35	110							

BLACK DOUGLAS; February 15, 1959; 1855 GCT; 28°15'N, 117°29'W; sounding, 1780 fm; wind, 080°, force 2; weather, drizzle; sea, moderate; wire angle, 04°.

113.60

0	16.99	33.78	5.84	334	0	16.99	33.78	5.84	24.61	334	0.00
10	17.02	33.80	5.75	334	10	17.02	33.80	5.75	24.61	334	0.03
28	17.02	33.81	5.71	334	20	17.02	33.80	5.72	24.61	334	0.07
51	17.02	33.78	5.65	336	30	17.02	33.81	5.70	24.62	334	0.10
59	17.02	33.78	5.77	336	50	17.02	33.78	5.65	24.59	336	0.17
69	17.02	33.80	5.69	334	75	17.02	33.80	5.58	24.61	334	0.25
82	16.64	33.78	5.48	327	100	14.98	33.70	4.92	24.98	298	0.33
95	15.22	33.69	4.91	303							
118	13.36	33.73	5.30	262							
136	11.84	33.62	5.17	243							

a) Overlapping casts; reconciliation of property curves when necessary.

SIO
CCOFI
5902

	OBSERVED					INTERPOLATED					COMPUTED		
	Z m	T °C	S %	O ₂ ml/L	δT ₃ 10 ⁻⁵ cm ³ /g	Z m	T °C	S %	O ₂ ml/L	σ _t g/L	δT ₃ 10 ⁻⁵ cm ³ /g	ΔD dyn. m	

117.50	BLACK DOUGLAS; February 16, 1959; 1424 GCT; 28°12.5'N, 116°06.5'W; sounding, 2400 fm; wind, 160°, force 1; weather, rain; sea, moderate; wire angle, 00°.												
	0	17.67	33.96	5.49	337	0	17.67	33.96	5.49	24.58	337	0.00	
	10	17.66	-	5.54	-	10	17.66	33.93	5.54	24.56	339	0.03	
	28	17.61	33.86	5.37	343	20	17.64	33.89	5.46	24.52	342	0.07	
	51	16.93	33.95	5.30	321	30	17.61	33.86	5.36	24.51	343	0.10	
	60	15.82	33.83	4.57	306	50	17.02	33.95	5.31	24.73	323	0.17	
	69	14.86	33.78	4.30	289	75	14.60	33.77	4.23	25.13	284	0.24	
	82	14.30	33.76	4.12	279	100	13.00	33.75	3.86	25.45	254	0.31	
	96	13.48	33.77	3.94	262	150	10.40	33.83	3.20	26.00	202	0.43	
	119	11.66	33.72	3.69	232	200	9.49	34.08	2.48	26.34	170	0.52	0.42
	137	10.93	33.79	3.27	214	250	9.79	34.39	0.91	26.54	150	0.60	
	159	10.04	33.86	3.20	195	300	9.23	34.43	0.67	26.66	140	0.68	
	187	9.64	34.04	2.71	175	400	8.00	34.37	0.47	26.81	125	0.82	
	214	9.37	34.11	2.22	165	500	7.13	34.37	0.28	26.92	114	0.94	
	250	9.79	34.39	0.91	150								
	305	9.16	34.43	0.65	138								
	373	8.34	34.39	0.53	129								
	441	7.54	34.36	0.38	120								
	513	7.04	34.38	0.25	112								
120.50	BLACK DOUGLAS; February 18, 1959; 0402, 0448 GCT; 27°33'N, 115°52.5'W; sounding, 2100 fm; wind, direction missing, force 1; weather, overcast; sea, moderate; wire angle, 00°, missing.												
	1	18.79	34.02	5.29	359	0	(18.79)	(34.02)	(5.29)	(24.34)	(359)	(0.00)	
	10	18.73	34.05	5.34	356	10	18.73	34.05	5.34	24.38	356	0.04	
	28	18.57	34.04	5.34	352	20	18.64	34.04	5.34	24.40	354	0.07	
	51	18.55	34.04	5.28	352	30	18.56	34.04	5.33	24.42	352	0.10	
	60	18.54	34.04	5.25	352	50	18.55	34.04	5.28	24.42	352	0.18	
	69	16.92	33.87	5.16	326	75	15.85	33.77	4.97	24.86	310	0.26	
	83	14.78	33.70	4.73	293	100	13.20	33.72	4.34	25.38	260	0.33	
	96	13.54	33.73	4.39	266	150	11.60	34.04	2.57	25.93	208	0.45	
	119	11.91	33.69	4.14	238	200	10.76	34.36	1.20	26.34	170	0.55	0.41
	137	11.37	33.75	3.62	224	250	9.89	34.42	0.97	26.55	150	0.63	
	160	11.80	34.22	1.85	198	300	9.15	34.43	0.60	26.67	138	0.70	
	187	11.20	34.35	1.17	178	400	8.22	34.45	0.40	26.84	122	0.84	
	214	10.29	34.36	1.27	161	500	7.02	34.42	0.28	26.98	108	0.96	
	250	9.89	34.42	0.97	150								
	301	9.14	34.43	0.58	138								
	368	8.61	34.46	0.43	128								
	436	7.73	34.44	0.37	116								
	508	6.92	34.42	0.27	107								

OBSERVED					INTERPOLATED				COMPUTED		
Z m	T °C	S %	O ₂ ml/L	δT ₃ 10 ⁻⁵ cm/g	Z m	T °C	S %	O ₂ ml/L	σ _t g/L	δT ₃ 10 ⁻⁵ cm/g	ΔD dyn. m

2b
 BLACK DOUGLAS; February 18, 1959; 1924 GCT; 36°32.5'N, 117°48.5'W; sounding, 2200 fm; wind, 270°, force 2; weather, cloudy; sea, rough; wire angle, 03°.

1	18.71	34.01	5.43	358	0	(18.71)	(34.01)	(5.43)	(24.36)	(358)	(0.00)
10	18.58	34.02	5.39	354	10	18.58	34.02	5.39	24.40	354	0.04
28	18.41	34.03	5.34	349	20	18.48	34.02	5.36	24.42	352	0.07
51	18.38	34.04	5.34	348	30	18.40	34.03	5.34	24.45	349	0.10
60	18.40	34.01	5.25	350	50	18.38	34.04	5.34	24.46	348	0.18
69	18.40	34.04	5.33	348	75	17.95	33.99	5.28	24.52	342	0.26
82	15.87	33.76	4.84	311	100	13.10	33.70	4.06	25.38	260	0.34
96	13.42	33.69	4.18	267	150	10.62	33.92	2.70	26.03	199	0.45
118	11.70	33.78	3.41	228	200	9.90	34.17	1.90	26.34	170	0.55
136	11.05	33.86	2.90	211	250	9.56	34.38	1.03	26.57	148	0.63
159	10.38	33.96	2.59	192	300	8.82	34.34	0.89	26.66	139	0.70
186	10.06	34.13	2.09	175	400	7.52	34.36	0.51	26.86	120	0.84
216	9.74	34.21	1.62a)	163	500	6.54	34.35	0.44	27.00	107	0.96
249	9.57	34.38	1.03	148							
303	8.77	34.34	0.88	139							
369	7.92	34.36	0.51	125							
437	7.04	34.35	0.50	114							
510	6.46	34.36	0.40	106							

BLACK DOUGLAS; February 25, 1959; 0657 GCT; 27°14'N, 114°59'W; sounding, 650 fm; wind, 320°, force 3; weather, cloudy; sea, rough; wire angle, 28°.

0	18.26	34.14	5.51	338	0	18.26	34.14	5.51	24.58	338	0.00
9	18.26	34.13	5.53	338	10	18.26	34.13	5.53	24.56	338	0.03
25	18.26	34.16	5.47	336	20	18.26	34.15	5.48	24.58	336	0.07
32	18.28	34.13	5.51	338	30	18.27	34.13	5.50	24.56	338	0.10
45	17.77	34.03	5.39	334	50	17.32	33.97	5.28	24.67	328	0.17
57	16.74	33.89	5.13	321	75	15.08	33.70	4.72	24.98	299	0.25
77	14.79	33.68	4.61	295	100	12.49	33.68	3.95	25.49	250	0.32
93	12.84	33.69	4.08	256	150	11.29	34.05	2.13	26.00	202	0.43
109	11.94	33.68	3.70	240	200	10.85	34.38	1.04	26.34	170	0.52
125	11.47	33.78	3.20	225	250	10.49	34.49	0.54	26.49	155	0.61
149	11.30	34.05	2.14	202	300	10.06	34.55	0.37	26.60	144	0.68
177	11.06	34.25	1.36	183	400	8.49	34.49	0.31	26.82	124	0.82
201	10.82	34.38	1.02	169	500	7.32	34.42	0.26	26.94	112	0.95
241	10.58	34.47	0.59	157							
286	10.24	34.54	0.39	148							
357	9.13	34.53	0.33	130							
429	8.08	34.47	0.30	120							
503	7.27	34.42	0.25	112							

BLACK DOUGLAS; February 25, 1959; 0812 GCT;^{b)} 27°14'N, 114°59'W; sounding, 650 fm; wind, 320°, force 3; weather, cloudy; sea, rough; wire angle, 13°.

1	18.23	34.13	5.41	338	0	(18.23)	(34.13)	(5.41)	(24.57)	(338)	(0.00)
10	18.24	34.12	5.47	339	10	18.24	34.12	5.47	24.56	339	0.03
27	18.23	34.12	5.35	339	20	18.24	34.12	5.40	24.56	339	0.07
31	18.24	34.14	5.38	337	30	18.24	34.14	5.37	24.58	337	0.10
36	18.25	34.12	5.44	339	50	18.08	34.14	5.38	24.62	333	0.17
40	18.25	34.13	5.42	338	75	14.40	33.69	4.47	25.11	286	0.24
44	18.26	34.13	5.41	338	100	12.10	33.88	2.94	25.72	228	0.31
48	18.19	34.16	5.41	335	150	11.33	34.04	2.11	26.00	202	0.42
52	17.56	34.03	5.35	329							
56	17.13	33.96	5.13	325							
60	16.86	33.95	5.12	320							
64	16.47	33.87	5.02	317							
68	15.96	33.82	4.80	309							
73	14.95	33.70	4.51	296							
77	14.30	33.69	4.46	284							
82	14.26	33.77	4.17	277							
130	11.48	33.91	2.60	216							
175	11.20	34.29	1.27	182							

X

a) Alternate value, 1.74 ml/L, not used in interpolation.

b) Special cast.

SIO
CCOFI
5902

	OBSERVED					INTERPOLATED					COMPUTED		
	Z m	T °C	S %	O ₂ ml/L	δT 10 ⁻⁵ cm/g	Z m	T °C	S %	O ₂ ml/L	σ _t g/L	δT 10 ⁻⁵ cm/g	ΔD dyn. m	

130.40 BLACK DOUGLAS; February 22, 1959; 0340 GCT; 26°09'N, 114°07.5'W; sounding, 1100 fm; wind, 300°, force 2; weather, cloudy; sea, moderate; wire angle, 03°.

1	19.68	34.39	5.29	354	0	(19.68)	(34.39)	(5.29)	(24.40)	(354)	(0.00)
10	19.67	34.34	5.30	357	10	19.67	34.34	5.30	24.36	357	0.04
28	19.18	34.34	5.29	346	20	19.40	34.34	5.30	24.44	350	0.07
50	19.08	34.34	5.33	343	30	19.17	34.34	5.30	24.50	344	0.10
59	18.88	34.34	5.25	338	50	19.08	34.34	5.33	24.52	343	0.17
69	18.73	34.42	5.25	328	75	18.05	34.31	5.08	24.75	320	0.26
82	15.68	33.87	4.29	300	100	14.36	33.96	3.09	25.33	265	0.33
96	14.55	33.96	3.16	269	150	11.39	34.04	2.39	25.98	204	0.45
118	12.38	33.88	2.91	234	200	10.72	34.34	1.14	26.34	170	0.54 0.43
136	11.62	33.95	2.66	214	250	10.44	34.50	0.55	26.51	153	0.63
159	11.22	34.11	2.15	196	300	9.55	34.41	0.50	26.59	146	0.70
186	10.79	34.27	1.46	176	400	8.69	34.50	0.24	26.80	126	0.84
212	10.67	34.40	0.91	165	500	7.54	34.42	0.22	26.90	116	0.97
248	10.47	34.50	0.56	154							
303	9.50	34.41	0.49	146							
370	9.01	34.52	0.30	130							
438	8.26	34.46	0.16	123							
510	7.42	34.41	0.24	115							

137.40 BLACK DOUGLAS; February 24, 1959; 0138 GCT; 25°01'N, 113°24.5'W; sounding, 1200 fm; wind, 360°, force 3; weather, partly cloudy; sea, rough; wire angle, 15°.

1	21.36	34.52	5.29	387	0	(21.36)	(34.52)	(5.29)	(24.05)	(387)	(0.00)
10	21.33	34.49	5.22	388	10	21.33	34.49	5.22	24.04	388	0.04
28	20.91	34.49	5.27	377	20	21.20	34.49	5.23	24.07	385	0.08
49	20.61	34.45	5.23	372	30	20.90	34.49	5.27	24.16	377	0.12
58	20.59	34.45	5.07	372	50	20.60	34.45	5.20	24.20	372	0.19
67	20.56	34.52	4.69	366	75	20.40	34.48	4.62	24.28	365	0.28
80	19.95	34.34	4.55	364	100	18.90	34.34	4.37	24.56	339	0.37
93	19.37	34.36	4.47	348	150	13.53	34.28	1.71	25.74	226	0.51
113	16.56	34.14	3.78	299	200	11.74	34.52	0.69	26.29	174	0.61 0.44
130	14.54	34.13	2.53	256	250	11.09	34.64	0.32	26.50	154	0.70
152	13.40	34.29	1.64	222	300	10.84	34.69	0.18	26.59	146	0.78
177	12.10	34.33	1.13	195	400	8.97	34.51	0.17	26.76	129	0.92
203	11.69	34.55	0.64	172	500	(7.57)	(34.41)	(0.21)	(26.90)	(116)	(1.05)
238	11.20	34.61	0.39	157							
290	10.96	34.70	0.18	147							
356	9.70	34.53	0.18	139							
421	8.64	34.51	0.17	125							
492	7.66	34.42	0.20	117							

TEMPERATURE AND SALINITY AT 10 METERS (NET-TOW STATIONS)

Station	Date	Time GCT	Latitude North	Longitude West	Sounding (fm)	Wind Dir	Force	Weather	Sea	10 Meters T	S
80.52-O	II-14	1530	34°24.5'	120°36.0'	120	calm		cloudy	slight	14.03	33.51
87.50-O	17	0230	33°20.0'	119°39.5'	50	180°	7	drizzle	high	14.98	33.51
93.45-O	25	0830	32°21.0'	118°34.0'	900	280°	2	clear	moderate	15.21	33.47
93.55-O	25	1429	32°02.0'	119°15.0'	880	280°	2	clear	very rough	15.71	33.48
97.30-P	14	1147	32°15.5'	117°09.0'	27	020°	5	partly cloudy	slight	15.29	33.66
97.32-P	14	1037	32°11.5'	117°17.0'	700	340°	3	clear	moderate	15.47	33.71
97.35-P	14	0840	32°08.0'	117°28.5'	550	340°	4	clear	moderate	15.54	33.66
97.40-P	14	0538	31°57.0'	117°50.0'	850	340°	4	clear	moderate	15.52	33.60
97.45-P	14	0238	31°47.5'	118°09.5'	830	290°	4	partly cloudy	moderate	15.81	33.60
97.50-P	13	2344	31°36.5'	118°31.0'	1380	320°	4	partly cloudy	rough	15.78	33.58
97.55-P	13	2051	31°24.5'	118°50.0'	350	320°	4	partly cloudy	rough	15.87	33.66
97.70-P	13	1147	30°52.5'	119°50.5'	1960	330°	4	partly cloudy	moderate	15.18	33.51
97.80-P	13	0627	30°36.0'	120°32.0'	2100+	330°	4	partly cloudy	moderate	16.26	33.68
97.90-P	13	0032	30°16.5'	121°15.5'	2000+	340°	5	cloudy	very rough	16.51	33.71
100.29-P	11	0232	31°42.0'	116°43.5'	62	290°	3	clear	moderate	15.56	33.64
100.30-P	11	0311	31°40.5'	116°46.5'	232	320°	2	clear	moderate	15.66	33.59
100.35-P	11	0605	31°31.5'	117°07.5'	700	220°	2	partly cloudy	slight	16.17	33.68
100.40-P	11	0912	31°23.0'	117°28.0'	1040	200°	4	partly cloudy	rough	15.98	33.60
100.45-P	11	1209	31°13.5'	117°49.0'	1200	220°	5	drizzle	rough	16.06	33.60

TEMPERATURE AND SALINITY AT 10 METERS (NET-TOW STATIONS)

Station	Date	Time GCT	Latitude North	Longitude West	Sounding (fm)	Wind Dir	Wind Force	Weather	Sea	10 Meters T	10 Meters S
100.50-P	II-11	1503	31°03.5'	118°09.5'	1040	200°	5	cloudy	very rough	16.17	33.67
100.55-P	11	1845	30°58.0'	118°22.5'	1150	220°	6	rain	very rough	16.26	33.69
100.70-P	12	0749	30°24.5'	119°27.5'	2000+	280°	4	partly cloudy	very rough	15.82	33.59
100.80-P	12	1316	30°04.5'	120°03.5'	1940	290°	4	fog	very rough	15.98	33.58
100.90-P	12	1832	29°44.0'	120°40.0'	2000+	320°	4	partly cloudy	very rough	16.28	33.60
103.30-P	10	1953	31°05.5'	116°25.5'	42	320°	2	clear	rough	15.88	33.65
103.35-P	10	1711	30°55.5'	116°45.0'	1020	330°	3	partly cloudy	rough	15.97	33.66
103.40-P	10	1430	30°46.0'	117°02.5'	1095	290°	3	partly cloudy	rough	16.46	33.71
103.45-P	10	1145	30°36.0'	117°24.5'	1350	340°	3	partly cloudy	moderate	16.50	33.73
103.50-P	10	0858	30°26.5'	117°44.5'	1440	340°	3	partly cloudy	moderate	16.48	33.73
103.55-P	10	0608	30°16.0'	118°05.0'	1450	330°	3	drizzle	rough	16.13	33.64
103.70-P	9	2045	29°56.0'	119°11.0'	2100	320°	5	partly cloudy	high	16.14	33.71
107.32-P	7	2015	30°26.0'	116°11.5'	410	calm		cloudy	slight	15.92	33.71
107.35-P	7	2240	30°19.5'	116°23.0'	990	140°	2	cloudy	moderate	16.60	33.64
107.40-P	8	0135	30°09.0'	116°42.0'	1650	270°	1	cloudy	slight	16.62	33.68
107.45-P	8	0417	29°58.5'	117°01.0'	1250	270°	3	partly cloudy	moderate	16.50	33.62
107.50-P	8	0707	29°48.0'	117°19.5'	1600	210°	2	cloudy	slight	16.88	33.76
107.55-P	8	0953	29°38.0'	117°38.5'	1800	calm		drizzle	slight	16.48	33.62
110.33-B	14	2105	29°50.5'	115°52.0'	50	320°	2	partly cloudy	slight	16.26	33.78

TEMPERATURE AND SALINITY AT 10 METERS (NET-TOW STATIONS)

Station	Date	Time GCT	Latitude North	Longitude West	Sounding (fm)	Wind Dir	Wind Force	Weather	Sea	10 Meters T	10 Meters S
110.35-B	II-14	1925	29°46.5'	116°00.0'	570	320°	2	partly cloudy	moderate	16.06	33.82
110.40-B	14	1653	29°36.5'	116°19.5'	1180	320°	2	partly cloudy	moderate	16.24	33.79
110.45-B	14	1420	29°32.5'	116°39.0'	500	320°	3	partly cloudy	moderate	16.52	33.68
110.50-B	14	1205	29°19.5'	116°59.0'	1500	360°	3	clear	moderate	16.52	33.68
110.55-B	14	0915	29°07.0'	117°20.0'	2000	350°	3	missing	moderate	16.60	33.71
110.65-B	14	0330	28°46.5'	117°59.0'	1800	340°	3	missing	rough	17.28	33.86
110.80-B	13	1805	28°12.0'	118°59.0'	2065	320°	4	cloudy	rough	17.64	34.02
110.90-B	13	1311	27°56.5'	119°36.0'	2100	350°	4	cloudy	rough	17.80	34.05
113.30-B	15	0150	29°22.5'	115°17.5'	30	310°	4	partly cloudy	moderate	-	33.82
113.35-B	15	0415	29°12.0'	115°39.0'	640	320°	3	clear	moderate	-	33.78
113.40-B	15	0700	29°02.0'	115°58.5'	960	320°	4	clear	moderate	16.76	33.80
113.45-B	15	0945	28°52.0'	116°18.0'	1050	350°	3	clear	moderate	16.68	33.73
113.55-B	15	1615	28°28.0'	117°03.0'	2000	080°	2	overcast	moderate	17.02	33.82
113.65-B	15	2115	28°08.0'	117°43.0'	1850	140°	4	overcast	slight	17.18	33.86
113.70-B	15	2300	28°02.0'	117°55.5'	2000	150°	4	overcast	moderate	17.30	33.89
117.26-B	17	0935	28°56.0'	114°41.0'	1700	110°	2	overcast	slight	16.92	33.86
117.30-B	17	0745	28°48.0'	114°56.5'	54	090°	2	overcast	slight	-	33.98
117.35-B	17	0520	28°38.0'	115°16.0'	130	040°	3	overcast	slight	17.08	33.89
117.40-B	16	1835	28°28.0'	115°35.5'	480	040°	2	cloudy	slight	16.64	33.78

TEMPERATURE AND SALINITY AT 10 METERS (NET-TOW STATIONS)

Station	Date	Time GCT	Latitude North	Longitude West	Sounding (fm)	Wind		Weather	Sea	10 Meters	
						Dir	Force			T	S
117.45-B	II-16	1555	28°18.0'	116°55.0'	2400	160°	1	overcast	slight	16.97	33.86
117.55-B	16	1150	28°03.0'	116°21.0'	2000	180°	3	overcast	moderate	17.19	33.95
117.60-B	16	0900	27°51.0'	116°45.0'	2000	180	3	overcast	moderate	17.54	33.97
117.65-B	16	0610	27°39.0'	117°08.0'	1760	150°	3	overcast	moderate	17.66	33.97
117.70-B	16	0340	27°27.5'	117°32.5'	1780	160°	3	overcast	slight	17.50	33.96
118.39-B	16	1830	28°18.5'	115°24.0'	120	180°	1	cloudy	slight	17.16	33.91
119.33-B	17	1910	28°19.0'	114°53.0'	60	-	1	fog	slight	17.32	33.91
120.25-B	17	1420	28°23.0'	114°14.5'	30	-	1	overcast	smooth	16.96	33.89
120.30-B	17	1635	28°13.0'	114°34.0'	50	-	1	fog	slight	16.72	33.84
120.35-B	17	2105	28°03.0'	114°54.0'	45	-	1	overcast	slight	16.90	33.84
120.40-B	17	2320	27°56.5'	115°13.5'	21	290°	3	overcast	slight	16.98	33.91
120.45-B	18	0135	27°43.0'	115°33.0'	1100	260°	3	overcast	moderate	17.47	33.91
120.55-B	18	0705	27°23.0'	116°12.0'	2200	-	1	overcast	slight	18.68	34.06
120.60-B	18	0835	27°14.0'	116°31.5'	140	270°	3	fog	moderate	18.66	34.04
120.65-B	18	1220	27°04.5'	116°51.0'	2000	270°	5	missing	rough	18.50	34.02
120.70-B	18	1430	26°55.0'	117°10.5'	1900	300°	4	cloudy	rough	18.47	34.01
120.90-B	19	0030	26°13.0'	118°27.5'	2150	300°	3	cloudy	very rough	18.23	34.11
123.37-B	20	0530	27°24.0'	114°39.5'	40	360°	4	clear	rough	17.40	34.06
123.42-B	20	0320	27°17.0'	115°00.5'	650	340°	7	clear	very high	19.36	34.28

TEMPERATURE AND SALINITY AT 10 METERS (NET-TOW STATIONS)

Station	Date	Time GCT	Latitude North	Longitude West	Sounding (fm)	Wind Dir	Wind Force	Weather	Sea	10 Meters T	10 Meters S
123.45-B	II-20	0115	27°08.0'	115°11.0'	2250	340°	7	partly cloudy	very high	18.18	34.02
123.50-B	19	2215	26°58.0'	115°30.5'	1850	330°	5	partly cloudy	very rough	18.20	34.00
123.55-B	19	1825	26°48.0'	115°49.5'	2176	330°	5	partly cloudy	very rough	18.62	34.07
123.60-B	19	1515	26°38.5'	116°09.0'	2000	360°	6	partly cloudy	very rough	18.72	34.14
127.34-B	20	2135	26°55.5'	114°06.0'	42	280°	3	cloudy	moderate	17.72	34.05
127.40-B	21	0045	26°43.5'	114°29.5'	1550	320°	5	partly cloudy	very rough	19.76	34.33
127.45-B	21	0330	26°33.5'	114°48.5'	1950	270°	4	partly cloudy	rough	19.55	34.34
127.50-B	21	0650	26°23.5'	115°08.0'	2250	270°	3	cloudy	rough	19.29	34.29
127.55-B	21	0925	26°13.0'	115°28.0'	1900	250°	3	cloudy	moderate	19.19	34.25
127.60-B	21	1155	26°02.0'	115°49.0'	2000	260°	3	cloudy	moderate	19.32	34.29
130.30-B	21	0905	26°29.0'	113°29.0'	42	080°	3	cloudy	moderate	18.08	34.09
130.35-B	22	0630	26°19.0'	113°48.5'	140	270°	3	cloudy	moderate	18.82	34.21
130.45-B	22	0120	25°59.0'	114°26.0'	1800	280°	3	drizzle	moderate	19.04	-
130.50-B	21	2245	25°49.0'	114°46.0'	1800	270°	2	overcast	moderate	19.24	34.20
130.55-B	21	1940	25°36.5'	115°05.0'	1980	270°	2	overcast	moderate	19.02	34.13
130.60-B	21	1645	25°22.0'	115°27.0'	2170	270°	3	overcast	moderate	18.83	34.09
133.25-B	22	1410	26°04.5'	112°48.0'	45	320°	5	cloudy	rough	17.86	34.22
133.30-B	22	1650	25°54.5'	113°07.5'	106	360°	5	cloudy	rough	19.00	34.32
133.35-B	23	0615	25°44.5'	113°26.5'	350	320°	5	cloudy	very rough	-	34.45

Station	Date	Time GCT	Latitude North	Longitude West	Sounding (fm)	Wind		Weather	Sea	10 Meters	
						Dir	Force			T	S
133.40-B	II-23	0920	25°34.5'	113°45.5'	1200	300°	7	cloudy	high	20.11	34.42
133.45-B	23	1200	25°27.0'	114°04.0'	1800	320°	5	partly cloudy	very rough	20.86	34.43
133.50-B	23	1455	25°19.0'	114°25.0'	1700	360°	6	cloudy	rough	21.50	34.51
134.36-B	23	0420	25°36.0'	113°23.0'	80	320°	5	cloudy	very rough	20.92	34.47
137.23-B	24	1020	25°39.0'	112°22.0'	40	350°	3	clear	moderate	18.18	34.28
137.30-B	24	0650	25°23.5'	112°47.0'	140	320°	4	partly cloudy	rough	19.96	34.35
137.35-B	24	0415	25°12.0'	113°06.0'	650	270°	4	cloudy	rough	21.37	34.57
137.45-B	23	2235	24°50.5'	113°42.0'	1700	350°	4	cloudy	rough	21.02	34.51
137.50-B	23	1955	24° ⁴⁰ 50.0'	114°01.5'	2050	360°	4	partly cloudy	very rough	22.00	34.58

TEMPERATURE AND SALINITY AT 10 METERS (NET-TOW STATIONS)

DISTRIBUTION LIST

Mr. D. L. Alverson, Chief
North Pacific Fisheries Exploration and
Gear Research
Bureau of Commercial Fisheries
2725 Montlake Boulevard
Seattle 2, Washington

Mr. William Anderson
Bureau of Commercial Fisheries
Brunswick, Georgia

Mr. William E. Batzler
Code 2232
U. S. Navy Electronics Laboratory
San Diego 52, California

British Joint Services
(Navy Staff)
1910 K Street N. W.
Washington, D. C.

Mr. J. G. Burnette, Chairman
Marine Research Committee
P. O. Box 807
Los Altos, California

Librarian (4)
Department of Fish and Game
California State Fisheries Laboratory
Terminal Island, California

Library
Oceanographic Group
Central Fisheries Experiment Station
Pusan, Korea

Dr. Ernest R. Anderson
Code 2233
U. S. Navy Electronics Laboratory
San Diego 52, California

Mr. Thomas S. Austin
Bureau of Commercial Fisheries
Biological Laboratory
P. O. Box 3830
Honolulu 12, Hawaii

Dr. Rolf Bolin
Hopkins Marine Station
Pacific Grove, California

Librarian
Bureau of Commercial Fisheries
Biological Laboratory
P. O. Box 3830
Honolulu 12, Hawaii

Dr. Wayne V. Burt
Assoc. Prof. of Oceanography
School of Science
Oregon State College
Corvallis, Oregon

Mr. Ray Cannon
Ocean Fish Protective Association
645 N. Serrano Street
Los Angeles 4, California

Mr. Harold B. Clemens, Jr.
Marine Resources Operations
California State Fisheries Laboratory
Terminal Island, California

Chief, Division of Fisheries
Commonwealth Scientific and Industrial
Research Organization
P. O. Box 21
Crunulla, N. S. W., Australia

Mr. R. S. Croker, Director
California Department of Fish and Game
Marine Fisheries Laboratory Branch
772 Capitol Avenue
Sacramento 14, California

Chief
Division of Biological Research
U. S. Fish and Wildlife Service
Bureau of Commercial Fisheries
Washington 25, D. C.

Dr. Richard H. Fleming
University of Washington
Oceanographic Laboratories
Seattle 5, Washington

Hancock Library of Biology and
Oceanography
Allan Hancock Foundation
University of Southern California
Los Angeles 7, California

Mr. John Hawk
c/o Seafarers' International Union of
North America
450 Harrison Street
San Francisco 5, California

Mr. T. Hirano
Tokai Regional Fisheries Research
Laboratory
Tsukishima
Tokyo, Japan

Dr. G. M. Cresswell
Department of Earth Sciences
Stanford Research Institute
Menlo Park, California

Herrn Professor Dr. A. Defant
Sternwartestrasse 38
Innsbruck
Austria

Director of Research
Fish Commission of Oregon
Route 1, Box 31A
Clackamas, Oregon

Dr. Paul M. Fye
Woods Hole Oceanographic Institution
Woods Hole, Massachusetts

Dr. William J. Hargis, Jr., Director
Virginia Fisheries Laboratory
Gloucester Point, Virginia

Dr. Robert W. Hiatt
University of Hawaii
Honolulu 12, Hawaii

Director
Instituto de Geofísica
Torre de Ciencias, 3er piso
Universidad Nacional Autónoma de
México
Villa Obregón, D. F.
México

Dr. Robert M. Norris
Department of Physical Sciences
University of California
Santa Barbara Campus
Goleta, California

Chief of Naval Research
Office of Naval Research
Geophysics Branch
Washington 25, D. C.

Dr. E. L. Pickard
Institute of Oceanography
University of British Columbia
Vancouver, B. C.
Canada

Dr. D. W. Pritchard, Director
Chesapeake Bay Institute
The Johns Hopkins University
121 Maryland Hall
Baltimore 18, Maryland

Mr. John Radovich
California Department of Fish and Game
California State Fisheries Laboratory
Terminal Island, California

Mr. Don T. Saxby
California Division
California Packing Corporation
2600 Seventh Street
Berkeley 10, California

Mr. D. Shoji
Japanese Hydrographic Office
Tsukiji
Tokyo, Japan

Mr. Henry M. Stommel
Woods Hole Oceanographic Institution
Woods Hole, Massachusetts

Director
Norwegian Polar Institute
Observatorieg 1
Oslo, Norway

Dr. Yngve H. Olsen
Journal of Marine Research
Yale University
New Haven, Connecticut

Dr. G. Pogade, Librarian
Deutscher Wetterdienst Seewetteramt
Hamburg, Germany

Pusan Fisheries College
Pusan
Korea

Dr. Gordon A. Riley
Bingham Oceanographic Foundation
Yale University
New Haven, Connecticut

Dr. O. E. Sette, Chief
Bureau of Commercial Fisheries
Biological Laboratory
450-B Jordan Hall
Stanford, California

Mr. W. E. Stewart
c/o California State Chamber of
Commerce
350 Bush Street
San Francisco 4, California

Miss Margaret Storey, Librarian
Natural History Museum
Stanford, California

Mr. Milton C. James
Pacific Marine Fishery Commission
340 State Office Building
1400 S. W. Fifth Avenue
Portland 1, Oregon

Dr. H. Kitamura
Oceanographic Section
Kobe Marine Observatory
Kobe, Japan

Dr. E. C. LaFond
Code 2235
U. S. Navy Electronics Laboratory
San Diego 52, California

Mr. John C. Marr
Bureau of Commercial Fisheries
Biological Laboratory
P. O. Box 3830
Honolulu 12, Hawaii

Dr. J. L. McHugh, Chief
Division of Biological Research
Bureau of Commercial Fisheries
Washington 25, D. C.

Mr. Arthur H. Mendonca
c/o R. E. Booth Company, Inc.
280 Battery Street
San Francisco 11, California

Mr. John V. Morris
French Sardine Company
582 Tuna Street
Terminal Island, California

Mr. A. W. H. Needler, Director
Pacific Biological Station
Nanaimo, B. C.
Canada

Japan Meteorological Agency
Oceanographical Section
Tokyo, Japan

Dr. E. Koto
Institute of Fisheries
Hokkaido University
Hakodate, Japan

Mr. Joseph Mardesich
Franco-Italian Packing Company
Fish Harbor Wharf
Terminal Island, California

Mr. Jotaro Masuzuwa
Japan Meteorological Agency
Oceanographical Section
Tokyo, Japan

Dr. Hugh J. McLellan
Department of Oceanography
Texas A. and M. College
College Station, Texas

Dr. R. C. Miller, Director
California Academy of Science
Golden Gate Park
San Francisco 18, California

National Marine Consultants, Inc.
2913 De la Vina
Santa Barbara, California
Attn: Dr. Richard Kent

Mr. Kenneth S. Norris, Curator
Marineland of the Pacific
Portuguese Bend
Marineland, California

Dr. Y. Takenouti
Oceanographical Section
Japan Meteorological Agency
Chuo-ku
Tokyo, Japan

Department of Oceanography
Texas A. and M. College
College Station, Texas

Dr. M. Uda
Tokyo University of Fisheries
Minato-ku
Tokyo, Japan

Library, Code 2420 (2)
U. S. Navy Electronics Laboratory
San Diego 52, California

University of California (2)
Serials Department
General Library
Berkeley 4, California

Librarian
University of Washington
Oceanographic Laboratories
Friday Harbor, Washington

Director
University of Washington
School of Fisheries
Seattle 4, Washington

Mr. Richard C. Vetter
Secretary to the Committee on
Oceanography
National Academy of Sciences
2101 Constitution Avenue
Washington 25, D. C.

Mr. Norman Tebble
Annelida Section
British Museum (Natural History)
Cromwell Road
London SW7, England

Dr. John P. Tully
Pacific Oceanographic Group
P. O. Drawer 6
Nanaimo, B. C.
Canada

U. S. Hydrographic Office (2)
Navy Department
Washington 25, D. C.
Attn: Dr. John Lyman

University of California
Department of Zoology
Berkeley 4, California

Director
University of Miami
Marine Laboratory
Coral Gables, Florida

Librarian (2)
University of Washington
Oceanographic Laboratories
Seattle 5, Washington

Mr. Gilbert C. Van Camp, Sr.
772 Tuna Street
Terminal Island, California

Dr. Lionel A. Walford, Chief
Atlantic Fishery Oceanographic
Research Center
Bureau of Commercial Fisheries
734 Jackson Place, N. W.
Washington 25, D. C.

Dr. Boyd W. Walker
University of California
Department of Zoology
Los Angeles 24, California

Dr. M. Pat Wennekens
Oceanic Research Division
(Code 508)
Naval Ordnance Test Station
China Lake, California

Inter-American Tropical Tuna Commission
(c/o Scripps Institution of Oceanography)

Dr. M. B. Schaefer

Scripps Institution of Oceanography

Mrs. A. Alvariño de Leira
Dr. Leo D. Berner
Dr. Maurice Blackburn
Dr. Edward Brinton
Dr. Abraham Fleminger
Mr. Jeffery D. Frautschy
Mr. John D. Isaacs
Dr. Martin W. Johnson
Mr. Hans T. Klein
Mr. Garth I. Murphy
Mr. Joseph L. Reid, Jr.
Dr. Roger Revelle
Mrs. Margaret K. Riedel
Mrs. Margaret K. Robinson
Mr. Gunnar I. Roden
Mr. Richard A. Schwartzlose
Dr. Warren S. Wooster
Mr. Charles G. Worrall (20)
Library (4)
Library, SFA

U. S. Bureau of Commercial Fisheries
(c/o Scripps Institution of Oceanography)

Dr. E. H. Ahlstrom
Mr. Gerald V. Howard

Mr. William E. Warne
California Department of Fish and Game
926 J Street
Sacramento 14, California

Dr. Kozo Yoshida
Geophysical Institute
Tokyo University
Bunkyo-ku
Tokyo, Japan