

UNIVERSITY OF CALIFORNIA   SCRIPPS INSTITUTION OF OCEANOGRAPHY

# data report

PHYSICAL AND CHEMICAL DATA

CCOFI Cruise 6304  
9 April - 24 May 1963

CCOFI Cruise 6306  
25 - 26 June 1963

and

USCG Station November  
12 May - 2 June 1963

SIO Reference 64-13  
2 March 1964

UNIVERSITY OF CALIFORNIA

SCRIPPS INSTITUTION OF OCEANOGRAPHY

PHYSICAL AND CHEMICAL DATA

CCOFI Cruise 6304  
9 April - 24 May 1963

and

CCOFI Cruise 6306  
25 - 26 June 1963

Sponsored by

Marine Research Committee

SIO Reference 64-13  
2 March 1964

Approved for distribution:

  
\_\_\_\_\_  
Roger Revelle, Director

## CONTENTS

<b>List of Figures</b>	
CCOFI Cruise 6304 . . . . .	ii
CCOFI Cruise 6306 . . . . .	ix
<b>Introduction</b> . . . . .	iii
<b>Personnel</b>	
CCOFI Cruise 6304 . . . . .	vi
CCOFI Cruise 6306 . . . . .	ix
<b>Tabulated Data</b>	
CCOFI Cruise 6304 . . . . .	55
CCOFI Cruise 6306 . . . . .	122
Station November, May-June 1963 cruise . . . . .	124
<b>Distribution List</b> . . . . .	131

## FIGURES Cruise 6304

1. CCOFI Cruise 6304, station positions
2. Horizontal distribution of dynamic height anomaly (0 over 500 d-bar)
3. Horizontal distribution of dynamic height anomaly (200 over 500 d-bar)
4. Horizontal distribution of temperature at 10 meters
5. Horizontal distribution of salinity at 10 meters
6. Horizontal distribution of temperature at 200 meters
7. Horizontal distribution of salinity at 200 meters

## INTRODUCTION

The data presented in this report were collected by the RV Black Douglas of the Bureau of Commercial Fisheries and the RV Alexander Agassiz of the Scripps Institution of Oceanography on Cruise 6304 and by the RV Alexander Agassiz on Cruise 6306 of the California Cooperative Oceanic Fisheries Investigations program. Also included in this report are the data collected at Station November for the May-June 1963 cruise of the USCGC Minnetonka of the United States Coast Guard. The first two figures in this cruise numbering system represent the year of the cruise; the last two figures, the month. The cruises preceding this one in the series are 6210-11 and 6212 (SIO Ref. 63-25) and 6301-2 (SIO Ref. 64-2).

The data are tabulated at observed depths; the interpolated and computed values are tabulated at standard depths and are accompanied by charts of horizontal distribution. The presentation of data in this report does not constitute publication; however, the data contained in this report have been carefully edited and no modifications should be necessary before final publication.

## STANDARD PROCEDURES

Processing of the data was carried out using the method described by Klein.<sup>1/</sup> The 125-meter level was introduced into the integration to obtain greater accuracy in the determination of  $\Delta D$ .

To indicate degree of accuracy, temperatures are recorded in tenths of a degree when obtained by bucket thermometer, thermograph, or bathythermograph, while temperatures from reversing thermometers are recorded in hundredths of a degree. The salinity values obtained by salinometer are recorded to three decimal places, provided they meet accepted standards. The values recorded "have a reproducibility of  $\pm 0.004\%$  salinity at the 95 per cent probability level, and a probable accuracy of  $\pm 0.01\%$  salinity or better at the same level of probability."<sup>2/</sup> The values are recorded to two decimal places when obtained by chlorinity titration, or by salinometer where only one determination per sample was obtained, or where there is doubt concerning the accuracy of a particular sample, or of all samples on

---

<sup>1/</sup>Klein, Hans T. A new technique for processing physical oceanographic data. MS.

<sup>2/</sup>Quotation from Department of Oceanography, University of Washington, Tech.

Rep. No. 66, UW Ref. 60-18, October 1960.

a station. The accuracy of all samples obtained by salinometer and recorded to two decimal places is believed to be equal to or better than those obtained by manual titration.

Extrapolated values and values interpolated between remote observations are entered within parentheses. A hyphen is used to indicate a missing observed value. The time is the time of messenger release. When more than one cast was made on a station, messenger times and wire angles are given in the order of increasing depth. A line is left blank between the observed data of each cast.

On stations where more than one cast is lowered, the various property curves may not agree perfectly. This discrepancy may be caused by changes in geographical position, real property changes with time, slight error in measurement, or a combination of these factors. Stations with overlapping casts have the following footnote: Overlapping casts; reconciliation of property curves when necessary.

#### FOOTNOTES

Laboratory personnel note any possible imperfections in the sealing of the bottles as follows:

- |                       |  |
|-----------------------|--|
| Loose bottle cap:     | The cap is definitely loose so that it could be moved with very little applied pressure. The salinity values obtained from these samples may be usable depending on time and/or conditions of storage. |
| Possible evaporation: | Either the cap was sealed with less than usual pressure, the bottle edge chipped, the rubber washer cracked, or the bale broke on opening, etc.  |

Use of the above values in interpolation depends upon consistency with other values of salinity and other properties, and these footnotes are supplemented with "falls on property curve" or "does not fall on property curve," depending upon whether the property curve was drawn through the value or not.

In addition to footnotes, two special notations are used without footnotes because their meaning is always the same.

To indicate a premature or a delayed reversal of the water-sampling device which results in certain depth and property errors, the following notation is used.

p: pretrip or posttrip.

Values which are not drawn through because they seem to be in error without apparent reason are indicated by the following notation.

u: uncertain value (value may be correct; occasionally it can influence the drawing of the property curve).

#### FORMAT

These data are typed in the format of the University of California Press publication, Oceanic Observations of the Pacific.

PERSONNEL  
Cruise 6304

SHIPS' CAPTAINS

Forster, Charles W., RV Black Douglas  
Miller, Frank, RV Alexander Agassiz

PERSONNEL PARTICIPATING IN THE COLLECTION OF DATA

RV Alexander Agassiz

\*Anderson, Norman E., Principal Marine Technician  
Brennen, Robert E., Senior Marine Technician  
Crowe, Fred J., Laboratory Assistant  
Ernst, Richard K., Marine Technician  
Hodnett, Haley L., Senior Marine Technician  
Muus, David A., Marine Technician  
\*Netzley, Ronald L., Marine Technician  
Peters, Forrest D., Marine Technician  
Pine, James S., Senior Marine Technician  
\*Rosendahl, Donald V., Electronics Technician  
Wagner, Vaughn M., Fishery Aid

RV Black Douglas

Lawson, Jan B., Senior Marine Technician  
Kimura, M., Fishery Research Biologist  
Netzley, Ronald L., Marine Technician  
Paloma, Peter A., Fishery Aid

USCGC Minnetonka (May-June 1963 cruise)

Bottom, Kenneth S., Senior Marine Technician

---


\*Participated in part of cruise only.

INSERT FOR CCOFI CRUISE 6304 (SIO Ref. 64-13)

The CCOFI cruise-numbering and station-numbering system has been slightly revised in order to make it more consistent with the system used by the National Oceanographic Data Center.

Cruise numbers. Hyphenated numbers indicating quarterly cruises (extending over a period of more than one month) will no longer be used. A four-digit number will appear instead, where the first two digits represent the year, and the last two digits the month in which the first data were collected.

Station numbers. Superscript numbers will not be used any longer, either for indication of the station line (before the decimal point) nor the station position along that line (after the decimal point). (Each station number represents, really, an area of about twelve by four nautical miles.) The exact position will be expressed by latitude and longitude.



FIGURES  
Cruise 6306

1. See insert on station position chart for CCOFI Cruise 6304

PERSONNEL  
Cruise 6306

SHIP'S CAPTAIN

Miller, Frank, RV Alexander Agassiz

PERSONNEL PARTICIPATING IN THE COLLECTION OF DATA

RV Alexander Agassiz

Brennen, Robert E., Senior Marine Technician  
Crandall, David E., Marine Technician  
Peters, Forrest D., Marine Technician

SIO  
CCOFI  
6306

SIO CCOFI 6306	OBSERVED				COMPUTED	INTERPOLATED				COMPUTED		
	Z m	T °C	S ‰	O <sub>2</sub> ml/L	δ <sub>T</sub> cl/ton	Z m	T °C	S ‰	O <sub>2</sub> ml/L	σ <sub>t</sub> g/L	δ <sub>T</sub> cl/ton	ΔD dyn m

91.27

ALEXANDER AGASSIZ; June 26, 1963; 0020 GCT; 33°19'N, 117°35.5'W; sounding, 30 fm; wind, 190°, force 1; weather, clear; sea, slight; wire angle, 00°. a)
1 19.64 33.723 6.40 401 0 (19.64) (33.72) (6.40) (23.90) (401) (0.00)
11 17.32 33.679 6.46 349 10 18.30 33.70 6.45 24.22 371 0.04
21 12.41 33.637 5.04 252 20 12.69 33.63 5.24 25.41 257 0.07
31 11.67 33.661 4.14 237 30 11.74 33.66 4.22 25.62 238 0.09
41 10.72 33.707 3.59 217

91.28

ALEXANDER AGASSIZ; June 26, 1963; 0105 GCT; 33°16.5'N, 117°41'W; sounding, 420 fm; wind, 100°, force 2; weather, partly cloudy; sea, moderate; wire angle, 05°.
1 18.92 33.723 5.91 384 0 (18.92) (33.72) (5.91) (24.08) (384) (0.00)
11 17.66 33.696 6.04 356 10 18.20 33.71 6.00 24.26 368 0.04
31 11.60 33.565 4.56 242 20 14.30 33.60 5.43 25.06 291 0.07
41 11.16 33.658 3.94 228 30 11.70 33.56 4.62 25.55 245 0.10
56 10.37 33.721 3.65 210 50 10.70 33.69 3.74 25.83 218 0.14
72 9.90 33.799 3.50 197 75 9.84 33.81 3.46 26.07 195 0.20
97 9.66 33.868 3.21 188 100 9.64 33.88 3.14 26.16 187 0.24
117 9.58 33.914 2.96 183 125 9.48 33.94 2.80 26.23 180 0.29
137 9.34 33.992 2.61 174 150 9.26 34.03 2.53 26.34 169 0.33
157 9.21 34.055 2.47 167 200 9.09 34.20 1.70 26.50 154 0.42
187 9.06 34.169 1.96 156 250 8.98 34.26 1.36 26.56 148 0.49
221 9.14 34.240 1.45 152 300 8.82 34.34 0.94 26.65 140 0.57
251 8.98 34.262 1.34 148 400 8.12 34.26 1.13 26.70 136 0.71
302 8.82 34.338 0.94 140 500 7.13 34.30 0.68 26.87 119 0.85
356 8.51 34.033u 2.52u 600 6.28 34.35 0.43 27.02 104 0.97
442 7.70 34.220 1.24 133
527 6.88 34.333 0.47 113
612 6.20 34.351 0.42 103

91.31

ALEXANDER AGASSIZ; June 25, 1963; 2207 GCT; 33°11.5'N, 117°51'W; sounding, 440 fm; wind, 060°, force 3; weather, partly cloudy; sea, moderate; wire angle, 10°.
1 18.10 33.648 5.96 370 0 (18.10) (33.65) (5.96) (24.24) (370) (0.00)
11 17.22 33.641 6.01 350 10 17.23 33.64 6.01 24.44 350 0.04
31 13.42 33.583 5.60 275 20 16.50 33.64 5.98 24.61 334 0.07
41 12.02 33.562 4.71 250 30 13.50 33.59 5.62 25.22 276 0.10
55 10.97 33.636 4.30 226 50 11.30 33.60 4.45 25.65 235 0.15
70 10.21 33.734 3.69 206 75 10.04 33.76 3.63 26.00 202 0.21
90 9.72 33.821 3.50 192 100 9.60 33.86 3.26 26.15 187 0.26
115 9.45 33.923 2.94 180 125 9.32 33.96 2.92 26.27 176 0.30
135 9.18 33.986 2.90 172 150 9.07 34.06 2.65 26.39 164 0.35
155 9.05 34.068 2.57 163 200 8.98 34.19 1.66 26.51 153 0.43
184 9.06 34.151 1.92 157 250 8.91 34.35 1.09 26.64 140 0.50
218 8.88 34.238 1.44 148 300 8.63 34.34 0.88 26.68 137 0.57
248 8.92 34.353 1.13 140 400 7.93 34.33 0.87 26.78 128 0.71
298 8.64 34.340 0.88 137 500 7.29 34.36 0.51 26.90 117 0.84
354 8.34 34.329 0.96 134 600 6.35 34.34 0.46 27.01 106 0.96
438 7.60 34.334 0.70 123
522 7.15 34.368 0.48 114
611 6.22 34.331 0.46 105

a) The property curves for the stations of this cruise appear unusual but the values have been carefully verified.

OBSERVED				COMPUTED	INTERPOLATED				COMPUTED		
Z m	T °C	S ‰	O <sub>2</sub> ml/L	δ <sub>T</sub> cl/ton	Z m	T °C	S ‰	O <sub>2</sub> ml/L	σ <sub>t</sub> g/L	δ <sub>T</sub> cl/ton	ΔD dyn m

S10

CCOFI  
6306

91.33

ALEXANDER AGASSIZ; June 25, 1963; 1651 GCT; 33°07'N, 118°00'W; sounding, 520 fm; wind, 240°, force 2;  
weather, clear; sea, moderate; wire angle, 07°.

3	17.04	33.638	-	346	0	(17.04)	(33.64)		(24.48)	(346)	(0.00)
13	16.86	33.635	5.84	342	10	16.92	33.63		24.50	344	0.03
33	13.94	33.600	5.79	283	20	16.40	33.63	5.84	24.62	333	0.07
43	13.20	33.558	5.52	272	30	14.15	33.60	5.81	25.09	288	0.10
58	11.64	33.489	4.90	249	50	12.36	33.51	5.20	25.38	260	0.15
73	10.85	33.563	4.12	230	75	10.76	33.58	4.06	25.73	227	0.22
98	10.02	33.725	3.63	204	100	9.99	33.73	3.63	25.98	203	0.27
118	9.46	33.816	3.50	188	125	9.37	33.84	3.42	26.17	185	0.32
138	9.16	33.903	3.21	177	150	8.91	33.93	3.38	26.32	172	0.36
157	8.76	33.952	3.48	168	200	8.18	34.06	2.58	26.53	151	0.45
187	8.20	34.010	3.04	155	250	8.10	34.17	1.65	26.63	142	0.52
222	8.28	34.126	2.00	148	300	7.85	34.20	1.37	26.69	136	0.59
252	8.10	34.167	1.65	142	400	7.25	34.20	1.42	26.78	128	0.73
301	7.84	34.199	1.37	136	500	6.38	34.28	0.72	26.96	111	0.86
356	7.59	34.099u	2.35u		600	5.72	34.37	0.41	27.11	96	0.97
441	6.88	34.206	1.43	123							
526	6.20	34.320	0.49	106							
612	5.64	34.375	0.41	95							

USCG STATION NOVEMBER	OBSERVED				COMPUTED	INTERPOLATED				COMPUTED		
	Z m	T °C	S %	O <sub>2</sub> ml/L	δ <sub>T</sub> cl/ton	Z m	T °C	S %	O <sub>2</sub> ml/L	σ <sub>t</sub> g/L	δ <sub>T</sub> cl/ton	ΔD dyn m

H-1 USCGC MINNETONKA; May 12, 1963; 1947 GCT; 30°00'N, 140°10'W; sounding, 2000+ fm; wind, 060°, force 1; weather, partly cloudy; sea, slight; wire angle, 07°.

0	18.68	34.993	-	286	0	18.68	34.99		25.11	286	0.00
10	18.46	34.969	5.43	282	10	18.46	34.97	5.43	25.15	282	0.03
45	18.44	-	-		20	18.45	34.97		25.16	282	0.06
75	18.41	34.949	5.35a)	282	30	18.44	34.96		25.15	282	0.08
95	18.02	34.883	5.08	278	50	18.43	34.96		25.15	282	0.14
110	17.58	34.749	5.17	278	75	18.41	34.95	5.35	25.15	282	0.21
124	17.48	34.747	5.27	275	100	17.70	34.78	5.11	25.20	278	0.28
144	17.22	34.693	5.19	273	125	17.47	34.75	5.27	25.23	275	0.35
164	16.12	34.575	5.04	257	150	17.10	34.67	5.17	25.26	272	0.42
195	12.74	34.130	4.99	222	200	12.54	34.12	4.97	25.82	219	0.55
217	11.91	34.117	4.94	207	250	10.88	34.08	4.81	26.10	192	0.65
243	11.02	34.075	4.71	195	300	10.04	34.12	5.00	26.28	175	0.75
278	10.39	34.115	5.11	181	400	8.33	34.07		26.52	153	0.92
319	9.74	34.123	4.87	170	500	6.33	34.02		26.76	130	1.07
367	8.95	34.091	4.57	160	600	5.20	34.11		26.97	110	1.19
436	7.56	-	-								
521	5.96	34.008	2.83	126							
607	5.15	34.119	3.49u	108							

H-2 USCGC MINNETONKA; May 13, 1963; 1926 GCT; 30°00.5'N, 140°01.5'W; sounding, 2000+ fm; wind, direction missing, force 1; weather, clear; sea, slight; wire angle, 00°.

1	18.83	34.931	5.09	294	0	(18.83)	(34.93)	(5.09)	(25.03)	(294)	(0.00)
10	18.36	34.895	5.11	285	10	18.36	34.90	5.11	25.12	285	0.03
40	18.22	34.876	5.21	283	20	18.24	34.88	5.15	25.14	283	0.06
66	18.22	34.872	5.24	283	30	18.22	34.88	5.20	25.14	283	0.09
86	18.22	34.899	5.18	282	50	18.22	34.88	5.23	25.14	283	0.14
100	18.10	34.861	5.18	281	75	18.24	34.88	5.21	25.14	283	0.21
115	17.62	34.761	5.33	278	100	18.10	34.86	5.18	25.16	282	0.29
134	17.38	34.774	5.24	271	125	17.44	34.77	5.28	25.25	273	0.36
154	16.85	34.627	5.22	270	150	16.99	34.66	5.22	25.27	271	0.42
178	14.68	34.341	5.04	244	200	12.79	34.16	4.99	25.80	220	0.55
202	12.64	34.146	4.99b)	218	250	10.88	34.08	4.90	26.10	192	0.66
228	11.42	34.075	4.95c)	202	300	10.02	34.12		26.28	175	0.75
258	10.69	34.080	4.88	189	400	7.98	34.04	4.02	26.54	150	0.92
293	10.12	34.122	-	176	500	6.03	34.00	2.80	26.78	127	1.06
342	9.34	34.101	4.59	165							
406	7.81	34.032	3.99	148							
481	6.28	33.986	3.09	132							
560	5.33	34.043	1.70	116							

H-3 USCGC MINNETONKA; May 14, 1963; 1859 GCT; 30°01'N, 139°58'W; sounding, 2000+ fm; wind, direction missing, force 1; weather, cloudy; sea, slight; wire angle, 04°.

1	18.71	34.978	5.16	287	0	(18.71)	(34.98)	(5.16)	(25.10)	(287)	(0.00)
11	18.36	34.932	5.29	282	10	18.39	34.94	5.28	25.15	283	0.03
41	18.28	34.954	5.24	279	20	18.31	34.94	5.28	25.17	281	0.06
65	18.40	35.035	5.16	276	30	18.29	34.95	5.26	25.18	279	0.08
85	18.40	35.055	5.08	274	50	18.32	34.99	5.21	25.20	277	0.14
100	18.40	35.068	5.16	274	75	18.40	35.05	5.10	25.23	275	0.21
114	18.21	34.983u	5.23		100	18.40	35.07	5.16	25.24	273	0.28
133	17.26	34.750	5.23	270	125	17.62	34.85	5.23	25.27	271	0.35
153	16.44	34.633	5.01	260	150	16.70	34.67	5.09	25.35	263	0.42
177	14.28	34.354	5.05	235	200	12.50	34.18	5.04	25.88	213	0.54
202	12.14	34.160	5.04	208	250	10.95	34.21	4.95	26.19	184	0.64
226	11.42	34.182	4.98	194	300	9.97	34.20	4.80	26.35	168	0.73
256	10.84	34.221	4.93	181	400	7.94	34.10	4.00	26.60	145	0.89
291	10.16	34.213	4.85	170	500	6.18	34.06	2.85	26.81	125	1.04
340	9.10	34.158	4.56	158							
404	7.86	34.093	3.97	144							
480	6.44	34.049	3.16	129							
559	5.45	34.107	1.85	113							

- a) Alternate value, 4.95 ml/L, not used in interpolation.
- b) Alternate value, 4.63 ml/L, not used in interpolation.
- c) Mean value of 5.00 and 4.90 ml/L.

OBSERVED				COMPUTED	INTERPOLATED				COMPUTED		
Z m	T °C	S ‰	O <sub>2</sub> ml/L	δ <sub>T</sub> cl/ton	Z m	T °C	S ‰	O <sub>2</sub> ml/L	σ <sub>t</sub> g/L	δ <sub>T</sub> cl/ton	ΔD dyn m

USCG  
STATION  
NOVEMBER

USCGC MINNETONKA; May 15, 1963; 2035 GCT; 29°57'N, 140°04'W; sounding, 2000+ fm; wind, 140°, force 4;  
weather, cloudy; sea, moderate; wire angle, 23°.

H-4

1	18.54	34.876	5.15	291	0	(18.54)	(34.88)	(5.15)	(25.06)	(291)	(0.00)
11	18.53	34.865	5.22	291	10	18.53	34.87	5.21	25.06	291	0.03
43	18.23	34.844	5.23	286	20	18.49	34.86	5.22	25.06	291	0.06
70	18.30	34.885	5.15	284	30	18.40	34.85	5.23	25.08	289	0.09
88	17.70	34.776	5.15	278	50	18.24	34.85	5.22	25.12	286	0.15
102	17.65	34.747	5.16	279	75	18.22	34.88	5.15	25.14	283	0.22
115	17.39	34.722	5.24	275	100	17.66	34.75	5.16	25.18	279	0.29
134	17.19	34.701	5.18	272	125	17.28	34.71	5.21	25.24	273	0.36
152	16.54	34.587	5.03	266	150	16.61	34.60	5.04	25.32	266	0.43
178	14.52	34.361	4.95	239	200	12.94	34.16	4.95	25.77	223	0.55
200	12.94	34.162	4.95	223	250	11.12	34.11	4.98	26.08	194	0.66
223	12.02	34.150	4.91	207	300	10.19	34.14	4.79	26.27	176	0.75
256	10.96	34.102	4.99	192	400	8.22	34.07	4.12	26.53	151	0.92
292	10.34	34.139	4.81	179	500	6.32	34.05	3.08	26.78	127	1.07
338	9.58	34.132	4.65	167							
403	8.15	34.070	4.10	150							
485	6.54	34.047	3.27	130							
567	5.40	34.045	2.00	117							

USCGC MINNETONKA; May 16, 1963; 1958 GCT; 30°00'N, 140°03'W; sounding, 2000+ fm; wind, 170°, force 4;  
weather, cloudy; sea, rough; wire angle, 16°.

H-5

0	18.58	34.916	5.20a)	289	0	18.58	34.92	5.20	25.09	289	0.00
11	18.50	34.906	5.28	288	10	18.50	34.91	5.28	25.10	287	0.03
49	18.30	34.858	5.28	286	20	18.43	34.89	5.28	25.10	287	0.06
82	17.77	34.779	5.28	280	30	18.40	34.88	5.28	25.10	287	0.09
101	17.46	34.735	5.20	276	50	18.28	34.85	5.28	25.11	287	0.14
115	17.28	34.697	5.18	274	75	17.86	34.79	5.28	25.16	281	0.22
134	16.96	34.654	5.17	270	100	17.46	34.74	5.20	25.22	275	0.29
152	16.08	34.535	5.01	259	125	17.13	34.67	5.18	25.25	273	0.36
172	14.76	34.427	4.86	239	150	16.19	34.55	5.03	25.38	261	0.42
200	12.08	34.079	5.01	213	200	12.08	34.08	5.01	25.88	213	0.54
229	11.25	34.098	5.01	197	250	10.78	34.10	5.00	26.13	189	0.65
252	10.75	34.106	5.01	188	300	9.83	34.12	4.83	26.31	172	0.74
285	10.09	34.120	4.92	176	400	7.95	34.05	3.99	26.56	149	0.91
329	9.36	34.118	4.64	165	500	6.03	34.01	2.74	26.79	127	1.05
382	8.35	34.079	4.16	152	600	5.07	34.13	1.27	27.00	107	1.17
466	6.58	34.001	3.29	134							
556	5.40	34.040	1.83	117							
629	4.86	34.196	0.91	99							

USCGC MINNETONKA; May 17, 1963; 2209 GCT; 30°00'N, 140°00'W; sounding, 2000+ fm; wind, 170°, force 4;  
weather, partly cloudy; sea, moderate; wire angle, 13°.

H-6

2	18.99	34.900	5.23	300	0	(18.99)	(34.90)	(5.23)	(24.97)	(300)	(0.00)
12	18.76	34.979	5.23	289	10	18.80	34.98	5.23	25.08	289	0.03
46	18.32	34.901	5.22	284	20	18.66	34.96	5.23	25.10	288	0.06
75	17.96	34.826	5.27	281	30	18.53	34.94	5.22	25.11	286	0.09
95	17.56	34.752	5.27	277	50	18.27	34.90	5.23	25.15	283	0.14
109	17.32	34.731	5.25	273	75	17.96	34.83	5.27	25.17	280	0.22
123	16.88	34.681	5.15	267	100	17.48	34.74	5.27	25.22	276	0.29
142	15.92	34.521	5.00	257	125	16.79	34.67	5.13	25.33	265	0.35
162	14.66	34.428	4.87	237	150	15.40	34.48	4.94	25.50	249	0.42
192	12.24	34.131	5.00	212	200	11.93	34.11	5.00	25.93	208	0.54
215	11.52	34.104	4.98	201							

a) Alternate value, 5.05 ml/L, not used in interpolation.

USCG

STATION  
NOVEMBER

	OBSERVED				$\delta_T$ cl/ton	INTERPOLATED				COMPUTED		
	Z m	T °C	S ‰	O <sub>2</sub> ml/L		Z m	T °C	S ‰	O <sub>2</sub> ml/L	$\sigma_t$ g/L	$\delta_T$ cl/ton	ΔD dyn m

H-7

USCGC MINNETONKA; May 18, 1963; 1937 GCT; 29°56'N, 140°00'W; sounding, 2000+ fm; wind, 180°, force 3; weather, clear; sea, rough; wire angle, 11°.

1	19.26	34.920	5.30a)	305	0	(19.26)	(34.92)	(5.30)	(24.91)	(305)	(0.00)
11	18.95	34.914	5.30	298	10	18.96	34.91	5.30	24.98	298	0.03
40	18.41	35.002u	5.26		20	18.78	34.91	5.29	25.03	294	0.06
65	18.23	34.902	5.30	282	30	18.60	34.91	5.28	25.07	290	0.09
84	18.11	34.964u	5.23		50	18.34	34.91	5.28	25.14	284	0.15
99	17.68	34.763	5.12	279	75	18.18	34.89	5.27	25.16	281	0.22
114	17.50	34.745	5.30	276	100	17.67	34.76	5.13	25.19	279	0.29
132	17.26	34.688	5.25	275	125	17.35	34.72	5.28	25.23	274	0.36
152	-	34.632	5.16		150	16.88	34.65	5.19	25.29	269	0.43
176	15.28	34.487	4.94	246	200	12.69	34.15	4.99	25.82	219	0.55
202	12.52	34.134	5.00	217							

H-8

USCGC MINNETONKA; May 19, 1963; 1912 GCT; 29°54'N, 140°00.5'W; sounding, 2000+ fm; wind, 180°, force 1; weather, partly cloudy; sea, rough; wire angle, 03°.

1	19.22	34.898	5.20	306	0	(19.22)	(34.90)	(5.20)	(24.91)	(305)	(0.00)
12	18.98	34.964	5.20	295	10	19.04	34.96	5.20	25.00	297	0.03
42	18.40	34.873	5.25	288	20	18.79	34.95	5.22	25.06	291	0.06
68	18.29	34.867	5.25	286	30	18.59	34.91	5.24	25.08	290	0.09
88	17.98	34.806	5.17	283	50	18.36	34.87	5.25	25.10	287	0.15
102	17.68	34.745	5.26	280	75	18.21	34.85	5.20	25.12	285	0.22
117	17.48	34.716	5.29	278	100	17.73	34.75	5.25	25.17	281	0.29
137	17.16	34.672	5.21	274	125	17.34	34.69	5.25	25.21	276	0.36
157	16.32	34.554	5.10	263	150	16.80	34.61	5.17	25.28	270	0.43
182	14.92	34.462	4.92	240							

H-9

USCGC MINNETONKA; May 20, 1963; 1913 GCT; 29°29'N, 139°58'W; sounding, 2000+ fm; wind, direction missing, force 1; weather, cloudy; sea, rough; wire angle, 00°.

1	19.57	34.913	5.12	313	0	(19.57)	(34.91)	(5.12)	(24.82)	(313)	(0.00)
11	19.15	34.912	5.19	303	10	19.16	34.91	5.19	24.93	303	0.03
41	18.49	34.877	5.25	290	20	19.00	34.91	5.21	24.97	299	0.06
65	18.30	34.859	5.22	286	30	18.70	34.89	5.24	25.03	294	0.09
85	18.12	34.829	5.17	284	50	18.42	34.87	5.23	25.09	288	0.15
100	17.77	34.762	5.20	281	75	18.22	34.84	5.19	25.11	286	0.22
115	17.54	34.720	5.25	279	100	17.77	34.76	5.20	25.16	281	0.29
134	17.22	34.673	5.20	275	125	17.38	34.69	5.22	25.20	277	0.36
154	16.71	34.608	5.08	268	150	16.92	34.63	5.12	25.27	271	0.43
179	14.36	34.325	4.91	239	200	12.62	34.15	4.97	25.83	218	0.56
204	12.32	34.125	4.99	214	250	10.86	34.11	4.97	26.13	189	0.66
229	11.30	34.056	5.01	201	300	10.07	34.14	4.77	26.29	174	0.76
259	10.70	34.128	4.94	185	400	8.02	34.05	4.05	26.55	150	0.92
293	10.20	34.148	4.80	176							
344	9.26	34.102	4.56	164							
408	7.82	34.045	3.93	147							

a) Alternate value, 5.06 ml/L, not used in interpolation.

OBSERVED					COMPUTED	INTERPOLATED				COMPUTED		
Z m	T °C	S %	O <sub>2</sub> ml/L	δT cl/ton	Z m	T °C	S %	O <sub>2</sub> ml/L	σ <sub>t</sub> g/L	δT cl/ton	ΔD dyn m	

USCG  
STATION  
NOVEMBER

USCGC MINNETONKA; May 21, 1963; 1912 GCT; 29°58'N, 139°57'W; sounding, 2000+ fm; wind, 070°, force 1;  
weather, partly cloudy; sea, rough; wire angle, 05°.

1	20.28	34.957	5.10	328	0	(20.28)	(34.96)	(5.10)	(24.68)	(327)	(0.00)
11	19.17	34.929	5.16	302	10	19.20	34.93	5.16	24.94	303	0.03
41	18.60	34.961	5.24	286	20	18.95	34.94	5.21	25.01	296	0.06
66	18.48	34.951	5.20	284	30	18.77	34.95	5.23	25.06	291	0.09
86	18.60	35.010	5.07	282	50	18.53	34.95	5.21	25.12	285	0.15
100	18.46	34.974	5.15	282	75	18.51	34.97	5.13	25.14	283	0.22
115	17.69	34.768	5.27	279	100	18.46	34.97	5.15	25.15	282	0.29
134	17.31	34.704	5.22	275	125	17.48	34.73	5.24	25.21	277	0.36
154	16.94	34.646	5.14	270	150	17.01	34.66	5.15	25.27	271	0.43
180	14.67	34.360	5.01	242	200	13.08	34.17	5.01	25.75	225	0.56
203	12.86	34.153	5.01	222	250	11.12	34.11	4.99	26.08	194	0.67
229	11.66	34.071	5.01	206	300	10.32	34.16	4.85	26.26	177	0.76
258	10.93	34.121	4.98	190	400	8.47	34.07	4.23	26.49	155	0.93
293	10.43	34.168	4.88	178	500	6.25	34.03	2.84	26.78	128	1.08
342	9.56	34.130	4.69	167							
405	8.36	34.069	4.20	153							
480	6.54	34.027	3.14	132							
559	5.44	34.042	1.87	117							

H-10

USCGC MINNETONKA; May 22, 1963; 1859 GCT; 30°03'N, 140°01'W; sounding, 2000+ fm; wind, 030°, force 4;  
weather, partly cloudy; sea, moderate; wire angle, 08°.

1	19.82	34.991	4.93	314	0	(19.82)	(34.99)	(4.93)	(24.82)	(314)	(0.00)
11	19.78	34.994	4.96	312	10	19.78	34.99	4.96	24.83	313	0.03
36	18.81	34.997	5.18	288	20	19.67	35.00	4.98	24.87	309	0.06
46	18.67	34.984	5.12	286	30	19.10	35.00	5.12	25.01	295	0.09
61	18.60	34.972	4.96	285	50	18.65	34.98	5.10	25.11	286	0.15
75	18.46	34.947	5.00	284	75	18.46	34.95	5.00	25.14	284	0.22
100	18.61	35.007	5.08	283	100	18.61	35.01	5.08	25.15	283	0.29
119	17.89	34.836	5.15	278	125	17.69	34.78	5.15	25.20	278	0.37
139	17.33	34.719	5.14	274	150	17.00	34.67	5.12	25.28	270	0.44
168	15.49	34.468	4.95	252	200	12.95	34.22	4.95	25.82	219	0.56
197	13.13	34.236	4.95	221	250	11.03	34.10	4.93	26.09	193	0.67
237	11.30	34.081	4.95	199	300	10.11	34.11	4.87	26.26	177	0.76
267	10.74	34.136	4.90	185	400	8.39	34.09	4.18	26.52	152	0.93
316	9.84	34.111	4.83	173	500	6.26	34.03	2.99	26.78	128	1.08
380	8.82	34.106	4.38	157	600	5.15	34.11	1.32	26.97	109	1.20
480	6.58	34.024	3.27	132							
570	5.36	34.072	1.70	114							
643	4.92	34.160	0.88	103							

H-11

USCGC MINNETONKA; May 23, 1963; 2018 GCT; 30°00'N, 140°00'W; sounding, 2000+ fm; wind, 030°, force 4;  
weather, cloudy; sea, rough; wire angle, 13°.

2	19.70	34.967	5.13	312	0	(19.70)	(34.97)	(5.13)	(24.84)	(312)	(0.00)
12	19.63	34.952	5.21	312	10	19.64	34.95	5.20	24.84	312	0.03
31	18.84	34.935	5.27	294	20	19.62	34.95	5.22	24.84	312	0.06
41	18.64	34.929	5.19	289	30	18.86	34.94	5.27	25.03	294	0.09
55	18.54	34.926	5.15	287	50	18.58	34.93	5.16	25.09	288	0.15
70	18.38	34.902	5.19	285	75	18.31	34.89	5.21	25.13	284	0.22
94	18.06	34.848	5.26	281	100	18.20	34.91	5.25	25.17	280	0.29
113	17.66	34.784	5.23	277	125	17.48	34.75	5.20	25.23	275	0.36
131	17.40	34.737	5.18	274	150	17.04	34.73	5.03	25.32	267	0.43
151	17.00	34.731	5.02	266	200	12.94	34.16	4.90	25.77	223	0.56
179	14.64	34.388	4.86	240	250	11.01	34.12	5.00	26.11	191	0.66
214	12.00	34.079	4.96	212	300	10.14	34.14	4.82	26.28	175	0.76
242	11.20	34.119	5.02	195	400	8.35	34.08	4.20	26.52	152	0.93
291	10.28	34.140	4.86	178	500	6.47	34.01	3.13	26.73	132	1.08
345	9.36	34.123	4.67	164	600	(5.21)	(34.08)	(1.50)	(26.94)	(112)	(1.21)
427	7.84	34.060	3.95	146							
512	6.26	34.002	3.02	130							
595	5.26	34.078	1.57	113							

H-12

USCG STATION NOVEMBER	OBSERVED				COMPUTED	INTERPOLATED				COMPUTED		
	Z m	T °C	S ‰	O <sub>2</sub> ml/L	δ <sub>T</sub> cl/ton	Z m	T °C	S ‰	O <sub>2</sub> ml/L	σ <sub>t</sub> g/L	δ <sub>T</sub> cl/ton	ΔD dyn m

H-13 USCGC MINNETONKA; May 24, 1963; 2242 GCT; 29°59'N, 140°03'W; sounding, 2000+ fm; wind, 090°, force 4; weather, cloudy; sea, moderate; wire angle, 12°.

1	19.78	34.949	5.01	316	0	(19.78)	(34.95)	(5.01)	(24.80)	(316)	(0.00)
11	19.74	34.961	5.09	314	10	19.74	34.96	5.08	24.82	314	0.03
30	19.32	35.095	5.15	294	20	19.59	35.02	5.11	24.90	306	0.06
40	19.00	35.036	5.11	290	30	19.32	35.10	5.15	25.03	293	0.09
55	18.79	35.012	4.99	287	50	18.85	35.02	5.00	25.09	288	0.15
69	18.82	35.054	5.07	285	75	18.83	35.07	5.09	25.14	284	0.22
93	18.84	35.098	5.12	282	100	18.82	35.09	5.12	25.15	282	0.29
113	18.32	34.948	5.11	280	125	18.03	34.90	5.10	25.21	277	0.37
132	17.86	34.869	5.09	275	150	16.72	34.77	5.08	25.42	256	0.43
150	16.72	34.770	5.08	256	200	14.20	34.46	4.79	25.75	226	0.56
180	14.94	34.515	4.72	237	250	11.20	34.14	4.90	26.09	193	0.66
214	12.52	34.211	4.89	211	300	10.30	34.12	4.93	26.23	179	0.76
243	11.46	34.158	4.89	196							
292	10.44	34.127	4.94	181							
347	9.42	34.104	4.78	166							

H-14 USCGC MINNETONKA; May 25, 1963; 1936 GCT; 30°02'N, 140°01'W; sounding, 2000+ fm; wind, 090°, force 3; weather, partly cloudy; sea, moderate; wire angle, 13°.

1	19.89	34.994	5.09	315	0	(19.89)	(34.99)	(5.09)	(24.80)	(315)	(0.00)
11	19.64	35.017	5.15	307	10	19.65	35.02	5.15	24.89	307	0.03
30	18.97	35.029	5.23	290	20	19.40	35.02	5.18	24.95	301	0.06
40	18.95	35.048	5.10	288	30	18.97	35.03	5.23	25.07	290	0.09
50	18.82	35.048	5.07	285	50	18.82	35.05	5.07	25.12	285	0.15
65	18.82	35.057	5.09	284	75	18.86	35.08	5.10	25.14	284	0.22
80	18.88	35.095	5.11	283	100	18.84	35.08	5.05	25.14	283	0.29
100	18.84	35.084	5.05	283	125	18.44	34.98	5.04	25.17	281	0.36
122	18.52	34.997	5.05	282	150	16.85	34.75	4.92	25.38	261	0.43
141	17.59	34.851	4.98	270	200	13.11	34.32	4.85	25.86	215	0.55
171	14.54	34.414	4.84	236	250	11.12	34.12	4.90	26.09	193	0.66
201	13.06	34.313	4.85	214	300	10.28	34.14	4.93	26.25	178	0.75
232	11.49	34.117	4.85	200	400	8.54	34.08	4.26	26.49	155	0.93
270	10.78	34.130	4.94	187	500	6.38	34.02	3.12	26.75	130	1.08
331	9.75	34.141	4.84	169							
406	8.44	34.074	4.24	154							
480	6.69	34.022	3.40	134							
560	5.57	34.037	2.10	119							

H-15 USCGC MINNETONKA; May 26, 1963; 1932 GCT; 30°01'N, 140°01.5'W; sounding, 2000+ fm; wind, 090°, force 3; weather, clear; sea, rough; wire angle, 11°.

2	20.02	34.968	5.00	320	0	(20.02)	(34.97)	(5.00)	(24.75)	(320)	(0.00)
12	19.77	34.974	5.15	314	10	19.80	34.97	5.13	24.81	315	0.03
32	19.22	35.054	5.19	294	20	19.65	34.98	5.17	24.86	310	0.06
42	19.15	35.105	5.09	289	30	19.24	35.04	5.19	25.01	296	0.09
51	19.18	35.129	5.06	288	50	19.18	35.13	5.06	25.09	288	0.15
66	19.10	35.147	5.13	285	75	19.14	35.18	5.10	25.14	283	0.22
81	19.18	35.187	5.09	284	100	19.06	35.17	5.04	25.15	282	0.30
100	19.06	35.168	5.04	282	125	18.75	35.09	5.07	25.17	280	0.37
124	18.78	35.099	5.07	280	150	17.36	34.84	5.05	25.32	266	0.44
143	17.94	34.932	5.09	273	200	12.95	34.22	4.87	25.82	219	0.56
172	14.80	34.450	4.82	239	250	11.05	34.13	4.90	26.11	191	0.66
202	12.82	34.214	4.87	217	300	10.20	34.14	4.92	26.27	176	0.76
232	11.54	34.129	4.87	200	400	8.40	34.06	4.24	26.50	154	0.93
272	10.59	34.130	4.93	183	500	6.32	34.01	3.00	26.75	130	1.08
330	9.81	34.143	4.85	170							
404	8.30	34.054	4.21	153							
478	6.67	34.002	3.34	135							
556	5.52	34.051	1.88	118							

OBSERVED				COMPUTED	INTERPOLATED				COMPUTED		
Z m	T °C	S ‰	O <sub>2</sub> ml/L	δ <sub>T</sub> cl/ton	Z m	T °C	S ‰	O <sub>2</sub> ml/L	σ <sub>t</sub> g/L	δ <sub>T</sub> cl/ton	ΔD dyn m

USCG  
STATION  
NOVEMBER

USCGC MINNETONKA; May 27, 1963; 1930 GCT; 29°57'N, 140°04'W; sounding, 2000+ fm; wind, 130°, force 2;  
weather, partly cloudy; sea, moderate; wire angle, 08°.

1	20.34	35.027	5.10	324	0	(20.34)	(35.03)	(5.10)	(24.71)	(324)	(0.00)
11	20.03	35.021	5.14	317	10	20.06	35.02	5.14	24.78	318	0.03
30	18.82	34.906	5.27	295	20	19.80	35.00	5.17	24.83	313	0.06
40	18.59	34.884	5.16	291	30	18.82	34.91	5.27	25.02	295	0.09
50	18.46	-	5.12		50	18.46	34.87	5.12	25.08	289	0.15
65	18.32	34.867	5.22	286	75	18.29	34.88	5.23	25.13	285	0.23
80	18.28	34.888	5.23	284	100	18.08	34.86	5.13	25.16	281	0.30
100	18.08	34.863	5.13	281	125	17.20	34.71	5.17	25.26	272	0.37
123	17.29	34.721	5.17	273	150	16.10	34.57	5.09	25.41	257	0.43
141	16.62	34.611	5.14	266	200	12.62	34.22	4.86	25.88	213	0.55
171	14.70	34.456	4.87	236	250	10.93	34.13	4.88	26.13	189	0.66
200	12.62	34.216	4.86	213	300	10.22	34.14	4.82	26.26	177	0.75
230	11.24	34.123	4.87	195							
271	10.64	34.142	4.88	183							
330	9.70	34.125	4.73	169							

USCGC MINNETONKA; May 28, 1963; 1916 GCT; 29°56'N, 140°02'W; sounding, 2000+ fm; wind, 210°, force 2;  
weather, partly cloudy; sea, rough; wire angle, 08°.

2	20.64	35.010	5.00	333	0	(20.64)	(35.01)	(5.00)	(24.62)	(333)	(0.00)
11	20.36	35.011	5.15	326	10	20.38	35.01	5.14	24.69	326	0.03
31	18.88	35.003u	5.29		20	20.00	35.00	5.21	24.78	318	0.07
41	18.56	34.882	5.25	291	30	18.89	34.89	5.29	24.98	298	0.10
56	18.53	34.921	5.22	287	50	18.54	34.91	5.23	25.09	288	0.16
71	18.14	34.829	5.29	285	75	18.09	34.83	5.32	25.14	283	0.23
95	18.06	34.849	5.33	281	100	18.00	34.84	5.32	25.17	281	0.30
114	17.56	34.729	5.28	279	125	17.28	34.69	5.26	25.23	275	0.37
134	17.02	34.652	5.22	272	150	16.43	34.60	5.08	25.36	262	0.44
153	16.28	34.584	5.06	260	200	12.85	34.24	4.90	25.85	215	0.56
181	14.16	34.474	4.82a)	224	250	11.22	34.13	4.94	26.08	194	0.66
216	12.15	34.140	4.99	210	300	10.29	34.13	4.97	26.24	178	0.76
245	11.33	34.134	4.93	196	400	8.40	34.06	4.20	26.50	154	0.93
295	10.37	34.127	4.99	180	500	6.28	34.00	3.00	26.75	130	1.08
349	9.60	34.118	4.69	168	600	5.10	34.18	1.26	27.04	103	1.21
432	7.64	34.029	3.91	146							
527	5.84	34.002	2.63	125							
602	5.07	34.187	1.23	102							

USCGC MINNETONKA; May 29, 1963; 2216 GCT; 29°59'N, 140°01'W; sounding, 2000+ fm; wind, 170°, force 4;  
weather, cloudy; sea, moderate; wire angle, 19°.

2	21.01	35.200	5.03	329	0	(21.01)	(35.20)	(5.03)	(24.66)	(329)	(0.00)
11	20.61	35.228	5.02	316	10	20.64	35.23	5.02	24.79	317	0.03
30	18.82	34.855	5.28	299	20	20.00	35.11	5.13	24.86	310	0.06
38	18.60	34.864	5.19	293	30	18.82	34.86	5.28	24.98	299	0.09
52	18.49	34.903	5.06	288	50	18.50	34.90	5.07	25.09	288	0.15
66	18.33	34.879	5.14	286	75	18.24	34.87	5.17	25.13	284	0.23
89	18.08	34.855	5.19	281	100	17.77	34.79	5.18	25.19	279	0.30
107	17.54	34.754	5.17	276	125	16.93	34.64	5.20	25.27	271	0.37
124	16.98	34.642	5.20	272	150	15.64	34.48	5.07	25.45	254	0.43
143	16.06	34.527	5.10	260	200	11.77	34.15	4.94	25.99	202	0.55
170	13.98	34.310	4.95	232	250	10.98	34.16	4.93	26.15	188	0.65
201	11.72	34.234u	4.95		300	10.16	34.15	4.90	26.28	175	0.74
229	11.34	34.146	4.92	195	400	8.53	34.09	4.27	26.50	154	0.91
276	10.54	34.173	4.96	179	500	6.28	34.01	3.20	26.76	130	1.06
327	9.76	34.126	4.81	170							
406	8.41	34.088	4.23	152							
488	6.46	-	-								
571	5.42	34.072	1.85	115							

a) Mean value of 4.99 and 4.88 ml/L.

USCG STATION NOVEMBER	OBSERVED				COMPUTED		INTERPOLATED				COMPUTED		
	Z m	T °C	S ‰	O <sub>2</sub> ml/L	δ <sub>T</sub> cl/ton	Z m	T °C	S ‰	O <sub>2</sub> ml/L	σ <sub>t</sub> g/L	δ <sub>T</sub> cl/ton	ΔD dyn m	

H-19	USCGC MINNETONKA; May 30, 1963; 1933 GCT; 30°01'N, 140°03'W; sounding, 2000+ fm; wind, 170°, force 3; weather, partly cloudy; sea, moderate; wire angle, 08°.												
	1	20.47	34.971	5.05	331	0	(20.47)	(34.97)	(5.05)	(24.63)	(332)	(0.00)	
	11	20.10	34.953	5.20	323	10	20.15	34.95	5.19	24.70	325	0.03	
	30	18.39	34.799	5.30	293	20	19.60	34.90	5.25	24.81	315	0.06	
	39	18.26	34.808	5.23	289	30	18.39	34.80	5.30	25.04	293	0.10	
	47	18.38	34.873	5.21	287	50	18.38	34.88	5.23	25.10	287	0.15	
	62	18.36	34.909	5.30	284	75	18.30	34.90	5.34	25.14	283	0.23	
	76	18.30	34.897	5.34	284	100	18.20	34.90	5.15	25.16	281	0.30	
	94	18.26	34.903	5.15	282								
	117	17.58	34.805	5.20	273								
H-20	USCGC MINNETONKA; May 31, 1963; 1909 GCT; 30°04'N, 140°00'W; sounding, 2000+ fm; wind, 160°, force 2; weather, partly cloudy; sea, rough; wire angle, 05°.												
	1	20.76	34.957	5.07	340	0	(20.76)	(34.96)	(5.07)	(24.55)	(340)	(0.00)	
	11	20.36	35.048	5.12	323	10	20.40	35.04	5.12	24.71	325	0.03	
	31	18.74	34.891	5.30	294	20	19.65	34.96	5.22	24.84	312	0.07	
	41	18.52	34.893	5.24	289	30	18.78	34.89	5.30	25.01	296	0.10	
	50	18.38	34.869	5.17	287	50	18.38	34.87	5.17	25.10	287	0.15	
	65	18.21	34.862	5.19	284	75	18.21	34.88	5.21	25.15	283	0.23	
	80	18.22	34.890	5.22	282	100	17.88	34.82	5.20	25.18	279	0.30	
	100	17.88	34.821	5.20	279	125	16.60	34.60	5.16	25.32	266	0.37	
	123	16.78	34.631	5.16	268	150	14.82	34.34	5.02	25.52	247	0.43	
	143	15.28	34.396	5.05	253	200	11.83	34.08	4.99	25.93	209	0.55	
	173	13.22	34.197	4.97	226	250	10.72	34.09	5.01	26.14	189	0.65	
	203	11.70	34.072	5.00	207	300	10.00	34.13	4.87	26.29	174	0.74	
	232	10.96	-	5.03		400	8.19	34.06	4.10	26.53	151	0.91	
	272	10.48	34.130	4.97	182	500	6.18	34.02	2.80	26.78	128	1.06	
	333	9.35	34.116	4.71	165								
	406	8.07	34.056	4.06	150								
	482	6.45	34.019	3.08	131								
	562	5.41	34.056	1.89	116								
H-21	USCGC MINNETONKA; June 2, 1963; 1246 GCT; 30°38'N, 136°02'W; sounding, 2000+ fm; wind, 060°, force 6; weather, partly cloudy; sea, rough; wire angle, 25°.												
	0	19.70	34.702	4.88	332	0	19.70	34.70	4.88	24.63	332	0.00	
	9	19.66	34.705	4.88	330	10	19.65	34.70	4.89	24.64	331	0.03	
	32	18.70	34.694	5.27	308	20	19.50	34.70	4.94	24.68	327	0.07	
	41	18.67	34.793	4.96	300	30	18.73	34.69	5.27	24.87	309	0.10	
	54	18.88	34.874	4.86	299	50	18.83	34.85	4.90	24.97	300	0.16	
	68	18.87	34.954	4.94	293	75	18.92	34.97	4.97	25.04	293	0.23	
	91	19.09	35.056	5.01	291	100	18.97	35.04	5.02	25.08	289	0.31	
	109	18.54	34.935	5.02	287	125	18.25	34.88	5.03	25.14	284	0.38	
	126	18.16	34.870	5.03	282	150	17.05	34.68	5.02	25.28	270	0.45	
	154	16.80	34.638	5.02	268	200	12.88	34.11	4.91	25.75	226	0.58	
	180	14.27	34.268	4.95	241	250	10.72	34.01	4.83	26.07	194	0.68	
	216	11.96	34.033	4.89	214	300	9.49	34.04	4.52	26.31	172	0.78	
	244	10.88	34.012	4.87	197	400	7.43	34.01	3.53	26.60	145	0.94	
	291	9.68	34.043	4.59	175	500	5.83	34.04	1.94	26.84	122	1.08	
	350	8.48	34.051	4.09	156	600	5.11	34.18	2.63	27.03	103	1.20	
	444	6.60	33.997	2.97	135								
	531	5.46	34.073	1.55	115								
	601	5.10	34.185	2.63	103								

## DISTRIBUTION LIST

Inter-American Tropical Tuna Commission  
(c/o Scripps Institution of Oceanography)

Mr. E. B. Bennett  
Dr. M. B. Schaefer

U. S. Bureau of Commercial Fisheries  
(c/o Scripps Institution of Oceanography)

Dr. E. H. Ahlstrom  
Mr. Gerald V. Howard  
Mr. Robert W. Owen, Jr.

Scripps Institution of Oceanography

Mrs. A. Alvariño de Leira  
Dr. Maurice Blackburn  
Dr. Edward Brinton  
Dr. T. J. Chow  
Dr. Abraham Fleminger  
Mr. Jeffery D. Frautschy  
Mr. John D. Isaacs  
Dr. Martin W. Johnson  
Mr. Hans T. Klein  
Miss Margaret D. Knight  
Mr. Garth I. Murphy  
Dr. C. B. Murty  
Mr. Joseph L. Reid, Jr.  
Dr. Roger Revelle  
Mrs. Margaret K. Robinson  
Mr. Gunnar I. Roden  
Dr. Richard H. Rosenblatt  
Mr. Richard A. Schwartzlose  
Mr. George H. Snyder  
Dr. Warren S. Wooster  
Dr. Klaus B. Wyrtki  
Library, AOG, SFA  
Library, DCPG, SFA (20)  
Library, SIO, Archives  
Library, SIO, Circulation (2)

## DISTRIBUTION LIST

**MR. WILLIAM ALLEN, JR.**  
MINNEAPOLIS HONEYWELL, LTD.  
SEATTLE DEVELOPMENT LABORATORY  
5303 SHILSHOLE AVENUE, N. W.  
SEATTLE 7, WASHINGTON

**MR. D.L. ALVERSON**  
CHIEF, NO. PAC. FISHERIES EXPLORATION  
& GEAR RESEARCH  
2725 MONTLAKE BLVD.  
SEATTLE 2, WASH.

**DR. ERNEST R. ANDERSON**  
CODE 2233  
U. S. NAVY ELECTRONICS LABORATORY  
SAN DIEGO 52, CALIFORNIA

**MR. WILLIAM ANDERSON**  
BUREAU OF COMMERCIAL FISHERIES  
BIOLOGICAL LABORATORY  
BRUNSWICK, GEORGIA

**MR. THOMAS S. AUSTIN**  
BUREAU OF COMMERCIAL FISHERIES  
BIOLOGICAL LABORATORY  
BUILDING 74, NAVY YARD ANNEX  
WASHINGTON 25, D. C.

**MR. WILLIAM E. BATZLER**  
CODE 2232  
U. S. NAVY ELECTRONICS LABORATORY  
SAN DIEGO 52, CALIFORNIA

**MR. FREDERICK H. BERRY**  
U.S. BUREAU OF COMMERCIAL FISHERIES  
P. O. BOX 280  
BRUNSWICK, GEORGIA

**MR. W. R. BEYER**  
DIRECTOR OF PURCHASING  
FLORIDA STATE UNIVERSITY  
TALLAHASSEE, FLORIDA

**DR. ROLF BOLIN**  
HOPKINS MARINE STATION  
PACIFIC GROVE, CALIFORNIA

**BRITISH JOINT SERVICES  
(NAVY STAFF)**  
1910 K ST. N. W.  
WASHINGTON, D. C.

**BRITISH MUSEUM**  
DEPARTMENT OF PRINTED BOOKS-SB  
STECHERT- HAFNER, INC.  
ORDER NO. AK 72461  
LONDON, W.C. 1, ENGLAND.

**CAPT. E. B. BROWN**  
U. S. COAST AND GEODETIC SURVEY  
417 S. HILL ST. ROOM 535  
LOS ANGELES 13, CALIFORNIA

**LIBRARIAN**  
BUREAU OF COMMERCIAL FISHERIES  
BIOLOGICAL LABORATORY  
P. O. BOX 3830  
HONOLULU 12, HAWAII

**LABORATORY DIRECTOR**  
BUREAU OF COMMERCIAL FISHERIES  
BIOLOGICAL LABORATORY  
U. S. FISH AND WILDLIFE SERVICE  
WASHINGTON 25, D. C.

**CHIEF**  
DIVISION OF BIOLOGICAL RESEARCH  
BUREAU OF COMMERCIAL FISHERIES  
U. S. DEPARTMENT OF THE INTERIOR  
WASHINGTON 25, D. C.

**LABORATORY DIRECTOR**  
BUREAU OF COMMERCIAL FISHERIES  
ICHTHYOLOGICAL LABORATORY  
U. S. NATIONAL MUSEUM  
WASHINGTON 25, D.C.

**MR. J. G. BURNETTE, CHAIRMAN**  
MARINE RESEARCH COMMITTEE  
P. O. BOX 807  
LOS ALTOS, CALIFORNIA

**DR. WAYNE V. BURT**  
PROFESSOR OF OCEANOGRAPHY  
DEPARTMENT OF OCEANOGRAPHY  
OREGON STATE UNIVERSITY  
CORVALLIS, OREGON

**LIBRARIAN 4**  
DEPARTMENT OF FISH AND GAME  
CALIFORNIA STATE FISHERIES LAB.  
TERMINAL ISLAND, CALIFORNIA

**CAPITAN DE NAVIO**  
LUIS R. A. CAPURRO  
SERVICIO DE HIDROGRAFIA NAVAL  
AVENIDA MONTES DE OCA 2124  
BUENOS AIRES, ARGENTINA

**LIBRARY**  
OCEANOGRAPHIC GROUP  
CENTRAL FISHERIES EXPERIMENT STATION  
PUSAN, KOREA

**MR. HAROLD B. CLEMENS, JR.**  
MARINE RESOURCES OPERATIONS  
CALIFORNIA STATE FISHERIES LAB.  
TERMINAL ISLAND, CALIFORNIA

**MISS NANCY R. COMAN, LIBRARIAN**  
NARRAGANSETT MARINE LABORATORY  
UNIVERSITY OF RHODE ISLAND  
KINGSTON, RHODE ISLAND

**CHIEF**  
DIVISION OF FISHERIES  
C.S.I.R.O.  
P.O. BOX 21  
CRONULLA, N.S.W., AUSTRALIA

**MR. E.H. COUGHRAN**  
ENVIRONMENTAL STUDIES INSTITUTE  
P.O. BOX 6564  
SAN DIEGO, CALIF. 92106

**LIBRARIAN**  
C.S.I.R.O.  
DIVISION OF FISHERIES & OCEANOGRAPHY  
P.O. BOX 21  
CRONULLA, N.S.W., AUSTRALIA

**DR. G. M. CRESSWELL**  
TIBURON OCEANOGRAPHIC INSTITUTE  
TIBURON, CALIFORNIA

**MR. R. S. CROKER, EXEC. DIR.**  
PACIFIC MARINE FISHERIES COMMISSION  
741 STATE OFFICE BUILDING  
1400 S. W. FIFTH AVENUE  
PORTLAND 1, OREGON

**HERRN PROF. DR. A. DEFANT**  
STERNWARTESTRASSE 38  
INNSBRUCK  
AUSTRIA

**DEUTSCHE AKADEMIE DER**  
WISSENSCHAFTEN ZU BERLIN  
INSTITUT FUR MEERESKUNDE  
WARNEMUNDE, SEESTR. 15  
BERLIN, GERMANY

**DEUTSCHES HYDROGRAPHISCHES INSTITUT**  
BERNHARD-NOCHT-STR. 78  
HAMBURG 4, GERMANY

**DIRECCION GENERAL DE PESCA E**  
INDUSTRIAS CONEXAS  
ESTACION DE BIOLOGIA MARINA  
CASA DEL MARINA  
MAZATLAN, SINALOA, MEXICO

**MR. ROBERT L. EBERHARDT**  
TECHNOLOGY - ASW & OCEAN SYSTEMS  
LOCKHEED AIRCRAFT CORPORATION  
CALIFORNIA DIVISION  
BURBANK, CALIFORNIA

**DR. S. A. EL WARDANI**  
SCIENCES  
SAN JOSE STATE COLLEGE  
SAN JOSE, CALIFORNIA

**DIRECTOR OF RESEARCH**  
FISH COMMISSION OF OREGON  
ROUIE 1, BOX 31A  
CLACKAMAS, OREGON

**DR. RICHARD H. FLEMING**  
UNIVERSITY OF WASHINGTON  
OCEANOGRAPHIC LABORATORIES  
SEATTLE 5, WASHINGTON

**DR. PAUL M. FYE**  
WOODS HOLE OCEANOGRAPHIC INST.  
WOODS HOLE, MASSACHUSETTS

**PROF. JAMES A. GAST**  
DIVISION OF NATURAL RESOURCES  
HUMBOLDT STATE COLLEGE  
ARCATA, CALIFORNIA

**DR. ROBERT H. GIBBS, JR.**  
DEPT. OF BIOLOGY  
BOSTON UNIVERSITY  
BOSTON 15, MASS.

**MR. RAFAEL SOTO GIL**  
SECRETARIO GENERAL  
UNIVERSIDAD DE BAJA CALIFORNIA  
MEXICALI, B. C.  
MEXICO

**DR. DONN S. GORSLINE**  
DEPARTMENT OF GEOLOGY  
UNIVERSITY OF SOUTHERN CALIFORNIA  
LOS ANGELES 7, CALIFORNIA

**MR. CHARLES G. GUNNISON**  
WATER QUALITY SECTION  
U. S. PUBLIC HEALTH SERVICE  
1014 BROADWAY  
CINCINNATI, OHIO, 45202

DR. D. W. PRITCHARD, DIRECTOR  
CHESAPEAKE BAY INSTITUTE  
THE JOHNS HOPKINS UNIVERSITY  
121 MARYLAND HALL  
BALTIMORE 18, MARYLAND

MR. D. W. PRIVETT, LIBRARIAN  
NATL. INST. OF OCEANOGRAPHY  
WORMLEY  
NEAR GODALMING  
SURREY, ENGLAND

PUSAN FISHERIES COLLEGE  
PUSAN  
KOREA

MR. JOHN RADOVICH, CHIEF  
MARINE RESOURCES OPERATIONS  
DEPARTMENT OF FISH AND GAME  
722 CAPITOL AVENUE  
SACRAMENTO, CALIF.

DR. G. A. RILEY  
BINGHAM OCEANOGRAPHIC FOUNDATION  
YALE UNIVERSITY  
NEW HAVEN, CONN.

DIRECTOR PEDRO MERCADO SANCHEZ  
ESCUELA SUPERIOR CIENCIAS MARINAS  
UNIVERSIDAD AUTONOMA DE BAJA CALIF.  
APARTADO DE CORREOS 453  
ENSENADA, B. C., MEXICO

LIBRARIAN  
SAN DIEGO STATE COLLEGE  
SAN DIEGO 15, CALIFORNIA

MR. DON T. SAXBY  
CALIFORNIA DIVISION  
CALIFORNIA PACKING CORPORATION  
2600 SEVENTH STREET  
BERKELEY 10, CALIFORNIA

MR. PHILLIP E. SEEINGER  
CODE 3145  
BOX 7  
POINT MUGU MISSILE RANGE  
POINT MUGU, CALIFORNIA

DR. O. E. SETTE, CHIEF  
BUREAU OF COMMERCIAL FISHERIES  
BIOLOGICAL LABORATORY  
450-B JORDAN HALL  
STANFORD, CALIFORNIA

MR. W. T. SHANNON  
CALIF. DEPT. OF FISH AND GAME  
926 J STREET  
SACRAMENTO 14, CALIFORNIA

MR. D. SHOJI  
JAPANESE HYDROGRAPHIC OFFICE  
TSUKIJI  
TOKYO, JAPAN

DR. REIMER SIMONSEN  
INSTITUT FUR MEERESKUNDE  
HOHENBERGSTRASSE 2  
KIEL, GERMANY

MRS. HOPE S. SMITH, DIRECTOR  
TECHNICAL LIBRARY DIVISION  
DEPARTMENT OF THE NAVY  
U.S. NAVAL CIVIL ENGINEERING LAB.  
PORT HUENEME, CALIF. 93401

MR. W. E. STEWART  
% CALIF. STATE CHAMBER OF COMMERCE  
350 BUSH STREET  
SAN FRANCISCO 4, CALIFORNIA

PROF. HENRY M. STOMMEL  
MASSACHUSETTS INSTITUTE OF TECHNOLOGY  
BLDG. 24, ROOM 522  
CAMBRIDGE 39, MASSACHUSETTS.

DR. Y. TAKENOUTI  
OCEANOGRAPHICAL SECTION  
JAPAN METEOROLOGICAL AGENCY  
CHUO-KU  
TOKYO, JAPAN

MR. NORMAN TEBBLE  
ANNELIDA SECTION  
BRITISH MUSEUM, NATURAL HISTORY  
CROMWELL ROAD  
LONDON SW 7, ENGLAND

DEPARTMENT OF OCEANOGRAPHY  
TEXAS A. AND M. COLLEGE  
COLLEGE STATION, TEXAS

MR. A. J. THOMSON  
OFFICIAL SECRETARY  
NEW SOUTH WALES GOVERNMENT OFFICES  
56, STRAND  
LONDON, W. C. 2, ENGLAND

DR. R. B. TIBBY  
HANCOCK FOUNDATION  
U. OF SOUTHERN CALIFORNIA  
UNIVERSITY PARK  
LOS ANGELES 7, CALIFORNIA

DR. M. UDA  
TOKYO U. OF FISHERIES  
MINATO-KU  
TOKYO, JAPAN

COMMANDING OFFICER  
USCG OCEANOGRAPHIC UNIT  
U. S. NAVY YARD ANNEX  
WASHINGTON 25, D. C., 20390

LIBRARIAN  
U. S. COAST AND GEODETIC SURVEY  
WASHINGTON 25, D. C.

U. S. FISH AND WILDLIFE SERVICE  
TIBURON MARINE LABORATORY  
P. O. BOX 98  
TIBURON, CALIFORNIA

LIBRARIAN  
U. S. NAVAL CIVIL ENGINEERING LAB.  
PORT HUENEME, CALIFORNIA

U. S. NAVAL OCEANOGRAPHIC OFFICE 2  
NAVY DEPARTMENT  
WASHINGTON 25, D. C.  
ATTN - DR. BOYD E. OLSON  
DIVISION OF OCEANOGRAPHY

U. S. NAVAL ORDNANCE TEST STATION  
3202 E. FOOTHILL BLVD.  
PASADENA, CALIFORNIA  
ATTN. CODE P- 80833.

U. S. NAVY ELECTRONICS LABORATORY  
SAN DIEGO 52, CALIF.  
ATTN. CODE 2420, LIBRARY

2

UNIVERSITY OF CALIFORNIA 2  
SERIALS DEPARTMENT  
GENERAL LIBRARY  
BERKELEY 4, CALIFORNIA

PUBLICATIONS OFFICE  
101 UNIVERSITY HALL  
THE UNIVERSITY OF CALIFORNIA  
2200 UNIVERSITY AVE.  
BERKELEY 4, CALIF. 2

DIRECTOR  
UNIVERSITY OF MIAMI  
MARINE LABORATORY  
CORAL GABLES, FLORIDA

LIBRARIAN  
UNIVERSITY OF WASHINGTON  
OCEANOGRAPHIC LABORATORIES  
FRIDAY HARBOR, WASH.

LIBRARIAN  
UNIVERSITY OF WASHINGTON  
OCEANOGRAPHIC LABORATORIES  
SEATTLE 5, WASH. 2

DIRECTOR  
UNIVERSITY OF WASHINGTON  
SCHOOL OF FISHERIES  
SEATTLE 4, WASH.

MR. GILBERT C. VAN CAMP, SR.  
VAN CAMP SEAFOOD COMPANY  
840 VAN CAMP STREET  
PORT OF LONG BEACH 2, CALIFORNIA

MR. RICHARD C. VETTER  
SEC'Y. TO COMM. ON OCE.  
NATIONAL ACADEMY OF SCIENCE  
2101 CONSTITUTION AVENUE  
WASHINGTON 25, D.C.

DR. R. W. WALKER  
UNIVERSITY OF CALIFORNIA  
DEPARTMENT OF ZOOLOGY  
LOS ANGELES 24, CALIF.

DR. M. PAT WENNEKENS  
DEPARTMENT OF THE NAVY  
OFFICE OF NAVAL RESEARCH  
1000 GFARY STREET  
SAN FRANCISCO, CALIFORNIA 94101

DR. HAJIME YAMANAKA  
CHIEF OF TUNA OCEANOGRAPHY  
NANKAI REGIONAL FISH. RES. LAB.  
6-CHOUE, SANBASHI-DORI  
KOCHI-SHI, JAPAN

DR. KOZO YOSHIDA  
GEOPHYSICAL INST.  
TOKYO UNIVERSITY  
TOKYO, JAPAN

HANCOCK LIBRARY OF BIOLOGY & OCEANOGRAPHY  
ALLAN HANCOCK FOUNDATION  
UNIVERSITY OF SO. CALIF.  
LOS ANGELES 7, CALIF.

DR. E. C. LA FOND  
CODE 2250  
U. S. NAVY ELECTRONICS LABORATORY  
SAN DIEGO 52, CALIFORNIA

LIBRARIAN  
NATIONAL OCEANOGRAPHIC DATA CENTER  
WASHINGTON 25, D. C.

DR. WILLIAM J. HARGIS, JR., DIRECTOR  
VIRGINIA INSTITUTE OF MARINE  
SCIENCES  
GLOUCESTER POINT, VIRGINIA

MR. ROBERT M. LESSER  
OCEANOGRAPHY DEPARTMENT  
RYE CANYON RESEARCH FACILITY  
LOCKHEED- CALIFORNIA COMPANY  
BURBANK, CALIFORNIA

LIBRARY  
NATURAL HISTORY MUSEUM  
STANFORD, CALIFORNIA

MR. JOHN HAWK  
% SEAFARERS' INTERNATIONAL UNION OF  
NORTH AMERICA  
450 HARRISON STREET  
SAN FRANCISCO 5, CALIFORNIA

DR. JOHN LYMAN  
NATIONAL SCIENCE FOUNDATION  
WASHINGTON 25, D.C.

DR. A. W. H. NEEDLER, DIRECTOR  
PACIFIC BIOLOGICAL STATION  
NANAIMO, B. C.  
CANADA

DR. ROBERT W. HIATT  
UNIVERSITY OF HAWAII  
HONOLULU 12, HAWAII

MR. JOSEPH M. MARDESICH  
1513 WEST FIFTEENTH STREET  
SAN PEDRO, CALIFORNIA

DR. KENNETH S. NORRIS  
UNIVERSITY OF CALIFORNIA  
DEPT. OF ZOOLOGY  
LOS ANGELES 24, CALIF.

MR. KOJI HIDAKA  
OCEAN RESEARCH INSTITUTE  
UNIVERSITY OF TOKYO  
TOKYO, JAPAN

MR. JOHN C. MARR, REGIONAL DIRECTOR  
BUREAU OF COMMERCIAL FISHERIES  
P. O. BOX 3830  
HONOLULU 12, HAWAII

DR. ROBERT M. NORRIS  
DEPT. OF PHYSICAL SCIENCES  
UNI. OF CALIF.  
SANTA BARBARA CAMPUS  
GOLETA, CALIF.

MR. T. HIRANO  
TOKAI REGIONAL FISHERIES  
RESEARCH LABORATORY  
TSUKISHIMA  
TOKYO, JAPAN

MR. JOTARO MASUZUWA  
OCEANOGRAPHICAL SECTION  
JAPAN METEOROLOGICAL AGENCY  
TOKYO, JAPAN

DIRECTOR  
NORWEGIAN POLAR INSTITUTE  
OBSERVATORIET 1  
OSLO, NORWAY

DIRECTOR 3  
IGY WORLD DATA CENTER A  
OCEANOGRAPHY  
WASHINGTON 25, D.C.

DR. HUGH J. McLELLAN  
DEPARTMENT OF OCEANOGRAPHY  
TEXAS A. AND M. COLLEGE  
COLLEGE STATION, TEXAS

SR. RAUL E. OCAMPO T.  
INSTITUTO DE GEOFISICA  
CIUDAD UNIVERSITARIA  
MEXICO 20, D.F., MEXICO

DIR., INST. DE GEOFISICA  
TORRE DE CIENCIAS, 3ER PISO  
UNIVERSIDAD NACIONAL AUTONOMA  
DE MEXICO  
VILLA OBREGON, D. F., MEXICO

DR. GILES W. MEAD  
MUSEUM OF COMPARATIVE ZOOLOGY  
HARVARD UNIVERSITY  
CAMBRIDGE 38, MASSACHUSETTS

CHIEF OF NAVAL RESEARCH  
OFFICE OF NAVAL RESEARCH  
GEOPHYSICS BRANCH  
WASHINGTON 25, D. C.

INSTITUTO NACIONAL DE  
INVESTIGACIONES BIOLOGICO-PESQUERAS  
CARMONA Y VALLE NO. 101, PISO NO. 4  
MEXICO 7, D. F., MEXICO

MR. ARTHUR H. MENDONCA  
% R. E. BOOTH COMPANY, INC.  
3150 THIRD STREET  
SAN FRANCISCO 24, CALIFORNIA

OFICINA DE PESCA NO. 1  
AV. RUIZ NO. 4-3  
ENSENADA, BAJA CALIFORNIA  
MEXICO

DIRECTOR  
ESTACION DE BIOLOGIA MARINA  
INSTITUTO TECHNOLOGICO DE VERACRUZ  
HEROICA, VERACRUZ  
VERACRUZ, MEXICO

DR. R. C. MILLER, DIRECTOR  
CALIFORNIA ACADEMY OF SCIENCE  
GOLDEN GATE PARK  
SAN FRANCISCO 18, CALIFORNIA

DR. YNGVE H. OLSEN  
JOURNAL OF MARINE RESEARCH  
YALE UNIVERSITY  
NEW HAVEN, CONN.

DR. W. C. JACOBS, DIRECTOR  
NATIONAL OCEANOGRAPHIC DATA CENTER  
WASHINGTON 25, D. C.

DR. RICHARD G. MILLER  
FORESTA INSTITUTE  
ROUTE 1, BOX 621  
CARSON CITY, NEVADA

MR. HAROLD D. PALMER  
U.S. NAVAL ORDNANCE TEST STATION  
3202 E. FOOTHILL BLVD.  
PASADENA 8, CALIFORNIA

JAPAN METEOROLOGICAL AGENCY  
OCEANOGRAPHICAL SECTION  
TOKYO, JAPAN

LIBRARIAN  
MINISTRY OF AGRICULTURE, FISHERIES  
AND FOOD  
FISHERIES LABORATORY  
LOWESTOFT, SUFFOLK, ENGLAND

DR. ROBERT G. PAQUETTE  
GENERAL MOTORS CORPORATION  
DEFENSE SYSTEMS DIVISION  
BOX T  
SANTA BARBARA, CALIFORNIA

DR. G. L. PICKARD  
INST. OF OCEANOGRAPHY  
UNIVERSITY OF BRITISH COLUMBIA  
VANCOUVER, B. C.  
CANADA

DR. H. KITAMURA  
OCEANOGRAPHIC SECTION  
KOBE MARINE OBSERVATORY  
KOBE, JAPAN

LIBRARY  
NANKAI REGIONAL FISH. RES. LAB.  
6-2, SANBASHI-DORI, KOCHI-SHI  
KOCHI, JAPAN

LIBRARY  
PLANNING RESEARCH CORPORATION  
1333 WESTWOOD BOULEVARD  
LOS ANGELES 24, CALIFORNIA

DR. E. KOTO  
INSTITUTE OF FISHERIES  
HOKKAIDO UNIVERSITY  
HAKODATE, JAPAN

NATIONAL MARINE CONSULTANTS, INC.  
1500 CHAPALA STREET  
SANTA BARBARA, CALIFORNIA

DR. G. POGADE, LIBRARIAN  
DEUTSCHER WETTERDIENST SEEWETTERAUM  
HAMBURG, GERMANY