

UNIVERSITY OF CALIFORNIA
SCRIPPS INSTITUTION OF OCEANOGRAPHY

PHYSICAL AND CHEMICAL DATA

Cruise 7006
14-15 June 1970

CalCOFI Cruise 7008
17 August-2 October 1970

CalCOFI Cruise 7102
8 February-5 April 1971

Sponsored by
Marine Research Committee

and

Special Basin Cruises
1969-1971

Sponsored by
University of California

SIO Reference 79-30

Approved for distribution:

W. A. Nierenberg
W. A. Nierenberg, Director

CONTENTS

Introduction	3
Cruise 7006, CalCOFI Cruises 7008 and 7102	
References	6
Figure 1 Station Positions	7
Cruise 7006	8
Personnel	9
Tabulated Data	
Cruise 7008	10
Personnel	11
Tabulated Data	
Cruise 7102	26
Personnel	27
Tabulated Data	
Introduction	40
Special Basin Cruises	
References	42
Figure 2 Basin Chart	43
Cruises 6912, 7001, 7005, 7006, 7007 (Basin Expedition)	
7011, 7102, 7105, 7109	44
Tabulated Data	
Distribution List	65

INTRODUCTION

The data in this report were collected during cruises 7008* and 7102 of the California Cooperative Fisheries Investigations (CalCOFI) program aboard the RV Alexander Agassiz, of the Scripps Institution of Oceanography. Both cruises were a continuation of the testing of zooplankton sampling gear begun on CalCOFI Cruise 6912 and consisted of opening-closing nets being deployed at selected stations both in daylight and at night to sample eight separate depth-ranges between 500m and the sea surface. Included also are two deep stations occupied in the Gulf of California in June 1970 during a special biological survey on the Agassiz. The report preceeding this one in the series was SIO Ref. 79-29, which included the data for October and December 1969.

These data were collected in part and processed completely by personnel of the Data Collection and Processing Group (DCPG, MLR)**, Scripps Institution of Oceanography.

STANDARD PROCEDURES

Hydrographic Cast Data

Typical hydrographic casts consisted of 18 bottles. At most stations the maximum sampling depth was 1000 meters, bottom depth permitting. On cruise 7008 bottom casts were lowered on three stations. Salinity samples were drawn and run from all levels of the deep casts on these stations. Temperatures, oxygen, and nutrients were determined for all depths on each station, but usually samples from only four to eight selected depths were used to determine salinity for comparison with the STD.

In general, paired protected reversing thermometers were used to determine temperatures which were recorded in hundredths of a Celsius degree. Temperatures determined using unprotected (pressure) thermometers or surface "bucket" thermometers were recorded to tenths of a degree. Sample bottles used below 100 meters were equipped with unprotected thermometers.

A Washington conductive bridge was used to analyze all salinity samples collected on cruises 7008 and 7102. A Hytech (now Grundy Environmental Systems, Inc.) was used on cruise 7006. All samples were analyzed at sea.

The salinity values were recorded and are reported to three decimal places, provided accepted standards were met. If only one determination per sample was obtained, or there was doubt concerning the accuracy of the analytical results, the salinities are reported to two decimal places. All STD salinities are tabulated to hundredths.

Dissolved oxygen was determined by the Winkler method as modified by Carpenter (1965), using the equipment and procedure outlined by Anderson (1971).

On cruises 7008 and 7102, phosphate, silicate, nitrite, and nitrate were determined using a first generation Technicon^R AutoAnalyzer^R and methodologies developed at the National Marine Fisheries Service based on the methods of Strickland (1968). On cruise 7006, phosphates only were determined, using a Beckman spectrophotometer.

The observed data could not be evaluated using standard DCPG techniques (Klein, 1973) due to the sparsity of salinity data. Temperatures and salinities were compared with the STD values while oxygen and nutrient values were plotted against depth.

Chlorophyll and phaeophytin were determined fluormetrically according to the procedure of Yentch and Menzel (1963) as modified by Holm-Hansen et al. (1965).

*The first two digits represent the year and the second two digits the month of the cruise. The CalCOFI station designations have been in use for over twenty years. The first part specifies a line normal to the general trend of the coast line (CalCOFI line). The second part specifies a station position relative to the coast on the CalCOFI line.

**Now the Physical and Chemical Oceanographic Data Facility (PACODF).

In Situ Salinity/Temperature/Depth Recorder (STD) Data

A digital data logger Model 8114 was used for recording the data from the STD on both 7008 and 7102. After a few lowerings on 7008, the digitizer malfunctioned and all data were digitized from the analog recordings. Comparison with Nansen bottle data indicated a salinity correction of -0.12‰ for all but a few lowerings for which the correction was less. The temperature comparison was quite erratic and resulted in various corrections, the largest being -0.20°. The digitizer worked well on 7102 requiring no correction to the temperature. The salinity correction was minor until the second leg of the cruise when there was a large off-set on the first two lowerings. After repair the last few stations were again in close agreement with the Nansen bottle data.

TABULATED DATA

The time reported is Greenwich Mean Time. For STD lowerings it is the "start down" time, and for bottle casts it is the time of messenger release. When more than one cast was lowered on a station, the messenger times for the first and last casts are given. Multiple casts, excluding the surface cast, are indicated by a footnote letter following the observed depth.

Bottom depths, determined acoustically, have been corrected using Matthews (1939) tables and are reported in meters. The weather and dominant waves are coded using the National Oceanographic Data Center (NODC) method.

Data for all cruises presented in this report were obtained by bottle casts and by the STD, and appear in two forms:

1. Data from the sample casts are tabulated with the observed levels of depth on the left of a page. When salinity samples were collected and analyzed for all observed levels, interpolated and computed values at standard levels of depth appear on the right of the page.
2. For each STD lowering, temperature and salinity values are tabulated only at standard levels of depth and appear with computed values of DT and DD on the right of the page. Corrections have been applied to the temperature and salinity values as discussed previously in this report.

The same parameters have been tabulated in this report as in previous reports. The decimal has been omitted from the CalCOFI station number so station 90.65 appears in the tabulated data as 90065. The column headings are to be interpreted as follows:

Z	Depth	Meters
T	Temperature	°C
S	Salinity	‰
O2	Dissolved oxygen	ml/L
PO4	"Reactive" inorganic phosphate-phosphorous	µg at/L
SiO3	"Reactive" inorganic silicate-silicon	µg at/L
NO2	"Reactive" nitrite-nitrogen	µg at/L
NO3	"Reactive" nitrate-nitrogen	µg at/L
DT	δT Thermosteric anomaly	cl/ton
SIGT	$\sigma_t = (\rho_{s,t,0} - 1)10^3$ where $\rho_{s,t,0}$ is the density the parcel would have if moved isothermally to the sea surface.	g/L
DD	Geopotential anomaly, referred to the sea surface.	dyn. meters

FOOTNOTES

In addition to footnotes, several special notations are used without footnotes because the meaning is always the same.

U: Uncertain value. Values which are not used in interpolation because they seem to be in error without apparent reason.

V: Because of time differences, overlapping casts show some differences. Values not used in interpolation.

REFERENCES

- Anderson, G.C., compiler, 1971, "Oxygen Analysis", Marine Technician's Handbook, SIO Ref. No. 71-10, Sea Grant Pub. No. 11.
- Autolab Ind. Pty. Ltd., Sydney, 1960. Inductively Coupled Salinometer MK 111, Model 601, Operating Inst. and Ills. Parts List.
- Bissett Berman Marine Division, 1967. Operation and Maintenance Manual, Laboratory Salinometer Model 6220.
- Brown, N.L., and B.V. Hamon, 1961. An Inductive Salinometer. Deep Sea Research, 8: 65-75.
- Carpenter, J.H., 1965. The Chesapeake Bay Institute technique for Winkler dissolved oxygen method. Limnol. and Oceanogr., 10: 141-143.
- In situ Salinity/Temperature/Depth Monitoring and Recording System, Model 9006, Tech. Rep. No. 102, Hytech Marine Products, The Bissett Berman Corporation (Now Grundy Environmental Systems, Inc.).
- Klein, Hans T., 1973. A new technique for processing physical oceanographic data. SIO Ref. No. 73-14.
- Matthews, D.J., 1939. Tables of the velocity of sound in pure water and seawater for use in echo-sounding and sound-ranging. Second Edition. Hydrographic Department, Admiralty, London, H.D. 282: 52pp.
- Owen, R.W. Jr., and C.K. Sanchez, 1974. Phytoplankton Pigment and Production Measurements in the California Current Region, 1969-72. U.S. Dept. of Commerce, Nov. 1974. Data Rep. 91.
- Strickland, J.D.H., and T.R. Parsons, 1968. A practical handbook of seawater analysis. Fish. Res. Board of Canada, Bull. No. 167: 311pp.
- University of Washington, 1960. Univ. of Wash. Dept. of Oceanography, Oct. 1960. Tech. Rep. UW Ref. No. 60-18.




FIGURE 1

PERSONNEL
Cruise 7102

SHIP'S CAPTAIN

Davis, Laurence E., RV Alexander Agassiz (Leg I)

Hansen, Terry, RV Alexander Agassiz (Leg II)

PERSONNEL PARTICIPATING IN THE COLLECTION OF DATA

RV Alexander Agassiz:

Bryan, Walter R.	Marine Technician, (in charge)
Adair, W. Steven	Laboratory Helper, SDSC-Sea Grant
Boaz, James R.	Laboratory Helper, SDSC-Sea Grant
Brennan, Robert E.	Marine Technician
Clary, John C.	Laboratory Helper, SDSC-Sea Grant
Costello, James P.	Laboratory Technician
Daily, Debora G.	Laboratory Helper, SDSC-Sea Grant
Fey, Connie L.	Laboratory Helper, SDSC-Sea Grant
Gustafson, Ted B.	Marine Technician
Hemingway, George T.	Laboratory Technician
Kaye, H. Ross	Electronics Technician
Pierce, Stephen E.	Marine Technician
Rowe, R. Al	Marine Technician

5040

LATITUDE		LONGITUDE		MO/DAY/YR		PASSENGER TIME		BOTTOM		WIND		SPEED		WEATHER		DOMINANT WAVES		
39 20.0N		124 50.7W		2/12/71		2237 GMT		2765M		310		12KT		1		260 6 7		
Z	T	S	02	P04	SIC3	N02	N03	DT	Z	T	S	02	SIGT	DT	DD			
									0	11.94	32.79		24.908	305.5	0.000			
									10	11.51	32.79		24.988	298.0	0.030			
									20	11.43	32.79		25.002	296.6	0.060			
									30	11.35	32.78		25.002	296.0	0.090			
									50	11.05	32.77		25.055	291.6	0.149			
									75	10.14	32.73		25.181	279.6	0.220			
									100	9.81	33.12		25.539	245.5	0.286			
									125	9.24	33.49		25.921	209.2	0.344			
									150	8.43	33.66		26.180	184.6	0.394			
									200	7.80	33.90		26.462	157.9	0.481			
									250	7.14	33.94		26.587	145.9	0.558			
									300	6.57	33.97		26.688	136.3	0.631			
									400	5.47	33.99		26.843	121.7	0.764			
									500	5.13	34.10		26.970	109.6	0.885			
									600	4.52	34.16		27.086	98.6	0.995			
									700	4.33	34.25		27.178	89.9	1.096			
									800	4.15	34.32		27.252	82.8	1.189			
									1000	3.68	34.41		27.372	71.5	1.355			

50060

[illegible]

500A0

RV ALBATROSS																		
LATITUDE		LONGITUDE		MO/JDAY/YR		MESSENGER TIME		BOTTOM		WIND		SPEED		WEATHER		DOMINANT WAVES		
3d 41.0N		126 19.0W		2/15/71		0015 GMT		4110M		240		1FKT		5		240 8 7		
Z	T	S	G2	PQ4	S103	NO2	NO3	DT	Z	T	S	G2	SIGT	DT	DD			
									0	10.97	32.77		25.069	290.3	0.000			
									10	10.73	32.72		25.072	289.9	0.029			
									20	10.40	32.75		25.152	282.3	0.058			
									30	10.18	32.71		25.159	281.7	0.086			
									50	10.11	32.74		25.194	278.4	0.142			
									75	9.91	32.83		25.297	268.5	0.211			
									100	8.99	33.28		25.197	221.0	0.272			
									125	8.77	33.53		26.026	199.2	0.325			
									150	8.27	33.76		26.282	174.8	0.373			
									200	8.16	33.98		26.471	156.9	0.457			
									250	7.44	33.96		26.561	148.4	0.535			
									300	7.08	34.05		26.682	136.9	0.609			
									400	6.22	34.10		26.836	122.3	0.743			
									500	5.18	34.13		26.968	107.9	0.864			
									600	4.88	34.22		27.093	97.9	0.973			
									700	4.42	34.28		27.192	88.5	1.073			
									800	4.10	34.34		27.274	80.8	1.165			
									1000	3.58	34.43		27.398	69.0	1.330			

RV ALEXANDER AGASSIZ

CRUISE 7102

50000

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
38 41.0N		126 19.0W		2/15/71		0130		GMT	4110M	240	16KT	5	240 8 7		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
0	10.96	32.730	6.65	0.46	5.	0.05	1.5	293.0							
10	10.96	32.730	6.43	0.22	5.	0.04	1.4	293.0							
30	10.36	32.719	6.72	0.28	5.	0.14	2.7	284.0							
55	10.10		6.70	0.36	5.	0.16	4.3								
71	10.14			0.36	6.	0.35	4.1								
86	9.98		6.30	0.38	7.	0.23	5.3								
101	9.64		5.85	0.69	11.	0.02	8.7								
130	8.74		4.67	1.33	20.	0.01	18.7								
154	8.36		4.26	1.64	28.	0.00	21.8								
180	8.07		3.92	1.68	34.	0.00	23.4								
214	8.02		2.98	2.00	43.	0.00	28.9								
279	7.22		2.22	2.22	51.	0.00	31.2								
388	6.35		1.57	2.46	67.	0.00	35.7								
476	5.38		1.24	2.97	83.	0.00	40.4								
608	4.84		0.55	3.39	109.	0.00	40.4								
760	4.28	34.2P5	0.48	3.25	118.	0.00	42.2	86.7							
909	3.66	34.3R1	0.38	3.35	129.	0.00	42.1	75.4							
1118	3.28		0.59	3.19	142.	0.00	46.5								

RV ALEXANDER AGASSIZ

CRUISE 7102

50110

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
37 40.5N		128 41.0W		2/17/71		2147		GMT	4864M	280	13KT	1	290 9 8		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
0	11.32	32.82											25.045	292.5	0.000
10	11.31	32.81											25.039	293.1	0.029
20	11.29	32.82											25.051	292.0	0.059
30	11.30	32.82											25.049	292.2	0.088
50	11.30	32.82											25.049	292.2	0.146
75	10.95	32.86											25.142	283.3	0.219
100	9.20	33.30											25.779	222.7	0.282
125	8.76	33.65											26.121	190.2	0.335
150	8.53	33.82											26.290	174.1	0.381
200	7.67	33.98											26.543	150.1	0.463
250	7.17	34.03											26.654	139.6	0.537
300	6.51	34.04											26.751	130.4	0.607
400	5.63	34.10											26.910	115.3	0.734
500	5.14	34.18											27.032	103.7	0.849
600	4.79	34.28											27.151	92.4	0.953
700	4.43	34.34											27.238	84.1	1.048
800	4.13	34.40											27.318	76.6	1.136
1000	3.63	34.46											27.433	65.7	1.294

RV ALEXANDER AGASSIZ

CRUISE 7102

50110

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
37 40.4N		128 43.4W		2/17/71		2253		GMT	4864M	280	13KT	1	290 9 8		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
1	11.30	32.796	6.51	0.57	4.	0.08	0.3	293.9							
10	11.29		6.27	0.34	4.	0.04	0.6								
30	11.26		6.56	0.36	3.	0.12	0.9								
61	11.24		6.49	0.36	3.	0.16	0.9								
79	9.92	32.912	5.91	0.77	8.	0.03	6.6	262.6							
95	9.36		5.29	1.13	14.	0.05	12.1								
109	8.74	33.396	4.80	1.35	19.	0.06	16.4	208.7							
138	8.60		3.94	1.82	29.	0.03	22.5								
161	8.34		3.61	1.98	34.	0.04	24.6								
191	7.86	33.946	3.27	2.10	40.	0.09	28.6	155.2							
226	7.26		3.65	2.20	46.	0.04	28.1								
293	6.58		2.39	2.69	59.	0.05	36.2								
397	5.64		1.18	3.21	80.	0.03	39.5								
503	5.06		0.65	3.45	95.	0.02	42.7								
643	4.62		0.25	3.78	115.	0.00	44.9								
802	4.10		0.45	3.66	123.	0.00	43.8								
973	3.70	34.455	0.49	3.66	131.	0.01	46.4	68.3							
1172	3.22		0.75	3.39	145.	0.04	43.4								

RV ALEXANDER AGASSIZ CRUISE 7102 50140

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM		WIND	SPEED	WEATHER	DOMINANT WAVES		
36 39.1N		130 42.0W		2/18/71		2315 GMT		4688M		030	16KT	1	250 12 9		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
									0	12.74	32.98		24.903	306.1	0.000
									10	12.62	33.01		24.949	301.6	0.030
									20	12.61	33.01		24.951	301.5	0.061
									30	12.60	33.01		24.953	301.3	0.091
									50	12.60	33.02		24.961	300.5	0.151
									75	12.60	33.02		24.961	300.5	0.227
									100	11.89	32.89		24.995	297.3	0.302
									125	11.01	32.88		25.147	282.8	0.375
									150	10.31	33.24		25.549	244.6	0.442
									200	8.86	33.67		26.121	190.1	0.552
									250	8.19	33.88		26.388	164.8	0.643
									300	7.47	33.94		26.541	150.3	0.724
									400	5.95	33.96		26.760	129.5	0.869
									500	5.12	34.05		26.931	113.2	0.995
									600	4.72	34.15		27.056	101.4	1.109
									700	4.60	34.26		27.172	90.4	1.211
									800	4.28	34.33		27.247	83.4	1.305
									1000	3.64	34.42		27.384	70.3	1.475

RV ALEXANDER AGASSIZ CRUISE 7102 50140

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM		WIND	SPEED	WEATHER	DOMINANT WAVES		
36 39.1N		130 42.0W		2/19/71		0025 GMT		4688M		030	16KT	1	250 12 9		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
	0	12.70	33.016	6.21		0.00	0.4	302.7							
	10	12.61	33.014	6.22	0.16	6.	0.00	0.4	301.2						
	30	12.58		6.19	0.20	4.	0.00	0.6							
	61	12.56	33.022	6.31	0.18	3.	0.00	0.6	299.7						
	81	12.56		6.20	0.20	3.	0.00	0.5							
	96	11.68		6.25			0.00								
	111	11.03		6.28	0.30	3.	0.11	0.7							
	140	10.44		5.77	0.30	3.	0.15	1.1							
	165	9.60		5.41	0.55	6.	0.00	5.7							
	194	9.00		4.85	0.77	11.	0.00	10.8							
	229	8.47		4.15	1.15	19.	0.00	17.9							
	300	7.38		3.48	1.56	26.	0.00	22.6							
	409	5.79		2.11	2.06	45.	0.00	28.7							
	517	4.98		1.26	2.79	75.	0.00	38.1							
	667	4.67		0.57	3.09	90.	0.00	42.1							
	816	4.21	34.342	0.39			0.00	81.7							
	985	3.66	34.435	0.36			0.00	69.4							
	1190	3.18		0.77	3.37	139.	0.00	47.2							

RV ALEXANDER AGASSIZ CRUISE 7102 50140

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM		WIND	SPEED	WEATHER	DOMINANT WAVES		
36 38.0N		130 41.0W		2/20/71		1628 GMT									
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
									0	12.66	33.03		24.957	300.9	0.000
									10	12.67	33.03		24.955	301.1	0.030
									20	12.67	33.03		24.955	301.1	0.060
									30	12.67	33.03		24.955	301.1	0.090
									50	12.68	33.03		24.953	301.3	0.151
									75	12.67	33.05		24.970	299.6	0.226
									100	12.51	33.03		24.986	298.1	0.302
									125	10.79	33.11		25.364	262.1	0.372
									150	9.74	33.31		25.699	230.3	0.434
									200	8.69	33.74		26.202	182.4	0.539
									250	8.04	33.91		26.434	160.4	0.627
									300	7.22	33.94		26.576	147.0	0.706
									400	5.91	33.98		26.781	127.5	0.848
									500	5.00	34.04		26.937	112.7	0.974

RV ALEXANDER AGASSIZ						CRUISE 7102										
LATITUDE			LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM		WIND	SPEED	WEATHER	DOMINANT WAVES		
35 52.3N			122 23.8W		2/27/71		2026 GMT		2879M		310	18KT	1	310 7 12		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD	
									0	10.54	33.60		25.789	221.8	0.000	
									10	10.53	33.60		25.790	221.6	0.022	
									20	10.52	33.61		25.800	220.7	0.044	
									30	10.50	33.60		25.796	221.1	0.066	
									50	10.45	33.61		25.812	219.5	0.111	
									75	9.57	33.73		26.054	196.5	0.163	
									100	9.11	33.88		26.246	178.3	0.210	
									125	8.85	33.98		26.365	167.0	0.254	
									150	8.37	34.00		26.455	158.4	0.295	
									200	7.83	34.06		26.583	146.3	0.373	
									250	7.41	34.09		26.667	138.3	0.446	
									300	7.03	34.12		26.744	131.0	0.516	
									400	6.35	34.20		26.898	116.4	0.644	
									500	5.69	34.27		27.037	103.2	0.760	
									600	5.02	34.31		27.149	92.6	0.865	
									700	4.75	34.39		27.243	83.7	0.960	
									800	4.35	34.43		27.318	76.5	1.048	
									1000	3.85	34.48		27.410	67.8	1.209	

RV ALEXANDER AGASSIZ										CRUISE 7102						
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
35 53.0N		122 21.9W		2/27/71		2139 GMT			2879M	310	18KT	1	310 7 12			
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD	
0	10.56	33.580	6.22	1.03	14.	0.16	10.2	223.6								
10	10.54	33.579	6.22	0.93	14.	0.17	10.2	223.3								
30	10.50		6.10	1.07	15.	0.19	10.5									
55	10.40		5.87	1.43	15.	0.16	13.1									
70	9.85	33.640	4.60	1.54	19.	0.08	17.5	207.6								
85	9.56		3.61	1.82	24.	0.02	22.3									
100	9.14		3.40	1.96	28.	0.04	24.3									
129	8.90		2.99	2.12	32.	0.02	26.3									
153	8.41		2.96	2.22	36.	0.04	28.3									
179	8.04		2.77	2.36	41.	0.03	29.2									
214	7.78		2.45	2.48	46.	0.02	30.7									
278	7.06		1.71	2.83	57.	0.04	34.7									
376	6.42		0.94	3.25	71.	0.03	39.9									
475	5.94		0.47	3.41	84.	0.05	39.7									
609	4.99		0.39	3.68	100.	0.05	41.3									
761	4.48	34.409	0.40	3.76	116.	0.05	44.1	79.6								
909	3.92	34.461	0.55	3.74	129.	0.04	44.1	69.9								
1118	3.60		0.72	3.72	137.	0.04	45.1									

RV ALEXANDER AGASSIZ						CRUISE 7102									
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM		WIND	SPEED	WEATHER	DOMINANT WAVES		
34 12.7N		125 54.0W		2/25/71		2208 GMT				360	31KT	1	360 12 4		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
									0	12.81	33.05		24.943	302.2	0.000
									10	12.82	33.06		24.949	301.7	0.030
									20	12.81	33.05		24.943	302.2	0.060
									30	12.82	33.06		24.949	301.7	0.091
									50	12.62	33.05		24.980	298.7	0.151
									75	10.63	33.12		25.400	258.7	0.221
									100	9.31	33.66		26.042	197.7	0.278
									125	8.99	33.82		26.218	181.0	0.326
									150	8.48	33.88		26.344	169.0	0.371
									200	7.83	33.99		26.528	151.5	0.452
									250	7.25	34.06		26.666	138.4	0.527
									300	6.71	34.06		26.740	131.4	0.596
									400	5.73	34.12		26.914	114.9	0.724
									500	5.23	34.21		27.045	102.5	0.838
									600	4.80	34.29		27.158	91.8	0.941
									700	4.52	34.35		27.236	84.3	1.036
									800	4.19	34.40		27.312	77.2	1.124
									1000	3.70	34.46		27.410	67.9	1.285

RV ALEXANDER AGASSIZ						CRUISE 7102									
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
34 13.0N		125 55.2W		2/25/71		2324		GMT		360	31KT	1	360 12 4		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD
0	12.74	33.058	6.50	0.34	4.	0.00	0.6	300.3							
10	12.76	33.056	6.34	0.34	3.	0.00	0.7	300.8							
30	12.78		6.30	0.34	2.	0.01	0.5								
61	12.47	33.076	6.32	0.44	2.	0.04	1.1	294.0							
81	10.68		5.09	1.15	11.	0.03	12.8								
96	9.82		4.16	1.62	16.	0.00	19.5								
111	9.34		3.82	1.82	19.	0.00	23.1								
140	8.76		3.62	1.98	25.	0.00	25.3								
166	8.35		3.16	2.20	30.	0.00	27.6								
194	7.93		2.91	2.32	37.	0.00	29.1								
231	7.55		2.41	2.55	43.	0.00	32.0								
300	6.68		1.71	3.17	54.	0.00	35.9								
409	5.69		0.95	3.33	72.	0.00	40.9								
518	5.10		0.47	3.56	87.	0.00	43.3								
664	4.60		0.37	3.68	101.	0.00	44.3								
823	4.13	34.426	0.47	3.72	111.	0.00	45.3	74.6							
988	3.61	34.483	0.71	3.76	123.	0.00	45.3	65.3							
1195	3.23		0.86	3.72	133.	0.00	43.8								

RV ALEXANDER AGASSIZ						CRUISE 7102											
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM		WIND		SPEED		WEATHER		DOMINANT WAVES	
33 16.3N		127 57.0W		2/24/71		2345 GMT		4498M		360		12KT		2		360 7 7	
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD		
	0	13.10	32.93										24.793	316.5	0.000		
	10	13.10	32.93										24.793	316.5	0.032		
	20	13.05	32.93										24.803	315.5	0.063		
	30	12.97	32.91										24.804	315.5	0.095		
	50	12.89	32.90										24.812	314.7	0.158		
	75	12.63	32.88										24.847	311.4	0.237		
	100	11.67	33.02										25.136	283.8	0.312		
	125	11.21	33.14										25.313	267.0	0.381		
	150	10.05	33.51										25.803	220.4	0.443		
	200	9.08	33.87										26.243	178.6	0.544		
	250	8.11	34.00										26.494	154.7	0.630		
	300	7.35	34.02										26.620	142.7	0.706		
	400	6.24	34.05										26.794	126.3	0.846		
	500	5.57	34.17										26.973	109.3	0.969		
	600	5.05	34.26										27.106	96.7	1.079		
	700	4.69	34.33										27.202	87.6	1.178		
	800	4.41	34.40										27.288	79.4	1.269		
	1000	3.77	34.47										27.411	67.8	1.433		

RV ALEXANDER AGASSIZ						CRUISE 7102									
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM		WIND	SPEED	WEATHER	DOMINANT WAVES		
33 16.3N		127 57.0W		2/25/71		0101 GMT		4498M		360	12KT	2	360 7 7		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD
1	13.28	32.960	6.30	0.32	3.	0.00	0.0	317.7							
11	13.30	32.961	6.25	0.30	2.	0.00	0.1	318.0							
31	13.34		6.21	0.28	1.	0.00	0.1								
57	12.92		6.28	0.32	2.	0.00	0.1								
72	13.28		6.15	0.42	2.	0.04	0.2								
87	12.12		6.00	0.55	4.	0.14	3.7								
101	11.62	33.009	6.00	0.57	4.	0.13	3.3U	283.8							
130	10.73		5.47	0.97	7.	0.06	7.9								
154	9.91		4.33	1.52	17.	0.02	17.2								
180	9.36		3.73	1.80	25.	0.03	21.8								
215	8.73		3.58	1.86	31.	0.00	23.9								
279	7.60		3.45	2.06	42.	0.00	26.5								
379	6.38		1.85	2.83	65.	0.00	34.7								
476	5.44		1.19	3.27	87.	0.00	39.5								
610	4.96		0.45	3.51	116.11	0.00	41.5								
764	4.48	34.368	0.34	3.66	121.	0.00	45.2	82.5							
914	3.91	34.436	0.46	3.64	135.	0.00	42.5	71.7							
1124	3.35		0.72	3.58	150.	0.00	43.7								

RV ALEXANDER AGASSIZ

CRUISE 7102

70140

LATITUDE			LONGITUDE			MO/DAY/YR			MESSENGER TIME			BOTTOM			WIND			SPEED			WEATHER			DOMINANT WAVES		
32 32.0N			129 21.5W			2/21/71			2027 GMT			4116M			360			28KT			1			350 8 7		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD											
									0	15.97	33.62		24.715	323.9	0.000											
									10	15.99	33.64		24.726	322.9	0.032											
									20	16.15	33.69		24.728	322.7	0.065											
									30	16.25	33.73		24.735	321.9	0.097											
									50	16.55	33.84		24.751	320.5	0.161											
									75	16.59	33.86		24.757	319.9	0.242											
									100	16.59	33.87		24.764	319.2	0.323											
									125	15.11	33.91		25.128	284.5	0.399											
									150	13.21	33.69		25.358	262.7	0.468											
									200	9.84	33.76		26.033	198.6	0.585											
									250	9.22	33.96		26.290	174.1	0.681											
									300	8.28	34.00		26.469	157.1	0.766											
									400	6.41	34.03		26.756	129.9	0.915											
									500	5.54	34.11		26.929	113.5	1.043											
									600	5.02	34.23		27.085	98.6	1.155											
									700	4.73	34.32		27.189	88.8	1.256											
									800	4.21	34.38		27.294	78.9	1.347											
									1000	3.81	34.47		27.407	68.2	1.510											

RV ALEXANDER AGASSIZ

CRUISE 7102

70140

LATITUDE			LONGITUDE			MO/DAY/YR			MESSENGER TIME			BOTTOM			WIND			SPEED			WEATHER			DOMINANT WAVES		
32 33.4N			129 20.9W			2/21/71			2134 GMT			4116M			360			28KT			1			350 8 7		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD											
0	16.08	33.642	5.87	0.26	2.	0.00	0.3	324.7																		
10	16.16	33.681	5.85	0.22	1.	0.00	0.3	323.6																		
30	16.30		5.79	0.20	1.	0.00	0.3																			
55	16.55		5.75	0.20	1.	0.00	0.2																			
71	16.58		5.76	0.20	1.	0.00	0.2																			
86	16.51		5.74	0.20	1.	0.00	0.2																			
101	16.55		5.71	0.20	1.	0.00	0.2																			
131	14.80		5.56	0.24	2.	0.00	1.2																			
155	13.40	33.737	5.49	0.44	4.	0.00	3.4	262.9																		
181	11.32		5.25	0.53	7.	0.00	6.6																			
214	9.69		4.29	1.56	18.	0.00	18.0																			
281	8.75		4.18	1.68	28.	0.00	21.2																			
379	6.78		2.66	2.55	55.	0.00	32.3																			
478	5.68		1.38	3.17	81.	0.00	39.3																			
611	4.92		0.47	3.54	108.	0.00	42.7																			
764	4.40	34.352	0.35	3.62	124.	0.00	43.2	82.9																		
910	3.99	34.442	0.56	3.62	150.0	0.00	43.9	72.0																		
1117	3.54		0.81	3.64	147.	0.00	43.2																			

RV ALEXANDER AGASSIZ

CRUISE 7102

90045

LATITUDE			LONGITUDE			MO/DAY/YR			MESSENGER TIME			BOTTOM			WIND			SPEED			WEATHER			DOMINANT WAVES		
32 55.8N			118 55.4W			3/16/71			2249 GMT			1664M			300			9KT			2			300 6 7		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD											
									0	12.99	33.39		25.170	280.6	0.000											
									10	12.88	33.37		25.176	280.0	0.028											
									20	12.45	33.39		25.275	270.6	0.056											
									30	12.27	33.39		25.310	267.3	0.083											
									50	10.09	33.68		25.928	208.5	0.130											
									75	9.41	33.88		26.197	182.9	0.180											
									100	9.05	34.01		26.357	167.8	0.224											
									125	8.76	34.04		26.426	161.2	0.265											
									150	8.74	34.14		26.507	153.5	0.305											
									200	7.96	34.17		26.650	140.0	0.380											
									250	7.74	34.25		26.745	130.9	0.450											
									300	7.59	34.26		26.803	125.4	0.516											
									400	6.70	34.32		26.946	111.9	0.640											
									500	6.04	34.36		27.064	100.6	0.753											
									600	5.60	34.38		27.135	93.9	0.857											
									700	5.02	34.42		27.235	84.4	0.954											
									800	4.63	34.45		27.304	78.0	1.044											
									1000	4.08	34.49		27.395	69.3	1.201											

RV ALEXANDER AGASSIZ										CRUISE 7102						
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
32 55.8N		118 55.4W		3/16/71		2355		GMT	1664M	300	9KT	2	300 6 7			
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD	
0	12.60	33.370	6.47	0.36	4.	0.07	1.1	274.8								
10	12.66	33.369		0.38	3.	0.09	1.3	276.0								
30	12.22		6.44	0.40	3.	0.10	2.1									
55	9.98		3.72	1.49	21.	0.17	19.5									
69	9.60		3.28	1.70	27.	0.08	22.7									
84	9.34	33.882	2.93	1.88	30.	0.07	25.2	181.7								
99	9.11		2.81	1.96	37.	0.07	27.8									
129	8.68		2.53	1.98	39.	0.09	29.7									
148	8.69		2.12	2.26	42.	0.05	29.9									
178	8.11		2.29	2.26	41.	0.13	30.3									
213	8.06		1.48	2.53	53.	0.10	33.4									
279	7.57		0.92	2.81	62.	0.08	35.8									
376	6.77		0.64	2.95	75.	0.18	38.9									
475	6.12		0.35	3.19	88.	0.08	41.8									
610	5.52	34.349	0.33	3.33	99.	0.10	47.6	93.8								
765	4.74		0.35	3.41	118.	0.05	45.5									
914	4.26	34.467	0.42	3.45	133.	0.13	44.9	72.8								
1123	3.90		0.57	3.35	142.	0.13	45.5									

RV ALEXANDER AGASSIZ						CRUISE 7102										
LATITUDE			LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
32 25.9N			119 57.8W		3/18/71		2307		GMT	920M	110	9KT	2	330 5 6		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD	
									0	13.18	33.24		25.017	295.2	0.000	
									10	12.74	33.19		25.065	290.6	0.029	
									20	12.70	33.23		25.103	286.9	0.058	
									30	12.70	33.23		25.103	286.9	0.087	
									50	12.07	33.25		25.240	274.0	0.143	
									75	11.12	33.44		25.562	243.3	0.208	
									100	9.96	33.50		25.810	219.7	0.267	
									125	9.30	33.70		26.075	194.6	0.319	
									150	8.93	33.85		26.251	177.8	0.366	
									200	8.01	34.00		26.509	153.3	0.450	
									250	7.40	34.05		26.637	141.2	0.526	
									300	7.02	34.06		26.698	135.4	0.597	
									400	6.16	34.16		26.891	117.1	0.728	
									500	5.78	34.28		27.034	103.5	0.845	
									600	5.37	34.34		27.131	94.3	0.950	
									700	4.86	34.40		27.238	84.1	1.047	
									800	4.58	34.44		27.301	78.2	1.136	

RV ALEXANDER AGASSIZ						CRUISE 7102										
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
32 24.5N		119 58.8W		3/19/71		0005		GMT	920M	110	9KT	2	330 5 6			
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD	
0	13.12	33.218	6.35	0.32	5.	0.00	0.3	295.7								
10	12.72	33.212	6.08	0.32	4.	0.01	0.3	288.6								
35	12.66	33.211		0.32	4.	0.01	0.5	287.6								
45	11.90	33.295	5.97	0.48	5.	0.14	3.4	267.6								
60	11.44	33.351	5.80	0.67	7.	0.17	6.3	255.4								
75	11.03	33.429	5.65	0.87	10.	0.24	9.5	242.6								
100	9.71	33.567	4.22	1.41	18.	0.02	18.9	210.8								
120	9.31	33.688	4.00	1.47	22.	0.02	21.2	195.6								
140	8.88		3.65	1.72	27.	0.01	24.3									
170	8.54		3.40	1.82	34.	0.04	26.9									
200	8.01		3.08	2.00	37.	0.01	29.3									
240	7.48		2.58	2.28	47.	0.02	32.8									
270	7.06		2.22	2.42	53.	0.03	35.5									
320	6.66		1.81	2.65	60.	0.04	38.2									
385	6.13		1.16	2.89	74.	0.02	41.3									
483	5.81	34.252	0.54	3.17	87.	0.00	45.1	106.0								
573	5.44	34.317	0.38	3.27	96.	0.01	45.3	96.8								
649	5.08		0.48	3.27	106.	0.04	46.3									

RV ALEXANDER AGASSIZ

CRUISE 7102

90090

LATITUDE 31 23.3N			LONGITUDE 122 00.0W			MO/DAY/YR 3/20/71			MESSENGER TIME 2324 GMT			BOTTOM 4116M			WIND 270			SPEED 6KT			WEATHER 2			DOMINANT WAVES 330 3 13		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S1GT	DT	DD											
									0	14.16	33.16		24.755	320.1	0.000											
									10	14.06	33.18		24.791	316.7	0.032											
									20	14.05	33.20		24.809	315.0	0.063											
									30	14.02	33.20		24.815	314.4	0.095											
									50	13.70	33.13		24.827	313.3	0.158											
									75	13.28	33.14		24.919	304.4	0.236											
									100	12.20	33.07		25.076	289.6	0.310											
									125	11.45	33.25		25.555	263.0	0.380											
									150	10.14	33.41		25.710	229.3	0.442											
									200	9.09	33.88		26.249	178.0	0.546											
									250	8.58	34.00		26.423	161.5	0.633											
									300	7.50	33.97		26.560	148.5	0.713											
									400	6.00	34.09		26.856	120.4	0.852											
									500	5.49	34.17		26.982	108.4	0.972											
									600	4.83	34.25		27.123	95.1	1.080											
									700	4.62	34.36		27.233	84.6	1.177											
									800	4.33	34.43		27.320	76.3	1.265											
									1000	3.74	34.50		27.437	65.3	1.423											

RV ALEXANDER AGASSIZ

CRUISE 7102

90090

LATITUDE 31 23.3N			LONGITUDE 122 00.0W			MO/DAY/YR 3/20/71			MESSENGER TIME 2349 GMT		BOTTOM 4116M		WIND 270		SPEED 6KT		WEATHER 2		DOMINANT WAVES 330 3 13		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S1GT	DT	DD						
0	14.06	33.153	6.07	0.30	4.	0.00	0.3	318.4													
10	14.04	33.157	6.02	0.28	3.	0.00	0.3	318.0													
30	13.88		5.95	0.22	3.	0.00	0.3														
50	13.79		5.96	0.26	2.	0.00	0.3														
70	13.43	33.078	6.21	0.26	2.	0.00	0.5	311.9													
85	13.44	33.180	5.96	0.28	3.	0.00	0.7	304.6													
100	12.51		6.07	0.34	5.	0.13	1.3														
130	11.62		5.41	0.48	6.	0.00	5.0														
155	10.00		4.93	0.97	13.	0.00	12.3														
180	9.46		4.44	1.25	19.	0.00	17.7														
214	8.98	33.922	4.27	1.45	26.	0.00	20.4	173.2													
278	7.78		3.26	2.00	41.	0.00	27.9														
380	6.16		1.74	2.75	67.	0.00	38.0														
478	5.52		0.78	3.13	86.	0.00	42.2														
612	4.74		0.41	3.31	107.	0.00	46.1														
765	4.45	34.385	0.38	3.39	121.	0.00	46.1	81.0													
915	3.90	34.442	0.46	3.37	131.	0.00	44.9	71.2													
1123	3.44		0.81	3.31	144.	0.00	45.5														

RV ALEXANDER AGASSIZ

CRUISE 7102

90110

LATITUDE 30 46.0N			LONGITUDE 123 19.0W			MO/DAY/YR 3/22/71			MESSENGER TIME 2305 GMT			BOTTOM 4378M			WIND 310			SPEED 7KT			WEATHER 2			DOMINANT WAVES 340 2 11		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S1GT	DT	DD											
									0	14.61	33.19		24.683	326.9	0.000											
									10	14.05	33.19		24.801	315.7	0.032											
									20	14.02	33.19		24.807	315.1	0.064											
									30	14.03	33.19		24.805	315.3	0.095											
									50	13.89	33.18		24.826	313.3	0.158											
									75	13.85	33.18		24.835	312.5	0.237											
									100	13.61	33.18		24.884	307.9	0.315											
									125	12.69	33.22		25.098	287.5	0.390											
									150	11.44	33.44		25.504	248.8	0.458											
									200	9.68	33.77		26.067	195.3	0.571											
									250	8.55	33.97		26.404	163.3	0.663											
									300	7.89	34.00		26.527	151.6	0.744											
									400	6.68	34.10		26.776	128.0	0.889											
									500	5.92	34.18		26.937	112.7	1.016											
									600	5.30	34.27		27.084	98.8	1.128											
									700	5.01	34.36		27.189	88.8	1.229											
									800	4.66	34.40		27.261	82.0	1.323											
									1000	3.90	34.47		27.397	69.1	1.491											

RV ALEXANDER AGASSIZ

CRUISE 7102

90110

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
30 46.4N		123 19.2W		3/23/71		0005		GMT	4378M	310	7KT	2	340	2 11	
Z	T	S	Q2	P04	S103	N02	N03	CT	Z	T	S	Q2	SIGT	DT	DD
0	14.55	33.212	6.15	0.24	7.	0.02	0.0	324.1							
10	14.10	33.218	6.12	0.24	5.	0.02	0.0	314.7							
30	13.96	33.200	5.99	0.26	4.	0.03	0.0	313.2							
55	14.03	33.239	5.81	0.22	4.	0.02	0.0	311.7							
70	14.05	33.244	6.15	0.24	5.	0.02	0.0	311.8							
85	13.68	33.183	5.82	0.24	3.	0.01	0.0	309.0							
100	13.52		6.09	0.24	3.	0.02	0.0								
129	12.60		5.54	0.26	4.	0.15	1.8								
153	11.42		5.38	0.61	6.	0.03	6.7								
178	10.17		4.37	0.73	6.	0.08	8.1								
213	9.36		3.71	1.47	21.	0.05	19.9								
279	8.10		3.51	1.90	37.	0.03	27.3								
378	6.94		1.85	2.63	63.	0.08	36.3								
475	6.06		1.01	3.17	76.	0.00	41.3								
605	5.27		0.49	3.37	97.	0.02	44.4								
757	4.86	34.384	0.42	3.37	123.11	0.03	44.7	85.4							
905	4.28	34.440	0.58	3.43	123.	0.04	46.1	75.1							
1114	3.59		0.86	3.35	144.	0.07	47.7								

RV ALEXANDER AGASSIZ

CRUISE 7102

90145

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
29 37.5N		125 38.4W		3/24/71		2259		GMT	4093M	300	2KT	2	070 2 6		
Z	T	S	Q2	P04	S103	N02	N03	DT	Z	T	S	Q2	SIGT	DT	DD
									0	16.19	33.55		24.611	333.8	0.000
									10	15.81	33.53		24.720	323.4	0.033
									20	15.60	33.52		24.721	323.3	0.065
									30	15.59	33.53		24.731	322.4	0.098
									50	15.76	33.60		24.747	320.9	0.162
									75	15.56	33.57		24.768	318.8	0.243
									100	15.93	33.76		24.831	312.8	0.322
									125	14.42	33.68		25.100	287.2	0.398
									150	11.90	33.47		25.442	254.7	0.467
									200	9.88	33.82		26.073	194.6	0.581
									250	8.83	33.94		26.337	169.7	0.674
									300	7.84	33.98		26.519	152.4	0.757
									400	6.50	34.05		26.760	129.5	0.903
									500	6.00	34.17		26.919	114.4	1.031
									600	5.12	34.19		27.042	102.7	1.147
									700	4.67	34.31		27.188	88.9	1.249
									800	4.38	34.39		27.283	79.9	1.341
									1000	3.89	34.46		27.406	68.2	1.506

RV ALEXANDER AGASSIZ

CRUISE 7102

90145

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
29 41.2N		125 35.1W		3/24/71		2355		GMT	4093M	300	2KT	?	070 2 6		
Z	T	S	Q2	P04	SIC3	N02	N03	DT	Z	T	S	Q2	SIGT	DT	DD
0	15.18	33.531	5.89	0.24	5.	0.00	0.0	335.0							
10	15.72	33.542	5.94	0.22	5.	0.00	0.0	324.3							
30	15.76	33.585	5.92	0.18	4.	0.00	0.0	322.0							
55	15.84	33.625	5.76	0.22	4.	0.00	0.0	320.8							
70	15.67		5.90	0.20	4.	0.00	0.0								
85	15.36	33.540	5.94	0.18	4.	0.00	0.0	316.8							
100	15.76	33.691	5.63	0.16	4.	0.00	0.0	314.2							
130	14.29		5.69	0.22	5.	0.00	1.2								
155	11.76		5.07	0.53	8.	0.01	5.6								
180	11.19		5.28	0.59	9.	0.02	6.4								
215	9.68		4.52	1.17	20.	0.13	16.5								
282	8.38		3.45	1.80	35.	0.01	24.8								
381	6.80		2.21	2.42	58.	0.01	34.1								
479	6.07		1.04	2.95	77.	0.02	39.0								
613	4.98	34.231	0.46	3.27	105.	0.00	43.0	98.1							
765	4.56		0.37	3.35	119.	0.01	44.2								
914	4.06	34.454	0.71	3.41	138.	0.05	44.5	71.8							
1122	3.52		0.88	3.31	141.	0.02	45.2								

RV ALEXANDER AGASSIZ						CRUISE 7102									
LATITUDE		LONGITUDE		MO/DAY/YR	MESSENGER	TIME	POTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
32 40.0N		117 35.0W		2/ 8/71	213A	GMT	1114M	310	10KT	2	310 1 5				
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
									08	14.08A	33.15A		24.764	319.3	0.000
									10	13.96A	33.19A		24.820	313.9	0.032
									20	13.15A	33.29A		25.061	291.0	0.062
									30	12.83A	33.32A		25.148	282.7	0.091
									50	11.40A	33.28A		25.387	259.9	0.145
									75	10.15A	33.60A		25.856	215.4	0.205
									100	9.81A	33.79A		26.061	195.9	0.257
									125	9.12A	33.89A		26.252	177.7	0.304
									150	8.74A	33.96A		26.367	166.8	0.348
									200	8.95A	34.22A		26.537	150.7	0.429
									250	8.54A	34.26A		26.632	141.6	0.504
									300	8.25A	34.28A		26.692	135.9	0.576
									400	7.22	34.2A		26.843	121.6	0.710
									500	6.36	34.31		26.983	108.3	0.832
									600	5.76	34.34		27.084	96.8	0.943

RV ALEXANDER AGASSIZ						CRUISE 7102									
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	POTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
32 40.0N		117 35.3W		2/ 8/71		219 GMT			1114M	310	10KT	2	310 1 5		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
05	14.10	33.146	6.31					319.9	0	14.10	33.146	6.31	24.757	319.9	0.000
10	14.00	33.172	6.29					316.1	10	14.00	33.172	6.29	24.797	316.1	0.032
20	13.32	33.281	6.43					294.9	20	13.32	33.281	6.43	25.020	294.9	0.062
30	12.86	33.312	6.28					283.9	30	12.86	33.312	6.28	25.136	283.9	0.091
40	12.68	33.320	6.17					279.9	50	11.62	33.249	6.01	25.323	266.1	0.147
50	11.62	33.249	6.01					266.1	75	10.27	33.517	4.50	25.770	223.6	0.208
60	10.86	33.316	5.16					248.4	100	9.82	33.777	3.54	26.049	197.0	0.261
70	10.52	33.474	4.61					230.7	125	9.16	33.865	3.47	26.241	178.8	0.309
80	10.03	33.552	4.42					217.0	150	8.87	33.994	2.95	26.373	166.2	0.352
90	9.78	33.640	4.440					203.5							
100	9.82	33.777	3.54					197.0							
110	9.44	33.798	3.60					189.5							
120	9.26	33.853	3.55					182.9							
130	9.04	33.909	3.40					175.1							
139	8.93	33.933	3.38					171.7							
149	8.88	33.990	2.95					166.7							
159	8.65	34.015	2.98					161.4							
169		34.019	2.55												

RV ALEXANDER AGASSIZ						CRUISE 7102											
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM		WIND	SPEED	WEATHER	DOMINANT WAVES			
27 42.5N		115 32.6W		4/ 4/71		231R		GMT	2359M		300	7KT	4	300 5 10			
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD		
									0	14.53	33.74		25.123	285.0	0.000		
									10	14.18	33.73		25.190	278.7	0.028		
									20	14.12	33.73		25.202	277.5	0.056		
									30	14.00	33.72		25.219	275.9	0.084		
									50	12.00	33.72		25.617	238.1	0.135		
									75	11.51	34.02		25.941	207.3	0.191		
									100	10.69	34.12		26.166	185.8	0.241		
									125	11.18	34.40		26.296	173.5	0.287		
									150	10.88	34.45		26.389	164.7	0.330		
									200	10.23	34.50		26.542	150.1	0.410		
									250	9.68	34.51		26.644	140.5	0.485		
									300	9.10	34.49		26.723	132.9	0.557		
									400	7.93	34.47		26.889	117.2	0.688		
									500	7.13	34.45		26.989	107.8	0.808		
									600	6.36	34.43		27.078	99.3	0.920		
									700	5.73	34.47		27.190	88.7	1.023		
									800	5.19	34.47		27.255	82.5	1.118		
									1000	4.37	34.50		27.372	71.5	1.291		

- A) THE DATA FOR THIS LOOKING WERE NOT RECORDED BY THE DIGITAL DATA LOGGER. THESE TABULATED VALUES WERE DIGITIZED FROM THE ANALOG RECORDING AND THE SAME CORRECTION APPLIED AS TO THE DATA FROM THE TAPE.
- B) A SHAKEDOWN STATION.

RV ALEXANDER AGASSIZ										CRUISE 7102						
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
27 43.1N		115 32.8W		4/ 5/71		0019 GMT			2359M	300	7KT	4	300 5 10			
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD	
0	14.66	33.740	5.96	0.59	12.	0.19	3.3	287.7								
9	14.19		5.95	0.63	10.	0.19	3.3									
29	13.71	33.674	5.72	0.63	10.	0.19	3.6	273.5								
54	11.80		4.09	1.33	18.	0.41	16.3									
69	11.20		3.48	1.56	20.	0.17	18.3									
84	10.82	34.059	2.51	1.94	25.	0.06	24.2	192.5								
99	10.98		1.93	2.16	28.	0.05	26.3									
129	11.16	34.410	1.23	2.46	34.	0.03	29.1	172.4								
153	10.82		0.86	2.48	37.	0.07	29.8									
178	10.50		1.29U	2.46U	35.11	0.05U	29.011									
214	10.03	34.526	0.46	2.81	43.	0.05	30.8	144.9								
278	9.25		0.37	2.93	50.	0.02	32.7									
378	8.24		0.27	3.05	60.	0.01	34.2									
476	7.17		0.24	3.17	71.	0.00	38.1									
609	6.22	34.449	0.21	3.29	86.	0.00	41.0	96.2								
762	5.42		0.23	3.39	95.	0.03	45.4									
902	4.66	34.497	0.38	3.41	110.	0.00	44.7	74.9								
1119	3.90		0.64	3.39	127.	0.01	45.3									

RV ALEXANDER AGASSIZ						CRUISE 7102									
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
27 23.0N		116 13.2W		4/ 3/71		0006 GMT			3641M	320	17KT	0	330 5 8		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
									0	15.63	33.59		24.768	318.8	0.000
									10	15.49	33.59		24.799	315.9	0.032
									20	15.33	33.58		24.827	313.2	0.063
									30	14.36	33.53		24.998	297.0	0.094
									50	13.76	33.61		25.184	279.2	0.152
									75	12.23	33.65		25.519	247.4	0.218
									100	11.60	34.06		25.955	205.9	0.275
									125	10.55	34.10		26.175	185.0	0.325
									150	10.21	34.17		26.289	174.2	0.370
									200	9.65	34.29		26.477	156.3	0.455
									250	9.09	34.36		26.623	142.4	0.532
									300	8.54	34.36		26.710	134.2	0.603
									400	7.58	34.39		26.878	118.3	0.736
									500	6.78	34.41		27.006	106.2	0.855
									600	5.93	34.41		27.117	95.6	0.964
									700	5.30	34.43		27.211	86.8	1.063
									800	4.88	34.46		27.283	79.9	1.155
									1000	4.10	34.51		27.408	68.0	1.321

RV ALEXANDER AGASSIZ										CRUISE 7102						
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
27 23.0N		116 13.2W		4/ 3/71		0108 GMT			3641M	320	17KT	0	330 5 8			
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD	
0	15.56	33.606	6.05	0.34	6.	0.00	0.0	316.2								
10	15.54		4.51U	0.30	5.	0.00	0.0									
30	14.62	33.609	5.47	0.42	5.	0.28	0.3	296.4								
59	13.43		4.70	0.73	9.	0.17	6.4									
79	12.18		3.69	1.17	13.	0.03	14.4									
95	11.62		2.78	1.74	24.	0.01	21.0									
110	11.21		2.51	1.84	24.	0.00	24.0									
138	10.38	34.136	2.39	2.06	31.	0.00	25.4	179.5								
163	9.86		2.08	2.16	35.	0.01	28.6									
193	9.72		1.82	2.32	38.	0.01	27.8U									
228	9.37		1.05	2.61	48.	0.00	32.7									
297	8.54		0.51	2.81	54.	0.01	33.4									
405	7.52		3.13	3.13	68.	0.00	36.8									
511	6.60		0.18	3.27	81.	0.00	40.1									
648	5.50	34.431	0.23	3.33	97.	0.00	43.3	89.0								
807	4.80		0.34	3.41	111.	0.00	44.2									
975	4.14	34.505	0.53	3.35	125.	0.00	45.6	68.8								
1185	3.64		0.71	3.33	137.	0.00	45.9									

RV ALEXANDER AGASSIZ

CRUISE 7102

120070

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	POTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
26 52.2N		117 09.8W		4/ 1/71		0041		GMT	3737M	330	12KT	2	330 6 10		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
0	15.44	33.243	6.01	0.30	5.	0.00	0.0	340.2	0	15.44	33.243	6.01	24.544	340.2	0.000
10	15.43	33.248	6.11	0.30	5.	0.00	0.0	339.6	10	15.43	33.248	6.11	24.550	339.6	0.034
30	14.84	33.207	6.07	0.30	4.	0.00	0.0	330.4	20	15.16	33.231	6.09	24.596	335.3	0.068
55	14.72	33.205	5.99	0.24	4.	0.00	0.0	328.1	30	14.84	33.207	6.07	24.647	330.4	0.101
70	14.56	33.199	6.05	0.28	4.	0.00	0.0	325.3	50	14.74	33.212	6.00	24.670	328.2	0.167
84	14.30	33.235		0.28	4.	0.00	0.0	317.4	75	14.46	33.207	6.02	24.726	322.9	0.249
99	14.24	33.362	5.86	0.32	5.	0.06	0.2	306.9	100	14.17	33.370	5.84	24.913	305.1	0.328
128	11.78	33.534	5.12	0.37	8.	0.09	5.6	247.9	125	12.08	33.517	5.23	25.442	254.7	0.399
154	10.44	33.703	3.86	1.27	17.	0.07	16.8	212.5	150	10.59	33.678	4.06	25.839	217.0	0.459
179	9.94	33.892		1.68	25.	0.05	21.0	190.4	200	9.50	34.015	2.71	26.286	174.4	0.558
213	9.26	34.076	2.51	1.98	34.	0.03	25.9	166.1	250	8.99	34.214	1.71	26.525	151.8	0.642
277	8.88	34.278	1.21	2.53	47.	0.03	32.5	145.3	300	8.62	34.307	0.95	26.656	139.4	0.717
376	7.68	34.333	0.51	2.93	62.	0.04	35.0	123.9	400	7.45	34.339	0.48	26.856	120.4	0.853
473	6.82	34.350	0.37	3.11	77.	0.02	39.3	111.2	500	6.57	34.358	0.34	26.993	107.3	0.974
606	5.69	34.396	0.28	3.23	97.	0.03	44.2	93.8	600	5.73	34.394	0.28	27.129	94.5	1.083
758	5.06	34.455	0.30	3.39	108.	0.07	44.0	82.2	700	5.26	34.434	0.29	27.218	86.0	1.181
905	4.42	34.495	0.46	3.39	123.	0.04	46.2	72.4	800	4.87	34.468	0.34	27.290	79.2	1.272
1115	3.73	34.535	0.51	3.33	148.	0.07	45.9	62.5	1000	4.08	34.517	0.48	27.416	67.3	1.437

RV ALEXANDER AGASSIZ

CRUISE 7102

120070

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME			POTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
26 52.2N		117 09.8W		4/ 1/71		0120 GMT			3737M	330	12KT	2	330 6 10		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
									0	15.46	33.25		24.545	340.1	0.000
									10	15.46	33.25		24.545	340.1	0.034
									20	15.03	33.22		24.616	333.3	0.068
									30	14.87	33.22		24.651	330.0	0.101
									50	14.75	33.21		24.669	328.3	0.167
									75	14.44	33.18		24.712	324.2	0.249
									100	14.03	33.36		24.936	302.9	0.328
									125	10.94	33.42		25.579	241.7	0.397
									150	10.41	33.74		25.920	209.3	0.454
									200	9.33	34.05		26.343	169.1	0.550
									250	9.11	34.25		26.534	150.9	0.632
									300	8.58	34.31		26.665	138.5	0.707
									400	7.44	34.34		26.859	120.1	0.843
									500	6.60	34.37		26.999	106.8	0.963
									600	5.81	34.39		27.117	95.7	1.072
									700	5.35	34.44		27.212	86.6	1.171
									800	4.93	34.47		27.285	79.7	1.263
									1000	4.09	34.53		27.425	66.4	1.427

RV ALEXANDER AGASSIZ

CRUISE 7102

120090

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	POTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
26 15.6N		118 29.9W		3/29/71		2235		GMT	4116M	300	6KT	1	320 4 11		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
									0	16.58	33.42		24.468	347.4	0.000
									10	16.41	33.46		24.492	345.1	0.035
									20	16.31	33.48		24.530	341.5	0.069
									30	16.05	33.41		24.536	341.0	0.103
									50	15.52	33.41		24.655	329.7	0.171
									75	14.37	33.35		24.857	310.4	0.251
									100	13.16	33.51		25.229	275.0	0.325
									125	11.58	33.63		25.625	237.3	0.389
									150	10.59	33.69		25.850	215.9	0.447
									200	9.93	34.08		26.267	176.3	0.547
									250	9.06	34.20		26.503	153.8	0.632
									300	8.78	34.31		26.634	141.5	0.708
									400	7.34	34.31		26.850	121.0	0.845
									500	6.62	34.36		26.988	107.8	0.967
									600	5.78	34.38		27.113	96.0	1.076
									700	5.29	34.42		27.204	87.4	1.176
									800	4.76	34.44		27.281	80.1	1.268
									1000	4.08	34.50		27.403	68.6	1.435

RV ALEXANDER AGASSIZ

CRUISE 7102

120090

	LATITUDE	LONGITUDE	MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
	26 15.6N	118 29.9W	3/29/71		2337		GMT	4116M	300	6KT	1	330	4 11		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S1GT	DT	DD
0	16.30	33.430	5.98	0.26	4.	0.01	0.4	344.9							
9	16.36		5.93	0.26	4.	0.00	0.3								
29	16.30	33.508	5.89	0.26	3.	0.00	0.3	339.2							
54	15.58		5.94	0.24	3.	0.01	0.3								
69	15.55		5.89	0.26	3.	0.00	0.3								
84	14.71	33.363	5.90	0.32	3.	0.02	0.3	316.3							
99	13.44		5.53	0.48	4.	0.06	2.7								
130	11.43	33.650	4.55	0.97	9.	0.04	11.1	233.2							
154	10.42		3.91	1.41	16.	0.03	17.8								
178	10.06		3.24	1.76	23.	0.03	23.0								
214	9.51	34.116	2.61	2.08	31.	0.02	27.0	167.0							
278	9.22		1.06	2.69	43.	0.02	32.1								
377	7.80	34.333	0.67	2.97	58.	0.02	36.8	125.6							
476	6.92		0.32	3.19	72.	0.01	40.8								
610	5.69	34.398	0.29	3.31	89.	0.00	44.0	93.7							
764	4.93		0.37	3.39	105.	0.01	46.5								
914	4.34	34.480	0.52	3.39	118.	0.00	48.3	72.7							
1122	3.72		0.74	3.37	131.	0.01	47.9								

RV ALEXANDER AGASSIZ

CRUISE 7102

120120

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME			BOTTOM		WIND SPEED		WEATHER		DOMINANT WAVES	
25 08.4N		120 24.0W		3/27/71		2325 GMT			4121M		240 10KT		0		360 2 6	
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S1GT	DT	DD	
									0	17.19	33.69		24.486	345.7	0.000	
									10	17.14	33.70		24.505	343.9	0.034	
									20	17.09	33.69		24.510	343.5	0.069	
									30	17.08	33.69		24.512	343.2	0.103	
									50	17.07	33.69		24.514	343.0	0.172	
									75	17.00	33.70		24.538	340.7	0.258	
									100	14.51	33.44		24.497	306.6	0.340	
									125	12.37	33.54		25.407	258.1	0.411	
									150	11.07	33.67		25.749	225.5	0.472	
									200	9.74	33.99		26.228	179.9	0.575	
									250	8.78	34.12		26.485	155.6	0.661	
									300	8.02	34.18		26.649	140.1	0.738	
									400	7.47	34.31		26.831	122.8	0.875	
									500	6.80	34.40		26.995	107.2	0.997	
									600	5.99	34.39		27.094	97.8	1.107	
									700	5.42	34.44		27.204	87.4	1.208	
									800	4.90	34.47		27.289	79.3	1.300	
									1000	4.14	34.53		27.420	66.9	1.465	

RV ALEXANDER AGASSIZ

CRUISE 7102

120120

	LATITUDE	LONGITUDE	MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
	25 08.4N	120 24.0W	3/28/71		0035		GMT	4121M	240	10KT	0	360 2 6			
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S1GT	DT	DD
0	17.20	33.698	5.81	0.30	4.	0.03	0.4	345.4							
9	17.20		5.82	0.22	3.	0.03	0.4								
29	17.08	33.686	5.75	0.22	3.	0.03	0.4	343.5							
54	17.08		5.55	0.22	3.	0.02	0.4								
69	17.02	33.696	5.76	0.22	2.	0.02	0.4	341.5							
84	16.99		5.76	0.22	1.	0.01	0.4								
98	16.90	33.685	5.72	0.22	2.	0.01	0.4	339.6							
128	12.87		5.20	0.55	5.	0.05	4.2								
152	11.42		4.39	0.97	11.	0.08	11.6								
177	10.69		4.25	1.13	14.	0.08	13.9								
212	9.86		2.95	1.80	27.	0.09	24.3								
276	8.14		2.72	2.12	42.	0.06	29.2								
372	7.88	34.331	0.76	2.83	56.	0.09	35.0	126.9							
469	6.90		0.30	3.19	73.	0.10	39.2								
601	5.90		0.27	3.31	99.1	0.04	42.8								
750	5.10	34.451	0.39	3.49	108.	0.06	46.6	83.0							
900	4.40	34.488	0.52	3.37	115.	0.05	50.4	72.7							
1108	3.80		0.71	3.35	131.	0.09	45.1								

RV ALEXANDER AGASSIZ

CRUISE 7102

120120

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
25 11.9N		120 21.7W		3/28/71		1859		GMT							
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S1GT	DT	DD
									0	17.12	33.71		24.518	342.7	0.000
									10	17.11	33.72		24.528	341.7	0.034
									20	17.12	33.71		24.518	342.7	0.069
									30	17.12	33.71		24.518	342.7	0.103
									50	17.11	33.71		24.520	342.5	0.172
									75	17.01	33.70		24.536	340.9	0.258
									100	16.03	33.53		24.632	331.8	0.342
									125	12.89	33.72		25.445	254.5	0.416
									150	11.19	33.66		25.720	228.3	0.477
									200	9.91	33.98		26.192	183.4	0.582
									250	8.62	34.10		26.495	154.7	0.669
									300	7.79	34.14		26.651	139.8	0.745
									400	7.40	34.33		26.857	120.3	0.881
									500	6.66	34.37		26.991	107.6	1.002

DISTRIBUTION LIST

Inter-American Tropical Tuna Commission
(c/o Scripps Institution of Oceanography)

Dr. James Joseph

National Marine Fisheries Service
(c/o Scripps Institution of Oceanography)

Director's Office
Dr. Reuben Lasker
Dr. A. Alvarinho de Leira
Library (2)
Mr. Ronald Lynn
Dr. Geoffrey Moser
Dr. Robert Owen, Jr.
Mr. Nelson C. Ross, Jr.

Scripps Institution of Oceanography

Dr. Edward Brinton
Dr. Richard W. Eppley
Dr. Abraham Fleminger
Dr. Joris M. T. M. Gieskes
Mr. Richard H. Greenbaum
Library, SIO (Chris Scott) (4)
Mr. Arnold W. Mantyla
Dr. John A. McGowan
Dr. W. A. Nierenberg
Prof. Joseph L. Reid
Dr. Richard H. Rosenblatt
Mr. Richard A. Schwartzlose
Mr. George H. Snyder
Dr. Mizuki Tsuchiya
Dr. William G. Van Dorn
Mr. Robert T. Williams

Dave Manus

Kitty Kuhua

George Jackson TIT

DISTRIBUTION LIST

AFRICA

OCEANOGRAPHIC RESEARCH INSTITUTE
CENTENARY AQUARIUM BLDGS.
2 WEST STREET
DURBAN, NATAL,
SOUTH AFRICA

AUSTRALIA

DR. JOHN A. T. BYE
FLINDERS INSTITUTE FOR ATMOSPHERIC
AND MARINE SCIENCES
THE FLINDERS UNIVERSITY OF S. A.
BEDFORD PARK 5042, S. A.
AUSTRALIA

PROF. R. RADOK, DIRECTOR
HORACE LAMB INSTITUTE OF OCEANOGRAPHY
P. O. BOX 167
KINGSWOOD 5062, S. A.
AUSTRALIA

CANADA

DIRECTOR
INSTITUTE OF OCEANOGRAPHY
UNIVERSITY OF BRITISH COLUMBIA
VANCOUVER, B. C. V6T 1W5
CANADA

LIBRARY
PACIFIC BIOLOGICAL STATION
FISHERIES AND MARINE SERVICE
NANAIMO, B. C. V9R 5K6
CANADA

DR. C. S. WONG
INSTITUTE OF OCEAN SCIENCES
DEPARTMENT OF FISHERIES AND
ENVIRONMENT
P. O. BOX 6000
SIDNEY, B.C. V8L 4B2
CANADA

LIBRARY
SCIENCE SERVICES
DALHOUSIE UNIVERSITY
HALIFAX, N. S. B3H 4J3
CANADA

DR. CEDRIC R. MANN
BEDFORD INSTITUTION OF OCEANOGRAPHY
DARTMOUTH, N. S.
CANADA

PROF. GORDON A. RILEY
INSTITUTE OF OCEANOGRAPHY
DALHOUSIE UNIVERSITY
HALIFAX, N.S. B3H 3J5
CANADA

GERMANY

AKADEMIE DER WISSENSCHAFTEN DER DDR
INSTITUT FÜR MEERESKUNDE
BIBLIOTHEK
253 WARNEMÜNDE
EAST GERMANY

DEUTSCHES-HYDROGRAPHISCHES INSTITUT
TAUSCHSTELLE
POSTFACH 220
BERNHARD-HOCHT-STR. 78
D-2000 HAMBURG
WEST GERMANY

DR. REIMER SIMONSEN
INSTITUT FÜR MEERESFORSCHUNG
285 BREMERHAVEN
AM HANDELSHAFFEN 12
WEST GERMANY

ICELAND

DR. UNNSTEINN STEFANSSON
HAFRANNSOKNASTOFNUNIN
SKULAGATA 4
REYKJAVIK
ICELAND

IVORY COAST

M. HENRI ROTSCHI
CENTRE DE RECHERCHES
OCEANOGRAPHIQUES
29, RUE DES PECHEURS
B.P.V. 18 - ABIDJAN
REPUBLIQUE DE COTE D'IVOIRE

JAPAN

DR. KIYOMITSU KITANO
HOKKAIDO REGIONAL FISHERIES RESEARCH
LABORATORY
KATSURAKOI 116, KUSHIRO CITY
HOKKAIDO
JAPAN

DIRECTOR
KOBE MARINE OBSERVATORY
NAKAYAMATE 7
KOBE, 650
JAPAN

THE PUBLIC HEALTH INSTITUTE
OF HYOGO PREFECTURE
ARATA-CHO, HYOGO-KU
2-1 KOBE
JAPAN

PROF. HIDEO KAWAI
KYOTO UNIVERSITY
DEPARTMENT OF FISHERIES
FACULTY OF AGRICULTURE
KYOTO
JAPAN

DR. MICHITAKA UDA
COLLEGE OF MARINE SCIENCE AND
TECHNOLOGY
TOKAI UNIVERSITY
ORIDO, SHIMIZU-SHI, SHIZUOKA-KEN
JAPAN

MR. HAJIME YAMANAKA
FAR SEAS FISHERIES RESEARCH
LABORATORY
ORIDO, SHIMIZU 424
SHIZUOKA-KEN
JAPAN

DIRECTOR
JAPAN OCEANOGRAPHIC DATA CENTER
HYDROGRAPHIC DEPARTMENT
MARITIME SAFETY AGENCY
NO. 3-1, 5 CHOME, TSUKIJI
CHUO-KU, TOKYO
JAPAN 104

DR. KOJI HIDAKA
OCEAN RESEARCH INSTITUTE
UNIVERSITY OF TOKYO
NAKANO-KU
TOKYO
JAPAN

OCEANOGRAPHY DIVISION
MARINE DEPARTMENT
JAPAN METEOROLOGICAL AGENCY
1-3-4 Ohte-Machi, CHIYODA-KU
TOKYO, 100
JAPAN

HAWAII

DR. RICHARD A. BARKLEY
CHIEF, ISLAND WAKE INVESTIGATIONS
HONOLULU LABORATORY
SOUTHWEST FISHERIES CENTER
HMFS, NOAA
BOX 3838
HONOLULU, HI 96812

LIBRARY
SOUTHWEST FISHERIES CENTER
HMFS, NOAA
P. O. BOX 3838
HONOLULU, HI 96812

MAINE

DR. MALVERN GILMARTIN, DIRECTOR
CENTER FOR MARINE STUDIES
UNIVERSITY OF MAINE
ORONO, ME 04469

MARYLAND

SECRETARY FOR PUBLICATIONS
CHESAPEAKE BAY INSTITUTE
THE JOHNS HOPKINS UNIVERSITY
BALTIMORE, MD 21218

ACQUISITIONS SECTION, IRDB/D823
LIBRARY AND INFORMATION SERVICES
DIVISION, NOAA
6009 EXECUTIVE BLVD.
ROCKVILLE, MD 20852

DR. GLENN A. FLITNER, CHIEF
OCEANIC SERVICES DIVISION (W16)
OFFICE OF METEOROLOGY AND
OCEANOGRAPHY
NATIONAL WEATHER SERVICE
8060 13TH STREET - ROOM 1213
SILVER SPRING, MD 20910

MASSACHUSETTS

DR. JOHN M. EDMOND
DEPARTMENT OF EARTH AND PLANETARY
SCIENCES
BLDG. 54, ROOM 1326
MASS. INSTITUTE OF TECHNOLOGY
CAMBRIDGE, MA 02139

PROF. HENRY M. STOMMEL
RM. 54-1416
DEPARTMENT OF METEOROLOGY
MASSACHUSETTS INSTITUTE OF
TECHNOLOGY
CAMBRIDGE, MA 02139

DR. BRUCE A. WARREN
WOODS HOLE OCEANOGRAPHIC
INSTITUTION
WOODS HOLE, MA 02543

MR. L. V. WORTHINGTON
WOODS HOLE OCEANOGRAPHIC
INSTITUTION
WOODS HOLE, MA 02543

NEW JERSEY

PRINCETON GEOLOGY LIBRARY
ATTN MR. DAVID STAGER
DEPARTMENT OF GEOLOGICAL AND
GEOPHYSICAL SCIENCES
GUYOT HALL
PRINCETON UNIVERSITY
PRINCETON, NJ 08540

NEW YORK

PROF. GERHARD HEUMANN
DEPT. OF METEOROLOGY AND
OCEANOGRAPHY
NEW YORK UNIVERSITY
BRONX
NEW YORK, NY 10453

DR. ARNOLD L. GORDON
LAMONT-DOHERTY GEOPHYSICAL
OBSERVATORY OF COLUMBIA UNIVERSITY
PALISADES, NY 10964

OREGON

PATTULLO STUDY
SCHOOL OF OCEANOGRAPHY
OREGON STATE UNIVERSITY
CORVALLIS, OR 97331

DR. R. PYTKOWICZ
SCHOOL OF OCEANOGRAPHY
OREGON STATE UNIVERSITY
CORVALLIS, OR 97331

PACIFIC MARINE FISH. COMMISSION
528 S.W. MILL
PORTLAND, OR 97201

RHODE ISLAND

PELL MARINE SCIENCE LIBRARY
UNIVERSITY OF RHODE ISLAND
NARRAGANSETT BAY CAMPUS
NARRAGANSETT, RI 02882

TEXAS

MR. JOHN D. COCHRANE
DEPARTMENT OF OCEANOGRAPHY
TEXAS A AND M UNIVERSITY
COLLEGE STATION, TX 77843

DR. WORTH D. HOWLIN, JR.
CHAIRMAN, DEPARTMENT OF
OCEANOGRAPHY
TEXAS A AND M UNIVERSITY
COLLEGE STATION, TX 77843

DR. SAYED EL-SAYED
DEPARTMENT OF OCEANOGRAPHY
TEXAS A AND M UNIVERSITY
COLLEGE STATION, TX 77843

WORKING COLLECTION
DEPARTMENT OF OCEANOGRAPHY
TEXAS A AND M UNIVERSITY
COLLEGE STATION, TX 77843

VIRGINIA

PROFESSOR RONALD E. JOHNSON
INSTITUTE OF OCEANOGRAPHY
OLD DOMINION UNIVERSITY
NORFOLK, VA 23508

WASHINGTON

DR. LAURENCE K. COACHMAN
DEPARTMENT OF OCEANOGRAPHY WB-10
UNIVERSITY OF WASHINGTON
SEATTLE, WA 98195

LIBRARY
FISHERIES-OCEANOGRAPHY WB-30
151 OCEANOGRAPHY TEACHING BLDG.
UNIVERSITY OF WASHINGTON
SEATTLE, WA 98195

PROF. GUNNAR I. RODEN
DEPARTMENT OF OCEANOGRAPHY WB-10
UNIVERSITY OF WASHINGTON
SEATTLE, WA 98195

DR. BRUCE A. TAFT
DEPARTMENT OF OCEANOGRAPHY WB-10
UNIVERSITY OF WASHINGTON
SEATTLE, WA 98195

WASHINGTON, D. C.

BRITISH NAVY STAFF
BRITISH EMBASSY
3100 MASSACHUSETTS AVENUE, N.W.
ATTN SCIENTIFIC INFORMATION OFFICER
WASHINGTON, DC 20008

COMMANDING OFFICER
U. S. COAST GUARD OCEANOGRAPHIC UNIT
BLDG. 159-E, NAVY YARD ANNEX
WASHINGTON, DC 20390

COMMANDER (2)
U. S. NAVAL OCEANOGRAPHIC OFFICE
LIBRARY CODE 3330
WASHINGTON, DC 20373

DIRECTOR (3)
NATIONAL OCEANOGRAPHIC DATA CENTER
NOAA
WASHINGTON, DC 20235

DIRECTOR (6)
WORLD DATA CENTER A
NOAA
WASHINGTON, DC 20235

DR. ROBERT H. GIBBS, JR.
DIVISION OF FISHERIES
U. S. NATIONAL MUSEUM
WASHINGTON, DC 20560

MR. ROBERT SCHONING, DIRECTOR
NATIONAL MARINE FISHERIES SERVICE
NOAA
WASHINGTON, DC 20235

DR. DAITARO SHOJI, DIRECTOR
HYDROGRAPHIC DEPARTMENT
MARITIME SAFETY AGENCY
5-CHOME, TSUKIJI, CHUO-KU
TOKYO, 104
JAPAN

KOREA

LIBRARY
FISHERIES RESEARCH AND DEVELOPMENT
AGENCY
16-2KA, NAMHANG DONG
YOUNGDO-KU BUSAN 606
KOREA

MEXICO

BIBLIOTECA
CENTRO DE INVESTIGACION CIENTIFICA Y
EDUCACION SUPERIOR DE ENSENADA
APARTADO POSTAL 2732
ENSENADA, BAJA CALIFORNIA
MEXICO

BIBLIOTECA
INSTITUTO NACIONAL DE PESCA
CENTRO DE INVESTIGACION PESQUERA
APARTADO POSTAL 1306
ENSENADA, BAJA CALIFORNIA
MEXICO

BIBLIOTECA
UNIDAD DE CIENCIAS MARINAS
UNIVERSIDAD AUTONOMA DE BAJA
CALIFORNIA
APARTADO DE CORREOS 453
ENSENADA, BAJA CALIFORNIA
MEXICO

BIBLIOTECA
CENTRO DE PROMOCION PESQUERA
APARTADO POSTAL 396
MAZATLAN, SINALOA
MEXICO

DIRECTOR
ESTACION DE INVESTIGACION PESQUERA
APARTADO POSTAL 396
MAZATLAN, SINALOA
MEXICO

ESTACION DE INVESTIGACION PESQUERA
SECCION DE HIDROLOGIA
APARTADO POSTAL 396
MAZATLAN, SINALOA
MEXICO

AMERICAN EMBASSY (4)
REGIONAL FISHERY ATTACHE
APARTADO POSTAL 83-815
MEXICO 1, D. F.
MEXICO

BIBLIOTECA
DEPARTAMENTO DE PESCA
ALVARO OREGON 269
MEXICO 7, D. F.
MEXICO

BIBLIOTECA
UNIVERSIDAD NACIONAL AUTONOMA DE
MEXICO
APARTADO POSTAL 70-223
MEXICO 20, D. F.
MEXICO

DIRECTOR
INST. DE GEOFISICA
TORRE DE CIENCIAS, 3ER PISO
UNIVERSIDAD NACIONAL AUTONOMA DE
MEXICO
VILLA OBREGON, D. F.
MEXICO

NEW ZEALAND

MR. J. W. BRODIE, DIRECTOR
NEW ZEALAND OCEANOGRAPHIC INSTITUTE
P. O. BOX 8009
WELLINGTON
NEW ZEALAND

PERU

BIBLIOTECA, INSTITUTO DEL MAR
APARTADO POSTAL 22
CALLAO
PERU

UNITED KINGDOM

THE BRITISH LIBRARY
SCIENCE REFERENCE LIBRARY
BAYSWATER BRANCH
10 PORCHESTER GARDENS, QUEENSWAY,
LONDON, W2 4DE, ENGLAND
UNITED KINGDOM

LIBRARY
SUBSCRIPTION DEPARTMENT
NEW SOUTH WALES GOVERNMENT OFFICES
66 STRAND
LONDON, WC2N 5LZ, ENGLAND
UNITED KINGDOM

LIBRARY
FISHERIES LABORATORY
MINISTRY OF AGRICULTURE, FISHERIES
AND FOOD
LOWESTOFT, SUFFOLK
NR33 0HT, ENGLAND
UNITED KINGDOM

MR. ARTHUR J. LEE, D.S.C.
FISHERIES LABORATORY
MINISTRY OF AGRICULTURE,
FISHERIES AND FOOD
LOWESTOFT, SUFFOLK
NR33 0HT, ENGLAND
UNITED KINGDOM

LIBRARY
INST. OF OCEANOGRAPHIC SCIENCE
WORMLEY, NEAR GODALMING
SURREY, ENGLAND
UNITED KINGDOM

DR. JOHN C. SWALLOW, F.R.S.
INSTITUTE OF OCEANOGRAPHIC SCIENCE
WORMLEY, GODALMING
SURREY GUB 5UB, ENGLAND
UNITED KINGDOM

LIBRARY
DEPARTMENT OF AGRICULTURE AND
FISHERIES FOR SCOTLAND
MARINE LABORATORY
P. O. BOX 101, VICTORIA ROAD
TORRY, ABERDEEN AB9 8DB, SCOTLAND
UNITED KINGDOM

UNITED STATES

ALASKA

DIRECTOR
INSTITUTE OF MARINE SCIENCE
UNIVERSITY OF ALASKA
COLLEGE, AK 99701

CALIFORNIA

PROFESSOR JAMES A. GAST
DEPARTMENT OF OCEANOGRAPHY
HUMBOLDT STATE UNIVERSITY
ARCATA, CA 95521

LOCKHEED CENTER FOR MARINE RESEARCH
ATTN C LESTER
6350 YARROW DRIVE, SUITE A
CARLSBAD, CA 92008

DIRECTOR
PACIFIC MARINE STATION
DILLON BEACH, CA 94929

INTERSEA RESEARCH CORPORATION
P. O. BOX 2389
LA JOLLA, CA 92037

MARINE TECHNICAL INFORMATION CENTER
DEPARTMENT OF FISH AND GAME
350 GOLDEN SHORE
LONG BEACH, CA 90802

DR. DONN S. GORSLINE
DEPARTMENT OF GEOLOGY
UNIVERSITY OF SOUTHERN CALIFORNIA
LOS ANGELES, CA 90007

HANCOCK LIBRARY OF BIOLOGY AND
OCEANOGRAPHY
UNIVERSITY OF SOUTHERN CALIFORNIA
LOS ANGELES, CA 90007

NAVAL ENVIRONMENTAL PREDICTION
RESEARCH FACILITY
MONTEREY, CA 93940

PROFESSOR DALE F. LEIPPER, CHAIRMAN
DEPARTMENT OF OCEANOGRAPHY
U.S. NAVAL POSTGRADUATE SCHOOL
MONTEREY, CA 93940

PROF. ROBERT G. PAQUETTE
DEPARTMENT OF OCEANOGRAPHY
U.S. NAVAL POSTGRADUATE SCHOOL
MONTEREY, CA 93940

MR. GUNTER R. SECKEL, DIRECTOR
PACIFIC ENVIRONMENTAL GROUP
NMFS, NOAA
C/O FLEET NUMERICAL WEATHER CENTRAL
MONTEREY, CA 93940

COMMANDING OFFICER (CODE 40) (2)
FLEET NUMERICAL WEATHER CENTRAL
MONTEREY, CA 93940

LIBRARY
GEOLOGY-OCEANOGRAPHY DEPARTMENT
CALIFORNIA STATE UNIVERSITY
NORTHridge, CA 91324

OFFICER IN CHARGE (CODE L31)
CIVIL ENGINEERING LABORATORY
NAVAL CONSTRUCTION BATTALION CENTER
PORT HUENEME, CA 93043

PHILLIP SEELINGER
CODE 3144, BLDG. 514
PACIFIC MISSILE TEST CENTER
POINT MUGU, CA 93042

MR JOHN RADOVICH, HEAD
OPERATIONS RESEARCH BRANCH
DEPARTMENT OF FISH AND GAME
1416 NINTH STREET
SACRAMENTO, CA 95814

MR WILLIAM E. BATZLER
CODE 0101
DEPARTMENT OF THE NAVY
NAVAL OCEAN SYSTEMS CENTER
SAN DIEGO, CA 92152

COMMANDER
NAVAL OCEAN SYSTEMS CENTER
ATTN TECHNICAL LIBRARY
CODE 6565
SAN DIEGO, CA 92152

MR. DAVID FARRIS
DEPARTMENT OF BIOLOGY
SAN DIEGO STATE UNIVERSITY
SAN DIEGO, CA 92182

LIBRARY
DEPARTMENT OF THE NAVY
NAVAL OCEAN SYSTEMS CENTER
SAN DIEGO, CA 92152

LIBRARY
LOCKHEED OCEAN LABORATORY
ATTN MR. TOM LAVORN
3380 N. HARBOR DRIVE
SAN DIEGO, CA 92101

LIBRARY
SAN DIEGO SOCIETY OF NATURAL HISTORY
P. O. BOX 1390
SAN DIEGO, CA 92182

PACIFIC SUPPORT GROUP
U. S. NAVAL OCEANOGRAPHIC OFFICE
SAN DIEGO, CA 92152

LIBRARY
CALIFORNIA ACADEMY OF SCIENCES
GOLDEN GATE PARK
SAN FRANCISCO, CA 94118

DIRECTOR
CENTER FOR COASTAL MARINE STUDIES
UNIVERSITY OF CALIFORNIA
SANTA CRUZ, CA 95064

NMFS, NOAA
TIBURON LABORATORY
3150 PARADISE DRIVE
TIBURON, CA 94920

COLORADO

DR. KEITH B. MACDONALD
SCIENCE APPLICATIONS, INC.
2760 29TH STREET
BOULDER, CO 80301

CONNECTICUT

PROF. GEORGE VERONIS
DEPARTMENT OF GEOLOGY AND
GEOPHYSICS
YALE UNIVERSITY
P.O. BOX 2161, YALE STATION
NEW HAVEN, CT 06520

FLORIDA

R.S.M.A.S. LIBRARY
UNIVERSITY OF MIAMI
4600 RICKENBACKER CAUSEWAY
MIAMI, FL 33149

LIBRARY
SOUTHWEST FISHERIES CENTER
NMFS, NOAA
75 VIRGINIA BEACH DRIVE
MIAMI, FL 33149