

UNIVERSITY OF CALIFORNIA SCRIPPS INSTITUTION OF OCEANOGRAPHY

data report

PHYSICAL AND CHEMICAL DATA

CalCOFI Cruise 7201
3 - 26 January 1972

and

CalCOFI Cruise 7202
1 - 27 February 1972

SIO Reference 80-21
15 October 1980

UNIVERSITY OF CALIFORNIA
SCRIPPS INSTITUTION OF OCEANOGRAPHY

PHYSICAL AND CHEMICAL DATA

CalCOFI Cruise 7201
3 - 26 January 1972

and

CalCOFI Cruise 7202
1 - 27 February 1972

Sponsored by
Marine Research Committee

SIO Reference 80-21
15 October 1980

Approved for distribution:

W. A. Nierenberg
W. A. Nierenberg, Director

CONTENTS

Introduction	3
Literature Cited	7
Cruise 7201	
List of Figures	10
Personnel	20
Tabulated Data	21
Cruise 7202	
List of Figures	88
Personnel	98
Tabulated Data	99
Distribution List	191

INTRODUCTION

The data in this report was collected during Cruises 7201* and 7202 of the California Cooperative Oceanic Fisheries Investigations (CalCOFI) program aboard the RV David Starr Jordan of the National Marine Fisheries Service, the RV Alexander Agassiz of the Scripps Institution of Oceanography and the RV Alaska of the California Department of Fish and Game. The RV Alejandro de Humboldt of the Instituto Nacional de Pesca of the Mexican Federal Government occupied the same southern CalCOFI lines as the Jordan during February but no data was included in this report. The report preceding this one in the series was SIO Ref. 79-30 which included data for 1970 and 1971.

This data was collected and processed mainly by personnel of the Data Collection and Processing Group (DCPG, MLR)**, Scripps Institution of Oceanography. The cruises were also used as a technical training program for personnel of the Sea Grant and the GEOSECS departments.

STANDARD PROCEDURES

Hydrographic Cast Data

The hydrographic casts consisted of 12 to 18 Nansen bottles with the maximum sampling depth at most stations 1200 meters, bottom depth permitting. Temperature, salinity, oxygen and nutrients were determined for all depths on most stations. The Alaska was equipped with only 2 Nansen bottles for calibration of the STD.

On STD lowerings where hydrographic casts were not made, a Nansen bottle was usually placed on the wire a few meters above the STD and another bottle was lowered to a depth of approximately 10 meters. Temperature, salinity and nutrients were determined for most of the 10 meter samples from the Jordan and the Agassiz.

In general, paired protected reversing thermometers were used to determine temperatures which were recorded to hundredths of a Celsius degree. Surface temperatures from "bucket" thermometers and temperatures determined using unprotected (pressure) thermometers were recorded to tenths of a degree. Sample bottles used below 100 meters were equipped with unprotected thermometers for depth determination.

* The first two digits represent the year and the second digits the month of the cruise. The CalCOFI station designations have been in use for over twenty years. The first part specifies a line normal to the general trend of the coast line (CalCOFI line). The second part specifies a station position relative to the coast on the CalCOFI line.

** Now the Physical and Chemical Oceanographic Data Facility (PACODF).

The salinity samples from the 10 meter bottles on the Alaska were determined by an Australian Auto Lab inductive salinometer after the completion of the cruise. Salinity samples for both cruises on the Jordan were determined mainly by a Bissett Berman (now Grundy Environmental Systems, Inc.) inductive salinometer although a few stations were determined using an Auto Lab salinometer.

Problems were encountered with salinity determination on both cruises of the Agassiz, caused partly by incorrect handling of the samples and partly by difficulty in operation of the salinometers used. The salinity values on several stations were tabulated only to hundredths because of high drift occurring on the inductive salinometers and poor standardization on the University of Washington conductive bridge.

The salinity values were recorded and are reported to three decimal places, provided accepted standards were met. If only one determination per sample was obtained, or there was doubt concerning the accuracy of the analytical results, the salinities are reported to two decimal places. All STD salinities are tabulated to hundredths.

Dissolved oxygen was determined by the Winkler method as modified by Carpenter (1965), using the equipment and procedure outlined by Anderson (1971).

Phosphate, silicate, nitrite, and nitrate were determined using a standard Beckman Model DU spectrophotometer. Reactive phosphate was done using the method of Murphy and Riley (1962), with the specific procedure outlined by Anderson (1971), reactive silicate by the method of Strickland and Parsons (1968), nitrate by the method of Wood et al. (1967), and nitrite by the method of Bendschneider and Robinson (1952). The specific procedures used for silicate, nitrate and nitrite are outlined in Marine Technician handbooks in preparation.

Phytoplankton pigment and production data resulting from these cruises has been reported earlier by Owen (1974).

The observed data has been evaluated using the method described by Klein (1973). This involves consideration of their variation as functions of density or depth and their relations to each other, and comparisons with adjacent observations.

In situ Salinity/Temperature/Depth Recorder (STD) Data

A Bissett Berman Model 9006 STD was used for lowerings by both the Jordan and the Agassiz on both cruises. The Agassiz also used a Bissett

Berman Model 9040 CSTD for a few lowerings during repair of the other model. A self-contained Bissett Berman Model 9060 STD was used on the Alaska which was not equipped to use the larger system.

The STD temperature data agreed closely with the calibration samples for the cruises of the Jordan and Agassiz. Corrections to the salinity data for both ships were necessary with the largest correction being -0.14‰ at 1000 meters on the 7201 Agassiz cruise. Data from the self-contained STD used on the Alaska was digitized from the graphic recordings. The styli failed to raise at the end of the recordings so that double traces were made causing difficulty in digitizing and decreasing greatly the accuracy of the data. No correction was applied to the temperature digitized to the nearest 0.05°C but an off-set correction of -0.25‰ was applied to the salinity data digitized to the nearest 0.01‰ .

TABULATED DATA

The time reported is Greenwich Mean Time. For STD lowerings it is the "start down" time and for bottle casts it is the time of messenger release. When more than one cast was lowered on a station, the messenger times for the first and last casts are given. Multiple casts, excluding the surface cast, are indicated by a footnote letter following the observed depth.

Bottom depths, determined acoustically, have been corrected using Matthews (1939) tables and are reported in meters. The weather and dominant waves are coded using the National Oceanographic Data Center (NODC) method.

Data for all cruises presented in this report was obtained by bottle casts and by the STD, and appear in two forms:

- 1) Data from the sample bottles appears with the observed levels of depth on the left of a page. Temperature, salinity and oxygen are interpolated from the observations at standard levels of depth on the right of the page. Computed values of thermobaric anomaly (DT) are included with the observed levels and computed values of sigma-t (SIGT), thermobaric anomaly (DT) and geopotential anomaly (DD) are included with the interpolated levels.

- 2) Data at standard levels of depth from the STD lowerings appears on the right of a page with computed values of sigma-t, thermobaric anomaly and geopotential anomaly included.

The same parameters have been tabulated in this report as in previous reports. The decimal has been omitted from the CalCOFI station number so station 90.65 appears in the tabulated data as 90065. The column headings are to be interpreted as follows:

Z	Depth	Meters
T	Temperature	°C
S	Salinity	‰
O2	Dissolved oxygen	ml/L
PO4	"Reactive" inorganic phosphate-phosphorous	µg at/L
SiO3	"Reactive" inorganic silicate-silicon	µg at/L
NO2	"Reactive" nitrite-nitrogen	µg at/L
NO3	"Reactive" nitrate-nitrogen	µg at/L
DT	δ_T = Thermosteric anomaly	cl/ton
SIGT	$\sigma_t = (\rho_{s,t,0} - 1)10^3$ where $\rho_{s,t,0}$ is the density the parcel would have if moved isothermally to the sea surface.	g/L
DD	Geopotential anomaly, referred to the sea surface.	dyn. meters

FOOTNOTES

In addition to footnotes, special notations are used without footnotes because the meaning is always the same.

- P: After depth value indicates the Nansen bottles posttripped.
- U: Uncertain value. Values which are not used in interpolation because they seem to be in error without apparent reason.

LITERATURE CITED

- Anderson, G. C., compiler, 1971. "Oxygen Analysis", Marine Technician's Handbook, SIO Ref. No. 71-8, Sea Grant Pub. No. 9.
- Anderson, G. C., compiler, 1971. "Phosphate Analysis", Marine Technician's Handbook, SIO Ref. No. 71-10, Sea Grant Pub. No. 11.
- AutoLab Ind. Pty. Ltd., Sydney, 1960. Inductively Coupled Salinometer MK 111, Model 601, Operating Inst. and Ills. Parts List.
- Bendschneider, K., and R. J. Robinson, 1952. A new spectrophotometric method for the determination of nitrite in sea water. *J. Mar. Res.*, 11: 87-96.
- Bissett Berman Corporation, 1965. Instruction Manual, *In situ* Salinity/Temperature/Depth Monitoring and Recording System, Model 9006.
- Bissett Berman Corporation, 1967. Operation and Maintenance Manual, Laboratory Salinometer Model 6220.
- Bissett Berman Corporation, 1968. Instruction Manual, Self-contained Salinity/Temperature/Depth Recording System, Model 9060.
- Bissett Berman Corporation, 1970. Instruction Manual, Laboratory Salinometer Model 6230N.
- Carpenter, J. H., 1965. The Chesapeake Bay Institute technique for Winkler dissolved oxygen method. *Limnol. and Oceanogr.*, 10: 141-143.
- Holm-Hansen, O., C. J. Lorenzen, R. W. Holmes, and J. D. H. Strickland, 1965. Fluorometric determination of chlorophyll. *J. Cons. perm. int. Explor. Mer*, 30: 3-15.

Klein, Hans T., 1973. A new technique for processing physical oceanographic data. SIO Ref. No. 73-14.

Matthews, D. J., 1939. Tables of the velocity of sound in pure water and seawater for use in echo-sounding and sound-ranging. Second Edition. Hydrographic Department, Admiralty, H. D. 282, 52 pp.

Murphy, J., and J. P. Riley, 1962. A modified single solution method for the determination of phosphate in natural waters. *Anal. Chem. Acta*, 27: 31.

Owen, R. W. Jr., and C. K. Sanchez, 1974. Phytoplankton Pigment and Production Measurements in the California Current Region, 1969-72. U. S. Dept. of Commerce, Nov. 1974. Data Rep. 91.


Plessey Environmental Systems, 1974. Instruction Manual, *In situ* Salinity/Temperature/Depth Monitoring and Recording System, Model 9040.

Strickland, J. D. H., and T. R. Parsons, 1968. A practical handbook of seawater analysis. *Fish. Res. Bd. Can., Bull.*, 167: 311 pp.

Sverdrup, H. U., M. W. Johnson, and R. H. Fleming, 1942. *The Oceans: their Physics, Chemistry, and General Biology*. Prentice-Hall, New Jersey, 1087 pp.

add University of Washington, 1960. Department of Oceanography Technical Report No. 66, U. W. Ref. 60-18.

Wood, E. D., F. A. J. Armstrong, and F. A. Richards, 1967. Determination of nitrate in sea water by cadmium-copper reduction to nitrite. *J. Mar. Biol. Assn. U. K.*, 47: 23-31.



cm/sec	0	1	2	3	4	5	6	7	8	9
0	<i>KNOTS</i> 0.02 <i>NM/DAY</i>	0.04	0.06	0.08	0.10	0.12	0.14	0.16	0.17	
10	0.19	0.21	0.23	0.25	0.27	0.29	0.31	0.33	0.35	0.37
20	0.39	0.41	0.43	0.45	0.47	0.49	0.51	0.52	0.54	0.56
30	0.58	0.60	0.62	0.64	0.66	0.68	0.70	0.72	0.74	0.76
40	0.78	0.80	0.82	0.84	0.85	0.87	0.89	0.91	0.93	0.95
50	0.97	0.99	1.01	1.03	1.05	1.07	1.09	1.11	1.13	1.15
60	1.17	1.18	1.20	1.22	1.24	1.26	1.28	1.30	1.32	1.34
70	1.36	1.38	1.40	1.42	1.44	1.46	1.48	1.50	1.52	1.53
80	1.55	1.57	1.59	1.61	1.63	1.65	1.67	1.69	1.71	1.73
90	1.75	1.77	1.79	1.81	1.83	1.85	1.86	1.88	1.90	1.92
100	1.94	1.96	1.98	2.00	2.02	2.04	2.06	2.08	2.10	2.12

CONVERSION TABLE
(CENTIMETERS / SECOND - KNOTS - NAUTICAL MILES / DAY)

1 cm/sec = 0.019 kts = 0.466 NAUTICAL MILES / DAY
 1 kt = 24 NAUTICAL MILES / DAY = 51.48 cm/sec
 1 NAUTICAL MILE / DAY = 0.042 kts = 2.14 cm/sec

FIGURES

Cruise 7202

1. CalCOFI Cruise 7202, station positions
2. Horizontal distribution of dynamic height anomaly (0 over 500 d-bar)
3. Horizontal distribution of dynamic height anomaly (200 over 500 d-bar)
4. Horizontal distribution of temperature at 10 meters
5. Horizontal distribution of salinity at 10 meters
6. Horizontal distribution of thermosteric anomaly at 10 meters
7. Horizontal distribution of temperature at 200 meters
8. Horizontal distribution of salinity at 200 meters
9. Horizontal distribution of thermosteric anomaly at 200 meters




FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4




FIGURE 5




FIGURE 6




FIGURE 7




FIGURE 8

PERSONNEL

Cruise 7202

SHIP'S CAPTAINS

Davis, Laurence E., RV Alexander Agassiz
Forster, Charles W., RV David Starr Jordan

PERSONNEL PARTICIPATING IN THE COLLECTION OF DATA

RV Alexander Agassiz:

Bryan, Walter R. (in charge)	Marine Technician SIO
Barker, Susan G.	Volunteer
Cooke, Gordon R.	Electronics Technician SIO
Gobat, Dagmar	Analyst GEOSECS
Huffer, Robert P.	Marine Technician SIO
Knutson, Kenneth E.	Electronics Technician SIO
Lam, Ronald K.	Post-Graduate Research Oceanographer SIO
Middlemiss, Heather A.	Engineering Aid SIO
Patla, Susan M.	Marine Technician SIO
Pierce, Stephen E.	Marine Technician SIO
Rowe, Raymond A.	Marine Technician SIO
Schmitt, James A.	Electronics Technician SIO
Sessions, Meredith H.	Development Engineer SIO
Smith, Rex D.	Photographic Technician SIO
Waldorf, Bruce W.	Marine Technician GEOSECS
Witherow, Sharon L.	Secretary SIO

RV David Starr Jordan:

Metoyer, Jack D. (in charge)	Biology Laboratory Technician NMFS
Brown, Jack C.	Electronics Technician NMFS
Castro, Thalia	Biologist, Instituto Nacional de Pesca, Mexico
Garcia, Rafael K.	Student, Escuela Superior Ciencias Marinas, Mexico
Granados, Maria L.	Oceanologist, Instituto Nacional de Pesca, Mexico
LeVeille, Kenneth P.	Analyst GEOSECS
Lizarraga, Marcial L.	Student, Escuela Superior Ciencias Marinas, Mexico
Minteer, Robert Z.	Marine Technician SIO
Nishimoto, Robert N.	Fishery Biologist NMFS
Vrooman, Andrew M.	Fishery Research Biologist NMFS
Wells, James A.	Marine Technician SIO

RV ALEXANDER AGASSIZ

CALCOFI CRUISE 7202

60060

	LATITUDE	LONGITUDE	MO/DAY/YR		MESSENGER	TIME	FOTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
	37 37.0N	123 37.0W	2/27/72		1101	GMT	3239M	190	2KT	4	49				
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD
0	11.42	33.036	7.16	0.21	2.	0.03	0.0	278.3	0	11.42	33.036	7.16	25.195	278.3	0.000
9	10.86	33.089	6.84	0.48	5.	0.08	2.8	264.8	10	10.82	33.096	6.82	25.347	263.8	0.027
29	10.36	33.183	6.53	0.70	8.	0.23	5.9	249.6	20	10.51	33.144	6.64	25.438	255.1	0.053
54	10.07	33.345	6.02	1.02	14.	0.29	10.9	232.9	30	10.34	33.189	6.52	25.502	249.0	0.078
69	10.23	33.575	5.02	1.29	15.	0.04	13.0	218.5	40	10.08	33.310	6.15	25.641	235.8	0.127
84	9.70	33.680	4.51	1.52	21.	0.03	16.7	202.3	75	10.04	33.623	4.82	25.891	212.1	0.183
99	9.45	33.832	3.43	1.79	27.	0.02	21.3	187.1	100	9.44	33.839	3.42	26.160	186.5	0.234
129	9.09	33.924	1.99	1.99	30.	0.01	24.8	174.8	125	9.13	33.923	3.13	26.275	175.6	0.279
154	8.85	33.968	2.40	2.05	32.	0.01	24.1	167.9	150	8.69	33.964	2.85	26.346	168.8	0.323
180	8.57	33.980	2.90	2.01	36.	0.01	28.2	162.8	200	8.34	33.996	2.89	26.455	158.4	0.406
215	8.18	34.009	2.69	2.14	38.	0.01	26.9	155.0	250	7.89	34.056	2.47	26.570	147.5	0.485
280	7.63	34.087	2.04	2.42	49.	0.01	32.6	141.5	300	7.35	34.083	1.95	26.669	138.1	0.559
379	6.30	34.054	1.75	2.68	62.	0.01	35.6	126.7	400	6.15	34.066	1.62	26.817	124.1	0.695
470	5.78	34.124	1.12	2.93	75.	0.00	39.4	115.2	500	5.69	34.144	1.01	26.937	112.7	0.819
611	5.25	34.242	0.58	3.18	89.	0.01	43.5	100.3	600	5.29	34.233	0.61	27.055	101.5	0.933
763	4.64	34.368	0.43	3.26	108.	0.01	45.8	84.2	700	4.88	34.321	0.49	27.173	90.4	1.036
911	4.21	34.424	0.54	3.27	114.	0.01	41.7	75.6	800	4.53	34.386	0.46	27.264	81.7	1.130
1115	3.61	34.482	3.27			0.00	46.1	65.4	1000	3.95	34.453		27.378	70.9	1.299

RV ALEXANDER AGASSIZ

CALCOFI CRUISE 7202

60065

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM		WIND	SPEED	WEATHER	DOMINANT WAVES		
37 25.5N		124 04.0W		2/27/72		1425		6M		3711M	200	7KT	2	250 3 4		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S		02	S10T	DT	DD
									0	11.72	33.00			25.112	286.2	0.000
									10	11.01	33.01			25.248	273.2	0.028
									20	10.65	33.02			25.319	266.4	0.055
									30	10.34	33.09			25.427	256.2	0.081
									50	9.83	33.24			25.629	236.9	0.131
									75	9.73	33.56			25.895	211.6	0.187
									100	8.81	33.69			26.145	187.9	0.237
									125	8.53	33.89			26.344	166.9	0.282
									150	8.30	33.95			26.426	161.1	0.324
									200	7.79	34.04			26.573	147.2	0.403
									250	7.30	34.07			26.667	138.3	0.476
									300	6.95	34.13			26.763	129.2	0.545
									400	6.14	34.18			26.909	115.3	0.672
									500	5.43	34.23			27.037	103.2	0.787
									600	4.92	34.31			27.160	91.6	0.891
									700	4.54	34.35			27.234	84.5	0.986
									800	3.96	34.40			27.336	74.9	1.073
									1000	3.31	34.47			27.456	63.5	1.226

RV ALEXANDER AGASSIZ

CALCOFI CRUISE 7202

60070

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	FOTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
37 16.5N		124 23.0W		2/27/72		1658		GMT	3918M	190	9KT	4	230 3 5		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD
									0	11.64	32.98		25.111	286.2	0.000
									10	11.17	33.00		25.212	276.7	0.028
									20	11.03	33.07		25.291	269.1	0.055
									30	11.06	33.21		25.394	259.3	0.082
									50	10.90	33.35		25.531	246.2	0.133
									75	9.19	33.44		25.890	212.2	0.190
									100	8.89	33.74		26.171	185.4	0.240
									125	8.52	33.83		26.299	173.3	0.286
									150	8.31	33.91		26.394	164.3	0.329
									200	7.57	33.99		26.566	148.0	0.408
									250	6.99	33.99		26.647	140.2	0.482
									300	6.67	34.06		26.745	130.9	0.552
									400	5.85	34.12		26.899	116.3	0.660
									500	5.34	34.22		27.040	102.9	0.795
									600	4.89	34.25		27.116	95.7	0.901
									700	4.41	34.32		27.225	85.4	0.998
									800	4.10	34.37		27.297	78.5	1.087
									1000	3.59	34.46		27.421	66.9	1.248

RV ALEXANDER AGASSIZ								CALCOFI CRUISE 7202							
LATITUDE 37 16.5N		LONGITUDE 124 23.0W		MO/DAY/YR 2/27/72		MESSENGER 1807 GMT		TIME	BOTTOM 3918M	WIND 190	SPEED 9KT	WEATHER 4	DOMINANT WAVES 230 3 5		
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD
0	11.43	32.97	6.58	0.37	3.	0.01	1.2	263.3	0	11.43	32.97	6.58	25.142	283.3	0.000
10	11.21	32.96	6.61	0.36	4.	0.01	1.6	280.3	10	11.21	32.96	6.61	25.173	280.3	0.028
30	11.06	33.20	6.51	0.48	5.	0.02	3.8	260.0	20	11.11	33.07	6.58	25.273	270.9	0.056
50	10.81	33.34	6.14	0.69	8.	0.25	6.0	245.5	30	11.06	33.20	6.51	25.386	260.0	0.082
70	10.56	33.46	5.66	0.90	10.	0.02	9.0	232.4	50	10.87	33.32	6.25	25.510	248.3	0.133
85	9.21	33.43	4.81	1.24	15.	0.00	14.5	213.2	75	10.11	33.45	5.39	25.742	226.2	0.193
100	9.01	33.60	4.08	1.48	22.	0.00	17.7	197.6	100	9.01	33.60	4.08	26.043	197.6	0.246
130	8.54	33.83	3.65	1.74	28.	0.00	21.8	173.5	125	8.61	33.80	3.72	26.263	176.7	0.294
155	8.32	33.91	3.58	1.85	32.	0.00	23.1	164.4	150	8.36	33.90	3.59	26.377	165.8	0.337
181	7.93	33.96	3.41	1.85	35.	0.00	25.0	155.2	200	7.65	33.98	3.27	26.546	149.8	0.418
216	7.42	33.99	3.12	2.00	42.	0.00	24.6	145.9	250	7.02	34.02	2.56	26.664	138.6	0.491
281	6.72	34.04	2.02	2.45	54.	0.00	33.4	133.0	300	6.57	34.05	1.83	26.751	130.3	0.561
382	5.06	34.10	1.28	2.79	69.	0.00	36.0	120.3	400	5.96	34.12	1.15	26.884	117.7	0.689
482	5.51	34.20	0.66	3.03	83.	0.00	39.8	106.4	500	5.41	34.21	0.64	27.023	104.6	0.806
618	4.79	34.25	0.48	3.09	100.	0.00		94.7	600	4.88	34.25	0.50	27.114	96.0	0.913
771	4.24	34.343	0.37	3.21	117.	0.00		82.0	700	4.47	34.30	0.40	27.201	87.7	1.011
918	3.85	34.429	0.54	3.24	120.	0.00	41.1	71.7	800	4.16	34.36	0.40	27.285	79.7	1.102
1122	3.36	34.489	0.54	3.20		0.00	44.7	62.5	1000	3.65	34.46	0.54	27.416	67.3	1.265

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7202									
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
37 23.5N		122 28.0W		2/26/72		2213 GMT			26M	010	15KT	1	290 2 4		
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD
									0	12.06	33.19		25.195	278.2	0.000
									10	11.62	33.32		25.378	260.8	0.027
									20	11.32	33.43		25.518	247.5	0.052

RV ALEXANDER AGASSIZ						CALCOFT CRUISE 7202									
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
37 19.0N		122 36.5W		2/26/72		2012		GMT	86M	090	8KT	4	240 3 7		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD
									0	11.78	33.19		25.248	273.2	0.000
									10	11.36	33.25		25.371	261.5	0.027
									20	11.23	33.26		25.402	258.5	0.053
									30	11.13	33.28		25.436	255.3	0.079
									50	10.89	33.41		25.580	241.6	0.128

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7202									
LATITUDE 37 13.0N		LONGITUDE 122 50.0W		MO/DAY/YR 2/26/72		MESSENGER 1810 GMT		TIME	BOTTOM 268M	WIND 040	SPEED 2KT	WEATHER 4	DOMINANT WAVES 230 2 5		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD
									0	12.11	33.45		25.387	260.0	0.000
									10	11.81	33.50		25.482	250.9	0.026
									20	11.49	33.52		25.557	243.8	0.050
									30	11.29	33.52		25.593	240.3	0.075
									50	11.16	33.54		25.632	236.6	0.122
									75	10.22	33.68		25.906	210.6	0.179
									100	9.76	33.70		25.999	201.7	0.231
									125	9.04	33.76		26.157	186.6	0.280
									150	8.43	33.90		26.368	166.7	0.325
									200	7.90	33.97		26.502	154.0	0.406
									250	7.01	34.03		26.676	137.5	0.481

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7202										
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM		WIND		SPEED	WEATHER	DOMINANT WAVES		
37 02.5N		123 11.0W		2/26/72		1359 GMT		2129M		300		6KT	2	310 4 6		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD	
									0	11.69	33.05		25.156	282.0	0.000	
									10	11.66	33.06		25.169	280.7	0.028	
									20	11.31	33.28		25.404	258.4	0.055	
									30	11.28	33.47		25.556	243.9	0.080	
									50	11.21	33.54		25.623	237.5	0.129	
									75	10.13	33.64		25.890	212.1	0.185	
									100	9.40	33.87		26.191	183.5	0.235	
									125	8.82	33.97		26.362	167.3	0.279	
									150	8.66	34.00		26.410	162.7	0.321	
									200	8.06	34.09		26.572	147.3	0.400	
									250	7.49	34.15		26.703	134.9	0.473	
									300	7.13	34.17		26.769	128.6	0.541	
									400	6.10	34.19		26.922	114.1	0.667	
									500	5.78	34.29		27.042	102.8	0.782	
									600	5.29	34.33		27.133	94.1	0.887	
									700	4.92	34.37		27.207	87.1	0.985	
									800	4.48	34.42		27.296	78.6	1.076	
									1000	3.91	34.46		27.404	68.4	1.240	

RV ALEXANDER AGASSIZ

CALCOFI CRUISE 7202

63060

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME		BOTTOM		WIND		SPEED		WEATHER		DOMINANT WAVES	
37 02.5N		123 11.0W		2/26/72		1505		GMT		2129M		300		FKT		2		310 4 6	
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SI0T	DT	DD				
1	11.65	33.054	6.50	0.55	4.	0.05	1.1	281.0	0	11.65	33.054	6.50	25.166	281.0	0.000				
11	11.66	33.051	6.67	0.72	4.	0.04	1.0	281.4	10	11.66	33.054	6.66	25.163	281.3	0.028				
31	11.29	33.448	6.36	0.92	8.	0.37	5.0	245.7	20	11.31	33.217	6.58	25.317	266.7	0.056				
56	11.19	33.522	6.01	0.83	10.	0.67	6.9	238.5	30	11.31	33.427	6.39	25.516	247.7	0.081				
71	11.07	33.537	5.81	1.01	11.	0.50	8.1	235.3	40	11.20	33.503	6.09	25.595	240.2	0.130				
86	10.09	33.585	4.66	1.41	17.	0.03	14.1	215.5	75	10.30	33.572	5.55	25.808	219.9	0.188				
101	9.55	33.774	3.56	1.91	24.	0.01	20.2	193.0	100	9.59	33.761	3.62	26.074	194.6	0.240				
131	9.00	33.908	3.01	2.24	30.	0.00	22.7	174.6	125	9.08	33.896	3.12	26.464	176.6	0.287				
156	8.61	33.971	2.93	2.05	33.	0.01	23.8	164.1	150	8.70	33.959	2.95	26.371	166.4	0.331				
181	8.22	34.037	2.43	2.33	39.	0.01	27.8	153.5	200	8.03	34.061	2.26	26.553	149.1	0.411				
216	7.90	34.071	2.17	2.50	43.	0.00	26.3	146.5	250	7.58	34.105	1.84	26.654	139.6	0.485				
281	7.28	34.131	1.53	2.69	53.	0.00	31.6	133.5	300	7.07	34.142	1.39	26.754	130.1	0.555				
382	6.30	34.179	0.93	3.04	69.	0.00	37.8	117.4	400	6.21	34.192	0.85	26.909	115.4	0.683				
482	5.89	34.244	0.56	3.25	79.	0.00	38.4	107.5	500	5.60	34.255	0.55	27.011	105.7	0.799				
617	5.19	34.317	0.45	3.39	94.	0.00	40.7	94.0	600	5.28	34.309	0.46	27.117	95.7	0.907				
771	4.51	34.399	0.46	3.41	109.	0.01	43.3	80.5	700	4.80	34.364	0.46	27.216	86.3	1.005				
918	4.04	34.442	0.53	3.40	121.	0.00		72.5	800	4.41	34.410	0.47	27.296	78.7	1.095				
1121	3.57	34.483	0.72	3.32	130.	0.00	41.6	64.9	1000	3.83	34.462	0.59	27.398	69.0	1.259				

RV ALEXANDER AGASSIZ

CALCOFI CRUISE 7202

63065

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
36 52.5N		123 32.0W		2/26/72		1105 GMT			3325M	090	2KT		49		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SI0T	DT	DD
									0	11.84	33.30		25.322	266.2	0.000
									10	11.70	33.37		25.402	258.6	0.026
									20	11.30	33.41		25.506	248.6	0.052
									30	11.21	33.44		25.546	244.9	0.076
									50	10.25	33.51		25.769	223.6	0.123
									75	9.45	33.56		25.941	207.3	0.178
									100	9.14	33.79		26.171	185.5	0.227
									125	9.01	33.90		26.277	175.3	0.273
									150	8.37	33.94		26.408	162.9	0.316
									200	8.29	34.06		26.514	152.8	0.396
									250	7.77	34.11		26.631	141.8	0.472
									300	7.00	34.17		26.787	126.9	0.541
									400	6.38	34.21		26.902	116.0	0.668
									500	5.95	34.26		26.997	107.0	0.785
									600	5.35	34.31		27.110	96.3	0.894
									700	4.89	34.37		27.211	86.7	0.993
									800	4.47	34.42		27.297	78.5	1.083
									1000	3.82	34.48		27.413	67.5	1.246

RV ALEXANDER AGASSIZ

CALCOFI CRUISE 7202

63070

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME		BOTTOM		WIND		SPEED		WEATHER		DOMINANT WAVES	
36 41.5N		123 56.0W		2/26/72		0739 GMT				3870M		200		6KT				49	
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SI0T	DT	DD				
									0	12.09	32.84		24.919	304.5	0.000				
									10	11.74	32.83		24.976	299.1	0.030				
									20	11.46	32.83		25.028	294.2	0.060				
									30	10.76	32.86		25.176	280.1	0.089				
									50	10.75	33.09		25.356	262.9	0.143				
									75	10.20	33.15		25.497	249.5	0.207				
									100	9.56	33.40		25.799	220.8	0.267				
									125	9.25	33.70		26.083	193.8	0.319				
									150	8.57	33.86		26.315	171.8	0.365				
									200	7.92	33.99		26.515	152.8	0.448				
									250	7.22	34.02		26.639	141.0	0.523				
									300	6.64	34.05		26.742	131.2	0.593				
									400	5.82	34.13		26.910	115.2	0.721				
									500	5.40	34.24		27.048	102.1	0.836				
									600	5.06	34.34		27.168	90.8	0.939				
									700	4.70	34.39		27.248	83.2	1.033				
									800	4.37	34.43		27.316	76.7	1.120				
									1000	3.79	34.49		27.424	66.5	1.280				

RV ALEXANDER AGASSIZ

CALCOFI CRUISE 7202

63048

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
36 51.0N		122 00.5W		2/25/72		0122 GMT			75M	290	15KT	1	280 4 8		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SI0T	DT	DD
									0	11.72	33.10		25.189	278.8	0.000
									10	11.71	33.11		25.199	277.9	0.028
									20	11.25	33.22		25.362	261.8	0.055
									30	11.01	33.45		25.589	240.7	0.080
									50	10.42	33.45		25.716	228.6	0.127

RV ALEXANDER AGASSIZ

CALCOFI CRUISE 7202

67050

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
36 49.0N		122 04.5W		2/25/72		0233		GMT	108M	300	13KT	1			
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD
									0	11.87	33.06		25.130	284.4	0.000
									10	11.73	33.10		25.187	279.0	0.028
									20	11.28	33.18		25.331	265.3	0.055
									30	10.95	33.47		25.616	238.2	0.081
									50	10.45	33.61		25.812	219.5	0.127
									75	9.48	33.61		25.975	204.0	0.180
									100	9.11	33.91		26.269	176.1	0.228

RV ALEXANDER AGASSIZ

CALCOFI CRUISE 7202

67050

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
36 49.0N		122 04.5W		2/25/72		0254		GMT	108M	300	13KT	1			
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD
0	11.84	33.074	5.130	0.47	4.	0.04	0.9	282.8	0	11.84	33.074		25.147	282.8	0.000
11	11.64	33.129	6.56	0.45	4.	0.04	0.4	275.3	10	11.67	33.121		25.213	276.5	0.028
26	11.00	33.414	6.32	0.67	6.	0.40	3.1	243.2	20	11.26	33.298	6.39	25.426	256.3	0.055
36	10.81	33.502	6.28	0.77	5.	0.23	4.4	233.5	30	10.92	33.456	6.30	25.608	238.9	0.079
46	10.48	33.593	5.40	1.20	15.	0.38	11.6	221.3	50	10.46	33.641	5.22	25.834	217.4	0.125
61	10.30	33.598	4.89	1.29	17.	0.36	13.6		75	9.33	33.666	4.33	26.042	197.7	0.177
76	9.26	33.658	4.29	1.60	21.	0.04	19.7	197.1	100	9.09	33.857	3.26	26.229	179.9	0.225
103	9.07	33.878	3.12	1.91	29.	0.00	24.3	177.9							

RV ALEXANDER AGASSIZ

CALCOFI CRUISE 7202

67055

LATITUDE		LONGITUDE		MO/DAY/YR		PASSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
36 38.5N		122 25.5W		2/25/72		0556		GMT	2222M	340	5KT	1			
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD
									0	11.69	33.21		25.280	270.2	0.000
									10	11.40	33.20		25.325	265.8	0.027
									20	11.32	33.22		25.355	263.0	0.053
									30	11.30	33.25		25.382	260.4	0.080
									50	10.93	33.30		25.487	250.4	0.131
									75	10.83	33.47		25.637	236.2	0.192
									100	9.67	33.59		25.929	208.5	0.248
									125	9.08	33.73		26.133	189.0	0.298
									150	8.58	33.86		26.329	170.4	0.344
									200	8.04	34.02		26.520	152.2	0.426
									250	7.35	34.02		26.620	142.7	0.502
									300	7.05	34.09		26.717	133.5	0.573
									400	6.40	34.20		26.891	117.0	0.703
									500	5.83	34.26		27.012	105.6	0.821
									600	5.32	34.32		27.121	95.2	0.928
									700	4.83	34.37		27.218	86.1	1.026
									800	4.52	34.42		27.292	79.0	1.116
									1000	3.97	34.48		27.398	69.0	1.281

RV ALEXANDER AGASSIZ

CALCOFI CRUISE 7202

67060

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
36 29.0N		122 47.5W		2/25/72		0925		GMT	2954M	020	7KT	2			
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD
									0	11.91	33.01		25.084	288.8	0.000
									10	11.91	33.14		25.185	279.2	0.028
									20	11.21	33.20		25.360	262.6	0.056
									30	11.03	33.35		25.508	248.4	0.081
									50	11.01	33.46		25.597	240.0	0.130
									75	10.70	33.54		25.714	228.8	0.189
									100	9.87	33.68		25.965	205.0	0.244
									125	9.60	33.84		26.135	188.9	0.294
									150	9.03	33.97		26.329	170.4	0.339
									200	8.30	34.06		26.513	153.0	0.422
									250	7.58	34.09		26.635	141.4	0.497
									300	7.24	34.13		26.722	133.1	0.568
									400	6.36	34.17		26.873	118.8	0.699
									500	5.79	34.27		27.025	104.4	0.817
									600	5.21	34.31		27.126	94.7	0.923
									700	4.89	34.36		27.203	87.5	1.021
									800	4.47	34.40		27.281	80.0	1.113
									1000	3.86	34.46		27.394	69.4	1.279

RV ALEXANDER AGASSIZ

CALCOFI CRUISE 7202

67060

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME		BOTTOM		WIND		SPEED		WEATHER		DOMINANT WAVES			
36 29.0N		122 47.5W		2/25/72		1055		GMT		2954M		020		7KT		2					
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD						
0	11.63	33.014	6.46	0.41	4.	0.01	0.6	247.1	0	11.63	33.014	6.46	25.102	287.1	0.000						
10	11.77	33.111	6.73	0.38	2.	0.01	0.2	278.9	10	11.77	33.111	6.73	25.188	278.9	0.028						
30	11.04	33.330	6.17	0.67	7.	0.16	4.7	250.1	20	11.42	33.226	6.51	25.341	264.4	0.056						
50	11.00	33.465	6.12	0.78	8.	0.15	6.5	239.4	30	11.04	33.330	6.17	25.491	250.1	0.081						
70	11.03	33.499	0.93	5.	0.03	8.0	234.1	40	11.01	33.456	6.14	25.593	240.3	0.131							
85	11.10	33.550	4.91	1.25	16.	0.01	13.2	210.4	75	10.54	33.509	5.40	25.709	229.4	0.190						
100	9.42	33.724	4.22	1.51	21.	0.01	17.2	201.5	100	9.92	33.724	4.22	25.991	202.5	0.244						
130	3.34	33.856	3.28	1.77	27.	0.01	20.5	183.5	125	9.44	33.844	3.39	26.166	185.9	0.293						
150	1.95	33.955	3.00	1.94	32.	0.00	22.1	170.4	150	9.02	33.939	3.04	26.305	172.7	0.339						
180	1.56	34.003	2.67	2.07	34.	0.00	26.3	161.3	200	8.31	34.033	2.46	26.488	155.3	0.422						
210	1.12	34.041	2.32	2.51	52.	0.00	32.4	136.0	250	7.65	34.078	2.02	26.622	142.6	0.499						
261	1.27	34.041	1.78	2.51	52.	0.00	32.4	136.0	300	7.10	34.111	1.62	26.725	132.8	0.570						
302	0.56	34.188	1.03	2.85	66.	0.00	35.2	119.9	400	6.45	34.201	0.94	26.885	117.7	0.700						
483	0.99	34.249	0.66	3.03	77.	0.00	38.8	108.3	500	5.89	34.260	0.62	27.003	106.4	0.818						
618	0.24	34.322	0.47	3.18	93.	0.00	41.2	94.2	600	5.33	34.314	0.48	27.114	95.9	0.926						
773	4.67	34.385	0.43	3.22	106.	0.00	42.2	83.3	700	4.92	34.359	0.45	27.198	87.9	1.025						
919	4.10	34.422	0.54	3.26	118.	0.00	46.3	74.6	800	4.57	34.394	0.44	27.266	81.5	1.118						
1123	3.61	34.482	0.79	3.22	131.	0.00	42.8	65.4	1000	3.90	34.451	0.63	27.382	70.5	1.287						

RV ALEXANDER AGASSIZ

CALCOFI CRUISE 7202

67065

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME			BOTTOM		WIND		SPEED		WEATHER		DOMINANT WAVES		
36 19.0N		123 08.5W		2/25/72		2210 GMT			2832M		320		8KT		2		320 3 6		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD				
	0	12.22	33.47										25.381	260.5	0.000				
	10	11.51	33.46										25.507	248.6	0.025				
	20	11.53	33.50										25.534	246.0	0.050				
	30	11.50	33.54										25.570	242.5	0.075				
	50	11.30	33.56										25.622	237.6	0.123				
	75	9.42	33.70										26.055	196.4	0.177				
	100	8.68	33.83										26.274	175.6	0.224				
	125	8.42	33.95										26.408	162.9	0.267				
	150	8.13	33.96										26.460	158.0	0.308				
	200	7.78	34.04										26.574	147.1	0.386				
	250	7.17	34.06										26.677	137.4	0.459				
	300	6.84	34.09										26.746	130.8	0.528				
	400	6.33	34.17										26.877	118.4	0.657				
	500	5.51	34.21										27.012	105.6	0.775				
	600	4.98	34.28										27.129	94.5	0.882				
	700	4.72	34.35										27.214	86.4	0.979				
	800	4.43	34.38										27.270	81.1	1.071				
	1000	3.87	34.45										27.385	70.3	1.239				

RV ALEXANDER AGASSIZ

CALCOFI CRUISE 7202

67070

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES						
36 08.0N	123 29.5W	2/26/72	0136	GMT	3493M	300	4KT	1	280 5 8						
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD
	0								0	12.21	32.96		24.989	297.8	0.000
	10								10	11.91	32.96		25.045	292.5	0.030
	20								20	11.63	33.11		25.213	276.5	0.058
	30								30	11.64	33.37		25.413	257.5	0.085
	50								50	11.18	33.55		25.636	236.2	0.134
	75								75	11.05	33.56		25.867	233.3	0.193
	100								100	10.35	33.64		25.853	215.7	0.250
	125								125	9.02	33.70		26.120	190.3	0.301
	150								150	8.63	33.83		26.282	174.9	0.348
	200								200	8.04	34.00		26.505	153.7	0.431
	250								250	7.05	33.99		26.639	141.0	0.507
	300								300	6.53	34.03		26.741	131.3	0.577
	400								400	6.11	34.17		26.905	115.7	0.705
	500								500	5.46	34.23		27.033	103.6	0.820
	600								600	5.00	34.31		27.151	92.4	0.925
	700								700	4.65	34.37		27.238	84.2	1.020
	800								800	4.35	34.41		27.302	78.0	1.109
	1000								1000	3.73	34.48		27.423	66.7	1.270

RV ALEXANDER AGASSIZ

CALCOFI CRUISE 7202

70051

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
36 10.5N		121 46.0W		2/24/72		2010		GMT	403M	010	15KT	1	280 4 9		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD
									0	11.70	33.37		25.402	258.6	0.000
									10	11.69	33.40		25.427	256.2	0.026
									20	11.34	33.45		25.530	246.4	0.051
									30	11.19	33.50		25.596	240.1	0.075
									50	10.55	33.55		25.748	225.6	0.122
									75	9.97	33.74		25.995	202.1	0.176
									100	9.66	33.84		26.125	189.8	0.225
									125	9.29	33.93		26.256	177.4	0.272
									150	8.46	33.99		26.352	168.2	0.316
									200	8.43	34.09		26.516	152.6	0.397
									250	7.85	34.12		26.627	142.1	0.473

RV ALEXANDER AGASSIZ

CALCOFI CRUISE 7202

70053

LATITUDE		LONGITUDE		MO/DAT/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
36 06.5N		121 54.0E		2/24/72		1546		GMT	977M	010	16KT	1	280 8 8		
Z	T	S	02	P04	S103	002	N03	DT	Z	T	S	02	S10T	DT	DD
									0	11.87	33.33		25.339	264.5	0.000
									10	11.82	33.36		25.372	261.4	0.026
									20	11.63	33.39		25.430	255.8	0.052
									30	11.07	33.43		25.563	243.2	0.077
									50	9.74	33.64		25.956	205.9	0.122
									75	9.49	33.83		26.145	187.9	0.172
									100	9.35	33.91		26.230	179.8	0.218
									125	9.07	33.95		26.307	172.5	0.263
									150	8.66	34.03		26.434	160.5	0.305
									200	8.18	34.09		26.554	149.0	0.384
									250	7.76	34.12		26.640	140.9	0.458
									300	7.34	34.15		26.724	132.9	0.529
									400	6.58	34.18		26.852	120.8	0.661
									500	5.86	34.25		27.000	106.7	0.781
									600	5.41	34.30		27.095	97.8	0.890
									700	4.97	34.36		27.194	88.3	0.991
									800	4.58	34.41		27.277	80.4	1.083

RV ALEXANDER AGASSIZ

CALCOFI CRUISE 7202

70053

LATITUDE		LONGITUDE		MO/DAT/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
36 06.5N		121 54.0W		2/24/72		1705 GMT			977M	010	16KT	1	280 8 8		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD
0	11.61	33.327	6.38	0.54	6.	0.08	3.1	263.7	0	11.81	33.327	6.38	25.348	263.7	0.000
9	11.59	33.362	6.43	0.55	7.	0.09	3.5	257.2	10	11.55	33.371	6.40	25.428	256.1	0.026
30	10.71	33.524	5.52	0.98	12.	0.07	10.0	250.2	20	11.17	33.446	6.05	25.557	243.8	0.051
55	9.54	33.620	4.34	1.47	20.	0.00	18.4	204.2	30	10.71	33.524	5.52	25.700	230.2	0.075
70	9.55	33.666	3.99	1.55	22.	0.00	18.3	199.5	50	9.72	33.605	4.55	25.931	208.2	0.119
85	9.41	33.687	3.27	1.84	28.	0.00	22.5	182.4	75	9.51	33.757	3.74	26.083	193.8	0.169
100	9.27	33.920	3.01	1.91	29.	0.00	25.9	177.8	100	9.27	33.920	3.01	26.251	177.8	0.216
131	8.90	33.983	2.90	2.01	33.	0.00	28.0	167.5	125	8.97	33.973	2.91	26.339	169.5	0.260
156	8.65	34.034	2.53	2.14	37.	0.00	28.4	160.0	150	8.71	34.024	2.62	26.421	161.7	0.302
181	8.43	34.057	2.41	2.20	39.	0.00	29.4	155.1	200	8.20	34.070	2.31	26.535	150.8	0.382
216	8.00	34.079	2.21	2.35	45.	0.00	33.1	147.3	250	7.73	34.106	1.98	26.633	141.6	0.457
280	7.53	34.127	1.76	2.53	51.	0.00	34.8	137.2	300	7.36	34.138	1.57	26.712	134.1	0.528
380	6.87	34.244	0.91	2.81	64.	0.00	39.6		400	6.53	34.187	0.89	26.863	119.7	0.660
479	6.04	34.240	0.81	3.06	76.	0.00	43.1	109.6	500	5.91	34.251	0.76	26.994	107.3	0.780
613	5.31	34.305	0.50	3.22	91.	0.00	43.8	96.2	600	5.37	34.300	0.53	27.098	97.4	0.889
768	4.75	34.394	0.48	3.29	104.	0.00		83.4	700	4.98	34.357	0.49	27.190	88.7	0.990
923	4.17	34.448	0.60	3.26	119.	0.00		73.4	800	4.63	34.409	0.49	27.270	81.1	1.083

RV ALEXANDER AGASSIZ

CALCOFI CRUISE 7202

70060

LATITUDE		LONGITUDE		MO/DAT/YR		MESSENGER TIME			BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
35 53.5N		122 24.0W		2/24/72		1014 GMT			2502M	360	7KT	1	49		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD
	0	12.51	33.39										25.264	271.7	0.000
	10	12.39	33.39										25.287	269.5	0.027
	20	11.88	33.40										25.392	259.5	0.054
	30	11.74	33.40										25.418	257.0	0.079
	50	11.22	33.52										25.606	239.1	0.129
	75	10.52	33.65										25.831	217.7	0.187
	100	9.62	33.83										26.124	189.9	0.238
	125	8.96	33.93										26.309	172.4	0.284
	150	8.89	34.06										26.421	161.6	0.326
	200	7.89	34.06										26.574	147.2	0.405
	250	7.73	34.13										26.652	139.7	0.479
	300	7.34	34.18										26.747	130.7	0.549
	400	6.38	34.21										26.902	116.0	0.677
	500	6.03	34.28										27.002	106.5	0.795
	600	5.43	34.32										27.108	96.5	0.903
	700	5.00	34.36										27.190	88.7	1.003
	800	4.62	34.41										27.273	80.8	1.096
	1000	4.01	34.48										27.394	69.4	1.264

RV ALEXANDER AGASSIZ

CALCOFI CRUISE 7202

70060

	LATITUDE	LONGITUDE	MO/DAT/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
	35 53.5N	122 24.0W	2/24/72		1127 GMT			2502M	360	7KT		49			
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD
1	12.45	33.383	6.44	0.40	5.	0.07	1.4	271.1	0	12.45	33.383	6.44	25.270	271.1	0.000
11	12.37	33.372	6.48	0.41	5.	0.06	1.0	270.4	10	12.38	33.375	6.48	25.276	270.5	0.027
31	11.79	33.41	6.35	0.51	6.	0.15	1.9	257.2	20	11.93	33.390	6.42	25.374	261.2	0.054
56	10.98	33.549	5.29	1.01	12.	0.14	10.1	232.9	30	11.80	33.410	6.36	25.413	257.5	0.080
71	10.54	33.612	4.54	1.27	15.	0.04	15.1	220.9	50	11.20	33.513	5.60	25.603	239.4	0.130
88	10.10	33.670	4.12	1.50	19.	0.04	16.6	209.4	75	10.48	33.622	4.44	25.819	218.6	0.187
101	9.50	33.815	3.53	1.82	24.	0.04	22.1	189.1	100	9.55	33.805	3.57	26.115	190.7	0.239
131	8.96	33.928	3.30	2.09	29.	0.04	25.1	172.5	125	9.00	33.919	3.35	26.293	173.8	0.285
157	8.92	34.026	2.73	1.98	34.	0.01	21.8	164.6	150	8.94	34.006	2.86	26.371	166.5	0.328
181	8.42	34.026	2.95	2.12	36.	0.02	26.4	157.2	200	8.05	34.028	2.88	26.523	152.0	0.409
216	7.80	34.031	2.83	2.52	42.	0.01	28.4	140.1	250	7.60	34.077	2.32	26.629	141.9	0.485
282	7.53	34.127	1.76	2.91	51.	0.00	32.5	137.2	300	7.43	34.148	1.57	26.709	134.3	0.556
382	6.88	34.214	1.00	3.04	64.	0.00	37.2	122.1	400	6.75	34.224	0.90	26.863	119.7	0.688
482	6.15	34.256	0.58	2.90	76.	0.00	42.3	109.0	500	6.02	34.262	0.56	26.989	107.0	0.808
618	5.29	34.302	0.42	3.22	92.	0.00		96.2	600	5.39	34.296	0.44	27.093	97.9	0.918
772	4.70	34.385	0.45	3.37	105.	0.00	44.6	83.0	700	4.95	34.347	0.44	27.185	89.2	1.019
918	4.18	34.445	0.57	3.34	116.	0.00	41.8	73.7	800	4.60	34.399	0.47	27.266	81.5	1.113
1120	3.59	34.501	0.77	3.26	129.	0.00	45.8	63.5	1000	3.92	34.472	0.65	27.396	69.1	1.280

RV ALEXANDER AGASSIZ

CALCOFI CRUISE 7202

70065

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	POTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
35 43.0N		122 45.0W		2/24/72		0728		GMT	2456M	310	6KT		49		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD
									0	12.10	33.05		25.079	289.2	0.000
									10	12.13	33.12		25.174	280.2	0.028
									20	11.97	33.32		25.313	267.0	0.056
									30	11.68	33.34		25.382	260.4	0.062
									50	11.20	33.40		25.516	247.6	0.133
									75	10.81	33.57		25.718	226.5	0.193
									100	9.88	33.70		25.979	203.6	0.248
									125	9.56	33.93		26.212	181.6	0.296
									150	8.92	33.95		26.331	170.3	0.341
									200	8.51	34.07		26.488	155.3	0.424
									250	7.55	34.03		26.600	144.7	0.501
									300	6.84	34.07		26.730	132.3	0.572
									400	6.32	34.20		26.902	116.0	0.701
									500	5.86	34.28		27.024	104.5	0.818
									600	5.33	34.33		27.128	94.6	0.924
									700	4.89	34.39		27.227	85.2	1.021
									800	4.47	34.42		27.297	78.5	1.111
									1000	3.85	34.48		27.410	67.8	1.274

RV ALEXANDER AGASSIZ

CALCOFI CRUISE 7202

70070

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	POTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
35 33.0N		123 05.5W		2/24/72		0449		GMT	3830M	360	6KT	0	49		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD
									0	12.12	32.99		25.029	294.0	0.000
									10	11.84	32.96		25.058	291.2	0.029
									20	11.51	33.06		25.197	278.1	0.058
									30	11.29	33.13		25.291	269.1	0.085
									50	10.71	33.38		25.588	240.8	0.136
									75	9.42	33.55		25.938	207.5	0.193
									100	9.15	33.86		26.224	180.4	0.242
									125	8.64	33.87		26.312	172.0	0.286
									150	8.28	33.94		26.422	161.6	0.329
									200	7.62	34.00		26.566	147.9	0.407
									250	6.96	34.01		26.667	138.3	0.481
									300	6.46	34.04		26.758	129.7	0.550
									400	6.27	34.21		26.916	114.7	0.677
									500	5.73	34.24		27.040	102.9	0.792
									600	5.17	34.35		27.163	91.3	0.895
									700	4.83	34.39		27.234	84.6	0.991
									800	4.45	34.44		27.315	76.8	1.079
									1000	3.86	34.49		27.417	67.2	1.240

RV ALEXANDER AGASSIZ

CALCOFI CRUISE 7202

70080

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER			TIME	POTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
35 13.0N		123 47.5W		2/23/72		1945			GMT	4062M	010	10KT	1	240 8 9		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD	
									0	12.43	32.94		24.932	303.3	0.000	
									10	12.35	32.94		24.947	301.8	0.030	
									20	12.34	32.96		24.964	300.2	0.060	
									30	12.33	32.96		24.966	300.0	0.090	
									50	12.36	32.98		24.976	299.1	0.151	
									75	11.58	32.83		25.006	296.3	0.225	
									100	11.40	33.25		25.364	262.2	0.296	
									125	10.50	33.30		25.563	243.3	0.359	
									150	9.29	33.49		25.913	210.0	0.417	
									200	8.43	33.89		26.360	167.5	0.513	
									250	7.59	34.00		26.571	147.5	0.593	
									300	6.96	34.02		26.675	137.6	0.667	
									400	6.02	34.12		26.877	118.4	0.800	
									500	5.53	34.20		27.001	106.6	0.918	
									600	4.97	34.27		27.123	95.1	1.025	
									700	4.83	34.36		27.226	85.3	1.122	
									800	4.42	34.41		27.295	78.8	1.212	
									1000	3.87	34.47		27.400	68.8	1.376	

RV ALEXANDER AGASSIZ CALCOFI CRUISE 7202 70080

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME		BOTTOM		WIND		SPEED		WEATHER		DOMINANT WAVES	
35 13.0N		123 47.5W		2/23/72		2104 GMT				4062M		010		10KT		1		240 8 9	
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	U2	SI0T	DT	DD				
0	12.56	32.956	6.21	0.38	1.	0.00	0.0	304.5	0	12.56	32.956	6.21	24.919	304.5	0.000				
10		32.953	6.23	0.33	3.	0.00	0.0		10	12.48	32.953	6.23	24.935	303.0	0.030				
31	12.36	32.958	6.30	0.39	2.	0.01	0.0	300.7	20	12.42	32.960	6.26	24.948	301.7	0.061				
56	12.29	32.955	6.700	0.41	1.	0.00	0.0	299.7	30	12.36	32.961	6.30	24.958	300.8	0.091				
71	11.90	32.896	6.29	0.39	1.	0.00	0.0	297.0	50	12.31	32.957	6.30	24.966	300.0	0.151				
86	11.16	32.840	6.25	0.47	2.	0.06	0.3	288.3	75	11.68	32.867	6.28	25.015	295.4	0.226				
101	11.31	33.111	6.19	0.65	3.	0.09	1.9	270.9	100	11.29	33.092	6.20	25.259	272.1	0.297				
131	10.47	33.294	5.51	0.95	9.	0.00	7.9	243.2	125	10.72	33.278	5.69	25.504	248.8	0.363				
156	9.28	33.462	4.74	1.41	16.	0.00	13.4	211.9	150	9.55	33.419	4.93	25.814	219.4	0.422				
181	8.93	33.687	4.14	1.71	24.	0.00	19.1	189.9	200	8.59	33.807	3.83	26.268	176.2	0.523				
216	8.30	33.878	3.62	1.84	31.	0.00	21.5	166.5	250	7.74	33.956	3.16	26.513	152.9	0.607				
282	7.26	33.980	2.76	2.29	44.	0.00	28.6	144.5	300	7.00	33.995	2.56	26.648	140.1	0.682				
382	6.05	34.046	1.76	2.66	65.	0.00	33.7	124.3	400	5.93	34.068	1.58	26.847	121.3	0.818				
482	5.52	34.160	0.88	3.03	78.	0.01	42.80	109.5	500	5.40	34.171	0.80	26.993	107.4	0.938				
617	4.72	34.232	0.52	3.28	98.	0.00	43.8	95.3	600	4.81	34.224	0.53	27.104	96.8	1.046				
772	4.53	34.391	0.41	3.39	108.	0.00	42.2	81.3	700	4.59	34.320	0.46	27.204	87.3	1.145				
918	4.08	34.444	0.49	3.300	116.	0.00	42.5	72.8	800	4.45	34.406	0.41	27.288	79.5	1.236				
1120	3.53	34.496	0.75	3.49	129.	0.01	43.0	63.6	1000	3.85	34.469	0.57	27.401	68.7	1.401				

RV ALEXANDER AGASSIZ CALCOFI CRUISE 7202 70090

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME		BOTTOM		WIND		SPEED		WEATHER		DOMINANT WAVES	
34 53.0N		124 30.0W		2/23/72		1415 GMT				4212M		260		8KT		1		290 8 9	
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	U2	SI0T	DT	DD				
0	12.43	32.91							0	12.43	32.91		24.908	305.5	0.000				
10	12.43	32.92							10	12.43	32.92		24.916	304.8	0.031				
20	12.42	32.92							20	12.42	32.92		24.918	304.6	0.061				
30	12.35	32.92							30	12.35	32.92		24.931	303.3	0.091				
50	12.11	32.95							50	12.11	32.95		25.000	296.8	0.152				
75	11.61	32.94							75	11.61	32.94		25.085	288.7	0.225				
100	10.71	32.94							100	10.71	32.94		25.246	273.3	0.296				
125	10.50	33.10							125	10.50	33.10		25.407	258.1	0.363				
150	10.55	33.49							150	10.55	33.49		25.701	230.1	0.425				
200	9.08	33.81							200	9.08	33.81		26.196	183.1	0.530				
250	8.56	34.01							250	8.56	34.01		26.434	160.5	0.618				
300	8.10	34.13							300	8.10	34.13		26.598	144.9	0.696				
400	7.13	34.17							400	7.13	34.17		26.769	128.6	0.839				
500	6.42	34.26							500	6.42	34.26		26.936	112.8	0.966				
600	5.70	34.29							600	5.70	34.29		27.051	101.9	1.081				
700	4.93	34.30							700	4.93	34.30		27.151	92.4	1.186				
800	4.63	34.36							800	4.63	34.36		27.232	84.7	1.282				
1000	4.07	34.45							1000	4.07	34.45		27.364	72.2	1.457				

RV ALEXANDER AGASSIZ CALCOFI CRUISE 7202 73050

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME		BOTTOM		WIND		SPEED		WEATHER		DOMINANT WAVES	
35 37.0N		121 17.5W		2/22/72		0804 GMT				104M		090		8KT		6		49	
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	U2	SI0T	DT	DD				
0	11.58	33.54							0	11.58	33.54		25.556	243.9	0.000				
10	11.49	33.53							10	11.49	33.53		25.564	243.1	0.024				
20	11.36	33.55							20	11.36	33.55		25.604	239.3	0.049				
30	10.78	33.64							30	10.78	33.64		25.778	222.8	0.072				
50	10.49	33.70							50	10.49	33.70		25.875	213.5	0.115				
75	10.37	33.72							75	10.37	33.72		25.911	210.1	0.169				

RV ALEXANDER AGASSIZ CALCOFI CRUISE 7202 73053

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME		BOTTOM		WIND		SPEED		WEATHER		DOMINANT WAVES	
35 31.5N		121 28.5W		2/22/72		1106 GMT				744M		020		7KT		4		49	
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	U2	SI0T	DT	DD				
0	12.09	33.50							0	12.09	33.50		25.429	255.9	0.000				
10	11.88	33.53							10	11.88	33.53		25.492	249.9	0.025				
20	11.62	33.52							20	11.62	33.52		25.496	249.6	0.050				
30	11.58	33.52							30	11.58	33.52		25.540	245.4	0.075				
50	10.40	33.65							50	10.40	33.65		25.852	215.7	0.121				
75	9.93	33.81							75	9.93	33.81		26.056	196.3	0.173				
100	9.44	33.89							100	9.44	33.89		26.200	182.7	0.221				
125	9.25	33.96							125	9.25	33.96		26.286	174.5	0.266				
150	8.92	34.02							150	8.92	34.02		26.385	165.1	0.309				
200	8.47	34.11							200	8.47	34.11		26.526	151.7	0.390				
250	7.94	34.16							250	7.94	34.16		26.645	140.4	0.465				
300	7.42	34.18							300	7.42	34.18		26.736	131.8	0.536				
400	6.54	34.23							400	6.54	34.23		26.897	116.5	0.665				
500	5.81	34.28							500	5.81	34.28		27.030	103.9	0.781				
600	5.32	34.34							600	5.32	34.34		27.137	93.7	0.887				

73060

[illegible]

73060

	LATITUDE		LONGITUDE		MO/DAY/YR		MESSAGE R TIME		BOTTOM		WIND	SPEED	WEATHER	DOMINANT WAVES	
	35 18.0N		121 57.5W		2/22/72		1555 GMT		2410M		340	SKT	1	250 8 9	
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	G2	STGT	DT	DD
1	11.88	33.378	6.45	0.45	6.	0.00	2.4		0	11.88	33.380	6.45	25.299	268.4	0.000
10	11.90	33.297	6.47	0.45	6.	0.01	2.4	267.5	10	11.90	33.297	6.47	25.308	267.5	0.027
31	11.02	33.423	6.17	0.73	9.	0.11	6.2	243.0	20	11.10	33.300	6.33	25.457	253.3	0.053
56	10.88	33.642	4.71	1.18	14.	0.09	12.5	224.0	30	11.04	33.416	6.18	25.556	243.8	0.078
71	10.01	33.642	4.32	1.44	18.	0.02	18.1	210.0	50	10.90	33.592	5.07	25.717	228.5	0.125
87	9.57	33.707	3.86	1.60	21.	0.01	22.3	198.2	75	9.87	33.652	4.24	25.942	207.2	0.180
100	9.27	33.859	3.51	1.76	25.	0.00	20.7	183.4	100	9.27	33.839	3.51	26.188	183.8	0.229
135	9.23	34.008	3.20	2.04	30.	0.00	27.9	170.7	125	9.24	33.997	3.23	26.315	171.7	0.274
155	9.97	34.046	2.89	2.18	34.	0.00	24.6	163.9	150	9.03	34.044	2.71	26.386	165.0	0.317
182	9.81	34.073	2.81	2.29	36.	0.00	25.6	159.5	200	8.65	34.102	2.26	26.491	155.1	0.399
214	9.52	34.117	2.18	2.37	40.	0.00	29.3	151.9	250	8.09	34.114	2.21	26.585	146.0	0.476
278	7.74	34.102	2.24	2.45	46.	0.00	35.1	142.1	300	7.59	34.110	2.14	26.663	136.7	0.549
375	7.44	34.159		2.63	55.	0.00	33.40	127.0	400	6.77	34.188	1.38	26.832	122.7	0.686
472	7.34	34.268	6.72	3.18	72.	0.00	44.80	111.2	500	6.17	34.287	0.63	26.969	107.8	0.807
602	5.57	34.328	0.48	3.34	87.	0.01	42.0	97.5	600	5.58	34.328	0.48	27.096	97.7	0.917
751	4.74	34.375	6.43	3.44	105.	0.01	41.6	84.7	700	4.99	34.360	0.45	27.190	88.7	1.018
895	4.58	34.439	0.57	3.42	113.	0.01		76.2	800	4.60	34.398	0.47	27.266	81.5	1.111
1095	3.82	34.483	0.65	3.39	123.	0.01		67.3	1000	4.09	34.449	0.63	27.378	71.1	1.262

73065

LATITUDE 35 00.0N		LONGITUDE 122 20.5W		MO/DAY/YR 2/22/72		PASSENGER TIME 1931 GMT		BOTTOM 4014M		WIND 170		SPEED KKT		WEATHER 4		DOMINANT WAVES 290 10 9	
Z	T	S	U2	FO4	S103	NO2	NO3	DT	Z	T	S	O2	SIGT	DT	DD		
									0	13.04	33.34		25.122	285.2	0.000		
									10	12.54	33.35		25.227	275.1	0.028		
									20	12.04	33.35		25.323	266.1	0.055		
									30	11.88	33.39		25.384	260.3	0.081		
									50	11.52	33.53		25.559	243.6	0.132		
									75	10.28	33.59		25.826	218.2	0.190		
									100	9.53	33.74		26.068	195.2	0.242		
									125	9.08	33.95		26.305	172.7	0.289		
									150	8.89	34.01		26.382	165.4	0.332		
									200	8.43	34.07		26.505	153.7	0.413		
									250	7.49	34.03		26.609	143.9	0.489		
									300	7.09	34.10		26.720	133.3	0.561		
									400	6.74	34.26		26.893	116.8	0.691		
									500	5.68	34.23		27.007	106.1	0.809		
									600	4.96	34.26		27.116	95.7	0.916		
									700	4.98	34.40		27.224	85.5	1.014		
									800	4.59	34.43		27.292	79.0	1.104		
									1000	3.83	34.47		27.405	68.4	1.269		

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7202										73070		
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES									
34 57.0N	122 41.0W	2/22/72	2251	GMT	4053M	200	4KT	1	220 8 7									
Z	T	S	02	P04 S103	N02 N03	DT	Z	T	S	02	SIGT	UT	DD					
							0	11.66	32.89		25.038	293.2	0.000					
							10	11.59	32.91		25.066	290.5	0.029					
							20	11.04	32.87		25.134	284.1	0.058					
							30	10.59	32.93		25.260	272.1	0.086					
							50	11.19	33.29		25.433	255.6	0.139					
							75	10.47	33.47		25.700	230.2	0.200					
							100	9.31	33.47		25.894	211.8	0.256					
							125	9.06	33.78		26.176	185.0	0.306					
							150	8.43	33.90		26.368	166.7	0.350					
							200	7.50	34.01		26.591	145.5	0.430					
							250	6.89	34.05		26.708	134.4	0.501					
							300	6.63	34.10		26.782	127.4	0.569					
							400	5.77	34.12		26.909	115.4	0.695					
							500	5.30	34.21		27.037	103.2	0.810					
							600	4.98	34.29		27.137	93.7	0.915					
							700	4.62	34.36		27.233	84.6	1.011					
							800	4.39	34.42		27.306	77.7	1.099					
							1000	3.82	34.49		27.421	66.8	1.261					

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7202									
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
34 38.5N		123 21.5W		2/23/72		0343 GMT		4147M	020	7KT		49			
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
									0	12.23	32.88		24.923	304.1	0.000
									10	11.59	32.65		25.019	295.0	0.030
									20	11.07	32.85		25.113	286.0	0.059
									30	11.08	32.68		25.135	284.0	0.088
									50	10.41	33.01		25.353	263.2	0.142
									75	10.26	33.10		25.448	254.1	0.207
									100	9.78	33.18		25.591	240.6	0.270
									125	9.42	33.51		25.907	210.5	0.327
									150	8.89	33.75		26.179	184.7	0.377
									200	8.36	33.96		26.425	161.3	0.465
									250	7.52	34.01		26.588	145.8	0.543
									300	7.01	34.04		26.684	136.7	0.616
									400	6.13	34.10		26.848	121.2	0.750
									500	5.38	34.19		27.011	105.7	0.869
									600	4.96	34.24		27.100	97.2	0.977
									700	4.54	34.31		27.203	87.5	1.076
									800	4.27	34.38		27.287	79.5	1.167
									1000	3.78	34.46		27.402	66.7	1.331

RV ALEXANDER AGASSIZ					CALCOFI CRUISE 7202										
LATITUDE		LONGITUDE		#0/0AY/YR	MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
34 19.0N		124 04.0W		2/23/72	0839	GMT	3775M	280	11KT	0	280 8 8				
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	UT	DD
									0	12.72	32.94		24.876	308.6	0.000
									10	12.63	32.93		24.885	307.7	0.031
									20	12.38	32.94		24.941	302.4	0.061
									30	12.29	32.96		24.974	299.3	0.092
									50	12.17	32.96		24.997	297.1	0.151
									75	11.54	32.90		25.067	290.4	0.225
									100	11.04	32.98		25.219	275.9	0.296
									125	9.89	33.05		25.472	251.9	0.363
									150	9.34	33.35		25.795	221.1	0.423
									200	9.02	33.82		26.213	181.4	0.525
									250	8.33	34.01		26.469	157.1	0.612
									300	7.73	34.08		26.613	143.4	0.689
									400	6.71	34.12		26.787	126.9	0.830
									500	5.96	34.19		26.940	112.4	0.956
									600	5.44	34.27		27.067	100.3	1.069
									700	4.90	34.33		27.176	89.8	1.171
									800	4.53	34.38		27.259	82.2	1.265
									1000	3.94	34.46		27.385	70.2	1.435

RV ALEXANDER AGASSIZ

CALCOFI CRUISE 7202

77048

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
35 08.0N		120 43.0W		2/17/72		1844		GMT	24M	210	10KT	4	300 2 9		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
									0	11.45	33.60		25.626	237.2	0.00
									10	11.36	33.59		25.635	236.4	0.02
									20	10.70	33.59		25.753	225.2	0.04

RV ALEXANDER AGASSIZ

CALCOFI CRUISE 7202

77051

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME		BOTTOM		WIND		SPEED		WEATHER		DOMINANT WAVES		
35 02.0N		120 56.5W		2/17/72		1550		GMT		272M		270		2KT		1		270 5 7		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD					
									0	11.79	33.42		25.424	256.5	0.000					
									10	11.58	33.44		25.478	251.3	0.025					
									20	11.54	33.48		25.516	247.6	0.050					
									30	11.55	33.49		25.522	247.1	0.075					
									50	10.92	33.54		25.675	232.5	0.123					
									75	10.45	33.73		25.905	210.7	0.179					
									100	9.93	33.79		26.041	197.8	0.231					
									125	9.66	33.64		26.125	189.8	0.280					
									150	8.93	33.96		26.337	169.7	0.325					
									200	8.23	34.11		26.562	148.3	0.406					

RV ALEXANDER AGASSIZ

CALCOFI CRUISE 7202

77051

	LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES					
	35 02.0N	120 56.5W	2/17/72	1634	GMT	272M	270	2KT	1	270 5 7					
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
0	11.66	33.426	6.25	0.57	7.	0.03	4.7	253.7	0	11.66	33.426	6.25	25.453	253.7	0.000
11	11.54	33.437	6.14	0.62	8.	0.04	5.6	250.8	10	11.55	33.437	6.15	25.480	251.1	0.025
32	11.31	33.512	5.81	0.81	9.	0.08	7.9	241.3	20	11.48	33.467	6.07	25.517	247.6	0.050
42	11.00	33.546	5.28	1.01	11.	0.03	11.1	233.5	30	11.34	33.505	5.87	25.570	242.5	0.075
58	10.90	33.636	4.75	1.17	15.	0.01	14.0	225.1	50	10.93	33.594	4.98	25.714	228.8	0.122
73	10.71	33.668	4.46	1.27	16.	0.00	16.7	219.6	75	10.63	33.681	4.39	25.835	217.4	0.178
88	10.07	33.755	3.91	1.57	21.	0.00	20.5	202.6	100	9.82	33.794	3.78	26.061	195.9	0.230
108	9.71	33.809	1.73	24.	0.00	24.8	192.9	125	9.41	33.855	3.51	26.176	185.0	0.278	
128	9.36	33.862	3.48	1.83	26.	0.00	25.4	183.5	150	8.88	33.943	3.36	26.331	170.2	0.324
153	8.82	33.953	3.34	1.87	30.	0.00	23.0	168.6	200	8.45	34.071	2.49	26.498	154.4	0.406
179	8.67	34.024	2.86	2.09	35.	0.00	28.7	161.1							
205	8.39	34.081	2.42	2.30	40.	0.00	33.6	152.7							
232	8.11		2.45	2.40	42.	0.00	33.4								

RV ALEXANDER AGASSIZ

CALCOFI CRUISE 7202

77055

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
34 54.5N		121 12.5W		2/17/72		1320		GMT	558M	020	11KT	0	49		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
									0	11.59	33.43		25.469	252.2	0.000
									10	11.60	33.43		25.467	252.4	0.025
									20	11.60	33.47		25.498	249.4	0.050
									30	11.59	33.48		25.507	248.5	0.075
									50	10.85	33.58		25.719	228.4	0.123
									75	10.21	33.71		25.931	208.2	0.178
									100	9.59	33.84		26.136	188.7	0.228
									125	9.42	33.93		26.234	179.4	0.275
									150	9.17	34.00		26.330	170.3	0.319
									200	8.66	34.07		26.465	157.5	0.403
									250	7.89	34.12		26.621	142.7	0.480
									300	7.58	34.17		26.705	134.7	0.551
									400	6.62	34.21		26.870	119.0	0.684
									500	6.10	34.27		26.985	108.1	0.803

RV ALEXANDER AGASSIZ

CALCOFI CRUISE 7202

77060

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME		BOTTOM		WIND		SPEED		WEATHER		DOMINANT WAVES			
34 44.5N		121 33.5W		2/17/72		0951		GMT		935M		340		11KT		0		49			
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD						
									0	12.46	33.32		25.219	275.9	0.000						
									10	12.46	33.32		25.219	275.9	0.028						
									20	12.46	33.33		25.227	275.2	0.055						
									30	12.46	33.33		25.227	275.2	0.083						
									50	12.43	33.33		25.233	274.6	0.138						
									75	10.55	33.43		25.655	234.5	0.202						
									100	10.05	33.63		25.891	212.0	0.258						
									125	9.42	33.81		26.141	188.3	0.309						
									150	8.94	33.92		26.304	172.8	0.355						
									200	8.14	34.03		26.513	152.9	0.438						
									250	7.42	34.03		26.618	142.9	0.513						
									300	6.88	34.05		26.709	134.3	0.585						
									400	6.10	34.15		26.891	117.1	0.715						
									500	5.72	34.26		27.025	104.3	0.832						

RV ALEXANDER AGASSIZ

CALCOFI CRUISE 7202

77060

LATITUDE 34 44.5N LONGITUDE 121 33.5W MO/DAY/YR 2/17/72 MESSENGER 1017 GMT TIME BOTTOM 935M WIND 340 SPEED 11KT WEATHER 0 DOMINANT WAVES 49															
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	U2	S10T	DT	DD
0	12.40	33.326	6.19	0.30	2.	0.01	0.5	274.3	0	12.40	33.326	6.19	25.236	274.3	0.000
10	12.44	33.325	6.20	0.27	2.	0.01	0.4	275.2	10	12.44	33.325	6.20	25.227	275.2	0.027
30	12.42	33.324	6.22	0.30	2.	0.01	0.5	274.9	20	12.43	33.327	6.21	25.229	275.0	0.055
40	12.41	33.330	6.23	0.27	2.	0.01	0.7	274.2	30	12.42	33.324	6.22	25.230	274.9	0.083
50	12.37	33.323	6.19	0.30	2.	0.02	0.7	274.0	50	12.37	33.323	6.19	25.239	274.0	0.138
65	11.23	33.354	5.56	0.66	7.	0.00	7.4	251.6	75	10.68	33.398	5.62	25.606	239.2	0.202
80	10.47	33.424	5.64	0.89	10.	0.00	11.3	233.6	100	10.08	33.602	4.51	25.869	214.1	0.259
100	10.08	33.602	4.51	1.20	16.	0.01	17.3	214.1	125	9.48	33.764	3.73	26.095	192.6	0.311
125	9.48	33.764	3.73	1.60	23.	0.01	24.4	192.6	150	8.95	33.905	3.43	26.289	174.2	0.357
145	9.04	33.887	3.48	1.67	27.	0.00	27.4	176.7	200	8.11	34.000	2.99	26.493	154.8	0.441
175	8.56	33.956	3.23	1.77	32.	0.00	29.2	164.5	250	7.37	34.012	2.64	26.610	143.7	0.518
204	8.04	34.004	2.96	1.94	37.	0.00	30.0	153.4	300	6.89	34.023	2.43	26.687	136.5	0.590
234	7.58	34.013	2.69	2.06	42.	0.01	32.9	146.4	400	6.17	34.106	1.32	26.847	121.3	0.723
274	7.10	34.008	2.72	2.16	47.	0.01	35.8	140.3	500	5.59	34.218	0.68	27.007	106.0	0.843
333	6.66	34.049	1.99	2.45	57.	0.00	40.2	131.6							
405	6.13	34.109	1.28	2.68	66.	0.00	44.8	120.5							
477	5.69	34.190	0.79	2.93	76.	0.00	47.30	109.2							
553	5.44	34.281	0.50	3.05	89.	0.00	44.8	99.5							

RV ALEXANDER AGASSIZ

CALCOFI CRUISE 7202

77065

LATITUDE 34 33.0N LONGITUDE 121 54.0W MO/DAY/YR 2/17/72 MESSENGER 0628 GMT TIME BOTTOM 3918M WIND 340 SPEED 18KT WEATHER 0 DOMINANT WAVES															
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	U2	S10T	DT	DD
0	12.93	33.35							0	12.93	33.35		25.151	282.4	0.000
10	12.94	33.36							10	12.94	33.36		25.157	281.9	0.028
20	12.94	33.37							20	12.94	33.37		25.164	281.1	0.056
30	12.94	33.37							30	12.94	33.37		25.164	281.1	0.085
50	12.95	33.37							50	12.95	33.37		25.163	281.3	0.141
75	10.67	33.37							75	10.67	33.37		25.587	240.9	0.207
100	9.65	33.62							100	9.65	33.62		25.955	205.9	0.263
125	9.17	33.87							125	9.17	33.87		26.228	180.0	0.312
150	9.01	33.98							150	9.01	33.98		26.340	169.4	0.356
200	8.35	34.06							200	8.35	34.06		26.505	153.7	0.438
250	7.70	34.09							250	7.70	34.09		26.625	142.3	0.514
300	7.11	34.13							300	7.11	34.13		26.740	131.3	0.585
400	5.85	34.14							400	5.85	34.14		26.915	114.8	0.713
500	5.35	34.22							500	5.35	34.22		27.039	103.1	0.827
600	4.89	34.30							600	4.89	34.30		27.155	92.0	0.931
700	4.62	34.37							700	4.62	34.37		27.241	83.9	1.026
800	4.45	34.44							800	4.45	34.44		27.315	76.8	1.114
1000	3.86	34.49							1000	3.86	34.49		27.417	67.2	1.275

RV ALEXANDER AGASSIZ

CALCOFI CRUISE 7202

77070

LATITUDE 34 25.0N LONGITUDE 122 15.0W MO/DAY/YR 2/17/72 MESSENGER 0115 GMT TIME BOTTOM 3957M WIND 350 SPEED 18KT WEATHER 1 DOMINANT WAVES 340 11 6															
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	U2	S10T	DT	DD
0	12.45	33.33							0	12.45	33.33		25.229	275.0	0.000
10	12.45	33.33							10	12.45	33.33		25.229	275.0	0.028
20	12.43	33.33							20	12.43	33.33		25.233	274.6	0.055
30	12.05	33.46							30	12.05	33.46		25.406	258.1	0.082
50	11.34	33.47							50	11.34	33.47		25.545	244.9	0.132
75	10.63	33.61							75	10.63	33.61		25.781	222.5	0.191
100	9.76	33.69							100	9.76	33.69		25.991	202.5	0.245
125	9.22	33.83							125	9.22	33.83		26.189	183.7	0.293
150	8.86	33.94							150	8.86	33.94		26.332	170.1	0.338
200	7.94	34.01							200	7.94	34.01		26.527	151.6	0.420
250	7.09	34.03							250	7.09	34.03		26.665	138.5	0.495
300	6.69	34.06							300	6.69	34.06		26.743	131.1	0.564
400	6.39	34.24							400	6.39	34.24		26.924	113.9	0.692
500	5.86	34.30							500	5.86	34.30		27.040	103.0	0.806
600	5.31	34.36							600	5.31	34.36		27.154	92.1	0.910
700	4.85	34.40							700	4.85	34.40		27.239	84.0	1.006
800	4.40	34.43							800	4.40	34.43		27.313	77.1	1.094
1000	3.83	34.49							1000	3.83	34.49		27.420	66.9	1.255

RV ALEXANDER AGASSIZ								CALCOFI CRUISE 7202					77080		
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES						
34 05.0N	122 56.0W	2/16/72	2003	GMT	4241M	350	14KT	1	340	11	6				
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD
									0	11.27	32.93		25.139	283.5	0.000
									10	11.23	32.94		25.154	282.1	0.028
									20	11.23	32.97		25.178	279.9	0.056
									30	11.20	32.98		25.191	278.6	0.084
									50	11.00	32.99		25.234	274.5	0.140
									75	10.49	33.05		25.370	261.6	0.207
									100	9.78	33.18		25.591	240.6	0.270
									125	9.15	33.62		26.036	198.2	0.326
									150	8.68	33.81		26.259	177.1	0.373
									200	7.80	33.94		26.524	151.9	0.457
									250	7.20	34.04		26.657	139.2	0.532
									300	6.73	34.06		26.737	131.6	0.601
									400	5.71	34.10		26.900	116.2	0.730
									500	5.23	34.19		27.027	104.2	0.846
									600	4.95	34.29		27.141	93.4	0.951
									700	4.65	34.36		27.246	83.4	1.046
									800	4.32	34.42		27.314	77.0	1.134
									1000	3.66	34.48		27.430	66.0	1.293

RV ALEXANDER AGASSIZ					CALCOFI CRUISE 7202					77090				
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES					
33 45.5N	123 39.0W	2/16/72	1429	GMT	4864M	360	23KT	1	360	10	5			
Z	T	S	02	P04 S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD
								0	11.64	32.91		25.057	291.4	0.000
								10	11.64	32.92		25.064	290.7	0.029
								20	11.65	32.93		25.070	290.1	0.058
								30	11.65	32.93		25.070	290.1	0.087
								50	11.65	32.93		25.070	290.1	0.145
								75	11.56	32.93		25.087	288.5	0.218
								100	11.16	32.99		25.206	277.2	0.289
								125	9.96	33.24		25.608	239.0	0.354
								150	9.19	33.45		25.897	211.4	0.411
								200	8.51	33.94		26.387	164.9	0.507
								250	7.64	33.99		26.555	148.9	0.587
								300	6.99	34.03		26.678	137.2	0.661
								400	5.97	34.08		26.852	120.8	0.795
								500	5.59	34.22		27.010	105.8	0.914
								600	5.07	34.28		27.119	95.5	1.021
								700	4.77	34.36		27.217	86.2	1.119
								800	4.47	34.41		27.289	79.3	1.210
								1000	3.84	34.48		27.411	67.7	1.373

RV ALEXANDER AGASSIZ					CALCOFI CRUISE 7202										80051	
LATITUDE			LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
34 26.0N			120 32.5W		2/13/72		1016 GMT		101M	310	10KT	0				
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD	
									0	12.54	33.33		25.212	276.6	0.000	
									10	12.53	33.35		25.229	275.0	0.028	
									20	12.16	33.36		25.308	267.5	0.055	
									30	11.34	33.41		25.499	249.3	0.081	
									50	10.46	33.48		25.709	229.3	0.129	
									75	9.50	33.53		25.890	212.1	0.184	

RV ALEXANDER AGASSIZ										CALCOFI CRUISE 7202					80052				
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM		WIND		SPEED		WEATHER		DOMINANT WAVES			
34 24.5N		120 36.5W		2/13/72		0825 GMT		321M		330		20KT		0		49			
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD				
0	12.32	33.326	6.35	0.44	4.	0.06	0.2	272.9	0	12.32	33.326	6.35	25.251	272.9	0.000				
10	12.31	33.324	6.33	0.41	4.	0.07	0.8	272.9	10	12.31	33.324	6.33	25.251	272.9	0.027				
20	12.22	33.364	6.33	0.44	4.	0.07	1.1	268.3	20	12.22	33.364	6.33	25.300	268.3	0.054				
29	11.39	33.416	6.05	0.71	7.	0.22	5.1	249.7	30	11.32	33.424	6.01	25.511	248.2	0.080				
53	10.23	33.542	5.01	1.18	15.	0.03	12.0	221.0	50	10.32	33.520	5.14	25.770	223.5	0.128				
77	9.43	33.662	4.29	1.52	20.	0.02	16.4	199.4	75	9.47	33.652	4.35	26.008	200.9	0.181				
100	9.55	33.893	3.27	1.80	27.	0.02	20.4	184.1	100	9.55	33.893	3.27	26.184	184.1	0.230				
124	9.35	33.999	2.89	1.99	30.	0.02	22.8	173.2	125	9.34	34.004	2.88	26.304	172.8	0.275				
147	9.17	34.074	2.71	2.10	33.	0.02	23.6	164.9	150	9.14	34.080	2.69	26.395	164.1	0.318				
199	8.73	34.110	2.32	2.23	38.	0.01	24.4	155.6	200	8.72	34.113	2.31	26.488	155.4	0.399				
244	8.50	34.149	1.92	2.41	43.	0.02	28.5	149.3	250	8.47	34.151	1.90	26.558	148.7	0.477				

RV ALEXANDER AGASSIZ					CALCOFI CRUISE 7202										80052		
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM		WIND		SPEED		WEATHER		DOMINANT WAVES	
34 24.5N		120 36.5W		2/13/72		0839 GMT		321M		330		20KT		0		49	
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD		
									0	12.37	33.33		25.245	273.5	0.000		
									10	12.36	33.35		25.262	271.9	0.027		
									20	12.21	33.37		25.306	267.7	0.054		
									30	11.31	33.40		25.497	249.5	0.080		
									50	10.24	33.48		25.747	225.7	0.128		
									75	9.40	33.50		26.019	199.0	0.181		
									100	8.54	33.58		26.175	185.0	0.230		

RV ALEXANDER AGASSIZ CALCOFI CRUISE 7202 80053

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES						
34 22.5N	120 40.5W	2/13/72	0710 GMT		491M	320	15KT	0	49						
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	U2	S10T	DT	DU
0	12.37	33.35											25.260	272.0	0.000
10	12.35	33.36											25.272	270.9	0.027
20	11.96	33.45											25.415	257.3	0.054
30	11.29	33.44											25.531	246.2	0.079
50	10.39	33.49											25.729	227.4	0.126
75	9.52	33.66											26.008	200.9	0.180
100	8.95	33.83											26.232	179.6	0.228
125	9.14	34.03											26.358	167.7	0.272
150	8.97	34.08											26.424	161.4	0.314
200	8.55	34.14											26.537	150.7	0.394
250	8.32	34.17											26.596	145.1	0.470
300	8.03	34.17											26.639	140.9	0.543

RV ALEXANDER AGASSIZ CALCOFI CRUISE 7202 80055

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES						
34 19.0N	120 48.5W	2/13/72	0520 GMT		796M	330	20KT	0	49						
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	U2	S10T	DT	DU
0	12.06	33.56											25.481	251.0	0.000
10	12.05	33.57											25.491	250.0	0.025
20	11.65	33.60											25.589	240.7	0.050
30	11.29	33.63											25.678	232.2	0.073
50	10.62	33.74											25.883	212.7	0.118
75	9.84	33.77											26.040	197.8	0.170
100	8.99	33.80											26.202	182.4	0.218
125	8.72	33.93											26.346	168.8	0.262
150	8.49	33.99											26.429	160.9	0.304
200	7.90	34.08											26.588	145.8	0.382
250	7.99	34.20											26.669	138.2	0.455
300	7.68	34.23											26.738	131.6	0.525
400	6.82	34.26											26.882	117.9	0.655
500	5.85	34.23											26.986	108.1	0.774

RV ALEXANDER AGASSIZ CALCOFI CRUISE 7202 80060

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES						
34 09.0N	121 09.0W	2/12/72	1020 GMT		3654M	320	10KT	0	49						
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	U2	S10T	DT	DU
0	12.97	33.27											25.081	289.0	0.000
10	12.96	33.29											25.099	287.4	0.029
20	12.82	33.30											25.134	284.0	0.057
30	12.35	33.21											25.156	282.0	0.086
50	12.32	33.30											25.231	274.6	0.142
75	11.27	33.28											25.411	257.7	0.209
100	10.87	33.53											25.676	232.4	0.270
125	9.69	33.66											25.972	204.3	0.326
150	9.15	33.80											26.177	184.9	0.375
200	8.45	33.99											26.435	160.3	0.463
250	7.59	34.02											26.586	146.0	0.541
300	6.63	34.04											26.708	134.4	0.613
400	6.09	34.12											26.869	119.2	0.745
500	5.56	34.21											27.005	106.2	0.864
600	5.10	34.29											27.123	95.0	0.971
700	4.63	34.37											27.240	84.0	1.067
800	4.43	34.43											27.310	77.4	1.156
1000	4.01	34.47											27.386	70.1	1.320

RV ALEXANDER AGASSIZ CALCOFI CRUISE 7202 80060

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES						
34 09.0N	121 19.0W	2/12/72	1144 GMT		3654M	320	10KT	0	49						
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	U2	S10T	DT	DU
0	12.93	33.293	6.16	0.32	2.	0.02	0.0	286.6	0	12.93	33.293	6.16	25.107	286.6	0.000
10	12.93	33.290	6.19	0.32	2.	0.01	0.0	286.8	10	12.93	33.290	6.19	25.105	286.8	0.029
20	12.82	33.358	6.19	0.33	2.	0.01	0.0	279.7	20	12.90	33.328	6.19	25.139	283.6	0.057
30	12.19	33.289	6.05	0.46	4.	0.18	1.8	273.3	30	12.80	33.358	6.19	25.180	279.6	0.085
40	11.62	33.333	5.70	0.65	6.	0.03	4.5	259.9	40	12.39	33.310	6.09	25.225	275.4	0.141
50	10.69	33.394	5.28	0.92	9.	0.02	9.0	239.5	50	11.66	33.331	5.72	25.378	260.8	0.209
60	10.67	33.546	5.19	1.16	13.	0.02	12.1	227.9	60	10.68	33.500	5.22	25.666	231.6	0.271
70	9.53	33.578	4.05	1.62	22.	0.01	18.8	207.2	70	9.90	33.674	4.41	25.877	213.4	0.327
80	9.06	33.833	3.52	1.81	26.	0.01	22.0	181.1	80	9.18	33.747	3.64	26.130	189.3	0.378
90	8.61		3.44	1.97	33.	0.01	25.9		90	8.42	33.994	3.24	26.441	159.8	0.447
100	8.17	34.007	2.93	2.13	38.	0.01	25.6	155.1	100	7.63	34.030	2.69	26.588	145.8	0.545
110	7.04	34.032	2.50	2.32	51.	0.01	30.9	137.7	110	6.85	34.045	2.33	26.709	134.4	0.617
120	6.13	34.115	1.41	2.90	69.	0.00	37.5	120.1	120	6.06	34.124	1.32	26.874	118.6	0.749
130	5.65	34.178	0.85	3.11	79.	0.00	40.5	109.4	130	5.58	34.169	0.80	26.966	108.1	0.868
140	4.86	34.305	0.46	3.33	102.0	0.01	42.7	91.3	140	4.97	34.286	0.50	27.135	93.9	0.975
150	4.42	34.407	0.43	3.41	114.	0.00	45.3	79.0	150	4.58	34.367	0.44	27.243	83.7	1.071
160	4.06	34.458	0.62	3.44	121.	0.00	41.6	71.5	160	4.35	34.420	0.46	27.311	77.3	1.159
170	3.64	34.503	0.84	3.38	131.	0.00	43.6	64.1	170	3.91	34.476	0.70	27.400	68.8	1.322

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7202						80070			
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
33 49.0N		121 51.0W		2/12/72		0500 GMT		3657M	350	15KT		49			
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
									0	11.98	33.23		25.241	273.8	0.000
									10	11.58	33.22		25.308	267.5	0.027
									20	11.29	33.30		25.423	256.6	0.053
									30	11.10	33.33		25.480	251.1	0.079
									50	10.84	33.44		25.612	238.6	0.128
									75	10.22	33.55		25.805	220.2	0.186
									100	9.26	33.82		26.175	185.1	0.237
									125	8.89	33.91		26.304	172.8	0.282
									150	8.60	33.98		26.404	163.3	0.325
									200	7.81	34.06		26.586	146.0	0.403
									250	7.37	34.11		26.688	136.3	0.476
									300	7.07	34.16		26.770	128.6	0.544
									400	6.32	34.24		26.933	113.0	0.670
									500	5.64	34.28		27.051	101.9	0.784
									600	5.15	34.33		27.149	92.6	0.887
									700	4.80	34.39		27.237	84.3	0.983
									800	4.41	34.42		27.304	77.9	1.072
									1000	3.65	34.48		27.410	67.8	1.234

RV ALEXANDER AGASSIZ					CALCOFI CRUISE 7202										80070	
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
33 46.5N		121 51.0W		2/10/72		2001	GMT	3206M	190	12KT	2	230 6 8				
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD	
									0	12.73	33.35		25.190	278.7	0.000	
									10	12.71	33.36		25.202	277.6	0.028	
									20	12.70	33.36		25.204	277.4	0.056	
									30	12.69	33.37		25.214	276.5	0.083	
									50	12.46	33.36		25.250	272.9	0.138	
									75	12.42	33.36		25.258	272.2	0.207	
									100	10.90	33.39		25.562	243.3	0.272	
									125	9.84	33.61		25.916	209.7	0.329	
									150	9.33	33.80		26.148	187.6	0.379	
									200	8.40	34.01		26.458	158.1	0.468	
									250	7.78	34.08		26.606	144.1	0.545	
									300	7.20	34.13		26.728	132.5	0.616	
									400	6.23	34.20		26.914	114.9	0.745	
									500	5.29	34.23		27.054	101.6	0.859	

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7202						80080			
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
33 28.0N		122 31.0W		2/11/72		1416 GMT		3977M	140	3KT	1	240 8 10			
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
									0	12.05	33.02		25.066	290.5	0.000
									10	11.31	33.16		25.311	267.2	0.028
									20	11.42	33.41		25.484	250.7	0.054
									30	11.00	33.40		25.552	244.2	0.079
									50	10.68	33.38		25.593	240.3	0.127
									75	10.13	33.43		25.727	227.6	0.186
									100	9.37	33.80		26.141	188.2	0.239
									125	8.94	33.91		26.296	173.5	0.284
									150	8.51	33.98		26.418	162.0	0.327
									200	7.86	34.04		26.563	148.2	0.406
									250	7.22	34.08		26.688	136.5	0.479
									300	6.76	34.16		26.812	124.6	0.546
									400	6.06	34.19		26.927	113.6	0.670
									500	5.45	34.25		27.050	101.9	0.784
									600	5.03	34.31		27.147	92.8	0.887
									700	4.68	34.37		27.235	84.5	0.983
									800	4.41	34.41		27.296	78.7	1.072
									1000	3.84	34.48		27.411	67.7	1.235

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7202										80080	
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES					
33 25.5N		122 37.5W		2/20/72		2255 GMT		4002M	340	4KT	1	240 4 6					
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD		
									0	12.32	33.17		25.130	284.4	0.000		
									10	11.90	33.19		25.225	275.3	0.028		
									20	11.75	33.19		25.253	272.7	0.055		
									30	11.41	33.29		25.393	259.4	0.082		
									50	10.44	33.46		25.697	230.5	0.131		
									75	9.49	33.67		26.020	199.7	0.185		
									100	9.11	33.87		26.238	179.1	0.233		
									125	8.82	33.99		26.378	165.8	0.277		
									150	8.52	34.05		26.471	156.9	0.318		
									200	8.04	34.09		26.575	147.0	0.395		
									250	7.43	34.12		26.688	136.4	0.468		
									300	7.01	34.19		26.801	125.6	0.536		

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7202									
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
33 25.5N		122 37.5W		2/20/72		2345		GMT	4002M	340	4KT	1	240 4 6		
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	02	S16T	DT	DD
	0									12.06	33.18		25.188	278.9	0.000
	10									11.87	33.17		25.215	276.3	0.028
	20									11.73	33.16		25.234	274.6	0.055
	30									11.46	33.25		25.353	263.2	0.082
	50									10.79	33.45		25.628	237.0	0.132
	75									10.25	33.62		25.854	215.5	0.189
	100									9.41	33.79		26.127	189.6	0.240
	125									9.01	33.94		26.308	172.4	0.286
	150									8.60	34.02		26.435	160.3	0.328
	200									8.06	34.06		26.549	149.5	0.407
	250									7.35	34.12		26.699	135.3	0.481
	300									6.95	34.18		26.802	125.5	0.548

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7202									
LATITUDE	LONGITUDE	MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
33 09.5N	123 13.0W	2/11/72		U710		GMT	4227M	050	5KT		49				
Z	T	S	Q2	P04	S103	N02	N03	DT	Z	T	S	Q2	S16T	DT	DD
									0	12.46	33.03		24.995	297.2	0.000
									10	12.14	33.06		25.080	289.2	0.029
									20	12.14	33.09		25.103	287.0	0.058
									30	11.60	33.15		25.250	273.0	0.086
									50	10.80	33.20		25.433	255.6	0.139
									75	10.48	33.39		25.636	236.3	0.201
									100	9.67	33.66		25.983	203.3	0.256
									125	9.24	33.83		26.186	184.0	0.305
									150	8.77	33.95		26.354	168.0	0.350
									200	8.21	34.05		26.518	152.4	0.432
									250	7.21	34.02		26.640	140.9	0.507
									300	6.76	34.07		26.741	131.3	0.577
									400	5.95	34.15		26.910	115.3	0.705
									500	5.71	34.29		27.050	102.0	0.820
									600	5.12	34.34		27.161	91.5	0.923
									700	4.77	34.39		27.240	83.9	1.018
									800	4.38	34.42		27.307	77.6	1.106
									1000	3.85	34.48		27.410	67.8	1.268

RV ALEXANDER AGASSIZ								CALCOFI CRUISE 7202							
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
33 09.5N		123 13.0W		2/11/72		0848		GMT	4227M	050	5KT		49		
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	02	S1GT	DT	DD
1	12.37	33.060	6.39	0.36	2.	0.01	0.0	293.4	0	12.37	33.060	6.39	25.036	293.4	0.00
11	12.37	33.056	6.39	0.33	2.	0.00	0.1	293.7	10	12.37	33.059	6.39	25.033	293.6	0.02
21	12.08	33.078	6.46	0.36	2.	0.00	0.4	286.8	20	12.12	33.077	6.46	25.095	287.7	0.05
41	11.26	33.177	6.12	0.57	4.	0.22	3.6	265.1	30	11.71	33.120	6.34	25.205	277.3	0.08
66	10.82	33.304	5.85	0.81	8.	0.12	7.4	248.3	50	11.07	33.224	5.99	25.401	258.6	0.14
81	10.48	33.390	5.84	0.92	10.	0.10	9.6	236.3	75	10.63	33.355	5.84	25.581	241.5	0.20
96	9.96	33.517	4.54	1.33	16.	0.01	18.0	218.5	100	9.86	33.559	4.35	25.871	213.9	0.26
111	9.62	33.663	4.00	1.61	21.	0.00	21.4	202.3	125	9.36	33.766	3.58	26.116	190.7	0.31
141	9.07	33.850	3.30	1.80	28.	0.00	25.4	179.9	150	8.89	33.890	3.34	26.288	174.3	0.35
167	8.54	33.943	3.52	1.89	32.	0.00	25.6	165.2	200	7.95	33.986	3.47	26.508	155.5	0.44
227	7.53	33.996	3.42	1.97	41.	0.00	27.9	147.0	250	7.21	34.013	3.03	26.633	141.5	0.51
292	6.71	34.040	2.23	2.45	56.	0.00	34.4	132.9	300	6.63	34.048	2.15	26.741	131.3	0.58
394	5.85	34.133	1.61	2.90	75.	0.01	44.30	115.4	400	5.81	34.140	1.58	26.918	114.5	0.71
494	5.39	34.231	1.22	3.11	88.	0.00	44.1	102.7	500	5.37	34.238	1.19	27.049	102.0	0.82
629	5.06	34.356	0.64	3.27	98.	0.01	44.8	89.6	600	5.13	34.333	0.75	27.154	92.1	0.93
764	4.39	34.419	0.48	3.27	111.	0.00	45.7	77.8	700	4.75	34.391	0.57	27.242	83.8	1.02
931	4.04	34.477	0.57	3.27	119.	0.00	47.0	69.9	800	4.35	34.427	0.48	27.315	76.8	1.11
1135	3.40	34.522	0.90	3.21	133.	0.01	46.2	60.4	1000	3.84	34.497	0.65	27.424	66.5	1.22

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7202									
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES					
34 15.0W	119 59.0W	2/13/72	1335	GMT		565M	150	4KT	0	49					
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	02	S16T	DT	DD
									0	12.79	33.49		25.287	269.5	0.000
									10	12.67	33.51		25.326	265.8	0.027
									20	12.35	33.51		25.388	259.9	0.053
									30	12.02	33.54		25.473	251.7	0.079
									50	11.32	33.60		25.650	234.9	0.128
									75	10.36	33.74		25.924	208.4	0.183
									100	9.97	33.86		26.089	193.2	0.234
									125	9.57	33.98		26.249	178.0	0.281
									150	9.38	34.04		26.327	170.6	0.325
									200	8.79	34.11		26.476	156.5	0.409
									250	8.35	34.17		26.591	145.5	0.486
									300	7.85	34.20		26.689	136.2	0.559
									400	6.92	34.25		26.861	119.9	0.693

RV ALEXANDER AGASSIZ CALCOFI CRUISE 7202 83040

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
34 13.5N	119 22.0W	2/13/72	1935	GMT	22M	300	4KT	0	270	3	6		
Z	T	S	02	P04 S103	N02 N03	DT	Z	T	S	02	S16T	DT	DD
							0	12.85	33.53		25.306	267.7	0.000
							10	12.67	33.53		25.341	264.3	0.027
							20	12.42	33.53		25.390	259.7	0.053

RV ALEXANDER AGASSIZ CALCOFI CRUISE 7202 83043

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
34 07.5N	119 33.5W	2/13/72	1656	GMT	233M	280	4KT	0	280	2	6		
Z	T	S	02	P04 S103	N02 N03	DT	Z	T	S	02	S16T	DT	DD
							0	12.58	33.49		25.328	265.6	0.000
							10	12.24	33.52		25.416	257.2	0.026
							20	12.07	33.54		25.464	252.6	0.052
							30	11.92	33.54		25.492	249.9	0.077
							50	11.63	33.58		25.577	241.8	0.126
							75	10.83	33.65		25.777	222.9	0.185
							100	10.18	33.81		26.014	200.3	0.238
							125	9.89	33.89		26.125	189.7	0.287
							150	9.27	34.07		26.368	166.7	0.333
							200	8.82	34.17		26.518	152.4	0.414

RV ALEXANDER AGASSIZ CALCOFI CRUISE 7202 83043

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES					
34 07.5N	119 33.5W	2/13/72	1737	GMT	233M	280	4KT	0	280	2	6			
Z	T	S	02	P04 S103	N02 N03	DT	Z	T	S	02	S16T	DT	DD	
4	12.41	33.518	6.44	0.31	3.	0.04	0.3	260.4	0	12.45	33.518	25.374	261.1	0.000
15	12.07	33.563	6.55	0.33	3.	0.04	0.9	250.9	10	12.24	33.542	25.432	255.6	0.026
36	11.76	33.572	6.10	0.58	8.	0.11	4.5	244.7	20	11.98	33.572	25.505	248.7	0.051
46	11.62	33.577	5.73	0.70	8.	0.19	5.8	241.9	30	11.82	33.576	25.537	245.7	0.076
60	11.32	33.608	4.97	0.96	12.	0.18	8.9	234.4	50	11.55	33.585	25.595	240.2	0.125
75	10.79	33.658	4.18	1.28	16.	0.03	13.3	221.6	75	10.79	33.658	25.790	221.6	0.183
90	10.57	33.717	3.90	1.36	18.	0.03	14.6	213.6	100	10.30	33.789	25.976	204.0	0.236
109	10.07	33.848	3.40	1.68	23.	0.01	19.3	195.7	125	9.94	33.884	26.111	191.1	0.286
129	9.91	33.891	3.26	1.73	24.	0.02	21.3	190.0	150	9.36	34.044	26.332	170.1	0.332
155	9.17	34.095	2.40	2.10	34.	0.01	23.7	163.3						

RV ALEXANDER AGASSIZ CALCOFI CRUISE 7202 83051

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
33 52.0N	120 07.5W	2/12/72	2352	GMT	108M	310	18KT	0	310	2	5		
Z	T	S	02	P04 S103	N02 N03	DT	Z	T	S	02	S16T	DT	DD
							0	12.92	33.46		25.238	274.1	0.000
							10	12.55	33.43		25.287	269.4	0.027
							20	11.86	33.49		25.465	252.5	0.053
							30	11.52	33.56		25.598	239.9	0.078
							50	10.57	33.61		25.791	221.5	0.124
							75	9.32	33.96		26.274	175.6	0.174

RV ALEXANDER AGASSIZ CALCOFI CRUISE 7202 83055

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
33 44.0N	120 25.0W	2/12/72	2109	GMT	999M	350	10KT	0	310	7	9		
Z	T	S	02	P04 S103	N02 N03	DT	Z	T	S	02	S16T	DT	DD
							0	12.66	33.46		25.289	269.3	0.000
							10	12.41	33.49		25.361	262.5	0.027
							20	11.75	33.54		25.524	246.9	0.052
							30	11.29	33.61		25.663	233.7	0.076
							50	10.55	33.70		25.865	214.5	0.121
							75	9.95	33.85		26.084	193.7	0.173
							100	9.55	33.99		26.260	177.0	0.219
							125	9.28	34.06		26.359	167.6	0.263
							150	9.06	34.09		26.418	162.0	0.305
							200	8.68	34.17		26.540	150.4	0.385
							250	8.33	34.19		26.610	143.8	0.460
							300	7.86	34.22		26.704	134.8	0.532
							400	7.19	34.25		26.824	123.5	0.667
							500	6.33	34.31		26.987	107.9	0.789
							600	5.53	34.31		27.088	98.4	0.900
							700	5.21	34.38		27.182	89.5	1.002
							800	4.73	34.43		27.276	80.5	1.095

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7202													
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME		BOTTOM		WIND		SPEED		WEATHER		DOMINANT WAVES	
33 34.0N		120 45.5W		2/12/72		1655 GMT				1627M		340		14KT		0		320 8 8	
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD				
									0	12.25	33.52		25.414	257.3	0.000				
									10	12.25	33.53		25.422	256.6	0.026				
									20	11.91	33.56		25.510	248.3	0.051				
									30	11.63	33.58		25.577	241.8	0.076				
									50	10.95	33.65		25.755	224.9	0.122				
									75	9.90	33.80		26.054	196.6	0.175				
									100	9.42	33.90		26.211	181.6	0.223				
									125	9.01	33.96		26.324	170.9	0.268				
									150	8.45	34.00		26.443	159.6	0.310				
									200	8.15	34.11		26.574	147.1	0.388				
									250	7.93	34.18		26.662	138.8	0.461				
									300	7.01	34.15		26.770	128.5	0.530				
									400	6.83	34.25		26.873	118.7	0.659				
									500	5.96	34.29		27.019	104.9	0.778				
									600	5.49	34.33		27.109	96.4	0.885				
									700	4.98	34.38		27.209	87.0	0.984				
									800	4.60	34.41		27.275	80.6	1.076				
									1000	4.07	34.46		27.372	71.5	1.246				

RV ALEXANDER AGASSIZ										CALCOFI CRUISE 7202									
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES						
33 34.0N		120 45.5W		2/12/72		1749 GMT			1627M	340	14KT	0	320 8 8						
Z	T	S	02	P04	SIC3	N02	N03	DT	Z	T	S	02	SIGT	DT	DD				
0	12.30	33.520	6.39	0.63	6.	0.07	2.6	258.2	0	12.30	33.52	6.39	25.405	258.2	0.000				
9	12.27	33.523	6.36	0.51	6.	0.08	2.6	257.5	10	12.25	33.53	6.36	25.417	257.1	0.026				
30	11.63	33.566	5.95	0.72	9.	0.13	5.5	242.9	20	12.01	33.54	6.23	25.475	251.6	0.051				
55	10.39	33.707	4.32		18.	0.16	14.9	211.4	30	11.63	33.57	5.95	25.567	242.9	0.076				
70	9.91	33.814	3.78	1.61	22.	0.07	17.2	195.7	50	10.64	33.67	4.66	25.828	218.0	0.122				
85	9.58	33.840	3.46	1.76	25.	0.04	19.6	188.5	75	9.79	33.83	3.66	26.093	192.9	0.174				
99	9.30	33.883	3.25	1.86	27.	0.03	22.2	181.0	100	9.29	33.89	3.23	26.222	180.6	0.221				
131	8.96	33.965	2.98	2.04	32.	0.02	24.6	169.8	125	9.02	33.95	2.99	26.317	171.5	0.266				
156	8.49	34.067	2.69	2.10	38.	0.01	25.8	152.6	150	8.60	33.99	2.44	26.410	162.8	0.308				
181	8.17	34.04	2.69	2.10	38.	0.01	25.8	152.6	200	8.09	34.08	2.44	26.562	148.3	0.387				
216	8.06	34.12	2.06	2.44	43.	0.01	27.8	145.1	250	7.82	34.17	1.65	26.666	138.4	0.461				
281	7.56	34.19	1.44	2.74	52.	0.02	31.2	132.9	300	7.44	34.21	1.31	26.752	130.2	0.530				
361	6.92	34.25	0.90	3.02	59.	0.02	35.2	119.9	400	6.74	34.26	0.82	26.890	117.2	0.660				
481	6.01	34.28	0.58	3.23	73.	0.02	38.1	106.3	500	5.90	34.29	0.56	27.025	104.4	0.777				
615	5.40	34.34	0.47	3.27	84.	0.02	41.0	94.6	600	5.43	34.33	0.48	27.116	95.8	0.884				
768	4.67	34.41	0.46		101.	0.00	41.7	81.4	700	4.98	34.38	0.46	27.208	87.0	0.983				
916	4.23	34.46	0.59	3.40	108.	0.05	40.3	73.1	800	4.56	34.42	0.48	27.289	79.3	1.074				
1121	3.65	34.51	0.84	3.35	121.	0.03	40.8	63.6	1000	3.99	34.48	0.68	27.399	68.9	1.239				

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7202									
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
35 14.5N		121 26.0W		2/12/72		0012 GMT			3545M	360	8KT	1	320 10 9		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD
									0	13.50	33.34		25.029	294.0	0.000
									10	13.06	33.30		25.087	288.5	0.029
									20	12.62	33.27		25.111	286.2	0.058
									30	12.26	33.29		25.235	274.5	0.086
									50	12.24	33.36		25.293	268.9	0.141
									75	11.28	33.42		25.518	247.5	0.205
									100	9.95	33.50		25.812	219.6	0.264
									125	9.02	33.60		26.198	182.9	0.315
									150	8.68	33.96		26.376	166.0	0.359
									200	8.01	34.02		26.525	151.8	0.440
									250	7.82	34.14		26.647	140.2	0.515
									300	7.33	34.17		26.741	131.3	0.585
									400	6.23	34.19		26.906	115.7	0.714
									500	5.79	34.30		27.048	102.2	0.829
									600	5.26	34.36		27.160	91.6	0.933
									700	4.87	34.41		27.245	83.5	1.028
									800	4.39	34.43		27.314	77.0	1.116
									1000	3.80	34.49		27.423	66.6	1.276

RV ALEXANDER AGASSIZ

CALCOFI CRUISE 7202

83080

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
32 53.0N	122 08.0W	2/11/72	1911	GMT	4193M	050	9KT	1	350 5 8				
Z	T	S	02	P04 S103	N02 N03	DT	Z	T	S	02	Sigt	DT	DD
							0	12.53	33.20		25.113	286.0	0.000
							10	12.12	33.26		25.238	274.1	0.028
							20	11.87	33.27		25.293	268.9	0.055
							30	11.58	33.29		25.362	262.3	0.082
							50	11.09	33.30		25.459	253.1	0.134
							75	11.32	33.44		25.526	246.8	0.196
							100	11.16	33.49		25.593	240.3	0.258
							125	9.94	33.65		25.930	208.3	0.314
							150	9.36	33.91		26.229	179.9	0.364
							200	8.59	34.04		26.452	158.7	0.450
							250	7.91	34.11		26.610	143.7	0.528
							300	7.18	34.13		26.731	132.3	0.599
							400	6.15	34.18		26.908	115.4	0.728
							500	5.37	34.22		27.036	103.3	0.843
							600	5.04	34.30		27.138	93.6	0.948
							700	4.64	34.36		27.231	84.8	1.044
							800	4.40	34.41		27.297	76.6	1.133
							1000	3.84	34.48		27.411	67.7	1.296

RV ALEXANDER AGASSIZ

CALCOFI CRUISE 7202

83090

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
32 56.5N		122 54.0W		2/11/72		0243		GMT	4116M	070	9KT	1	49		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
									0	13.10	33.25		25.040	293.0	0.000
									10	12.65	33.26		25.136	283.8	0.029
									20	12.61	33.28		25.160	281.6	0.057
									30	12.55	33.28		25.171	280.5	0.085
									50	12.16	33.32		25.277	270.4	0.141
									75	11.25	33.32		25.445	254.4	0.207
									100	10.25	33.45		25.722	228.1	0.267
									125	9.60	33.74		26.057	196.3	0.321
									150	8.81	33.83		26.254	177.5	0.368
									200	8.14	33.98		26.474	156.6	0.453
									250	7.34	34.03		26.630	141.9	0.530
									300	6.58	34.02		26.726	132.7	0.601
									400	5.77	34.14		26.924	113.9	0.729
									500	5.24	34.23		27.060	101.1	0.842
									600	4.87	34.31		27.166	91.0	0.944
									700	4.50	34.38		27.262	81.8	1.037
									800	4.25	34.43		27.329	75.5	1.123
									1000	3.74	34.51		27.445	64.5	1.279

RV ALASKA

CALCOFI CRUISE 7202

87035

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
33 50.0N		118 37.0W		2/ 9/72		0120		GMT							
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
									0	13.40	33.47		25.150	282.5	0.000
									10	13.15	33.46		25.192	278.5	0.028
									20	13.05	33.46		25.212	276.6	0.056
									30	12.80	33.46		25.262	271.9	0.083
									50	11.65	33.50		25.312	248.1	0.136
									75	10.90	33.58		25.710	229.3	0.196
									100	10.20	33.74		25.956	205.8	0.250
									125	9.95	33.93		26.146	187.7	0.300
									150	9.90	34.05		26.248	178.1	0.347
									200	9.10	34.11		26.427	161.1	0.433
									250	8.50	34.14		26.545	149.9	0.513
									300	8.20	34.16		26.606	144.1	0.589
									400	7.05	34.20		26.804	125.3	0.729

RV ALASKA

CALCOFI CRUISE 7202

87040

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
33 40.0N		118 57.5W		2/ 9/72		0430		GMT							
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
									0	13.05	33.48		25.228	275.1	0.000
									10	13.05	33.48		25.228	275.1	0.028
									20	13.00	33.47		25.230	274.9	0.055
									30	12.95	33.47		25.240	274.0	0.083
									50	11.70	33.44		25.456	253.4	0.135
									75	11.00	33.57		25.684	231.7	0.196
									100	10.30	33.71		25.916	209.7	0.252
									125	9.65	33.83		26.085	193.5	0.303
									150	9.80	34.01		26.234	179.4	0.350
									200	9.05	34.09		26.419	161.8	0.437
									250	8.50	34.12		26.529	151.4	0.518
									300	7.85	34.15		26.650	139.9	0.593
									400	7.10	34.22		26.813	124.5	0.731
									500	6.40	34.27		26.947	111.8	0.856

RV ALASKA				CALCOFI CRUISE 7202												87045
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM		WIND		SPEED	WEATHER	DOMINANT WAVES		
33 30.0N		119 20.0W		2/ 9/72		UR20 GMT										
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD	
									0	13.10	33.45		25.195	278.3	0.000	
									10	13.05	33.45		25.205	277.3	0.028	
									20	13.05	33.46		25.212	276.6	0.056	
									30	12.85	33.44		25.236	274.3	0.083	
									50	12.00	33.49		25.439	255.0	0.136	
									75	10.50	33.59		25.788	221.8	0.196	
									100	9.90	33.84		26.085	193.6	0.249	
									125	9.65	33.96		26.220	180.7	0.296	
									150	9.35	33.99		26.293	173.6	0.341	
									200	8.65	34.09		26.482	155.9	0.425	
									250	8.30	34.14		26.575	147.0	0.503	
									300	7.80	34.17		26.673	137.7	0.576	
									400	7.20	34.24		26.814	124.3	0.713	
									500	6.65	34.29		26.929	113.5	0.839	

RV ALASKA				CALCOFI CRUISE 7202												87050
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES								
33 20.0N	119 39.5W	2/ 9/72	1230 GMT													
Z	T	S	02	P04 S103	N02 N03	DT	Z	T	S	02	SIGT	DT	DD			
							0	12.05	33.50		25.437	255.2	0.000			
							10	12.00	33.50		25.446	254.3	0.025			
							20	11.95	33.56		25.502	249.0	0.051			
							30	11.85	33.60		25.552	244.3	0.075			
							50	11.20	33.63		25.695	230.7	0.123			

RV ALASKA				CALCOFI CRUISE 7202												87055
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER TIME	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
33 09.0N	119 59.5W	2/ 9/72	1545 GMT													
Z	T	S	02	P04 S103	N02 N03	DT	Z	T	S	02	SIGT	DT	DD			
							0	13.10	33.31		25.087	288.5	0.000			
							10	13.10	33.32		25.094	287.8	0.029			
							20	12.65	33.25		25.129	284.5	0.057			
							30	12.45	33.31		25.214	276.4	0.086			
							50	12.00	33.31		25.299	268.3	0.140			
							75	11.10	33.35		25.496	249.6	0.205			
							100	9.70	33.68		25.994	202.3	0.262			
							125	9.30	33.91		26.239	179.0	0.311			
							150	8.90	34.01		26.381	165.5	0.354			
							200	8.15	34.03		26.512	153.1	0.435			
							250	7.85	34.10		26.611	143.6	0.512			
							300	7.70	34.25		26.751	130.4	0.582			
							400	7.05	34.31		26.890	117.1	0.712			
							500	6.40	34.34		27.002	106.6	0.830			

RV ALASKA				CALCOFI CRUISE 7202											87060
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
32 59.50	120 21.00	2/ 9/72	1920 GMT												
Z	T	S	02	P04 S103	N02 N03	DT	Z	T	S	02	SIGT	DT	DD		
							0	13.60	33.30		24.978	298.8	0.000		
							10	13.50	33.32		25.014	295.4	0.030		
							20	13.45	33.34		25.039	293.0	0.059		
							30	13.40	33.35		25.057	291.3	0.088		
							50	13.05	33.32		25.104	286.9	0.146		
							75	12.35	33.35		25.264	271.7	0.217		
							100	11.70	33.44		25.456	253.4	0.283		
							125	10.65	33.45		25.653	234.7	0.344		
							150	9.30	33.71		26.082	193.8	0.399		
							200	8.65	33.95		26.373	166.2	0.490		
							250	8.05	34.05		26.542	150.2	0.571		
							300	7.65	34.12		26.656	139.4	0.646		
							400	7.00	34.25		26.850	120.9	0.782		
							500	6.20	34.30		26.996	107.1	0.902		

RV ALASKA				CALCOFI CRUISE 7202												87070
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	POTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
32 41.0N	121 00.0W	2/10/72	0218	GMT												
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SI6T	DT	DD	
									0	14.20	33.37		24.908	305.5	0.000	
									10	14.05	33.37		24.940	302.5	0.030	
									20	14.00	33.39		24.965	300.1	0.061	
									30	13.95	33.39		24.976	299.1	0.091	
									50	13.90	33.40		24.994	297.4	0.150	
									75	12.95	33.25		25.070	290.1	0.224	
									100	12.55	33.30		25.187	279.0	0.296	
									125	11.20	33.20		25.361	262.4	0.364	
									150	10.05	33.59		25.865	214.5	0.425	
									200	8.95	33.87		26.263	176.6	0.524	
									250	8.20	33.99		26.473	156.7	0.609	
									300	7.25	33.97		26.595	145.1	0.687	
									400	6.30	34.13		26.849	121.0	0.825	
									500	5.65	34.22		27.002	106.5	0.945	

RV ALASKA				CALCOFI CRUISE 7202										87080	
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	POTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
32 20.0N		121 42.0W		2/10/72		0855		GMT							
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SI6T	DT	DD
									0	13.50	33.31		25.006	296.2	0.000
									10	13.50	33.31		25.006	296.2	0.030
									20	13.35	33.30		25.029	294.0	0.059
									30	12.80	33.25		25.099	287.3	0.088
									50	12.40	33.32		25.231	274.8	0.145
									75	11.00	33.30		25.475	251.6	0.211
									100	10.20	33.53		25.793	221.4	0.270
									125	9.40	33.70		26.059	196.1	0.323
									150	8.95	33.84		26.240	178.9	0.371
									200	6.20	33.96		26.449	159.0	0.457
									250	7.40	34.01		26.606	144.2	0.534
									300	7.00	34.06		26.701	135.1	0.606
									400	6.05	34.11		26.866	119.5	0.739
									500	5.20	34.15		27.001	106.6	0.857

RV ALASKA				CALCOFI CRUISE 7202												87090
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
32 00.0N		122 24.0W		2/10/72		1430 GMT										
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SI6T	DT	DD	
									0	13.60	33.32		24.994	297.4	0.000	
									10	13.60	33.32		24.994	297.4	0.030	
									20	12.95	33.25		25.070	290.1	0.059	
									30	12.15	33.24		25.217	276.1	0.088	
									50	12.00	33.25		25.253	272.7	0.143	
									75	11.90	33.37		25.365	262.1	0.210	
									100	11.05	33.36		25.512	248.0	0.274	
									125	10.20	33.59		25.840	216.9	0.333	
									150	9.55	33.80		26.112	191.0	0.384	
									200	8.50	33.99		26.427	161.1	0.474	
									250	7.65	34.02		26.578	146.8	0.553	
									300	6.90	34.07		26.722	133.1	0.625	
									400	6.15	34.16		26.892	116.9	0.755	
									500	5.45	34.28		27.074	99.7	0.869	

RV ALEXANDER AGASSIZ					CALCOFI CRUISE 7202							90028	
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	POTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
33 28.5N	117 47.0W	2/ 6/72	2035	GMT	517M	280	4KT	4	260 4 10				
Z	T	S	02	P04 S103	N02 N03	DT	Z	T	S	02	SI6T	DT	DD
							0	13.02	33.43		25.195	278.2	0.000
							10	12.74	33.45		25.266	271.5	0.027
							20	12.66	33.48		25.304	267.8	0.054
							30	12.26	33.48		25.381	260.5	0.081
							50	11.54	33.48		25.516	247.6	0.132
							75	10.86	33.63		25.756	224.9	0.191
							100	10.33	33.83		26.004	201.3	0.245
							125	9.89	33.98		26.196	183.1	0.294
							150	9.72	34.08		26.302	173.0	0.339
							200	8.92	34.13		26.471	156.9	0.423
							250	8.46	34.17		26.574	147.1	0.501
							300	7.97	34.22		26.687	136.4	0.575
							400	7.10	34.26		26.844	121.5	0.709
							500	6.46	34.33		26.963	108.3	0.831

RV ALEXANDER AGASSIZ										CALCOFI CRUISE 7202						
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
33 28.5N		117 47.0W		2/ 8/72		2214 GMT			517M	280	4KT	4	260 4 10			
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SI0T	DT	DD	
0	13.12	33.462	6.49	0.32	2.	0.01	0.2	277.8	0	13.12	33.462	6.49	25.200	277.8	0.000	
9	12.82	33.459	6.36	0.27	2.	0.01	0.4	272.3	10	12.80	33.460	6.33	25.261	271.9	0.027	
30	12.35	33.454	5.66	0.55	5.	0.01	4.8	264.0	20	12.56	33.458	6.01	25.305	267.8	0.055	
50	11.77	33.458	5.26	0.80	8.	0.01	8.6	253.3	30	12.35	33.454	5.66	25.344	264.0	0.081	
81	10.63	33.662	3.86	1.41	17.	0.01	17.2	218.7	50	11.77	33.458	5.26	25.457	253.3	0.133	
111	10.01	33.885	3.93	1.74	24.	0.00	22.1	192.0	75	10.84	33.613	4.11	25.745	225.9	0.193	
157	9.48	34.065	2.48	2.11	32.	0.00	27.4	170.3	100	10.20	33.808	3.90	26.009	200.8	0.247	
208	8.72	34.137	2.08	2.20	40.	0.00	33.5	153.4	125	9.83	33.957	3.53	26.187	183.9	0.296	
258	8.30	34.164	1.85	2.41	44.	0.00	34.9	145.2	150	9.55	34.049	2.73	26.305	172.7	0.341	
312	7.67	34.192	1.43	2.62	51.	0.00	35.6	137.1	200	8.83	34.132	2.10	26.486	155.5	0.425	
409	6.95	34.244	0.81	2.92	64.	0.00	39.4	120.7	250	8.36	34.162	1.89	26.583	146.3	0.502	
									300	7.97	34.197	1.53	26.661	138.9	0.576	
									400	7.04	34.240	0.86	26.835	122.3	0.712	

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7202									
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
33 20.5N		118 02.5W		2/ 9/72		0142 GMT			741M	290	4KT	4	270 3 10		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SI0T	DT	DD
									0	13.01	33.44		25.205	277.3	0.000
									10	12.93	33.46		25.236	274.3	0.028
									20	12.89	33.46		25.244	273.6	0.055
									30	12.76	33.46		25.269	271.1	0.082
									50	11.58	33.53		25.548	244.6	0.134
									75	11.00	33.65		25.746	225.8	0.193
									100	10.38	33.82		25.987	202.8	0.247
									125	10.21	33.96		26.126	189.7	0.297
									150	9.87	34.05		26.253	177.6	0.344
									200	9.41	34.17		26.423	161.4	0.430
									250	8.93	34.21		26.532	151.1	0.510
									300	8.36	34.21		26.621	142.7	0.586
									400	7.35	34.24		26.793	126.3	0.727
									500	6.49	34.29		26.950	111.4	0.853
									600	5.82	34.36		27.092	98.0	0.965

RV ALEXANDER AGASSIZ					CALCOFI CRUISE 7202										
LATITUDE		LONGITUDE		MO/DAY/YR	MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
33 11.0N		118 22.5W		2/ 9/72	0412 GMT			1162M	300	7KT		49			
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SI0T	DT	DD
									0	12.97	33.44		25.213	276.5	0.000
									10	12.83	33.45		25.248	273.2	0.027
									20	12.75	33.46		25.271	271.0	0.055
									30	12.49	33.47		25.330	265.4	0.082
									50	11.38	33.47		25.538	245.6	0.133
									75	10.71	33.63		25.762	222.4	0.192
									100	9.83	33.81		26.073	194.7	0.244
									125	9.49	33.90		26.200	182.7	0.292
									150	9.15	33.99		26.325	170.8	0.337
									200	8.57	34.09		26.495	154.7	0.420
									250	8.02	34.13		26.610	143.8	0.497
									300	7.83	34.22		26.708	134.4	0.568
									400	7.02	34.24		26.839	122.0	0.702
									500	6.39	34.31		26.979	108.7	0.824
									600	5.63	34.36		27.115	95.8	0.934
									700	5.15	34.39		27.197	88.1	1.034

RV ALEXANDER AGASSIZ										CALCOFI CRUISE 7202						
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
33 11.0N		118 22.5W		2/ 9/72		0539 GMT			1162M	300	7KT		49			
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SI0T	DT	DD	
1	12.91	33.465	6.42	0.25	3.	0.03	0.0	273.6	0	12.91	33.465	6.42	25.244	273.6	0.000	
11	12.77	33.461	6.37	0.29	3.	0.02	0.5	271.2	10	12.79	33.463	6.38	25.265	271.5	0.027	
31	12.30	33.456	5.91	0.48	5.	0.05	4.1	263.0	20	12.57	33.456	6.20	25.303	268.0	0.054	
41	12.12	33.48	5.66	0.57	6.	0.09	5.6	257.9	30	12.32	33.457	5.94	25.350	263.5	0.081	
51	11.53	33.500	5.00	0.91	9.	0.02	10.2	246.0	50	11.59	33.499	5.07	25.521	247.2	0.132	
67A	11.27	33.545	4.74	1.05	11.	0.02	12.6	238.1	75	10.99	33.505	4.49	25.696	230.6	0.192	
82A	10.72	33.623	4.25	1.29	15.	0.01	16.0	223.1	100	10.06	33.744	3.78	25.982	203.4	0.247	
108A	9.81	33.794	3.64	1.62	22.	0.01	23.1	195.6	125	9.51	33.873	3.52	26.175	185.1	0.296	
127A	9.48	33.879	3.51	1.78	26.	0.01	25.2	184.1	150	9.15	33.971	3.00	26.309	172.3	0.341	
148A	9.17	33.963	3.03	1.92	29.	0.01	26.0	173.1	200	8.60	34.082	2.55	26.483	155.8	0.425	
178A	8.88	34.047	2.73	2.06	34.	0.01	27.6	162.5	250	8.12	34.131	2.06	26.595	145.2	0.502	
208A	8.50	34.090	2.48	2.19	38.	0.00	30.3	153.6	300	7.65	34.174	1.63	26.697	135.5	0.575	
240A	8.23	34.124	2.15	2.33	42.	0.00	31.5	147.2	400	7.01	34.245	0.89	26.844	121.5	0.709	
279A	7.81	34.148	1.81	2.48	48.	0.01	36.1	139.5	500	6.44	34.319	0.58	26.978	108.8	0.831	
340A	7.41	34.219	1.30	2.80	57.	0.00	38.4	128.7								
414A	6.92	34.249	0.81	2.97		0.00	39.5	120.0								
488A	6.54	34.308	0.61	3.11		0.01	40.5	110.7								
563A	5.74	34.362	0.45	3.30		0.00	44.6	96.0								

RV ALEXANDER AGASSIZ										CALCOFI CRUISE 7202						90037
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
33 11.0N	118 22.5W	2/ 9/72	0702	GMT	1162M	300	7KT		49							
Z	T	S	02	P04 S103	N02 N03	DT	Z	T	S	02	SI&T	DT	DD			
							0	12.88	33.45		25.238	274.1	0.000			
							10	12.76	33.45		25.262	271.9	0.027			
							20	12.64	33.47		25.301	268.2	0.054			
							30	12.38	33.47		25.351	263.4	0.081			
							50	11.54	33.49		25.524	246.9	0.132			
							75	10.56	33.63		25.805	220.2	0.191			
							100	9.86	33.79		26.053	196.7	0.243			
							125	9.50	33.93		26.221	180.6	0.291			
							150	9.17	33.96		26.298	173.3	0.336			
							200	8.83	34.08		26.446	159.3	0.421			
							250	8.11	34.13		26.596	145.1	0.499			
							300	7.78	34.21		26.708	134.5	0.571			
							400	6.95	34.25		26.857	120.3	0.704			
							500	6.33	34.32		26.995	107.2	0.825			
							600	5.64	34.36		27.114	95.9	0.933			
							700	5.22	34.40		27.196	88.1	1.033			

RV ALEXANDER AGASSIZ										CALCOFI CRUISE 7202						90045
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
32 56.0N	118 56.0W	2/ 9/72	1130	GMT	1692M	280	7KT		49							
Z	T	S	02	P04 S103	N02 N03	DT	Z	T	S	02	SI&T	DT	DD			
							0	12.16	33.39		25.331	265.3	0.000			
							10	12.14	33.39		25.335	264.9	0.027			
							20	12.14	33.40		25.343	264.2	0.053			
							30	12.13	33.40		25.344	264.0	0.079			
							50	11.29	33.46		25.547	244.8	0.131			
							75	10.24	33.62		25.856	215.4	0.188			
							100	9.29	33.63		26.022	199.6	0.241			
							125	9.06	33.86		26.238	179.1	0.289			
							150	8.93	33.92		26.306	172.6	0.333			
							200	8.50	34.11		26.521	152.2	0.416			
							250	7.91	34.18		26.665	138.5	0.491			
							300	7.54	34.22		26.750	130.4	0.560			
							400	6.96	34.29		26.887	117.4	0.690			
							500	6.37	34.33		26.998	106.9	0.806			
							600	5.74	34.37		27.110	96.3	0.917			
							700	5.24	34.40		27.194	88.3	1.018			
							800	4.74	34.43		27.275	80.6	1.111			
							1000	4.10	34.48		27.385	70.3	1.279			

RV ALEXANDER AGASSIZ										CALCOFI CRUISE 7202						90053
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
32 58.5N	119 28.0W	2/ 9/72	1655	GMT	1276M	290	6KT	2	330 4 10							
Z	T	S	02	P04 S103	N02 N03	DT	Z	T	S	02	SI&T	DT	DD			
							0	12.63	33.41		25.256	272.4	0.000			
							10	12.61	33.43		25.275	270.6	0.027			
							20	12.22	33.42		25.343	264.2	0.054			
							30	11.73	33.43		25.443	254.7	0.080			
							50	10.84	33.46		25.627	237.1	0.129			
							75	10.08	33.70		25.945	206.8	0.185			
							100	9.73	33.91		26.168	185.7	0.235			
							125	9.43	34.02		26.303	172.9	0.280			
							150	9.08	34.08		26.407	163.0	0.323			
							200	8.73	34.14		26.509	153.3	0.403			
							250	7.95	34.18		26.659	139.1	0.479			
							300	7.43	34.21		26.758	129.7	0.548			
							400	6.73	34.28		26.910	115.2	0.676			
							500	6.23	34.32		27.008	106.0	0.793			
							600	5.77	34.35		27.090	98.2	0.902			
							700	5.33	34.38		27.167	90.8	1.005			
							800	4.79	34.43		27.270	81.2	1.099			
							1000	4.18	34.48		27.376	71.1	1.270			

RV ALEXANDER AGASSIZ										CALCOFI CRUISE 7202						90060
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
32 24.5N	119 57.5W	2/ 9/72	2113	GMT	1187M	300	7KT	1	300 10 8							
Z	T	S	02	P04 S103	N02 N03	DT	Z	T	S	02	SI&T	DT	DD			
							0	12.67	33.40		25.241	273.9	0.000			
							10	12.41	33.42		25.306	267.6	0.027			
							20	12.18	33.45		25.374	261.2	0.054			
							30	12.08	33.49		25.423	256.5	0.080			
							50	11.59	33.54		25.554	244.1	0.130			
							75	10.51	34.60		25.794	221.3	0.168			
							100	9.78	33.64		26.105	191.7	0.240			
							125	9.33	33.87		26.202	182.4	0.288			
							150	9.16	34.04		26.362	167.2	0.332			
							200	8.63	34.17		26.548	149.6	0.413			
							250	7.77	34.16		26.670	136.0	0.487			
							300	6.91	34.13		26.768	128.7	0.556			
							400	6.52	34.24		26.907	115.5	0.683			
							500	6.21	34.32		27.011	105.7	0.800			
							600	5.67	34.36		27.110	96.3	0.908			
							700	5.12	34.41		27.216	86.2	1.007			
							800	4.72	34.44		27.286	79.7	1.099			
							1000	4.13	34.48		27.381	70.6	1.267			

RV ALEXANDER AGASSIZ

CALCOFI CRUISE 7202

90060

LATITUDE 32 24.5N		LONGITUDE 119 57.5W		MO/DAY/YR 2/ 9/72		MESSENGER 231A GMT		TIME	BOTTOM 1187M	WIND 300	SPEED 7KT	WEATHER 1	DOMINANT WAVES 300 10 8		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
0	13.33	33.38	6.11	0.33	2.	0.00	0.5	287.8	0	13.33	33.380	6.11	25.095	287.8	0.000
9	12.31	33.45	6.25	0.40	4.	0.04	2.0	263.6	10	12.30	33.454	6.25	25.354	263.1	0.028
29	12.01	33.50	6.15	0.49	6.	0.04	3.2	254.5	20	12.15	33.479	6.20	25.401	258.6	0.054
54	11.36	33.56	5.68	0.79	9.	0.25	8.2	238.6	30	11.98	33.504	6.14	25.451	253.8	0.079
69	11.18	33.60	5.27	0.91	11.	0.21	9.8	232.5	50	11.46	33.552	5.78	25.586	241.1	0.129
84	10.51	33.67	4.53	1.23	16.	0.04	14.9	216.1	75	10.94	33.626	4.99	25.737	226.6	0.188
98	9.91	33.76	3.83	1.53	20.	0.03	19.4	199.7	100	9.88	33.776	3.76	26.037	198.2	0.241
128	9.66	33.94	3.14	1.78	25.	0.01	23.0	182.4	125	9.67	33.927	3.17	26.190	183.6	0.290
153	9.91	33.99	3.11	1.87	30.	0.00	25.0	167.1	150	9.00	33.987	3.11	26.346	168.8	0.334
178	8.61	34.04	3.07	1.99	34.	0.00	26.9	159.0	200	8.38		2.81			
212	8.24		2.64	2.19	40.	0.00	28.8		250	7.42		2.32			
276	6.87		2.13	2.53	55.	0.02	34.5		300	6.81		1.85			
375	6.62		1.02	2.95	67.	0.01	39.7		400	6.54		0.85			
474	6.26		0.51	3.13	75.	0.02	40.9		500	6.15		0.48			
605	5.67		0.37	3.19	90.	0.02	42.8		600	5.69		0.38			
755	4.87		0.42	3.24	101.	0.01	45.5		700	5.16		0.40			
897	4.34		0.53	3.34	111.	0.01	46.1		800	4.69		0.45			
1095	3.69		0.79	3.28	125.	0.02	46.0		1000	3.99		0.65			

RV ALEXANDER AGASSIZ

CALCOFI CRUISE 7202

90070

LATITUDE 32 06.0N		LONGITUDE 120 36.5W		MO/DAY/YR 2/10/72		MESSENGER 0416 GMT		TIME	BOTTOM 3641M	WIND 120	SPEED 4KT	WEATHER	DOMINANT WAVES 49		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
0	13.29	33.24							0	13.29	33.24		24.995	297.3	0.000
10	13.10	33.28							10	13.10	33.28		25.063	290.8	0.029
20	13.09	33.28							20	13.09	33.28		25.065	290.6	0.059
30	13.09	33.28							30	13.09	33.28		25.065	290.6	0.088
50	13.12	33.36							50	13.12	33.36		25.121	285.2	0.145
75	12.55	33.34							75	12.55	33.34		25.218	276.1	0.216
100	12.28	33.36							100	12.28	33.36		25.285	269.7	0.285
125	11.91	33.42							125	11.91	33.42		25.401	258.6	0.351
150	11.31	33.42							150	11.31	33.42		25.512	248.1	0.416
200	9.28	33.86							200	9.28	33.86		26.203	182.4	0.525
250	8.57	34.03							250	8.57	34.03		26.448	159.1	0.612
300	7.45	34.03							300	7.45	34.03		26.614	143.3	0.690
400	5.97	34.06							400	5.97	34.06		26.836	122.2	0.828
500	5.61	34.21							500	5.61	34.21		26.999	106.8	0.948
600	5.11	34.28							600	5.11	34.28		27.114	95.9	1.056
700	4.73	34.35							700	4.73	34.35		27.213	86.5	1.155
800	4.45	34.42							800	4.45	34.42		27.300	78.3	1.245
1000	3.87	34.49							1000	3.87	34.49		27.416	67.3	1.407

RV ALEXANDER AGASSIZ

CALCOFI CRUISE 7202

90080

LATITUDE 31 43.5N		LONGITUDE 121 19.5W		MO/DAY/YR 2/10/72		MESSENGER 1003 GMT		TIME	BOTTOM 3926M	WIND 170	SPEED 5KT	WEATHER	DOMINANT WAVES 49		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
0	13.98	33.42							0	13.98	33.42		24.993	297.5	0.000
10	13.93	33.43							10	13.93	33.43		25.011	295.8	0.030
20	13.92	33.43							20	13.92	33.43		25.013	295.6	0.059
30	13.89	33.43							30	13.89	33.43		25.019	295.0	0.089
50	13.79	33.42							50	13.79	33.42		25.032	293.7	0.148
75	13.72	33.41							75	13.72	33.41		25.038	293.1	0.222
100	13.52	33.38							100	13.52	33.38		25.056	291.4	0.295
125	11.82	33.41							125	11.82	33.41		25.410	257.7	0.365
150	10.89	33.54							150	10.89	33.54		25.681	232.0	0.427
200	9.67	33.86							200	9.67	33.86		26.139	188.5	0.534
250	8.85	34.06							250	8.85	34.06		26.427	161.1	0.623
300	8.25	34.17							300	8.25	34.17		26.606	144.1	0.702
400	6.99	34.20							400	6.99	34.20		26.812	124.5	0.842
500	5.83	34.19							500	5.83	34.19		26.957	110.9	0.966
600	5.24	34.26							600	5.24	34.26		27.083	96.8	1.077
700	4.87	34.35							700	4.87	34.35		27.197	86.0	1.178
800	4.55	34.40							800	4.55	34.40		27.273	80.9	1.271
1000	3.90	34.48							1000	3.90	34.48		27.405	68.3	1.437

RV ALEXANDER AGASSIZ

CALCOFI CRUISE 7202

90080

RV ALEXANDER AGASSIZ										CALCOFI CRUISE 7202							
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM		WIND		SPEED		WEATHER		DOMINANT WAVES	
31 43.5N		121 19.5W		2/10/72		1131 GMT		3936M		170		5KT				49	
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	U2	S16T	DT	DD		
1	13.95	33.432	6.03	0.30	2.	0.02	0.2	296.0	0	13.95	33.432	6.03	25.008	296.0	0.000		
10	13.93	33.429	6.05	0.30	2.	0.01	0.1	295.8	10	13.93	33.429	6.05	25.010	295.8	0.030		
30	13.89	33.425	6.08	0.30	2.	0.01	0.0	295.3	20	13.91	33.429	6.07	25.012	295.7	0.059		
55	13.74	33.412	6.05	0.31	2.	0.02	0.1	293.4	30	13.89	33.425	6.08	25.015	295.3	0.089		
69	13.71	33.411	5.94	0.33	2.	0.03	0.1	292.8	50	13.77	33.416	6.06	25.032	293.8	0.148		
84	13.69	33.411	5.97	0.34	2.	0.03	0.1	292.5	75	13.70	33.413	5.95	25.043	292.7	0.222		
97	13.65	33.414	6.02	0.34	2.	0.06	0.3	291.5	100	13.51	33.410	6.00	25.080	289.1	0.295		
127	11.88	33.399	5.70	0.62	5.	0.03	4.3	259.6	125	12.02	33.399	5.73	25.362	262.3	0.365		
151	11.04	33.525	5.36	0.82	8.	0.02	7.8	235.7	150	11.07	33.520	5.38	25.631	236.7	0.428		
175	10.07	33.693	4.52	1.23	15.	0.02	15.3	207.2	200	9.52	33.840	4.13	26.147	187.7	0.536		
208	9.40		4.04	1.60	23.	0.01	19.5		250	8.88	34.059	3.11	26.421	161.7	0.625		
272	8.67	34.096	2.61	2.31	36.	0.01	27.9	155.7	300	8.35	34.148	2.16	26.573	147.2	0.705		
367	7.51	34.183	1.42	2.85	54.	0.00	35.9	132.8	400	6.98	34.175	1.26	26.793	126.3	0.847		
464	6.02	34.154	1.10	3.18	71.	0.01	40.6	115.8	500	5.72	34.167	0.94	26.951	111.4	0.972		
594	5.25	34.224	0.59	3.43	90.	0.02	43.0	101.6	600	5.22	34.231	0.59	27.061	100.9	1.085		
744	4.69	34.365	0.54	3.50	102.	0.01	46.2	85.0	700	4.83	34.324	0.55	27.181	89.6	1.188		
887	4.19	34.443	0.53	3.51	102.0	0.00	45.9	73.9	800	4.49	34.401	0.54	27.280	80.2	1.280		
1087	3.58	34.517	0.87	3.45	127.	0.01	45.8	62.5	1000	3.83	34.491	0.67	27.420	66.9	1.444		

RV ALEXANDER AGASSIZ

CALCOFI CRUISE 7202

90090

RV ALEXANDER AGASSIZ										CALCOFI CRUISE 7202							
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM		WIND		SPEED		WEATHER		DOMINANT WAVES	
31 21.0N		121 58.0W		2/10/72		1611 GMT		3737M		110		8KT		1		270 7 8	
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	U2	S16T	DT	DD		
									0	13.96	33.40		24.981	298.5	0.000		
									10	13.92	33.42		25.005	296.3	0.030		
									20	13.91	33.42		25.007	296.1	0.059		
									30	13.63	33.36		25.018	295.0	0.089		
									50	13.32	33.32		25.050	292.0	0.148		
									75	13.24	33.31		25.059	291.2	0.221		
									100	12.86	33.31		25.134	284.0	0.294		
									125	11.59	33.40		25.445	254.4	0.362		
									150	10.66	33.53		25.713	228.9	0.423		
									200	9.28	33.87		26.211	181.7	0.527		
									250	8.46	34.03		26.465	157.5	0.614		
									300	7.69	34.02		26.572	147.4	0.693		
									400	6.36	34.10		26.818	124.0	0.834		
									500	5.61	34.18		26.976	109.0	0.956		
									600	5.30	34.30		27.108	96.5	1.065		
									700	4.95	34.37		27.204	87.4	1.165		
									800	4.55	34.43		27.296	78.6	1.256		
									1000	3.88	34.49		27.415	67.4	1.419		

RV ALASKA

CALCOFI CRUISE 7202

93027

RV ALASKA										CALCOFI CRUISE 7202							
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM		WIND		SPEED		WEATHER		DOMINANT WAVES	
32 56.0N		117 19.0W		2/14/72		0100 GMT											
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	U2	S16T	DT	DD		
									0	13.30	33.47		25.170	280.6	0.000		
									10	12.90	33.50		25.273	270.8	0.028		
									20	12.10	33.53		25.451	253.9	0.054		
									30	11.80	33.56		25.530	246.3	0.079		
									50	11.10	33.63		25.713	229.0	0.127		

RV ALASKA

CALCOFI CRUISE 7202

93028

RV ALASKA										CALCOFI CRUISE 7202							
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM		WIND		SPEED		WEATHER		DOMINANT WAVES	
32 54.5N		117 22.0W		2/14/72		0000 GMT											
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	U2	S16T	DT	DD		
									0	13.40	33.35		25.057	291.3	0.000		
									10	13.05	33.44		25.197	278.0	0.028		
									20	12.75	33.41		25.233	274.6	0.056		
									30	12.40	33.49		25.362	262.3	0.083		
									50	11.70	33.47		25.479	251.2	0.135		
									75	10.80	33.61		25.751	225.4	0.195		
									100	10.50	33.85		25.990	202.6	0.248		
									125	10.40	33.99		26.116	190.6	0.298		
									150	9.80	34.05		26.265	176.5	0.345		
									200	9.35	34.20		26.457	158.3	0.430		
									250	8.60	34.17		26.552	149.2	0.509		
									300	8.20	34.20		26.637	141.1	0.584		
									400	7.35	34.23		26.785	127.1	0.724		

RV ALASKA				CALCOFI CRUISE 7202												
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
32 50.5N	117 31.0W	2/13/72	2010	GMT												
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SI6T	DT	DD	
									0	13.80	33.50		25.091	288.1	0.000	
									10	13.30	33.52		25.209	276.9	0.028	
									20	13.20	33.50		25.213	276.5	0.056	
									30	12.80	33.46		25.262	271.9	0.083	
									50	11.60	33.51		25.529	246.5	0.135	
									75	10.55	33.60		25.787	221.9	0.194	
									100	10.40	33.84		26.000	201.7	0.248	
									125	10.15	34.03		26.190	183.6	0.297	
									150	9.85	34.13		26.319	171.3	0.342	
									200	9.20	34.20		26.481	156.0	0.425	
									250	8.50	34.20		26.591	145.5	0.503	
									300	8.00	34.24		26.699	135.3	0.575	
									400	7.15	34.29		26.861	119.9	0.709	
									500	6.45	34.33		26.987	107.9	0.829	

RV ALASKA				CALCOFI CRUISE 7202											
LATITUDE	LONGITUDE	MO/DAT/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES						
32 40.5N	117 51.5W	2/13/72	1630	GMT											
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIWT	DT	DD
									0	13.40	33.50		25.173	280.3	0.000
									10	13.40	33.50		25.173	280.3	0.028
									20	13.30	33.49		25.185	279.1	0.056
									30	13.05	33.49		25.235	274.4	0.084
									50	12.25	33.46		25.383	260.3	0.137
									75	11.30	33.52		25.591	240.5	0.200
									100	10.75	33.70		25.850	217.9	0.258
									125	10.35	33.87		26.032	198.7	0.311
									150	10.10	33.99		26.168	185.7	0.360
									200	8.90	34.14		26.482	155.9	0.447
									250	8.85	34.24		26.568	147.7	0.525
									300	8.20	34.23		26.661	138.9	0.599
									400	7.15	34.25		26.829	122.9	0.736
									500	6.35	34.30		26.977	108.9	0.858

RV ALASKA				CALCOFI CRUISE 7202											
LATITUDE	LONGITUDE	MO/DAT/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES						
32 20.0N	118 32.0W	2/13/72	0758	GMT											
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SI0T	DT	DC
									0	14.10	33.42		24.968	299.8	0.000
									10	14.05	33.42		24.978	298.9	0.030
									20	13.75	33.43		25.048	292.2	0.060
									30	13.50	33.43		25.099	287.4	0.089
									50	13.00	33.42		25.191	278.6	0.145
									75	11.75	33.41		25.423	256.5	0.213
									100	10.35	33.53		25.767	223.8	0.273
									125	9.80	33.70		25.993	202.4	0.327
									150	9.50	33.82		26.136	188.8	0.377
									200	8.65	33.99		26.404	163.3	0.466
									250	8.35	34.11		26.544	150.0	0.547
									300	8.05	34.19		26.652	139.7	0.621
									400	7.20	34.26		26.830	122.8	0.758
									500	6.35	34.31		26.965	108.2	0.881

RV ALASKA				CALCOFI CRUISE 7202											
LATITUDE	LONGITUDE	MO/DAT/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES						
32 10.0N	118 52.5W	2/13/72	0345	GMT											
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIWT	DT	DD
									0	14.15	33.47		24.996	297.2	0.000
									10	13.85	33.44		25.035	293.5	0.030
									20	13.65	33.44		25.076	289.5	0.059
									30	13.35	33.43		25.129	284.5	0.088
									50	13.00	33.44		25.207	277.1	0.144
									75	11.50	33.44		25.493	249.9	0.210
									100	10.20	33.64		25.878	213.2	0.268
									125	9.60	33.79		26.096	192.6	0.320
									150	9.25	33.94		26.270	176.0	0.367
									200	8.70	34.05		26.443	159.6	0.452
									250	8.30	34.15		26.583	146.3	0.531
									300	7.90	34.21		26.690	136.1	0.604
									400	7.10	34.27		26.852	120.8	0.738
									500	6.45	34.32		26.979	108.7	0.859

RV ALASKA CALCOFI CRUISE 7202 93055

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	POTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
32 00.0N	119 13.0W	2/13/72	0010	GMT									
Z	T	S	02	P04 S103	N02 N03	DT	Z	T	S	02	SIGT	DT	DD
							0	14.20	33.36		24.901	306.2	0.000
							10	13.75	33.34		24.978	298.8	0.030
							20	13.35	33.40		25.106	286.7	0.060
							30	13.30	33.40		25.116	285.7	0.088
							50	13.00	33.42		25.191	278.6	0.145
							75	12.00	33.36		25.338	264.6	0.213
							100	10.65	33.46		25.661	233.9	0.276
							125	10.10	33.70		25.942	207.2	0.332
							150	9.85	33.91		26.148	187.6	0.382
							200	8.60	33.96		26.388	164.8	0.472
							250	7.55	34.03		26.600	144.7	0.551
							300	7.40	34.13		26.700	135.2	0.623
							400	6.60	34.25		26.904	115.8	0.754
							500	6.05	34.31		27.023	104.5	0.870

RV ALASKA CALCOFI CRUISE 7202 93060

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	POTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
31 50.0N	119 34.0W	2/12/72	2115	GMT									
Z	T	S	02	P04 S103	N02 N03	DT	Z	T	S	02	SIGT	DT	DD
							0	13.80	33.43		25.037	293.2	0.000
							10	13.60	33.44		25.086	288.6	0.029
							20	13.35	33.42		25.121	285.2	0.058
							30	13.00	33.41		25.183	279.3	0.086
							50	12.35	33.43		25.326	265.8	0.141
							75	10.75	33.49		25.666	233.4	0.204
							100	10.20	33.65		25.886	212.5	0.260
							125	9.85	33.89		26.132	189.1	0.311
							150	9.55	33.95		26.229	179.9	0.357
							200	8.50	33.99		26.427	161.1	0.444
							250	7.80	34.04		26.571	147.4	0.523
							300	7.50	34.20		26.740	131.4	0.595
							400	6.25	34.16		26.879	118.2	0.725
							500	5.45	34.23		27.035	103.4	0.842

RV ALASKA CALCOFI CRUISE 7202 93070

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	POTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
31 30.0N	120 13.0W	2/12/72	1422	GMT									
Z	T	S	02	P04 S103	N02 N03	DT	Z	T	S	02	SIGT	DT	DD
							0	13.65	33.38		25.030	293.9	0.000
							10	13.65	33.38		25.030	293.9	0.029
							20	13.15	33.38		25.131	284.3	0.058
							30	12.80	33.43		25.238	274.1	0.086
							50	11.40	33.36		25.449	254.0	0.139
							75	10.20	33.61		25.855	215.4	0.198
							100	9.65	33.76		26.064	195.6	0.250
							125	9.15	33.90		26.255	177.5	0.297
							150	8.75	33.98		26.381	165.5	0.341
							200	8.20	34.04		26.512	153.0	0.422
							250	7.50	34.03		26.607	144.0	0.498
							300	6.80	34.05		26.720	133.3	0.570
							400	6.00	34.15		26.904	115.9	0.699
							500	5.90	34.27		27.011	105.7	0.816

RV ALASKA CALCOFI CRUISE 7202 93080

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	POTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
31 10.0N	120 54.0W	2/12/72	0820	GMT									
Z	T	S	02	P04 S103	N02 N03	DT	Z	T	S	02	SIGT	DT	DD
							0	13.60	33.30		24.978	298.8	0.000
							10	13.60	33.30		24.978	298.8	0.030
							20	13.35	33.29		25.021	294.8	0.060
							30	13.25	33.30		25.049	292.1	0.089
							50	12.90	33.33		25.142	283.3	0.147
							75	12.40	33.28		25.200	277.7	0.217
							100	11.95	33.30		25.301	268.1	0.286
							125	10.85	33.40		25.579	241.7	0.350
							150	9.95	33.52		25.827	218.1	0.409
							200	9.05	33.92		26.286	174.5	0.508
							250	8.40	33.96		26.419	161.9	0.595
							300	7.50	33.97		26.560	148.5	0.674

RV ALASKA				CALCOFI CRUISE 7202												93090
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
30 50.0N	121 34.5W	2/12/72	0230	GMT												
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD	
									0	14.30	33.41		24.918	304.6	0.000	
									10	14.05	33.40		24.963	300.3	0.030	
									20	14.00	33.41		24.981	298.6	0.060	
									30	13.85	33.39		24.996	297.1	0.090	
									50	13.60	33.38		25.040	293.0	0.149	
									75	13.30	33.32		25.054	291.6	0.223	
									100	12.70	33.31		25.165	281.0	0.295	
									125	11.75	33.40		25.416	257.2	0.363	
									150	10.60	33.52		25.716	228.7	0.424	
									200	9.25	33.87		26.215	181.2	0.529	
									250	8.80	34.05		26.427	161.1	0.616	
									300	8.45	34.15		26.560	148.5	0.696	
									400	7.30	34.24		26.800	125.7	0.839	
									500	6.40	34.29		26.962	110.3	0.964	

RV ALASKA				CALCOFI CRUISE 7202												93100
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
30 30.0N	122 13.0W	2/11/72	2029	GMT												
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD	
									0	14.75	33.53		24.915	304.9	0.000	
									10	14.70	33.53		24.925	303.9	0.030	
									20	14.60	33.52		24.939	302.6	0.061	
									30	14.60	33.52		24.939	302.6	0.091	
									50	14.35	33.50		24.977	299.0	0.152	
									75	14.00	33.45		25.012	295.7	0.226	
									100	13.90	33.45		25.032	293.7	0.301	
									125	11.80	33.46		25.453	253.7	0.370	
									150	10.80	33.50		25.665	233.5	0.431	
									200	9.45	33.90		26.206	182.1	0.537	
									250	8.75	33.97		26.373	166.2	0.626	
									300	7.85	34.02		26.548	149.6	0.708	
									400	6.60	34.10		26.786	127.0	0.851	
									500	5.65	34.20		26.962	110.4	0.976	

RV ALASKA				CALCOFI CRUISE 7202												93110
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
30 08.0N	122 55.0W	2/11/72	1435	GMT												
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD	
									0	15.25	33.64		24.891	307.2	0.000	
									10	15.25	33.64		24.891	307.2	0.031	
									20	15.25	33.64		24.891	307.2	0.061	
									30	15.25	33.64		24.891	307.2	0.092	
									50	15.25	33.64		24.891	307.2	0.154	
									75	15.10	33.65		24.931	303.3	0.231	
									100	14.90	33.61		24.944	302.1	0.307	
									125	13.45	33.54		25.194	278.3	0.380	
									150	12.25	33.66		25.523	247.0	0.447	
									200	9.45	33.77		26.105	191.7	0.558	
									250	8.75	33.98		26.381	165.5	0.650	
									300	7.80	34.01		26.548	149.6	0.731	
									400	6.25	34.10		26.832	122.6	0.872	
									500	5.80	34.24		27.000	106.8	0.993	

RV ALASKA				CALCOFI CRUISE 7202												93120
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
29 48.5N	123 34.0W	2/11/72	0436	GMT												
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD	
									0	14.40	33.42		24.905	305.8	0.000	
									10	14.40	33.42		24.905	305.8	0.031	
									20	14.15	33.43		24.965	300.1	0.061	
									30	13.95	33.37		24.960	300.6	0.091	
									50	13.80	33.37		24.991	297.6	0.151	
									75	13.60	33.41		25.022	294.7	0.226	
									100	11.30	33.20		25.343	264.1	0.296	
									125	10.25	33.42		25.699	230.3	0.358	
									150	9.60	33.69		26.018	200.0	0.413	
									200	8.85	33.97		26.357	167.7	0.506	
									250	8.05	34.01		26.511	153.1	0.589	
									300	7.35	34.04		26.636	141.3	0.664	
									400	6.45	34.10		26.806	125.1	0.803	
									500	5.60	34.24		27.024	104.4	0.923	

RV DAVID STARRE JORDAN

CALCOFI CRUISE 7202

94031

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		POTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
32 38.0N		117 28.5W		2/ 1/72		0117 GMT		879M							
Z	T	S	QZ	P04	S103	N02	N03	DT	Z	T	S	QZ	S10T	DT	DD
									0A	13.20	33.45		25.175	280.2	0.000
									10	12.91	33.46		25.240	273.9	0.028
									20	12.86	33.46		25.250	273.0	0.055
									30	12.85	33.46		25.252	272.8	0.082
									50	12.49	33.45		25.314	266.9	0.137
									75	10.87	33.58		25.715	228.7	0.199
									100	10.44	33.78		25.946	206.8	0.254
									125	9.58	33.84		26.138	188.5	0.304
									150	9.99	34.16		26.319	171.4	0.350
									200	9.61	34.22		26.429	160.9	0.434
									250	8.98	34.23		26.540	150.4	0.514
									300	8.35	34.24		26.646	140.3	0.590
									400	7.27	34.24		26.804	125.3	0.728
									500	6.50	34.28		26.941	112.3	0.854

RV DAVID STARRE JORDAN

CALCOFI CRUISE 7202

94031

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		POTOM		WIND SPEED		WEATHER		DOMINANT WAVES	
32 38.0N		117 28.5W		2/ 1/72		0215 GMT		879M							
Z	T	S	QZ	P04	S103	N02	N03	DT	Z	T	S	QZ	S10T	DT	DD
1A	13.10	33.506	5.84					274.1	0	13.10	33.506	5.84	25.238	274.1	0.000
12	12.85	33.493	6.07					270.4	10	12.88	33.497	6.04	25.272	270.9	0.027
32	12.81	33.491	6.00					269.8	20	12.83	33.493	6.04	25.280	270.1	0.054
42	12.63	33.486						266.8	30	12.61	33.493	6.01	25.283	269.8	0.081
52	12.38	33.480	5.43					262.7	50	12.45	33.481	5.52	25.345	264.0	0.135
67	11.16	33.554	4.50					235.6	75	10.90	33.590	4.24	25.717	228.6	0.197
82	10.77	33.621	4.06					224.0	100	10.38	33.757	3.52	25.936	207.7	0.252
102	10.34	33.770	3.46					205.5	125	9.60	33.851	2.85	26.142	188.2	0.302
126	9.58	33.854						187.5	150	10.00	34.095	2.30	26.265	176.4	0.348
146	10.02	34.074	2.38					178.2	200	9.62	34.236	1.67	26.439	159.9	0.434
175	9.89	34.200	1.90					166.6	250	9.06	34.242	1.60	26.535	150.9	0.514
206	9.55	34.237	1.65					158.7	300	8.45	34.261	1.23	26.646	140.3	0.589
234	9.26	34.230	1.72					154.7	400	7.26	34.255	0.96	26.818	124.0	0.728
273	8.77	34.259	1.37					145.1	500	6.47	34.280	0.54	26.945	112.0	0.852
331	8.09	34.254	1.12					135.6							
405	7.20	34.255	0.95					123.2							
478	6.62	34.270	0.62					114.6							
558	6.11	34.311	0.39					105.2							

RV ALASKA

CALCOFI CRUISE 7202

97029

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM		WIND	SPEED	WEATHER	DOMINANT WAVES		
32 17.5N		117 04.5W		2/15/72		0800 GMT									
Z	T	S	QZ	P04	S103	N02	N03	DT	Z	T	S	QZ	S10T	DT	DD
									0	12.70	33.55		25.351	263.4	0.000
									10	12.30	33.50		25.369	259.7	0.026
									20	12.00	33.55		25.485	250.6	0.052
									30	11.60	33.57		25.538	245.6	0.077

RV ALASKA

CALCOFI CRUISE 7202

97030

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM		WIND SPEED		WEATHER		DOMINANT WAVES		
32 16.0N		117 07.0W		2/15/72		0908 GMT										
Z	T	S	QZ	P04	S103	N02	N03	DT	Z	T	S	QZ	S10T	DT	DD	
									0	12.60	33.56		25.378	260.8	0.000	
									10	12.40	33.53		25.393	259.3	0.026	
									20	11.65	33.52		25.527	246.6	0.051	

RV ALASKA

CALCOFI CRUISE 7202

97032

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
32 12.0N		117 15.0W		2/15/72		1100 GMT									
Z	T	S	QZ	P04	S103	N02	N03	DT	Z	T	S	QZ	S10T	DT	DD
									0	14.00	33.46		25.019	294.9	0.000
									10	14.00	33.46		25.019	294.9	0.030
									20	13.65	33.37		25.037	293.2	0.059
									30	13.35	33.41		25.114	286.0	0.088
									50	12.95	33.40		25.186	279.1	0.145
									75	11.40	33.45		25.519	247.4	0.211
									100	10.40	33.54		25.766	223.9	0.270
									125	9.60	33.71		26.034	198.5	0.324
									150	9.65	32.64		26.166	185.9	0.372
									200	8.90	34.04		26.404	163.3	0.461
									250	8.90	34.20		26.529	151.4	0.542
									300	8.55	34.27		26.638	141.0	0.618
									400	7.20	34.24		26.814	124.3	0.756
									500	6.50	34.28		26.941	112.3	0.881

RV ALASKA
CALCOFI CRUISE 7202
97035

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
32 05.5N	117 27.5W	2/15/72	1400	GMT									
Z	T	S	02	P04 S103	N02 N03	DT	Z	T	S	02	S16T	DT	DD
							0	13.95	33.45		25.022	294.7	0.000
							10	13.95	33.45		25.022	294.7	0.029
							20	13.95	33.45		25.022	294.7	0.059
							30	13.80	33.44		25.045	292.5	0.088
							50	13.45	33.43		25.109	286.4	0.147
							75	12.45	33.36		25.252	272.8	0.217
							100	11.50	33.51		25.547	244.7	0.282
							125	11.15	33.72		25.774	223.2	0.341
							150	10.85	33.97		26.021	199.6	0.395
							200	9.10	33.96		26.310	172.2	0.489
							250	8.15	34.03		26.512	153.1	0.573
							300	7.50	34.09		26.654	139.5	0.648
							400	6.90	34.25		26.864	119.7	0.783
							500	6.30	34.30		26.983	108.3	0.904

RV ALASKA
CALCOFI CRUISE 7202
97040

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
31 55.5N	117 48.0W	2/15/72	1700	GMT									
Z	T	S	02	P04 S103	N02 N03	DT	Z	T	S	02	S16T	DT	DD
							0	13.85	33.45		25.043	292.7	0.000
							10	13.85	33.45		25.043	292.7	0.029
							20	13.80	33.45		25.053	291.7	0.059
							30	13.50	33.45		25.114	285.9	0.087
							50	13.10	33.47		25.210	276.8	0.144
							75	12.30	33.49		25.382	260.5	0.212
							100	10.90	33.48		25.632	236.6	0.274
							125	10.10	33.66		25.911	210.1	0.331
							150	9.35	33.84		26.176	185.0	0.381
							200	8.60	34.00		26.420	161.8	0.469
							250	7.90	34.01		26.533	151.0	0.549
							300	7.25	34.07		26.674	137.7	0.624
							400	6.60	34.16		26.833	122.5	0.759
							500	6.35	34.33		27.000	106.7	0.880

RV ALASKA
CALCOFI CRUISE 7202
97045

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
31 46.0N	118 08.0W	2/15/72	2055	GMT									
Z	T	S	02	P04 S103	N02 N03	DT	Z	T	S	02	S16T	DT	DD
							0	14.10	33.40		24.952	301.3	0.000
							10	13.80	33.44		25.045	292.5	0.030
							20	13.40	33.42		25.111	286.2	0.059
							30	13.20	33.42		25.151	282.4	0.087
							50	12.35	33.40		25.303	268.0	0.142
							75	10.95	33.44		25.592	240.4	0.206
							100	10.05	33.62		25.888	212.3	0.263
							125	9.40	33.79		26.129	189.4	0.314
							150	9.10	33.89		26.255	177.4	0.361
							200	8.35	33.99		26.450	158.9	0.446
							250	7.50	34.05		26.623	142.5	0.524
							300	7.05	34.10		26.725	132.8	0.595
							400	6.60	34.22		26.881	118.0	0.725
							500	6.15	34.31		27.011	105.7	0.843

RV ALASKA
CALCOFI CRUISE 7202
97050

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
31 36.0N	118 30.0W	2/16/72	0110	GMT									
Z	T	S	02	P04 S103	N02 N03	DT	Z	T	S	02	S16T	DT	DD
							0	14.45	33.49		24.948	301.7	0.000
							10	14.45	33.49		24.948	301.7	0.030
							20	14.40	33.48		24.951	301.5	0.060
							30	14.35	33.48		24.961	300.4	0.091
							50	13.85	33.41		25.012	295.7	0.150
							75	13.50	33.34		25.029	294.0	0.224
							100	12.50	33.41		25.281	270.0	0.296
							125	10.80	33.56		25.712	229.0	0.359
							150	10.00	33.78		26.021	199.6	0.413
							200	8.85	33.96		26.349	168.5	0.507
							250	8.15	34.07		26.543	150.1	0.588
							300	7.65	34.14		26.672	137.9	0.663
							400	6.75	34.25		26.884	117.7	0.796

RV ALASKA				CALCOFI CRUISE 7202										97055	
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
31 24.0N	118 49.0W	2/16/72	0515 GMT												
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD
									0	14.60	33.52		24.939	302.6	0.000
									10	14.60	33.52		24.939	302.6	0.030
									20	14.60	33.52		24.939	302.6	0.061
									30	14.50	33.50		24.945	302.0	0.091
									50	14.10	33.44		24.983	298.4	0.151
									75	13.60	33.34		25.009	295.9	0.226
									100	12.00	33.45		25.408	258.0	0.296
									125	10.90	33.67		25.780	222.6	0.356
									150	10.30	33.69		25.900	211.2	0.411
									200	9.20	33.91		26.255	177.5	0.510
									250	8.15	33.98		26.473	156.8	0.596
									300	7.35	34.01		26.613	143.5	0.673
									400	6.30	34.10		26.826	123.3	0.812
									500	5.85	34.23		26.986	108.1	0.933

RV ALASKA				CALCOFI CRUISE 7202										97060			
LATITUDE		LONGITUDE		MO/DAT/YR		MESSENGER TIME		EOTOM		WIND		SPEED		WEATHER		DOMINANT WAVES	
31 15.0N		119 10.0W		2/16/72		0825 GMT											
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD		
									0	14.10	33.44		24.983	298.4	0.000		
									10	14.10	33.45		24.991	297.7	0.030		
									20	13.80	33.40		25.014	295.4	0.060		
									30	13.35	33.34		25.060	291.1	0.089		
									50	13.00	33.37		25.153	282.3	0.146		
									75	12.35	33.37		25.279	270.2	0.216		
									100	11.90	33.40		25.388	259.9	0.283		
									125	10.65	33.55		25.731	227.3	0.344		
									150	9.90	33.80		26.054	196.6	0.398		
									200	8.95	33.98		26.349	168.5	0.491		
									250	8.00	34.05		26.550	149.4	0.572		
									300	7.15	34.03		26.656	139.3	0.647		
									400	6.20	34.10		26.839	122.0	0.782		
									500	5.65	34.20		26.987	108.0	0.903		

RV ALASKA				CALCOFI CRUISE 7202										97070	
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
30 54.0N	119 50.0W	2/16/72	1530 GMT												
Z	T	S	02	P04 S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD	
								0	13.00	33.34		25.129	284.5	0.000	
								10	12.90	33.40		25.196	278.2	0.028	
								20	11.85	33.35		25.358	262.7	0.055	
								30	11.50	33.44		25.493	249.9	0.081	
								50	10.80	33.50		25.665	233.5	0.129	
								75	10.15	33.65		25.895	211.7	0.185	
								100	9.85	33.80		26.062	195.8	0.237	
								125	9.60	33.90		26.162	184.4	0.265	
								150	9.15	33.99		26.325	170.8	0.330	
								200	8.45	34.03		26.466	157.4	0.414	
								250	7.80	34.08		26.603	144.4	0.491	
								300	7.00	34.08		26.716	133.6	0.563	
								400	6.35	34.18		26.862	117.9	0.694	
								500	5.80	34.33		27.071	100.0	0.809	

RV ALASKA				CALCOFI CRUISE 7202										97080			
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM		WIND		SPEED		WEATHER		DOMINANT WAVES	
30 35.0N		120 30.0W		2/16/72		2125 GMT											
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	00		
									0	13.50	33.44		25.106	286.6	0.000		
									10	13.45	33.44		25.117	285.7	0.029		
									20	13.40	33.43		25.119	285.4	0.057		
									30	13.35	33.43		25.129	284.5	0.086		
									50	12.85	33.41		25.213	276.5	0.142		
									75	11.15	33.45		25.387	240.9	0.207		
									100	10.40	33.61		25.821	218.7	0.265		
									125	9.50	33.61		26.128	189.5	0.317		
									150	9.50	34.03		26.299	173.2	0.363		
									200	8.50	34.06		26.482	155.9	0.447		
									250	8.45	34.23		26.623	142.5	0.523		
									300	7.75	34.19		26.696	135.5	0.595		
									400	6.10	34.12		26.867	119.3	0.728		
									500	5.65	34.29		27.058	101.3	0.844		

RV ALASKA				CALCOFI CRUISE 7202												97090		
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES									
30 15.0N	121 09.5W	2/17/72	0400 GMT															
Z	T	S	02	P04 S103	N02 N03	DT	Z	T	S	02	S10T	DT	DD					
							0	14.00	33.40		24.973	249.3	0.000					
							10	14.00	33.41		24.981	248.6	0.030					
							20	14.00	33.42		24.988	247.9	0.060					
							30	14.00	33.43		24.996	247.1	0.090					
							50	13.45	33.35		25.047	242.3	0.149					
							75	12.70	33.32		25.173	240.3	0.221					
							100	12.05	33.37		25.336	244.8	0.269					
							125	11.70	33.45		25.464	252.7	0.355					
							150	11.45	33.47		25.525	246.8	0.418					
							200	9.40	33.89		26.207	162.0	0.527					
							250	8.70	34.00		26.404	163.3	0.615					
							300	7.65	34.11		26.570	147.6	0.695					
							400	6.60	34.10		26.786	127.0	0.838					
							500	5.80	34.20		26.968	109.8	0.963					

RV DAVID STARR JORDAN					CALCOFI CRUISE 7202										100029		
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES								
31 42.0N	116 43.5W	2/ 1/72	0927 GMT		93M			0	00								
Z	T	S	02	P04 S103	N02 N03	DT	Z	T	S	02	S10T	DT	DD				
							0	12.37	33.46		25.345	263.9	0.000				
							10	12.33	33.46		25.353	263.2	0.026				
							20	11.90	33.53		25.488	250.3	0.052				
							30	11.78	33.57		25.542	245.2	0.077				
							50	11.40	33.69		25.705	229.7	0.125				
							75	11.21	33.77		25.802	220.5	0.181				

RV DAVID STARR JORDAN					CALCOFI CRUISE 7202										100030		
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES								
31 40.5N	116 46.5W	2/ 1/72	1112 GMT		408M			0	00								
Z	T	S	02	P04 S103	N02 N03	DT	Z	T	S	02	S10T	DT	DD				
							0	12.23	33.52		25.418	257.0	0.000				
							10	11.83	33.52		25.494	249.8	0.025				
							20	11.38	33.62		25.654	234.5	0.050				
							30	11.02	33.69		25.774	223.2	0.073				
							50	10.89	33.77		25.859	215.1	0.117				
							75	10.73	33.85		25.950	206.4	0.170				
							100	10.25	33.92		26.088	193.3	0.220				
							125	10.27	34.03		26.170	185.5	0.268				
							150	10.11	34.13		26.275	175.5	0.314				
							200	9.52	34.23		26.452	158.7	0.399				
							250	9.14	34.25		26.530	151.3	0.479				
							300	8.57	34.26		26.628	142.0	0.555				

RV DAVID STARR JORDAN						CALCOFI CRUISE 7202										100030	
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
31 40.5N		116 46.5W		2/ 1/72		1205 GMT			408M			0	00				
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD		
0	12.19	33.559		0.74	10.	0.22	3.2	253.4	0	12.19	33.559		25.456	253.4	0.000		
10	12.20	33.557	5.33	0.71	9.	0.21	3.4	253.7	10	12.20	33.557	5.33	25.453	253.7	0.025		
30	11.21	33.679	4.06	1.48	17.	0.19	15.1	227.2	20	11.74	33.612	4.54	25.581	241.5	0.050		
40	11.02	33.714	3.86	1.51	20.	0.17	17.1	221.4	30	11.21	33.679	4.06	25.731	227.2	0.074		
55	10.90	33.792	3.24	1.70	22.	0.13	17.2	213.6	50	10.93	33.769	3.44	25.850	215.9	0.118		
71	10.76	33.814	3.23	1.76	21.	0.14	19.4	209.6	75	10.76	33.821	3.20	25.921	209.1	0.172		
87	10.74	33.851	3.09	1.79	24.	0.15	19.6	206.5	100	10.44	33.697	3.05	26.035	198.3	0.223		
106	10.30	33.921	3.02	1.84	25.	0.16	20.3	194.1	125	10.30	34.030	2.72	26.164	186.1	0.272		
131	10.30	34.054	2.60	2.14	29.	0.12	22.3	184.2	150	10.23	34.112	2.22	26.239	178.9	0.318		
156	10.20	34.121	2.09	2.25	33.	0.13	25.5	177.7									

RV DAVID STARR JORDAN						CALCOFT CRUISE 7202										100035			
LATITUDE	LONGITUDE	MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES								
31 30.5N	117 07.0W	2/ 1/72		1434 GMT			1276M	220	4KT	2									
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD				
									0	13.23	33.43		25.153	282.2	0.000				
									10	13.23	33.43		25.153	282.2	0.028				
									20	13.22	33.43		25.155	282.0	0.056				
									30	13.18	33.43		25.163	281.3	0.085				
									50	13.10	33.42		25.171	280.5	0.141				
									75	11.73	33.40		25.419	256.9	0.209				
									100	10.95	33.74		25.825	218.3	0.269				
									125	10.80	33.98		26.038	196.0	0.321				
									150	10.47	34.08		26.151	187.3	0.370				
									200	9.64	34.22		26.424	161.3	0.459				
									250	8.74	34.21		26.562	148.3	0.539				
									300	8.36	34.26		26.660	139.0	0.613				
									400	7.30	34.28		26.832	122.7	0.750				
									500	6.52	34.30		26.954	111.1	0.873				

RV DAVID STARR JORDAN

CALCOFI CRUISE 7202

100040

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME			BOTTOM		WIND	SPEED	WEATHER	DOMINANT WAVES		
31 21.0N		117 27.0W		2/ 1/72		1719 GMT			2037M		330	6KT	2			
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD	
									0	13.08	33.36		25.129	284.5	0.000	
									10	12.95	33.38		25.170	280.6	0.028	
									20	12.93	33.38		25.174	280.2	0.056	
									30	12.87	33.38		25.186	279.1	0.084	
									50	12.73	33.39		25.221	275.7	0.140	
									75	12.41	33.44		25.322	266.1	0.206	
									100	11.40	33.61		25.643	235.6	0.271	
									125	10.85	33.79		25.882	212.9	0.328	
									150	9.99	33.87		26.093	192.8	0.380	
									200	9.00	33.99		26.336	169.7	0.472	
									250	8.57	34.13		26.526	151.7	0.554	
									300	8.00	34.20		26.667	138.3	0.629	
									400	6.88	34.25		26.867	119.4	0.764	
									500	6.28	34.32		27.002	106.6	0.883	

RV DAVID STARR JORDAN

CALCOFI CRUISE 7202

100040

	LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES						
	31 21.0N	117 27.0W	2/ 1/72	1812 GMT	2037M	330	6KT	2							
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD
0	13.09	33.417		6.49	3.		0.2	280.5	0	13.09	33.417		25.171	280.5	0.000
10	13.06	33.417	6.32	0.38U	3.		0.4	279.9	10	13.06	33.417	6.32	25.177	279.9	0.028
30	12.88	33.419	6.19	0.49	3.		0.8	276.4	20	12.98	33.420	6.26	25.193	278.4	0.056
55	12.62	33.414	5.98	0.50	4.		2.3	271.3	30	12.88	33.419	6.19	25.214	276.4	0.084
70	12.28	33.441	6.07	0.69	5.		4.1	263.7	50	12.69	33.415	6.01	25.247	273.3	0.139
85	11.65	33.516	4.91	1.02	11.		10.3	246.9	75	12.08	33.461	5.74	25.400	258.7	0.206
100	11.21	33.665	3.98	1.43	18.		15.2	228.3	100	11.21	33.665	3.98	25.720	228.3	0.267
130	10.72	33.841	3.19	1.73	22.		20.6	206.9	125	10.80	33.622	3.24	25.915	209.7	0.323
155	10.05	33.914	3.16	1.82	24.		21.6	190.5	150	10.19	33.903	3.17	26.083	193.8	0.374
181	9.41	34.009	3.20	1.88	28.		24.8	173.4	200	9.11	34.050	3.00	26.377	165.9	0.465
215	8.93	34.071	2.78	2.10	33.		25.8	161.4	250	8.52	34.139	2.18	26.539	150.4	0.547
278	8.22	34.183	1.72	2.50	45.		31.4	142.7	300	7.93	34.196	1.51	26.674	137.7	0.621
375	7.04	34.219	1.06	2.63U	61.		34.9	123.8	400	6.85	34.244	0.91	26.865	119.6	0.755
472	6.43	34.313	0.56	3.03	74.		36.9	109.0	500	6.27	34.331	0.49	27.011	105.7	0.874
601	5.76	34.377	0.37	3.21	86.		41.1	96.0	600	5.76	34.377	0.37	27.112	96.1	0.983
750	5.14	34.427	0.41	3.33	98.		44.1	85.2	700	5.34	34.414	0.40	27.193	88.4	1.083
896	4.58	34.450	0.47	3.32	107.		39.4U	77.4	800	4.94	34.436	0.43	27.257	82.4	1.177
1105	3.82	34.503	0.64	3.27	126.			65.8	1000	4.20	34.475	0.54	27.370	71.7	1.350

RV DAVID STARR JORDAN

CALCOFI CRUISE 7202

100050

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM		WIND SPEED		WEATHER		DOMINANT WAVES	
31 01.5N		118 06.0W		2/ 1/72		2304 GMT		1485M		220 7KT		2		280 1 7	
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD
									0	14.38	33.46		24.940	302.5	0.000
									10	14.32	33.46		24.952	301.3	0.030
									20	13.98	33.40		24.977	298.9	0.060
									30	13.78	33.39		25.011	295.7	0.090
									50	13.71	33.38		25.017	295.1	0.149
									75	13.43	33.35		25.051	291.9	0.223
									100	12.39	33.36		25.264	271.7	0.294
									125	10.67	33.45		25.649	235.0	0.358
									150	9.85	33.73		26.008	200.9	0.413
									200	8.71	33.91		26.332	170.1	0.508
									250	7.80	34.00		26.540	150.4	0.590
									300	7.31	34.09		26.681	137.0	0.664
									400	6.13	34.13		26.871	118.9	0.797
									500	6.11	34.31		27.016	105.2	0.915
									600	5.50	34.36		27.131	94.3	1.022
									700	5.08	34.39		27.205	87.3	1.120
									800	4.66	34.45		27.300	78.3	1.211
									1000	4.00	34.49		27.403	68.5	1.376

RV DAVID STARR JORDAN

CALCOFI CRUISE 7202

100040

LATITUDE 30 40.5N		LONGITUDE 118 47.5W		MO/DAY/YR 2/ 2/72		MESSENGER TIME 0355 GMT		BOTTOM 3075M		WIND 300		SPEED 12KT		WEATHER 2		DOMINANT WAVES	
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD		
									0	14.41	33.50		24.964	300.2	0.000		
									10	14.40	33.50		24.966	300.0	0.030		
									20	14.40	33.50		24.966	300.0	0.060		
									30	14.34	33.49		24.971	299.5	0.090		
									50	14.31	33.49		24.977	298.9	0.150		
									75	14.20	33.49		24.984	296.3	0.225		
									100	12.38	33.35		25.258	272.2	0.297		
									125	11.32	32.43		25.518	247.5	0.363		
									150	10.19	33.64		25.880	213.1	0.421		
									200	8.92	33.90		26.291	174.0	0.519		
									250	7.92	33.97		26.499	154.3	0.604		
									300	7.22	34.00		26.623	142.5	0.680		
									400	6.36	34.12		26.834	122.5	0.818		
									500	5.57	34.20		26.996	107.1	0.938		
									600	5.20	34.28		27.104	96.9	1.047		
									700	4.92	34.36		27.200	87.8	1.146		
									800	4.60	34.42		27.277	80.4	1.239		
									1000	3.92	34.48		27.403	68.5	1.405		

RV DAVID STARR JORDAN

CALCOFI CRUISE 7202

100060

LATITUDE 30 40.5N		LONGITUDE 118 47.5W		MO/DAY/YR 2/ 2/72		MESSENGER 0527 GMT		TIME	BOTTOM 3075M	WIND 300	SPEED 12KT	WEATHER 2	DOMINANT WAVES			
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD	
0	14.36	33.519	5.87			2.	0.00	0.2	297.8	0	14.36	33.519	5.87	24.989	297.8	0.000
10	14.37	33.519	5.88			2.	0.00	0.4	298.0	10	14.37	33.519	5.88	24.987	298.0	0.030
30	14.27	33.501	5.69			2.	0.08	0.2	297.3	20	14.32	33.512	5.89	24.990	297.7	0.060
55	14.30	33.508	5.91			3.	0.04	0.0	297.4	30	14.27	33.501	5.89	24.994	297.3	0.089
70	14.29	33.512	5.69				0.05	0.0	296.9	50	14.29	33.507	5.91	24.994	297.4	0.149
85	13.98	33.481	5.54	0.38		2.	0.08	0.5	293.0	75	14.19	33.503	5.81	25.012	295.6	0.224
100	12.26	33.374	4.87	0.64		6.	0.06	4.3	268.3	100	12.26	33.374	4.87	25.300	268.3	0.295
130	11.29	33.548	4.50	0.94		10.	0.09	8.6	238.3	125	11.34	33.508	4.52	25.574	242.2	0.359
155	10.45	33.635	4.17	1.25		15.	0.03	14.2	217.7	150	10.61	33.618	4.24	25.788	221.8	0.418
179	9.75	33.803	3.84	1.43		20.	0.02	18.0	194.0	200	9.24	33.692	3.37	26.233	179.6	0.520
214	8.94	33.929	3.02	1.66		27.	0.06	22.5	172.1	250	8.19	33.984	2.19	26.468	157.2	0.606
278	7.70	34.003	1.63	2.11		42.	0.01	27.7	148.8	300	7.44	34.028	1.38	26.614	143.3	0.684
376	6.73	34.096	0.87	2.72		61.	0.00	34.8	128.9	400	6.46	34.110	0.72	26.812	124.5	0.823
474	5.72	34.154	0.38	3.12		80.	0.02	40.2	112.3	500	5.57	34.182	0.39	26.981	108.5	0.945
606	5.17	34.290	0.41	3.30	96.		0.00	43.6	95.8	600	5.18	34.285	0.41	27.109	96.4	1.054
756	4.64	34.373	0.57	3.36			0.00	44.5	83.8	700	4.82	34.347	0.50	27.199	87.8	1.154
903	4.26	34.462	0.79				0.00	45.0	73.2	800	4.52	34.402	0.63	27.277	80.4	1.246
1110	3.63	34.510		3.37			0.00	43.2	63.5	1000	3.98	34.496		27.410	67.9	1.411

RV DAVID STARR JORDAN

CALCOFI CRUISE 7202

100070

LATITUDE 30 20.0N		LONGITUDE 119 27.0W		MO/DAY/YR 2/ 2/72		MESSENGER 1220 GMT		TIME	BOTTOM 3451M	WIND 320	SPEED 9KT	WEATHER	DOMINANT WAVES			
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD	
0	14.36	33.51							0	14.36	33.51		24.982	298.5	0.000	
10	14.36	33.50							10	14.36	33.50		24.975	299.2	0.030	
20	14.35	33.50							20	14.35	33.50		24.977	299.0	0.060	
30	14.34	33.50							30	14.34	33.50		24.979	298.8	0.090	
50	13.91	33.42							50	13.91	33.42		25.007	296.1	0.149	
75	13.47	33.36							75	13.47	33.36		25.051	291.9	0.223	
100	12.33	33.36							100	12.33	33.36		25.275	270.6	0.294	
125	10.87	33.47							125	10.87	33.47		25.630	236.9	0.358	
150	9.83	33.68							150	9.83	33.68		25.972	204.3	0.414	
200	9.03	33.92							200	9.03	33.92		26.290	174.1	0.511	
250	8.11	33.98							250	8.11	33.98		26.479	156.2	0.595	
300	7.20	34.01							300	7.20	34.01		26.634	141.5	0.672	
400	6.19	34.08							400	6.19	34.08		26.824	123.4	0.809	
500	5.49	34.19							500	5.49	34.19		26.998	106.9	0.930	
600	5.23	34.29							600	5.23	34.29		27.108	96.5	1.038	
700	5.05	34.38							700	5.05	34.38		27.200	87.7	1.138	
800	4.60	34.42							800	4.60	34.42		27.283	79.9	1.230	
1000	3.99	34.48							1000	3.99	34.48		27.396	69.2	1.396	

RV DAVID STARR JORDAN

CALCOFI CRUISE 7202

100080

LATITUDE 30 00.0N		LONGITUDE 120 07.0W		MO/DAY/YR 2/ 2/72		MESSENGER 1730 GMT		TIME	BOTTOM 4116M	WIND 360	SPEED 9KT	WEATHER 2	DOMINANT WAVES			
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD	
0	14.26	33.49							0	14.26	33.49		24.988	297.9	0.000	
10	14.24	33.49							10	14.24	33.49		24.992	297.5	0.030	
20	14.24	33.49							20	14.24	33.49		24.992	297.5	0.060	
30	14.24	33.49							30	14.24	33.49		24.992	297.5	0.089	
50	14.20	33.49							50	14.20	33.49		25.001	296.7	0.149	
75	13.90	33.44							75	13.90	33.44		25.025	294.4	0.223	
100	11.42	33.56							100	11.42	33.56		25.601	239.6	0.291	
125	10.23	33.70							125	10.23	33.70		25.920	209.3	0.347	
150	9.87	33.84							150	9.87	33.84		26.090	193.1	0.398	
200	8.83	34.01							200	8.83	34.01		26.392	164.5	0.489	
250	8.09	34.03							250	8.09	34.03		26.521	152.2	0.571	
300	7.34	34.05							300	7.34	34.05		26.645	140.4	0.646	
400	6.48	34.22							400	6.48	34.22		26.897	116.5	0.780	
500	6.05	34.31							500	6.05	34.31		27.023	104.5	0.896	
600	5.49	34.37							600	5.49	34.37		27.140	93.4	1.002	
700	5.06	34.41							700	5.06	34.41		27.223	85.6	1.100	
800	4.70	34.44							800	4.70	34.44		27.286	79.4	1.190	
1000	4.02	34.50							1000	4.02	34.50		27.409	68.0	1.356	

RV DAVIL STARR JORDAN

CALCOFI CRUISE 7202

100080

	LATITUDE	LONGITUDE	MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
	30 00.0N	120 07.0W	2/ 2/72		1829 GMT			4116M	360	9KT	2				
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD
0	14.26	33.503	5.88	0.30	2.	0.03	0.3	297.0	0	14.26	33.503	5.88	24.998	297.0	0.000
10	14.23	33.502	5.90	0.33	2.	0.01	0.5	296.4	10	14.23	33.502	5.90	25.003	296.4	0.030
30	14.22	33.499	5.91	0.34	2.	0.01	0.1	296.4	20	14.22	33.502	5.91	25.003	296.4	0.059
55	14.14	33.491	5.90	0.34	2.	0.00	0.3	295.4	30	14.22	33.499	5.91	25.003	296.4	0.089
70	13.93	33.464	5.91	0.40	2.	0.05	0.2	293.3	50	14.16	33.494	5.90	25.012	295.6	0.148
85	12.80	33.484	5.47	0.60	5.	0.03	3.6	273.0	75	13.60	33.449	5.79	25.091	288.1	0.222
100	11.74	33.523	4.57	0.84	8.	0.01	7.6	248.0	100	11.74	33.523	4.97	25.513	248.0	0.289
130	10.18	33.715	4.36	1.26	16.	0.00	15.0	207.4	125	10.37	33.685	4.45	25.882	212.9	0.348
154	9.79	33.859	3.65	1.61	22.	0.01	19.6	190.4	150	9.83	33.839	3.76	26.095	192.7	0.399
180	9.30	33.955	3.50	1.70	28.	0.07	22.4	175.7	200	8.85	33.993	3.49	26.374	166.1	0.490
215	8.52	34.009	3.48	1.93	34.	0.03	25.0	160.0	250	7.96	34.040	2.93	26.546	149.8	0.571
279	7.60	34.056	2.34	2.31A	48.	0.01	29.3	143.4	300	7.33	34.073	2.04	26.664	138.6	0.646
377	6.57	34.144	1.18	2.85A	65.	0.03	36.2	123.3	400	6.47	34.179	0.97	26.864	119.6	0.780
474	6.26	34.282	0.46	3.18A	76.	0.03	39.2	109.2	500	6.11	34.304	0.43	27.010	105.8	0.899
605	5.48	34.363	0.31	3.31	92.	0.01	42.5	93.0	600	5.51	34.362	0.32	27.131	94.3	1.006
756	4.79	34.427	0.36	3.38	107.	0.06	42.7	81.4	700	5.02	34.407	0.34	27.225	85.4	1.104
902	4.34	34.470	0.53	3.37	116.	0.03	42.8	73.4	800	4.64	34.442	0.41	27.295	78.7	1.194
1110	3.73	34.514	0.71	3.24	129.	0.00	42.2	64.1	1000	4.05	34.494	0.62	27.400	68.7	1.359

RV DAVIL STARR JORDAN

CALCOFI CRUISE 7202

100090

LATITUDE 23 40.5N			LONGITUDE 120 48.0W			MO/DAY/YR 2/ 2/72			MESSENGER TIME 2302 GMT			BOTTOM 3926M			WIND 110			SPEED 6KT			WEATHER 1			DOMINANT WAVES 350 1 5		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD											
									0	14.07	33.43		24.982	298.5	0.000											
									10	13.95	33.43		25.006	296.2	0.030											
									20	13.91	33.42		25.007	296.1	0.059											
									30	13.86	33.43		25.025	294.4	0.089											
									50	13.85	33.43		25.027	294.2	0.148											
									75	13.70	33.41		25.043	292.7	0.222											
									100	12.55	33.43		25.287	269.4	0.293											
									125	10.71	33.47		25.658	234.2	0.356											
									150	10.14	33.66		25.904	210.8	0.413											
									200	9.12	33.99		26.330	170.3	0.510											
									250	8.09	34.00		26.497	154.4	0.593											
									300	7.37	34.04		26.633	141.5	0.669											
									400	6.36	34.15		26.857	120.3	0.805											
									500	5.72	34.23		27.002	106.6	0.925											
									600	5.44	34.34		27.123	95.1	1.032											
									700	5.07	34.40		27.214	86.5	1.131											
									800	4.64	34.44		27.294	78.8	1.221											
									1000	4.04	34.49		27.399	68.9	1.387											

RV ALASKA

CALCOFI CRUISE 7202

103029

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
31 07.0N		116 21.0W		2/19/72		0255		GMT							
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD
									0	13.25	33.58		25.265	271.6	0.000
									10	13.05	33.59		25.313	267.0	0.027
									20	12.60	33.54		25.362	262.3	0.053

RV ALASKA

CALCOFI CRUISE 7202

103030

LATITUDE		LONGITUDE		MO/DAT/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
31 06.0N		116 24.5W		2/19/72		0200		GMT							
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD
									0	13.60	33.48		25.117	285.6	0.000
									10	13.50	33.51		25.160	281.5	0.028
									20	13.05	33.57		25.297	268.5	0.056
									30	12.50	33.59		25.420	256.2	0.082

A) THE PHOSPHATE SAMPLES FROM 279 TO 474 METERS APPEAR TO HAVE BEEN REVERSED. THEY ARE ASSUMED TO NOW BE IN THE CORRECT ORDER.

RV ALASKA CALCOFI CRUISE 7202 103035

LATITUDE 30 56.0N LONGITUDE 116 45.0W MO/DAY/YR 2/18/72 MESSENGER TIME 2250 GMT

Z	T	S	DT	Z	T	S	DT	DD
0	14.20	33.47		24.985	298.2	0.000		
10	14.00	33.45		25.012	295.7	0.030		
20	13.60	33.41		25.022	294.7	0.059		
30	13.70	33.43		25.058	291.3	0.089		
50	13.15	33.41		25.154	282.1	0.146		
75	11.90	33.49		25.457	253.2	0.213		
100	11.20	33.74		25.780	222.6	0.273		
125	10.15	33.79		26.004	201.3	0.327		
150	9.65	34.04		26.282	174.8	0.375		
200	9.70	34.30		26.477	156.4	0.459		
250	8.90	34.31		26.615	143.3	0.536		
300	8.65	34.37		26.701	135.1	0.609		
400	7.60	34.36		26.851	120.8	0.743		
500	6.75	34.37		26.979	108.8	0.865		

RV ALASKA CALCOFI CRUISE 7202 103040

LATITUDE 30 47.0N LONGITUDE 117 06.0W MO/DAY/YR 2/18/72 MESSENGER TIME 1930 GMT

Z	T	S	DT	Z	T	S	DT	DD
0	14.20	33.44		24.962	300.4	0.000		
10	14.15	33.45		24.980	298.6	0.030		
20	14.15	33.46		24.988	297.9	0.060		
30	13.60	33.40		25.055	291.5	0.089		
50	13.30	33.41		25.124	285.0	0.147		
75	12.50	33.40		25.274	270.7	0.217		
100	11.45	33.43		25.494	249.7	0.283		
125	11.00	33.89		25.933	208.1	0.341		
150	10.35	34.07		26.187	183.9	0.390		
200	9.85	34.30		26.451	158.8	0.478		
250	8.55	34.20		26.584	146.2	0.556		
300	8.60	34.31		26.662	130.8	0.630		
400	7.65	34.32		26.813	124.5	0.768		
500	6.60	34.37		26.999	106.8	0.890		

RV ALASKA CALCOFI CRUISE 7202 103045

LATITUDE 30 35.0N LONGITUDE 117 24.0W MO/DAY/YR 2/18/72 MESSENGER TIME 1445 GMT

Z	T	S	DT	Z	T	S	DT	DD
0	14.30	33.45		24.949	301.6	0.000		
10	14.30	33.45		24.949	301.6	0.030		
20	14.30	33.45		24.949	301.6	0.060		
30	14.05	33.40		24.963	300.3	0.091		
50	13.55	33.35		25.027	294.2	0.150		
75	12.35	33.29		25.217	276.1	0.222		
100	11.30	33.50		25.576	242.0	0.287		
125	10.20	33.62		25.863	214.7	0.345		
150	9.65	33.85		26.134	188.9	0.396		
200	9.25	34.04		26.348	168.6	0.487		
250	8.80	34.15		26.506	153.6	0.570		
300	8.50	34.27		26.646	140.3	0.646		
400	7.30	34.29		26.839	122.0	0.783		
500	6.40	34.31		26.978	108.8	0.905		

RV ALASKA CALCOFI CRUISE 7202 103050

LATITUDE 30 26.0N LONGITUDE 117 44.0W MO/DAY/YR 2/18/72 MESSENGER TIME 1100 GMT

Z	T	S	DT	Z	T	S	DT	DD
0	14.20	33.48		24.993	297.4	0.000		
10	14.20	33.48		24.993	297.4	0.030		
20	13.85	33.43		25.027	294.2	0.059		
30	13.75	33.43		25.048	292.2	0.089		
50	13.15	33.40		25.146	282.9	0.146		
75	12.10	33.40		25.350	263.5	0.215		
100	11.00	33.48		25.614	238.3	0.278		
125	10.50	33.61		25.803	220.3	0.336		
150	10.15	33.80		26.011	200.6	0.390		
200	9.55	34.05		26.307	172.5	0.485		
250	8.95	34.15		26.482	155.9	0.569		
300	8.30	34.17		26.599	144.8	0.647		
400	7.10	34.24		26.828	123.0	0.786		
500	6.45	34.31		26.971	109.4	0.909		

RV ALASKA CALCOFI CRUISE 7202 103055

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
30 14.0N	118 05.0W	2/18/72	0708	GMT									
Z	T	S	02	P04 S103	N02 N03	DT	Z	T	S	02	SI6T	DT	DD
							0	14.80	33.80		25.111	286.2	0.000
							10	14.80	33.57		24.935	303.0	0.029
							20	14.80	33.57		24.935	303.0	0.060
							30	14.55	33.49		24.927	303.7	0.090
							50	13.80	33.43		25.037	293.2	0.150
							75	13.20	33.39		25.128	284.6	0.223
							100	12.35	33.37		25.279	270.2	0.293
							125	10.60	33.52		25.716	228.7	0.356
							150	10.00	33.75		25.998	201.9	0.410
							200	9.15	33.96		26.302	173.0	0.506
							250	8.50	34.01		26.443	159.6	0.591
							300	7.90	34.13		26.627	142.1	0.669
							400	7.05	34.22		26.819	123.8	0.807
							500	6.25	34.27		26.966	109.9	0.931

RV ALASKA CALCOFI CRUISE 7202 103060

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
30 06.0N	118 25.0W	2/18/72	0320	GMT									
Z	T	S	02	P04 S103	N02 N03	DT	Z	T	S	02	SI6T	DT	DD
							0	14.95	33.58		24.910	305.3	0.000
							10	14.90	33.57		24.913	305.0	0.031
							20	14.85	33.57		24.924	304.0	0.061
							30	14.80	33.57		24.935	303.0	0.091
							50	14.55	33.53		24.957	300.8	0.152
							75	13.30	33.35		25.077	289.4	0.226
							100	11.60	33.42		25.459	253.1	0.295
							125	10.75	33.66		25.799	220.8	0.354
							150	9.95	33.80		26.045	197.4	0.407
							200	9.00	33.96		26.326	170.7	0.501
							250	8.10	34.02		26.511	153.1	0.584
							300	7.50	34.05		26.623	142.5	0.660
							400	6.35	34.13		26.843	121.6	0.798
							500	5.95	34.24		26.981	108.5	0.919

RV ALASKA CALCOFI CRUISE 7202 103070

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
29 46.5N	119 04.0W	2/17/72	2220	GMT									
Z	T	S	02	P04 S103	N02 N03	DT	Z	T	S	02	SI6T	DT	DD
							0	15.70	33.68		24.822	313.7	0.000
							10	15.65	33.67		24.825	313.4	0.031
							20	15.60	33.67		24.836	312.4	0.063
							30	15.45	33.63		24.839	312.1	0.094
							50	15.30	33.62		24.864	309.7	0.156
							75	14.05	33.43		24.986	298.1	0.233
							100	12.30	33.38		25.297	268.6	0.304
							125	11.30	33.56		25.622	237.6	0.368
							150	10.25	33.77		25.971	204.4	0.424
							200	9.70	34.11		26.329	170.4	0.520
							250	8.90	34.11		26.459	158.1	0.604
							300	8.35	34.18		26.599	144.8	0.682
							400	7.30	34.25		26.808	124.9	0.823
							500	6.40	34.27		26.947	111.8	0.948

RV ALASKA CALCOFI CRUISE 7202 103080

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
29 26.0N	119 43.0W	2/17/72	1455	GMT									
Z	T	S	02	P04 S103	N02 N03	DT	Z	T	S	02	SI6T	DT	DD
							0	15.65	33.68		24.833	312.7	0.000
							10	15.65	33.68		24.833	312.7	0.031
							20	15.65	33.68		24.833	312.7	0.063
							30	15.65	33.68		24.833	312.7	0.094
							50	15.65	33.69		24.840	311.9	0.157
							75	15.25	33.60		24.860	310.1	0.235
							100	12.15	33.51		25.426	256.3	0.306
							125	10.95	33.71		25.802	220.5	0.366
							150	10.20	33.97		26.135	188.8	0.418
							200	9.40	34.17		26.425	161.3	0.508
							250	8.75	34.21		26.560	148.4	0.587
							300	8.60	34.31		26.662	138.8	0.662
							400	7.45	34.33		26.850	121.0	0.798
							500	6.65	34.36		26.984	108.2	0.919

RV ALASKA
CALCOFI CRUISE 7202
107031

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
30 28.0N	116 07.0W	2/19/72	0730 GMT										
Z	T	S	02	P04 S103	N02 N03	DT	Z	T	S	02	SIGT	DT	DD
							0	13.40	33.53		25.196	278.1	0.000
							10	13.35	33.53		25.206	277.1	0.028
							20	13.05	33.52		25.259	272.2	0.055
							30	12.65	33.54		25.353	263.2	0.082

RV ALASKA
CALCOFI CRUISE 7202
107032

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
30 26.0N	116 11.5W	2/19/72	0845 GMT										
Z	T	S	02	P04 S103	N02 N03	DT	Z	T	S	02	SIGT	DT	DD
							0	13.60	33.50		25.132	284.2	0.000
							10	13.60	33.50		25.132	284.2	0.028
							20	13.60	33.50		25.132	284.2	0.057
							30	13.45	33.46		25.132	284.2	0.085
							50	12.30	33.49		25.382	260.5	0.140
							75	11.40	33.75		25.751	225.3	0.201
							100	10.80	33.98		26.038	198.0	0.255
							125	10.55	34.07		26.152	187.2	0.303

RV ALASKA
CALCOFI CRUISE 7202
107035

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
30 21.5N	116 22.5W	2/19/72	1155 GMT										
Z	T	S	02	P04 S103	N02 N03	DT	Z	T	S	02	SIGT	DT	DD
							0	14.10	33.48		25.014	295.4	0.000
							10	14.10	33.48		25.014	295.4	0.030
							20	14.00	33.47		25.027	294.2	0.059
							30	13.55	33.47		25.119	285.4	0.088
							50	13.20	33.46		25.182	279.4	0.145
							75	11.20	33.49		25.586	241.0	0.210

RV ALASKA
CALCOFI CRUISE 7202
107040

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
30 10.0N	116 42.0W	2/19/72	1535 GMT										
Z	T	S	02	P04 S103	N02 N03	DT	Z	T	S	02	SIGT	DT	DD
							0	14.85	33.59		24.939	302.5	0.000
							10	14.85	33.59		24.939	302.5	0.030
							20	14.80	33.58		24.942	302.3	0.061
							30	14.35	33.49		24.969	299.7	0.091
							50	14.15	33.47		24.996	297.2	0.151
							75	13.20	33.40		25.136	283.8	0.224
							100	11.80	33.44		25.437	255.2	0.292
							125	10.55	33.65		25.826	218.2	0.351
							150	9.85	33.88		26.124	189.8	0.403
							200	9.10	34.10		26.419	161.9	0.493
							250	8.45	34.16		26.568	147.7	0.572
							300	8.10	34.20		26.652	139.7	0.647
							400	7.30	34.29		26.839	122.0	0.783
							500	6.55	34.30		26.950	111.4	0.907

RV ALASKA
CALCOFI CRUISE 7202
107050

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
29 50.0N	117 22.0W	2/19/72	2115 GMT										
Z	T	S	02	P04 S103	N02 N03	DT	Z	T	S	02	SIGT	DT	DD
							0	14.65	33.49		24.905	305.8	0.000
							10	14.60	33.48		24.908	305.5	0.031
							20	14.40	33.49		24.959	300.7	0.061
							30	14.25	33.45		24.959	300.6	0.091
							50	13.20	33.36		25.105	286.8	0.150
							75	12.05	33.35		25.321	266.2	0.220
							100	11.20	33.43		25.540	245.4	0.284
							125	10.65	33.66		25.816	219.1	0.343
							150	10.20	33.85		26.042	197.7	0.395
							200	9.35	34.03		26.324	170.9	0.489
							250	8.85	34.12		26.474	156.6	0.573
							300	8.15	34.15		26.637	141.2	0.650
							400	7.25	34.29		26.847	121.3	0.787
							500	6.50	34.32		26.973	109.3	0.910

RV ALASKA CALCOFI CRUISE 7202 107060

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
29 30.0N	118 01.0W	2/20/72	NO2	NO3	DT	Z	T	S	02	SI6T	DT	DD
						0	15.30	33.65		24.887	307.5	0.000
						10	15.30	33.65		24.867	307.5	0.031
						20	15.25	33.65		24.898	306.4	0.062
						30	15.05	33.62		24.919	304.5	0.092
						50	14.70	33.57		24.956	300.9	0.153
						75	14.10	33.47		25.006	296.2	0.228
						100	12.20	33.46		25.377	260.9	0.298
						125	11.25	33.65		25.701	230.1	0.360
						150	10.40	33.73		25.914	209.8	0.416
						200	9.15	33.95		26.294	173.7	0.514
						250	8.45	34.04		26.474	156.6	0.598
						300	7.90	34.11		26.612	143.6	0.676
						400	7.05	34.24		26.835	122.4	0.814
						500	6.75	34.36		26.971	109.5	0.937

RV ALASKA CALCOFI CRUISE 7202 107080

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
28 51.0N	119 20.0W	2/20/72	NO2	NO3	DT	Z	T	S	02	SI6T	DT	DD
						0	15.55	33.64		24.824	313.5	0.000
						10	15.40	33.61		24.835	312.5	0.031
						20	15.40	33.62		24.842	311.8	0.063
						30	15.40	33.62		24.842	311.8	0.094
						50	14.95	33.60		24.925	303.9	0.156
						75	12.95	33.38		25.170	280.6	0.229
						100	11.55	33.51		25.538	245.6	0.295
						125	10.70	33.65		25.800	220.7	0.354
						150	10.05	33.87		26.063	193.8	0.407
						200	9.25					
						250	8.60					
						300	8.45					
						400	7.00					
						500	6.05					

RV DAVID STARR JORDAN CALCOFI CRUISE 7202 110032

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
29 51.0N	115 49.5W	2/ 4/72	NO2	NO3	DT	Z	T	S	02	SI6T	DT	DD
						0	13.05	33.61		25.328	265.6	0.000
						10	13.01	33.59		25.320	266.3	0.027
						20	12.88	33.57		25.331	265.3	0.053
						30	12.67	33.65		25.434	255.5	0.079

RV DAVID STARR JORDAN CALCOFI CRUISE 7202 110035

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
29 46.0N	116 00.0W	2/ 4/72	NO2	NO3	DT	Z	T	S	02	SI6T	DT	DD
						0	13.92	33.66		25.190	278.7	0.000
						10	13.81	33.64		25.197	278.0	0.028
						20	13.10	33.52		25.249	273.1	0.055
						30	12.69	33.50		25.314	266.9	0.083
						50	11.97	33.69		25.599	239.8	0.133
						75	11.69	33.83		25.760	224.5	0.192
						100	11.05	33.96		25.978	203.8	0.246
						125	10.48	34.09		26.180	184.5	0.295
						150	10.20	34.26		26.361	167.4	0.340
						200	9.98	34.39		26.500	154.2	0.422
						250	9.43	34.43		26.623	142.5	0.498
						300	8.84	34.41		26.702	134.9	0.571
						400	8.00	34.42		26.840	121.9	0.705
						500	6.82	34.36		26.961	110.4	0.829
						600	6.01	34.38		27.084	98.8	0.941
						700	5.50	34.41		27.171	90.5	1.044
						800	5.01	34.44		27.252	82.8	1.140
						1000	4.31	34.48		27.362	72.4	1.314

RV DAVID STARR JORDAN

CALCOFI CRUISE 7202

110040

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
29 36.5N		116 19.5W		2/ 4/72		1410 GMT			2321M	350	13KT	1	350	1	6
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	02	St6T	DT	DD
									0	13.93	33.53		25.088	288.4	0.000
									10	13.94	33.53		25.086	288.6	0.029
									20	13.94	33.53		25.086	288.6	0.058
									30	13.92	33.53		25.090	288.2	0.087
									50	13.77	33.51		25.105	286.7	0.144
									75	12.57	33.51		25.345	263.9	0.214
									100	11.02	33.73		25.805	220.2	0.275
									125	10.95	33.95		25.988	202.8	0.328
									150	10.59	34.09		26.161	186.4	0.378
									200	9.97	34.27		26.408	162.9	0.467
									250	9.37	34.32		26.547	149.7	0.547
									300	8.69	34.29		26.832	141.6	0.623
									400	7.74	34.32		26.800	125.7	0.763
									500	6.68	34.33		26.957	110.9	0.888
									600	5.96	34.37		27.079	99.2	1.001
									700	5.37	34.41		27.186	89.0	1.103
									800	4.91	34.45		27.272	80.9	1.197
									1000	4.15	34.50		27.395	69.3	1.365

RV DAVID STARR JORDAN

CALCOFI CRUISE 7202

110040

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
29 36.5N		116 19.5W		2/ 4/72		1559 GMT			2321M	350	13KT	1	350	1	6
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	02	St6T	DT	DD
2	13.91	33.528	6.08	0.31	2.	0.00	0.1	288.2	0	13.91	33.528	6.08	25.090	288.2	0.000
12	13.91	33.525	6.09	0.23	3.	0.07	0.1	288.4	10	13.91	33.527	6.09	25.088	288.4	0.029
32	13.88	33.526	6.10	0.29	2.	0.05	0.1	287.7	20	13.90	33.527	6.09	25.089	288.3	0.058
57	13.74	33.521	5.84	0.33	3.	0.11	0.3	285.4	30	13.89	33.528	6.10	25.094	287.9	0.087
72	12.64	33.533	4.81	0.82	9.	0.06	7.5	263.5	50	13.78	33.524	5.91	25.113	286.0	0.144
87	11.68	33.551	4.33	1.14	12.	0.03	11.2	244.9	75	12.43	33.536	4.68	25.390	259.6	0.213
102	10.94	33.618	4.04	1.31	15.	0.02	14.9	227.1	100	11.02	33.608	4.08	25.709	229.3	0.274
132	10.69	33.915	2.70	1.85	24.	0.08	21.2	204.3	125	10.90	33.657	3.03	25.923	208.9	0.330
156	10.60	34.101	2.04	2.09	30.	0.04	25.2	185.7	150	10.69	34.065	2.15	26.123	190.0	0.380
181	10.06	34.119	2.16	2.03	33.	0.02	26.1	175.5	200	9.79	34.170	1.99	26.359	167.5	0.472
214	9.63	34.209	1.80	2.34	37.	0.07	29.0	162.0	250	9.22	34.263	1.46	26.526	151.7	0.554
278	8.92	34.283	1.23	2.50	44.	0.02	29.7	145.6	300	8.66	34.294	1.10	26.639	140.9	0.630
374	7.83	34.307	0.80	2.85	56.	0.00	33.5	127.9	400	7.58	34.311	0.71	26.816	124.2	0.768
470	6.95	34.321	0.51	3.03	67.	0.01	37.8	115.0	500	6.68	34.332	0.45	26.958	110.7	0.893
597	5.89	34.371	0.32	3.18	82.	0.03	42.4	98.0	600	5.87	34.373	0.32	27.095	97.7	1.005
746	5.11	34.413	0.33	3.26	98.	0.01	43.4	85.9	700	5.32	34.402	0.33	27.186	89.1	1.106
891	4.45	34.454	0.47	3.34	112.	0.06	44.3	75.8	800	4.85	34.429	0.37	27.262	81.9	1.200
1096	3.84	34.504	0.69	3.29	126.	0.00	42.8	65.9	1000	4.08	34.483	0.58	27.388	69.9	1.370

RV DAVID STARR JORDAN

CALCOFI CRUISE 7202

110050

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
29 17.5N		116 59.0W		2/ 4/72		0815 GMT			3357M	360	10KT				
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	02	St6T	DT	DD
									0	13.77	33.41		25.028	294.1	0.000
									10	13.77	33.41		25.028	294.1	0.029
									20	13.76	33.41		25.030	293.9	0.059
									30	13.69	33.41		25.045	292.5	0.088
									50	13.57	33.55		25.177	279.9	0.146
									75	11.88	33.53		25.492	249.9	0.212
									100	11.34	33.79		25.793	221.3	0.272
									125	10.56	33.96		26.065	195.5	0.324
									150	10.35	34.13		26.234	179.4	0.372
									200	9.99	34.33		26.451	158.8	0.458
									250	9.29	34.35		26.583	146.2	0.537
									300	8.58	34.35		26.696	135.5	0.610
									400	7.50	34.33		26.842	121.7	0.745
									500	6.54	34.35		26.991	107.6	0.866
									600	5.79	34.38		27.111	96.2	0.976
									700	5.32	34.41		27.192	88.5	1.076
									800	4.87	34.44		27.269	81.3	1.170
									1000	4.17	34.49		27.385	70.2	1.339

RV DAVIU STARR JORDAN

CALCOFI CRUISE 7202

110060

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	FOTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
24 56.5N		117 38.5W		2/ 3/72		2230		GMT	3357M	240	4KT	2	100 2 6			
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD	
									0	14.21	33.44		24.960	300.6	0.000	
									10	14.14	33.43		24.967	299.9	0.030	
									20	14.10	33.44		24.983	298.4	0.060	
									30	14.09	33.44		24.985	298.2	0.090	
									50	13.96	33.42		24.997	297.1	0.150	
									75	13.89	33.41		25.003	296.4	0.224	
									100	12.50	33.37		25.250	272.9	0.296	
									125	11.22	33.51		25.598	239.9	0.361	
									150	10.42	33.72		25.903	210.9	0.418	
									200	9.57	34.08		26.327	170.6	0.515	
									250	9.29	34.24		26.497	154.4	0.598	
									300	8.45	34.26		26.646	140.3	0.675	
									400	7.34	34.31		26.850	121.0	0.811	
									500	6.69	34.36		26.979	108.7	0.933	
									600	6.01	34.38		27.084	98.8	1.045	
									700	5.39	34.40		27.176	90.0	1.147	
									800	4.95	34.43		27.251	82.9	1.243	
									1000	4.17	34.49		27.385	70.2	1.414	

RV DAVIU STARR JORDAN

CALCOFI CRUISE 7202

110060

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	FOTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
23 56.5N		117 38.5W		2/ 3/72		2340 GMT			3357M	240	4KT	2	100 2 6		
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	U2	S10T	DT	DD
0	14.30	33.453		0.40	2.	0.05	0.0	301.4	0	14.30	33.453		24.951	301.4	0.000
10	14.13	33.492	U	5.96	0.36	3.	0.05		10	14.13	33.445	5.96	24.979	298.7	0.030
30	14.04	33.466		5.94	0.36	3.	0.05	295.3	20	14.06	33.455	5.95	25.001	296.7	0.060
56	13.94	33.449		5.96	0.36	2.	0.05	294.6	30	14.04	33.466	5.94	25.016	295.3	0.090
72	13.91	33.424		6.15	0.37	2.	0.12	295.8	50	13.96	33.454	5.96	25.021	294.7	0.149
86	13.02	33.327		5.82	0.48	3.	0.24	285.8	75	13.73	33.403	6.09	25.029	294.0	0.223
101	12.61	33.335		5.79	0.57	4.	0.13	277.5	100	12.63	33.334	5.79	25.195	278.2	0.295
131	11.42	33.559		4.52	1.13	11.	0.11	12.6	125	11.67	33.502	4.83	25.508	248.5	0.361
157	10.46	33.800		3.67	1.51	19.	0.11	17.4	150	10.70	33.738	3.87	25.867	214.3	0.420
182	9.85	33.960		3.16	1.78	25.	0.14	22.8	200	9.61	34.046	2.60	26.292	173.9	0.519
216	9.46	34.103		2.51	2.12	33.	0.12	23.3	250	9.06	34.165	2.00	26.491	155.0	0.603
279	8.72	34.225		1.63	2.49	43.	0.09	26.0	300	8.47	34.249	1.41	26.634	141.4	0.680
378	7.61	34.305		0.74	2.89	59.	0.06	33.5	400	7.42	34.319	0.66	26.845	121.4	0.817
475	6.84	34.355		0.50	3.11	71.	0.15	32.8	500	6.66	34.364	0.44	26.984	108.2	0.939
605	5.98	34.388		0.26	3.30	83.	0.13	38.2	600	6.01	34.388	0.27	27.089	98.3	1.050
754	5.07	34.427		0.36	3.33	100.	0.12	41.8	700	5.38	34.413	0.32	27.187	89.0	1.152
903	4.37	34.466		0.47	3.19	115.	0.15	41.4	800	4.83	34.440	0.39	27.273	80.9	1.245
1114	3.78	34.513		0.70	129.	0.09	35.7U	64.7	1000	4.04	34.490	0.56	27.399	69.0	1.413

RV DAVIU STARR JORDAN

CALCOFI CRUISE 7202

110070

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER			TIME	POTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
24 36.5N		118 18.0W		2/ 3/72		1725			GMT	3545M	240	10KT	1	060 2 5		
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	U2	S10T	DT	DD	
									0	15.16	33.61		24.887	307.5	0.000	
									10	15.15	33.60		24.882	308.0	0.031	
									20	14.31	33.49		24.977	298.9	0.061	
									30	14.25	33.50		24.998	297.0	0.091	
									50	14.04	33.47		25.019	295.0	0.150	
									75	13.88	33.47		25.052	291.8	0.224	
									100	12.56	33.33		25.208	277.0	0.296	
									125	10.91	33.56		25.693	230.9	0.360	
									150	10.36	33.81		25.983	203.3	0.415	
									200	9.51	34.12		26.368	166.7	0.509	
									250	8.80	34.23		26.568	147.7	0.590	
									300	8.43	34.28		26.665	138.5	0.664	
									400	7.48	34.33		26.845	121.4	0.800	
									500	6.54	34.35		26.991	107.6	0.922	
									600	5.91	34.39		27.104	96.8	1.031	
									700	5.42	34.42		27.188	88.9	1.132	
									800	4.93	34.43		27.254	82.7	1.227	
									1000	4.23	34.49		27.379	70.8	1.399	

RV DAVID STARR JOHNSON										CALCOFI CRUISE 7202							110080	
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES									
28 16.0N	118 56.5W	2/ 3/72	1124	GMT	3737M	080	4KT			Z	T	S	02	SWT	DT	DD		
Z	T	S	02	P04 S103	N02 N03	DT	Z	T	S									
							0	15.53	33.67					24.852	310.9	0.000		
							10	15.53	33.67					24.852	310.9	0.031		
							20	15.52	33.67					24.854	310.7	0.062		
							30	15.52	33.67					24.854	310.7	0.093		
							50	15.35	33.64					24.869	309.3	0.156		
							75	12.91	33.41					25.201	277.6	0.229		
							100	11.24	33.45					25.548	244.6	0.295		
							125	10.43	33.69					25.878	213.3	0.353		
							150	9.99	33.85					26.077	194.3	0.405		
							200	9.27	34.08					26.376	165.9	0.496		
							250	8.81	34.22					26.559	148.6	0.577		
							300	8.33	34.26					26.664	138.5	0.652		
							400	7.12	34.26					26.841	121.8	0.788		
							500	6.32	34.36					27.028	104.1	0.907		
							600	5.73	34.39					27.127	94.7	1.014		
							700	5.23	34.43					27.219	86.0	1.112		
							800	4.67	34.45					27.299	78.4	1.203		
							1000	4.06	34.50					27.405	68.4	1.367		

RV DAVID STARR JOHNSON										CALCOFI CRUISE 7202							110080	
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES									
28 16.0N	118 56.5W	2/ 3/72	1259	GMT	3737M	080	4KT			Z	T	S	02	SWT	DT	DD		
Z	T	S	02	P04 S103	N02 N03	DT	Z	T	S									
							0	15.52	33.666					24.851	310.9	0.000		
							10	15.50	33.668					24.855	310.6	0.031		
							20	15.50	33.668					24.857	310.4	0.062		
							30	15.49	33.669					24.858	310.3	0.093		
							50	15.15	33.617					24.893	306.9	0.155		
							75	13.06	33.419					25.177	279.9	0.229		
							100	11.55	33.476					25.509	248.3	0.296		
							125	10.60	33.643					25.811	219.7	0.355		
							150	9.95	33.837					26.073	194.7	0.407		
							200	9.14	34.058					26.379	165.7	0.499		
							250	8.73	34.151					26.516	152.6	0.581		
							300	8.27	34.244					26.660	139.0	0.656		
							400	7.19	34.287					26.852	120.8	0.792		
							500	6.41	34.349					27.006	106.1	0.912		
							600	5.74	34.380					27.118	95.6	1.020		
							700	5.16	34.412					27.212	86.7	1.119		
							800	4.70	34.441					27.287	79.5	1.211		
							1000	4.03	34.490					27.399	68.9	1.377		

RV ALASKA										CALCOFI CRUISE 7202							113035	
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES									
29 10.0N	115 42.0W	2/22/72	1320	GMT						Z	T	S	02	SWT	DT	DD		
Z	T	S	02	P04 S103	N02 N03	DT	Z	T	S									
							0	13.70	33.45					25.073	289.8	0.000		
							10	13.70	33.45					25.073	289.8	0.029		
							20	13.70	33.45					25.073	289.8	0.058		
							30	13.65	33.45					25.084	288.8	0.087		
							50	13.00	33.41					25.183	279.3	0.144		
							75	11.60	33.60					25.598	239.8	0.209		
							100	11.05	33.78					25.838	217.0	0.267		
							125	10.70	33.93					26.017	200.0	0.320		
							150	10.40	34.11					26.209	181.7	0.368		
							200	10.10	34.32					26.425	161.3	0.456		
							250	9.70	34.36					26.523	151.9	0.536		
							300	8.80	34.30					26.623	142.5	0.613		
							400	8.00	34.36					26.793	126.4	0.754		
							500	6.95	34.34					26.928	113.6	0.881		

RV ALASKA										CALCOFI CRUISE 7202							113040	
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES									
29 02.0N	115 57.0W	2/22/72	0925	GMT						Z	T	S	02	SWT	DT	DD		
Z	T	S	02	P04 S103	N02 N03	DT	Z	T	S									
							0	14.45	33.63					25.056	291.5	0.000		
							10	14.40	33.64					25.074	289.7	0.029		
							20	14.35	33.63					25.077	289.5	0.058		
							30	14.00	33.59					25.119	285.4	0.087		
							50	13.55	33.57					25.197	278.1	0.143		
							75	11.95	33.61					25.541	245.3	0.209		
							100	10.95	33.77					25.848	216.1	0.267		
							125	10.55	34.01					26.106	191.6	0.319		
							150	10.45	34.15					26.232	179.6	0.366		
							200	10.35	34.36					26.413	162.4	0.454		
							250	9.85	34.44					26.561	148.4	0.534		
							300	9.40	34.44					26.636	141.3	0.609		
							400	8.30	34.40					26.779	127.7	0.750		
							500	7.25	34.39					26.925	113.8	0.879		

RV ALASKA					CALCOFI CRUISE 7202										113045		
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES					
28 49.0N		116 17.0W		2/22/72		0505 GMT											
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S16T	DT	DD		
									0	14.55	33.47		24.911	305.2	0.000		
									10	14.55	33.47		24.911	305.2	0.031		
									20	14.55	33.47		24.911	305.2	0.061		
									30	14.45	33.47		24.932	303.2	0.092		
									50	14.15	33.48		25.003	296.4	0.152		
									75	12.80	33.37		25.192	278.5	0.224		
									100	11.90	33.55		25.504	248.8	0.290		
									125	10.70	33.77		25.893	211.9	0.349		
									150	10.20	33.90		26.081	194.0	0.400		
									200	9.65	34.07		26.306	172.6	0.494		
									250	9.45	34.30		26.518	152.4	0.577		
									300	9.05	34.37		26.638	141.1	0.653		
									400	7.80	34.29		26.767	128.8	0.795		
									500	6.80	34.30		26.917	114.6	0.923		

RV ALASKA				CALCOFI CRUISE 7202										113050				
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM		WIND		SPEED		WEATHER		DOMINANT WAVES		
28 41.5N		116 36.0W		2/22/72		0200 GMT												
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	02	S16T	DT	DD			
									0	15.30	33.67		24.903	306.0	0.000			
									10	15.30	33.68		24.910	305.3	0.031			
									20	15.30	33.68		24.910	305.3	0.061			
									30	15.25	33.67		24.914	305.0	0.092			
									50	14.70	33.62		24.995	297.3	0.152			
									75	14.05	33.59		25.109	286.4	0.226			
									100	11.75	33.59		25.563	243.2	0.292			
									125	10.90	33.95		25.997	201.9	0.349			
									150	10.70	34.07		26.126	189.7	0.398			
									200	10.45	34.25		26.310	172.2	0.491			
									250	10.00	34.35		26.465	157.5	0.576			
									300	9.40	34.40		26.604	144.2	0.654			
									400	8.50	34.37		26.724	132.9	0.799			
									500	7.40	34.38		26.896	116.6	0.932			

RV ALASKA				CALCOFI CRUISE 7202										113060		
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
28 18.0N		117 15.0W		2/21/72		1936 GMT										
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S16T	DT	DD	
									0	15.15	33.67		24.935	302.9	0.000	
									10	15.10	33.67		24.946	301.8	0.030	
									20	15.05	33.67		24.957	300.8	0.060	
									30	14.20	33.50		25.008	296.0	0.090	
									50	13.75	33.50		25.102	287.1	0.149	
									75	12.70	33.54		25.343	264.1	0.218	
									100	11.50	33.75		25.733	227.0	0.280	
									125	10.65	33.94		26.034	198.5	0.334	
									150	10.10	34.09		26.246	178.3	0.382	
									200	9.95	34.28		26.419	161.8	0.469	
									250	9.50	34.34		26.541	150.3	0.549	
									300	8.85	34.35		26.654	139.5	0.624	
									400	7.70	34.35		26.829	122.9	0.762	
									500	6.85	34.35		26.949	111.5	0.886	

RV ALASKA				CALCOFI CRUISE 7202										113070				
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM		WIND		SPEED		WEATHER		DOMINANT WAVES		
28 02.0N		117 55.0W		2/21/72		1400 GMT												
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S16T	DT	DD			
									0	15.60	33.59		24.775	318.2	0.000			
									10	15.60	33.60		24.782	317.5	0.032			
									20	15.60	33.60		24.782	317.5	0.064			
									30	14.90	33.46		24.829	313.1	0.095			
									50	14.30	33.45		24.949	301.6	0.157			
									75	14.10	33.43		24.975	299.1	0.232			
									100	13.40	33.37		25.073	289.9	0.307			
									125	12.20	33.35		25.293	268.9	0.377			
									150	11.20	33.65		25.710	229.2	0.440			
									200	9.95	33.98		26.185	184.0	0.545			
									250	9.30	34.15		26.426	161.2	0.634			
									300	8.70	34.18		26.545	149.9	0.714			
									400	7.85	34.25		26.729	132.5	0.862			
									500	6.75	34.28		26.906	115.5	0.993			

RV ALASKA CALCOFI CRUISE 7202 113080

LATITUDE 27 40.0N LONGITUDE 118 32.5W MO/DAY/YR 2/21/72 MESSENGER 0805 GMT TIME BOTTOM WIND SPEED WEATHER DOMINANT WAVES

Z T S 02 P04 S103 N02 N03 DT Z T S 02 SIGT DT DD

0 16.05 33.67 24.735 322.0 0.000

10 16.05 33.67 24.735 322.0 0.032

20 16.05 33.67 24.735 322.0 0.064

30 16.05 33.66 24.745 321.3 0.097

50 15.75 33.63 24.772 318.5 0.161

75 14.20 33.41 24.939 302.6 0.239

100 12.45 33.43 25.306 267.6 0.311

125 11.35 33.65 25.683 231.8 0.374

150 10.70 33.90 25.994 202.3 0.429

200 10.25 34.20 26.305 172.6 0.525

250 9.85 34.35 26.490 155.1 0.609

300 9.30 34.36 26.590 145.7 0.687

400 8.00 34.31 26.753 130.1 0.831

500 6.85 34.30 26.910 115.3 0.961

RV ALASKA CALCOFI CRUISE 7202 117025

LATITUDE 28 58.0N LONGITUDE 114 37.0W MO/DAY/YR 2/22/72 MESSENGER 2333 GMT TIME BOTTOM WIND SPEED WEATHER DOMINANT WAVES

Z T S 02 P04 S103 N02 N03 DT Z T S 02 SIGT DT DD

0 15.55 33.70 24.870 309.1 0.000

10 14.50 33.70 25.099 287.4 0.030

20 14.00 33.68 25.189 278.8 0.058

30 13.95 33.70 25.214 276.4 0.086

50 13.00 33.70 25.407 258.0 0.140

RV ALASKA CALCOFI CRUISE 7202 117026

LATITUDE 28 56.0N LONGITUDE 114 41.5W MO/DAY/YR 2/23/72 MESSENGER 0045 GMT TIME BOTTOM WIND SPEED WEATHER DOMINANT WAVES

Z T S 02 P04 S103 N02 N03 DT Z T S 02 SIGT DT DD

0 15.25 33.66 24.906 305.7 0.000

10 15.00 33.63 24.937 302.7 0.030

20 14.70 33.64 25.010 295.8 0.060

30 14.25 33.59 25.067 290.4 0.090

50 12.45 33.59 25.430 255.8 0.145

RV ALASKA CALCOFI CRUISE 7202 117040

LATITUDE 28 28.0N LONGITUDE 115 35.5W MO/DAY/YR 2/24/72 MESSENGER 2130 GMT TIME BOTTOM WIND SPEED WEATHER DOMINANT WAVES

Z T S 02 P04 S103 N02 N03 DT Z T S 02 SIGT DT DD

0 14.30 33.56 25.033 293.6 0.000

10 14.20 33.56 25.054 291.6 0.029

20 14.15 33.56 25.065 290.6 0.058

30 14.10 33.55 25.068 290.3 0.088

50 14.00 33.56 25.096 287.6 0.146

75 11.85 33.65 25.591 240.6 0.212

100 10.80 33.83 25.922 209.1 0.269

125 10.70 33.97 26.048 197.1 0.320

150 10.45 34.12 26.209 181.8 0.368

200 10.20 34.30 26.392 164.4 0.457

250 9.80 34.34 26.491 155.0 0.539

300 9.10 34.31 26.583 146.3 0.617

400 8.05 34.35 26.777 127.8 0.760

500 6.95 34.30 26.896 116.6 0.890

RV ALASKA CALCOFI CRUISE 7202 117045

LATITUDE 28 18.0N LONGITUDE 115 56.0W MO/DAY/YR 2/25/72 MESSENGER 0025 GMT TIME BOTTOM WIND SPEED WEATHER DOMINANT WAVES

Z T S 02 P04 S103 N02 N03 DT Z T S 02 SIGT DT DD

0 14.40 33.61 25.051 291.9 0.000

10 14.40 33.61 25.051 291.9 0.029

20 14.30 33.61 25.072 289.9 0.058

30 14.25 33.61 25.082 288.9 0.087

50 13.10 33.53 25.256 272.4 0.144

75 11.80 33.70 25.639 236.0 0.208

100 11.10 33.84 25.876 213.5 0.264

125 10.65 34.03 26.104 191.8 0.316

150 10.15 34.12 26.260 176.9 0.362

200 9.55 34.22 26.439 159.9 0.448

250 9.30 34.32 26.558 148.6 0.528

300 8.70 34.31 26.646 140.3 0.603

400 8.10 34.40 26.809 124.8 0.742

500 7.05 34.36 26.929 113.4 0.868

RV ALASKA				CALCOFI CRUISE 7202										117050		
LATITUDE	LONGITUDE	MO/DAY/YR		MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES						
29 08.0N	116 15.0W	2/25/72		0450 GMT												
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD	
									0	14.50	33.61		25.030	293.9	0.000	
									10	14.40	33.62		25.058	291.2	0.029	
									20	14.35	33.62		25.069	290.2	0.058	
									30	14.30	33.63		25.087	288.5	0.087	
									50	13.25	33.59		25.273	270.8	0.144	
									75	11.30	33.65		25.692	230.9	0.207	
									100	10.50	33.82		25.967	204.8	0.262	
									125	10.20	34.02		26.174	185.1	0.311	
									150	10.05	34.16		26.309	172.3	0.356	
									200	9.60	34.25		26.454	158.5	0.441	
									250	9.05	34.30		26.583	146.3	0.519	
									300	8.45	34.31		26.685	136.6	0.593	
									400	7.50	34.34		26.850	120.9	0.727	
									500	6.55	34.33		26.974	109.2	0.849	

RV ALASKA				CALCOFI CRUISE 7202										117060	
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
27 48.0N		116 53.0W		2/25/72		1030 GMT									
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
									0	15.80	33.75		24.853	310.8	0.000
									10	15.80	33.77		24.868	309.3	0.031
									20	15.80	33.78		24.876	308.6	0.062
									30	15.80	33.78		24.876	308.6	0.093
									50	15.60	33.81		24.943	302.1	0.154
									75	14.20	33.57		25.062	290.8	0.229
									100	12.40	33.45		25.331	265.2	0.299
									125	10.80	33.75		25.859	215.0	0.359
									150	10.25	33.92		26.088	193.3	0.411
									200	9.80	34.11		26.312	172.0	0.504
									250	9.40	34.27		26.503	153.9	0.588
									300	8.90	34.31		26.615	143.3	0.665
									400	7.85	34.32		26.784	127.3	0.807
									500	6.75	34.32		26.939	112.5	0.934

RV ALASKA				CALCOFI CRUISE 7202										117070		
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES								
27 24.5N	117 31.5W	2/25/72	1620 GMT													
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD	
									0	15.20	33.66		24.917	304.7	0.000	
									10	15.20	33.66		24.917	304.7	0.030	
									20	15.15	33.66		24.928	303.6	0.061	
									30	15.15	33.66		24.928	303.6	0.091	
									50	13.95	33.51		25.068	290.3	0.151	
									75	13.25	33.44		25.157	281.8	0.223	
									100	12.25	33.51		25.407	258.1	0.291	
									125	11.60	33.61		25.606	239.1	0.354	
									150	10.40	33.73		25.914	209.8	0.411	
									200	9.25	34.07		26.371	166.4	0.506	
									250	8.75	34.21		26.560	148.4	0.587	
									300	8.35	34.23		26.638	141.1	0.662	
									400	7.20	34.25		26.822	123.6	0.800	
									500	6.55	34.30		26.950	111.4	0.925	

RV ALASKA				CALCOFI CRUISE 7202										117080				
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM		WIND		SPEED		WEATHER		DOMINANT WAVES		
27 06.0N		118 09.5W		2/25/72		2215 GMT												
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD			
									0	15.05	33.55		24.865	309.6	0.000			
									10	15.00	33.55		24.876	308.6	0.031			
									20	14.80	33.52		24.896	306.6	0.062			
									30	14.80	33.52		24.896	306.6	0.092			
									50	14.80	33.52		24.896	306.6	0.154			
									75	14.00	33.47		25.027	294.2	0.230			
									100	12.50	33.40		25.274	270.7	0.301			
									125	11.60	33.55		25.560	243.5	0.366			
									150	10.75	33.79		25.899	211.2	0.423			
									200	10.15	34.10		26.245	178.4	0.523			
									250	10.15	34.39		26.470	157.0	0.609			
									300	9.75	34.42		26.562	148.3	0.688			
									400	8.15	34.32		26.739	131.5	0.835			
									500	7.10	34.33		26.899	116.3	0.966			

FV DAVID STARR JORDAN

CALCOFI CRUISE 7202

119033

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
28 19.0N		114 53.0W		2/ 5/72		1402 GMT		110M	340	10KT					
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
									0	14.07	33.68		25.174	280.2	0.000
									10	14.07	33.68		25.174	280.2	0.028
									20	14.07	33.68		25.174	280.2	0.056
									30	14.05	33.68		25.178	279.8	0.084
									50	13.99	33.69		25.198	277.9	0.140
									75	12.36	33.67		25.509	248.3	0.200

RV DAVIU STAFF JOKUAN.

CALCOFI CRUISE 7202

120030

LATITUDE 23 13.0N		LONGITUDE 114 34.0W		MO/DAY/YR 2/ 5/72		MESSENGER TIME 1137 GMT		FOTOM 93M		WIND 220		SPEED 8KT		WEATHER		DOMINANT WAVES	
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD		
									0	13.99	33.71		25.214	276.4	0.000		
									10	13.99	33.71		25.214	276.4	0.028		
									20	13.98	33.71		25.216	276.2	0.055		
									30	13.97	33.71		25.218	276.0	0.083		
									50	13.93	33.71		25.226	275.2	0.138		
									75	12.55	33.78		25.558	243.7	0.204		

RV DAVID STARR JORDAN

CALCOFI CRUISE 7202

120035

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM		WIND SPEED		WEATHER		DOMINANT WAVES		
23 03.00		114 54.00		2/ 5/72		1620 GMT		80M		140 12KT		1		140 1 5		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD	
									0	13.99	33.67		25.183	279.3	0.000	
									10	13.98	33.67		25.185	279.1	0.028	
									20	13.97	33.67		25.187	278.9	0.056	
									30	13.97	33.67		25.187	278.9	0.084	
									50	13.85	33.67		25.212	276.6	0.140	
									75	11.93	33.80		25.692	231.0	0.203	

RV DAVID STARR JORDAN

CALCOFI CRUISE 7202

120045

LATITUDE		LONGITUDE		MO/DAY/YR		PASSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
27 43.0N		115 33.0W		2/ 5/72		2111		GMT	2227M	350	12KT	2	350 2 4		
Z	T	S	Q2	P04	S103	N02	N03	LT	Z	T	S	Q2	SIGT	DT	DD
									0	15.17	33.63		24.900	306.2	0.000
									10	15.17	33.63		24.900	306.2	0.031
									20	14.92	33.60		24.932	303.3	0.061
									30	14.90	33.60		24.936	302.8	0.092
									50	14.46	33.53		24.977	299.0	0.152
									75	13.20	33.44		25.167	280.9	0.225
									100	11.42	33.60		25.631	236.7	0.290
									125	11.11	34.00		25.998	201.8	0.346
									150	10.36	34.03		26.154	187.0	0.395
									200	10.00	34.30		26.426	161.2	0.484
									250	9.71	34.39		26.545	149.9	0.564
									300	9.37	34.45		26.648	140.1	0.639
									400	7.97	34.41		26.836	122.2	0.777
									500	7.14	34.40		26.948	111.6	0.901
									600	6.33	34.43		27.082	99.0	1.015
									700	5.72	34.44		27.167	90.8	1.118
									800	5.22	34.45		27.236	84.4	1.215
									1000	4.34	34.48		27.359	72.7	1.399

RV DAVID STARR JORDAN

CALCOFI CRUISE 7202

120045

	LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	POTOM	WIND	SPEED	WEATHER	DOMINANT WAVES					
	27 43.0N	115 33.0W	2/ 5/72	2218	GMT	2227M	350	12KT	2	350 1 4					
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
2	15.09	33.644		0.26	3.	0.02	0.2	303.6	0	15.09	33.644		24.929	303.6	0.000
12	14.96	33.640	5.81	0.25	2.	0.00	0.4	301.1	10	14.96	33.642		24.950	301.5	0.030
32	14.90	33.640	5.83	0.24	3.	0.01	0.3	299.9	20	14.94	33.644	5.82	24.960	300.6	0.060
57	14.34	33.566	5.75	0.32	3.	0.09	0.5	293.9	30	14.91	33.643	5.83	24.966	300.0	0.091
71	13.71	33.495	5.20	0.46	4.	0.09	2.7	286.7	50	14.56	33.596	5.77	25.005	296.3	0.150
86	12.30	33.497	4.76	0.88	9.	0.33	7.9	259.9	75	13.34	33.486	5.08	25.172	280.4	0.223
101	11.43	33.629	4.14	1.19		0.07	13.9	234.7	100	11.47	33.619	4.18	25.636	236.3	0.288
131	10.97	33.962	2.74	1.76		0.00	21.6	200.8	125	11.00	33.920	2.98	25.954	206.0	0.394
156	10.38	34.061	2.43	2.07	28.	0.11	24.2	185.0	150	10.52	34.049	2.48	26.141	188.3	0.544
181	10.12	34.208	1.91	2.27	31.	0.01	27.4	169.9	200	9.98	34.287	1.60	26.648	161.9	0.483
215	9.89	34.332	1.39	2.41	38.	0.11	27.7	157.0	250	9.73	34.411	0.97	26.558	148.6	0.563
279	9.57	34.447	0.71	2.77	44.	0.00	27.7	143.4	300	9.35	34.456	0.59	26.656	139.3	0.638
378	8.37	34.443	0.36	2.94	55.	0.00	33.3	125.5	400	8.12	34.438	0.34	26.836	122.3	0.776
475	7.31	34.423	0.29	3.08	66.	0.03	36.1	112.2	500	7.07	34.424	0.29	26.977	108.9	0.899
607	6.20	34.443	0.30	3.32	81.	0.00	40.4	96.4	600	6.25	34.442	0.30	27.101	97.1	1.010
758	5.35	34.456	0.29	3.32	94.	0.05	43.7	85.4	700	5.64	34.452	0.29	27.187	89.0	1.111
904	4.72	34.477	0.38	3.42	106.	0.04	42.9	76.9	800	5.15	34.462	0.31	27.252	82.8	1.206
1109	3.98	34.514	0.58	3.32		0.00	40.3	66.5	1000	4.35	34.494	0.46	27.368	71.8	1.388

RV DAVID STARR JORDAN

CALCOFI CRUISE 7202

120050

LATITUDE 27 32.5N			LONGITUDE 115 52.5W		MO/DAY/YR 2/ 6/72		MESSENGER 0054 GMT		TIME	BOTTOM 3737M	WIND 350	SPEED AKT	WEATHER 1	DOMINANT WAVES 350 1 6		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SI6T	DT	DD	
									0	15.62	33.66		24.824	313.5	0.000	
									10	15.49	33.66		24.853	310.8	0.031	
									20	15.39	33.66		24.875	308.6	0.062	
									30	15.38	33.66		24.877	308.4	0.093	
									50	15.38	33.66		24.877	308.4	0.155	
									75	15.07	33.61		24.907	305.6	0.232	
									100	12.13	33.50		25.422	296.6	0.303	
									125	11.18	33.62		25.691	291.1	0.365	
									150	10.32	33.85		26.021	199.7	0.419	
									200	9.63	34.12		26.348	168.6	0.513	
									250	9.19	34.22		26.498	154.3	0.596	
									300	8.63	34.27		26.626	142.2	0.673	
									400	7.63	34.32		26.816	124.2	0.812	
									500	6.74	34.36		26.972	109.4	0.936	
									600	5.93	34.38		27.094	97.8	1.047	
									700	5.42	34.40		27.172	90.4	1.150	
									800	4.88	34.43		27.259	82.1	1.245	
									1000	4.20	34.48		27.374	71.3	1.416	

RV DAVID STARR JORDAN

CALCOFI CRUISE 7202

120060

LATITUDE 27 13.0N			LONGITUDE 116 30.5W		MO/DAY/YR 2/ 6/72		MESSENGER 0520 GMT		TIME	BOTTOM 3737M	WIND 320	SPEED 6KT	WEATHER	DOMINANT WAVES		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SI6T	DT	DD	
									0	15.86	33.73		24.824	313.5	0.000	
									10	15.74	33.72		24.843	311.7	0.031	
									20	15.62	33.72		24.870	309.1	0.062	
									30	15.60	33.72		24.875	308.7	0.093	
									50	15.14	33.62		24.899	306.3	0.155	
									75	12.65	33.52		25.337	264.7	0.227	
									100	11.57	33.54		25.557	243.7	0.291	
									125	10.78	33.72		25.840	216.9	0.349	
									150	10.34	33.91		26.064	195.5	0.401	
									200	9.72	34.18		26.380	165.6	0.494	
									250	9.34	34.32		26.552	149.2	0.574	
									300	8.65	34.33		26.670	138.0	0.649	
									400	7.42	34.31		26.838	122.1	0.785	
									500	6.65	34.34		26.968	109.7	0.908	
									600	5.88	34.37		27.092	98.0	1.019	
									700	5.24	34.41		27.202	87.6	1.120	
									800	4.73	34.44		27.284	79.8	1.212	
									1000	4.05	34.49		27.398	69.0	1.379	

RV DAVID STARR JORDAN

CALCOFI CRUISE 7202

120060

LATITUDE 27 13.0N			LONGITUDE 116 30.5W		MO/DAY/YR 2/ 6/72		MESSENGER 0632 GMT		TIME	BOTTOM 3737M	WIND 320	SPEED 6KT	WEATHER	DOMINANT WAVES		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SI6T	DT	DD	
0	15.71	33.746	5.96					309.1	0	15.71	33.746	5.96	24.870	309.1	0.000	
10	15.70	33.744	5.76					309.1	10	15.70	33.744	5.76	24.871	309.1	0.031	
30	15.56	33.745	5.74					306.0	20	15.64	33.748	5.75	24.885	307.7	0.062	
55	15.28	33.695	5.83					303.8	30	15.56	33.745	5.74	24.903	306.0	0.093	
70	13.82	33.537	5.41					285.7	50	15.34	33.707	5.81	24.921	304.2	0.154	
85	12.85	33.519	4.82					268.1	75	13.46	33.523	5.20	25.177	279.9	0.227	
99	11.97	33.536	4.64					251.1	100	11.92	33.543	4.61	25.494	249.8	0.294	
129	10.72	33.749	3.70					213.7	125	10.85	33.716	3.84	25.824	218.4	0.353	
154	10.12	33.915	3.23					191.6	150	10.18	33.889	3.31	26.074	194.6	0.406	
178	10.23	34.123	2.26					178.0	200	9.85	34.163	2.13	26.347	168.7	0.498	
212	9.56	34.161	2.06					164.4	250	9.26	34.254	1.46	26.513	152.9	0.581	
275	9.14	34.313	1.05					146.7	300	8.84	34.333	0.95	26.641	140.7	0.657	
372	7.89	34.339	0.67					126.4	400	7.57	34.341	0.59	26.840	121.9	0.794	
468	6.88	34.342	0.44					112.5	500	6.62	34.348	0.38	26.978	108.8	0.917	
601	5.93	34.373	0.27					98.4	600	5.94	34.373	0.27	27.067	98.5	1.028	
745	5.02	34.435	0.44					83.3	700	5.26	34.416	0.37	27.201	87.7	1.129	
890	4.36	34.471	0.54					73.6	800	4.74	34.451	0.48	27.291	79.1	1.221	
1098	3.75	34.517	0.80					64.1	1000	3.99	34.497	0.66	27.410	67.9	1.386	

RV DAVID STARR JORDAN						CALCOFI CRUISE 7202									
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
26 53.0N		117 09.0W		2/ 6/72		1325 GMT			4116M	360	7KT				
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD
									0	15.43	33.59		24.813	314.6	0.000
									10	15.42	33.60		24.822	313.7	0.031
									20	15.33	33.60		24.842	311.8	0.063
									30	15.13	33.59		24.879	308.3	0.094
									50	14.60	33.50		24.924	304.0	0.155
									75	14.32	33.47		24.960	300.6	0.231
									100	12.80	33.39		25.208	277.0	0.304
									125	11.18	33.61		25.683	231.8	0.368
									150	10.41	33.94		26.076	194.5	0.422
									200	9.31	34.06		26.354	168.0	0.515
									250	8.89	34.21		26.538	150.5	0.597
									300	8.54	34.29		26.656	139.4	0.672
									400	7.47	34.31		26.831	122.8	0.809
									500	6.68	34.35		26.972	109.4	0.932
									600	5.88	34.36		27.084	98.7	1.043
									700	5.30	34.41		27.195	88.3	1.145
									800	4.89	34.44		27.266	81.5	1.239
									1000	4.10	34.49		27.392	69.5	1.408

RV DAVID STARR JORDAN						CALCOFI CRUISE 7202									
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
26 32.5N		117 49.0W		2/ 6/72		1413 GMT			3926M	030	11KT	1	030 2 6		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD
									0	16.17	33.81		24.815	314.4	0.000
									10	15.90	33.77		24.846	311.5	0.031
									20	15.35	33.65		24.876	308.5	0.062
									30	14.69	33.55		24.943	302.2	0.093
									50	14.39	33.49		24.961	300.5	0.153
									75	13.87	33.47		25.054	291.6	0.228
									100	12.39	33.37		25.272	270.9	0.299
									125	10.96	33.56		25.684	231.7	0.362
									150	10.33	33.89		26.050	196.9	0.417
									200	10.37	34.30		26.362	167.2	0.509
									250	9.83	34.36		26.502	154.0	0.592
									300	8.99	34.37		26.647	140.2	0.668
									400	7.88	34.37		26.818	124.0	0.807
									500	7.16	34.41		26.953	111.1	0.932
									600	6.08	34.37		27.067	100.4	1.046
									700	5.40	34.41		27.183	89.4	1.149
									800	4.99	34.47		27.278	80.3	1.242
									1000	4.29	34.51		27.388	69.9	1.412

RV DAVID STARR JORDAN						CALCOFI CRUISE 7202									
LATITUDE 26 32.5N		LONGITUDE 117 49.0W		MO/DAY/YR 2/ 6/72		MESSENGER 1933 GMT		TIME	BOTTOM 3926M	WIND 030	SPEED 11KT	WEATHER 1	DOMINANT WAVES 030 2 6		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD
0	15.54	33.702	5.84					308.7	0	15.54	33.702	5.84	24.874	308.7	0.000
10	15.46	33.689	5.92					308.0	10	15.46	33.689	5.92	24.882	308.0	0.031
30	14.45	33.537	6.09					298.3	20	14.98	33.614	6.02	24.929	303.5	0.061
55	14.30	33.572	5.85					292.7	30	14.45	33.537	6.09	24.984	298.3	0.092
70	14.18	33.561	5.36					291.1	50	14.33	33.573	5.90	25.036	293.4	0.151
65	13.04	33.437	4.90					278.1	75	13.85	33.518	5.22	25.094	287.8	0.224
100	12.10	33.475	4.09					257.9	100	12.10	33.475	4.09	25.408	257.9	0.293
130	10.88	33.684	3.49					221.2	125	11.03	33.644	3.57	25.734	226.9	0.354
154	10.35	33.882	2.52					197.8	150	10.41	33.851	2.70	26.005	201.2	0.408
179	10.20	34.058	1.39					182.3	200	10.30	34.223	1.05	26.314	171.8	0.503
214	10.36	34.317	0.97					165.6	250	9.94	34.386	0.67	26.503	153.9	0.587
277	9.47	34.378	0.51					147.0	300	9.13	34.383	0.41	26.634	141.4	0.664
375	8.16	34.387	0.24					126.7	400	7.98	34.403	0.25	26.829	122.9	0.803
472	7.50	34.437	0.26					113.7	500	7.18	34.428	0.29	26.964	110.1	0.927
603	6.02	34.389	0.43					98.2	600	6.05	34.391	0.43	27.086	98.6	1.039
752	5.19	34.424	0.65					86.0	700	5.41	34.407	0.59	27.178	89.8	1.141
898	4.64	34.485	0.47					75.4	800	4.99	34.445	0.60	27.258	82.3	1.236
1104	3.93	34.528	0.65					65.0	1000	4.28	34.513	0.56	27.392	69.6	1.407

RV DAVID STARR JORDAN					CALCOFI CRUISE 7202										
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
27 24.0N		114 40.0W		2/ 7/72		1703 GMT			69M	330	10KT	1	310 5 5		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD
									0	15.09	33.67		24.949	301.6	0.000
									10	15.05	33.67		24.957	300.8	0.030
									20	13.92	33.54		25.097	287.5	0.060
									30	13.03	33.55		25.286	269.6	0.086

RV DAVIU STARR JORDAN CALCOFI CRUISE 7202 123050

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
Z	T	S				N02	N03	DT	Z	T	S	02	SI6T	DT	DD
			02	P04	S103				0	15.23	33.64		24.895	306.8	0.000
									10	15.23	33.64		24.895	306.8	0.031
									20	15.23	33.64		24.895	306.8	0.061
									30	15.23	33.64		24.895	306.8	0.092
									50	14.93	33.62		24.945	302.0	0.153
									75	14.39	33.61		25.053	291.7	0.228
									100	11.90	33.51		25.473	251.8	0.296
									125	10.98	33.76		25.835	217.3	0.356
									150	10.40	33.96		26.093	192.8	0.408
									200	9.90	34.23		26.389	164.7	0.499
									250	9.27	34.31		26.555	148.9	0.580
									300	8.88	34.32		26.626	142.2	0.655
									400	7.84	34.38		26.832	122.7	0.794
									500	6.92	34.41		26.987	108.0	0.916
									600	6.13	34.41		27.092	98.0	1.027
									700	5.57	34.43		27.178	89.8	1.130
									800	4.98	34.45		27.264	81.7	1.224
									1000	4.24	34.49		27.378	70.9	1.396

RV DAVIU STARR JORDAN CALCOFI CRUISE 7202 123060

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
Z	T	S				N02	N03	DT	Z	T	S	02	SI6T	DT	DD
			02	P04	S103				0	15.68	33.70		24.841	311.9	0.000
									10	15.68	33.70		24.841	311.9	0.031
									20	15.68	33.70		24.841	311.9	0.062
									30	15.68	33.70		24.841	311.9	0.094
									50	15.28	33.61		24.861	310.0	0.156
									75	14.09	33.47		25.008	296.0	0.232
									100	11.85	33.51		25.482	250.9	0.301
									125	10.89	33.78		25.867	214.3	0.360
									150	10.51	33.99		26.097	192.4	0.412
									200	9.89	34.25		26.406	163.1	0.502
									250	9.68	34.39		26.550	149.4	0.583
									300	9.13	34.42		26.664	138.6	0.658
									400	7.74	34.34		26.815	124.2	0.795
									500	6.68	34.36		26.980	108.6	0.919
									600	5.99	34.39		27.094	97.8	1.030
									700	5.41	34.41		27.181	89.5	1.132
									800	4.92	34.44		27.263	81.8	1.226
									1000	4.11	34.48		27.384	70.4	1.396

RV DAVIU STARR JORDAN CALCOFI CRUISE 7202 127034

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
Z	T	S				N02	N03	DT	Z	T	S	02	SI6T	DT	DD
			02	P04	S103				0	15.90	33.80		24.868	309.3	0.000
									10	15.85	33.81		24.888	307.5	0.031
									20	15.77	33.64		24.928	303.6	0.061
									30	15.72	33.83		24.932	303.2	0.092

RV DAVIU STARR JORDAN CALCOFI CRUISE 7202 127040

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
Z	T	S				N02	N03	DT	Z	T	S	02	SI6T	DT	DD
			02	P04	S103				0	15.08	33.65		24.935	302.9	0.000
									10	15.08	33.65		24.935	302.9	0.030
									20	15.07	33.66		24.945	302.0	0.061
									30	15.02	33.65		24.949	301.7	0.091
									50	13.88	33.55		25.113	286.0	0.150
									75	12.08	33.53		25.454	253.5	0.218
									100	11.54	33.79		25.757	224.8	0.278
									125	10.84	34.00		26.047	197.2	0.331
									150	10.44	34.17		26.249	178.0	0.379
									200	10.02	34.40		26.501	154.1	0.464
									250	9.55	34.44		26.611	143.6	0.541
									300	9.10	34.46		26.700	135.2	0.613
									400	8.02	34.45		26.860	120.0	0.747
									500	7.18	34.46		26.990	107.7	0.869
									600	6.34	34.43		27.080	99.1	0.980
									700	5.62	34.44		27.180	89.7	1.083
									800	5.11	34.45		27.249	83.1	1.179
									1000	4.33	34.50		27.376	71.1	1.352

RV DAVID STARR JORDAN					CALCOFI CRUISE 7202											
LATITUDE 26 23.0N		LONGITUDE 115 08.0W	MO/DAY/YR 2/ 8/72	MESSENGER 0725	TIME GMT	BOTTOM 4116M	WIND 320	SPEED 24KT	WEATHER	DOMINANT WAVES						
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	O2	SI6T	DT	DD	
									0	16.23	33.95		24.908	305.5	0.000	
									10	16.20	33.94		24.908	305.5	0.031	
									20	16.20	33.94		24.908	305.5	0.061	
									30	16.21	33.95		24.913	305.0	0.092	
									50	16.27	33.97		24.915	304.9	0.153	
									75	13.22	33.5H		25.271	271.0	0.225	
									100	12.93	33.83		25.522	247.1	0.291	
									125	10.93	33.60		25.875	213.5	0.349	
									150	10.40	34.04		26.155	186.9	0.400	
									200	10.26	34.32		26.397	163.9	0.489	
									250	10.00	34.44		26.535	150.8	0.570	
									300	9.55	34.47		26.634	141.4	0.646	
									400	8.19	34.43		26.819	123.9	0.786	
									500	6.96	34.42		26.969	107.8	0.909	
									600	6.24	34.44		27.101	97.1	1.019	
									700	5.53	34.45		27.199	87.9	1.121	
									800	5.09	34.46		27.259	82.2	1.215	
									1000	4.33	34.49		27.368	71.8	1.388	

RV DAVID STARR JORDAN						CALCOFI CRUISE 7202						127060			
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
26 04.0N		115 47.0W		2/ 8/72		1217 GMT		3926M	060	19KT					
Z	T	S	O2	SI6T	DT	DD	Z	T	S	O2	SI6T	DT	DD		
							0	15.66	33.79		24.915	304.9	0.000		
							10	15.68	33.79		24.910	305.3	0.031		
							20	15.68	33.79		24.910	305.3	0.061		
							30	15.68	33.79		24.910	305.3	0.092		
							50	15.66	33.79		24.915	304.9	0.153		
							75	13.59	33.63		25.235	274.4	0.226		
							100	12.41	33.68		25.662	233.8	0.290		
							125	10.84	33.92		25.984	203.1	0.345		
							150	10.49	34.04		26.139	188.4	0.395		
							200	10.13	34.34		26.435	160.3	0.484		
							250	9.33	34.37		26.592	145.4	0.563		
							300	8.79	34.36		26.671	137.9	0.636		
							400	7.88	34.41		26.850	121.0	0.772		
							500	6.71	34.38		26.992	107.5	0.893		
							600	6.10	34.41		27.096	97.6	1.004		
							700	5.40	34.41		27.183	89.4	1.106		
							800	4.93	34.45		27.270	81.2	1.200		
							1000	4.23	34.50		27.387	70.1	1.369		

RV DAVID STARR JORDAN					CALCOFI CRUISE 7202											
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
26 33.0N	113 21.0W	2/ 9/72	1052	GMT	58M	040	12KT									
Z	T	S	O2	PD4	SI03	NO2	NO3	OT	Z	T	S	O2	SI6T	DT	DD	
									0	16.36	34.24		25.101	287.1	0.000	
									10	16.34	34.23		25.098	287.4	0.029	
									20	16.37	34.25		25.106	286.6	0.057	
									30	16.37	34.26		25.114	285.9	0.086	
									50	15.71	34.19		25.210	276.7	0.143	

RV DAVID STARR JORDAN										CALCOFI CRUISE 7202									
LATITUDE 26 33.0N		LONGITUDE 113 21.0W		MO/DAT/YR 2/ 9/72		MESSENGER 1123 GMT		TIME 58M		WIND 040		SPEED 12KT		WEATHER		DOMINANT WAVES			
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SI0T	DT	DD				
1	16.43	34.254	5.66	0.57	5.	0.33	0.9	287.7	0	16.43	34.254	5.66	25.095	287.7	0.000				
21	16.45	34.287	5.67	0.57	5.	0.25	0.9	285.7	10	16.44	34.273	5.66	25.107	286.5	0.029				
33	16.40	34.274	5.59	0.60	6.	0.30	0.9	285.5	20	16.45	34.287	5.67	25.115	285.7	0.057				
43	16.39	34.282	5.57	0.61	6.	0.33	1.1	284.7	30	16.41	34.278	5.61	25.117	285.6	0.086				
51	15.86	34.228	4.62	0.90	10.	0.39	5.5	277.1	50	15.94	34.238	4.76	25.194	276.2	0.143				

RV DAVID STARR JORDAN						CALCOFI CRUISE 7202									
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES						
26 29.0N	113 29.0W	2/ 9/72	0921	GMT	80M	090	4KT								
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	O2	SI6T	DT	DD
									0	16.82	34.28		25.024	294.4	0.000
									10	16.61	34.27		25.066	290.5	0.029
									20	16.58	34.27		25.073	289.8	0.058
									30	16.54	34.27		25.082	288.9	0.087
									50	15.06	34.05		25.247	273.2	0.144
									75	13.02	34.02		25.650	234.9	0.208

RV DAVIU STARR JORDAN

CALCOFI CRUISE 7202

130040

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
26 09.0N		114 07.0W		2/ 9/72		0320		GMT	2227M	330	10KT				
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S10T	DT	DD
									0	16.26	34.06		24.986	298.1	0.000
									10	16.21	34.09		25.020	294.8	0.030
									20	16.14	34.09		25.036	293.3	0.059
									30	16.13	34.09		25.039	293.1	0.089
									50	14.90	33.90		25.167	280.9	0.146
									75	13.14	33.87		25.511	248.2	0.213
									100	12.23	34.16		25.913	209.9	0.270
									125	11.67	34.31		26.136	188.8	0.321
									150	11.22	34.43		26.312	172.0	0.367
									200	10.64	34.51		26.478	156.2	0.451
									250	10.08	34.52		26.584	146.2	0.529
									300	9.46	34.51		26.680	137.0	0.603
									400	8.24	34.45		26.827	123.1	0.739
									500	7.13	34.44		26.981	108.5	0.863
									600	6.31	34.44		27.092	98.0	0.974
									700	5.66	34.45		27.183	89.4	1.077
									800	5.14	34.47		27.261	82.0	1.172
									1000	4.43	34.51		27.373	71.4	1.344

RV DAVIU STARR JORDAN

CALCOFI CRUISE 7202

130040

	LATITUDE	LONGITUDE	MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
	26 09.0N	114 07.0W	2/ 9/72		0437		GMT	2227M	330	10KT					
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S10T	DT	DD
0	16.27	34.071	5.87	0.43	4.	0.04	0.2	297.5	0	16.27	34.071	5.87	24.992	297.5	0.000
10	16.16	34.088	5.75	0.45	5.	0.07	0.4	293.9	10	16.16	34.088	5.75	25.030	293.9	0.030
30	16.08	34.101	6.11	0.45	5.	0.18	1.4	291.2	20	16.12	34.090	6.00	25.040	292.9	0.059
54	14.42	33.896	3.99	1.14	12.	0.09	10.5	271.4	30	16.08	34.101	6.11	25.058	291.2	0.088
69	14.13	34.026	2.30	1.56	20.	0.01	16.8	256.0	50	14.70	33.920	4.46	25.223	275.5	0.145
84	12.91	33.892	3.09	1.83	15.	0.00	17.0	242.2	75	13.35	33.900	2.55	25.492	250.0	0.211
99	12.33	33.997	2.57	1.78	20.	0.00	19.6	223.7	100	12.30	34.008	2.57	25.780	222.5	0.271
128	11.77	34.277	2.62	2.30	29.	0.00	25.8	193.0	125	11.81	34.250	2.61	26.062	195.8	0.324
154	11.28	34.419	1.19	2.51	34.	0.01	26.1	173.9	150	11.35	34.404	1.42	26.267	176.3	0.371
179	10.92	34.475	0.89	2.50	35.	0.00	29.0	163.5	200	10.55	34.481	0.90	26.471	156.9	0.456
213	10.33	34.478	0.91	2.61	40.	0.00	29.5	153.4	250	9.94	34.508	0.56	26.598	144.8	0.534
277	9.70	34.525	0.27	2.89	46.	0.00	30.5	139.7	300	9.41	34.514	0.26	26.691	136.0	0.607
376	8.44	34.454	0.24	2.98	55.	0.00	33.1	125.7	400	8.18	34.446	0.24	26.833	122.6	0.743
474	7.44	34.433	0.26	3.13	67.	0.00	36.0	113.2	500	7.18	34.432	0.25	26.967	109.9	0.867
607	6.25	34.439	0.22	3.27	83.	0.00	40.3	97.3	600	6.30	34.438	0.22	27.091	98.1	0.979
759	5.41	34.473	0.33	3.37	94.	0.00	43.2	84.6	700	5.70	34.460	0.28	27.186	89.1	1.082
906	4.69	34.492	0.36	3.38	110.	0.00	44.8	75.4	800	5.19	34.479	0.34	27.262	81.9	1.176
1111	4.01	34.521	0.50	3.37	123.	0.01	44.7	66.3	1000	4.33	34.506	0.41	27.380	70.7	1.348

RV DAVIU STARR JORDAN

CALCOFI CRUISE 7202

130050

	LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES					
	25 49.5N	114 46.0W	2/ 8/72	2232	GMT	3357M	340	10KT	1	340 3 4					
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S10T	DT	DD
									0	17.61	34.20		24.775	318.2	0.000
									10	17.27	34.18		24.841	311.8	0.032
									20	17.19	34.18		24.860	310.0	0.063
									30	17.01	34.15		24.880	308.1	0.094
									50	16.30	34.02		24.946	301.9	0.155
									75	13.27	33.90		25.508	248.4	0.224
									100	12.37	34.15		25.879	213.2	0.282
									125	11.87	34.32		26.106	191.6	0.334
									150	11.64	34.43		26.234	179.4	0.381
									200	10.88	34.52		26.443	159.5	0.468
									250	10.23	34.55		26.581	146.4	0.547
									300	9.54	34.50		26.659	139.0	0.621
									400	8.27	34.47		26.838	122.1	0.758
									500	7.14	34.44		26.980	108.6	0.881
									600	6.09	34.42		27.105	96.8	0.992
									700	5.52	34.44		27.192	88.5	1.093
									800	4.96	34.44		27.258	82.2	1.187
									1000	4.31	34.51		27.386	70.1	1.358

RV DAVIU STARR JORDAN

CALCOFI CRUISE 7202

130060

LATITUDE 25 29.0N			LONGITUDE 115 24.0W			MO/DAY/YR 2/ 8/72			MESSENGER TIME 1658 GMT			BOTTOM 3737M	WIND 340	SPEED 5KT	WEATHER 1	DOMINANT WAVES 340 4 5		
Z	T	S	OZ	PO4	SIO3	NO2	NO3	DT	Z	T	S	OZ	SIGT	DT	DD			
0	17.27	34.21							0	17.27	34.21		24.864	309.7	0.000			
10	17.27	34.21							10	17.27	34.21		24.864	309.7	0.031			
20	17.26	34.21							20	17.26	34.21		24.867	309.4	0.062			
30	17.26	34.21							30	17.26	34.21		24.867	309.4	0.093			
50	17.26	34.21							50	17.26	34.21		24.867	309.4	0.155			
75	13.10	33.70							75	13.10	33.70		25.387	259.9	0.227			
100	12.23	33.86							100	12.23	33.86		25.681	232.0	0.289			
125	11.12	34.07							125	11.12	34.07		26.051	196.8	0.343			
150	10.37	34.12							150	10.37	34.12		26.222	180.5	0.391			
200	9.81	34.29							200	9.81	34.29		26.450	158.9	0.478			
250	9.78	34.43							250	9.78	34.43		26.565	148.0	0.557			
300	9.42	34.50							300	9.42	34.50		26.679	137.2	0.631			
400	8.32	34.48							400	8.32	34.48		26.838	122.1	0.767			
500	7.11	34.44							500	7.11	34.44		26.984	108.2	0.890			
600	6.37	34.44							600	6.37	34.44		27.084	98.7	1.002			
700	5.73	34.45							700	5.73	34.45		27.174	90.2	1.105			
800	5.15	34.47							800	5.15	34.47		27.260	82.1	1.200			
1000	4.28	34.51							1000	4.28	34.51		27.389	69.8	1.371			

RV DAVIU STARR JORDAN

CALCOFI CRUISE 7202

130060

LATITUDE 25 29.0N			LONGITUDE 115 24.0W			MO/DAY/YR 2/ 8/72			MESSENGER TIME 1758 GMT			BOTTOM 3737M	WIND 340	SPEED 5KT	WEATHER 1	DOMINANT WAVES 340 4 5		
Z	T	S	OZ	PO4	SIO3	NO2	NO3	DT	Z	T	S	OZ	SIGT	DT	DD			
0	17.27	34.211	5.49	0.41	1.	0.02	0.2	309.6	0	17.27	34.211	5.49	24.865	309.6	0.000			
10	17.26	34.210	5.57	0.41	1.	0.00	0.4	309.4	10	17.26	34.210	5.57	24.867	309.4	0.031			
20	17.24	34.208	5.51	0.42	1.	0.01	0.1	309.1	20	17.25	34.210	5.55	24.868	309.3	0.062			
30	17.24	34.208	5.51	0.41	1.	0.01	0.2	308.7	30	17.24	34.208	5.51	24.870	309.1	0.093			
50	17.22	34.208	5.60	0.42	1.	0.01	0.2	308.4	50	17.22	34.208	5.60	24.873	308.8	0.155			
75	13.49	33.623	4.56	0.15	3.	0.01	14.4	258.2	75	13.49	33.623	4.56	25.248	273.2	0.228			
100	12.23	33.926	2.99	1.60	17.	0.01	18.8	227.1	100	12.23	33.926	2.99	25.732	227.1	0.291			
125	11.37	34.075	2.46	1.94	25.	0.00	24.0	197.7	125	11.37	34.075	2.46	26.008	200.8	0.345			
150	10.55	34.131	2.37	2.00	29.	0.01	24.4	179.7	150	10.55	34.131	2.37	26.198	182.8	0.394			
200	9.90	34.266	1.79	2.18	32.	0.02	27.7	168.5	200	9.90	34.266	1.79	26.416	162.1	0.482			
250	9.63	34.361	1.09	2.39	37.	0.00	29.0	158.4	250	9.63	34.361	1.09	26.550	149.4	0.562			
300	9.35	34.457	0.62	2.74	44.	0.01	31.1	143.2	300	9.35	34.457	0.62	26.657	139.3	0.637			
400	8.27	34.456	0.35	2.97	53.	0.01	28.9	126.8	400	8.27	34.456	0.35	26.827	123.1	0.775			
500	7.14	34.440	0.23	3.10	66.	0.00	33.8	111.9	500	7.14	34.440	0.23	26.980	108.6	0.899			
600	6.34	34.451	0.17	3.26	82.	0.00	38.8	97.2	600	6.34	34.451	0.17	27.096	97.6	1.010			
700	5.69	34.463	0.25	3.34	95.	0.01	40.7	84.6	700	5.69	34.463	0.25	27.189	88.8	1.112			
800	5.11	34.474	0.34	3.36	110.	0.00	40.2	74.7	800	5.11	34.474	0.34	27.268	81.3	1.206			
1000	4.18	34.508	0.49	3.33	125.	0.00	40.4	64.0	1000	4.18	34.508	0.49	27.397	69.0	1.375			

RV DAVIU STARR JORDAN

CALCOFI CRUISE 7202

133030

LATITUDE 25 55.0N			LONGITUDE 113 08.0W			MO/DAY/YR 2/ 9/72			MESSENGER TIME 1846 GMT			BOTTOM 109M	WIND 170	SPEED 10KT	WEATHER 2	DOMINANT WAVES 170 2 3		
Z	T	S	OZ	PO4	SIO3	NO2	NO3	DT	Z	T	S	OZ	SIGT	DT	DD			
0	17.92	34.23							0	17.92	34.23		24.722	323.1	0.000			
10	17.86	34.23							10	17.86	34.23		24.737	321.7	0.032			
20	17.72	34.20							20	17.72	34.20		24.748	320.7	0.064			
30	17.25	34.06							30	17.25	34.06		24.754	320.1	0.097			
50	15.43	33.65							50	15.43	33.65		24.859	310.2	0.160			
75	13.50	33.94							75	13.50	33.94		25.492	249.9	0.230			
100	12.42	34.20							100	12.42	34.20		25.908	210.4	0.288			
125	11.76	34.29							125	11.76	34.29		26.103	191.8	0.339			
150	11.66	34.44							150	11.66	34.44		26.238	179.0	0.387			

RV DAVIU STARR JORDAN

CALCOFI CRUISE 7202

133040

LATITUDE 25 32.5N			LONGITUDE 113 45.5W			MO/DAY/YR 2/10/72			MESSENGER TIME 0040 GMT			BOTTOM 1856M	WIND 360	SPEED 4KT	WEATHER 2	DOMINANT WAVES 360 1 6		
Z	T	S	OZ	PO4	SIO3	NO2	NO3	DT	Z	T	S	OZ	SIGT	DT	DD			
0	19.29	34.49							0	19.29	34.49		24.577	336.9	0.000			
10	19.15	34.49							10	19.15	34.49		24.613	335.5	0.034			
20	19.14	34.50							20	19.14	34.50		24.624	332.6	0.067			
30	19.12	34.50							30	19.12	34.50		24.629	332.1	0.100			
50	18.70	34.38							50	18.70	34.38		24.644	330.7	0.167			
75	16.77	34.16							75	16.77	34.16		24.744	302.0	0.246			
100	13.98	34.21							100	13.98	34.21		25.001	239.6	0.315			
125	12.85	34.44							125	12.85	34.44		26.009	200.8	0.370			
150	12.22	34.53							150	12.22	34.53		26.201	182.5	0.419			
200	11.41	34.66							200	11.41	34.66		26.455	158.4	0.507			
250	11.03	34.67							250	11.03	34.67		26.533	151.0	0.587			
300	10.52	34.63							300	10.52	34.63		26.628	142.0	0.663			
400	9.03	34.55							400	9.03	34.55		26.782	127.4	0.805			
500	7.47	34.45							500	7.47	34.45		26.941	112.3	0.933			
600	6.57	34.45							600	6.57	34.45		27.066	100.5	1.048			
700	5.81	34.46							700	5.81	34.46		27.172	90.4	1.152			
800	5.23	34.47							800	5.23	34.47		27.250	83.0	1.248			
1000	4.38	34.51							1000	4.38	34.51		27.378	70.8	1.422			

RV DAVID STARR JORDAN										CALCOFI CRUISE 7202				133050			
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
25 14.0N		114 24.0W		2/10/72		0530		GMT	3737M	300	6KT						
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD		
									0	18.40	34.39		24.726	322.8	0.000		
									10	18.39	34.39		24.729	322.5	0.032		
									20	18.36	34.39		24.736	321.8	0.065		
									30	17.78	34.25		24.772	318.4	0.097		
									50	16.18	34.02		24.974	299.3	0.159		
									75	12.46	33.78		25.575	242.0	0.227		
									100	11.60	33.99		25.901	211.1	0.284		
									125	11.77	34.32		26.125	189.8	0.335		
									150	11.18	34.38		26.280	175.0	0.381		
									200	10.65	34.50		26.433	160.5	0.467		
									250	10.18	34.49		26.543	150.0	0.547		
									300	9.41	34.47		26.657	139.2	0.622		
									400	8.34	34.46		26.819	123.8	0.761		
									500	7.26	34.44		26.963	110.2	0.885		
									600	6.32	34.45		27.099	97.4	0.997		
									700	5.61	34.45		27.189	88.8	1.099		
									800	5.11	34.49		27.280	80.1	1.193		
									1000	4.25	34.51		27.392	69.5	1.361		

RV DAVID STARR JORDAN										CALCOFI CRUISE 7202							133060		
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES						
24 53.5N		115 02.0W		2/10/72		1238		GMT	3926M	360	2KT								
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD				
									0	17.19	34.13		24.822	313.7	0.000				
									10	17.20	34.13		24.820	313.9	0.031				
									20	17.19	34.13		24.822	313.7	0.063				
									30	17.09	34.11		24.831	312.9	0.094				
									50	16.82	34.06		24.856	310.4	0.157				
									75	16.41	33.98		24.890	307.2	0.234				
									100	12.49	33.90		25.662	233.8	0.303				
									125	11.93	34.21		26.009	200.8	0.358				
									150	11.72	34.34		26.150	187.4	0.407				
									200	11.11	34.56		26.433	160.5	0.496				
									250	10.64	34.57		26.525	151.8	0.577				
									300	9.99	34.59		26.654	139.6	0.653				
									400	8.68	34.51		26.806	125.1	0.792				
									500	7.42	34.47		26.964	110.2	0.918				
									600	6.36	34.46		27.101	97.1	1.030				
									700	5.68	34.46		27.188	88.9	1.131				
									800	5.10	34.49		27.281	80.0	1.225				
									1000	4.30	34.52		27.395	69.3	1.393				

RV DAVID STARR JORDAN										CALCOFI CRUISE 7202					137023			
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
25 34.0N		112 19.0W		2/11/72		1235 GMT				75M	030	3KT						
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD			
									0	18.25	34.47		24.824	313.4	0.000			
									10	18.24	34.47		24.827	313.2	0.031			
									20	18.15	34.47		24.849	311.1	0.063			
									30	17.97	34.45		24.878	308.3	0.094			
									50	15.63	34.24		25.267	271.3	0.152			

RV DAVID STARR JORDAN										CALCOFI CRUISE 7202							137023	
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES					
25 34.0N		112 19.0W		2/11/72		1251		GMT	75M	030	3KT		00					
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD			
0	18.23	34.462	5.61	0.46		0.09	0.0	313.5	0	18.23	34.462	5.61	24.823	313.5	0.000			
20	18.13	34.456	5.52	0.48		0.08	0.0	311.6	10	18.20	34.462	5.57	24.830	312.9	0.031			
31	18.01	34.445	5.20	0.58		0.25	1.0	309.6	20	18.13	34.456	5.52	24.843	311.6	0.063			
41	18.32	34.244	3.72	1.20		0.21	9.0	286.0	30	18.02	34.447	5.23	24.863	309.8	0.094			
51	15.60	34.188	3.22	1.40		0.08	11.6	274.5	50	15.63	34.189	3.23	25.227	275.1	0.152			

RV DAVID STARR JORDAN										CALCOFI CRUISE 7202					137030			
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES					
25 20.0N		112 45.5W		2/11/72		UR56		GMT	457M	020	3KT							
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD			
									0	17.96	34.30		24.766	319.0	0.000			
									10	17.90	34.32		24.776	318.0	0.032			
									20	18.02	34.34		24.782	317.5	0.064			
									30	18.03	34.36		24.795	316.3	0.095			
									50	17.02	34.27		24.969	299.6	0.157			
									75	15.01	34.04		25.250	272.9	0.229			
									100	12.90	34.23		25.824	218.3	0.291			
									125	12.31	34.44		26.114	190.7	0.343			
									150	11.94	34.53		26.255	177.4	0.390			
									200	11.15	34.59		26.449	159.0	0.476			
									250	10.71	34.59		26.528	151.5	0.556			
									300	10.33	34.57		26.579	146.6	0.634			
									400	10.23	34.59		26.612	143.5	0.787			

RV DAVID STARR JORDAN

CALCOFI CRUISE 7202

137040

LATITUDE 25 00.0N		LONGITUDE 113 22.5W		MO/DAY/YR 2/11/72		MESSENGER TIME 0316 GMT		BOTTOM 3263M		WIND SPEED 0KT		WEATHER		DOMINANT WAVES	
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIgT	DT	DD
									0	18.40	34.31		24.665	328.6	0.000
									10	18.08	34.27		24.714	324.0	0.033
									20	17.69	34.27		24.809	314.9	0.065
									30	17.79	34.32		24.823	313.6	0.096
									50	16.72	34.18		24.971	299.5	0.158
									75	14.21	34.06		25.437	255.1	0.227
									100	13.03	34.12		25.726	227.7	0.288
									125	12.36	34.46		26.120	190.2	0.341
									150	12.25	34.60		26.250	177.9	0.388
									200	11.74	34.64		26.378	165.7	0.476
									250	11.29	34.69		26.501	154.1	0.559
									300	10.46	34.64		26.611	143.6	0.637
									400	9.02	34.55		26.783	127.3	0.779
									500	7.88	34.49		26.912	115.0	0.909
									600	6.75	34.47		27.057	101.3	1.026
									700	6.00	34.49		27.172	90.4	1.131
									800	5.31	34.47		27.241	83.9	1.228
									1000	4.48	34.51		27.368	71.9	1.403

RV DAVID STARR JORDAN

CALCOFI CRUISE 7202

137040

	LATITUDE 25 00.0N	LONGITUDE 113 22.5W	MO/DAY/YR 2/11/72	MESSENGER 0420	TIME GMT	BOTTOM 3263M	WIND	SPEED 0KT	WEATHER	DOMINANT WAVES 00					
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SI6T	DT	DD
0	18.27	34.295	5.63	0.36		0.05	0.2	326.6	0	18.27	34.295	5.63	24.686	326.6	0.000
10	18.11	34.273	5.62	0.37		0.05	0.2	324.5	10	18.11	34.273	5.62	24.709	324.5	0.033
20	17.68	34.224	5.71	0.44		0.08	0.5	318.0	20	17.93	34.250	5.67	24.735	322.0	0.065
30	16.20	34.127	4.14	1.00		0.19	8.0	291.9	30	17.64	34.222	5.67	24.783	317.4	0.097
40	14.78	34.066	3.11	1.52		0.08	15.1	266.3	40	16.51	34.145	4.46	24.992	297.4	0.159
50	13.78	34.110	2.66	1.72		0.07	18.0	242.9	50	14.30	34.080	2.88	25.432	255.6	0.228
60	13.30	34.157	2.25	1.92		0.06	20.4	230.2	60	13.22	34.170	2.18	25.724	227.8	0.289
70	12.40	34.386	1.22	2.35		0.05	25.7	196.4	70	12.47	34.359	1.32	26.021	199.6	0.343
80	12.39	34.590	0.83	2.62		0.11	26.6	181.2	80	12.39	34.579	0.85	26.205	182.1	0.392
90	12.13	34.621	0.49	2.62		0.04	27.6	174.1	90	11.62	34.655	0.36	26.374	166.1	0.481
100	11.65	34.668	0.32	2.77		0.04	28.3	162.0	100	11.14	34.667	0.21	26.509	153.2	0.564
110	10.81	34.647	0.18	2.79		0.04	27.7	149.0	110	10.38	34.621	0.19	26.610	143.7	0.641
120	9.13	34.546	0.22	3.02		0.04	30.7	129.3	120	8.83	34.538	0.21	26.804	125.3	0.783
130	8.10	34.523	0.17	3.13		0.06	33.6	115.7	130	7.78	34.512	0.17	26.944	112.0	0.910
140	6.67	34.476	0.19	3.23		0.05	38.4	99.8	140	6.71	34.478	0.19	27.068	100.3	1.025
150	5.59	34.473	0.23	3.36		0.04	42.5	86.9	150	5.94	34.471	0.21	27.164	91.2	1.129
160	4.77	34.490	0.30	3.38		0.05	44.6	76.4	160	5.32	34.477	0.25	27.245	83.5	1.226
170	4.03	34.530	0.51	3.42		0.05	45.2	65.8	170	4.36	34.508	0.38	27.379	70.8	1.400

RV DAVID STARR JORDAN

CALCOFI CRUISE 7202

137050

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER			TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
24 39.5N		114 02.0W		2/10/72		2234			GMT	2980M	330	2KT	2	00		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIgT	DT	DD	
									0	19.62	34.38		24.357	358.0	0.000	
									10	19.69	34.38		24.391	354.8	0.036	
									20	19.50	34.41		24.463	347.9	0.071	
									30	19.16	34.44		24.573	337.4	0.105	
									50	17.70	34.18		24.738	321.7	0.171	
									75	14.05	33.74		25.224	275.4	0.246	
									100	12.18	33.86		25.691	231.0	0.310	
									125	11.91	34.30		26.083	193.8	0.364	
									150	11.75	34.50		26.268	176.2	0.411	
									200	11.14	34.58		26.443	159.6	0.497	
									250	10.47	34.57		26.555	148.9	0.577	
									300	9.73	34.53		26.651	139.8	0.652	
									400	8.60	34.54		26.842	121.7	0.790	
									500	7.62	34.51		26.966	109.9	0.914	
									600	6.62	34.47		27.075	99.6	1.027	
									700	5.77	34.46		27.177	89.9	1.131	
									800	5.22	34.48		27.259	82.1	1.226	
									1000	4.40	34.52		27.384	70.3	1.398	

RV DAVID STARR JORDAN

CALCOFI CRUISE 7202

137060

LATITUDE 24 20.0N			LONGITUDE 114 39.0W			MO/DAY/YR 2/10/72			MESSENGER TIME 1717 GMT			BOTTOM 3737M	WIND 290	SPEED 1KT	WEATHER 1	DOMINANT WAVES 00		
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD			
									0	18.75	34.36		24.616	333.3	0.000			
									10	18.73	34.36		24.621	332.8	0.033			
									20	18.73	34.36		24.621	332.8	0.067			
									30	18.75	34.38		24.631	331.9	0.100			
									50	17.90	34.18		24.689	326.3	0.166			
									75	13.95	33.72		25.230	274.9	0.242			
									100	12.68	33.94		25.656	234.4	0.306			
									125	12.05	34.22		25.994	202.2	0.361			
									150	11.85	34.45		26.210	181.7	0.410			
									200	11.09	34.53		26.413	162.4	0.498			
									250	10.48	34.54		26.530	151.3	0.579			
									300	9.82	34.54		26.644	140.5	0.655			
									400	8.44	34.49		26.828	123.1	0.794			
									500	7.35	34.48		26.982	108.5	0.917			
									600	6.41	34.46		27.095	97.7	1.029			
									700	5.73	34.46		27.182	89.5	1.131			
									800	5.16	34.48		27.267	81.4	1.226			
									1000	4.25	34.51		27.392	69.5	1.396			

RV DAVID STARR JORDAN

CALCOFI CRUISE 7202

137060

LATITUDE 24 20.0N			LONGITUDE 114 39.0W			MO/DAY/YR 2/10/72			MESSENGER TIME 1903 GMT			BOTTOM 3737M	WIND 290	SPEED 1KT	WEATHER 1	DOMINANT WAVES 00		
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD			
									0	18.75	34.355	5.38	24.612	333.7	0.000			
									10	18.71	34.360	5.43	24.626	332.3	0.033			
									20	18.72	34.365	5.41	24.628	332.1	0.067			
									30	18.72	34.369	5.39	24.630	331.9	0.100			
									50	18.00	34.233	5.27	24.704	324.9	0.166			
									75	14.96	33.809	4.52	25.083	288.8	0.243			
									100	12.53	33.794	3.60	25.572	242.3	0.310			
									125	12.05	34.157	2.14	25.945	206.8	0.366			
									150	11.77	34.399	1.12	26.186	183.9	0.416			
									200	11.03	34.504	0.75	26.404	163.3	0.505			
									250	10.49	34.553	0.41	26.539	150.5	0.586			
									300	9.84	34.548	0.31	26.646	140.3	0.662			
									400	8.48	34.505	0.23	26.833	122.5	0.800			
									500	7.29	34.474	0.21	26.985	108.2	0.923			
									600	6.37	34.463	0.23	27.102	97.1	1.034			
									700	5.64	34.470	0.25	27.201	87.7	1.135			
									800	5.04	34.486	0.29	27.285	79.7	1.228			
									1000	4.18	34.519	0.47	27.407	68.2	1.394			

RV DAVID STARR JORDAN

CALCOFI CRUISE 7202

140030

LATITUDE 24 45.5N			LONGITUDE 112 24.0W			MO/DAY/YR 2/11/72			MESSENGER TIME 1953 GMT			BOTTOM 106M	WIND 0KT	SPEED 0KT	WEATHER 1	DOMINANT WAVES 00		
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD			
									0	19.58	34.54		24.541	340.4	0.000			
									10	19.45	34.54		24.574	337.2	0.034			
									20	19.39	34.52		24.575	337.2	0.068			
									30	18.59	34.32		24.625	332.4	0.101			
									50	15.94	34.11		25.097	287.5	0.163			
									75	13.60	34.15		25.633	236.5	0.229			

RV DAVID STARR JORDAN

CALCOFI CRUISE 7202

140030

LATITUDE 24 45.5N			LONGITUDE 112 24.0W			MO/DAY/YR 2/11/72			MESSENGER TIME 2021 GMT			BOTTOM 106M	WIND 0KT	SPEED 0KT	WEATHER 1	DOMINANT WAVES 00		
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD			
									0	19.65	34.522	5.49	24.509	343.5	0.000			
									10	19.43	34.520	5.48	24.564	338.2	0.034			
									20	19.38	34.517	5.47	24.576	337.1	0.068			
									30	18.77	34.438	5.35	24.670	328.1	0.101			
									50	17.21	34.246	4.59	24.904	305.8	0.165			
									75	14.27		2.81						

RV DAVID STARR JORDAN										CALCOFI CRUISE 7202										140035
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
24 35.5N		112 42.5W		2/11/72		2217 GMT			558M	040	2KT	1	49 1							
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD					
									0	19.66	34.53		24.512	343.1	0.000					
									10	19.41	34.50		24.554	339.2	0.034					
									20	19.34	34.51		24.580	336.7	0.068					
									30	19.18	34.46		24.583	336.4	0.102					
									50	17.24	34.08		24.772	318.4	0.167					
									75	13.86	34.05		25.498	249.3	0.239					
									100	12.95	34.37		25.935	207.8	0.297					
									125	12.38	34.40		26.070	195.0	0.348					
									150	11.82	34.51		26.262	176.7	0.395					
									200	11.01	34.58		26.466	157.3	0.481					
									250	10.55	34.58		26.549	149.5	0.560					
									300	9.73	34.54		26.659	139.1	0.635					
									400	8.43	34.52		26.853	120.7	0.772					
									500	7.31	34.50		27.003	106.4	0.893					

RV DAVID STARR JORDAN								CALCOFI CRUISE 7202								140040	
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES					
24 26.0N		113 01.5W		2/12/72		0128 GMT		3451M	060	3KT	1	00					
Z	T	S	02	P04	S103	N02	N03	CT	Z	T	S	02	SIGT	DT	DD		
									0	18.83	34.51		24.710	324.3	0.000		
									10	18.72	34.49		24.722	323.1	0.032		
									20	18.66	34.49		24.737	321.7	0.065		
									30	18.48	34.45		24.752	320.3	0.097		
									50	16.53	34.19		25.023	294.5	0.159		
									75	13.82	34.12		25.565	243.0	0.226		
									100	13.27	34.41		25.901	211.0	0.284		
									125	12.53	34.57		26.172	185.3	0.334		
									150	12.04	34.63		26.313	171.8	0.379		
									200	11.42	34.63		26.430	160.8	0.465		
									250	10.70	34.62		26.553	149.1	0.545		
									300	10.04	34.60		26.653	139.6	0.620		
									400	8.57	34.51		26.823	123.5	0.758		
									500	7.44	34.47		26.961	110.4	0.883		
									600	6.45	34.48		27.105	96.7	0.995		
									700	5.77	34.47		27.185	89.2	1.097		
									800	5.12	34.49		27.279	80.3	1.191		
									1000	4.40	34.52		27.384	70.3	1.361		

RV DAVID STARR JORDAN										CALCOFI CRUISE 7202										140040
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
24 26.0N		113 01.5W		2/12/72		0243 GMT			3451M	090	3KT	1								
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD					
2	18.88	34.491	5.55	0.40	2.	0.02	0.0	326.9	0	18.88	34.491	5.55	24.683	326.9	0.000					
12	18.69	34.474	5.59	0.44	3.	0.02	0.0	323.6	10	18.72	34.477	5.59	24.712	324.2	0.033					
32	18.51	34.460	5.49	0.36	2.	0.04	0.0	320.3	20	18.62	34.469	5.55	24.731	322.3	0.065					
56	16.09	34.212	3.37	1.26	12.	0.08	10.4	283.3	30	18.53	34.462	5.50	24.749	320.6	0.097					
71	13.87	34.043	2.87	1.58	15.	0.06	16.4	249.6	50	16.87	34.286	3.93	25.016	295.2	0.159					
85	13.67	34.305	1.73	2.12	21.	0.07	20.7	226.5	75	13.81	34.132	2.54	25.575	242.0	0.227					
100	13.35	34.393	1.30	2.28	24.	0.05	24.0	213.8	100	13.35	34.393	1.30	25.872	213.8	0.284					
129	12.60	34.519	0.85	2.55	30.	0.03	26.1	190.3	125	12.71	34.506	0.89	26.088	193.2	0.336					
154	12.02	34.552	0.65	2.57	33.	0.10	26.4	177.2	150	12.10	34.549	0.67	26.239	178.9	0.383					
179	11.82	34.611	0.52	2.66	35.	0.07	27.0	169.3	200	11.58	34.626	0.42	26.397	163.9	0.471					
213	11.41	34.625	0.37	2.74	37.	0.05	28.0	161.0	250	10.90	34.621	0.29	26.518	152.4	0.553					
276	10.52	34.608	0.27	2.82	42.	0.01	27.2	146.9	300	10.18	34.591	0.25	26.621	142.7	0.630					
372	9.17	34.529	0.21	2.96	51.	0.02	30.5	131.1	400	8.80	34.514	0.20	26.790	126.6	0.771					
468	7.92	34.486	0.19	3.18	63.	0.03	33.8	115.9	500	7.50	34.479	0.19	26.959	110.6	0.898					
596	6.38	34.472	0.21	3.30	82.	0.05	38.6	96.5	600	6.34	34.473	0.21	27.113	96.0	1.010					
744	5.34	34.478	0.24	3.38	93.	0.07	42.0	83.6	700	5.59	34.476	0.23	27.211	86.7	1.110					
887	4.68	34.502	0.33	3.24	108.	0.04	44.8	74.6	800	5.05	34.487	0.27	27.285	79.7	1.202					
1088	4.04	34.534	0.52	3.42	125.	0.06	44.7	65.6	1000	4.26	34.521	0.43	27.398	69.0	1.370					

RV DAVID STARR JORDAN						CALCOFI CRUISE 7202						140050				
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
24 05.0N		113 40.0W		2/12/72		0737 GMT			3169M	020	4KT					
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD	
									0	20.36	34.48		24.291	364.3	0.000	
									10	20.36	34.48		24.291	364.3	0.036	
									20	20.37	34.48		24.288	364.5	0.073	
									30	19.85	34.41		24.372	356.6	0.109	
									50	19.19	34.34		24.489	345.4	0.180	
									75	15.05	33.72		24.996	297.2	0.260	
									100	12.96	34.00		25.647	235.2	0.327	
									125	12.53	34.31		25.971	204.4	0.383	
									150	12.00	34.53		26.244	178.5	0.432	
									200	11.47	34.65		26.436	160.2	0.519	
									250	10.84	34.64		26.544	150.0	0.599	
									300	10.40	34.53		26.614	143.3	0.675	
									400	8.91	34.55		26.801	125.6	0.817	
									500	7.57	34.48		26.934	113.0	0.944	
									600	6.64	34.44		27.048	102.1	1.060	
									700	5.93	34.46		27.157	91.9	1.167	
									800	5.29	34.47		27.243	83.6	1.264	
									1000	4.38	34.50		27.371	71.6	1.439	

RV DAVID STARR JORDAN

CALCOFI CRUISE 7202

140060

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
23 45.5N		114 19.0W		2/12/72		1243		GMT		4688M	090	10KT				
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S16T	DT	DD	
									0	20.10	34.48		24.359	357.7	0.000	
									10	20.09	34.48		24.362	357.5	0.036	
									20	20.08	34.48		24.365	357.2	0.072	
									30	19.99	34.47		24.381	355.7	0.107	
									50	18.98	34.32		24.527	341.7	0.177	
									75	17.45	34.09		24.729	322.5	0.261	
									100	13.93	33.82		25.311	267.2	0.335	
									125	13.71	34.29		25.719	228.4	0.398	
									150	13.76	34.70		26.024	199.3	0.452	
									200	12.30	34.80		26.395	164.1	0.545	
									250	10.94	34.73		26.596	145.1	0.625	
									300	9.88	34.65		26.719	133.3	0.698	
									400	8.24	34.55		26.905	115.7	0.830	
									500	7.12	34.48		27.014	105.4	0.948	
									600	6.45	34.48		27.105	96.7	1.057	
									700	5.81	34.51		27.211	86.7	1.158	
									800	5.29	34.51		27.275	80.7	1.251	
									1000	4.50	34.54		27.389	69.8	1.421	

RV DAVID STARR JORDAN

CALCOFI CRUISE 7202

140060

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
23 45.5N		114 19.0W		2/12/72		1356		GMT	4688M	090	5KT		00		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S16T	DT	DD
1	20.08	34.440	5.43	0.34	2.	0.00	0.2	360.1	0	20.08	34.440	5.43	24.334	360.1	0.000
11	20.08	34.439	5.40	0.33	2.	0.00	0.2	360.2	10	20.08	34.440	5.40	24.333	360.2	0.036
32	20.00	34.434	5.48	0.33	2.	0.00	0.1	358.6	20	20.05	34.437	5.43	24.341	359.5	0.072
56	18.93	34.376	5.51	0.37	2.	0.01	0.2	336.5	30	20.01	34.435	5.47	24.349	358.7	0.108
71	18.43	34.289	5.49	0.39	2.	0.03	0.2	330.8	50	19.23	34.398	5.50	24.522	342.2	0.178
86	15.38	33.746	5.26	0.57	4.	0.22	2.4	302.1	75	17.66	34.127	5.43	24.706	324.7	0.262
101	13.96	33.856	3.77	1.23	11.	0.03	11.6	265.1	100	14.01	33.839	3.89	25.307	267.5	0.337
130	13.98	34.438	1.45	2.03	23.	0.01	23.0	222.8	125	13.98	34.370	1.76	25.725	227.8	0.400
158	13.86	34.617	0.87	2.52	28.	0.06	24.1	207.7	150	13.91	34.575	0.93	25.896	211.5	0.456
177	13.05	34.648	0.69	2.63	31.	0.00	25.5	189.3	200	12.41	34.714	0.39	26.307	172.4	0.554
213	12.12	34.742	0.24	2.81	37.	0.00	27.6	165.1	250	11.18	34.691	0.18	26.521	152.1	0.638
276	10.58	34.626	0.14	2.90	43.	0.84	25.8	146.6	300	10.16	34.609	0.14	26.639	141.0	0.714
372	9.08	34.569	0.15	3.05	52.	0.00	30.1	126.8	400	8.61	34.539	0.17	26.839	122.0	0.853
469	7.56	34.475	0.23	3.12A	64.A	0.02A	35.4A	111.7	500	7.24	34.467	0.25	26.987	108.0	0.975
598	6.49	34.468	0.27	3.29A	77.A	0.02A	38.9A	98.1	600	6.48	34.469	0.27	27.092	97.9	1.087
747	5.57	34.488	0.26	3.38	91.	0.01	41.9	85.5	700	5.84	34.482	0.26	27.185	89.1	1.189
892	4.77	34.491	0.37	3.34	103.	0.02	43.9	76.4	800	5.26	34.489	0.29	27.262	81.9	1.284
1098	4.03	34.526	0.58	3.35	120.	0.02	45.1	66.1	1000	4.32	34.506	0.47	27.381	70.6	1.456

RV DAVID STARR JORDAN

CALCOFI CRUISE 7202

143026

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
24 19.0N		111 48.0W		2/13/72		1446		GMT	75M	020	1KT	1	290 1 7		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S16T	DT	DD
									0	19.36	34.58		24.628	332.1	0.000
									10	19.36	34.58		24.628	332.1	0.033
									20	19.36	34.58		24.628	332.1	0.066
									30	19.33	34.58		24.636	331.4	0.100
									50	18.55	34.54		24.803	315.5	0.165

RV DAVID STARR JORDAN

CALCOFI CRUISE 7202

143026

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
24 19.0N		111 46.0W		2/13/72		1510		GMT	75M	020	1KT	1	290 1 7		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S16T	DT	DD
0	19.33	34.588	5.34	0.45	4.	0.05	0.2	330.8	0	19.33	34.588	5.34	24.642	330.8	0.000
11	19.34	34.587	5.38	0.50	4.	0.06	0.8	331.1	10	19.34	34.588	5.38	24.639	331.1	0.033
21	19.34	34.588	5.38	0.50	4.	0.08	0.1	331.0	20	19.34	34.589	5.38	24.639	331.1	0.066
31	19.34	34.589	5.29	0.55	4.	0.11	0.2	331.0	30	19.34	34.590	5.30	24.640	331.0	0.099
51	18.45	34.563	3.78	1.14	9.	0.54	7.4	311.4	50	18.52	34.566	3.90	24.829	313.0	0.164

A) THE NUTRIENT SAMPLES AT 469 AND 598 METERS APPEAR TO HAVE BEEN REVERSED. THEY ARE ASSUMED TO NOW BE IN THE CORRECT ORDER.

RV DAVID STARR JORDAN								CALCOFI CRUISE 7202							
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
24 11.5N		112 03.0W		2/13/72		1216 GMT		214M	360	10KT					
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD
									0	19.03	34.42		24.591	335.7	0.000
									10	19.03	34.43		24.598	335.0	0.034
									20	18.46	34.29		24.635	331.5	0.067
									30	17.40	34.17		24.803	315.5	0.099
									50	16.54	34.13		24.975	299.1	0.161
									75	14.21	34.07		25.445	254.4	0.231
									100	13.21	34.24		25.782	222.3	0.291
									125	12.82	34.43		26.007	201.0	0.345
									150	12.17	34.54		26.219	180.8	0.393

RV DAVID STARR JORDAN						CALCOFI CRUISE 7202										
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
24 11.5N		112 03.0W		2/13/72		1249 GMT			214M	360	10KT					
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD	
1	19.03	34.444	5.55	0.46	1.	0.02	0.7	334.0	0	19.03	34.444	5.55	24.609	334.0	0.000	
12	19.01	34.442	5.61	0.43	1.	0.00	0.5	333.6	10	19.01	34.443	5.60	24.612	333.7	0.033	
31	17.91	34.245	5.55	0.45	2.	0.04	0.3	321.8	20	18.65	34.377	5.59	24.654	329.7	0.067	
41	17.22	34.125	5.56	0.44	2.	0.12	0.4	314.7	30	17.99	34.260	5.55	24.728	322.6	0.099	
56	16.16	34.152	3.66	1.27	10.	0.08	9.3	289.6	50	16.61	34.132	4.48	24.960	300.5	0.162	
71	14.97	34.102	3.12	1.62	13.	0.09	12.6	267.6	75	14.62	34.111	2.88	25.389	259.7	0.232	
87	13.69	34.166	2.16	1.92	20.	0.03	17.1	237.1	100	13.24	34.246	1.63	25.781	222.4	0.293	
106	13.12	34.292	1.42	2.24	25.	0.03	20.6	216.6	125	12.72	34.522	0.64	26.097	192.4	0.346	
130	12.63	34.576	0.48	2.63	31.	0.05	25.2	186.7	150	12.23	34.598	0.49	26.244	178.4	0.393	
156	12.11	34.591	0.49	2.70	32.	0.03	26.0	176.0								

RV DAVID STARR JORDAN						CALCOFI CRUISE 7202									
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
24 02.0N		112 20.5W		2/13/72		0855		GMT	1485M	340	8KT				
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD
									0	19.63	34.57		24.551	339.5	0.000
									10	19.48	34.55		24.574	337.2	0.034
									20	19.06	34.50		24.644	330.6	0.067
									30	18.65	34.42		24.687	326.6	0.100
									50	17.80	34.41		24.889	307.3	0.164
									75	15.41	34.14		25.239	274.0	0.237
									100	14.21	34.47		25.753	225.1	0.300
									125	13.42	34.62		26.033	198.5	0.354
									150	12.47	34.62		26.223	180.5	0.402
									200	11.60	34.61		26.381	165.4	0.491
									250	10.75	34.65		26.568	147.7	0.572
									300	10.11	34.62		26.656	139.3	0.646
									400	8.77	34.56		26.831	122.8	0.785
									500	7.44	34.52		27.000	106.7	0.907
									600	6.64	34.52		27.111	96.2	1.017
									700	5.94	34.52		27.203	87.5	1.118
									800	5.35	34.52		27.276	80.6	1.212
									1000	4.46	34.54		27.394	69.4	1.382

RV DAVID STARR JORDAN						CALCOFI CRUISE 7202										
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
23 50.0N		112 41.0W		2/13/72		0530		GMT	3357M	340	7KT					
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD	
									0	21.17	34.73		24.262	367.0	0.000	
									10	20.81	34.71		24.345	359.1	0.036	
									20	20.72	34.70		24.361	357.5	0.072	
									30	20.68	34.69		24.365	357.2	0.108	
									50	19.54	34.50		24.521	342.3	0.178	
									75	15.18	34.12		25.274	270.6	0.255	
									100	13.12	34.22		25.785	222.1	0.318	
									125	12.66	34.51		26.100	192.1	0.370	
									150	11.90	34.56		26.286	174.5	0.417	
									200	11.30	34.66		26.476	156.5	0.502	
									250	10.80	34.68		26.582	146.4	0.580	
									300	10.10	34.64		26.674	137.7	0.654	
									400	8.98	34.60		26.829	123.0	0.791	
									500	7.78	34.54		26.966	109.9	0.916	
									600	6.75	34.51		27.089	98.3	1.029	
									700	5.96	34.50		27.185	89.2	1.132	
									800	5.33	34.49		27.254	82.6	1.228	
									1000	4.49	34.55		27.398	69.0	1.399	

RV DAVIU STARR JORDAN

CALCOFI CRUISE 7202

143040

	LATITUDE	LONGITUDE	MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
	23 50.0N	112 41.0W	2/15/72		0612 GMT			3357M	340	7KT					
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD
0	21.22	34.675	5.29	0.48	2.	0.00	0.0	372.2	0	21.22	34.675	5.29	24.207	372.2	0.000
10	21.20	34.670	5.27	0.45	2.	0.02	0.0	372.1	10	21.20	34.670	5.27	24.209	372.1	0.037
30	20.62	34.652	5.35	0.47	3.	0.00	0.0	358.4	20	20.70	34.660	5.32	24.336	359.9	0.074
55	18.85	34.442	4.93	0.65	3.	0.32	2.2	329.6	30	20.62	34.652	5.35	24.352	358.4	0.110
70	14.84	34.035	3.26					269.8	50	19.20	34.482	5.01	24.593	335.5	0.180
85	13.53	34.150	2.39					235.1	75	14.22	34.049	2.91	25.427	256.1	0.254
99	12.91	34.277	1.83	2.16	23.	0.01	22.8	213.9	100	12.87	34.285	1.80	25.884	212.7	0.313
129	12.13	34.449	1.03	2.53	30.	0.00	26.7	186.8	125	12.19	34.433	1.11	26.131	189.2	0.364
154	11.95	34.533	0.69	2.64	32.	0.03	27.4	177.3	150	11.97	34.523	0.73	26.244	178.5	0.411
179	11.65	34.592	0.51	2.72	35.	0.00	28.2	167.6	200	11.27	34.613	0.40	26.444	159.5	0.498
213	11.03	34.617	0.35	2.84	38.	0.00	28.1	154.9	250	10.56	34.620	0.25	26.577	146.8	0.577
278	10.27	34.611	0.21	2.97	43.	0.00	28.2	142.6	300	10.03	34.607	0.18	26.659	139.0	0.651
374	9.21	34.578	0.14	3.06	51.	0.00	29.9	128.1	400	8.89	34.562	0.15	26.813	124.5	0.790
471	8.03	34.519	0.16	3.15	60.	0.00	34.0	115.0	500	7.72	34.510	0.16	26.951	111.3	0.916
603	6.73	34.493	0.18	3.31	76.	0.01	38.2	99.3	600	6.76	34.494	0.18	27.075	99.7	1.030
754	5.50	34.483	0.24	3.44	93.	0.00	42.2	85.1	700	5.89	34.484	0.22	27.180	89.7	1.134
900	4.62	34.507	0.30	3.45	103.	0.01	45.5	75.7	800	5.25	34.490	0.25	27.263	81.8	1.229
1107	4.11	34.539	0.51	3.50	120.	0.00	44.7	65.9	1000	4.44	34.524	0.38	27.383	70.5	1.401

RV DAVIU STARR JORDAN

CALCOFI CRUISE 7202

143050

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
23 30.5N		113 18.0W		2/12/72		2349 GMT			2885M	360	6KT	2	360 2 3		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD
									0	20.40	34.61		24.379	355.9	0.000
									10	20.26	34.67		24.461	348.0	0.035
									20	20.24	34.67		24.467	347.5	0.070
									30	20.11	34.64		24.478	346.4	0.105
									50	19.68	34.56		24.530	341.5	0.174
									75	16.45	34.08		24.957	300.8	0.255
									100	13.56	34.04		25.557	243.8	0.323
									125	12.40	34.39		26.058	196.1	0.379
									150	12.17	34.63		26.489	174.2	0.426
									200	11.50	34.72		26.485	155.5	0.511
									250	10.86	34.69		26.579	146.6	0.589
									300	10.28	34.67		26.666	138.4	0.663
									400	8.81	34.60		26.856	120.4	0.800
									500	7.59	34.50		26.963	110.3	0.923
									600	6.76	34.52		27.095	97.7	1.036
									700	6.02	34.51		27.185	89.2	1.139
									800	5.43	34.51		27.258	82.2	1.234
									1000	4.53	34.53		27.378	70.9	1.407

RV DAVIU STARR JORDAN

CALCOFI CRUISE 7202

143060

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER			TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
23 10.0N		113 55.0W		2/12/72		1804			GMT	3737M		0KT	1	00		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD	
									0	20.63	34.53		24.256	367.5	0.000	
									10	20.60	34.53		24.265	366.8	0.037	
									20	20.59	34.53		24.267	366.5	0.073	
									30	20.59	34.53		24.267	366.5	0.110	
									50	20.55	34.53		24.278	365.5	0.184	
									75	15.43	33.58		24.805	315.3	0.269	
									100	12.86	33.80		25.512	248.0	0.340	
									125	12.15	34.11		25.890	212.1	0.398	
									150	12.60	34.57		26.159	186.6	0.449	
									200	11.75	34.66		26.392	164.4	0.539	
									250	11.12	34.72		26.555	148.9	0.620	
									300	10.08	34.64		26.677	137.3	0.695	
									400	8.93	34.59		26.829	122.9	0.832	
									500	7.66	34.53		26.976	109.0	0.956	
									600	6.70	34.51		27.095	97.7	1.068	
									700	6.06	34.52		27.188	86.9	1.171	
									800	5.49	34.52		27.259	82.2	1.266	
									1000	4.49	34.54		27.390	69.7	1.438	

RV DAVIU STARR JORDAN

CALCOFI CRUISE 7202

147020

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER			TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
23 56.0N		111 03.5W		2/13/72		2023			GMT		136M	270	3KT	1	290 1 5		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD		
									0	20.87	34.56		24.215	371.5	0.000		
									10	20.83	34.54		24.210	371.9	0.037		
									20	20.61	34.62		24.330	360.5	0.074		
									30	18.82	34.24		24.507	343.7	0.109		
									50	16.56	34.38		25.157	281.8	0.172		
									75	14.95	34.67		25.747	225.6	0.236		
									100	14.17	34.67		25.915	209.7	0.291		

RV DAVID STARR JORDAN CALCOFI CRUISE 7202 147020

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
23 56.0N		111 03.5W		2/13/72		2117 GM1			136M	270	3KT	1	290 1 5		
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	U2	S10T	DT	DD
1	21.01	34.562	5.33	0.40	3.	0.10	0.0	375.0	0	21.01	34.562	5.33	24.178	375.0	0.000
11	20.72	34.567	5.29	0.47	3.	0.05	0.0	367.1	10	20.75	34.559	5.29	24.246	368.5	0.037
31	17.53	34.218	4.16	1.16	8.	0.35	6.8	315.0	20	19.43	34.398	4.97	24.471	347.1	0.073
41	16.37	34.249	2.98	1.55	13.	0.36	12.8	286.7	30	17.72	34.233	4.25	24.774	318.3	0.106
56	15.80	34.615	1.30	2.36	21.	0.12	21.4	247.6	50	15.95	34.466	1.89	25.368	261.7	0.165
72	15.10	34.658	0.87	2.57	25.	0.15	23.4	229.6	75	14.97	34.665	0.81	25.739	226.4	0.226
86	14.55	34.683	0.63	2.66	25.	0.13	23.8	216.4	100	14.32	34.691	0.60	25.900	211.1	0.281
108	14.20	34.689	0.59	2.69	30.	0.13	24.7	208.9	125	13.62	34.683	0.42	26.040	197.8	0.333
125	13.62	34.653	0.42	2.71	32.	0.19	25.3	197.8							

RV DAVID STARR JORDAN CALCOFI CRUISE 7202 147025

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
23 46.5N		111 23.0W		2/13/72		2324 GM1			273M	270	5KT	1	270 1 6		
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	U2	S10T	DT	DD
									0	20.13	34.65		24.481	346.2	0.000
									10	19.91	34.67		24.554	359.2	0.034
									20	19.87	34.66		24.557	358.9	0.068
									30	19.34	34.60		24.648	330.2	0.102
									50	18.55	34.58		24.834	312.5	0.166
									75	14.37	34.35		25.826	237.1	0.236
									100	13.36	34.63		26.049	197.0	0.290
									125	12.93	34.68		26.178	184.7	0.339
									150	12.32	34.69		26.306	172.5	0.384
									200	11.49	34.69		26.464	157.6	0.469
									250	10.75	34.65		26.568	147.7	0.548

RV DAVID STARR JORDAN CALCOFI CRUISE 7202 147025

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
23 46.5N		111 23.0W		2/13/72		2359 GM1			273M	270	5KT	1	270 1 6		
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	U2	S10T	DT	DD
2	20.26	34.710	5.50	0.57		0.06	0.1		0	20.26	34.650	5.50	24.446	349.4	0.000
6	20.26	34.665	5.52	0.47		0.05	0.0	348.3	10	20.19	34.672	5.50	24.480	346.2	0.035
23	19.87	34.671	5.45	0.55		0.13	0.1	338.1	20	19.96	34.675	5.46	24.544	340.1	0.069
43	19.50	34.632	5.08	0.72		0.42	1.4	331.8	30	19.74	34.658	5.32	24.588	335.9	0.103
65	16.34	34.464	1.92	1.93		0.13	18.3	270.4	50	18.60	34.564	4.12	24.809	314.9	0.168
90	13.96	34.596	0.80	2.53		0.07	25.0	210.9	75	15.23	34.500	1.26	25.555	243.9	0.239
120	12.97	34.694	0.62	2.71	33.	0.09	24.0	184.4	100	13.50	34.639	0.74	26.031	198.6	0.295
168	12.20	34.708	0.27	2.81	37.	0.08	25.6	169.0	125	12.87	34.701	0.58	26.207	182.0	0.343
218	11.42	34.698	0.20	2.93	40.	0.06	25.1	155.7	150	12.43	34.716	0.39	26.304	172.7	0.388
246	10.75	34.661	0.09	2.86	44.	0.06	25.4	146.9	200	11.73	34.708	0.22	26.432	160.5	0.474

RV DAVID STARR JORDAN CALCOFI CRUISE 7202 147030

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
23 33.5N		111 41.5W		2/14/72		0258 GM1			464M	300	10KT				
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	U2	S10T	DT	DD
									0	21.19	34.66		24.204	372.5	0.000
									10	21.11	34.64		24.210	371.9	0.037
									20	21.08	34.65		24.226	370.4	0.074
									30	21.05	34.64		24.227	370.3	0.112
									50	20.29	34.57		24.378	356.0	0.184
									75	18.09	34.27		24.711	324.2	0.270
									100	15.08	34.43		25.535	245.9	0.342
									125	13.71	34.51		25.888	212.2	0.400
									150	12.43	34.55		26.176	184.9	0.451
									200	11.63	34.62		26.383	165.2	0.540
									250	11.00	34.62		26.499	154.2	0.623
									300	10.15	34.61		26.642	140.7	0.700
									400	8.86	34.55		26.809	124.8	0.839

RV DAVID STARR JORDAN

CALCOFI CRUISE 7202

147035

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
23 25.0N		112 00.0W		2/14/72		0545		GMT	2980M	280	8KT				
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S10T	DT	DD
									0	20.68	34.64		24.327	360.8	0.000
									10	20.58	34.61		24.331	360.5	0.036
									20	20.52	34.63		24.362	357.5	0.072
									30	20.50	34.63		24.367	357.0	0.108
									50	20.34	34.58		24.372	356.5	0.179
									75	19.10	34.39		24.550	339.6	0.267
									100	15.18	34.27		25.390	259.6	0.343
									125	13.13	34.41		25.930	208.3	0.402
									150	12.60	34.58		26.166	185.8	0.452
									200	11.95	34.69		26.377	165.8	0.542
									250	11.02	34.64		26.511	153.1	0.625
									300	10.26	34.60		26.615	143.2	0.702
									400	8.82	34.54		26.807	125.0	0.843
									500	7.50	34.49		26.968	109.8	0.968
									600	6.66	34.48		27.077	99.4	1.082
									700	6.03	34.45		27.168	90.8	1.186
									800	5.32	34.51		27.271	81.0	1.281
									1000	4.42	34.54		27.398	69.0	1.451

RV DAVID STARR JORDAN

CALCOFI CRUISE 7202

147035

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME		BOTTOM		WIND		SPEED		WEATHER		DOMINANT WAVES	
23 25.0N		112 00.0W		2/14/72		0633		GMT		2980M		280		8KT					
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S10T	DT	DD				
0	20.74	34.636	5.33	0.38	3.	0.00	0.2	362.7	0	20.74	34.636	5.33	24.307	362.7	0.000				
10	20.60	34.634	5.36	0.40	3.	0.00	0.0	359.2	10	20.60	34.634	5.36	24.343	359.2	0.036				
30	20.51	34.628	5.35	0.39	3.	0.00	0.0	357.4	20	20.58	34.642	5.36	24.355	358.1	0.072				
55	20.35	34.613	5.43	0.40	3.	0.02	0.1	354.4	30	20.51	34.628	5.35	24.363	357.4	0.108				
70	20.04	34.550	5.13	0.47	5.	0.19	2.2	351.1	50	19.83	34.473	5.41	24.425	351.5	0.179				
85	15.88	34.459	3.92	0.97	7.	0.07	7.4	329.2	75	19.82	34.537	4.76	24.477	346.5	0.267				
100	15.65	34.161	3.09	1.44	12.	0.01	13.2	277.5	100	15.65	34.161	3.09	25.202	277.5	0.346				
130	13.69	34.477	1.10	2.39	26.	0.00	23.1	214.3	125	13.78	34.403	1.38	25.790	221.6	0.409				
155	12.64	34.501	0.93	2.50	30.	0.00	26.1	192.4	150	12.80	34.500	0.96	26.065	195.5	0.462				
180	12.30	34.659	0.43	2.68	34.	0.00	27.0	174.5	200	12.09	34.706	0.34	26.363	167.1	0.555				
214	11.93	34.713	0.27	2.73	37.	0.00	27.3	163.7	250	11.27	34.686	0.23	26.501	154.0	0.638				
279	10.69	34.643	0.20	2.84	42.	0.00	27.3	147.2	300	10.39	34.632	0.18	26.616	143.1	0.715				
377	9.39	34.592	0.15	2.99	53.	0.01	28.0	129.9	400	9.04	34.577	0.16	26.800	125.7	0.857				
474	7.97	34.530	0.19	3.13	63.	0.00	33.1	113.3	500	7.68	34.523	0.19	26.966	109.9	0.983				
605	6.72	34.508	0.20	3.28	80.	0.01	37.6	98.1	600	6.76	34.509	0.20	27.086	98.6	1.096				
755	5.51	34.510	0.23	3.42	96.	0.01	41.3	83.2	700	5.91	34.507	0.22	27.196	88.2	1.198				
902	4.75	34.521	0.29	3.44	110.	0.05	43.6	73.9	800	5.24	34.514	0.24	27.283	79.9	1.292				
1107	4.09	34.542	0.51	3.42	124.	0.05	43.8	65.5	1000	4.38	34.532	0.38	27.396	69.2	1.461				

RV DAVID STARR JORDAN

CALCOFI CRUISE 7202

147040

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
23 16.5N		112 18.5W		2/14/72		0903		GMT	3357M	330	10KT				
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S10T	DT	DD
									0	20.48	34.62		24.365	357.2	0.000
									10	20.49	34.62		24.362	357.4	0.036
									20	20.49	34.62		24.362	357.4	0.072
									30	20.46	34.62		24.370	356.7	0.107
									50	20.44	34.62		24.376	356.2	0.179
									75	20.34	34.60		24.387	355.1	0.268
									100	15.21	34.10		25.253	272.7	0.348
									125	13.58	34.62		26.000	201.6	0.408
									150	13.00	34.69		26.172	185.3	0.457
									200	12.12	34.72		26.368	166.7	0.547
									250	11.55	34.72		26.476	156.4	0.631
									300	10.64	34.63		26.572	147.3	0.710
									400	9.20	34.54		26.746	130.8	0.856
									500	7.90	34.49		26.909	115.3	0.988
									600	6.80	34.47		27.050	101.9	1.105
									700	5.96	34.49		27.177	90.0	1.210
									800	5.32	34.50		27.263	81.7	1.306
									1000	4.43	34.53		27.389	69.9	1.477

RV DAVIU STARR JOKUAN

CALCOFI CRUISE 7202

147050

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM		WIND SPEED		WEATHER		DOMINANT WAVES		
22 56.5N		112 55.5W		2/14/72		1444 GMT		3169M		350 3KT		2		350 1 5		
Z	T	S	C2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD	
									0	20.12	34.41		24.301	363.3	0.000	
									10	20.13	34.41		24.298	363.6	0.036	
									20	20.12	34.42		24.308	362.6	0.073	
									30	20.09	34.44		24.331	360.4	0.109	
									50	19.71	34.42		24.416	352.3	0.181	
									75	16.10	34.37		25.260	272.0	0.259	
									100	13.94	34.47		25.010	219.7	0.321	
									125	12.65	34.49		26.087	193.4	0.374	
									150	11.81	34.48		26.241	178.7	0.421	
									200	11.49	34.64		26.425	161.3	0.508	
									250	10.83	34.63		26.538	150.5	0.589	
									300	10.21	34.58		26.608	143.9	0.665	
									400	8.77	34.52		26.800	125.7	0.807	
									500	7.74	34.50		26.941	112.3	0.934	
									600	6.73	34.49		27.076	99.6	1.049	
									700	6.06	34.49		27.164	91.2	1.154	
									800	5.62	34.50		27.227	85.2	1.252	
									1000	4.66	34.53		27.364	72.3	1.433	

RV DAVIU STAPR JCKUAN

CALCOFI CRUISE 7202

147060

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM		WIND		SPEED		WEATHER		DOMINANT WAVES		
22 35.5N		113 35.0W		2/14/72		2003 GMT		3737M		310		4KT		8		310 1 7		
Z	T	S	Q2	P04	S103	N02	N03	DT	Z	T	S	Q2	SIGT	UT	DD			
									0	20.60	34.46		24.211	371.8	0.00			
									10	20.58	34.46		24.217	371.3	0.03			
									20	20.56	34.46		24.222	370.8	0.07			
									30	20.55	34.46		24.225	370.6	0.11			
									50	19.67	34.43		24.434	350.6	0.18			
									75	14.54	33.87		25.221	275.7	0.26			
									100	13.60	34.35		25.787	221.8	0.32			
									125	13.48	34.71		26.090	193.1	0.37			
									150	12.34	34.65		26.271	175.9	0.42			
									200	11.59	34.66		26.422	161.6	0.51			
									250	10.91	34.64		26.531	151.2	0.59			
									300	10.30	34.61		26.616	143.1	0.66			
									400	9.16	34.57		26.776	127.9	0.81			
									500	7.81	34.51		26.938	112.6	0.94			
									600	6.72	34.50		27.085	98.7	1.05			
									700	6.08	34.49		27.161	91.4	1.15			
									800	5.45	34.49		27.240	84.0	1.25			
									1000	4.53	34.53		27.378	70.9	1.43			

RV DAVID STARR JORDAN

CALCOFI CRUISE 7202

147060

	LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES					
	22 35.5N	113 35.0W	2/14/72	2107	GM1	3737M	310	4KT	2	310	1	7			
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	UT	DD
1	20.58	34.464	5.46	0.31	2.	0.05	0.0	371.0	0	20.58	34.464	5.46	24.220	371.0	0.000
12	20.54	34.463	5.35	0.33	2.	0.00	0.0	370.1	10	20.55	34.464	5.36	24.228	370.2	0.037
32	20.51	34.458	5.36	0.34	3.	0.00	0.0	369.7	20	20.53	34.462	5.35	24.231	369.9	0.074
56	19.61	34.487	5.44	0.32	3.	0.03	0.7	345.0	30	20.51	34.459	5.36	24.234	369.7	0.111
72	17.46	34.502	4.45	0.75	6.	0.21	5.0	292.7	50	19.83	34.473	5.42	24.425	351.5	0.184
87	13.90	33.843	3.84	1.19	10.	0.07	10.6	284.9	75	16.68	34.347	4.35	25.107	286.5	0.264
102	13.50	34.169	2.30	1.90	19.	0.03	19.2	233.1	100	13.55	34.128	2.52	25.625	237.2	0.330
132	13.50	34.644	0.52	2.64	30.	0.02	25.7	194.6	125	13.50	34.607	0.76	26.005	201.1	0.386
156	12.66	34.668	0.70	2.68	33.	0.00	27.0	180.5	150	12.69	34.692	0.66	26.195	183.1	0.434
182	12.10	34.661	0.37	2.73	34.	0.00		170.6	200	11.80	34.661	0.35	26.382	165.4	0.524
214	11.58	34.661	0.33	2.75	37.	0.00	27.7	161.3	250	11.19	34.676	0.25	26.508	153.4	0.606
280	10.87	34.684	0.19	2.87	41.	0.01	26.0	147.2	300	10.61	34.674	0.18	26.610	143.7	0.684
378	9.53	34.605	0.16	3.01	50.	0.00	28.2	131.1	400	9.19	34.588	0.16	26.784	127.2	0.826
475	4.07	34.537	0.15	3.13	63.	0.10	32.4	114.2	500	7.75	34.528	0.15	26.960	110.5	0.954
605	0.66	34.508	0.16	3.29	78.	0.00	37.5	97.3	600	6.70	34.509	0.16	27.094	97.8	1.067
755	5.70	34.503	0.20	3.35	90.	0.00	40.7	85.9	700	6.00	34.503	0.18	27.181	89.5	1.169
909	4.93	34.519	0.25	3.39	104.	0.11	40.7	76.0	800	5.45	34.508	0.21	27.253	82.7	1.265
1106	3.97	34.533	0.57	3.36	119.	0.08	42.3	65.0	1000	4.44	34.528	0.37	27.385	70.2	1.434

RV DAVIU STARR JOKUAM

CALCOFI CRUISE 7202

150019

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM		WIND SPEED		WEATHER		DOMINANT WAVES	
23	24.0N	110	30.0W	2/16/72	0252	GM1			279M	310	24KT				
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
									0	20.64	34.69		24.375	356.2	0.000
									10	20.65	34.69		24.373	356.4	0.036
									20	20.65	34.69		24.373	356.4	0.071
									30	20.25	34.66		24.456	348.5	0.107
									50	15.82	34.09		25.109	286.4	0.170
									75	14.14	34.44		25.744	225.9	0.235
									100	13.30	34.62		26.057	196.2	0.288
									125	12.83	34.65		26.175	185.0	0.337
									150	12.56	34.65		26.228	179.9	0.383
									200	11.66	34.69		26.432	160.6	0.470

RV DAVIU STARR JORDAN

CALCOFI CRUISE 7202

150025

LATITUDE 23 12.0N			LONGITUDE 111 01.5W		MO/DAY/YR 2/15/72		MESSENGER TIME 2258 GMT		BOTTOM 1391M	WIND 320	SPEED 18KT	WEATHER 1	DOMINANT WAVES 320 5 5		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S16T	DT	DD
									0	20.40	34.68		24.432	350.8	0.000
									10	20.39	34.68		24.434	350.5	0.035
									20	19.76	34.60		24.540	340.5	0.070
									30	19.55	34.57		24.571	337.5	0.104
									50	16.91	34.40		25.095	287.7	0.166
									75	14.78	34.60		25.731	227.2	0.231
									100	13.95	34.66		25.954	206.0	0.286
									125	13.24	34.67		26.108	191.4	0.337
									150	12.79	34.71		26.229	179.8	0.384
									200	11.66	34.69		26.432	160.6	0.471
									250	11.16	34.69		26.525	151.8	0.552
									300	10.24	34.60		26.618	142.9	0.629
									400	9.12	34.55		26.767	128.8	0.772
									500	7.51	34.49		26.966	109.9	0.899
									600	6.74	34.50		27.082	98.9	1.012
									700	6.06	34.50		27.172	90.4	1.116
									800	5.44	34.51		27.257	82.4	1.213
									1000	4.70	34.53		27.359	72.7	1.388

RV DAVIU STARR JORDAN

CALCOFI CRUISE 7202

150025

LATITUDE 23 12.0N			LONGITUDE 111 01.5W		MO/DAY/YR 2/15/72		MESSENGER TIME 2346 GMT		BOTTOM 1391M	WIND 320	SPEED 18KT	WEATHER 1	DOMINANT WAVES 320 5 5		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S16T	DT	DD
2	20.35	34.669	5.40	0.57	4.	0.00	0.6	350.3	0	20.35	34.669	5.40	24.437	350.3	0.000
11	20.33	34.668	5.36	0.55	4.	0.02	0.6	349.9	10	20.33	34.669	5.37	24.441	350.0	0.035
32	19.36	34.560	5.10	0.61	4.	0.25	1.0	333.6	20	20.09	34.631	5.25	24.475	346.7	0.070
57	16.12	34.513	1.84					262.0	30	19.51	34.574	5.12	24.582	336.5	0.104
72	14.65	34.607	0.90	2.50	25.	0.00	25.8	224.0	50	17.09	34.502	2.81	25.130	284.4	0.167
87	14.07	34.625	0.66	2.57	28.	0.01	28.2	211.0	75	14.49	34.614	0.82	25.803	220.3	0.230
102	13.72	34.665	0.54	2.64	30.	0.01	27.5	201.1	100	13.76	34.660	0.55	25.993	202.2	0.283
132	13.14	34.708	0.43	2.73	33.	0.00	28.3	186.6	125	13.27	34.701	0.45	26.126	189.6	0.333
156	12.71	34.739	0.32	2.76	35.	0.15	26.0	176.2	150	12.83	34.735	0.34	26.241	178.7	0.380
181	11.95	34.689	0.34	2.68	36.	0.00	28.5	165.9	200	11.65	34.687	0.36	26.431	160.6	0.467
214	11.49	34.690	0.37	2.86	38.	0.00	22.8U	157.6	250	11.03	34.680	0.26	26.540	150.3	0.548
278	10.69	34.666	0.16	2.92	44.	0.00	25.8	145.5	300	10.46	34.656	0.15	26.623	142.5	0.624
375	9.60	34.606	0.13	2.98	47.	0.12	27.8	132.1	400	9.18	34.585	0.13	26.783	127.3	0.766
472	8.00	34.532	0.15	3.18	64.	0.00	33.3	113.6	500	7.68	34.523	0.15	26.967	109.8	0.893
601	6.77	34.506	0.17					98.9	600	6.78	34.507	0.17	27.082	99.0	1.006
750	5.65	34.510	0.19	3.37	94.	0.00	43.1	84.8	700	5.98	34.507	0.18	27.187	89.0	1.109
897	5.01	34.517	0.22	3.45	106.	0.03	45.2	77.0	800	5.40	34.512	0.19	27.263	81.8	1.205
1107	4.18	34.546	0.43	3.50	123.	0.01	45.4	66.1	1000	4.59	34.529	0.30	27.370	71.6	1.378

RV DAVIU STARR JORDAN

CALCOFI CRUISE 7202

150030

LATITUDE 23 02.0N			LONGITUDE 111 22.0W		MO/DAY/YR 2/15/72		MESSENGER TIME 1953 GMT		BOTTOM 2790M	WIND 310	SPEED 15KT	WEATHER 1	DOMINANT WAVES 310 5 5		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S16T	DT	DD
									0	20.88	34.56		24.212	371.8	0.000
									10	20.82	34.56		24.228	370.2	0.037
									20	20.54	34.59		24.326	360.9	0.074
									30	20.14	34.54		24.394	354.4	0.110
									50	17.86	34.41		24.875	308.7	0.176
									75	15.33	34.41		25.464	252.6	0.247
									100	14.14	34.62		25.883	212.7	0.306
									125	13.02	34.66		26.145	187.9	0.356
									150	12.68	34.72		26.259	177.0	0.403
									200	11.88	34.74		26.429	160.8	0.490
									250	11.09	34.69		26.537	150.6	0.570
									300	10.44	34.65		26.622	142.5	0.647
									400	8.92	34.54		26.791	126.5	0.788
									500	7.63	34.49		26.949	111.5	0.916
									600	6.64	34.47		27.072	99.9	1.030
									700	5.99	34.48		27.165	91.1	1.135
									800	5.43	34.48		27.234	84.5	1.232
									1000	4.44	34.52		27.380	70.7	1.407

RV DAVID STARR JORDAN						CALCOFI CRUISE 7202										150035	
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES					
22 52.0N		111 38.0W		2/18/72		1643 GMT		3357M	340	12KT	1	340 4 3					
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD		
									0	20.37	34.61		24.387	355.1	0.000		
									10	20.27	34.60		24.406	353.3	0.035		
									20	20.27	34.60		24.406	353.3	0.071		
									30	20.23	34.59		24.409	353.0	0.106		
									50	18.52	34.38		24.689	326.4	0.174		
									75	16.55	34.32		25.118	285.5	0.251		
									100	13.86	34.38		25.757	224.7	0.316		
									125	13.49	34.68		26.065	195.5	0.369		
									150	12.81	34.69		26.210	181.7	0.417		
									200	11.78	34.70		26.417	162.0	0.505		
									250	11.10	34.67		26.520	152.2	0.587		
									300	10.45	34.63		26.605	144.2	0.664		
									400	9.03	34.56		26.789	126.7	0.807		
									500	7.66	34.50		26.952	111.2	0.934		
									600	6.79	34.48		27.059	101.1	1.049		
									700	5.97	34.48		27.168	90.8	1.154		
									800	5.36	34.49		27.251	82.9	1.250		
									1000	4.42	34.53		27.390	69.7	1.423		

RV DAVID STARR JORDAN						CALCOFI CRUISE 7202									
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
22 42.5N		111 55.5W		2/15/72		1311		GMT	3169M	340	15KT				
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD
									0	21.32	34.62		24.138	378.8	0.000
									10	21.33	34.63		24.143	378.4	0.038
									20	21.30	34.66		24.174	375.4	0.076
									30	21.08	34.64		24.219	371.1	0.113
									50	20.52	34.62		24.354	358.2	0.186
									75	17.00	34.29		24.989	297.7	0.269
									100	14.31	34.54		25.785	222.0	0.334
									125	13.32	34.70		26.115	190.7	0.387
									150	12.54	34.67		26.248	178.1	0.434
									200	11.94	34.70		26.387	164.9	0.522
									250	11.25	34.68		26.500	154.1	0.604
									300	10.71	34.67		26.590	145.6	0.682
									400	9.14	34.56		26.772	128.4	0.827
									500	7.54	34.50		26.970	109.6	0.954
									600	6.59	34.49		27.094	97.8	1.066
									700	5.74	34.48		27.196	88.1	1.168
									800	5.12	34.50		27.287	79.5	1.261
									1000	4.24	34.53		27.409	67.9	1.427

RV DAVID STARR JORDAN										CALCOFI CRUISE 7202									
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES						
22 42.5N		111 55.5W		2/15/72		1430		GMT	3169M	320	12KT		320 4 5						
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	U2	S10T	DT	DD				
1	21.28	34.619	5.27	0.34	2.	0.07	0.0	377.9	0	21.28	34.619	5.27	24.148	377.8	0.000				
11	21.28	34.619	5.25	0.36	2.	0.02	0.2	377.8	10	21.28	34.620	5.25	24.148	377.8	0.038				
30	21.03	34.635	5.32	0.37	3.	0.04	0.1	370.2	20	21.20	34.629	5.28	24.177	375.1	0.076				
55	19.95	34.568	5.21	0.45	3.	0.24	0.7	347.6	30	21.03	34.635	5.32	24.228	370.2	0.113				
70	17.29	34.300	4.07	1.02	8.	0.27	8.9	303.6	50	20.50	34.610	5.23	24.352	358.4	0.186				
85	14.94	34.346	1.92	1.95	18.	0.12	20.7	249.1	75	16.40	34.287	3.34	25.127	284.7	0.267				
99	14.22	34.547	0.97	2.43	24.	0.05	25.6	219.7	100	14.18	34.556	0.96	25.825	218.3	0.330				
130	13.20	34.652	0.55	2.64	31.	0.04	27.7	191.9	125	13.34	34.657	0.62	26.078	194.2	0.363				
154	12.46	34.639	0.45	2.67	33.	0.10	28.8	178.9	150	12.57	34.643	0.46	26.221	180.6	0.431				
179	12.19	34.685	0.35	2.72	34.	0.03	29.6	170.5	200	11.97	34.724	0.33	26.400	163.7	0.519				
214	11.81	34.741	0.32	2.77	37.	0.03	28.9	159.5	250	11.32	34.717	0.26	26.515	152.7	0.601				
278	10.92	34.675	0.21	2.81	41.	0.00	27.8	148.8	300	10.62	34.658	0.21	26.596	145.0	0.678				
376	9.56	34.604	0.20	2.98	50.	0.01	30.2	131.6	400	9.19	34.589	0.20	26.785	127.1	0.822				
474	8.09	34.547	0.20	3.16	63.	0.06	34.3	113.8	500	7.76	34.537	0.20	26.966	109.9	0.948				
605	6.60	34.510	0.20	3.27	81.	0.03	40.2	96.4	600	6.65	34.511	0.20	27.103	97.0	1.061				
755	5.33	34.519	0.32	3.40	96.	0.01	44.7	80.4	700	5.74	34.513	0.27	27.222	85.6	1.161				
901	4.60	34.532	0.35	3.46	113.	0.00	46.0	71.5	800	5.07	34.524	0.33	27.311	77.2	1.252				
1102	3.84	34.549	0.60	3.40	127.	0.00	44.9	62.5	1000	4.19	34.542	0.44	27.424	66.6	1.414				

RV DAVID STARR JORDAN

CALCOFI CRUISE 7202

150050

LATITUDE			LONGITUDE			MO/DAY/YR		MESSENGER		TIME	BOTTOM		WIND	SPEED	WEATHER	DOMINANT WAVES		
22 24.0N			112 33.0W			2/15/72		0758		GMT	3451M		340	7KT				
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD			
									0	21.39	34.62		24.119	380.6	0.000			
									10	21.38	34.62		24.122	380.4	0.038			
									20	21.31	34.62		24.141	378.6	0.076			
									30	20.72	34.63		24.308	362.6	0.113			
									50	20.27	34.53		24.352	358.4	0.186			
									75	17.47	34.23		24.632	312.8	0.270			
									100	14.69	34.43		25.619	237.8	0.339			
									125	13.46	34.60		26.009	200.7	0.395			
									150	12.56	34.64		26.220	180.7	0.444			
									200	11.91	34.75		26.431	160.6	0.531			
									250	11.15	34.67		26.511	153.1	0.612			
									300	10.54	34.63		26.589	145.7	0.690			
									400	8.85	34.55		26.810	124.7	0.833			
									500	7.51	34.49		26.966	109.9	0.958			
									600	6.36	34.48		27.117	95.6	1.069			
									700	5.63	34.49		27.218	86.1	1.169			
									800	5.07	34.49		27.285	79.7	1.261			
									1000	4.24	34.55		27.425	66.4	1.426			

RV DAVID STARR JORDAN

CALCOFI CRUISE 7202

150060

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
22 01.0N		113 12.0W		2/15/72		0104		GMT	3737M	320	9KT	2	320 2 3		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD
									0	20.45	34.31		24.138	378.9	0.000
									10	20.46	34.31		24.135	379.1	0.038
									20	20.32	34.26		24.134	379.2	0.076
									30	20.23	34.33		24.211	371.9	0.114
									50	20.20	34.33		24.219	371.1	0.188
									75	16.41	33.76		24.722	323.2	0.275
									100	14.73	34.23		25.457	253.2	0.348
									125	13.29	34.37		25.866	214.3	0.407
									150	13.37	34.69		26.097	192.4	0.459
									200	11.82	34.68		26.394	164.2	0.550
									250	11.22	34.70		26.521	152.1	0.632
									300	10.38	34.64		26.625	142.3	0.709
									400	8.87	34.55		26.807	125.0	0.850
									500	7.45	34.50		26.983	108.3	0.975
									600	6.54	34.49		27.101	97.1	1.086
									700	5.85	34.50		27.198	87.9	1.187
									800	5.18	34.50		27.280	80.2	1.281
									1000	4.22	34.53		27.412	67.7	1.448

RV DAVID STARR JORDAN

CALCOFI CRUISE 7202

153016

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
22 55.0N		110 07.5W		2/16/72		0731		GMT	371M	330	19KT				
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD
									0	21.49	34.62		24.091	383.3	0.000
									10	21.50	34.62		24.089	383.5	0.038
									20	21.40	34.61		24.109	381.6	0.077
									30	19.48	34.45		24.498	344.5	0.113
									50	16.09	34.19		25.124	284.9	0.176
									75	15.04	34.47		25.574	242.1	0.243
									100	14.50	34.65		25.830	217.8	0.301
									125	13.49	34.67		26.057	196.2	0.353
									150	12.59	34.70		26.261	176.8	0.401
									200	11.91	34.73		26.416	162.1	0.488
									250	11.14	34.69		26.528	151.5	0.569
									300	10.59	34.65		26.596	145.0	0.646

RV DAVID STARR JORDAN

CALCOFI CRUISE 7202

153020

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
22 47.0N		110 22.0W		2/16/72		1003		GMT	1298M	330	24KT				
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD
									0	20.92	34.66		24.277	365.5	0.000
									10	20.93	34.66		24.274	365.8	0.037
									20	20.83	34.66		24.301	363.2	0.073
									30	20.71	34.67		24.341	359.4	0.109
									50	18.72	34.44		24.684	326.8	0.178
									75	14.09	34.28		25.632	236.6	0.249
									100	13.21	34.59		26.052	196.6	0.304
									125	12.45	34.65		26.250	177.9	0.351
									150	12.19	34.67		26.316	171.6	0.396
									200	11.47	34.70		26.475	156.5	0.480
									250	10.78	34.67		26.578	146.7	0.559
									300	10.43	34.64		26.616	143.1	0.634
									400	8.97	34.55		26.791	126.5	0.776
									500	7.96	34.52		26.924	113.9	0.905
									600	6.72	34.49		27.077	99.4	1.020
									700	5.92	34.50		27.181	89.6	1.124
									800	5.51	34.50		27.240	83.9	1.221
									1000	4.53	34.54		27.386	70.1	1.395

RV DAVID STARR JORDAN										CALCOFI CRUISE 7202						153020
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
22 47.0N	110 22.0W	2/16/72	1107 GMT		1298M	330	24KT									
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S16T	DT	DD	
2	20.86	34.663	5.29	0.45	2.	0.00	0.2	363.8	0	20.86	34.663	5.29	24.296	363.8	0.000	
12	20.84	34.662	5.30	0.45	2.	0.00	0.1	363.3	10	20.84	34.663	5.30	24.299	363.4	0.036	
30	20.66	34.678	5.35	0.46	3.	0.00	1.0	357.6	20	20.76	34.670	5.32	24.327	360.8	0.073	
54	18.47	34.454	3.60	1.16	9.	0.34	9.2	319.8	30	20.66	34.678	5.35	24.361	357.6	0.109	
68	14.92	34.290	2.12	1.84	17.	0.02	19.3	252.8	50	19.08	34.508	4.00	24.643	330.7	0.178	
82	13.75	34.299	1.69	2.10	21.	0.03	21.6	228.5	75	14.14	34.278	1.86	25.619	237.8	0.249	
96	13.33	34.494	0.88	2.46	27.	0.01	25.7	206.0	100	13.21	34.527	0.81	26.003	201.3	0.305	
124	12.54	34.633	0.42	2.65	32.	0.01	27.5	181.7	125	12.57	34.637	0.42	26.216	181.1	0.353	
147	12.17	34.681	0.38	2.73	34.	0.00	26.9	170.5	150	12.15	34.685	0.36	26.334	169.9	0.398	
171	12.05	34.700	0.25	2.74	35.	0.00	28.1	166.9	200	11.60	34.712	0.22	26.459	158.0	0.482	
204	11.53	34.712	0.22	2.81	37.	0.00	27.9	156.7	250	10.95	34.692	0.19	26.564	148.1	0.561	
263	11.80	34.681	0.18	2.89	42.	0.00	26.8	146.3	300	10.33	34.652	0.18	26.643	140.6	0.637	
355	9.65	34.606	0.18	3.01	49.	0.00	29.2	132.9	400	9.20	34.583	0.23	26.778	127.7	0.778	
446	8.72	34.559	0.28	3.09	56.	0.00	31.5	122.1	500	7.90	34.532	0.24	26.942	112.2	0.906	
570	6.87	34.512	0.16	3.30	76.	0.00	37.1	99.7	600	6.59	34.510	0.17	27.109	96.3	1.020	
710	5.83	34.508	0.19	3.40		0.04	41.7	87.1	700	5.88	34.508	0.19	27.200	87.7	1.121	
848	5.04	34.521	0.28	3.00U		0.01	44.2	77.0	800	5.29	34.516	0.24	27.280	80.2	1.214	
1044	4.38	34.537	0.43	3.40		0.00	43.9	68.8	1000	4.48	34.535	0.39	27.387	70.0	1.384	

RV DAVID STARR JORDAN										CALCOFI CRUISE 7202						153025
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
22 37.0N	110 39.0W	2/16/72	1336 GMT		2602M	350	10KT	1								
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S16T	DT	DD	
									0	20.80	34.59		24.256	367.5	0.000	
									10	20.68	34.61		24.304	363.0	0.037	
									20	20.27	34.58		24.390	354.8	0.072	
									30	20.02	34.57		24.449	349.2	0.108	
									50	19.44	34.47		24.524	342.1	0.177	
									75	15.04	34.00		25.213	276.5	0.255	
									100	14.23	34.56		25.818	218.9	0.318	
									125	13.43	34.69		26.085	193.6	0.370	
									150	12.54	34.68		26.255	177.4	0.417	
									200	11.42	34.67		26.461	157.8	0.503	
									250	10.58	34.62		26.574	147.1	0.582	
									300	10.03	34.61		26.662	138.7	0.656	
									400	8.73	34.57		26.845	121.4	0.794	
									500	7.71	34.51		26.953	111.2	0.918	
									600	6.71	34.50		27.086	98.6	1.032	
									700	6.09	34.49		27.160	91.5	1.136	
									800	5.38	34.49		27.248	83.2	1.233	
									1000	4.55	34.53		27.376	71.1	1.407	

RV DAVID STARR JORDAN										CALCOFI CRUISE 7202						153030
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
22 27.0N	110 59.0W	2/16/72	1638 GMT		3169M	330	8KT	2								
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S16T	DT	DD	
									0	21.32	34.52		24.062	386.0	0.000	
									10	21.32	34.52		24.062	386.0	0.039	
									20	21.32	34.52		24.062	386.0	0.077	
									30	21.32	34.52		24.062	386.0	0.116	
									50	21.07	34.47		24.092	383.2	0.193	
									75	17.57	33.90		24.555	339.1	0.284	
									100	14.52	33.98		25.310	267.3	0.360	
									125	11.99	33.93		25.781	222.5	0.422	
									150	12.54	34.45		26.077	194.3	0.475	
									200	11.53	34.64		26.417	162.0	0.567	
									250	11.09	34.65		26.506	153.5	0.648	
									300	10.44	34.62		26.599	144.7	0.726	
									400	8.81	34.51		26.785	127.1	0.869	
									500	7.62	34.49		26.950	111.4	0.996	
									600	6.71	34.49		27.076	99.3	1.110	
									700	6.07	34.49		27.163	91.3	1.215	
									800	5.34	34.50		27.461	82.0	1.311	
									1000	4.44	34.53		27.388	70.0	1.483	

RV DAVID STARR JORDAN

CALCOFI CRUISE 7202

153030

	LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
	22 27.0N	110 59.0W	2/16/72	1739	GMT	3169M	330	6KT	1	330 4 5				
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S1GT	DT
0	21.38	34.525	5.29	0.37		0.00	0.0	387.3	0	21.38	34.525	5.29	24.050	387.3
5	21.32	34.520	5.28	0.39		0.02	0.1	386.0	10	21.32	34.520	5.28	24.062	386.0
29	21.30	34.520	5.31	0.37		0.00	0.0	385.5	20	21.31	34.520	5.30	24.064	385.8
53	20.52	34.359	5.49	0.34				377.1	30	21.29	34.519	5.32	24.070	385.3
68	19.49	34.328	4.76	0.64		0.27	3.0	353.6	50	21.00	34.480	5.47	24.119	380.6
83	15.46	33.896	4.20	1.06		0.12	8.4	292.9	75	17.58	34.095	4.51	24.700	325.3
97	14.77	34.024	3.30	1.34		0.06	13.2	269.1	100	14.46	34.031	3.18	25.360	262.5
127	12.07	34.134	2.22	2.06		0.00	22.1	208.9	125	12.23	34.125	2.28	25.886	212.5
151	12.23	34.446	1.00	2.50		0.02	26.7	188.8	150	12.22	34.438	1.05	26.129	189.4
176	12.03	34.564	0.48	2.51U		0.00		175.0	200	11.77	34.598	0.27	26.338	169.5
211	11.64	34.586	0.23	2.78		0.00	27.9	167.9	250	11.09	34.626	0.21	26.487	155.4
274	10.72	34.647	0.19	2.89		0.01	28.1	147.4	300	10.35	34.635	0.19	26.626	142.2
372	9.33	34.565	0.18	3.03		0.01	30.2	130.9	400	8.90	34.547	0.18	26.800	125.7
469	7.91	34.515	0.19	3.21		0.01	34.4	113.6	500	7.57	34.508	0.19	26.971	109.4
602	6.69	34.498	0.19	3.34		0.02	38.4	98.4	600	6.70	34.499	0.19	27.085	98.6
754	5.66	34.499	0.23	3.41		0.02	43.0	85.7	700	6.00	34.498	0.21	27.178	89.9
901	4.80	34.511	0.38	3.46		0.01	44.5	75.2	800	5.37	34.502	0.27	27.259	82.2
1108	4.11	34.542	0.51	3.47		0.00	45.0	65.7	1000	4.39	34.526	0.45	27.389	69.9

RV DAVID STARR JORDAN

CALCOFI CRUISE 7202

153035

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
22 17.0N		111 17.0W		2/16/72		2048		GMT	2980M	330	12KT	1	330 4 5		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S1GT	DT	DD
									0	22.30	34.57		23.828	408.4	0.000
									10	22.29	34.57		23.831	408.1	0.041
									20	22.16	34.56		23.860	405.3	0.082
									30	22.06	34.54		23.873	404.1	0.122
									50	21.70	34.50		23.942	397.5	0.203
									75	17.22	34.05		24.754	320.2	0.293
									100	13.35	33.80		25.414	257.3	0.366
									125	12.15	34.06		25.851	215.8	0.425
									150	11.96	34.41		26.158	186.6	0.477
									200	11.39	34.59		26.405	163.2	0.566
									250	10.63	34.56		26.519	152.3	0.648
									300	10.08	34.55		26.607	144.0	0.725
									400	8.64	34.52		26.820	123.8	0.866
									500	7.50	34.48		26.960	110.5	0.991
									600	6.69	34.50		27.089	98.3	1.104
									700	5.90	34.49		27.184	89.3	1.207
									800	5.38	34.49		27.248	83.2	1.302
									1000	4.50	34.52		27.373	71.3	1.477

RV DAVID STARR JORDAN

CALCOFI CRUISE 7202

153040

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
22 07.0N		111 36.5W		2/16/72		2331		GMT	4116M	350	13KT	1	350 4 5		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S1GT	DT	DD
									0	22.11	34.55		23.866	404.7	0.000
									10	22.11	34.55		23.866	404.7	0.040
									20	21.98	34.56		23.910	400.5	0.081
									30	21.04	34.50		24.123	380.2	0.120
									50	20.98	34.50		24.140	378.7	0.196
									75	18.42	33.94		24.378	356.0	0.288
									100	13.98	33.98		25.424	256.4	0.366
									125	13.78	34.31		25.720	228.3	0.427
									150	12.79	34.65		26.183	184.2	0.480
									200	11.60	34.64		26.404	163.2	0.569
									250	10.70	34.61		26.545	149.8	0.649
									300	9.98	34.59		26.655	139.4	0.725
									400	8.52	34.49		26.815	124.2	0.864
									500	7.29	34.48		26.990	107.7	0.987
									600	6.58	34.49		27.096	97.6	1.098
									700	5.85	34.47		27.175	90.1	1.201
									800	5.18	34.49		27.272	80.9	1.296
									1000	4.30	34.54		27.411	67.8	1.464

RV DAVID STARR JORDAN						CALCOFI CRUISE 7202										
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
21 46.0N		112 13.0W		2/17/72		0542		GMT	3169M	320	4KT					
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD	
									0	20.89	34.36		24.058	386.5	0.000	
									10	20.89	34.36		24.058	386.5	0.039	
									20	20.90	34.36		24.055	386.8	0.077	
									30	20.83	34.36		24.074	385.0	0.116	
									50	18.85	33.94		24.271	366.2	0.191	
									75	16.25	33.67		24.689	326.3	0.279	
									100	13.41	33.74		25.356	262.9	0.353	
									125	12.31	33.97		25.751	225.3	0.414	
									150	12.04	34.30		26.058	196.1	0.468	
									200	11.59	34.58		26.360	167.4	0.561	
									250	10.84	34.61		26.520	152.2	0.644	
									300	9.99	34.54		26.615	143.3	0.721	
									400	8.70	34.50		26.795	126.2	0.862	
									500	7.45	34.47		26.959	110.6	0.989	
									600	6.48	34.46		27.101	97.1	1.101	
									700	5.61	34.47		27.205	87.3	1.202	
									800	5.03	34.46		27.262	80.0	1.295	
									1000	4.24	34.53		27.409	67.9	1.461	

RV DAVID STARR JORDAN										CALCOFI CRUISE 7202						
	LATITUDE	LONGITUDE	MO/DAY/YR			MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
	21 46.0N	112 13.0W	2/17/72			0639 GMT			3169M	320	4KT					
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD	
0	20.85	34.368	5.49	0.34	2.	0.00	0.0	384.9	0	20.85	34.368	5.49	24.075	384.9	0.000	
10	20.85	34.364	5.38	0.35	2.	0.00	0.0	385.2	10	20.85	34.364	5.38	24.071	385.2	0.039	
30	20.87	34.361	5.37	0.33	2.	0.06	0.0	385.9	20	20.86	34.363	5.38	24.068	385.5	0.077	
55	19.39	34.072	5.62	0.27	2.	0.00	0.0	369.7	30	20.87	34.361	5.37	24.064	385.9	0.116	
70	17.28	33.847	5.66	0.35	3.	0.07	0.2	336.3	50	19.85	34.186	5.57	24.200	373.0	0.192	
85	14.50	33.613	5.21	0.65	5.	0.11	2.4	293.7	75	16.30	33.742	5.58	24.732	322.3	0.279	
100	13.31	33.793	3.96	1.16	11.	0.02	11.2	257.1	100	13.31	33.793	3.96	25.417	257.1	0.352	
130	12.53	34.147	2.28	1.96	21.	0.04	20.9	216.4	125	12.59	34.093	2.51	25.791	221.5	0.413	
155	11.88	34.400	1.19	2.47	31.	0.01	26.8	185.9	150	11.99	34.358	1.37	26.111	191.1	0.465	
179	11.71	34.504	0.77	2.59	33.	0.03	28.4	175.2	200	11.58	34.580	0.52	26.361	167.3	0.557	
214	11.46	34.614	0.40	2.78		0.00	27.8	162.6	250	10.76	34.603	0.38	26.527	151.5	0.639	
278	10.15	34.562	0.36	2.83	43.	0.00	29.2	144.2	300	9.85	34.554	0.34	26.650	139.9	0.715	
378	8.96	34.530	0.26	3.01	52.	0.03	31.8	127.9	400	8.68	34.520	0.24	26.813	124.4	0.854	
476	7.74	34.489	0.21	3.16	64.	0.00	34.9	113.1	500	7.49	34.488	0.21	26.967	109.8	0.979	
608	6.50	34.494	0.22	3.30	79.	0.08	39.8	96.3	600	6.57	34.494	0.22	27.100	97.2	1.092	
760	5.34	34.495	0.28	3.41	93.	0.00		82.3	700	5.76	34.494	0.25	27.205	87.3	1.193	
905	4.58	34.512	0.36	3.42		0.00	42.8	72.8	800	5.10	34.499	0.30	27.288	79.4	1.285	
1107	3.90	34.542	0.62	3.39		0.05	44.7	63.6	1000	4.21	34.527	0.46	27.410	67.9	1.451	

RV DAVID STARR JORDAN						CALCOFI CRUISE 7202									
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
21 27.0N		112 50.5W		2/17/72		1129 GMT			3834M	350	12KT				
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
									0	20.46	34.32		24.142	378.4	0.000
									10	20.27	34.29		24.170	375.8	0.038
									20	19.80	34.22		24.240	369.1	0.075
									30	19.20	34.07		24.281	365.2	0.112
									50	18.13	33.92		24.434	350.6	0.184
									75	15.16	33.56		24.849	311.1	0.267
									100	13.30	33.71		25.355	263.0	0.339
									125	12.14	34.02		25.822	218.5	0.400
									150	11.15	34.20		26.146	187.8	0.452
									200	11.36	34.56		26.402	163.4	0.542
									250	10.57	34.55		26.522	152.1	0.623
									300	9.84	34.57		26.664	138.6	0.699
									400	8.33	34.46		26.837	122.2	0.836
									500	7.19	34.44		26.973	109.3	0.959
									600	6.45	34.46		27.090	98.2	1.071
									700	5.84	34.47		27.176	90.0	1.174
									800	5.32	34.50		27.263	81.7	1.270
									1000	4.33	34.53		27.400	68.8	1.440

RV DAVID STARR JORDAN

CALCOFI CRUISE 7202

157010

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
22 32.0N	109 22.0W	2/15/72	0007	GMT	2980M	080	7KT	0	080 4 4				
Z	T	S	02	P04 S103	N02 N03	DT	Z	T	S	02	S16T	DT	DD
							0	21.18	34.69		24.229	370.1	0.000
							10	21.04	34.68		24.260	367.2	0.037
							20	20.90	34.71		24.320	361.4	0.073
							30	20.71	34.78		24.425	351.5	0.109
							50	20.48	34.83		24.524	342.0	0.179
							75	17.73	34.90		25.280	270.0	0.256
							100	15.24	34.82		25.799	220.7	0.318
							125	13.46	34.76		26.133	189.0	0.370
							150	12.78	34.76		26.270	176.0	0.416
							200	12.00	34.77		26.430	160.8	0.503
							250	11.26	34.72		26.529	151.3	0.584
							300	10.54	34.68		26.628	142.0	0.660
							400	8.96	34.56		26.816	124.1	0.800
							500	7.50	34.53		26.999	106.8	0.924
							600	6.63	34.51		27.105	96.0	1.034
							700	5.79	34.51		27.214	86.4	1.135
							800	5.26	34.52		27.286	79.6	1.227
							1000	4.35	34.55		27.413	67.5	1.394

RV DAVID STARR JORDAN

CALCOFI CRUISE 7202

157015

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
22 22.5N	109 42.0W	2/18/72	2105	GMT	3169M	070	4KT	0	070 3 4				
Z	T	S	02	P04 S103	N02 N03	DT	Z	T	S	02	S16T	DT	DD
							0	21.60	34.72		24.137	378.9	0.000
							10	21.42	34.76		24.217	371.3	0.036
							20	21.29	34.82		24.298	363.6	0.074
							30	20.94	34.80		24.378	355.9	0.110
							50	19.68	34.81		24.720	323.3	0.179
							75	16.57	34.65		25.366	261.9	0.252
							100	14.40	34.69		25.882	212.8	0.312
							125	13.24	34.71		26.139	188.4	0.363
							150	12.85	34.79		26.279	175.1	0.410
							200	11.81	34.77		26.466	157.4	0.495
							250	11.13	34.72		26.553	149.1	0.574
							300	10.42	34.68		26.649	140.0	0.650
							400	8.85	34.57		26.826	123.2	0.788
							500	7.69	34.53		26.972	109.4	0.913
							600	6.72	34.51		27.093	97.9	1.025
							700	5.93	34.51		27.196	88.1	1.128
							800	5.28	34.52		27.284	79.8	1.221
							1000	4.43	34.55		27.405	68.4	1.389

RV DAVID STARR JORDAN

CALCOFI CRUISE 7202

157020

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
22 13.0N	110 00.0W	2/18/72	1700	GMT	3169M	090	5KT	5	090 4 6				
Z	T	S	02	P04 S103	N02 N03	DT	Z	T	S	02	S16T	DT	DD
							0	21.05	34.57		24.174	375.4	0.000
							10	21.03	34.58		24.187	374.2	0.037
							20	21.03	34.58		24.187	374.2	0.075
							30	21.02	34.58		24.189	373.9	0.112
							50	17.84	34.10		24.643	330.7	0.183
							75	14.28	34.11		25.461	252.9	0.257
							100	14.18	34.54		25.813	219.4	0.316
							125	13.04	34.54		26.040	197.8	0.369
							150	12.54	34.60		26.193	183.2	0.418
							200	11.96	34.70		26.383	165.2	0.507
							250	10.83	34.60		26.514	152.8	0.589
							300	10.01	34.60		26.658	139.1	0.665
							400	8.73	34.56		26.837	122.2	0.803
							500	7.55	34.52		26.984	108.2	0.926
							600	6.62	34.51		27.106	96.6	1.037
							700	5.92	34.52		27.205	87.2	1.138
							800	5.35	34.53		27.284	79.8	1.231
							1000	4.42	34.56		27.414	67.5	1.399

RV DAVID STARR JORDAN

CALCOFI CRUISE 7202

157020

LATITUDE 22 13.0N		LONGITUDE 110 00.0W		MO/DAY/YR 2/18/72		MESSENGER 1759 GMT		TIME	BOTTOM 3169M	WIND 090	SPEED 5KT	WEATHER 0	DOMINANT WAVES 090 4 6		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD
0	21.10	34.576	5.30	0.35	2.	0.00	0.0	376.3	0	21.10	34.576	5.30	24.165	376.3	0.000
10	21.00	34.580	5.32	0.35	2.	0.03	0.0	373.4	10	21.00	34.580	5.32	24.195	373.4	0.038
30	20.99	34.583	5.34	0.38	2.	0.00	0.1	372.9	20	21.00	34.583	5.33	24.197	373.2	0.075
56	19.63	34.444	4.91	0.65	4.	0.28	1.4	348.6	30	20.99	34.583	5.34	24.200	372.9	0.112
71	16.71	34.206	3.25	1.91	11.	0.11	10.3	297.4	50	19.94	34.475	5.01	24.396	354.2	0.185
86	14.20	34.114	2.90	1.65U	14.	0.06	15.6	251.0	75	15.89	34.146	3.17	25.135	283.9	0.266
101	14.35	34.544	0.90	2.48	24.	0.01	23.7	222.5	100	14.34	34.522	1.04	25.765	224.0	0.330
131	12.98	34.564	0.66	2.59	29.	0.00	26.8	194.2	125	13.15	34.560	0.71	26.041	197.7	0.383
156	12.51	34.631	0.40	2.62	32.	0.02	26.9	180.4	150	12.60	34.613	0.45	26.190	183.5	0.432
181	12.06	34.678	0.36	2.53U	35.	0.02	26.9	168.7	200	11.89	34.695	0.32	26.392	164.3	0.521
215	11.76	34.698	0.29	2.81	36.	0.03	25.9	161.8	250	11.05	34.678	0.23	26.535	150.8	0.602
279	10.39	34.651	0.20	2.57U	42.	0.15	26.0	141.6	300	10.06	34.635	0.19	26.675	137.5	0.678
376	9.06	34.573	0.15	3.09	52.	0.01	30.7	126.2	400	8.72	34.559	0.16	26.838	122.1	0.814
473	7.74	34.529	0.21	3.06	64.	0.03	32.0	110.2	500	7.43	34.523	0.20	27.004	106.3	0.937
603	6.43	34.513	0.15	3.36	81.	0.00	30.9U	94.0	600	6.45	34.513	0.15	27.131	94.3	1.045
753	5.52	34.515	0.23A	3.40	92.	0.02	41.8	82.9	700	5.80	34.514	0.19	27.216	86.3	1.145
898	4.80	34.525	0.40A	3.46	103.	0.01	44.1	74.1	800	5.27	34.518	0.28	27.283	79.9	1.237
1108	4.01	34.551	0.53		120.	0.08		64.0	1000	4.38	34.537	0.48	27.400	66.8	1.405

RV DAVID STARR JORDAN

CALCOFI CRUISE 7202

157025

LATITUDE 22 02.5N		LONGITUDE 110 19.0W		MO/DAY/YR 2/18/72		MESSENGER 1409 GMT		TIME	BOTTOM 3263M	WIND 360	SPEED 12KT	WEATHER 0	DOMINANT WAVES 360 2 3		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD
0	21.08	34.59							0	21.08	34.59		24.181	374.7	0.000
10	21.08	34.59							10	21.08	34.59		24.181	374.7	0.037
20	21.05	34.59							20	21.05	34.59		24.189	374.0	0.075
30	20.91	34.58							30	20.91	34.58		24.219	371.1	0.112
50	19.79	34.47							50	19.79	34.47		24.433	350.7	0.185
75	16.98	34.31							75	16.98	34.31		25.009	295.8	0.266
100	13.24	34.10							100	13.24	34.10		25.668	233.2	0.333
125	12.79	34.42							125	12.79	34.42		26.005	201.1	0.388
150	12.49	34.63							150	12.49	34.63		26.226	180.1	0.436
200	12.02	34.74							200	12.02	34.74		26.402	163.4	0.525
250	11.43	34.72							250	11.43	34.72		26.498	154.3	0.607
300	10.60	34.65							300	10.60	34.65		26.594	145.2	0.685
400	9.14	34.57							400	9.14	34.57		26.779	127.6	0.829
500	7.69	34.53							500	7.69	34.53		26.972	109.4	0.955
600	6.78	34.51							600	6.78	34.51		27.085	98.7	1.068
700	5.96	34.50							700	5.96	34.50		27.185	89.2	1.171
800	5.37	34.51							800	5.37	34.51		27.265	81.6	1.266
1000	4.38	34.55							1000	4.38	34.55		27.410	67.8	1.435

RV DAVID STARR JORDAN

CALCOFI CRUISE 7202

157030

LATITUDE 21 52.5N		LONGITUDE 110 37.5W		MO/DAY/YR 2/18/72		MESSENGER 1103 GMT		TIME	BOTTOM 3169M	WIND 340	SPEED 10KT	WEATHER	DOMINANT WAVES		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD
0	22.03	34.53							0	22.03	34.53		23.873	404.0	0.000
10	22.03	34.54							10	22.03	34.54		23.881	403.3	0.040
20	21.94	34.52							20	21.94	34.52		23.891	402.4	0.081
30	21.80	34.51							30	21.80	34.51		23.922	399.4	0.121
50	21.70	34.49							50	21.70	34.49		23.935	398.2	0.201
75	19.22	34.13							75	19.22	34.13		24.321	361.4	0.296
100	14.25	34.09							100	14.25	34.09		25.452	253.7	0.374
125	14.24	34.57							125	14.24	34.57		25.823	218.4	0.434
150	12.79	34.53							150	12.79	34.53		26.090	193.1	0.486
200	11.90	34.66							200	11.90	34.66		26.379	165.6	0.578
250	11.18	34.66							250	11.18	34.66		26.498	154.4	0.661
300	10.51	34.64							300	10.51	34.64		26.602	144.4	0.739
400	8.93	34.54							400	8.93	34.54		26.790	126.6	0.881
500	7.65	34.50							500	7.65	34.50		26.954	111.1	1.008
600	6.63	34.46							600	6.63	34.46		27.066	100.5	1.123
700	5.89	34.47							700	5.89	34.47		27.170	90.6	1.228
800	5.31	34.50							800	5.31	34.50		27.265	81.6	1.323
1000	4.43	34.54							1000	4.43	34.54		27.397	69.1	1.494

A) THE OXYGEN SAMPLES AT 753 AND 898 METERS APPEAR TO HAVE BEEN REVERSED. THEY ARE ASSUMED TO NOW BE IN THE CORRECT ORDER.

RV DAVID STARR JORDAN

CALCOFI CRUISE 7202

157035

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME			BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
21 42.5N		110 56.0W		2/18/72		0745 GMT			2980M	330	12KT				
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	O2	SI6T	DT	DD
									0	22.80	34.63		23.731	417.6	0.000
									10	22.80	34.63		23.731	417.6	0.042
									20	22.77	34.62		23.733	417.5	0.084
									30	22.05	34.60		23.921	399.5	0.125
									50	21.30	34.49		24.045	387.7	0.204
									75	17.56	34.05		24.672	327.9	0.294
									100	14.44	34.47		25.704	229.8	0.364
									125	13.36	34.58		26.014	200.3	0.418
									150	12.34	34.63		26.256	177.3	0.467
									200	11.67	34.69		26.430	160.8	0.553
									250	10.93	34.67		26.551	149.3	0.633
									300	10.35	34.62		26.615	143.2	0.710
									400	9.00	34.56		26.794	126.2	0.852
									500	7.82	34.52		26.945	112.0	0.979
									600	6.60	34.49		27.066	100.4	1.094
									700	6.07	34.49		27.163	91.3	1.199
									800	5.58	34.50		27.256	82.4	1.296
									1000	4.44	34.53		27.388	70.0	1.468

RV DAVID STARR JORDAN

CALCOFI CRUISE 7202

157035

	LATITUDE	LONGITUDE	MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
	21 42.5N	110 56.0W	2/18/72		0833		GMT	2980M	330	12KT					
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	O2	SI6T	DT	DD
2	22.81	34.619	5.27	0.34	2.	0.00	0.0	418.7	0	22.81	34.619	5.27	23.720	418.7	0.000
12	22.79	34.619	5.11	0.34	2.	0.00	0.0	418.1	10	22.79	34.620	5.13	23.725	418.2	0.042
31	22.10	34.597	5.19	0.34	2.	0.00	0.0	401.1	20	22.55	34.610	5.14	23.788	412.2	0.083
56	21.32		5.23	0.37	2.	0.03	0.0		30	22.15	34.599	5.19	23.892	402.2	0.124
70	19.93	34.305	4.98	0.49	3.	0.18	1.0	366.2	50	21.60	34.532	5.22	23.994	392.5	0.203
85	16.98	34.024	4.06	0.94	7.	0.42	6.7	316.7	75	19.04	34.192	4.77	24.415	352.5	0.296
99	14.14	34.209	2.19	1.85	17.	0.07	18.2	242.8	100	14.13	34.223	2.10	25.579	241.6	0.371
129	13.74	34.591	0.56	2.52	27.	0.06	26.2	206.9	125	13.79	34.541	0.64	25.894	211.7	0.428
153	12.57	34.630	0.33	2.60	32.	0.01	27.7	181.6	150	12.72	34.632	0.36	26.182	184.3	0.479
178	12.05	34.670	0.28	2.72	34.	0.06	27.7	169.1	200	11.61	34.684	0.21	26.435	160.3	0.567
212	11.40	34.685	0.18	2.75	38.	0.03	25.7	156.4	250	10.95	34.681	0.17	26.556	148.8	0.647
277	10.68	34.667	0.17	2.87	41.	0.01	26.5	145.3	300	10.37	34.652	0.17	26.636	141.2	0.722
375	9.33	34.595	0.16	3.300	51.	0.02	29.2	128.7	400	9.04	34.582	0.16	26.804	125.3	0.863
474	8.23	34.542	0.17	3.18	59.	0.04	32.7	116.2	500	7.93	34.531	0.21	26.936	112.7	0.990
607	6.78	34.499	0.35	3.28	76.	0.04	37.8	99.5	600	6.85	34.501	0.34	27.067	100.3	1.106
757	5.64	34.497	0.23	3.580	91.	0.03	41.8	85.7	700	6.02	34.495	0.29	27.172	90.4	1.211
902	4.91	34.511	0.28	3.43	104.	0.10	40.7	76.4	800	5.40	34.501	0.24	27.254	82.6	1.307
1102	4.07	34.535	0.57	3.37	121.	0.10	43.8	65.8	1000	4.47	34.523	0.39	27.378	70.9	1.480

RV DAVID STARR JORDAN

CALCOFI CRUISE 7202

157040

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER			TIME	BOTTOM		WIND	SPEED	WEATHER	DOMINANT WAVES		
21 32.5N		111 14.5W		2/18/72		0432			GMT	3357M		330	4KT				
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	O2	SI6T	DT	DD		
									0	22.30	34.61		23.858	405.5	0.000		
									10	22.27	34.61		23.867	404.7	0.041		
									20	22.23	34.61		23.878	403.6	0.081		
									30	22.22	34.61		23.881	403.3	0.121		
									50	21.86	34.52		23.913	400.3	0.202		
									75	17.28	34.11		24.785	317.2	0.292		
									100	14.37	34.46		25.711	229.1	0.361		
									125	12.69	34.54		26.118	190.4	0.414		
									150	12.34	34.63		26.256	177.3	0.461		
									200	11.80	34.70		26.413	162.4	0.548		
									250	11.00	34.66		26.530	151.3	0.629		
									300	10.32	34.63		26.628	142.0	0.706		
									400	9.03	34.56		26.789	126.7	0.848		
									500	7.72	34.51		26.951	111.3	0.975		
									600	6.89	34.51		27.069	100.1	1.089		
									700	6.10	34.50		27.167	90.9	1.194		
									800	5.51	34.51		27.248	83.2	1.291		
									1000	4.58	34.53		27.372	71.4	1.466		

RV DAVID STARR JORDAN

CALCOFI CRUISE 7202

157050

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
21 12.5N	111 51.5W	2/17/72	2310	GMT	3263M	270	SKT	0	270 4 3			
Z	T	S	02	P04 S103	N02 N03	DT	Z	T	S	02	SI6T	DT DD
							0	22.85	34.60		23.694	421.1 0.000
							10	22.75	34.58		23.708	419.8 0.042
							20	22.06	34.53		23.865	404.8 0.083
							30	22.01	34.54		23.887	402.8 0.124
							50	21.89	34.52		23.905	401.0 0.205
							75	20.20	34.11		24.052	387.1 0.304
							100	15.72	34.33		25.315	266.7 0.386
							125	13.61	34.46		25.870	213.9 0.447
							150	12.79	34.51		26.075	194.5 0.499
							200	11.93	34.67		26.365	166.9 0.591
							250	11.01	34.66		26.529	151.4 0.674
							300	10.23	34.63		26.643	140.5 0.750
							400	8.61	34.55		26.848	121.1 0.888
							500	7.68	34.52		26.965	110.0 1.011
							600	6.77	34.50		27.078	99.3 1.125
							700	6.03	34.51		27.183	89.3 1.228
							800	5.37	34.52		27.273	80.8 1.323
							1000	4.54	34.55		27.393	69.5 1.494

RV DAVID STARR JORDAN

CALCOFI CRUISE 7202

157060

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
20 52.0N	112 29.0W	2/17/72	1650	GMT	2607M	350	SKT	1	330 5 5			
Z	T	S	02	P04 S103	N02 N03	DT	Z	T	S	02	SI6T	DT DD
							0	22.32	34.52		23.785	412.5 0.000
							10	22.29	34.51		23.785	412.5 0.041
							20	22.10	34.50		23.831	408.1 0.082
							30	21.90	34.47		23.864	404.9 0.123
							50	19.68	34.09		24.173	375.5 0.201
							75	16.33	33.85		24.809	314.9 0.288
							100	13.75	34.00		25.487	250.4 0.360
							125	12.76	34.32		25.934	207.9 0.418
							150	11.93	34.35		26.118	190.4 0.468
							200	11.62	34.60		26.370	166.5 0.560
							250	10.85	34.63		26.534	150.9 0.642
							300	10.12	34.61		26.647	140.2 0.717
							400	8.94	34.55		26.796	126.1 0.858
							500	7.46	34.49		26.971	109.5 0.984
							600	6.69	34.48		27.073	99.8 1.097
							700	5.94	34.49		27.179	89.7 1.201
							800	5.35	34.50		27.260	82.1 1.296
							1000	4.46	34.53		27.386	70.2 1.468

RV DAVID STARR JORDAN

CALCOFI CRUISE 7202

157060

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
20 52.0N	112 29.0W	2/17/72	1746	GMT	2607M	350	SKT	1	330 5 5			
Z	T	S	02	P04 S103	N02 N03	DT	Z	T	S	02	SI6T	DT DD
0	22.42	34.515	5.18	0.32	2.	0.00	0.1	415.6	0	22.42	34.515	5.18 23.752 415.6 0.000
10	22.33	34.512	5.13	0.31	2.	0.00	0.1	413.4	10	22.33	34.512	5.13 23.776 413.4 0.041
30	21.94	34.482	5.20	0.34	2.	0.00	2.2	405.1	20	22.21	34.510	5.17 23.807 410.4 0.083
55	20.12	34.228	5.48	0.34	2.	0.00	0.2	376.5	30	21.94	34.482	5.20 23.862 405.1 0.124
70	18.51	34.059	4.89	0.59	4.	0.16	2.6	349.5	50	20.59	34.290	5.42 24.085 383.9 0.203
85	16.24	33.901	4.49	0.89	7.	0.31	5.8	309.3	75	17.76	33.992	4.78 24.578 337.0 0.293
100	14.43	33.976	3.43	1.33	12.	0.04	12.7	265.7	100	14.43	33.976	3.43 25.326 265.7 0.369
129	12.91	34.387	1.36	2.28	26.	0.11	24.3	205.8	125	13.03	34.336	1.59 25.891 211.9 0.430
154	11.91	34.400	1.11	2.38	30.	0.11	26.2	186.4	150	12.03	34.403	1.15 26.140 188.3 0.481
179	11.89	34.584	0.47	2.57	33.	0.00	28.3	172.5	200	11.64	34.634	0.39 26.392 164.4 0.571
213	11.43	34.638		2.77	36.	0.01	28.1	160.3	250	10.91	34.652	0.21 26.540 150.3 0.652
276	10.53	34.643	0.12	2.87	41.	0.02	25.4	144.5	300	10.18	34.630	0.13 26.651 139.8 0.728
372	9.14	34.571	0.17	3.00	52.	0.01	30.3	127.6	400	8.72	34.546	0.17 26.828 123.0 0.866
471	7.73	34.496	0.17	3.14	63.	0.00	34.6	112.5	500	7.44	34.490	0.17 26.976 109.0 0.990
603	6.60	34.489	0.18	3.30	77.	0.00	37.8	98.0	600	6.62	34.489	0.18 27.089 98.3 1.103
753	5.47	34.505	0.21	3.40	93.	0.00	43.0	83.1	700	5.83	34.499	0.20 27.199 87.9 1.205
900	4.81	34.514	0.27	3.45	103.	0.02	44.1	75.1	800	5.23	34.509	0.22 27.281 80.1 1.298
1109	4.08	34.540	0.51	3.41	118.	0.01	40.2	65.6	1000	4.43	34.525	0.36 27.385 70.2 1.468

RV DAVIU STARR JORDAN										CALCOFI CRUISE 7202				1576040			
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
22 48.0N		108 55.0W		2/19/72		0554		GMT		2980M	330	10KT					
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD		
									0	21.62	34.62		24.056	386.7	0.000		
									10	21.63	34.63		24.060	386.2	0.039		
									20	21.60	34.62		24.061	386.2	0.077		
									30	21.20	34.60		24.156	377.1	0.116		
									50	19.66	35.00		24.870	309.1	0.184		
									75	18.79	35.17		25.223	275.4	0.258		
									100	15.51	34.81		25.731	227.2	0.322		
									125	13.46	34.79		26.156	186.8	0.374		
									150	12.58	34.79		26.333	170.0	0.420		
									200	11.81	34.77		26.466	157.4	0.504		
									250	11.21	34.74		26.554	149.0	0.563		
									300	10.58	34.69		26.629	141.9	0.659		
									400	9.01	34.57		26.800	125.6	0.800		
									500	7.48	34.50		26.979	108.7	0.925		
									600	6.60	34.51		27.109	96.4	1.036		
									700	5.85	34.51		27.206	87.2	1.137		
									800	5.39	34.52		27.271	81.0	1.231		
									1000	4.52	34.55		27.395	69.3	1.401		

RV DAVIU STARR JORDAN										CALCOFI CRUISE 7202				1576040			
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
22 48.0N		108 55.0W		2/19/72		0709		GMT		2980M	330	10KT					
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD		
0	21.63	34.621	5.25	0.36	2.	0.00	0.0	386.9	0	21.63	34.621	5.25	24.054	386.9	0.000		
10	21.61	34.622	5.23	0.35	2.	0.09	0.0	386.3	10	21.61	34.622	5.23	24.060	386.3	0.039		
20	21.49	34.626	5.20	0.39	2.	0.00	0.1	382.8	20	21.55	34.625	5.22	24.079	384.5	0.077		
30	19.66	34.977	5.06	0.89	5.	0.36	3.4	310.7	30	21.42	34.640	5.20	24.126	379.9	0.116		
40	19.49	35.010	5.00	0.96	5.	0.39	4.2	304.1	40	19.95	34.917	5.08	24.731	322.3	0.166		
50	14.65	35.207	4.50	1.53	11.	0.04	10.4	269.4	50	19.28	35.117	4.80	25.057	291.2	0.263		
60	16.36	34.800	1.78	2.22	22.	0.05	20.0	246.3	60	16.23	34.790	1.74	25.551	244.3	0.331		
70	13.63	34.777	0.58	2.72	33.	0.02	25.7	191.1	70	13.87	34.752	0.74	26.041	197.7	0.367		
80	12.71	34.777	0.18	2.64	31.	0.95	25.2	173.4	80	12.80	34.778	0.21	26.279	175.1	0.435		
90	12.25	34.760	0.15	2.65	32.	2.81	24.9	164.6	90	11.97	34.776	0.16	26.441	159.7	0.521		
100	11.81	34.771	0.17	2.68	34.	2.81	24.1	157.3	100	11.33	34.746	0.16	26.536	150.7	0.601		
110	10.98	34.722	0.15	2.80	38.	2.43	23.7	146.3	110	10.67	34.702	0.15	26.622	142.6	0.677		
120	9.56	34.630	0.15	2.98	44.	0.63	26.6	129.7	120	9.09	34.605	0.16	26.813	124.4	0.818		
130	7.76	34.545	0.18	3.15	65.	0.02	32.2	109.3	130	7.42	34.536	0.18	27.015	105.3	0.941		
140	6.39	34.519	0.16	3.29	79.	0.02	36.7	93.1	140	6.43	34.520	0.16	27.138	93.6	1.049		
150	5.47	34.513	0.20	3.41	92.	0.00	41.4	82.5	150	5.76	34.514	0.18	27.220	85.8	1.148		
160	4.86	34.524	0.26	3.40	102.	0.03		74.9	160	5.27	34.516	0.21	27.281	80.1	1.240		
170	4.05	34.548	0.50	3.37	117.			64.7	170	4.47	34.534	0.35	27.387	69.9	1.410		

RV DAVIU STARR JORDAN										CALCOFI CRUISE 7202				1576070			
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
23 02.5N		108 27.0W		2/19/72		1123		GMT		2602M	330	9KT					
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD		
0	20.31	34.84							0	20.31	34.84		24.577	336.9	0.000		
10	20.31	34.84							10	20.31	34.84		24.577	336.9	0.034		
20	20.31	34.85							20	20.31	34.85		24.565	336.2	0.067		
30	19.90	34.92							30	19.90	34.92		24.746	320.8	0.100		
40	18.12	35.03							40	18.12	35.03		25.284	269.7	0.160		
50	17.15	35.01							50	17.15	35.01		25.504	248.7	0.225		
60	13.94	34.78							60	13.94	34.78		26.048	197.0	0.281		
70	13.25	34.79							70	13.25	34.79		26.203	182.4	0.330		
80	12.54	34.76							80	12.54	34.76		26.333	170.0	0.375		
90	11.74	34.76							90	11.74	34.76		26.471	156.9	0.458		
100	11.10	34.71							100	11.10	34.71		26.551	149.3	0.538		
110	10.23	34.65							110	10.23	34.65		26.659	139.0	0.613		
120	8.79	34.58							120	8.79	34.58		26.843	121.6	0.750		
130	7.27	34.52							130	7.27	34.52		27.024	104.4	0.871		
140	6.49	34.52							140	6.49	34.52		27.131	94.3	0.979		
150	5.92	34.51							150	5.92	34.51		27.197	88.0	1.079		
160	5.25	34.52							160	5.25	34.52		27.288	79.5	1.172		
170	4.55	34.55							170	4.55	34.55		27.392	69.6	1.341		

RV DAVID STARR JORDAN						CALCOFI CRUISE 7202						1576100			
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
23 18.0N		107 58.0W		2/19/72		1552		GMT	2509M	340	10KT	0	340 1 3		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S10T	DT	DD
									0	20.64	34.85		24.497	344.6	0.000
									10	20.63	34.85		24.499	344.3	0.034
									20	20.63	34.85		24.499	344.3	0.069
									30	20.17	34.80		24.584	336.3	0.103
									40	19.05	34.99		25.020	294.8	0.166
									50	16.69	34.72		25.392	259.4	0.236
									60	14.31	34.74		25.939	207.4	0.295
									70	13.36	34.72		26.122	190.0	0.346
									80	12.88	34.76		26.250	177.9	0.393
									90	11.90	34.73		26.418	161.9	0.460
									200	11.36	34.72		26.518	152.4	0.561
									300	10.60	34.67		26.596	145.1	0.639
									400	9.24	34.60		26.787	126.9	0.782
									500	8.00	34.55		26.941	112.3	0.910
									600	6.94	34.53		27.078	99.3	1.025
									700	6.08	34.52		27.185	89.2	1.129
									800	5.51	34.52		27.256	82.4	1.224
									1000	4.66	34.58		27.379	70.8	1.398

RV DAVID STARR JORDAN										CALCOFI CRUISE 7202										1576100
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
23 18.0N		107 58.0W		2/19/72		1648 GMT			2509M	340	3KT	0	340 4 3							
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	U2	SIGT	DT	DD					
0	20.73	34.843	5.44	0.52	1.	0.00	0.0	347.4	0	20.73	34.843	5.44	24.467	347.4	0.000					
10	20.61	34.848	5.46	0.52	1.	0.00	0.0	344.0	10	20.61	34.848	5.46	24.503	344.0	0.035					
30	19.98	34.811	5.37	0.61	2.	0.03	0.0	330.7	20	20.35	34.824	5.42	24.555	339.0	0.069					
55	18.74	34.974	4.85	1.02	4.	0.21	0.0	288.5	30	19.98	34.811	5.37	24.643	330.7	0.102					
70	17.58	34.961	3.00	1.89	17.	0.01	3.9	262.1	50	19.04	34.941	4.95	24.984	298.2	0.166					
85	15.07	34.573	1.03	2.18	23.	0.03	22.2	235.2	75	16.74	34.816	2.27	25.454	253.5	0.235					
100	14.03	34.734	0.55	2.28	30.	0.01	21.4	202.2	100	14.03	34.734	0.55	25.994	202.2	0.293					
130	13.12	34.765	0.55	2.65	33.	0.01	21.9	182.1	125	13.20	34.775	0.55	26.198	182.8	0.342					
156	12.82	34.773	0.35		35.	0.03	19.8	175.8	150	12.88	34.772	0.40	26.260	176.9	0.387					
180	12.38	34.786	0.28	2.56U	36.	0.02	20.6	166.6	200	11.97	34.776	0.27	26.439	159.9	0.474					
214	11.70	34.764	0.27	2.74	40.	0.04	22.3	155.9	250	11.18	34.733	0.23	26.954	149.0	0.554					
279	10.82	34.70	0.19		43.	0.06		144.9	300	10.52	34.685	0.17	26.635	141.3	0.630					
375	9.45	34.622	0.14	2.92	52.	0.01	24.5	128.6	400	9.12	34.607	0.14	26.810	124.7	0.770					
471	8.25	34.563	0.15		64.	0.04	22.3U	114.5	500	7.92	34.557	0.15	26.958	110.7	0.896					
600	6.91	34.531	0.17	3.01	79.	0.00		98.8	600	6.91	34.531	0.17	27.083	98.8	1.010					
749	5.70	34.521	0.23	3.01U	93.	0.01	35.6	84.6	700	6.05	34.522	0.21	27.190	88.7	1.113					
894	5.00	34.521	0.28	3.31	105.	0.00	40.3	76.6	800	5.42	34.521	0.25	27.267	81.4	1.208					
1100	4.24	34.544	0.39		120.	0.06		66.9	1000	4.57	34.531	0.33	27.373	71.4	1.381					

RV DAVID STARR JORDAN						CALCOFI CRUISE 7202						1576130			
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES						
23 32.0N	107 31.0W	2/19/72	2123	GMT	975M	310	8KT	2	310 2 2						
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	U2	SIGT	DT	DD
									0	20.45	34.92		24.601	334.7	0.000
									10	19.45	34.94		24.879	308.2	0.032
									20	19.26	34.96		24.943	302.1	0.063
									30	18.82	34.95		25.048	292.1	0.093
									50	17.70	35.04		25.395	259.1	0.148
									75	16.05	34.69		25.517	247.5	0.212
									100	13.65	34.66		26.016	200.1	0.268
									125	13.02	34.71		26.183	184.2	0.317
									150	12.43	34.74		26.323	170.9	0.362
									200	11.90	34.75		26.433	160.5	0.447
									250	11.35	34.71		26.505	153.6	0.529
									300	10.64	34.68		26.610	143.6	0.606
									400	9.24	34.60		26.787	126.9	0.749
									500	7.84	34.54		26.957	110.7	0.876
									600	6.95	34.52		27.069	100.2	0.991
									700	6.15	34.51		27.168	90.8	1.096
									800	5.63	34.53		27.250	83.1	1.193

RV DAVID STARR JORDAN						CALCOFI CRUISE 7202								1576150	
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
23 43.0N		107 12.0W		2/20/72		0035 GMT			82M	330	8KT	1	310 1 2		
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	U2	SIGT	DT	DD
									0	19.71	34.98		24.842	311.7	0.000
									10	19.36	35.00		24.948	301.6	0.031
									20	18.86	35.03		25.098	287.3	0.060
									30	18.25	35.00		25.229	274.9	0.088
									50	15.00	34.50		25.606	239.1	0.140

RV DAVID STARR JORDAN										CALCOFI CRUISE 7202							1576150	
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES					
23 43.0N		107 12.0W		2/20/72		0105 GMT			82M	330	8KT	1	310 1 2					
Z	T	S	U2	P04	S103	N02	N03	DT	Z	T	S	U2	SIGT	DT	DD			
1	19.51	34.957	6.00	0.79	2.	0.05	0.6	308.5	0	19.51	34.957	6.00	24.876	308.5	0.000			
12	19.14	34.948	5.99	0.76	2.	0.05	0.5	300.0	10	19.22	34.951	5.99	24.946	301.9	0.031			
22	18.63	34.929	5.26	1.01	3.	0.33	3.5	289.1	20	18.74	34.928	5.45	25.053	291.7	0.060			
32	18.19	35.024	4.15	1.57	8.	0.98	9.4	271.7	30	18.31	35.008	4.40	25.219	275.9	0.089			
51	14.65	34.769	0.86	2.60	28.	0.08	24.2	212.2	50	14.92	34.792	1.07	25.847	216.2	0.138			

RV ALEXANDER AGASSIZ

CALCOFT CRUISE 7202

TLM METER DATA

60.050 02/27/72 0221GMT 37 57.5N 122 53.0W
 BOTTOM 45M WIND 330 15KT WEATHER 1
 DOMINANT WAVES 310 03 03

60.055 02/27/72 0600GMT 37 48.0N 123 15.5W
 BOTTOM 97M WIND 070 08KT WEATHER 4
 DOMINANT WAVES 49

60.065 02/27/72 1430GMT 37 25.5N 124 04.0W
 BOTTOM 3704M WIND 200 07KT WEATHER 2
 DOMINANT WAVES 250 03 04

63.050 02/26/72 2214GMT 37 23.5N 122 28.0W
 BOTTOM 26M WIND 010 15KT WEATHER 1
 DOMINANT WAVES 290 02 04

63.052 02/26/72 2014GMT 37 19.0N 122 36.5W
 BOTTOM 86M WIND 090 08KT WEATHER 4
 DOMINANT WAVES 240 03 07

63.055 02/26/72 1817GMT 37 13.0N 122 50.0W
 BOTTOM 288M WIND 040 02KT WEATHER 4
 DOMINANT WAVES 230 02 05

63.065 02/26/72 1107GMT 36 52.5N 123 32.0W
 BOTTOM 3268M WIND 090 02KT WEATHER
 DOMINANT WAVES 49

63.070 02/26/72 0657GMT 36 41.5N 123 56.0W
 BOTTOM 3870M WIND 200 06KT WEATHER
 DOMINANT WAVES 49

67.048 02/25/72 0130GMT 36 51.0N 122 00.5W
 BOTTOM 75M WIND 290 15KT WEATHER 1
 DOMINANT WAVES 280 04 08

67.055 02/25/72 0600GMT 36 38.5N 122 25.5W
 BOTTOM 2222M WIND 340 05KT WEATHER 1
 DOMINANT WAVES

67.065 02/25/72 2205GMT 36 19.0N 123 08.5W
 BOTTOM 2832M WIND 320 08KT WEATHER 2
 DOMINANT WAVES 320 03 06

67.070 02/26/72 0130GMT 36 08.0N 123 29.5W
 BOTTOM 3493M WIND 300 04KT WEATHER 1
 DOMINANT WAVES 280 05 08

70.051 02/24/72 2010GMT 36 10.5N 121 46.0W
 BOTTOM 403M WIND 010 15KT WEATHER 1
 DOMINANT WAVES 280 04 09

Z	T	S	02	0T
10	10.72	33.239	8.13	251.4
10	10.54	33.146	6.73	255.3
10	11.20	32.984	4.21	278.4
10	11.54	33.282	7.82	262.2
10	11.34	33.226	7.12	262.9
10	11.80	33.472	6.57	252.8
10	11.69	33.337	6.43	260.8
10	11.70	32.801	6.44	300.5
10	11.64	33.078	6.20	279.0
10	11.39	33.168	5.65	268.0
10	11.70	33.457	6.70	252.1
10	11.76		6.29	
10	11.68		6.44	

RV ALEXANDER AGASSIZ

CALCOFI CRUISE 7202

THERMOMETER DATA

			Z	T	S	02	DT
70.065	02/24/72 0715GMT 35 43.0N 122 45.0W BOTTOM 2456M WIND 310 06KT WEATHER DOMINANT WAVES 49		10	12.08	33.143	6.16	282.0
70.070	02/24/72 0449GMT 35 33.0N 123 05.5W BOTTOM 3830M WIND 360 06KT WEATHER 0 DOMINANT WAVES 49		10	11.82	32.981	6.49	289.3
70.090	02/23/72 1415GMT 34 53.0N 124 30.0W BOTTOM 4212M WIND 260 06KT WEATHER 1 DOMINANT WAVES 290 08 09		10	12.42	32.911	5.99	305.3
73.050	02/22/72 0806GMT 35 37.0N 121 17.5W BOTTOM 104M WIND 090 06KT WEATHER 6 DOMINANT WAVES 49		10	11.51	33.526	6.04	243.7
73.053	02/22/72 1114GMT 35 31.5N 121 28.5W BOTTOM 744M WIND 020 07KT WEATHER 4 DOMINANT WAVES 49		10	11.84	33.508	6.53	250.9
73.065	02/22/72 2020GMT 35 06.0N 122 20.5W BOTTOM 4014M WIND 170 06KT WEATHER 4 DOMINANT WAVES 290 10 09		10	12.51	33.339	5.69	275.4
73.070	02/22/72 2314GMT 34 57.0N 122 41.0W BOTTOM 4053M WIND 200 04KT WEATHER 1 DOMINANT WAVES 220 08 07		10	11.55	32.908	6.33	290.0
73.080	02/23/72 0343GMT 34 38.5N 123 21.5W BOTTOM 4147M WIND 020 07KT WEATHER DOMINANT WAVES 49		10	11.61	32.849	6.46	295.4
73.090	02/23/72 0930GMT 34 19.0N 123 04.0W BOTTOM 3775M WIND 280 11KT WEATHER 0 DOMINANT WAVES 280 08 08		10	12.60	32.937	6.29	306.6
77.048	02/17/72 1908GMT 35 08.0N 120 43.0W BOTTOM 24M WIND 210 10KT WEATHER 4 DOMINANT WAVES 300 02 09		10	11.32	33.567	5.95	237.4
77.055	02/17/72 1330GMT 34 54.5N 121 12.5W BOTTOM 558M WIND 020 11KT WEATHER 0 DOMINANT WAVES 49		10	11.56	33.409	6.29	253.2
77.065	02/17/72 0620GMT 34 33.0N 121 54.0W BOTTOM 3918M WIND 340 18KT WEATHER DOMINANT WAVES		10	12.93	33.377	6.11	280.4
77.070	02/17/72 0151GMT 34 25.0N 122 15.0W BOTTOM 3957M WIND 350 18KT WEATHER 1 DOMINANT WAVES 340 11 06		10	12.39	33.342	6.37	273.0

RV ALEXANDER AGASSIZ

CALCOFT CRUISE 7202

TEN METER DATA

					Z	T	S	02	DT
77.080	02/16/72	2003GMT	34 05.0N	122 56.0W	10	11.26	32.949	6.48	282.0
	BOTTOM	4241M	WIND 350 14KT	WEATHER 1					
	DOMINANT WAVES	340 11 06							
77.090	02/16/72	1425GMT	33 45.5N	123 39.0W	10	11.60	32.926	6.37	289.5
	BOTTOM	4864M	WIND 360 23KT	WEATHER 1					
	DOMINANT WAVES	360 10 05							
80.051	02/13/72	1045GMT	34 26.0N	120 32.5W	10	12.49	33.360	6.33	273.5
	BOTTOM	101M	WIND 310 10KT	WEATHER					
	DOMINANT WAVES	49							
80.053	02/13/72	0725GMT	34 22.5N	120 40.5W	10	12.34	33.376	6.35	269.6
	BOTTOM	491M	WIND 320 15KT	WEATHER 0					
	DOMINANT WAVES	49							
80.055	02/13/72	0536GMT	34 19.0N	120 48.5W	10	12.00	33.580	6.37	248.4
	BOTTOM	796M	WIND 330 20KT	WEATHER 0					
	DOMINANT WAVES								
80.070	02/12/72	0520GMT	33 49.0N	121 51.0W	10	11.54	33.248	6.59	264.7
	BOTTOM	3657M	WIND 350 15KT	WEATHER					
	DOMINANT WAVES	49							
80.080	02/11/72	1435GMT	33 28.0N	122 31.0W	10	11.57	33.169	6.56	271.1
	BOTTOM	3977M	WIND 140 03KT	WEATHER 1					
	DOMINANT WAVES	240 08 10							
82.047	02/13/72	1353GMT	34 15.0N	119 59.0W	10	12.66	33.516	6.60	265.2
	BOTTOM	565M	WIND 150 04KT	WEATHER 0					
	DOMINANT WAVES	49							
83.040	02/13/72	1950GMT	34 13.5N	119 22.0W	10	12.56	33.517	6.82	263.2
	BOTTOM	22M	WIND 300 04KT	WEATHER 0					
	DOMINANT WAVES	270 03 06							
83.051	02/13/72	0034GMT	33 52.0N	120 07.5W	10	12.62	33.480	6.40	267.1
	BOTTOM	108M	WIND 310 18KT	WEATHER 0					
	DOMINANT WAVES	310 02 05							
83.055	02/12/72	2126GMT	33 44.0N	120 25.0W	10	12.38	33.484	6.43	262.4
	BOTTOM	999M	WIND 350 10KT	WEATHER 0					
	DOMINANT WAVES	310 07 09							
83.070	02/12/72	0030GMT	33 14.5N	121 26.0W	10	13.09	33.290	6.30	289.8
	BOTTOM	3545M	WIND 360 08KT	WEATHER 1					
	DOMINANT WAVES	320 10 09							
83.080	02/11/72	1930GMT	32 53.0N	122 08.0W	10	12.20	33.279	6.51	274.2
	BOTTOM	4193M	WIND 050 09KT	WEATHER 1					
	DOMINANT WAVES	350 05 08							

RV ALEXANDER AGASSIZ

CALCOFI CRUISE 7202

TEN FILTER DATA

			Z	T	S	02	DT
83.090	02/11/72 0300GMT 32 36.5N 122 54.0W BOTTOM 4116M WIND 070 09KT WEATHER 1 DOMINANT WAVES 49		10	12.65	33.262	6.37	283.7
90.032	02/09/72 0156GMT 33 20.5N 118 02.5W BOTTOM 741M WIND 290 04KT WEATHER 4 DOMINANT WAVES 270 03 10		10	12.92	33.474		273.1
90.045	02/09/72 1157GMT 32 55.0N 118 56.0W BOTTOM 1692M WIND 280 07KT WEATHER DOMINANT WAVES		10	12.11	33.527	6.26	254.3
90.053	02/09/72 1745GMT 32 38.5N 119 28.0W BOTTOM 1276M WIND 290 06KT WEATHER 2 DOMINANT WAVES 330 04 10		10	12.64	33.440	6.31	270.4
90.070	02/10/72 0448GMT 32 06.0N 120 36.5W BOTTOM 3641M WIND 120 04KT WEATHER DOMINANT WAVES 49		10	13.06	33.274	6.32	290.4
90.090	02/10/72 1735GMT 31 21.0N 121 58.0W BOTTOM 3737M WIND 110 08KT WEATHER 1 DOMINANT WAVES 270 07 08		10	13.90	33.424	6.12	295.6

RV ALASKA

CALCOFI CRUISE 7202

TEN METER DATA

						Z	T	S	02	DT
87.033	02/08/72	2146GMT	33	54.0N	118 29.5W	10	12.64	33.434		270.8
		BOTTOM	M	WIND	KT WEATHER					
		DOMINANT WAVES								
87.035	02/09/72	0048GMT	33	50.0N	118 37.0W	10	12.88	33.464		273.1
		BOTTOM	M	WIND	KT WEATHER					
		DOMINANT WAVES								
87.040	02/09/72	0445GMT	33	40.0N	118 57.5W	10	12.88	33.475		272.3
		BOTTOM	M	WIND	KT WEATHER					
		DOMINANT WAVES								
87.045	02/09/72	0845GMT	33	30.0N	119 20.0W	10	12.88	33.461		273.3
		BOTTOM	M	WIND	KT WEATHER					
		DOMINANT WAVES								
87.050	02/09/72	1244GMT	33	20.0N	119 39.5W	10	11.80	33.488		251.6
		BOTTOM	M	WIND	KT WEATHER					
		DOMINANT WAVES								
87.055	02/09/72	1558GMT	33	09.0N	119 59.5W	10	12.87	33.376		279.4
		BOTTOM	M	WIND	KT WEATHER					
		DOMINANT WAVES								
87.060	02/09/72	1937GMT	32	59.5N	120 21.0W	10	13.22	33.316		290.4
		BOTTOM	M	WIND	KT WEATHER					
		DOMINANT WAVES								
87.070	02/10/72	0238GMT	32	41.0N	121 00.0W	10	13.78	33.380		296.5
		BOTTOM	M	WIND	KT WEATHER					
		DOMINANT WAVES								
87.080	02/10/72	0915GMT	32	20.0N	121 42.0W	10	13.26	33.317		291.1
		BOTTOM	M	WIND	KT WEATHER					
		DOMINANT WAVES								
87.090	02/10/72	1500GMT	32	00.0N	122 24.0W	10	13.29	33.296		293.2
		BOTTOM	M	WIND	KT WEATHER					
		DOMINANT WAVES								
93.027	02/14/72	0122GMT	32	56.0N	117 19.0W	10	12.72	33.488		268.3
		BOTTOM	M	WIND	KT WEATHER					
		DOMINANT WAVES								
93.028	02/14/72	0015GMT	32	54.5N	117 22.0W	10	13.04	33.457		276.6
		BOTTOM	M	WIND	KT WEATHER					
		DOMINANT WAVES								
93.030	02/13/72	2030GMT	32	50.5N	117 31.0W	10	13.38	33.480		281.4
		BOTTOM	M	WIND	KT WEATHER					
		DOMINANT WAVES								

RV ALASKA

CALCOFI CRUISE 7202

TEN METER DATA

						Z	T	S	02	DT
93.035	02/13/72	1706GMT	32	40.5N	117 51.5W	10	13.19	33.465		278.9
	BOTTOM	M WIND			KT WEATHER					
	DOMINANT WAVES									
93.040	02/13/72	1219GMT	32	30.0N	118 11.0W	10	13.44	33.475		282.9
	BOTTOM	M WIND			KT WEATHER					
	DOMINANT WAVES									
93.045	02/13/72	0809GMT	32	20.0N	118 32.0W	10	13.83	33.428		293.9
	BOTTOM	M WIND			KT WEATHER					
	DOMINANT WAVES									
93.050	02/13/72	0414GMT	32	10.0N	118 52.5W	10	13.78	33.437		292.3
	BOTTOM	M WIND			KT WEATHER					
	DOMINANT WAVES									
93.055	02/13/72	0026GMT	32	00.0N	119 13.0W	10	13.97	33.362		301.5
	BOTTOM	M WIND			KT WEATHER					
	DOMINANT WAVES									
93.060	02/12/72	2130GMT	31	50.0N	119 34.0W	10	13.50	33.430		287.4
	BOTTOM	M WIND			KT WEATHER					
	DOMINANT WAVES									
93.070	02/12/72	1455GMT	31	30.0N	120 13.0W	10	13.51	33.411		289.0
	BOTTOM	M WIND			KT WEATHER					
	DOMINANT WAVES									
93.080	02/12/72	0836GMT	31	10.0N	120 54.0W	10	13.49	33.316		295.6
	BOTTOM	M WIND			KT WEATHER					
	DOMINANT WAVES									
93.090	02/12/72	0503GMT	30	50.0N	121 34.5W	10	13.99	33.390		299.9
	BOTTOM	M WIND			KT WEATHER					
	DOMINANT WAVES									
93.100	02/11/72	2049GMT	30	30.0N	121 13.0W	10	14.48	33.538		298.8
	BOTTOM	M WIND			KT WEATHER					
	DOMINANT WAVES									
93.110	02/11/72	1502GMT	30	08.0N	122 55.0W	10	15.03	33.619		304.1
	BOTTOM	M WIND			KT WEATHER					
	DOMINANT WAVES									
93.120	02/11/72	0855GMT	29	48.5N	123 34.0W	10	14.28	33.416		303.7
	BOTTOM	M WIND			KT WEATHER					
	DOMINANT WAVES									
97.029	02/15/72	0810GMT	32	17.5N	117 04.5W	10	12.40	33.545		258.2
	BOTTOM	M WIND			KT WEATHER					
	DOMINANT WAVES									

RV ALASKA

CALCUFFI CRUISE 7202

TEN METER DATA

						Z	T	S	02	DT
97.030	02/15/72	0915GMT	32	16.0N	117 07.0W	10	12.42	33.522		260.3
		BOTTOM	M	WIND	KT WEATHER					
		DOMINANT WAVES								
97.032	02/15/72	1118GMT	32	12.0N	117 15.0W	10	13.84	33.454		292.2
		BOTTOM	M	WIND	KT WEATHER					
		DOMINANT WAVES								
97.035	02/15/72	1420GMT	32	05.5N	117 27.5W	10	13.77	33.465		290.0
		BOTTOM	M	WIND	KT WEATHER					
		DOMINANT WAVES								
97.040	02/15/72	1725GMT	31	55.5N	117 48.0W	10	13.67	33.468		287.9
		BOTTOM	M	WIND	KT WEATHER					
		DOMINANT WAVES								
97.045	02/15/72	2125GMT	31	46.0N	118 08.0W	10	13.82	33.441		292.8
		BOTTOM	M	WIND	KT WEATHER					
		DOMINANT WAVES								
97.050	02/16/72	0125GMT	31	36.0N	118 30.0W	10	14.32	33.469		300.6
		BOTTOM	M	WIND	KT WEATHER					
		DOMINANT WAVES								
97.055	02/16/72	0535GMT	31	24.0N	118 49.0W	10	14.50	33.456		305.2
		BOTTOM	M	WIND	KT WEATHER					
		DOMINANT WAVES								
97.060	02/16/72	0850GMT	31	15.0N	119 10.0W	10	14.94	33.434		315.8
		BOTTOM	M	WIND	KT WEATHER					
		DOMINANT WAVES								
97.070	02/16/72	1550GMT	30	54.0N	119 50.0W	10	12.72	33.399		274.9
		BOTTOM	M	WIND	KT WEATHER					
		DOMINANT WAVES								
97.080	02/16/72	2130GMT	30	35.0N	120 30.0W	10	13.29	33.426		283.6
		BOTTOM	M	WIND	KT WEATHER					
		DOMINANT WAVES								
97.090	02/17/72	0438GMT	30	15.0N	121 09.5W	10	13.86	33.437		293.9
		BOTTOM	M	WIND	KT WEATHER					
		DOMINANT WAVES								
103.029	02/19/72	0311GMT	31	07.0N	116 21.0W	10	12.91	33.541		268.0
		BOTTOM	M	WIND	KT WEATHER					
		DOMINANT WAVES								
103.030	02/19/72	0221GMT	31	06.0N	116 24.5W	10	13.40	33.488		281.2
		BOTTOM	M	WIND	KT WEATHER					
		DOMINANT WAVES								

RV ALASKA

CALCOFI CRUISE 7202

TID METER DATA

						Z	T	S	02	0T
103.035	02/18/72	2309GMT	30	56.0N	116 45.0W	10	13.97	33.429		296.6
	BOTTOM	M WIND			KI WEATHER					
	DOMINANT WAVES									
103.040	02/18/72	1950GMT	30	47.0N	117 06.0W	10	13.94	33.421		296.6
	BOTTOM	M WIND			KI WEATHER					
	DOMINANT WAVES									
103.045	02/18/72	1456GMT	30	35.0N	117 24.0W	10	14.16	33.429		300.4
	BOTTOM	M WIND			KI WEATHER					
	DOMINANT WAVES									
103.050	02/18/72	1118GMT	30	26.0N	117 44.0W	10	14.07	33.443		297.6
	BOTTOM	M WIND			KI WEATHER					
	DOMINANT WAVES									
103.055	02/18/72	0727GMT	30	14.0N	118 05.0W	10	14.64	33.534		302.4
	BOTTOM	M WIND			KI WEATHER					
	DOMINANT WAVES									
103.060	02/18/72	0341GMT	30	06.0N	118 25.0W	10	14.78	33.568		302.7
	BOTTOM	M WIND			KI WEATHER					
	DOMINANT WAVES									
103.070	02/17/72	2240GMT	29	46.5N	119 04.0W	10	15.51	33.676		310.0
	BOTTOM	M WIND			KI WEATHER					
	DOMINANT WAVES									
103.080	02/17/72	1515GMT	29	26.0N	119 43.0W	10	15.50	33.680		309.5
	BOTTOM	M WIND			KI WEATHER					
	DOMINANT WAVES									
107.031	02/19/72	0755GMT	30	28.0N	116 07.0W	10	13.11	33.488		275.7
	BOTTOM	M WIND			KI WEATHER					
	DOMINANT WAVES									
107.032	02/19/72	0908GMT	30	26.0N	116 11.5W	10	13.44	33.462		283.9
	BOTTOM	M WIND			KI WEATHER					
	DOMINANT WAVES									
107.035	02/19/72	1211GMT	30	21.5N	116 22.5W	10	13.91	33.439		294.7
	BOTTOM	M WIND			KI WEATHER					
	DOMINANT WAVES									
107.040	02/19/72	1553GMT	30	10.0N	116 42.0W	10	14.68	33.560		301.3
	BOTTOM	M WIND			KI WEATHER					
	DOMINANT WAVES									
107.050	02/19/72	2152GMT	29	50.0N	117 22.0W	10	14.29	33.459		300.8
	BOTTOM	M WIND			KI WEATHER					
	DOMINANT WAVES									

RV ALASKA

CALCOFT CRUISE 7202

TEN METER DATA

						Z	T	S	Oz	DT
107.060	02/20/72	0400GMT	29	30.0N	118 01.0W	10	15.14	33.612		306.9
	BOTTOM	M WIND			KT WEATHER					
	DOMINANT WAVES									
107.070	02/20/72	0914GMT	29	11.0N	118 41.0W	10	15.74	33.673		315.1
	BOTTOM	M WIND			KT WEATHER					
	DOMINANT WAVES									
107.080	02/20/72	2300GMT	28	51.0N	119 20.0W	10	15.49	33.639		312.3
	BOTTOM	M WIND			KT WEATHER					
	DOMINANT WAVES									
113.029	02/22/72	1831GMT	29	24.0N	115 13.0W	10	14.66	33.686		291.6
	BOTTOM	M WIND			KT WEATHER					
	DOMINANT WAVES									
113.030	02/22/72	1742GMT	29	22.0N	115 18.0W	10	14.30	33.681		284.7
	BOTTOM	M WIND			KT WEATHER					
	DOMINANT WAVES									
113.035	02/22/72	1353GMT	29	10.0N	115 42.0W	10	13.52	33.464		285.3
	BOTTOM	M WIND			KT WEATHER					
	DOMINANT WAVES									
113.040	02/22/72	0951GMT	29	02.0N	115 57.0W	10	14.47	33.629		291.9
	BOTTOM	M WIND			KT WEATHER					
	DOMINANT WAVES									
113.045	02/22/72	0519GMT	28	49.0N	116 17.0W	10	14.39	33.480		301.3
	BOTTOM	M WIND			KT WEATHER					
	DOMINANT WAVES									
113.050	02/22/72	0220GMT	28	41.5N	116 36.0W	10	15.22	33.681		303.6
	BOTTOM	M WIND			KT WEATHER					
	DOMINANT WAVES									
113.060	02/21/72	2010GMT	28	18.0N	117 15.0W	10	15.09	33.653		302.9
	BOTTOM	M WIND			KT WEATHER					
	DOMINANT WAVES									
113.070	02/21/72	1438GMT	28	02.0N	117 55.0W	10	15.54	33.633		313.8
	BOTTOM	M WIND			KT WEATHER					
	DOMINANT WAVES									
113.080	02/21/72	0845GMT	27	40.0N	118 32.5W	10	16.02	33.701		319.1
	BOTTOM	M WIND			KT WEATHER					
	DOMINANT WAVES									
117.025	02/22/72	2347GMT	28	58.0N	114 37.0W	10	14.55	33.673		290.3
	BOTTOM	M WIND			KT WEATHER					
	DOMINANT WAVES									

RV ALASKA

CALCOFI CRUISE 7202

THERMETER DATA

						Z	T	S	02	0T
117.026	02/23/72	0052GMT	28	56.0N	114 41.5W	10	14.71	33.674		293.5
		BOTTOM	M	WIND	KT WEATHER					
		DOMINANT WAVES								
117.030	02/23/72	0320GMT	28	48.0N	114 56.5W	10	14.80	33.702		293.3
		BOTTOM	M	WIND	KT WEATHER					
		DOMINANT WAVES								
117.035	02/23/72	0650GMT	28	38.0N	115 16.0W	10	14.02	33.600		285.1
		BOTTOM	M	WIND	KT WEATHER					
		DOMINANT WAVES								
117.040	02/24/72	2153GMT	28	28.0N	115 35.5W	10	14.12	33.597		287.3
		BOTTOM	M	WIND	KT WEATHER					
		DOMINANT WAVES								
117.045	02/25/72	0053GMT	28	18.0N	115 56.0W	10	14.30	33.619		289.3
		BOTTOM	M	WIND	KT WEATHER					
		DOMINANT WAVES								
117.050	02/25/72	0518GMT	28	08.0N	116 15.0W	10	14.48	33.628		292.2
		BOTTOM	M	WIND	KT WEATHER					
		DOMINANT WAVES								
117.060	02/25/72	1110GMT	27	48.0N	116 53.0W	10	15.68	33.749		308.3
		BOTTOM	M	WIND	KT WEATHER					
		DOMINANT WAVES								
117.070	02/25/72	1656GMT	27	24.5N	117 31.5W	10	15.09	33.671		301.6
		BOTTOM	M	WIND	KT WEATHER					
		DOMINANT WAVES								
117.080	02/25/72	2230GMT	27	08.0N	118 09.5W	10	14.88	33.537		307.0
		BOTTOM	M	WIND	KT WEATHER					
		DOMINANT WAVES								
118.039	02/24/72	1804GMT	28	18.5N	115 23.5W	10	14.50	33.686		288.4
		BOTTOM	M	WIND	KT WEATHER					
		DOMINANT WAVES								

						Z	T	S	02	DT
100.029	02/01/72	1002GMT	31 42.0N	116 43.5W		10	12.20	33.515		256.8
		BOTTOM	99M	WIND	00KT					
		DOMINANT WAVES								
100.035	02/01/72	1530GMT	31 30.5N	117 07.0W		10	13.22	33.470		279.1
		BOTTOM	1276M	WIND	220 04KT					
		DOMINANT WAVES								
100.050	02/01/72	2353GMT	31 01.5N	118 06.0W		10	14.02	33.423		298.0
		BOTTOM	1485M	WIND	220 07KT					
		DOMINANT WAVES	280 01 07							
100.070	02/02/72	1310GMT	30 20.0N	119 27.0W		10	14.33	33.520		297.1
		BOTTOM	3451M	WIND	320 09KT					
		DOMINANT WAVES								
100.090	02/02/72	2359GMT	29 40.5N	120 48.0W		10	13.95	33.443		295.2
		BOTTOM	3926M	WIND	110 06KT					
		DOMINANT WAVES	350 01 05							
110.032	02/04/72	2200GMT	29 51.0N	115 49.5W		10	13.00	33.610		264.6
		BOTTOM	45M	WIND	280 08KT					
		DOMINANT WAVES	280 01 05							
110.035	02/04/72	2000GMT	29 46.0N	116 00.0W		10	13.80	33.672		275.5
		BOTTOM	1206M	WIND	280 08KT					
		DOMINANT WAVES	280 01 05							
110.045	02/04/72	1140GMT	29 27.0N	116 39.0W		10	13.93	33.514		289.6
		BOTTOM	427M	WIND	350 09KT					
		DOMINANT WAVES								
110.050	02/04/72	0900GMT	29 17.5N	116 59.0W		10	13.72	33.423		292.2
		BOTTOM	3357M	WIND	360 10KT					
		DOMINANT WAVES								
110.055	02/04/72	0453GMT	29 06.0N	117 19.0W		10	13.92	33.419		296.4
		BOTTOM	3357M	WIND	320 07KT					
		DOMINANT WAVES								
110.070	02/03/72	1804GMT	28 36.5N	118 18.0W		10	15.04	33.592		306.3
		BOTTOM	3545M	WIND	240 10KT					
		DOMINANT WAVES	060 02 05							
119.033	02/05/72	1442GMT	28 19.0N	114 53.0W		10	14.06	33.681		279.9
		BOTTOM	110M	WIND	340 10KT					
		DOMINANT WAVES								
120.024	02/05/72	0837GMT	28 24.0N	114 10.5W		10	13.90	33.736		272.7
		BOTTOM	34M	WIND	320 08KT					
		DOMINANT WAVES								

RV DAVID STARR JORDAN

CALCOFI CRUISE 7202

TEN METER DATA

			Z	T	S	02	DT
120.025	02/05/72 0945GMT 28 22.5N 114 15.0W BOTTOM 52M WIND 050 05KT WEATHER DOMINANT WAVES		10	13.88	33.686		275.9
120.030	02/05/72 1156GMT 28 13.0N 114 34.0W BOTTOM 93M WIND 220 08KT WEATHER DOMINANT WAVES		10	13.96	33.703		276.3
120.035	02/05/72 1642GMT 28 03.0N 114 54.0W BOTTOM 80M WIND 140 12KT WEATHER 1 DOMINANT WAVES 140 01 05		10	13.98	33.673		278.9
120.040	02/05/72 1847GMT 27 56.5N 115 14.0W BOTTOM 43M WIND 300 09KT WEATHER 1 DOMINANT WAVES 300 02 06		10	14.28	33.682		284.2
120.050	02/06/72 0136GMT 27 32.5N 115 52.5W BOTTOM 3737M WIND 350 08KT WEATHER 1 DOMINANT WAVES 350 01 06		10	15.46	33.682		308.5
120.070	02/06/72 1409GMT 26 53.0N 117 09.0W BOTTOM 4116M WIND 360 07KT WEATHER DOMINANT WAVES		10	15.36	33.627		310.4
123.036	02/07/72 1813GMT 27 26.0N 114 36.0W BOTTOM 52M WIND 070 03KT WEATHER 1 DOMINANT WAVES 270 03 05		10	14.86	33.683		295.9
123.037	02/07/72 1723GMT 27 24.0N 114 40.0W BOTTOM 69M WIND 330 10KT WEATHER 1 DOMINANT WAVES 310 05 05		10	15.05	33.695		299.0
123.042	02/07/72 1445GMT 27 14.0N 114 59.0W BOTTOM 1809M WIND 340 18KT WEATHER 1 DOMINANT WAVES 340 05 05		10	14.56	33.665		291.1
123.045	02/07/72 1300GMT 27 08.0N 115 11.5W BOTTOM 4308M WIND 340 18KT WEATHER DOMINANT WAVES		10	14.68	33.627		296.4
123.050	02/07/72 1018GMT 26 58.0N 115 30.0W BOTTOM 3357M WIND 350 20KT WEATHER DOMINANT WAVES		10	15.20	33.671		303.9
123.060	02/07/72 0505GMT 26 38.0N 116 09.0W BOTTOM 3926M WIND 340 14KT WEATHER DOMINANT WAVES		10	15.62	33.718		309.3
127.033	02/07/72 2226GMT 26 57.5N 114 02.5W BOTTOM 65M WIND 270 13KT WEATHER 1 DOMINANT WAVES 270 03 03		10	15.30	33.724		302.1

					Z	T	S	02	DT
127.034	02/07/72	2328GMT	26 55.5N	114 06.0W	10	15.82	33.619		306.2
		BOTTOM	45M	WIND 260 07KT WEATHER 1					
		DOMINANT WAVES	260 05 05						
127.040	02/08/72	0243GMT	26 43.5N	114 29.0W	10	15.03	33.681		299.6
		BOTTOM	2980M	WIND 310 18KT WEATHER					
		DOMINANT WAVES							
127.045	02/08/72	0512GMT	26 33.0N	114 48.0W	10	15.75	33.790		306.8
		BOTTOM	3357M	WIND 320 20KT WEATHER					
		DOMINANT WAVES							
127.050	02/08/72	0808GMT	26 23.0N	115 08.0W	10	16.14	33.953		303.3
		BOTTOM	4116M	WIND 320 24KT WEATHER					
		DOMINANT WAVES							
127.060	02/08/72	1305GMT	26 04.0N	115 47.0W	10	15.64	33.809		303.0
		BOTTOM	3926M	WIND 060 19KT WEATHER					
		DOMINANT WAVES							
130.030	02/09/72	0947GMT	26 29.0N	113 29.0W	10	16.77	34.280		293.3
		BOTTOM	80M	WIND 090 04KT WEATHER					
		DOMINANT WAVES							
130.035	02/09/72	0710GMT	26 19.0N	113 48.0W	10	16.30	34.179		290.3
		BOTTOM	632M	WIND 360 10KT WEATHER					
		DOMINANT WAVES							
130.050	02/08/72	2320GMT	25 49.5N	114 46.0W	10	17.57	34.197		317.5
		BOTTOM	3357M	WIND 340 10KT WEATHER 1					
		DOMINANT WAVES	340 03 04						
133.023	02/09/72	1520GMT	26 08.5N	112 40.0W	10	17.58	34.423		301.2
		BOTTOM	75M	WIND 120 07KT WEATHER 2					
		DOMINANT WAVES	120 02 03						
133.025	02/09/72	1648GMT	26 05.0N	112 48.0W	10	17.72	34.437		303.4
		BOTTOM	82M	WIND 140 10KT WEATHER 2					
		DOMINANT WAVES	130 02 03						
133.030	02/09/72	1910GMT	25 55.0N	113 08.0W	10	17.84	34.228		321.4
		BOTTOM	205M	WIND 170 10KT WEATHER 2					
		DOMINANT WAVES	170 02 03						
133.035	02/09/72	2222GMT	25 45.0N	113 26.5W	10	17.12	34.070		316.5
		BOTTOM	742M	WIND 270 06KT WEATHER 2					
		DOMINANT WAVES	270 03 05						
133.040	02/10/72	0123GMT	25 32.5N	113 45.5W	10	19.14	34.480		334.0
		BOTTOM	1856M	WIND 360 04KT WEATHER 2					
		DOMINANT WAVES	360 01 06						

RV DAVID STARR JORDAN

CALCOFI CRUISE 7202

THERMETER DATA

			Z	T	S	02	DT
133.050	02/10/72	0609GMT 25 14.0N 114 24.0W BOTTOM 3737M WIND 300 06KT WEATHER DOMINANT WAVES	10	18.38	34.379		323.1
133.060	02/10/72	1322GMT 24 53.5N 115 02.0W BOTTOM 3926M WIND 360 02KT WEATHER DOMINANT WAVES	10	17.18	34.138		312.9
137.022	02/11/72	1334GMT 25 36.0N 112 15.0W BOTTOM 54M WIND 040 02KT WEATHER DOMINANT WAVES	10	18.18	34.455		312.9
137.030	02/11/72	0923GMT 25 20.0N 112 45.5W BOTTOM 457M WIND 020 03KT WEATHER DOMINANT WAVES	10	18.01	34.309		319.5
137.035	02/11/72	0653GMT 25 11.0N 113 05.0W BOTTOM 1485M WIND 00KT WEATHER DOMINANT WAVES	10	17.38	34.103		319.9
137.050	02/10/72	2320GMT 24 39.5N 114 02.0W BOTTOM 2980M WIND 330 02KT WEATHER 2 DOMINANT WAVES	10	19.70	34.368		355.9
140.035	02/11/72	2246GMT 24 35.5N 112 42.5W BOTTOM 558M WIND 040 02KT WEATHER 1 DOMINANT WAVES 49	10	19.35	34.495		338.0
140.045	02/12/72	0528GMT 24 15.0N 113 21.0W BOTTOM 3451M WIND 350 01KT WEATHER DOMINANT WAVES	10	19.73	34.395		354.7
140.050	02/12/72	0827GMT 24 05.0N 113 40.0W BOTTOM 3169M WIND 020 04KT WEATHER DOMINANT WAVES	10	20.32	34.463		364.5
140.055	02/12/72	1037GMT 23 56.0N 113 58.5W BOTTOM 3169M WIND 020 05KT WEATHER DOMINANT WAVES	10	20.11	34.425		362.0
143.035	02/13/72	0937GMT 24 02.0N 112 20.5W BOTTOM 1485M WIND 340 08KT WEATHER DOMINANT WAVES	10	19.58	34.530		341.2
143.045	02/13/72	0319GMT 23 40.5N 112 59.0W BOTTOM 3451M WIND 330 06KT WEATHER DOMINANT WAVES	10	20.42	34.632		354.8
143.050	02/13/72	0030GMT 23 30.5N 113 18.0W BOTTOM 2885M WIND 360 06KT WEATHER 2 DOMINANT WAVES 360 02 03	10	20.37	34.555		359.1

	2	1	S	C2	BT
143.055 02/12/72 2140GMT 23 19.5N 113 36.0W BOTTOM 3737M WIND 020 05KT WEATHER 2 DOMINANT WAVES 020 02 03	10	20.55	34.361		377.7
143.060 02/12/72 1852GMT 23 10.0N 113 55.0W BOTTOM 3737M WIND 00KT WEATHER 1 DOMINANT WAVES	10	20.62	34.471		371.5
147.030 02/14/72 0331GMT 23 33.5N 111 41.5W BOTTOM 464M WIND 300 10KT WEATHER DOMINANT WAVES	10	21.10	34.651		370.8
147.040 02/14/72 0956GMT 23 16.5N 112 18.5W BOTTOM 3357M WIND 330 10KT WEATHER DOMINANT WAVES	10	20.50	34.631		356.9
147.045 02/14/72 1202GMT 23 05.5N 112 37.5W BOTTOM 3737M WIND 330 10KT WEATHER DOMINANT WAVES	10	20.46	34.621		356.6
147.050 02/14/72 1542GMT 22 56.5N 112 55.5W BOTTOM 3169M WIND 350 03KT WEATHER 2 DOMINANT WAVES 350 01 05	10	20.08	34.438		360.3
147.055 02/14/72 1743GMT 22 46.0N 113 15.0W BOTTOM 3545M WIND 270 02KT WEATHER 2 DOMINANT WAVES 270 02 09	10	20.93	34.630		368.0
150.019 02/16/72 0321GMT 23 24.0N 110 38.0W BOTTOM 279M WIND 310 24KT WEATHER DOMINANT WAVES	10	20.62	34.694		355.4
150.030 02/15/72 2039GMT 23 02.0N 111 22.0W BOTTOM 2790M WIND 310 15KT WEATHER 1 DOMINANT WAVES 310 05 05	10	20.87	34.566		371.1
150.035 02/15/72 1723GMT 22 52.0N 111 38.0W BOTTOM 3357M WIND 340 12KT WEATHER 1 DOMINANT WAVES 340 04 03	10		34.607		
150.045 02/15/72 1052GMT 22 32.0N 112 16.0W BOTTOM 3357M WIND 330 10KT WEATHER DOMINANT WAVES	10	21.32	34.613		379.3
150.050 02/15/72 0844GMT 22 24.0N 112 33.0W BOTTOM 3451M WIND 340 07KT WEATHER DOMINANT WAVES	10	21.38	34.618		380.5
150.055 02/15/72 0543GMT 22 12.0N 112 53.0W BOTTOM 3545M WIND 310 02KT WEATHER DOMINANT WAVES	10	20.97	34.575		373.0

RV DAVID STARR JORDAN

CALCOFI CRUISE 7202

TEN METER DATA

			Z	T	S	02	DT
150.060	02/15/72 0154GMT 22 01.0N 113 12.0W BOTTOM 3737M WIND 320 06KT WEATHER 2 DOMINANT WAVES 320 01 03		10	20.48	34.332		378.0
153.016	02/16/72 0758GMT 22 55.0N 110 07.5W BOTTOM 3716 WIND 330 19KT WEATHER DOMINANT WAVES		10	21.44	34.626		381.5
153.025	02/16/72 1414GMT 22 37.0N 110 39.0W BOTTOM 2602M WIND 350 10KT WEATHER 1 DOMINANT WAVES		10	20.77	34.591		366.7
153.035	02/16/72 2133GMT 22 17.0N 111 17.0W BOTTOM 2980M WIND 330 12KT WEATHER 1 DOMINANT WAVES 330 04 05		10	22.31	34.565		409.0
153.040	02/17/72 0017GMT 22 07.0N 111 36.5W BOTTOM 4116M WIND 350 13KT WEATHER 1 DOMINANT WAVES 350 04 05		10	22.08	34.549		404.0
153.045	02/17/72 0328GMT 21 57.0N 111 55.0W BOTTOM 3357M WIND 360 10KT WEATHER DOMINANT WAVES		10	21.38	34.616		380.7
153.055	02/17/72 0915GMT 21 36.5N 112 31.5W BOTTOM 3641M WIND 320 07KT WEATHER DOMINANT WAVES		10	20.33	34.240		380.9
153.060	02/17/72 1217GMT 21 27.0N 112 50.5W BOTTOM 3834M WIND 350 12KT WEATHER DOMINANT WAVES		10	20.36	34.324		375.6
157.010	02/19/72 0053GMT 22 32.0N 109 23.0W BOTTOM 2980M WIND 080 07KT WEATHER 0 DOMINANT WAVES 080 04 04		10	21.02	34.679		366.8
157.015	02/18/72 2147GMT 22 22.5N 109 42.0W BOTTOM 3169M WIND 070 04KT WEATHER 0 DOMINANT WAVES 070 03 04		10	21.42	34.795		368.8
157.025	02/18/72 1452GMT 22 02.5N 110 19.0W BOTTOM 3263M WIND 360 12KT WEATHER 0 DOMINANT WAVES 360 02 03		10	21.04	34.586		374.0
157.030	02/18/72 1145GMT 21 52.5N 110 37.5W BOTTOM 3169M WIND 340 10KT WEATHER DOMINANT WAVES		10	22.01	34.525		403.9
157.040	02/18/72 0523GMT 21 32.5N 111 14.5W BOTTOM 3357M WIND 330 04KT WEATHER DOMINANT WAVES		10	22.23	34.613		403.4

RV DAVID STARR JORDAN

CALCOFI CRUISE 7202

TEN METER DATA

	Z	T	S	02	01
157.045 02/18/72 0223GMT 21 22.5N 111 33.0W BOTTOM 3075M WIND 310 11KT WEATHER DOMINANT WAVES	10	21.75	34.503		390.0
157.050 02/17/72 2356GMT 21 12.5N 111 51.5W BOTTOM 3263M WIND 270 06KT WEATHER 0 DOMINANT WAVES 270 04 03	10	22.76	34.592		419.2
157.055 02/17/72 2050GMT 21 02.0N 112 10.5W BOTTOM 3545M WIND 310 03KT WEATHER 0 DOMINANT WAVES 310 02 03	10	22.57	34.597		413.7
157.025 02/19/72 0252GMT 22 40.0N 109 10.0W BOTTOM 3075M WIND 310 10KT WEATHER DOMINANT WAVES	10	21.42	34.871		363.3
157.055 02/19/72 0930GMT 22 55.5N 108 41.0W BOTTOM 3169M WIND 350 08KT WEATHER DOMINANT WAVES	10	21.17	34.616		375.2
157.070 02/19/72 1216GMT 23 02.5N 108 27.0W BOTTOM 2602M WIND 330 09KT WEATHER DOMINANT WAVES	10	20.50	34.777		357.6
157.085 02/19/72 1407GMT 23 09.5N 108 13.0W BOTTOM 2790M WIND 320 06KT WEATHER 0 DOMINANT WAVES 320 02 03	10	20.68	34.826		347.4
157.115 02/19/72 1934GMT 23 26.0N 107 45.0W BOTTOM 1669M WIND 330 06KT WEATHER 0 DOMINANT WAVES 330 01 02	10	21.54	34.953		360.5
157.130 02/19/72 2202GMT 23 32.0N 107 31.0W BOTTOM 975M WIND 310 08KT WEATHER 1 DOMINANT WAVES 310 01 02	10	19.58	34.949		310.8

DISTRIBUTION LIST

Inter-American Tropical Tuna Commission
(c/o Scripps Institution of Oceanography)

Dr. James Joseph

National Marine Fisheries Service
(c/o Scripps Institution of Oceanography)

Director's Office
Dr. Reuben Lasker
Dr. A. Alvarino de Leira
Library (2)
Mr. Ronald Lynn
Dr. Geoffrey Moser
Dr. Robert Owen, Jr.
Mr. Nelson C. Ross, Jr.

Scripps Institution of Oceanography

Dr. Edward Brinton
Dr. Richard W. Eppley
Dr. Abraham Fleminger
Dr. Joris M. T. M. Gieskes
Mr. Richard H. Greenbaum
Mrs. Kittie Kuhns
Library, SIO (Chris Scott) (4)
Mr. Arnold W. Mantyla
Dr. John A. McGowan
Dr. W. A. Nierenberg
Prof. Joseph L. Reid
Dr. Richard H. Rosenblatt
Mr. Richard A. Schwartzlose
Mr. George H. Snyder
Dr. Mizuki Tsuchiya
Dr. William G. Van Dorn
Mr. Robert T. Williams

DISTRIBUTION LIST

AFRICA

OCEANOGRAPHIC RESEARCH INSTITUTE
CENTENARY AQUARIUM BLDGS.
2 WEST STREET
DURBAN, NATAL,
SOUTH AFRICA

AUSTRALIA

DR. JOHN A. T. BYE
FLINDERS INSTITUTE FOR ATMOSPHERIC
AND MARINE SCIENCES
THE FLINDERS UNIVERSITY OF S. A.
BEDFORD PARK 5042, S. A.
AUSTRALIA

PROF. R. RADOK, DIRECTOR
HORACE LAMB INSTITUTE OF OCEANOGRAPHY
P. O. BOX 167
KINGSWOOD 5062, S. A.
AUSTRALIA

CANADA

DIRECTOR
INSTITUTE OF OCEANOGRAPHY
UNIVERSITY OF BRITISH COLUMBIA
VANCOUVER, B.C. V6T 1W5
CANADA

LIBRARY
PACIFIC BIOLOGICAL STATION
FISHERIES AND MARINE SERVICE
NANAIMO, B. C. V9R 5K6
CANADA

DR. C. S. WONG
INSTITUTE OF OCEAN SCIENCES
DEPARTMENT OF FISHERIES AND
ENVIRONMENT
P. O. BOX 6000
SIDNEY, B. C. V8L 4B2
CANADA

LIBRARY
SCIENCE SERVICES
DALHOUSIE UNIVERSITY
HALIFAX, N. S. B3H 4J3
CANADA

DR. CEDRIC R. MANN
BEDFORD INSTITUTE OF OCEANOGRAPHY
DARTMOUTH, N. S.
CANADA

PROF. GORDON A. RILEY
INSTITUTE OF OCEANOGRAPHY
DALHOUSIE UNIVERSITY
HALIFAX, N. S. B3H 3J5
CANADA

GERMANY

AKADEMIE DER WISSENSCHAFTEN DER DDR
INSTITUT FÜR MEERESKUNDE
BIBLIOTHEK
253 WARMEMÜNDE
EAST GERMANY

DEUTSCHES-HYDROGRAPHISCHES INSTITUT
TAUSCHSTELLE
POSTFACH 220
BERNHARD-NOCHT-STR. 78
D-2000 HAMBURG
WEST GERMANY

DR. REIMER SIMONSEN
INSTITUT FÜR MEERESFORSCHUNG
205 BREMERHAVEN
AM HANDELSHAFFEN 12
WEST GERMANY

ICELAND

DR. UNNSTEINN STEFANSSON
HAFRANNSOKHASTOFNUMIN
SKULAGATA 4
REYKJAVIK
ICELAND

IVORY COAST

M. HENRI ROTSCHI
CENTRE DE RECHERCHES
OCEANOGRAPHIQUES
29, RUE DES PECHEURS
B.P. V. 18 - ABIDJAN
REPUBLIQUE DE COTE D'IVOIRE

JAPAN

DR. KIYOMITSU KITANO
HOKKAIDO REGIONAL FISHERIES RESEARCH
LABORATORY
KATSURAKOI 116, KUSHIRO CITY
HOKKAIDO
JAPAN

DIRECTOR
KOBE MARINE OBSERVATORY
NAKAYAMATE 7
KOBE, 650
JAPAN

THE PUBLIC HEALTH INSTITUTE
OF HYOGO PREFECTURE
ARATA-CHO, HYOGO-KU
2-1 KOBE
JAPAN

PROF. HIDEO KAWAI
KYOTO UNIVERSITY
DEPARTMENT OF FISHERIES
FACULTY OF AGRICULTURE
KYOTO
JAPAN

DR. MICHITAKA UDA
COLLEGE OF MARINE SCIENCE AND
TECHNOLOGY
TOKAI UNIVERSITY
ORIDO, SHIMIZU-SHI, SHIZUOKA-KEN
JAPAN

MR. HAJIME YAMANAKA
FAR SEAS FISHERIES RESEARCH
LABORATORY
ORIDO, SHIMIZU 424
SHIZUOKA-KEN
JAPAN

DIRECTOR
JAPAN OCEANOGRAPHIC DATA CENTER
HYDROGRAPHIC DEPARTMENT
MARITIME SAFETY AGENCY
NO. 3-1, 5 CHOME, TSUKIJI
CHUO-KU, TOKYO
JAPAN 104

DR. KOJI HIDAKA
OCEAN RESEARCH INSTITUTE
UNIVERSITY OF TOKYO
NAKANO-KU
TOKYO
JAPAN

OCEANOGRAPHY DIVISION
MARINE DEPARTMENT
JAPAN METEOROLOGICAL AGENCY
1-3-4 OHTA-MACHI, CHIYODA-KU
TOKYO, 100
JAPAN

DR. DAITARO SHOJI, DIRECTOR
HYDROGRAPHIC DEPARTMENT
MARITIME SAFETY AGENCY
5-CHOME, TSUKIJI, CHUO-KU
TOKYO, 104
JAPAN

KOREA

LIBRARY
FISHERIES RESEARCH AND DEVELOPMENT
AGENCY
16-2KA, NAMHANG DONG
YOUNGDO-KU BUSAN 606
KOREA

MEXICO

BIBLIOTECA
CENTRO DE INVESTIGACION CIENTIFICA Y
EDUCACION SUPERIOR DE ENSENADA
APARTADO POSTAL 2732
ENSENADA, BAJA CALIFORNIA
MEXICO

BIBLIOTECA
INSTITUTO NACIONAL DE PESCA
CENTRO DE INVESTIGACION PESQUERA
APARTADO POSTAL 1306
ENSENADA, BAJA CALIFORNIA
MEXICO

BIBLIOTECA
UNIDAD DE CIENCIAS MARINAS
UNIVERSIDAD AUTONOMA DE BAJA
CALIFORNIA
APARTADO DE CORREOS 453
ENSENADA, BAJA CALIFORNIA
MEXICO

BIBLIOTECA
CENTRO DE PROMOCION PESQUERA
APARTADO POSTAL 396
MAZATLAN, SINALOA
MEXICO

DIRECTOR
ESTACION DE INVESTIGACION PESQUERA
APARTADO POSTAL 396
MAZATLAN, SINALOA
MEXICO

ESTACION DE INVESTIGACION PESQUERA
SECCION DE HIDROLOGIA
APARTADO POSTAL 396
MAZATLAN, SINALOA
MEXICO

AMERICAN EMBASSY (4)
REGIONAL FISHERY ATTACHE
APARTADO POSTAL 83-BIS
MEXICO 1, D. F.
MEXICO

BIBLIOTECA
DEPARTAMENTO DE PESCA
ALVARO OREGON 269
MEXICO 7, D. F.
MEXICO

BIBLIOTECA
UNIVERSIDAD NACIONAL AUTONOMA DE
MEXICO
APARTADO POSTAL 70-223
MEXICO 20, D. F.
MEXICO

DIRECTOR
INST. DE GEOFISICA
TORRE DE CIENCIAS, 3ER PISO
UNIVERSIDAD NACIONAL AUTONOMA DE
MEXICO
VILLA OBREGON, D. F.
MEXICO

NEW ZEALAND

MR. J. W. BRODIE, DIRECTOR
NEW ZEALAND OCEANOGRAPHIC INSTITUTE
P. O. BOX 8009
WELLINGTON
NEW ZEALAND

PERU

BIBLIOTECA, INSTITUTO DEL MAR
APARTADO POSTAL 22
CALLAO
PERU

UNITED KINGDOM

THE BRITISH LIBRARY
SCIENCE REFERENCE LIBRARY
BAYSWATER BRANCH
10 PORCHESTER GARDENS, QUEENSWAY,
LONDON, W2 4DE, ENGLAND
UNITED KINGDOM

LIBRARY
SUBSCRIPTION DEPARTMENT
NEW SOUTH WALES GOVERNMENT OFFICES
66 STRAND
LONDON, WC2N 5LZ, ENGLAND
UNITED KINGDOM

LIBRARY
FISHERIES LABORATORY
MINISTRY OF AGRICULTURE, FISHERIES
AND FOOD
LOWESTOFT, SUFFOLK
NR33 0HT, ENGLAND
UNITED KINGDOM

MR. ARTHUR J. LEE, D.S.C.
FISHERIES LABORATORY
MINISTRY OF AGRICULTURE,
FISHERIES AND FOOD
LOWESTOFT, SUFFOLK
NR33 0HT, ENGLAND
UNITED KINGDOM

LIBRARY
INST. OF OCEANOGRAPHIC SCIENCE
WORMLEY, NEAR GODALMING
SURREY, ENGLAND
UNITED KINGDOM

DR. JOHN C. SWALLOW, F.R.S.
INSTITUTE OF OCEANOGRAPHIC SCIENCE
WORMLEY, GODALMING
SURREY GU8 5UB, ENGLAND
UNITED KINGDOM

LIBRARY
DEPARTMENT OF AGRICULTURE AND
FISHERIES FOR SCOTLAND
MARINE LABORATORY
P. O. BOX 101, VICTORIA ROAD
TORRY, ABERDEEN AB9 8BB, SCOTLAND
UNITED KINGDOM

UNITED STATES

ALASKA

DIRECTOR
INSTITUTE OF MARINE SCIENCE
UNIVERSITY OF ALASKA
COLLEGE, AK 99701

CALIFORNIA

PROFESSOR JAMES A. GAST
DEPARTMENT OF OCEANOGRAPHY
HUMBOLDT STATE UNIVERSITY
ARCATA, CA 95521

LOCKHEED CENTER FOR MARINE RESEARCH
ATTN C LESTER
6350 YARROW DRIVE, SUITE A
CARLSBAD, CA 92008

DIRECTOR
PACIFIC MARINE STATION
DILLON BEACH, CA 94929

INTERSEA RESEARCH CORPORATION
P. O. BOX 2389
LA JOLLA, CA 92037

MARINE TECHNICAL INFORMATION CENTER
DEPARTMENT OF FISH AND GAME
350 GOLDEN SHORE
LONG BEACH, CA 90802

DR. DONN S. GORSLINE
DEPARTMENT OF GEOLOGY
UNIVERSITY OF SOUTHERN CALIFORNIA
LOS ANGELES, CA 90007

HANCOCK LIBRARY OF BIOLOGY AND
OCEANOGRAPHY
UNIVERSITY OF SOUTHERN CALIFORNIA
LOS ANGELES, CA 90007

NAVAL ENVIRONMENTAL PREDICTION
RESEARCH FACILITY
MONTEREY, CA 93940

PROFESSOR DALE F. LEIPPER, CHAIRMAN
DEPARTMENT OF OCEANOGRAPHY
U. S. NAVAL POSTGRADUATE SCHOOL
MONTEREY, CA 93940

PROF. ROBERT G. PAQUETTE
DEPARTMENT OF OCEANOGRAPHY
U. S. NAVAL POSTGRADUATE SCHOOL
MONTEREY, CA 93940

MR. GUNTER R. SECKEL, DIRECTOR
PACIFIC ENVIRONMENTAL GROUP
NMFS, NOAA
C/O FLEET NUMERICAL WEATHER CENTRAL
MONTEREY, CA 93940

COMMANDING OFFICER (CODE 40) (2)
FLEET NUMERICAL WEATHER CENTRAL
MONTEREY, CA 93940

LIBRARY
GEOLOGY-OCEANOGRAPHY DEPARTMENT
CALIFORNIA STATE UNIVERSITY
NORTHridge, CA 91324

OFFICER IN CHARGE (CODE L31)
CIVIL ENGINEERING LABORATORY
NAVAL CONSTRUCTION BATTALION CENTER
PORT HUENEME, CA 93043

PHILLIP SEELINGER
CODE 3144, BLDG. 514
PACIFIC MISSILE TEST CENTER
POINT MUGU, CA 93042

MR JOHN RADOVICH, HEAD
OPERATIONS RESEARCH BRANCH
DEPARTMENT OF FISH AND GAME
1416 NINTH STREET
SACRAMENTO, CA 95814

MR. WILLIAM E. BATZLER
CODE 8101
DEPARTMENT OF THE NAVY
NAVAL OCEAN SYSTEMS CENTER
SAN DIEGO, CA 92152

COMMANDER
NAVAL OCEAN SYSTEMS CENTER
ATTN TECHNICAL LIBRARY
CODE 6563
SAN DIEGO, CA 92152

MR. DAVID FARRIS
DEPARTMENT OF BIOLOGY
SAN DIEGO STATE UNIVERSITY
SAN DIEGO, CA 92182

LIBRARY
DEPARTMENT OF THE NAVY
NAVAL OCEAN SYSTEMS CENTER
SAN DIEGO, CA 92152

LIBRARY
LOCKHEED OCEAN LABORATORY
ATTN MR. TOM LAYORN
3380 N. HARBOR DRIVE
SAN DIEGO, CA 92101

LIBRARY
SAN DIEGO SOCIETY OF NATURAL HISTORY
P. O. BOX 1390
SAN DIEGO, CA 92182

PACIFIC SUPPORT GROUP
U. S. NAVAL OCEANOGRAPHIC OFFICE
SAN DIEGO, CA 92152

LIBRARY
CALIFORNIA ACADEMY OF SCIENCES
GOLDEN GATE PARK
SAN FRANCISCO, CA 94118

DIRECTOR
CENTER FOR COASTAL MARINE STUDIES
UNIVERSITY OF CALIFORNIA
SANTA CRUZ, CA 95064

NMFS, NOAA
TIBURON LABORATORY
3150 PARADISE DRIVE
TIBURON, CA 94920

COLORADO

DR. KEITH B. MACDONALD
SCIENCE APPLICATIONS, INC.
2760 29TH STREET
BOULDER, CO 80301

CONNECTICUT

PROF. GEORGE VERONIS
DEPARTMENT OF GEOLOGY AND
GEOPHYSICS
YALE UNIVERSITY
P.O. BOX 2161, YALE STATION
NEW HAVEN, CT 06520

FLORIDA

R. S. M. A. S. LIBRARY
UNIVERSITY OF MIAMI
4600 RICKENBACKER CAUSEWAY
MIAMI, FL 33149

LIBRARY
SOUTHWEST FISHERIES CENTER
NMFS, NOAA
75 VIRGINIA BEACH DRIVE
MIAMI, FL 33149

HAWAII

DR. RICHARD A. BARKLEY
CHIEF, ISLAND WAKE INVESTIGATIONS
HONOLULU LABORATORY
SOUTHWEST FISHERIES CENTER
NMFS, NOAA
BOX 3830
HONOLULU, HI 96812

LIBRARY
SOUTHWEST FISHERIES CENTER
NMFS, NOAA
P. O. BOX 3830
HONOLULU, HI 96812

MAINE

DR. MALVERN GILMARTIN, DIRECTOR
CENTER FOR MARINE STUDIES
UNIVERSITY OF MAINE
ORONO, ME 04469

MARYLAND

SECRETARY FOR PUBLICATIONS
CHESAPEAKE BAY INSTITUTE
THE JOHNS HOPKINS UNIVERSITY
BALTIMORE, MD 21218

ACQUISITIONS SECTION, IRDB/D823
LIBRARY AND INFORMATION SERVICES
DIVISION, NOAA
6009 EXECUTIVE BLVD.
ROCKVILLE, MD 20852

DR. GLENN A. FLITTNER, CHIEF
OCEANIC SERVICES DIVISION (W16)
OFFICE OF METEOROLOGY AND
OCEANOGRAPHY
NATIONAL WEATHER SERVICE
8060 13TH STREET - ROOM 1213
SILVER SPRING, MD 20910

MASSACHUSETTS

DR. JOHN M. EDMOND
DEPARTMENT OF EARTH AND PLANETARY
SCIENCES
BLDG 54, ROOM 1326
MASS. INSTITUTE OF TECHNOLOGY
CAMBRIDGE, MA 02139

PROF. HENRY M. STONNEL
RM. 54-1416
DEPARTMENT OF METEOROLOGY
MASSACHUSETTS INSTITUTE OF
TECHNOLOGY
CAMBRIDGE, MA 02139

DR. BRUCE A. WARREN
WOODS HOLE OCEANOGRAPHIC
INSTITUTION
WOODS HOLE, MA 02543

MR. L. V. WORTHINGTON
WOODS HOLE OCEANOGRAPHIC
INSTITUTION
WOODS HOLE, MA 02543

NEW JERSEY

PRINCETON GEOLOGY LIBRARY
ATTN MR. DAVID STAGER
DEPARTMENT OF GEOLOGICAL AND
GEOPHYSICAL SCIENCES
GUYOT HALL
PRINCETON UNIVERSITY
PRINCETON, NJ 08540

NEW YORK

PROF. GERHARD NEUMANN
DEPT. OF METEOROLOGY AND
OCEANOGRAPHY
NEW YORK UNIVERSITY
BRONX
NEW YORK, NY 10453

DR. ARNOLD L. GORDON
LAMONT-DOHERTY GEOPHYSICAL
OBSERVATORY OF COLUMBIA UNIVERSITY
PALISADES, NY 10964

OREGON

PATTULLO STUDY
SCHOOL OF OCEANOGRAPHY
OREGON STATE UNIVERSITY
CORVALLIS, OR 97331

DR. R. PYTKOWICZ
SCHOOL OF OCEANOGRAPHY
OREGON STATE UNIVERSITY
CORVALLIS, OR 97331

PACIFIC MARINE FISH. COMMISSION
528 S.W. MILL
PORTLAND, OR 97201

RHODE ISLAND

PELL MARINE SCIENCE LIBRARY
UNIVERSITY OF RHODE ISLAND
NARRAGANSETT BAY CAMPUS
NARRAGANSETT, RI 02882

TEXAS

MR. JOHN D. COCHRANE
DEPARTMENT OF OCEANOGRAPHY
TEXAS A AND M UNIVERSITY
COLLEGE STATION, TX 77843

DR. WORTH D. HOWLIN, JR.
CHAIRMAN, DEPARTMENT OF
OCEANOGRAPHY
TEXAS A AND M UNIVERSITY
COLLEGE STATION, TX 77843

DR. SAYED EL-SAYED
DEPARTMENT OF OCEANOGRAPHY
TEXAS A AND M UNIVERSITY
COLLEGE STATION, TX 77843

WORKING COLLECTION
DEPARTMENT OF OCEANOGRAPHY
TEXAS A AND M UNIVERSITY
COLLEGE STATION, TX 77843

VIRGINIA

PROFESSOR RONALD E. JOHNSON
INSTITUTE OF OCEANOGRAPHY
OLD DOMINION UNIVERSITY
NORFOLK, VA 23508

WASHINGTON

DR. LAURENCE K. COACHMAN
DEPARTMENT OF OCEANOGRAPHY WB-10
UNIVERSITY OF WASHINGTON
SEATTLE, WA 98195

LIBRARY
FISHERIES-OCEANOGRAPHY WB-30
151 OCEANOGRAPHY TEACHING BLDG.
UNIVERSITY OF WASHINGTON
SEATTLE, WA 98195

PROF. GUNNAR I. RODEN
DEPARTMENT OF OCEANOGRAPHY WB-10
UNIVERSITY OF WASHINGTON
SEATTLE, WA 98195

DR. BRUCE A. TAFT
DEPARTMENT OF OCEANOGRAPHY WB-10
UNIVERSITY OF WASHINGTON
SEATTLE, WA 98195

WASHINGTON, D. C.

BRITISH NAVY STAFF
BRITISH EMBASSY
3100 MASSACHUSETTS AVENUE, N.W.
ATTN SCIENTIFIC INFORMATION OFFICER
WASHINGTON, DC 20008

COMMANDING OFFICER
U. S. COAST GUARD OCEANOGRAPHIC UNIT
BLDG. 159-E, NAVY YARD ANNEX
WASHINGTON, DC 20590

COMMANDER (2)
U. S. NAVAL OCEANOGRAPHIC OFFICE
LIBRARY CODE 3330
WASHINGTON, DC 20373

DIRECTOR (3)
NATIONAL OCEANOGRAPHIC DATA CENTER
NOAA
WASHINGTON, DC 20235

DIRECTOR (6)
WORLD DATA CENTER A
NOAA
WASHINGTON, DC 20235

DR. ROBERT H. GIBBS, JR.
DIVISION OF FISHERIES
U. S. NATIONAL MUSEUM
WASHINGTON, DC 20560

MR. ROBERT SCHONING, DIRECTOR
NATIONAL MARINE FISHERIES SERVICE
NOAA
WASHINGTON, DC 20235