

UNIVERSITY OF CALIFORNIA SCRIPPS INSTITUTION OF OCEANOGRAPHY

data report

PHYSICAL AND CHEMICAL DATA

CalCOFI Cruise 7203
1-28 March 1972

and

CalCOFI Cruise 7205
11 April - 14 June 1972

SIO Reference 82-14
15 June 1982

UNIVERSITY OF CALIFORNIA
SCRIPPS INSTITUTION OF OCEANOGRAPHY

PHYSICAL AND CHEMICAL DATA

CalCOFI Cruise 7203
1-28 March 1972


and

CalCOFI Cruise 7205
11 April - 14 June 1972

Sponsored by
Marine Research Committee

SIO Reference 82-14
15 June 1982

Approved for distribution:


W. A. Nierenberg, Director

CONTENTS

Introduction	3
Literature Cited	7
Cruise 7203	
List of Figures	10
Personnel	20
Tabulated Data	21
Cruise 7205	
List of Figures	77
Personnel	87
Tabulated Data, CalCOFI Stations	88
Tabulated Data, Latitude-Longitude Stations	143
Distribution List	173

INTRODUCTION

The data in this report were collected during Cruises 7203* and 7205 of the California Cooperative Oceanic Fisheries Investigations (CalCOFI) program aboard the RV David Starr Jordan of the National Marine Fisheries Service and the RV Alexander Agassiz of the Scripps Institution of Oceanography. The extended 7205 cruise pattern was designed to collect data across the California Current from 45°N to 20°N, much the same pattern as was used on the NORPAC cruise in the late summer of 1955. This extended pattern for the late spring was again conducted in the early fall of 1972. Besides allowing the first larger overview of the California Current since January 1965, the cruise was used to collect data near three deep-moored buoys which have been recording meteorological data and temperature data (surface to 300 meters) for several months. The report preceding this one in the series was SIO Ref. 80-21 which included data for 7201 and 7202.

These data were collected and processed mainly by personnel of the Data Collection and Processing Group (DCPG**, MLR), Scripps Institution of Oceanography. The cruises were also used as a technical training program for personnel of the Sea Grant and the GEOSECS departments.

STANDARD PROCEDURES

Hydrographic Cast Data

The hydrographic casts consisted of 12 to 18 Nansen bottles with the maximum sampling depth at most stations being 1200 meters, bottom depth permitting. Casts deeper than 3000 meters were lowered at 80.70*** and 80.80 on the Jordan in March and again at 80.70, 80.80 and at 39.141**** on the Agassiz in April and June. Temperature, salinity, oxygen and nutrients were determined for all depths on most stations.

On STD lowerings where hydrographic casts were not made, a Nansen bottle was usually placed on the wire a few meters above the STD and another bottle was lowered to a depth of approximately 10 meters. Temperature, salinity and oxygen were determined for most of the 10 meter samples from the Jordan and the Agassiz.

* The first two digits represent the year and the second digits the month of the cruise.

** Now the Physical and Chemical Oceanographic Data Facility (PACODF).

*** The CalCOFI station designations have been in use for over thirty years. The digits preceding the decimal specify a line normal to the general trend of the coast line (CalCOFI line). The digits following the decimal specify a station position relative to the coast on the CalCOFI line. One CalCOFI digit equals 4 nautical miles.

**** This is not a CalCOFI station designation. In this oceanic station designator, the first two digits are north latitude; the latter three digits are west longitude.

In general, paired, protected reversing thermometers were used to determine temperatures; the readings were recorded to hundredths of a Celsius degree. Temperatures on the deep casts made during the cruises in this report are recorded only in hundredths of a Celsius degree because specially scaled low-range thermometers were not available. Surface temperatures from "bucket" thermometers and temperatures determined using unprotected (pressure) thermometers were recorded to tenths of a degree. Sample bottles used below 100 meters were equipped with unprotected thermometers for determination of the depth of sampling.

The Bissett Berman (now Grundy Environmental Systems, Inc.) inductive salinometer used for salinity determination on the Jordan during 7203 and 7205 operated very well. Difficulty in operation of a Bissett Berman inductive salinometer and, for a few stations, a University of Washington conductive salinometer on the Agassiz during the March cruise, resulted in several delays in sample determination; extreme cases of delay are footnoted. However, during the Agassiz cruise in May, both the University of Washington conductive and an AutoLab inductive salinometer operated well.

The salinity values were recorded and are reported to three decimal places, provided accepted standards were met. If only one determination per sample was obtained, or there was doubt concerning the accuracy of the analytical results, the salinities are reported to two decimal places. All STD salinities are tabulated to hundredths.

Dissolved oxygen was determined by the Winkler method as modified by Carpenter (1965), using the equipment and procedure outlined by Anderson (1971).

Phosphate, silicate, nitrite, and nitrate were determined using a standard Beckman Model DU spectrophotometer. Reactive phosphate was analyzed using the method of Murphy and Riley (1962), with the specific procedure outlined by Anderson (1971); reactive silicate by the method of Strickland and Parsons (1968); nitrate by the method of Wood *et al.* (1967); and nitrite by the method of Bendschneider and Robinson (1952). The specific procedures used for silicate, nitrate and nitrite are outlined in Marine Technician handbooks in preparation.

Due to operational difficulty with some of the equipment during the early weeks of cruise 7205 Jordan, some of the nitrate data have been adjusted by their relation to phosphate. These adjustments have been based on the following: one, the data from standard solutions run through each column on a daily basis have been used to compute the nitrate values for a given column; two, a plot of phosphate vs. nitrate is essentially linear and constant and the cruise phosphate data are believed to be of good quality; and three, corrected nitrate data when plotted against phosphate give curves that show excellent agreement with the curves from previous and subsequent expedition data collected in the same area.

Phytoplankton pigment and production data resulting from these cruises have been reported earlier by Owen (1974).

The observed data have been evaluated using the method described by Klein (1973). This involves consideration of their variation as functions of density or depth and their relations to each other, and comparisons with adjacent observations.

In situ Salinity/Temperature/Depth Recorder (STD) Data

A Bissett Berman Model 9006 STD was used for both cruises of the Jordan. A slight temperature correction was used only on 7205 but both cruises required a salinity correction of approximately -0.10‰ at the surface to -0.15‰ at 1000 meters. The Agassiz also was equipped with a Model 9006 STD for 7203. A small correction only to salinity was required but the instrument became inoperative March 3rd and hydrographic casts were made on all scheduled stations the remainder of the cruise. A Bissett Berman Model 9040 STD was used on the Agassiz for 7205. It was inoperative for a short time so that most stations on 35°N were hydrographic casts only. It was repaired during occupation of 39°N and was used the remainder of the cruise. The digital data logger used with the STD malfunctioned and all tabulated data were digitized from the analog recordings. Again no correction to the temperature was required. A salinity correction for each station was determined by comparison with the hydrographic cast lowered at the same position or by comparison with the data from the two Nansen bottles lowered on the wire with the STD. Most stations required a large correction of approximately -0.20‰ at the surface to -0.30‰ at 1000 meters.

TABULATED DATA

The time reported is Greenwich Mean Time. For STD lowerings it is the "start down" time and for bottle casts it is the time of messenger release. When more than one cast was lowered on a station, the messenger time for the first and last casts are given. Multiple casts, excluding the surface cast, are indicated by a footnote letter following the observed depth.

Bottom depths, determined acoustically, have been corrected using Matthews (1939) tables and are reported in meters. The weather and dominant waves are coded using the National Oceanographic Data Center (NODC) method.

Data for all cruises presented in this report were obtained by bottle casts and by the STD, and appear in two forms:

- 1) Data from the sample bottles appear with the observed levels of depth on the left of a page. Temperature, salinity and oxygen are interpolated from the observations at standard levels of depth on the right of the page. Computed values of thermosteric anomaly (DT) are included with the observed levels and computed values of sigma-t (SIGT), thermosteric anomaly (DT) and geopotential anomaly (DD) are included with the interpolated levels.

2) Data at standard levels of depth from the STD lowerings appear on the right of a page with computed values of sigma-t, thermosteric anomaly and geopotential anomaly included.

The same parameters have been tabulated in this report as in previous reports. The decimal has been omitted from the CalCOFI station number so station 80.70 appears in the tabulated data as 80070. The column headings are to be interpreted as follows:

Z	Depth	Meters
T	Temperature	°C
S	Salinity	‰
O2	Dissolved oxygen	ml/L
PO4	"Reactive" inorganic phosphate-phosphorous	µg at/L
SiO3	"Reactive" inorganic silicate-silicon	µg at/L
NO2	"Reactive" nitrite-nitrogen	µg at/L
NO3	"Reactive" nitrate-nitrogen	µg at/L
DT	δ_T = Thermosteric anomaly	cl/ton
SIGT	$(\rho_{s,t,0} - 1)10^3$ where $\rho_{s,t,0}$ is the density the parcel would have if moved isothermally to the sea surface.	g/L
DD	Geopotential anomaly, referred to the sea surface.	dyn. meters

FOOTNOTES


In addition to footnotes, special notations are used without footnotes because the meaning is always the same.

- P: After depth value indicates the Nansen bottles posttripped.
- U: Uncertain value. Values which are not used in interpolation because they seem to be in error without apparent reason.
- V: Because of time differences, overlapping casts show some differences. Values not used in interpolation.

LITERATURE CITED

- Anderson, G. C., compiler, 1971. "Oxygen Analysis", Marine Technician's Handbook, SIO Ref. No. 71-8, Sea Grant Pub. No. 9.
- Anderson, G. C., compiler, 1971. "Phosphate Analysis", Marine Technician's Handbook, SIO Ref. No. 71-10, Sea Grant Pub. No. 11.
- AutoLab Ind. Pty. Ltd., Sydney, 1960. Inductively Coupled Salinometer MK 111, Model 601, Operating Inst. and Ills. Parts List.
- Bendschneider, K., and R. J. Robinson, 1952. A new spectrophotometric method for the determination of nitrite in sea water. *J. Mar. Res.*, 11: 87-96.
- Bissett Berman Corporation, 1965. Instruction Manual, *In situ* Salinity/Temperature/Depth Monitoring and Recording System, Model 9006.
- Bissett Berman Corporation, 1967. Operation and Maintenance Manual, Laboratory Salinometer Model 6220.
- Bissett Berman Corporation, 1968. Instruction Manual, Self-contained Salinity/Temperature/Depth Recording System, Model 9060.
- Bissett Berman Corporation, 1970. Instruction Manual, Laboratory Salinometer Model 6230N.
- Carpenter, J. H., 1965. The Chesapeake Bay Institute technique for Winkler dissolved oxygen method. *Limnol. and Oceanogr.*, 10: 141-143.
- Holm-Hansen, O., C. J. Lorenzen, R. W. Holmes, and J. D. H. Strickland, 1965. Fluorometric determination of chlorophyll. *J. Cons. perm. int. Explor. Mer.*, 30: 3-15.

- Klein, Hans T., 1973. A new technique for processing physical oceanographic data. SIO Ref. No. 73-14.
- Matthews, D. J., 1939. Tables of the velocity of sound in pure water and seawater for use in echo-sounding and sound-ranging. Second Edition. Hydrographic Department, Admiralty, H. D. 282, 52 pp.
- Murphy, J., and J. P. Riley, 1962. A modified single solution method for the determination of phosphate in natural waters. *Anal. Chem. Acta*, 27: 31.
- Owen, R. W. Jr., and C. K. Sanchez, 1974. Phytoplankton Pigment and Production Measurements in the California Current Region, 1969-72. U. S. Dept. of Commerce, Nov. 1974. Data Rep. 91.
- Plessey Environmental Systems, 1974. Instruction Manual, *In situ* Salinity/Temperature/Depth Monitoring and Recording System, Model 9040.
- Strickland, J. D. H., and T. R. Parsons, 1968. A practical handbook of seawater analysis. *Fish. Res. Bd. Can., Bull.*, 167: 311 pp.
- Sverdrup, H. U., M. W. Johnson, and R. H. Fleming, 1942. *The Oceans: their Physics, Chemistry, and General Biology*. Prentice-Hall, New Jersey, 1087 pp.
- University of Washington, 1960. Department of Oceanography Technical Report No. 66, U. W. Ref. 60-18.
- Wood, E. D., F. A. J. Armstrong, and F. A. Richards, 1967. Determination of nitrate in sea water by cadmium-copper reduction to nitrite. *J. Mar. Biol. Assn. U. K.*, 47: 23-31.



cm/sec	0	1	2	3	4	5	6	7	8	9
0	<i>KNOTS</i> 0.02 <i>NM/DAY</i>	0.04 0.47	0.06 0.93	0.08 1.40	0.10 1.86	0.12 2.33	0.14 2.80	0.16 3.26	0.17 3.73	0.17 4.20
10	0.19 4.66	0.21 5.13	0.23 5.59	0.25 6.06	0.27 6.53	0.29 6.99	0.31 7.46	0.33 7.93	0.35 8.39	0.37 8.86
20	0.39 9.32	0.41 9.79	0.43 10.26	0.45 10.72	0.47 11.19	0.49 11.66	0.51 12.12	0.52 12.59	0.54 13.05	0.56 13.52
30	0.58 13.99	0.60 14.45	0.62 14.92	0.64 15.38	0.66 15.85	0.68 16.32	0.70 16.78	0.72 17.25	0.74 17.72	0.76 18.18
40	0.78 18.65	0.80 19.11	0.82 19.58	0.84 20.05	0.85 20.51	0.87 20.98	0.89 21.45	0.91 21.91	0.93 22.38	0.95 22.84
50	0.97 23.31	0.99 23.78	1.01 24.24	1.03 24.71	1.05 25.17	1.07 25.64	1.09 26.11	1.11 26.57	1.13 27.04	1.15 27.51
60	1.17 27.98	1.18 28.44	1.20 28.90	1.22 29.37	1.24 29.84	1.26 30.30	1.28 30.77	1.30 31.24	1.32 31.70	1.34 32.17
70	1.36 32.63	1.38 33.10	1.40 33.57	1.42 34.03	1.44 34.50	1.46 34.96	1.48 35.43	1.50 35.90	1.52 36.36	1.53 36.83
80	1.55 37.30	1.57 37.76	1.59 38.23	1.61 38.69	1.63 39.16	1.65 39.63	1.67 40.09	1.69 40.56	1.71 41.03	1.73 41.49
90	1.75 41.96	1.77 42.42	1.79 42.89	1.81 43.36	1.83 43.82	1.85 44.29	1.86 44.76	1.88 45.22	1.90 45.69	1.92 46.15
100	1.94 46.62	1.96 47.09	1.98 47.55	2.00 48.02	2.02 48.48	2.04 48.95	2.06 49.42	2.08 49.88	2.10 50.35	2.12 50.82

CONVERSION TABLE
(CENTIMETERS / SECOND - KNOTS - NAUTICAL MILES / DAY)

1 cm/sec = 0.019 kts = 0.466 NAUTICAL MILES / DAY
 1 kt = 24 NAUTICAL MILES / DAY = 51.48 cm/sec
 1 NAUTICAL MILE / DAY = 0.042 kts = 2.14 cm/sec

FIGURES

Cruise 7205

1. CalCOFI Cruise 7205, station positions
2. Horizontal distribution of dynamic height anomaly (0 over 500 d-bar)
3. Horizontal distribution of dynamic height anomaly (200 over 500 d-bar)
4. Horizontal distribution of temperature at 10 meters
5. Horizontal distribution of salinity at 10 meters
6. Horizontal distribution of thermosteric anomaly at 10 meters
7. Horizontal distribution of temperature at 200 meters
8. Horizontal distribution of salinity at 200 meters
9. Horizontal distribution of thermosteric anomaly at 200 meters




FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4




FIGURE 5




FIGURE 6




FIGURE 7




FIGURE 8




FIGURE 9

PERSONNEL

Cruise 7205

SHIP'S CAPTAINS

Davis, Laurence E., RV Alexander Agassiz
Forster, Charles W., RV David Starr Jordan

PERSONNEL PARTICIPATING IN THE COLLECTION OF DATA

RV Alexander Agassiz:

Bryan, Walter R. (in charge Legs I, II)	Marine Technician SIO
Muus, David A. (in charge Legs III, IV)	Staff Research Associate SIO
Borden, Randy L.	Sea Grant Student SDSU
Burgener, Bruce C.	Staff Research Associate SIO
Dumas, Frederick J.	Marine Technician SIO
Graham, Jerry	Electronics Technician SIO
Kellogg, Durrant	Marine Technician SIO
Kemp, Robert	Electronics Technician SIO
Kimura, Makoto	Fisheries Technician NMFS
Knutson, Kenneth	Electronics Technician SIO
McDonald, Judy	Sea Grant Student SDSU
Patla, Susan M.	Marine Technician SIO
Pierce, Stephen E.	Marine Technician SIO
Schmitt, James A.	Electronics Technician SIO
Thomas, James E.	Marine Technician SIO
Wilson, Robert C.	Sea Grant Student SDSU
Witherow, Sharon L.	Secretary SIO

RV David Starr Jordan:

Vrooman, Andrew M. (in charge)	Fishery Biologist NMFS
Barker, Susan G.	Volunteer
Brennen, Robert	Marine Technician SIO
Brown, Jack	Electronics Technician NMFS
Costello, James P.	Staff Research Associate SIO
Counts, Robert C.	Fishery Biologist NMFS
Davies, E.	Naval Underseas Center
Guttman, Michael A.	Sea Grant Student SDSU
Kimbrell, Carol A.	Biology Laboratory Technician NMFS
Metoyer, Jack D.	Biology Laboratory Technician NMFS
Peckham, Richard L.	Sea Grant Student SDSU
Shuey, Raymond E.	Electronics Technician NMFS
Sinclair, Michael M.	Marine Technician SIO
Smith, Paul E.	Fishery Biologist NMFS
Toy, Charles R.	Marine Technician GEOSECS
Woy, Fredrick	Staff Research Associate GEOSECS
Yates, Robert E.	Marine Technician SIO

RV ALEXANDER AGASSIZ								CALCOFI CRUISE 7205								10000	
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
48 15.0N		125 10.5W		6/ 7/72		1052 GMT			121M	310	14KT	1					
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD		
1	10.66	31.911	7.55	0.38	7.	0.06	0.7	348.6	0	10.66	31.911	7.55	24.457	348.6	0.000		
11	9.24	32.156	6.46	0.93	16.	0.17	9.1	308.2	10	9.36	32.132	6.58	24.840	312.1	0.033		
26	7.98	32.616	4.17	1.99	36.	0.31	23.1	255.9	20	8.39	32.415	5.05	25.210	276.8	0.063		
36	7.39	33.054	3.44	2.19	40.	0.38	26.4	215.3	30	7.71	32.805	3.83	25.614	238.4	0.088		
47	7.08	33.203	2.85	2.36	46.	0.39	28.9	200.1	50	7.02	33.289	2.69	26.091	193.1	0.132		
63	6.87	33.638	2.24	2.55	52.	0.44	31.4	164.9	75	6.90	33.754	2.41	26.473	156.8	0.176		
78	6.92	33.765	2.48	2.43	49.	0.28	31.1	156.1	100	6.91	33.841	2.50	26.540	150.4	0.214		
103	6.91	33.841	2.50	2.41	50.	0.23	30.8	150.3									

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205										10000
LATITUDE 48 15.0N		LONGITUDE 125 10.5W		MO/DAY/YR 6/ 7/72		MESSENGER 1155 GMT		TIME	BOTTOM 121M	WIND 310	SPEED 14KT	WEATHER 1	DOMINANT WAVES			
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD	
									0	10.13	31.95		24.576	337.2	0.000	
									10	8.51	32.23		25.050	292.0	0.031	
									20	8.15	32.43		25.260	272.1	0.060	
									30	7.63	32.83		25.648	235.2	0.085	
									50	6.96	33.53		26.290	174.1	0.126	
									75	6.88	33.69		26.426	161.2	0.168	
									100	6.91	33.86		26.556	148.9	0.207	

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205						10010			
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
47 55.0N		126 03.5W		6/ 7/72		1650 GMT			1627M	330	11KT	1	330 2 6		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD
									0	12.37	31.59		23.900	401.7	0.000
									10	12.37	31.93		24.163	376.6	0.039
									20	12.12	32.18		24.403	353.7	0.075
									30	9.50	32.16		24.842	311.9	0.109
									50	8.07	32.48		25.311	267.3	0.167
									75	7.32	32.71		25.597	240.0	0.230
									100	7.85	33.36		26.032	198.7	0.286
									125	7.90	33.67		26.267	176.3	0.333
									150	7.76	33.80		26.389	164.7	0.376
									200	7.35	33.90		26.526	151.7	0.457
									250	6.80	33.94		26.634	141.5	0.532
									300	6.25	33.97		26.730	132.4	0.602
									400	5.09	33.96		26.864	119.7	0.732
									500	4.84	34.07		26.979	108.7	0.851
									600	4.58	34.15		27.071	100.0	0.961
									700	4.40	34.22		27.147	92.8	1.064
									800	4.03	34.28		27.233	84.6	1.160
									1000	3.59	34.36		27.341	74.4	1.334

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205							10020		
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
47 35.0N		126 52.5W		6/ 7/72		2230		GMT	2473M	310	10KT	1	310 1 5		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD
									0	12.70	32.33		24.409	353.2	0.000
									10	12.05	32.33		24.532	341.4	0.035
									20	11.75	32.36		24.611	333.9	0.069
									30	9.25	32.26		24.960	300.6	0.100
									50	7.95	32.46		25.313	267.1	0.157
									75	7.50	32.80		25.643	235.7	0.220
									100	7.37	33.35		26.092	192.9	0.274
									125	7.38	33.76		26.412	162.5	0.319
									150	7.18	33.87		26.527	151.7	0.359
									200	6.52	33.92		26.655	139.4	0.433
									250	5.85	33.92		26.741	131.3	0.502
									300	5.43	33.95		26.816	124.2	0.568
									400	5.05	34.05		26.940	112.5	0.690
									500	4.82	34.11		27.013	105.5	0.804
									600	4.45	34.19		27.117	95.6	0.910
									700	4.18	34.26		27.202	87.6	1.008
									800	3.90	34.30		27.262	81.8	1.099
									1000	3.44	34.40		27.388	70.0	1.265

RV ALEXANDER AGASSIZ										CALCOFI CRUISE 7205										10020
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
47 35.0N		126 52.5W		6/ 7/72		2336 GMT			2473M	310	10KT	1	310	1	5					
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD					
1	13.14	32.292	6.44	0.36	1.	0.00	0.0	364.1	0	13.14	32.292	6.44	24.294	364.1	0.000					
11	12.38	32.341	6.52	0.37	1.	0.00	0.0	346.5	10	12.46	32.340	6.51	24.460	348.2	0.036					
31	10.61	32.380	7.02	0.42	2.	0.00	0.0	313.1	20	11.62	32.365	6.74	24.637	331.4	0.070					
57	8.01	32.467	7.06	0.74	7.	0.14	4.9	267.4	30	10.70	32.382	6.99	24.812	314.8	0.102					
72	7.77	32.589	6.42	0.98	9.	0.22	8.3	255.0	50	8.59	32.433	7.05	25.195	278.3	0.161					
87	7.59	32.951	5.51	1.34	18.	0.05	14.8	227.1	75	7.73	32.650	6.25	25.491	250.1	0.228					
102	7.41	33.295	4.65	1.64	27.	0.02	20.6	197.6	100	7.43	33.250	4.76	26.004	201.3	0.285					
132	7.36	33.754	3.55	2.03	37.	0.00	26.8	162.7	125	7.36	33.681	3.73	26.351	168.3	0.331					
157	7.13	33.856	3.29	2.12	42.	0.00	28.4	152.0	150	7.21	33.845	3.33	26.502	154.0	0.372					
182	6.80	33.893	3.09	2.21	46.	0.00	29.9	145.0	200	6.55	33.886	2.93	26.624	142.4	0.447					
217	6.32	33.873	2.77	2.37	55.	0.00	31.9	140.5	250	5.99	33.907	2.43	26.712	134.1	0.518					
282	5.74	33.953	2.10	2.69	64.	0.00	36.4	127.5	300	5.61	33.971	1.95	26.810	124.7	0.584					
383	5.15	34.036	1.37	2.94	80.	0.00	40.7	114.6	400	5.10	34.049	1.28	26.932	113.2	0.707					
483	4.89	34.104	0.92	3.04	87.	0.00	43.1	106.7	500	4.83	34.118	0.86	27.017	105.1	0.821					
616	4.46	34.207	0.55		108.	0.00	44.0	94.4	600	4.51	34.195	0.58	27.114	95.9	0.927					
771	4.08								700	4.31	34.270	0.50	27.196	88.2	1.026					
921	3.70	34.371	0.37	3.18	128.	0.00	45.1	74.6	800	4.00	34.318	0.44	27.265	81.6	1.118					
1131	3.19	34.442	0.48	3.33	141.	0.00	45.8	64.6	1000	3.51	34.402	0.39	27.382	70.5	1.285					

RV ALEXANDER AGASSIZ										CALCOFI CRUISE 7205										10030
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
47 14.5N		127 43.0W		6/ 8/72		0450 GMT			2673M	360	11KT	1	360	3	6					
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD					
									0	12.24	32.37		24.527	341.9	0.000					
									10	11.92	32.37		24.587	336.1	0.034					
									20	11.55	32.38		24.663	328.9	0.067					
									30	9.85	32.44		25.004	296.5	0.099					
									50	7.75	32.54		25.404	258.4	0.154					
									75	7.22	32.61		25.533	246.2	0.217					
									100	6.98	32.77		25.691	231.1	0.277					
									125	6.88	33.04		25.916	209.7	0.333					
									150	7.15	33.69		26.389	164.7	0.380					
									200	6.50	33.84		26.595	145.2	0.459					
									250	5.89	33.88		26.705	134.8	0.530					
									300	5.50	33.91		26.776	128.0	0.598					
									400	4.82	33.99		26.918	114.5	0.723					
									500	4.37	34.05		27.015	105.3	0.837					
									600	3.98	34.13		27.119	95.4	0.943					
									700	3.98	34.24		27.207	87.1	1.039					
									800	3.89	34.33		27.287	79.5	1.129					
									1000	3.37	34.40		27.394	69.4	1.293					

RV ALEXANDER AGASSIZ										CALCOFI CRUISE 7205										10040
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
46 55.5N		128 36.0W		6/ 8/72		1119 GMT			2724M	360	12KT									
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD					
									0	12.07	32.53		24.683	327.0	0.000					
									10	11.37	32.53		24.812	314.8	0.032					
									20	10.65	32.54		24.946	301.9	0.063					
									30	9.05	32.54		25.210	276.9	0.092					
									50	7.75	32.60		25.451	253.9	0.145					
									75	7.37	32.66		25.551	244.4	0.208					
									100	7.24	32.80		25.679	232.3	0.268					
									125	7.04	33.09		25.934	208.0	0.323					
									150	6.96	33.61		26.353	168.2	0.371					
									200	6.39	33.82		26.594	145.3	0.450					
									250	5.82	33.87		26.705	134.7	0.522					
									300	5.28	33.90		26.794	126.3	0.588					
									400	4.53	33.96		26.926	113.7	0.712					
									500	4.26	34.04		27.019	105.0	0.826					
									600	4.25	34.17		27.123	95.1	0.931					
									700	3.90	34.23		27.207	87.1	1.028					
									800	3.64	34.28		27.273	80.9	1.118					
									1000	3.27	34.38		27.388	70.0	1.282					

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205									
LATITUDE	LONGITUDE		MO/DAY/YR		MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
46 35.0N	129 27.5W		6/ 8/72		1735	GMT	2577M	060	17KT	2	060 2 6				
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD
									0	12.01	32.50		24.671	328.2	0.000
									10	11.18	32.49		24.815	314.5	0.032
									20	10.85	32.49		24.873	308.9	0.063
									30	9.85	32.49		25.043	292.8	0.093
									50	7.12	32.49		25.452	253.8	0.148
									75	6.62	32.71		25.691	231.1	0.209
									100	6.78	33.28		26.118	190.5	0.262
									125	6.94	33.69		26.418	161.9	0.307
									150	6.72	33.82		26.550	149.4	0.346
									200	6.08	33.87		26.673	137.0	0.419
									250	5.56	33.89		26.753	130.2	0.487
									300	5.07	33.91		26.827	123.2	0.552
									400	4.41	33.98		26.955	111.0	0.673
									500	4.25	34.08		27.052	101.9	0.783
									600	4.05	34.17		27.144	93.1	0.886
									700	3.81	34.24		27.224	85.5	0.981
									800	3.75	34.30		27.278	80.4	1.070
									1000	3.20	34.40		27.410	67.8	1.232

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205								10060	
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
46 15.0N		130 16.5W		6/ 8/72		2319		GMT	2080M	050	14KT	6	070 3 4		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S16T	DT	DD
									0	11.17	32.61		24.909	305.5	0.000
									10	10.80	32.61		24.975	299.2	0.030
									20	10.13	32.61		25.089	288.3	0.060
									30	9.08	32.60		25.252	272.9	0.088
									50	8.00	32.67		25.470	252.1	0.140
									75	7.27	32.69		25.588	240.9	0.202
									100	6.75	32.68		25.650	235.0	0.262
									125	6.50	32.86		25.824	218.4	0.319
									150	6.54	33.35		26.204	182.3	0.370
									200	6.25	33.81		26.604	144.3	0.452
									250	5.42	33.83		26.722	133.1	0.523
									300	5.08	33.85		26.778	127.8	0.590
									400	4.29	33.93		26.928	113.5	0.714
									500	4.03	34.03		27.035	103.4	0.826
									600	4.03	34.15		27.130	94.4	0.930
									700	3.82	34.23		27.215	86.4	1.026
									800	3.59	34.29		27.286	79.7	1.115
									1000	3.19	34.39		27.403	68.5	1.277

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205								20010	
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES						
46 10.0N	124 51.0W	5/14/72	0131	GMT	877M	340	18KT	4	350 5 5						
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
									0	11.98	30.24		22.930	494.4	0.000
									10	8.80	31.28		24.266	366.9	0.043
									20	8.90	31.96		24.781	317.7	0.077
									30	7.92	32.13		25.059	291.3	0.108
									50	8.16	32.45		25.274	270.7	0.164
									75	8.03	32.99		25.716	228.7	0.227
									100	8.06	33.45		26.071	194.9	0.280
									125	7.88	33.70		26.293	173.8	0.327
									150	7.67	33.82		26.418	162.0	0.369
									200	7.08	33.92		26.580	146.6	0.448
									250	6.61	33.97		26.683	136.8	0.520
									300	6.20	33.98		26.744	131.0	0.589
									400	5.61	34.05		26.873	118.8	0.718
									500	5.05	34.13		27.003	106.5	0.836
									600	4.72	34.18		27.080	99.2	0.945
									700	4.35	34.27		27.192	88.6	1.045

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205										20010
LATITUDE		LONGITUDE	MO/DAT/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
46 10.0N		124 51.0W	5/14/72		0240		GMT	877M	340	18KT	4	350 5 5				
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S16T	DT	DD	
0	11.99	30.263	7.05	0.09	2.	0.01	0.0	492.9	0	11.99	30.263	7.05	22.946	492.9	0.000	
10	9.69	31.090	7.87	0.19	1.	0.01	0.0	394.2	10	9.69	31.090	7.87	23.980	394.2	0.044	
30	8.52	32.122	6.53	0.71	9.	0.11	5.1	300.2	20	9.11	31.783	7.34	24.608	334.1	0.081	
40	8.37	32.369	6.51	0.76	9.	0.33	5.6	279.7	30	8.52	32.122	6.53	24.965	300.2	0.113	
50	8.25	32.444	6.63	0.73	9.	0.28	5.9	272.4	50	8.25	32.444	6.63	25.256	272.4	0.170	
65	8.12	32.675	6.05	0.94	12.	0.08	10.2	253.4	75	8.10	32.880	5.56	25.617	238.1	0.234	
79	8.09	32.963	5.34	1.24	18.	0.02	15.2	231.6	100	8.12	33.441	4.09	26.053	196.6	0.289	
99	8.13	33.421	4.13	1.64	28.	0.01	21.8	198.1	125	7.87	33.742	3.37	26.327	170.6	0.335	
124	7.87	33.735	3.39	1.94	35.	0.01	26.8	171.1	150	7.73	33.833	3.07	26.418	162.0	0.377	
144	7.80	33.811	3.14	2.03	38.	0.01	27.4	164.4	200	7.01	33.945	2.55	26.608	143.9	0.455	
173	7.41	33.898	2.80	2.18	44.	0.01	29.1	152.6	250	6.60	33.972	2.28	26.684	136.7	0.527	
203	6.97	33.947	2.53	2.27	50.	0.01	31.6	143.2	300	6.25	33.996	2.00	26.750	130.5	0.596	
232	6.73	33.963	2.35	2.36	53.	0.00	34.6	138.9	400	5.67	34.015	1.55	26.838	122.1	0.726	
272	6.45	33.979	2.20	2.46	58.	0.00	33.4	134.2	500	5.06	34.131	0.90	27.001	106.7	0.846	
332	6.03	34.011	1.76	2.58	65.	0.00	37.3	126.6								
407	5.63	34.016	1.53	2.71	69.	0.00	38.3	121.5								
481	5.15	34.114	0.95	2.96	83.	0.00	40.6	108.8								
563	4.88	34.152	0.73	3.11	92.	0.00	44.0	103.0								

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205						20020			
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
45 51.0N		125 38.0W		5/14/72		0757		GMT	1757M	330	13KT	0			
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
									0	11.49	32.49		24.759	319.8	0.000
									10	10.94	32.47		24.841	311.9	0.032
									20	9.92	32.40		24.961	300.6	0.062
									30	9.37	32.47		25.105	286.9	0.092
									50	8.85	32.57		25.264	271.7	0.148
									75	8.34	33.26		25.881	213.0	0.209
									100	8.40	33.64		26.169	185.6	0.259
									125	8.25	33.72		26.254	177.5	0.305
									150	8.12	33.81		26.344	169.0	0.349
									200	7.89	33.88		26.433	160.6	0.432
									250	7.55	33.94		26.529	151.4	0.512
									300	7.00	33.98		26.638	141.1	0.587
									400	5.89	34.05		26.839	122.0	0.724
									500	5.26	34.09		26.947	111.8	0.846
									600	4.80	34.17		27.063	100.8	0.959
									700	4.38	34.25		27.172	90.4	1.061
									800	4.18	34.31		27.241	83.9	1.155
									1000	3.66	34.42		27.382	70.5	1.325

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205									
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
45 31.0N		126 27.0W		5/14/72		1432 GMT			2709M	020	12KT	2	010 4 4		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
									0	11.90	32.52		24.707	324.7	0.000
									10	11.90	32.52		24.707	324.7	0.032
									20	10.63	32.51		24.927	303.8	0.064
									30	9.84	32.52		25.067	290.4	0.094
									50	9.24	32.48		25.153	284.2	0.151
									75	8.23	32.59		25.373	261.3	0.220
									100	7.95	33.07		25.790	221.7	0.280
									125	7.56	33.61		26.269	176.1	0.331
									150	7.55	33.81		26.427	161.1	0.373
									200	6.74	33.88		26.595	145.2	0.451
									250	6.20	33.90		26.681	137.0	0.523
									300	5.65	33.92		26.766	129.0	0.592
									400	4.97	34.03		26.933	113.1	0.717
									500	4.96	34.11		26.997	107.0	0.832
									600	4.56	34.20		27.113	96.0	0.939
									700	4.21	34.27		27.206	87.2	1.037
									800	3.95	34.32		27.273	80.8	1.127
									1000	3.50	34.41		27.390	69.8	1.293

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205									
LATITUDE 45 12.0N		LONGITUDE 127 15.5W		MO/DAY/YR 5/14/72		MESSENGER TIME 2013 GMT		BOTTOM 2872M	WIND 290	SPEED 3KT	WEATHER 2	DOMINANT WAVES 060 2 4			
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S16T	DT	DD
									0	11.45	32.48		24.758	319.8	0.000
									10	9.85	32.49		25.043	292.8	0.031
									20	9.29	32.49		25.133	284.2	0.060
									30	9.10	32.51		25.179	279.8	0.088
									50	8.81	32.51		25.224	275.6	0.143
									75	8.09	32.83		25.582	241.5	0.208
									100	8.10	33.29		25.940	207.4	0.265
									125	7.57	33.65		26.299	173.3	0.313
									150	7.42	33.81		26.446	159.3	0.355
									200	6.92	33.90		26.586	146.0	0.433
									250	6.22	33.97		26.734	132.0	0.504
									300	5.75	34.00		26.817	124.1	0.569
									400	5.00	34.06		26.953	111.2	0.691
									500	4.56	34.09		27.026	104.3	0.804
									600	4.29	34.22		27.158	91.7	0.907
									700	4.13	34.27		27.215	86.4	1.002
									800	3.86	34.31		27.274	80.7	1.092
									1000	3.50	34.41		27.390	69.8	1.257

RV ALEXANDER AGASSIZ										CALCOFI CRUISE 7205						
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
45 12.0N		127 15.5W		5/14/72		2149 GMT			2872M	290	3KT	2	060 2 4			
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S16T	DT	DD	
1	11.59	32.489		0.42	2.	0.04	1.3	321.6	0	11.59	32.489		24.740	321.6	0.000	
11	10.94	32.493	7.61	0.43	3.	0.05	1.0	310.2	10	11.01	32.496		24.847	311.4	0.032	
31	9.22	32.462	7.12	0.50	3.	0.07	2.0	285.2	20	10.13	32.480	7.35	24.986	298.2	0.062	
56	8.69	32.484	6.92	0.59	4.	0.12	3.4	275.7	30	9.30	32.466	7.14	25.111	286.3	0.091	
71	8.04	32.497	6.89	0.57	4.	0.10	3.2	265.6	50	8.77	32.481	6.94	25.205	277.3	0.148	
86	7.78	32.572	6.59	0.82	7.	0.34	6.7	256.4	75	7.94	32.509	6.81	25.351	263.5	0.216	
101	7.83	32.809	5.24	1.06	12.	0.04	11.1	239.5	100	7.83	32.793	5.34	25.589	240.8	0.279	
131	7.60	33.423	4.37	1.58	27.	0.02	21.0	190.6	125	7.66	33.306	4.43	26.016	200.2	0.335	
155	7.57	33.710	4.02	1.74	32.	0.02	23.9	168.8	150	7.58	33.666	4.08	26.309	172.4	0.382	
180	7.29	33.847	3.63	1.89	38.	0.02	26.1	154.8	200	7.04	33.891	3.48	26.561	148.4	0.463	
215	6.85	33.903	3.38	2.09	44.	0.02	28.8	144.9	250	6.37	33.935	2.76	26.686	136.5	0.536	
279	5.97	33.950	2.21	2.54	61.	0.02	33.8	130.5	300	5.69	33.959	1.99	26.791	126.6	0.604	
378	4.87	33.993	1.46	2.86	81.	0.00	39.8	114.8	400	4.83	34.019	1.33	26.940	112.4	0.727	
478	4.67	34.091	0.94	3.05	95.	0.00	43.0	105.3	500	4.60	34.110	0.85	27.037	103.3	0.840	
611	4.26	34.193	0.49	3.19	109.	0.00	45.4	93.4	600	4.29	34.186	0.52	27.130	94.4	0.944	
765	3.92	34.295	0.33	3.29	123.	0.00	43.0	82.4	700	4.06	34.256	0.36	27.211	86.8	1.040	
915	3.55	34.367	0.35	3.33	142.	0.00	42.4	73.5	800	3.83	34.314	0.33	27.280	80.2	1.130	
1124	3.21	34.453	0.51	3.28	145.	0.00	43.5	63.9	1000	3.59	34.405	0.40	27.396	69.2	1.294	

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205									
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
44 49.0N		128 06.0W		5/15/72		0355 GMT			2862M	240	16KT	2	230 3 3		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S16T	DT	DD
									0	11.77	32.47		24.692	326.1	0.000
									10	9.46	32.45		25.075	289.7	0.031
									20	8.95	32.48		25.179	279.8	0.059
									30	8.66	32.50		25.239	274.1	0.087
									50	8.15	32.62		25.409	257.9	0.140
									75	7.62	33.09		25.853	215.7	0.200
									100	7.54	33.61		26.272	175.8	0.249
									125	7.22	33.77		26.443	159.6	0.291
									150	6.96	33.86		26.549	149.5	0.331
									200	6.51	33.93		26.665	138.6	0.404
									250	5.81	33.95		26.770	128.6	0.472
									300	5.62	33.98		26.817	124.1	0.537
									400	4.90	34.02		26.933	113.1	0.660
									500	4.61	34.09		27.021	104.8	0.773
									600	4.30	34.19		27.133	94.1	0.878
									700	4.19	34.27		27.209	87.0	0.975
									800	4.00	34.32		27.268	81.3	1.066
									1000	3.50	34.41		27.390	69.8	1.232

20060

RV ALEXANDER AGASSIZ										CALCOFI CRUISE 7205						
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES						
44 30.0N	128 52.0W	5/15/72	0955	GMT		2825M	250	15KT								
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD	
									0	10.81	32.47		24.864	309.8	0.000	
									10	9.95	32.52		25.049	292.1	0.030	
									20	8.96	32.56		25.239	274.1	0.058	
									30	8.53	32.56		25.305	267.8	0.086	
									50	8.05	32.59		25.400	258.8	0.138	
									75	7.70	32.66		25.505	248.8	0.202	
									100	7.40	32.84		25.688	231.4	0.262	
									125	7.51	33.31		26.041	197.8	0.316	
									150	7.32	33.55		26.256	177.4	0.364	
									200	6.95	33.84		26.535	150.9	0.447	
									250	6.27	33.92		26.688	136.4	0.521	
									300	5.72	33.93		26.765	129.0	0.589	
									400	4.86	34.00		26.922	114.2	0.714	
									500	4.37	34.04		27.007	106.1	0.829	
									600	4.14	34.15		27.119	95.5	0.935	
									700	3.97	34.22		27.192	88.5	1.033	
									800	3.74	34.29		27.271	81.1	1.124	
									1000	3.27	34.40		27.404	68.4	1.287	

20070

RV ALEXANDER AGASSIZ										CALCOFI CRUISE 7205						
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES						
43 11.0N	129 43.0W	5/15/72	1556	GMT		2709M	260	17KT	1							
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD	
									0	10.92	32.55		24.907	305.7	0.000	
									10	10.92	32.55		24.907	305.7	0.031	
									20	9.45	32.55		25.154	282.2	0.060	
									30	8.90	32.57		25.257	272.4	0.088	
									50	8.49	32.60		25.343	264.2	0.142	
									75	8.02	32.73		25.514	248.0	0.206	
									100	7.55	32.81		25.644	235.6	0.267	
									125	7.34	33.25		26.018	200.0	0.321	
									150	7.30	33.53		26.243	178.6	0.369	
									200	6.93	33.86		26.553	149.1	0.453	
									250	6.34	33.90		26.663	138.7	0.526	
									300	5.87	33.95		26.762	129.3	0.595	
									400	5.27	34.02		26.890	117.2	0.722	
									500	4.75	34.04		26.966	110.0	0.841	
									600	4.40	34.15		27.091	98.1	0.950	
									700	4.12	34.24		27.192	88.5	1.050	
									800	3.83	34.30		27.270	81.2	1.141	
									1000	3.34	34.40		27.397	69.1	1.306	

20080

RV ALEXANDER AGASSIZ										CALCOFI CRUISE 7205						
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES						
43 51.0N	130 31.0W	5/15/72	2119	GMT		3312M	290	6KT	1							
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD	
									0	11.20	32.59		24.889	307.4	0.000	
									10	10.73	32.59		24.971	299.6	0.030	
									20	10.44	32.59		25.021	294.8	0.060	
									30	9.50	32.71		25.271	271.0	0.088	
									50	8.85	32.72		25.381	260.5	0.142	
									75	8.43	32.78		25.492	250.0	0.206	
									100	7.90	32.87		25.641	235.9	0.267	
									125	7.35	33.16		25.946	206.8	0.323	
									150	7.32	33.56		26.264	176.6	0.371	
									200	6.99	33.87		26.553	149.2	0.454	
									250	6.29	33.93		26.693	135.8	0.527	
									300	5.78	33.91		26.742	131.2	0.595	
									400	4.84	33.97		26.900	116.2	0.723	
									500	4.24	34.02		27.005	106.3	0.839	
									600	4.07	34.12		27.102	97.0	0.945	
									700	3.95	34.21		27.186	89.1	1.044	
									800	3.79	34.29		27.266	81.6	1.136	
									1000	3.40	34.41		27.399	68.9	1.300	

20090

RV ALEXANDER AGASSIZ										CALCOFI CRUISE 7205						
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES						
43 51.0N	130 31.0W	5/15/72	2239	GMT		3312M	290	6KT	1							
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD	
0	11.25	32.602	6.77	0.52	0.	0.05	1.3	307.4	0	11.25	32.602	6.77	24.889	307.4	0.000	
10	10.80	32.592	6.89	0.50	0.	0.06	1.2	300.6	10	10.80	32.592	6.89	24.961	300.6	0.030	
30	9.50	32.696	7.03	0.53	0.	0.07	1.5	272.1	20	10.15	32.640	6.99	25.108	286.6	0.060	
55	8.66	32.712	6.80	0.65	2.	0.16	3.2	258.4	30	9.50	32.696	7.03	25.260	272.1	0.088	
70	8.37	32.731	6.64	0.68	2.	0.30	3.8	252.8	50	8.78	32.717	6.87	25.388	259.9	0.141	
85	7.85	32.751	6.49	0.90	7.	0.11	7.8	244.0	75	8.18	32.735	6.59	25.492	250.0	0.205	
100	7.91	32.867	6.28	0.95	9.	0.03	9.5	236.2	100	7.91	32.867	6.28	25.637	236.2	0.266	
130	7.41	33.199	5.27	1.40	22.	0.02	17.0	204.7	125	7.51	33.137	5.47	25.904	210.8	0.323	
154	7.33	33.551	4.31	1.73	31.	0.01	22.5	177.4	150	7.33	33.498	4.45	26.212	181.6	0.372	
179	7.22	33.726	3.93	1.82	35.	0.01	22.6	162.9	200	7.03	33.823	3.68	26.509	153.3	0.457	
214	6.87	33.864	3.52	1.98	41.	0.01	27.2	148.1	250	6.33	33.904	3.06	26.666	138.4	0.532	
279	5.88	33.902	2.71	2.36	57.	0.01	32.3	133.0	300	5.65	33.912	2.51	26.758	129.7	0.600	
377	5.00	33.942	1.93	2.77	73.	0.00	38.4	120.0	400	4.82	33.956	1.78	26.890	117.2	0.728	
474	4.37	34.003	1.38	2.97	88.	0.00	42.2	108.9	500	4.29	34.025	1.25	27.003	106.5	0.844	
606	4.10	34.114	0.80	3.11	104.	0.00	45.2	97.8	600	4.10	34.110	0.82	27.090	98.2	0.951	
757	3.85	34.247	0.39	3.26	121.	0.00	46.0	85.4	700	3.94	34.198	0.51	27.177	90.0	1.051	
905	3.61	34.361	0.30	3.30	130.	0.00	48.0	74.5	800	3.78	34.284	0.36	27.261	82.0	1.143	
1115	3.17	34.440	0.41	3.31	142.	0.00	52.3	64.5	1000	3.43	34.409	0.35	27.396	69.2	1.309	

RV ALEXANDER AGASSIZ										CALCOFI CRUISE 7205										20090
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
43 30.0N		131 20.0W		5/16/72		0344 GMT			3481M	360	25KT	2	360 6 6							
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S1GT	DT	DD					
									0	11.38	32.79		25.011	295.8	0.000					
									10	11.36	32.79		25.015	295.4	0.030					
									20	11.08	32.78		25.057	291.4	0.059					
									30	10.01	32.77		25.234	274.6	0.087					
									50	9.75	32.82		25.316	266.8	0.142					
									75	9.35	32.84		25.396	259.1	0.208					
									100	8.68	32.92		25.564	243.2	0.271					
									125	8.18	33.24		25.889	212.2	0.328					
									150	7.92	33.66		26.256	177.3	0.377					
									200	7.20	33.88		26.532	151.2	0.461					
									250	6.63	33.91		26.633	141.6	0.536					
									300	5.91	33.92		26.734	132.0	0.606					
									400	5.04	34.01		26.909	115.4	0.734					
									500	4.57	34.05		26.993	107.4	0.850					
									600	4.25	34.14		27.099	97.3	0.957					
									700	3.92	34.20		27.181	89.6	1.057					
									800	3.71	34.26		27.250	83.1	1.149					
									1000	3.29	34.39		27.394	69.4	1.316					

RV ALEXANDER AGASSIZ										CALCOFI CRUISE 7205										20100
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
43 30.0N		132 06.0W		5/16/72		0937 GMT			3674M	010	21KT	2								
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S1GT	DT	DD					
									0	11.55	32.78		24.972	299.4	0.000					
									10	11.55	32.78		24.972	299.4	0.030					
									20	11.55	32.78		24.972	299.4	0.060					
									30	10.30	32.72		25.146	282.9	0.089					
									50	9.72	32.74		25.258	272.2	0.145					
									75	9.40	32.78		25.341	264.3	0.212					
									100	8.95	32.80		25.428	256.1	0.278					
									125	8.63	32.87		25.532	246.2	0.341					
									150	8.13	33.24		25.897	211.5	0.399					
									200	7.70	33.85		26.437	160.1	0.493					
									250	6.93	33.90		26.585	146.2	0.571					
									300	6.23	33.93		26.701	135.1	0.644					
									400	5.41	33.99		26.850	121.0	0.776					
									500	4.90	34.05		26.957	110.9	0.897					
									600	4.50	34.13		27.064	100.6	1.008					
									700	4.25	34.20		27.147	92.8	1.111					
									800	4.01	34.29		27.243	83.7	1.206					
									1000	3.54	34.39		27.370	71.7	1.377					

RV ALEXANDER AGASSIZ										CALCOFI CRUISE 7205										20120
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
42 30.0N		133 42.0W		5/16/72		1920 GMT			3844M	010	19KT	2	010 5 5							
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S1GT	DT	DD					
									0	11.31	32.88		25.094	287.9	0.000					
									10	11.31	32.88		25.094	287.9	0.029					
									20	11.02	32.95		25.200	277.8	0.057					
									30	10.95	33.00		25.251	272.9	0.085					
									50	10.37	33.01		25.360	262.6	0.138					
									75	9.56	33.00		25.487	250.5	0.203					
									100	8.90	33.06		25.639	236.0	0.264					
									125	8.95	33.34		25.850	216.0	0.321					
									150	8.00	33.46		26.088	193.3	0.373					
									200	8.10	33.90		26.417	162.0	0.463					
									250	7.37	33.92		26.539	150.5	0.543					
									300	6.56	33.90		26.634	141.4	0.618					
									400	5.31	33.92		26.806	125.1	0.756					
									500	4.35	33.96		26.946	111.9	0.879					
									600	3.98	34.06		27.064	100.7	0.990					
									700	3.85	34.15		27.148	92.7	1.092					
									800	3.66	34.26		27.255	82.6	1.186					
									1000	3.26	34.39		27.397	69.1	1.351					

RV ALEXANDER AGASSIZ										CALCOFI CRUISE 7205										20120
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
42 30.0N		133 42.0W		5/16/72		2045 GMT			3844M	010	19KT	2	010 5 5							
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S1GT	DT	DD					
0	11.20	32.879	6.80	0.35	0.	0.03	0.0	286.1	0	11.20	32.879	6.80	25.112	286.1	0.000					
10	11.21	32.882	6.78	0.37	0.	0.04	0.0	286.1	10	11.21	32.882	6.78	25.113	286.1	0.029					
30	10.56	32.898	6.96	0.50	0.	0.03	0.2	274.0	20	10.94	32.892	6.87	25.167	280.9	0.057					
55	9.83	32.906	6.87	0.45	0.	0.11	0.9	261.7	30	10.56	32.898	6.96	25.240	274.0	0.085					
70	9.43	32.852	6.96	0.48	0.	0.11	1.4	259.4	50	9.97	32.912	6.89	25.349	263.6	0.139					
85	9.15	32.866	6.76	0.60	2.	0.39	2.8	254.2	75	9.33	32.854	6.91	25.408	258.0	0.204					

RV ALEXANDER AGASSIZ										CALCOFI CRUISE 7205							30026
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
43 52.0N	124 47.0W	5/10/72	0939	GMT		297M	350	11KT	0								
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD		
									0	11.31	29.40		22.400	545.2	0.000		
									10	10.50	30.74		23.575	432.8	0.049		
									20	9.12	32.20		24.934	303.2	0.086		
									30	8.86	32.32		25.068	290.4	0.115		
									50	8.58	32.43		25.196	278.2	0.172		
									75	8.06	32.89		25.633	236.6	0.237		
									100	8.12	33.37		26.000	201.7	0.292		
									125	7.98	33.69		26.271	175.9	0.340		
									150	7.47	33.86		26.478	156.3	0.382		
									200	6.90	33.95		26.628	142.0	0.458		
									250	6.38	34.00		26.737	131.7	0.528		

RV ALEXANDER AGASSIZ										CALCOFI CRUISE 7205							30026
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
43 52.0N	124 47.0W	5/10/72	1018	GMT		297M	350	11KT	0								
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD		
1	11.30	29.402	6.65	0.20	7.	0.00	0.0	544.9	0	11.30	29.402	6.65	22.403	544.9	0.000		
11	10.64	30.313	6.96	0.23	6.	0.00	0.0	466.6	10	10.71	30.222	6.94	23.135	474.8	0.051		
31	8.79	32.387	6.65	0.66	6.	0.22	3.5	284.4	20	9.70	31.391	6.87	24.209	372.3	0.093		
41	8.78	32.429	6.64	0.66	5.	0.12	3.3	281.1	30	8.86	32.314	6.68	25.060	291.1	0.127		
56	8.48	32.401	6.56	0.71	7.	0.23	4.6		50	8.62	32.441	6.59	25.197	278.1	0.184		
70	8.27	32.655	6.11	0.93	11.	0.15	9.4	258.5	75	8.20	32.766	5.80	25.513	248.0	0.250		
85	8.10	33.048	5.08	1.36	19.	0.02	16.3	225.4	100	8.13	33.446	4.06	26.053	196.7	0.306		
105	8.17	33.555	3.77	1.87	33.	0.02	23.4	188.7	125	7.91	33.767	3.14	26.339	169.4	0.352		
129	7.84	33.785	3.07	2.07	39.	0.02	28.0	166.9	150	7.48	33.892	2.80	26.500	154.2	0.393		
154	7.41	33.901	2.79	2.25	44.	0.01	28.8	152.4									

RV ALEXANDER AGASSIZ										CALCOFI CRUISE 7205							30030
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
43 46.5N	125 28.0W	5/10/72	0605	GMT		1479M	360	13KT	0								
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD		
									0	10.81	30.69		23.484	441.5	0.000		
									10	9.87	32.30		24.891	307.2	0.037		
									20	9.71	32.37		24.972	299.5	0.068		
									30	9.33	32.37		25.033	293.7	0.098		
									50	9.05	32.51		25.186	279.1	0.155		
									75	8.20	32.83		25.566	243.0	0.220		
									100	8.23	33.32		25.944	207.0	0.277		
									125	8.04	33.63		26.215	181.2	0.326		
									150	7.81	33.78		26.366	166.9	0.370		
									200	7.22	33.90		26.545	150.0	0.451		
									250	6.59	33.96		26.677	137.3	0.524		
									300	6.18	33.98		26.747	130.8	0.593		
									400	5.54	34.05		26.882	118.0	0.722		
									500	5.07	34.12		26.992	107.4	0.840		
									600	4.76	34.19		27.083	98.8	0.949		
									700	4.37	34.26		27.181	89.5	1.050		
									800	4.12	34.31		27.248	83.3	1.143		
									1000	3.67	34.41		27.373	71.4	1.313		

RV ALEXANDER AGASSIZ										CALCOFI CRUISE 7205							30040
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
43 27.0N	125 57.0W	5/10/72	0005	GMT		2974M	350	11KT	1								
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD		
									0	11.68	32.60		24.809	315.0	0.000		
									10	11.18	32.59		24.892	307.1	0.031		
									20	11.07	32.59		24.912	305.2	0.062		
									30	11.00	32.59		24.924	304.1	0.092		
									50	10.68	32.58		24.972	299.5	0.153		
									75	9.03	32.74		25.369	261.7	0.223		
									100	8.50	33.13		25.755	225.0	0.284		
									125	8.22	33.42		26.024	199.4	0.338		
									150	7.96	33.68		26.266	176.4	0.386		
									200	7.37	33.93		26.547	149.7	0.468		
									250	6.71	33.95		26.654	139.6	0.542		
									300	6.20	33.99		26.752	130.3	0.612		
									400	5.36	34.05		26.903	115.9	0.739		
									500	4.78	34.08		26.994	107.3	0.856		
									600	4.31	34.14		27.093	97.9	0.964		
									700	4.10	34.22		27.178	89.8	1.064		
									800	3.98	34.31		27.262	81.9	1.156		
									1000	3.57	34.42		27.391	69.7	1.323		

RV ALEXANDER AGASSIZ										CALCOFI CRUISE 7205										30050
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
43 07.5N		126 42.0W		5/ 9/72		1714 GMT			3335M	030	3KT	2	270 1 5							
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD					
									0	10.70	32.51		24.914	305.0	0.000					
									10	10.13	32.52		25.019	295.0	0.030					
									20	10.08	32.53		25.036	293.4	0.059					
									30	9.47	32.51		25.120	285.4	0.088					
									50	9.11	32.56		25.216	276.3	0.145					
									75	8.73	32.57		25.283	269.9	0.213					
									100	7.66	32.78		25.605	239.3	0.277					
									125	7.40	33.23		25.994	202.3	0.333					
									150	7.28	33.59		26.293	173.9	0.380					
									200	6.90	33.85		26.549	149.5	0.463					
									250	6.33	33.88		26.649	140.1	0.537					
									300	5.76	33.92		26.752	130.2	0.606					
									400	4.86	33.97		26.898	116.4	0.733					
									500	4.45	34.04		26.999	106.9	0.849					
									600	4.19	34.16		27.121	95.2	0.956					
									700	4.00	34.23		27.197	88.1	1.053					
									800	3.90	34.31		27.270	81.1	1.144					
									1000	3.44	34.42		27.403	68.5	1.308					

RV ALEXANDER AGASSIZ										CALCOFI CRUISE 7205										30050
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
43 07.5N		126 42.0W		5/ 9/72		1842 GMT			3335M	030	3KT	2	270 1 5							
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD					
0	10.80	32.520	6.85	0.48	1.	0.05	1.0	305.9	0	10.80	32.520	6.85	24.985	305.9	0.000					
10	10.36	32.519	6.79	0.47	1.	0.05	0.9	298.8	10	10.36	32.519	6.79	24.980	298.8	0.030					
30	10.08	32.542	6.79	0.50	1.	0.05	0.8	292.6	20	10.19	32.533	6.79	25.017	293.3	0.060					
56	9.18	32.550	6.81	0.56	2.	0.08	2.0	278.1	30	10.08	32.542	6.79	25.045	292.6	0.089					
71	8.79	32.550	6.73	0.60	2.	0.10	2.5	272.3	50	9.40	32.552	6.81	25.161	281.5	0.147					
86	8.17	32.634	6.48	0.82	6.	0.29	6.2	257.2	75	8.63	32.568	6.68	25.295	268.8	0.216					
101	7.76	32.779	6.11	1.04	12.	0.09	10.6	240.7	100	7.78	32.770	6.14	25.577	241.9	0.280					
131	7.43	33.314	4.83	1.56	26.	0.01	19.6	196.4	125	7.46	33.201	5.10	25.960	205.3	0.337					
156	7.26	33.668	4.00	1.85	33.	0.01	25.1	167.8	150	7.30	33.599	4.17	26.296	173.6	0.384					
181	7.09	33.802	3.61	1.98	40.	0.01	25.4	155.5	200	6.94	33.853	3.58	26.545	149.9	0.467					
216	6.81	33.874	3.56	2.04	44.	0.00	28.2	146.5	250	6.31	33.897	3.20	26.637	141.2	0.541					
281	6.22	33.899	2.79	2.35	54.	0.00	31.8	137.3	300	6.00	33.906	2.60	26.710	134.2	0.612					
380	5.12	33.941	1.93	2.76	73.	0.00	39.0	121.4	400	4.96	33.956	1.80	26.874	118.7	0.742					
480	4.51	34.022	1.34	3.04	91.	0.00	42.4	108.9	500	4.45	34.045	1.22	27.002	106.6	0.859					
614	4.23	34.159	0.69	3.20	105.	0.00	45.3	95.7	600	4.24	34.147	0.74	27.104	96.8	0.966					
768	3.96	34.221	0.49	3.26	113.	0.00	44.8	88.4	700	4.08	34.194	0.53	27.159	91.6	1.066					
919	3.65	34.378	0.42	3.34	132.	0.00		73.6	800	3.90	34.255	0.48	27.226	85.3	1.161					
1130	3.17	34.461	0.62	3.38	138.	0.00		63.0	1000	3.47	34.429	0.46	27.407	68.1	1.329					

RV ALEXANDER AGASSIZ										CALCOFI CRUISE 7205										30060
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
42 47.5N		127 30.0W		5/ 9/72		1130 GMT			2690M	010	4KT	1								
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD					
									0	10.80	32.48		24.874	308.8	0.000					
									10	9.85	32.51		25.058	291.3	0.030					
									20	9.66	32.52		25.097	287.6	0.059					
									30	9.23	32.53		25.174	280.3	0.087					
									50	8.80	32.52		25.233	274.7	0.143					
									75	7.78	32.73		25.548	244.7	0.208					
									100	7.52	33.24		25.985	203.1	0.265					
									125	7.37	33.61		26.296	173.6	0.312					
									150	7.18	33.83		26.495	154.6	0.354					
									200	6.64	33.90		26.624	142.4	0.429					
									250	6.16	33.92		26.702	135.0	0.500					
									300	5.46	33.94		26.804	125.3	0.567					
									400	4.91	34.01		26.924	114.0	0.690					
									500	4.66	34.11		27.031	103.8	0.804					
									600	4.18	34.19		27.146	92.9	0.908					
									700	4.12	34.26		27.208	87.0	1.003					
									800	3.90	34.34		27.294	78.8	1.093					
									1000	3.45	34.44		27.418	67.1	1.254					

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205										30070
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
42 27.0N		128 18.5W		5/ 9/72		0536		GMT	3088M	340	4KT	2				
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD	
									0	10.96	32.56		24.908	305.6	0.000	
									10	10.16	32.56		25.045	292.5	0.030	
									20	9.82	32.62		25.149	282.7	0.059	
									30	9.60	32.67		25.223	275.6	0.087	
									50	9.46	32.69		25.262	271.9	0.142	
									75	8.57	32.79		25.479	251.3	0.207	
									100	8.10	33.01		25.721	228.2	0.268	
									125	7.87	33.38		26.044	197.5	0.321	
									150	7.86	33.76		26.343	169.1	0.368	
									200	7.41	33.83		26.463	157.7	0.451	
									250	6.80	33.90		26.602	144.5	0.528	
									300	6.46	33.96		26.695	135.7	0.600	
									400	5.65	34.00		26.829	123.0	0.734	
									500	5.02	34.07		26.959	110.7	0.856	
									600	4.61	34.17		27.084	98.8	0.966	
									700	4.30	34.26		27.189	88.8	1.066	
									800	4.05	34.31		27.255	82.6	1.159	
									1000	3.57	34.42		27.391	69.7	1.326	

RV ALEXANDER AGASSIZ										CALCOFI CRUISE 7205										30080
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES						
42 08.0N		129 03.0W		5/ 9/72		0004 GMT				3164M	270	7KT	1	270 3 5						
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD					
									0	11.10	32.62		24.930	303.5	0.000					
									10	10.95	32.63		24.964	300.3	0.030					
									20	10.52	32.61		25.023	294.6	0.060					
									30	10.40	32.61		25.044	292.7	0.089					
									50	9.93	32.62		25.130	284.4	0.147					
									75	8.78	32.70		25.376	261.0	0.216					
									100	8.27	33.09		25.758	224.7	0.277					
									125	8.27	33.47		26.056	196.4	0.330					
									150	7.87	33.66		26.263	176.6	0.377					
									200	7.30	33.88		26.518	152.5	0.461					
									250	6.48	33.94		26.676	137.4	0.535					
									300	5.87	33.94		26.754	130.0	0.604					
									400	5.14	34.01		26.897	116.5	0.731					
									500	4.80	34.06		26.976	109.0	0.849					
									600	4.52	34.16		27.086	98.6	0.958					
									700	4.30	34.25		27.181	89.6	1.058					
									800	4.11	34.32		27.257	82.4	1.151					
									1000	3.60	34.42		27.388	70.0	1.319					

RV ALEXANDER AGASSIZ										CALCOFI CRUISE 7205										30090
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES						
41 48.0N		129 51.0W		5/ 8/72		0754 GMT				4493M	060	25KT	2	260 4 7						
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD					
1	11.30	32.760	6.52	0.45	1.	0.01	0.0	296.6	0	11.30	32.760	6.52	25.002	296.6	0.000					
11	11.09	32.748	6.63	0.44	1.	0.00	0.0	293.9	10	11.12	32.752	6.62	25.027	294.3	0.030					
31	10.20	32.725	6.79	0.42	1.	0.00	0.0	280.9	20	10.70	32.738	6.72	25.088	288.4	0.059					
57	9.61	32.733	6.71	0.52	1.	0.04	1.0	271.0	30	10.25	32.728	6.79	25.159	281.6	0.087					
72	9.05	32.774	6.52	0.66	3.	0.20	3.5	259.5	50	9.76	32.728	6.73	25.240	273.9	0.143					
87	8.63	32.827	6.37	0.79	6.	0.24	5.9	249.4	75	8.96	32.785	6.49	25.413	257.5	0.210					
102	8.32	32.932	6.10	0.95	10.	0.03	9.2	237.1	100	8.36	32.917	6.14	25.608	238.9	0.272					
132	7.97	33.349	5.01	1.36	21.	0.00	16.9	201.2	125	8.03	33.245	5.30	25.913	210.0	0.329					
157	7.74	33.642	4.05	1.67	29.	0.00	21.7	176.2	150	7.80	33.570	4.29	26.202	182.5	0.378					
182	7.51	33.824	3.79	1.85	35.	0.00	24.9	159.5	200	7.28	33.894	3.66	26.530	151.4	0.463					
217	7.05	33.928	3.56	1.98	41.	0.00	27.8	145.6	250	6.59	33.956	3.33	26.673	137.8	0.537					
282	6.16	33.952	3.08	2.26	54.	0.00	30.9	132.6	300	5.93	33.954	2.92	26.757	129.8	0.606					
381	5.08	33.966	2.20	3.10U	72.	0.00	37.6	119.1	400	4.94	33.977	2.06	26.894	116.8	0.733					
481	4.49	34.037	1.51	2.99	90.	0.00	42.0	107.5	500	4.43	34.058	1.38	27.014	105.4	0.849					
615	4.21	34.183	0.74	3.00	107.	0.00	44.8	93.7	600	4.23	34.167	0.81	27.122	95.1	0.954					
770	3.95	34.313	0.44	3.16	122.	0.00	45.3	81.4	700	4.07	34.260	0.52	27.212	86.6	1.051					
920	3.54	34.406	0.38	3.32	135.	0.00	43.3	70.5	800	3.87	34.335	0.43	27.292	79.0	1.141					
1130	3.13	34.497	0.58	3.28	147.	0.00	45.4	59.9	1000	3.36	34.447	0.42	27.432	65.8	1.300					

RV ALEXANDER AGASSIZ										CALCOFI CRUISE 7205										30090
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES						
41 48.0N		129 51.0W		5/ 8/72		0826 GMT				4493M	060	25KT	2	260 4 7						
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD					
									0	11.30	32.74		24.987	298.1	0.000					
									10	11.30	32.74		24.987	298.1	0.030					
									20	10.54	32.74		25.121	285.3	0.059					
									30	10.12	32.74		25.192	278.5	0.087					
									50	9.66	32.74		25.268	271.3	0.142					
									75	8.73	32.81		25.470	252.1	0.208					
									100	8.25	32.98		25.675	232.6	0.269					
									125	7.92	33.35		26.013	200.4	0.324					
									150	7.74	33.62		26.251	177.8	0.371					
									200	7.26	33.85		26.500	154.2	0.456					
									250	6.50	33.94		26.674	137.7	0.530					
									300	5.80	33.94		26.763	129.2	0.599					
									400	4.85	33.98		26.907	115.6	0.725					
									500	4.40	34.04		27.004	106.4	0.841					
									600	4.19	34.15		27.113	96.0	0.947					
									700	4.01	34.24		27.203	87.4	1.045					
									800	3.90	34.33		27.286	79.6	1.135					
									1000	3.37	34.43		27.418	67.1	1.296					

RV ALEXANDER AGASSIZ										CALCOFI CRUISE 7205										30090
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
41 43.0N		124 37.5W		5/ 6/72		1027 GMT			685M	340	5KT	2								
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD					
									0	8.91	32.63		25.302	268.1	0.000					
									10	8.91	32.63		25.302	268.1	0.027					
									20	8.75	32.80		25.459	253.1	0.053					
									30	8.65	32.96		25.599	239.8	0.078					
									50	8.45	33.17		25.794	221.3	0.124					
									75	8.26	33.66		26.206	182.1	0.175					
									100	8.09	33.79		26.333	170.1	0.219					
									125	7.86	33.86		26.422	161.6	0.261					
									150	7.43	33.91		26.523	152.0	0.301					
									200	6.88	34.02		26.686	136.6	0.374					
									250	6.56	34.04		26.744	131.0	0.443					
									300	6.27	34.07		26.806	125.1	0.509					
									400	5.66	34.09		26.899	116.3	0.634					
									500	5.09	34.15		27.014	105.4	0.750					

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205										40040	
LATITUDE		LONGITUDE	MO/DAY/YR		MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES						
41 43.0N		124 37.5W	5/ 6/72		1129	GMT	685M	340	5KT	2							
Z	T	S	O2	PO4	SI03	NO2	NO3	DT	Z	T	S	O2	SIGT	DT	DD		
1	8.98	32.604	6.17	0.85	12.	0.19	7.8	271.1	0	8.98	32.604	6.17	25.271	271.1	0.000		
11	8.83	32.733	5.92	1.03	15.	0.17	10.5	259.3	10	8.96	32.610	5.95	25.278	270.3	0.027		
32	8.55	33.085	5.08	1.35	21.	0.07	15.6	229.0	20	8.71	32.886	5.57	25.531	246.3	0.053		
42	8.44	33.210	4.79	1.41	22.	0.06	16.9	218.2	30	8.58	33.054	5.16	25.682	231.9	0.077		
52	8.32	33.226	4.36	1.58	26.	0.02	19.8	215.3	50	8.34	33.222	4.45	25.849	216.0	0.122		
67	8.32	33.615	3.80	1.79	30.	0.01	23.3	186.3	75	8.30	33.692	3.72	26.224	180.4	0.172		
82	8.26	33.721	3.69	1.84	32.	0.01	24.3	177.6	100	8.03	33.819	3.55	26.363	167.2	0.215		
103	7.98	33.829	3.30	2.03	36.	0.01	26.7	165.6	125	7.62	33.858	3.41	26.454	158.6	0.257		
127	7.59	33.857	3.42	2.00	38.	0.01	26.8	158.1	150	7.37	33.888	3.17	26.513	153.0	0.296		
148	7.40	33.863	3.19	2.02	41.	0.01	26.2	153.6	200	6.92	33.973	2.55	26.642	140.7	0.371		
178	7.04	33.938	2.91	2.22	46.	0.01	29.3	144.7	250	6.67	34.000	2.19	26.697	135.5	0.442		
208	6.89	33.980	2.43	2.46	62.	0.01	32.2	139.7	300	6.41	34.044	1.87	26.767	128.9	0.510		
238	6.73	33.987	2.26	2.40	63.	0.01	31.4	137.1	400	5.76	34.061	1.45	26.863	119.7	0.639		
278	6.53	34.029	2.02	2.52	59.	0.00	34.9	131.4	500	5.13	34.143	0.90	27.004	106.4	0.757		
339	6.17	34.057	1.62	2.74	65.	0.00	37.6	124.9									
414	5.66	34.062	1.41	2.79	73.	0.00	36.3	118.4									
490	5.18	34.133	0.95	3.09	87.	0.00	40.7	107.7									
571	4.80	34.203	0.65	3.18	97.	0.00	42.9	98.3									

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205										
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
41 22.5N		125 24.0W		5/ 6/72		1704		GMT	3012M	210	6KT	2	210 2 8			
Z	T	S	O2	PO4	SI03	NO2	NO3	DT	Z	T	S	O2	SIGT	DT	DD	
									0	10.85	32.60		24.958	300.8	0.000	
									10	10.82	32.60		24.963	400.3	0.030	
									20	10.81	32.60		24.965	300.1	0.060	
									30	10.80	32.60		24.967	300.0	0.090	
									50	10.80	32.60		24.967	300.0	0.150	
									75	10.80	32.61		24.975	299.2	0.226	
									100	9.18	32.91		25.478	251.3	0.295	
									125	8.56	33.22		25.816	219.2	0.354	
									150	8.54	33.63		26.140	188.4	0.406	
									200	7.96	33.88		26.423	161.5	0.495	
									250	7.40	33.95		26.559	148.6	0.574	
									300	6.77	33.96		26.653	139.6	0.648	
									400	5.89	34.07		26.854	120.5	0.783	
									500	5.28	34.12		26.968	109.8	0.904	
									600	4.85	34.18		27.065	100.6	1.015	
									700	4.55	34.26		27.162	91.4	1.118	
									800	4.11	34.30		27.241	83.9	1.212	
									1000	3.77	34.42		27.371	71.6	1.384	

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205										
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
41 02.5N		126 08.5W		5/ 6/72		2255		GMT	3069M	200	10KT	1	200 2 4			
Z	T	S	O2	PO4	SI03	NO2	NO3	DT	Z	T	S	O2	SIGT	DT	DD	
									0	11.20	32.53		24.842	311.9	0.000	
									10	11.20	32.53		24.842	311.9	0.031	
									20	10.73	32.53		24.925	304.0	0.062	
									30	10.71	32.53		24.928	303.7	0.092	
									50	10.68	32.53		24.933	303.2	0.153	
									75	10.63	32.53		24.942	302.3	0.229	
									100	8.97	33.14		25.690	231.1	0.296	
									125	8.55	33.58		26.099	192.3	0.350	
									150	8.38	33.72		26.234	179.4	0.397	
									200	7.65	33.93		26.507	153.5	0.482	
									250	7.20	34.01		26.634	141.5	0.557	
									300	6.85	34.03		26.698	135.4	0.628	
									400	5.87	34.12		26.896	116.6	0.759	
									500	5.37	34.13		26.965	110.0	0.878	
									600	5.02	34.21		27.069	100.1	0.989	
									700	4.67	34.29		27.172	90.4	1.092	
									800	4.32	34.34		27.250	83.0	1.186	
									1000	3.78	34.43		27.378	70.9	1.356	

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205										
LATITUDE 40 42.5N		LONGITUDE 126 56.0W		MO/DAY/YR 5/ 7/72		MESSENGER 0504 GMT		TIME	BOTTOM 3012M	WIND 260	SPEED 12KT	WEATHER 5	DOMINANT WAVES			
Z	T	S	O2	PO4	SI03	NO2	NO3	DT	Z	T	S	O2	SIGT	DT	DD	
									0	11.11	32.47		24.812	314.8	0.000	
									10	10.98	32.48		24.842	311.9	0.031	
									20	10.94	32.50		24.865	309.7	0.062	
									30	10.94	32.60		24.942	302.3	0.093	
									50	11.14	32.78		25.046	292.4	0.153	
									75	9.62	32.76		25.290	269.2	0.223	
									100	9.66	33.40		25.782	222.4	0.285	
									125	8.18	33.52		26.108	191.4	0.337	
									150	7.81	33.75		26.343	169.1	0.383	
									200	7.39	33.91		26.528	151.5	0.465	
									250	6.71	33.95		26.654	139.6	0.539	
									300	5.99	33.94		26.739	131.5	0.609	
									400	5.24	34.02		26.894	116.8	0.737	
									500	4.88	34.12		27.014	105.4	0.853	
									600	4.52	34.21		27.126	94.8	0.959	
									700	4.23	34.27		27.204	87.4	1.056	
									800	3.96	34.33		27.280	80.2	1.147	
									1000	3.51	34.43		27.405	68.4	1.310	

RV DAVID STARR JORDAN										CALCOFI CRUISE 7205							40070
LATITUDE 40 42.5N		LONGITUDE 126 56.0W		MO/DAY/YR 5/ 7/72		MESSENGER 0635 GMT		TIME	BOTTOM 3012M	WIND 260	SPEED 12KT	WEATHER 5	DOMINANT WAVES				
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD		
1	11.10	32.477	6.48	0.38	3.	0.01	0.0	314.1	0	11.10	32.477	6.48	24.819	314.1	0.000		
11	11.09	32.470	6.66	0.37	3.	0.02	0.0	314.4	10	11.09	32.474	6.65	24.815	314.4	0.031		
31	10.94	32.478	6.57	0.37	3.	0.02	0.0	311.3	20	11.01	32.474	6.62	24.830	313.0	0.063		
56	10.79	32.762	6.45	0.47	3.	0.02	0.7	287.8	30	10.95	32.480	6.57	24.846	311.5	0.094		
71	9.98	32.708	6.36	0.61	4.	0.16	2.9	278.7	50	11.15	32.760	6.48	25.029	294.0	0.155		
86	9.98	33.167	5.73	0.97	11.	0.09	10.1	244.7	75	9.70	32.778	6.22	25.291	269.1	0.226		
101	9.65	33.417	4.97	1.36	17.	0.03	15.6	221.0	100	9.69	33.410	5.02	25.783	222.3	0.287		
131	8.16	33.510	4.68	1.48	24.	0.03	19.2	191.9	125	8.45	33.506	4.71	26.054	196.5	0.340		
156	7.88	33.733	3.80	1.81	33.	0.02	24.2	171.4	150	7.91	33.680	4.01	26.272	175.8	0.387		
181	7.53	33.861	3.57	1.96	38.	0.02	25.9	157.0	200	7.30	33.912	3.17	26.541	150.3	0.470		
216	7.11	33.932	2.82	2.27	47.	0.01	29.8	146.1	250	6.52	33.935	2.60	26.666	138.4	0.544		
280	6.02	33.924	2.54	2.48	58.	0.01	34.0	133.0	300	5.86	33.940	2.35	26.755	130.0	0.613		
378	5.50	34.019	1.54	2.87	72.	0.01	38.5	119.8	400	5.38	34.042	1.37	26.894	116.8	0.741		
476	4.99	34.111	0.90	3.09	86.	0.01	41.2	107.3	500	4.89	34.131	0.81	27.020	104.8	0.857		
608	4.54	34.204	0.60	3.23	103.	0.00	42.6	95.5	600	4.56	34.200	0.61	27.112	96.1	0.963		
762	4.13	34.296	0.49	3.30	117.	0.00	44.4	84.4	700	4.29	34.261	0.51	27.191	88.6	1.061		
910	3.74	34.378	0.51	3.35	132.	0.00	44.6	74.4	800	4.03	34.319	0.50	27.264	81.7	1.153		
1121	3.29	34.458	0.67	3.31	134.	0.00	44.6	64.3	1000	3.53	34.418	0.56	27.392	69.5	1.320		

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205						40080				
LATITUDE 40 23.0N		LONGITUDE 127 40.0W		MO/DAY/YR 5/ 7/72		MESSENGER 1133 GMT		TIME	BOTTOM 1378M	WIND 260	SPEED 12KT	WEATHER 1	DOMINANT WAVES			
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD	
									0	11.00	32.60		24.932	303.3	0.000	
									10	11.00	32.60		24.932	303.3	0.030	
									20	11.03	32.60		24.926	303.8	0.061	
									30	11.03	32.60		24.926	303.8	0.091	
									50	10.94	32.62		24.958	300.8	0.152	
									75	10.78	32.61		24.978	298.9	0.227	
									100	8.63	33.14		25.743	226.1	0.293	
									125	8.22	33.57		26.141	188.3	0.345	
									150	7.95	33.74		26.314	171.8	0.391	
									200	7.32	33.90		26.531	151.3	0.473	
									250	6.90	33.94		26.620	142.8	0.548	
									300	6.31	33.99		26.738	131.6	0.619	
									400	5.43	34.05		26.895	116.7	0.748	
									500	4.84	34.12		27.019	105.0	0.863	
									600	4.58	34.19		27.103	97.0	0.970	
									700	4.25	34.27		27.202	87.6	1.069	
									800	4.03	34.34		27.281	80.1	1.159	
									1000	3.44	34.44		27.419	67.0	1.321	

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205						40090			
LATITUDE 40 02.5N		LONGITUDE 128 25.0W		MO/DAY/YR 5/ 7/72		MESSENGER 1752 6MT		TIME	BOTTOM 4341M	WIND 290	SPEED 24KT	WEATHER 1	DOMINANT WAVES 260 8 7		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD
									0	11.47	32.89		25.072	289.9	0.000
									10	11.47	32.89		25.072	289.9	0.029
									20	11.47	32.90		25.080	289.2	0.058
									30	11.48	32.90		25.078	289.4	0.087
									50	10.98	32.87		25.145	283.0	0.144
									75	10.27	32.90		25.291	269.1	0.214
									100	9.74	32.90		25.380	260.7	0.280
									125	9.21	32.97		25.520	247.3	0.344
									150	8.52	33.18		25.791	221.6	0.404
									200	7.74	33.86		26.439	160.0	0.500
									250	7.36	33.92		26.541	150.3	0.580
									300	7.16	33.95		26.592	145.4	0.656
									400	6.56	34.01		26.721	133.2	0.800
									500	5.71	34.05		26.861	119.9	0.933
									600	5.02	34.10		26.982	108.4	1.053
									700	4.61	34.18		27.092	98.0	1.163
									800	4.17	34.27		27.211	86.8	1.263
									1000	3.61	34.41		27.379	70.8	1.436

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205						50050				
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
39 40.0N		124 07.5W		5/ 5/72		1623 GMT			914M	340	21KT	1	330 3 7			
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD	
									0	9.12	33.34		25.823	218.5	0.000	
									10	9.13	33.34		25.821	218.7	0.022	
									20	9.10	33.34		25.826	218.2	0.044	
									30	8.77	33.58		26.065	195.5	0.064	
									50	8.53	33.87		26.329	170.4	0.101	
									75	7.94	33.87		26.418	162.0	0.143	
									100	7.72	33.95		26.513	153.0	0.183	
									125	7.48	33.99		26.578	146.7	0.221	
									150	7.16	34.04		26.663	138.7	0.257	
									200	6.81	34.06		26.727	132.7	0.326	
									250	6.42	34.11		26.818	124.0	0.392	
									300	5.88	34.13		26.903	115.9	0.454	
									400	5.63	34.18		26.973	109.3	0.571	
									500	5.08	34.25		27.094	97.8	0.680	
									600	5.00	34.34		27.175	90.2	0.780	
									700	4.65	34.40		27.262	81.9	0.873	
									800	4.36	34.44		27.325	75.9	0.959	

RV DAVID STARR JORDAN										CALCOFI CRUISE 7205							50050
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
39 40.0N		124 07.5W		5/ 5/72		1747 GMT			914M	340	21KT	1	330 3 7				
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD		
1	9.21	33.366	5.93	1.33	21.	0.14	16.4	218.0	0	9.21	33.366	5.93	25.829	218.0	0.000		
11	9.14	33.371	5.93	1.35	22.	0.13	16.2	216.5	10	9.15	33.373	5.93	25.842	216.7	0.022		
31	8.85	33.617	4.87	1.61	27.	0.10	20.5	193.9	20	9.01	33.467	5.55	25.937	207.6	0.043		
56	8.77	33.867	3.32	1.89	30.	0.02	24.2	174.2	30	8.86	33.603	4.94	26.067	195.3	0.063		
71	8.46	33.835	3.60	1.82	30.	0.03	23.1	172.0	50	8.80	33.829	3.59	26.254	177.6	0.101		
86	7.98	33.881	3.57	1.88	35.	0.02	25.0	161.7	75	8.32	33.846	3.59	26.341	169.3	0.144		
101	7.94	33.907	3.14	2.03	37.	0.00	26.9	159.2	100	7.94	33.908	3.17	26.446	159.3	0.186		
131	7.73	33.972	2.85	2.12	41.	0.00	28.0	151.5	125	7.78	33.960	2.87	26.510	153.2	0.225		
156	7.44	34.018	2.68	2.23	44.	0.00	29.0	144.1	150	7.52	34.009	2.72	26.587	145.9	0.263		
181	7.07	34.045	2.40	2.36	50.	0.00	30.6	137.2	200	6.85	34.044	2.36	26.708	134.4	0.335		
215	6.69	34.037	2.35	2.42	54.	0.00	30.7U	132.8	250	6.36	34.055	2.04	26.781	127.5	0.402		
280	6.13	34.077	1.72	2.71	63.	0.00	36.8	122.9	300	6.01	34.089	1.59	26.854	120.6	0.466		
378	5.63	34.138	1.18	2.97	75.	0.00	39.7	112.4	400	5.53	34.159	1.04	26.968	109.8	0.585		
478	5.23	34.231	0.63	3.09	87.	0.00	40.4	100.9	500	5.17	34.252	0.57	27.084	98.7	0.695		
612	4.92	34.341	0.43	3.26	99.	0.01	41.8	89.2	600	4.95	34.333	0.43	27.175	90.1	0.795		
768	4.40	34.402	0.42	3.26	111.	0.01	42.7	79.2	700	4.65	34.385	0.42	27.249	83.1	0.889		

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205										50060
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
39 20.0N		124 49.0W		5/ 5/72		1003		6MT	2785M	340	23KT	2				
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD	
									0	11.10	32.76		25.038	293.2	0.000	
									10	11.10	32.76		25.038	293.2	0.029	
									20	11.11	32.77		25.044	292.6	0.059	
									30	11.15	32.78		25.045	292.6	0.088	
									50	11.29	32.85		25.074	289.8	0.146	
									75	10.06	33.15		25.521	247.2	0.214	
									100	9.77	33.38		25.748	225.6	0.273	
									125	9.24	33.54		25.959	205.5	0.328	
									150	8.96	33.75		26.168	185.7	0.377	
									200	8.26	33.94		26.425	161.3	0.466	
									250	7.76	34.06		26.593	145.4	0.544	
									300	7.08	34.08		26.705	134.7	0.616	
									400	5.77	34.08		26.877	118.4	0.748	
									500	5.65	34.18		26.971	109.5	0.867	
									600	4.90	34.25		27.115	95.8	0.976	
									700	4.45	34.31		27.212	86.6	1.074	
									800	4.26	34.36		27.272	80.9	1.165	
									1000	3.70	34.47		27.418	67.1	1.329	

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205										50070
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
39 00.0N		125 36.0W		5/ 5/72		0321 GMT			3712M	350	18KT	2	350 11 6			
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DC	
									0	11.28	32.77		25.014	295.5	0.000	
									10	11.29	32.77		25.012	295.7	0.030	
									20	11.29	32.77		25.012	295.7	0.059	
									30	11.29	32.77		25.012	295.7	0.089	
									50	11.19	32.78		25.038	293.2	0.148	
									75	10.71	32.88		25.200	277.8	0.220	
									100	9.92	33.29		25.653	234.6	0.284	
									125	9.16	33.53		25.965	205.0	0.340	
									150	8.78	33.80		26.235	179.3	0.388	
									200	8.30	33.98		26.450	158.9	0.474	
									250	7.83	34.04		26.567	147.8	0.553	
									300	7.04	34.09		26.719	133.4	0.625	
									400	6.41	34.16		26.859	120.1	0.757	
									500	5.75	34.22		26.990	107.7	0.877	
									600	5.07	34.25		27.095	97.7	0.986	
									700	4.63	34.30		27.185	89.2	1.087	
									800	4.31	34.39		27.291	79.1	1.179	
									1000	3.73	34.46		27.407	68.2	1.342	

RV DAVID STARR JORDAN										CALCOFI CRUISE 7205							50080
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
38 40.5N		126 19.0W		5/ 4/72		2030 GMT			4207M	350	21KT	2	360 11 8				
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD		
									0	11.77	32.89		25.017	295.2	0.000		
									10	11.77	32.89		25.017	295.2	0.030		
									20	11.77	32.89		25.017	295.2	0.059		
									30	11.77	32.91		25.033	293.7	0.089		
									50	11.74	32.91		25.038	293.2	0.147		
									75	11.57	32.93		25.085	288.7	0.221		
									100	10.19	33.18		25.522	247.1	0.288		
									125	8.92	33.37		25.878	213.3	0.346		
									150	8.82	33.70		26.151	187.5	0.397		
									200	8.15	33.94		26.441	159.8	0.485		
									250	7.27	34.01		26.624	142.4	0.562		
									300	6.65	34.01		26.709	134.3	0.634		
									400	5.65	34.06		26.876	118.5	0.765		
									500	5.25	34.18		27.019	104.9	0.882		
									600	4.87	34.26		27.126	94.8	0.988		
									700	4.60	34.35		27.228	85.1	1.085		
									800	4.52	34.43		27.300	78.3	1.174		
									1000	3.77	34.48		27.418	67.0	1.336		

RV ALEXANDER AGASSIZ										CALCOFI CRUISE 7205							50080
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM		WIND		SPEED		WEATHER		DOMINANT WAVES	
38 40.5N		126 19.0W		5/ 4/72		2153 GMT		4207M		350		21KT		2		360 11 8	
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD		
1	11.90	32.865		0.36	4.	0.01	0.1	299.3	0	11.90	32.865		24.974	299.3	0.000		
11	11.90	32.874	6.39	0.33	4.	0.01	0.1	298.6	10	11.90	32.875		24.980	298.7	0.030		
31	11.83	32.907	6.35	0.36	4.	0.03	0.2	295.0	20	11.88	32.892	6.36	24.997	297.1	0.060		
56	11.71	32.918	6.38	0.37	5.	0.03	0.3	292.1	30	11.83	32.908	6.35	25.017	295.2	0.089		
71	11.70	32.913	6.32	0.36	5.	0.04	0.3	292.2	50	11.73	32.921	6.38	25.045	292.5	0.148		
86	11.38	32.978	6.24	0.46	6.	0.14	1.6	281.9	75	11.65	32.920	6.30	25.060	291.1	0.222		
101	10.63	33.250	5.81	0.79	8.	0.03	7.3	249.1	100	10.69	33.233	5.84	25.476	251.5	0.290		
131	9.01	33.38	5.04	1.27	16.	0.02	15.1	213.9	125	9.28	33.364	5.22	25.815	219.3	0.349		
156	8.81	33.723	3.77	1.73	26.	0.00	22.0	185.5	150	8.86	33.650	4.06	26.105	191.7	0.401		
181	8.45	33.868	3.43	1.89	31.	0.00	24.5	169.4	200	8.20	33.934	3.27	26.428	161.0	0.491		
216	7.99	33.968	3.17	2.03	36.	0.00	26.5	155.4	250	7.43	34.004	2.96	26.596	145.1	0.569		
281	6.91	34.012	2.76	2.26	49.	0.00	30.4	137.5	300	6.64	34.019	2.58	26.716	133.7	0.641		
381	5.76	34.051	1.77	2.73	68.	0.00	37.5	120.4	400	5.64	34.071	1.61	26.885	117.6	0.771		
481	5.28	34.158	1.03	3.02	83.	0.00	40.2	106.9	500	5.20	34.175	0.93	27.021	104.8	0.888		
617	4.78	34.270	0.55	3.24	99.	0.00	43.6	93.1	600	4.83	34.257	0.58	27.128	94.6	0.994		
772	4.55	34.417	0.45	3.31	108.	0.00	44.6	79.6	700	4.66	34.356	0.50	27.225	85.4	1.091		
922	3.95	34.452	0.46	3.34	124.	0.00	45.1	70.9	800	4.45	34.428	0.45	27.306	77.7	1.180		
1132	3.41	34.513	0.68	3.27	137.	0.00	45.8	61.2	1000	3.71	34.474	0.51	27.419	67.0	1.341		

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205										50090	
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM		WIND		SPEED		WEATHER		DOMINANT WAVES	
38 20.0N		127 04.0W		5/ 4/72		1408 GMT		4493M		010		25KT		2		010 10 6	
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD		
									0	11.25	32.79		25.035	293.5	0.000		
									10	11.25	32.79		25.035	293.5	0.029		
									20	11.25	32.79		25.035	293.5	0.059		
									30	11.25	32.79		25.035	293.5	0.088		
									50	11.20	32.80		25.051	291.9	0.147		
									75	10.98	32.93		25.191	278.6	0.219		
									100	9.94	33.22		25.596	240.1	0.284		
									125	9.01	33.51		25.973	204.3	0.340		
									150	8.82	33.71		26.159	186.6	0.389		
									200	8.14	33.95		26.451	158.9	0.477		
									250	7.42	33.98		26.579	146.7	0.556		
									300	6.78	33.99		26.676	137.5	0.629		
									400	5.56	34.07		26.895	116.7	0.760		
									500	5.20	34.17		27.017	105.1	0.877		
									600	4.95	34.27		27.125	94.9	0.983		
									700	4.41	34.31		27.217	86.2	1.080		
									800	4.23	34.42		27.323	76.1	1.166		
									1000	3.64	34.49		27.440	65.1	1.326		

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205						50100			
LATITUDE		LONGITUDE		MO/DAT/YR		MESSENGER TIME		BOTTOM		WIND SPEED		WEATHER		DOMINANT WAVES	
38 00.0N		127 50.0W		5/ 4/72		0654 GMT		4493M		010 17KT		0			
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD
									0	11.85	32.89		25.002	296.6	0.000
									10	11.85	32.89		25.002	296.6	0.030
									20	11.85	32.89		25.002	296.6	0.059
									30	11.86	32.89		25.000	296.8	0.089
									50	11.76	32.89		25.019	295.0	0.148
									75	11.73	32.89		25.025	294.5	0.222
									100	10.46	32.89		25.251	272.9	0.294
									125	9.90	32.94		25.384	260.2	0.361
									150	9.04	33.25		25.765	224.0	0.422
									200	8.54	33.81		26.280	175.0	0.524
									250	7.98	33.96		26.482	155.9	0.608
									300	7.23	34.03		26.645	140.4	0.685
									400	6.06	34.06		26.825	123.3	0.821
									500	5.32	34.14		26.979	108.7	0.943
									600	4.92	34.24		27.105	96.8	1.052
									700	4.66	34.33		27.205	87.3	1.151
									800	4.23	34.38		27.292	79.1	1.242
									1000	3.58	34.45		27.414	67.5	1.404

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205										50120
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
37 20.0N		129 18.0W		5/ 3/72		1910 GMT		4787M	020	20KT	1	020 8 8				
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD	
									0	12.50	32.86		24.856	310.5	0.000	
									10	12.48	32.92		24.907	305.7	0.031	
									20	12.45	32.92		24.912	305.2	0.061	
									30	12.05	32.88		24.957	300.9	0.092	
									50	11.41	32.78		24.998	297.0	0.152	
									75	10.35	32.88		25.265	271.6	0.225	
									100	9.45	33.12		25.598	239.9	0.287	
									125	9.07	33.31		25.807	220.0	0.345	
									150	8.66	33.56		26.067	195.4	0.398	
									200	8.15	33.89		26.402	163.5	0.489	
									250	7.47	34.00		26.588	145.8	0.568	
									300	6.84	34.03		26.699	135.3	0.641	
									400	5.87	34.08		26.865	119.6	0.773	
									500	5.22	34.12		26.975	109.1	0.893	
									600	4.87	34.22		27.094	97.8	1.002	
									700	4.40	34.29		27.202	87.6	1.102	
									800	4.02	34.36		27.298	78.5	1.192	
									1000	3.63	34.48		27.433	65.7	1.351	

RV ALEXANDER AGASSIZ

CALCOFI CRUISE 7205

50120

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
37 20.0N		129 18.0W		5/ 3/72		2052		GMT	4787M	020	20KT	1	020 8 8		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
1	12.69	32.904	6.24	0.32	2.	0.02	0.0	310.7	0	12.69	32.904	6.24	24.854	310.7	0.000
11	12.64	32.907	6.22	0.33	2.	0.02	0.0	309.6	10	12.65	32.908	6.22	24.864	309.8	0.031
31	12.51	32.968	6.21	0.32	2.	0.02	0.0	302.7	20	12.58	32.931	6.22	24.894	306.9	0.062
55	11.43	32.838	6.43	0.35	2.	0.00	0.0	293.1	30	12.52	32.966	6.21	24.933	303.1	0.092
70	11.31	32.850	6.43	0.36	2.	0.02	0.1	290.1	50	11.65	32.868	6.38	25.020	294.9	0.152
86	10.65	32.945	6.31	0.48	3.	0.00	2.3	272.0	75	11.15	32.880	6.39	25.121	285.3	0.225
100	9.88	32.994	5.83	0.65	5.	0.00	5.1	255.9	100	9.88	32.994	5.83	25.430	255.9	0.293
129	9.14	33.258	5.47	1.03	12.	0.00	12.0	226.4	125	9.20	33.199	5.51	25.699	230.3	0.355
154	8.83	33.521	4.70	1.37	20.	0.00	17.1	200.8	150	8.87	33.478	4.84	25.969	204.7	0.410
179	8.59	33.743	4.00	1.67	26.	0.00	22.4	180.7	200	8.30	33.893	3.82	26.381	165.5	0.504
213	8.10	33.959	3.77	1.80	32.	0.00	25.2	157.6	250	7.56	34.010	3.37	26.583	146.3	0.584
277	7.19	34.017	3.04	2.15	44.	0.00	30.0	140.8	300	6.90	34.029	2.76	26.689	136.3	0.656
375	6.10	34.074	1.94	2.66	64.	0.00	37.3	122.8	400	5.87	34.090	1.72	26.872	118.9	0.789
473	5.29	34.135	1.22	2.90	80.	0.00	41.4	108.8	500	5.12	34.154	1.13	27.012	105.6	0.906
606	4.62	34.227	0.91	3.17	101.	0.00	45.7	94.6	600	4.64	34.224	0.92	27.122	95.1	1.013
758	4.18	34.348	0.57	3.27	114.	0.00	45.7	81.0	700	4.33	34.304	0.68	27.220	85.9	1.110
908	3.71	34.435	0.59	3.28	121.	0.00	46.2	69.9	800	4.05	34.376	0.58	27.307	77.6	1.198
1118	3.22	34.513	0.73	3.22	143.	0.02	45.0	59.5	1000	3.47	34.476	0.64	27.445	64.6	1.356

RV ALEXANDER AGASSIZ

CALCOFI CRUISE 7205

60060

LATITUDE 37 36.5N			LONGITUDE 123 37.0W			MO/DAY/YR 4/24/72		MESSENGER 0924 6MT		TIME	BOTTOM 3248M		WIND 310	SPEED 8KT	WEATHER 1	DOMINANT WAVES		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD			
									0	10.99	32.74		25.042	292.8	0.000			
									10	10.91	32.74		25.056	291.5	0.029			
									20	10.94	32.87		25.152	282.4	0.058			
									30	10.96	33.01		25.257	272.4	0.086			
									50	9.78	33.30		25.685	231.7	0.136			
									75	9.32	33.52		25.931	208.2	0.192			
									100	9.18	33.76		26.141	188.3	0.242			
									125	8.79	33.84		26.265	176.5	0.288			
									150	8.23	33.94		26.429	160.9	0.330			
									200	7.86	34.02		26.547	149.7	0.410			
									250	7.40	34.07		26.653	139.7	0.484			
									300	6.87	34.09		26.742	131.2	0.554			
									400	6.00	34.15		26.904	115.9	0.682			
									500	5.79	34.20		26.969	109.6	0.801			
									600	5.37	34.26		27.068	100.3	0.912			
									700	4.91	34.32		27.169	90.7	1.015			
									800	4.53	34.39		27.267	81.4	1.109			
									1000	3.97	34.46		27.382	70.5	1.278			
									1200	3.43	34.52		27.484	60.9	1.428			

RV ALEXANDER AGASSIZ

CALCOFI CRUISE 7205

60060

	LATITUDE	LONGITUDE	MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
	37 36.5N	123 37.0W	4/24/72		1032		GMT	3248M	310	8KT	1				
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
1	11.03	32.789	6.75	0.38	1.	0.05	0.1	289.9	0	11.03	32.789	6.75	25.073	289.9	0.000
11	11.02	32.791	6.83	0.37	1.	0.03	0.2	289.5	10	11.02	32.793	6.82	25.076	289.6	0.029
32	11.04	33.071	6.31	0.59	7.	0.15	4.0	269.2	20	11.03	32.882	6.65	25.143	283.2	0.058
57	9.79	33.326	5.94	1.20	16.	0.16	13.0	229.9	30	11.04	33.036	6.38	25.261	272.0	0.085
72	9.38	33.412	5.09	1.37	17.	0.05	15.9	217.2	50	10.17	33.267	6.10	25.591	240.6	0.137
87	9.37	33.616	4.26	1.62	21.	0.03	19.7	201.9	75	9.38	33.456	4.91	25.870	214.0	0.194
103	9.21	33.747	3.65	1.77	24.	0.00	22.9	189.7	100	9.25	33.729	3.74	26.104	191.8	0.245
133	8.63	33.895	3.23	1.98	31.	0.00	25.7	170.0	125	8.80	33.868	3.28	26.285	174.6	0.291
158	8.23	33.998	3.14	2.03	35.	0.00	26.6	161.0	150	8.34	33.928	3.17	26.402	163.5	0.334
183	8.03	34.009	2.75	2.17	39.	0.00	27.8	152.9	200	7.95	34.034	2.61	26.543	150.0	0.414
218	7.87	34.048	2.51	2.31	42.	0.00	29.5	147.8	250	7.52	34.069	2.30	26.633	141.5	0.489
284	7.09	34.083	2.08	2.57	53.	0.00	33.8	134.6	300	6.91	34.091	1.96	26.736	131.8	0.559
383	6.18	34.134	1.37	2.77	66.	0.00	38.1	119.2	400	6.10	34.149	1.27	26.889	117.3	0.689
483	5.84	34.216	0.87	3.00	78.	0.00	39.2	109.0	500	5.77	34.227	0.83	26.993	107.4	0.807
617	5.26	34.290	0.69	3.27	89.	0.00	40.7	96.8	600	5.34	34.283	0.70	27.089	98.3	0.917
773	4.67	34.374	0.53	3.32	105.	0.00	40.7	84.1	700	4.94	34.338	0.58	27.179	89.7	1.018
922	4.15	34.419	0.74	3.31	119.	0.00	42.3	75.4	800	4.57	34.384	0.56	27.257	82.3	1.112
1132	3.63	34.487	0.82	3.29	127.	0.00	44.0	65.2	1000	3.93	34.445	0.77	27.374	71.3	1.283

RV ALEXANDER AGASSIZ

CALCOFI CRUISE 7205

60070

LATITUDE 37 17.0N		LONGITUDE 124 21.0W		MO/DAT/YR 4/24/72		MESSENGER TIME 1654 GMT		BOTTOM 4015M		WIND SPEED 300 10KT		WEATHER		DOMINANT WAVES 290 4 8	
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
									0	11.37	32.85		25.059	291.2	0.000
									10	11.28	32.84		25.068	290.3	0.029
									20	11.22	32.83		25.071	290.1	0.058
									30	11.17	32.82		25.072	289.9	0.087
									50	10.96	32.83		25.117	285.7	0.145
									75	10.05	32.94		25.359	262.6	0.214
									100	9.40	33.46		25.871	213.9	0.274
									125	9.30	33.65		26.036	198.3	0.326
									150	9.05	33.81		26.201	182.6	0.374
									200	8.26	34.01		26.479	156.1	0.460
									250	7.12	34.11		26.723	133.0	0.534
									300	6.40	34.06		26.781	127.5	0.602
									400	5.83	34.16		26.933	113.1	0.727
									500	5.20	34.16		27.009	105.9	0.841
									600	4.76	34.24		27.123	95.1	0.948
									700	4.70	34.35		27.217	86.2	1.045
									800	4.39	34.38		27.274	80.7	1.137
									1000	3.80	34.45		27.392	69.6	1.303

RV ALEXANDER AGASSIZ										CALCOFI CRUISE 7205							60120
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
35 37.0N		127 53.5W		4/25/72		2033		GMT	4709M	360	17KT	2	350 9 9				
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S1GT	DT	DD		
1	13.77	33.127	6.11	0.28	1.	0.02	0.0	314.9	0	13.77	33.127	6.11	24.810	314.9	0.000		
11	13.74	33.192	6.09	0.28	1.	0.01	0.1		10	13.74	33.120	6.09	24.809	315.0	0.032		
31	13.75	33.114	6.10	0.27	1.	0.01	0.0	315.4	20	13.74	33.118	6.09	24.807	315.2	0.063		
57	13.75	33.120	6.06	0.27	2.	0.02	0.0	315.0	30	13.75	33.116	6.10	24.805	315.4	0.095		
72	13.48	33.099	6.16	0.29	1.	0.01	0.0	311.3	50	13.75	33.121	6.07	24.808	315.1	0.158		
86	12.17	33.101	6.13	0.33	1.	0.01	0.4	284.5	75	13.21	33.105	6.15	24.905	305.8	0.236		
102	11.72	33.159	5.93	0.46	3.	0.01	2.7	274.5	100	11.76	33.160	5.96	25.227	275.2	0.309		
132	9.85	33.069	5.82	0.78	7.	0.01	7.4	249.9	125	10.29	33.082	5.85	25.427	256.2	0.376		
158	9.17	33.269	5.32	1.06	13.	0.01	12.4	224.6	150	9.32	33.188	5.33	25.671	233.0	0.438		
183	8.83	33.627	4.22	1.50	22.	0.01	19.1	192.9	200	8.66	33.777	3.90	26.236	179.3	0.543		
218	8.49	33.878	3.76	1.72	28.	0.00	23.7	169.3	250	8.17	33.963	3.77	26.455	158.4	0.629		
283	7.80	33.978	3.78	1.80	35.	0.00	25.2	152.0	300	7.54	33.986	3.59	26.566	147.9	0.708		
382	6.27	34.002	2.38	2.50	58.	0.00	34.7	130.2	400	6.06	34.014	2.17	26.787	126.9	0.850		
482	5.36	34.077	1.38	2.89	77.	0.00	38.6	113.9	500	5.28	34.098	1.25	26.949	111.5	0.975		
616	4.95	34.220	0.66	3.21	94.	0.00	42.7	98.6	600	4.98	34.204	0.71	27.069	100.2	1.087		
770	4.35	34.323	0.44	3.23	111.	0.00	44.0	84.6	700	4.62	34.283	0.54	27.171	90.5	1.189		
921	3.86	34.395	0.61	3.27	124.	0.00	44.6	74.3	800	4.24	34.340	0.46	27.258	82.3	1.283		
1151	3.41	34.471	0.76	3.28	133.	0.00	47.0	64.4	1000	3.66	34.428	0.68	27.388	70.0	1.451		

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205						60120			
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
35 37.0N		127 53.5W		4/25/72		2140		GMT	4709M	360	17KT	2	350 9 9		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S1GT	DT	DD
									0	13.75	33.13		24.817	314.2	0.000
									10	13.75	33.13		24.817	314.2	0.031
									20	13.75	33.13		24.817	314.2	0.063
									30	13.71	33.12		24.817	314.2	0.094
									50	13.70	33.13		24.827	313.3	0.157
									75	13.35	33.12		24.890	307.3	0.235
									100	11.53	33.03		25.170	280.6	0.309
									125	10.38	33.14		25.459	253.1	0.377
									150	9.37	33.24		25.705	229.8	0.438
									200	8.73	33.74		26.196	183.0	0.542
									250	8.22	33.97		26.454	158.5	0.630
									300	7.58	33.99		26.564	148.1	0.709
									400	6.14	34.03		26.791	126.5	0.851
									500	5.45	34.11		26.940	112.4	0.976
									600	4.89	34.18		27.061	101.0	1.089
									700	4.77	34.27		27.145	92.9	1.193
									800	4.35	34.34		27.247	83.3	1.289
									1000	3.76	34.45		27.396	69.2	1.458

RV ALEXANDER AGASSIZ										CALCOFI CRUISE 7205										70060
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
35 49.5N		122 28.5W		4/20/72		1341		GMT	3145M	340	12KT	1	340 4 7							
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD					
									0	10.54	33.13		25.423	256.5	0.000					
									10	10.56	33.20		25.474	251.7	0.025					
									20	10.60	33.28		25.530	246.4	0.050					
									30	10.66	33.42		25.628	237.0	0.075					
									50	10.68	33.53		25.710	229.3	0.121					
									75	10.05	33.57		25.849	216.0	0.177					
									100	9.37	33.74		26.095	192.7	0.229					
									125	9.15	33.84		26.208	181.9	0.276					
									150	8.81	33.92		26.324	170.8	0.321					
									200	8.33	33.96		26.430	160.8	0.405					
									250	7.60	34.02		26.585	146.1	0.484					
									300	7.34	34.08		26.669	138.1	0.557					
									400	6.62	34.16		26.831	122.8	0.693					
									500	5.93	34.23		26.975	109.1	0.815					
									600	5.39	34.28		27.081	99.0	0.926					
									700	4.95	34.34		27.180	89.6	1.028					
									800	4.55	34.41		27.281	80.1	1.121					
									1000	3.94	34.47		27.393	69.4	1.287					

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205										70040
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
35 49.5N		122 28.5W		4/20/72		1430 GMT			3145M	340	12KT	1	340 4 7			
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S1GT	DT	DD	
0	10.64	33.168	6.19					255.3	0	10.64	33.168	6.19	25.436	255.3	0.000	
10	10.66	33.188	6.15					254.2	10	10.66	33.188	6.15	25.448	254.2	0.025	
30	10.70	33.366	6.01					241.7	20	10.68	33.269	6.08	25.505	248.7	0.051	
55	10.73	33.555	5.96					226.2	30	10.70	33.366	6.01	25.579	241.7	0.075	
70	10.70	33.627	5.90					222.4	50	10.72	33.523	5.97	25.695	230.6	0.123	
85	9.89	33.539	5.03					215.7	75	10.45	33.596	5.64	25.801	220.6	0.179	
100	9.57	33.651	4.36					202.4	100	9.57	33.651	4.36	25.992	202.4	0.233	
130	9.39	33.816	3.55					187.4	125	9.41	33.794	3.65	26.129	189.4	0.282	
155	8.99	33.927	3.18					173.0	150	9.08	33.909	3.24	26.272	175.8	0.329	
181	8.64	33.990	2.80					163.1	200	8.28	34.028	2.65	26.489	155.2	0.413	
216	7.98	34.053	2.54					148.9	250	7.58	34.090	2.15	26.642	140.7	0.489	
281	7.32	34.111	1.79					135.6	300	7.18	34.128	1.63	26.728	132.5	0.559	
381	6.67	34.183	1.14					121.7	400	6.53	34.193	1.04	26.868	119.3	0.690	
481	5.97	34.228	0.72					109.7	500	5.87	34.240	0.68	26.990	107.6	0.810	
615	5.32	34.307	0.53					96.2	600	5.38	34.299	0.54	27.096	97.6	0.919	
770	4.61	34.394	0.51					81.9	700	4.92	34.359	0.52	27.198	87.9	1.020	
920	4.10	34.428	0.66					74.2	800	4.50	34.403	0.53	27.281	80.1	1.112	
1130	3.53	34.482	0.87					64.6	1000	3.86	34.449	0.74	27.384	70.4	1.279	

70070

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
35	34.5N	123	07.0W	4/20/72		0728	GMT	3636M	350	22KT	1	10 5			
Z	T	S	02	P04	SI03	N02	N03	DT	Z	T	S	02	SI6T	DT	DD
	0	12.20	32.88										24.929	303.6	0.000
	10	12.20	32.88										24.929	303.6	0.030
	20	11.88	32.84										24.958	300.8	0.061
	30	11.73	32.86										25.001	296.7	0.091
	50	11.77	32.89										25.017	295.2	0.150
	75	10.60	33.22										25.483	250.8	0.218
	100	9.44	33.29										25.732	227.1	0.279
	125	8.84	33.48										25.976	204.0	0.333
	150	8.63	33.76										26.227	180.1	0.382
	200	8.13	33.92										26.429	160.9	0.468
	250	7.47	33.97										26.564	148.1	0.548
	300	6.97	33.98										26.642	140.7	0.622
	400	6.17	34.05										26.803	125.4	0.760
	500	5.46	34.12										26.947	111.8	0.884
	600	5.26	34.28										27.097	97.6	0.995
	700	4.86	34.31										27.167	90.9	1.097
	800	4.55	34.38										27.257	82.4	1.191
	1000	3.95	34.44										27.368	71.8	1.363

70080

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
35 14.0N		123 48.0W		4/20/72		0152		GMT	4022M	340	18KT	1	330 8 6		
Z	T	S	Q2	P04	S103	N02	N03	DT	Z	T	S	Q2	S16T	DT	DD
	0	12.41	33.20										25.136	283.8	0.000
	10	12.41	33.21										25.144	283.1	0.028
	20	12.41	33.22										25.152	282.3	0.057
	30	12.39	33.22										25.156	282.0	0.085
	50	12.31	33.56										25.434	255.5	0.139
	75	10.26	33.39										25.674	232.7	0.200
	100	9.84	33.64										25.939	207.4	0.256
	125	9.16	33.73										26.121	190.2	0.306
	150	8.50	33.83										26.302	173.0	0.352
	200	7.96	33.97										26.493	154.8	0.435
	250	7.18	34.00										26.629	142.0	0.511
	300	6.69	34.05										26.735	131.9	0.582
	400	6.09	34.11										26.861	119.9	0.713
	500	5.49	34.18										26.990	107.7	0.832
	600	5.08	34.26										27.102	97.1	0.941
	700	4.73	34.31										27.181	89.5	1.041
	800	4.38	34.37										27.268	81.4	1.134
	1000	3.87	34.45										27.385	70.3	1.303

70090

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
34 53.5N		124 29.5W		4/19/72		1916		GMT	4339M	350	21KT	1	340 8 10		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S16T	DT	DD
	0									13.29	33.05		24.848	311.3	0.000
	10									13.29	33.05		24.848	311.3	0.031
	20									13.29	33.05		24.848	311.3	0.062
	30									13.29	33.05		24.848	311.3	0.093
	50									13.29	33.05		24.848	311.3	0.156
	75									12.57	33.15		25.067	290.4	0.232
	100									11.43	33.17		25.297	268.6	0.302
	125									10.66	33.25		25.496	249.6	0.367
	150									9.73	33.47		25.825	218.3	0.426
	200									8.82	33.86		26.276	175.5	0.527
	250									8.07	34.00		26.500	154.1	0.611
	300									7.34	34.03		26.630	141.9	0.687
	400									6.48	34.09		26.794	126.2	0.826
	500									5.52	34.10		26.924	114.0	0.952
	600									4.93	34.19		27.064	100.7	1.066
	700									4.54	34.27		27.171	90.5	1.168
	800									4.24	34.35		27.267	81.4	1.262
	1000									3.73	34.44		27.391	69.7	1.429

70090

	LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES					
	34 53.5N	124 29.5W	4/19/72	2036	GMT	4339M	350	21KT	1	340 8 10					
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD
1	13.37	33.057	6.24					312.3	0	13.37	33.057	6.24	24.837	312.3	0.000
11	13.36	33.057	6.19					312.1	0.10	13.36	33.059	6.19	24.839	312.1	0.031
32	13.34	33.055	6.14					311.8	20	13.35	33.059	6.16	24.841	311.9	0.062
57	13.35	33.053	6.18					312.2	30	13.34	33.058	6.14	24.842	311.8	0.094
72	13.04	33.143	6.27					299.7	50	13.35	33.056	6.17	24.839	312.1	0.156
88	11.91	33.123	6.19					280.5	75	12.83	33.143	6.26	25.009	296.0	0.233
103	11.47	33.155	5.98					270.4	100	11.54	33.149	6.03	25.259	272.2	0.304
133	10.45	33.272	5.47					244.5	125	10.72	33.231	5.64	25.468	252.2	0.370
158	9.71	33.499	4.64					215.8	150	9.93	33.419	4.94	25.759	225.4	0.431
184	9.11	33.788	3.54					185.1	200	8.85	33.872	3.42	26.279	175.1	0.533
219	8.59	33.921	3.28					167.5	250	8.08	33.984	3.00	26.485	155.6	0.617
285	7.53	34.021	2.65					145.1	300	7.34	34.036	2.48	26.633	141.5	0.694
385	6.44	34.081	1.62					126.4	400	6.29	34.088	1.52	26.816	124.2	0.832
485	5.56	34.120	1.11					113.0	500	5.46	34.130	1.04	26.954	111.1	0.955
620	4.82	34.216	0.63					97.5	600	4.90	34.201	0.68	27.075	99.6	1.067
776	4.35	34.342	0.47					83.2	700	4.55	34.264	0.55	27.180	89.6	1.168
926	3.96	34.416	0.56					73.7	800	4.29	34.357	0.47	27.267	81.4	1.261
1136	3.38	34.479	0.80					63.5	1000	3.76	34.444	0.63	27.391	69.7	1.428

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205									
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
34 09.0N		121 08.5W		4/13/72		1212		GMT	2316M	340	25KT	1	320 8 6		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD
									0	12.36	33.65		25.494	249.8	0.000
									10	12.23	33.65		25.519	247.4	0.025
									20	11.72	33.64		25.607	239.0	0.049
									30	11.44	33.64		25.659	234.1	0.073
									50	11.10	33.67		25.744	226.0	0.119
									75	9.93	33.78		26.033	198.5	0.173
									100	9.56	33.90		26.188	183.8	0.221
									125	9.23	33.96		26.289	174.2	0.266
									150	8.57	33.97		26.401	163.6	0.309
									200	7.82	34.02		26.553	149.2	0.389
									250	7.38	34.05		26.640	140.9	0.463
									300	7.07	34.15		26.762	129.3	0.533
									400	6.52	34.22		26.891	117.0	0.661
									500	6.04	34.27		26.993	107.4	0.779
									600	5.58	34.34		27.106	96.7	0.889
									700	5.03	34.37		27.195	88.3	0.989
									800	4.46	34.44		27.314	76.9	1.079
									1000	4.15	34.46		27.363	72.3	1.246

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205										80060		
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES					
34 09.0N		121 08.5W		4/13/72		1313		GMT	2316M	340	25KT	1	320 8 6					
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD			
0	12.16	33.644						246.6	0	12.16	33.644		25.527	246.6	0.000			
10	12.17	33.643						246.8	10	12.17	33.643		25.525	246.8	0.025			
30	11.93	33.649						242.1	20	12.08	33.645		25.542	245.2	0.049			
56	11.34	33.705						227.6	30	11.93	33.649		25.575	242.1	0.074			
71	10.36	33.740						208.4	50	11.55	33.692		25.677	232.4	0.121			
86	9.89	33.82						194.9	75	10.20	33.761		25.971	204.4	0.176			
101	9.63	33.893						185.4	100	9.65	33.890		26.165	186.0	0.226			
131	8.76	33.967						166.6	125	8.94	33.960		26.335	169.9	0.271			
157	8.31	33.968						160.0	150	8.41	33.971		26.426	161.2	0.313			
182	8.10	33.981						156.0	200	7.94	33.989		26.509	153.3	0.393			
217	7.80								250	7.61	34.031		26.592	145.5	0.469			
281	7.43	34.066						140.4	300	7.25	34.086		26.685	136.6	0.542			
379	6.52	34.160						121.5	400	6.41	34.180		26.874	118.7	0.675			
477	6.10	34.247						109.8	500	6.02	34.268		26.993	107.4	0.794			
609	5.59	34.350						96.1	600	5.63	34.345		27.103	97.0	0.903			
761	4.63	34.424						79.9	700	5.00	34.400		27.222	85.7	1.002			
909	4.35	34.444						75.5	800	4.53	34.432		27.300	78.2	1.092			
1120	3.87	34.483						67.8	1000	4.15	34.460		27.363	72.4	1.260			

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205										80070		
LATITUDE	LONGITUDE	MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
33 48.5N	121 50.0W	4/13/72		2134 6MT			3785M	340	24KT	1	330 15 5							
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD			
									0	13.47	33.26		24.974	299.3	0.000			
									10	13.47	33.26		24.974	299.3	0.030			
									20	13.47	33.26		24.974	299.3	0.060			
									30	13.41	33.25		24.978	298.9	0.090			
									50	12.42	33.32		25.227	275.2	0.147			
									75	11.75	33.38		25.400	258.7	0.215			
									100	10.20	33.52		25.785	222.1	0.275			
									125	9.17	33.61		26.025	199.3	0.328			
									150	9.06	33.83		26.215	181.3	0.377			
									200	8.40	33.99		26.443	159.6	0.463			
									250	7.76	34.03		26.569	147.6	0.542			
									300	7.28	34.09		26.685	136.6	0.615			
									400	6.05	34.15		26.897	116.5	0.747			
									500	5.45	34.20		27.011	105.7	0.864			
									600	5.01	34.28		27.126	94.8	0.970			
									700	4.73	34.35		27.213	86.5	1.068			
									800	4.44	34.41		27.293	79.0	1.159			
									1000	3.87	34.49		27.416	67.3	1.322			

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205									
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
33 48.5N		121 50.0W		4/13/72		2223		GMT	3785M	340	24KT	1	330 15 5		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	
1001	3.84	34.472													
1149	3.47	34.508						68.3	1200	3.38	34.517		27.486	60.6	
1295	3.22	34.530						62.1	1500	2.82	34.561		27.573	52.4	
1442	2.92	34.553						58.2	1750	2.44	34.592		27.630	47.0	
1591	2.68	34.572						53.8	2000	2.14	34.612		27.671	43.2	
1739	2.46	34.590						50.4							
1886	2.27	34.600						47.2							
2039	2.10	34.615						45.0							
2190	1.94	34.632						42.5							
								40.0							

RV ALEXANDER AGASSIZ										CALCOFI CRUISE 7205										80070
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES						
33 48.5N		121 50.0W		4/16/72		1424 GMT				3785M										
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S1GT	DT	DD					
793	4.48	34.411						79.3	800	4.46	34.415		27.294	78.9						
943	4.03	34.467						70.5	1000	3.87	34.489		27.416	67.3						
1092	3.62	34.517						62.8	1200	3.39	34.526		27.493	60.0						
1241	3.31	34.528						59.2	1500	2.81	34.576		27.585	51.2						
1390	3.01	34.561						54.0	1750	2.44	34.598		27.635	46.5						
1539	2.74	34.578						50.4	2000	2.07	34.617		27.680	42.2						
1690	2.55	34.588						48.1	2250	1.89	34.635		27.709	39.5						
1838	2.28	34.611						44.2	2500	1.79	34.648		27.727	37.8						
1988	2.08	34.615						42.4	2750	1.68	34.656		27.743	36.3						
2136	1.98	34.627						40.7	3000	1.63	34.663		27.752	35.5						
2286	1.87	34.636						39.2	3250	1.58	34.668		27.759	34.8						
2435	1.82	34.644						38.2												
2583	1.75	34.650						37.3												
2732	1.68	34.655						36.4												
2880	1.65	34.659						35.9												
3029	1.62	34.663						35.4												
3177	1.59	34.665						35.0												
3324	1.57	34.669						34.6												
3473	1.56	34.670						34.4												

RV ALEXANDER AGASSIZ										CALCOFI CRUISE 7205										80070
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES						
33 48.5N		121 50.0W		4/16/72		1128 GMT				3785M										
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S1GT	DT	DD					
									0	13.33	33.27		25.010	295.9	0.000					
									10	13.34	33.27		25.008	296.0	0.030					
									20	13.32	33.27		25.012	295.7	0.059					
									30	12.88	33.26		25.045	292.5	0.089					
									50	11.98	33.22		25.233	274.6	0.146					
									75	10.93	33.40		25.565	243.0	0.211					
									100	10.10	33.49		25.779	222.7	0.269					
									125	9.05	33.78		26.177	184.8	0.321					
									150	8.80	33.89		26.303	172.9	0.366					
									200	7.98	33.97		26.490	155.1	0.450					
									250	7.30	33.99		26.604	144.3	0.526					
									300	6.79	34.00		26.682	136.9	0.599					
									400	5.83	34.04		26.838	122.1	0.733					
									500	5.30	34.12		26.966	110.0	0.855					
									600	5.08	34.25		27.094	97.8	0.965					
									700	4.64	34.31		27.192	88.6	1.065					
									800	4.43	34.36		27.254	82.6	1.158					
									1000	3.85	34.42		27.363	72.3	1.330					
									1200	3.43	34.49		27.460	63.1	1.483					
									1500	2.85	34.58		27.586	51.2	1.683					

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205										80070
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
33 48.5N		121 51.5W		6/13/72		1001 1415		GMT	3719M	360	17KT	1	010 6 6			
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S1GT	DT	DD	
0	13.98	33.322						304.7	0	13.98	33.322		24.917	304.7	0.000	
10	13.98	33.320						304.8	10	13.98	33.320		24.916	304.8	0.030	
30	13.45	33.457						284.4	20	13.83	33.380		24.991	297.7	0.061	
56	10.99	33.637						226.6	30	13.45	33.457		25.130	284.4	0.090	
71	10.44	33.700						212.7	50	11.56	33.596		25.601	239.6	0.142	
86	10.19	33.762						204.0	75	10.38	33.721		25.910	210.2	0.199	
101	9.54	33.758						194.0	100	9.59	33.760		26.074	194.7	0.250	
131	8.77	33.869						174.0	125	8.88	33.843		26.252	177.7	0.297	
156	8.51	33.957						163.7	150	8.56	33.940		26.377	165.8	0.341	
181	8.13	34.000						155.0	200	7.93	34.022		26.538	150.5	0.421	
216	7.78	34.035						147.5	250	7.47	34.064		26.637	141.1	0.496	
281	7.19	34.084						135.8	300	7.01	34.095		26.726	132.7	0.567	
381	6.29	34.131						120.8	400	6.14	34.140		26.877	118.4	0.697	
481	5.60	34.179						109.0	500	5.53	34.195		26.996	107.1	0.816	
615	5.24	34.208						96.7	600	5.27	34.276		27.092	98.0	0.925	
771	4.63	34.362						84.6	700	4.92	34.332		27.177	90.0	1.026	
921	4.07	34.445						72.6	800	4.51	34.380		27.261	82.0	1.120	
1008A	3.87	34.468						68.9	1000	3.89	34.467		27.396	69.2	1.288	
1130	3.55	34.496 V							1200	3.30	34.516		27.493	59.9	1.435	
1132P	3.51	34.507						62.6	1500	2.83	34.563		27.574	52.4	1.631	
1157A	3.43	34.509						61.7	1750	2.33	34.591		27.638	46.2	1.778	
1305A	3.11	34.540						56.5	2000	2.01	34.621		27.688	41.5	1.910	
1356P	3.10	34.548						55.8	2250	1.89	34.643		27.716	38.8	2.033	
1452A	2.90	34.555						53.5	2500	1.78	34.651		27.730	37.6	2.152	
1572P	2.68	34.572						50.4								
1602A	2.58	34.574						49.4								
1751A	2.33	34.590						46.2								
1787P	2.31	34.605						44.9								
1985P	2.02	34.618						41.7								
2183P	1.91	34.640						39.2								
2427P	1.82	34.647						38.0								
2659P	1.68	34.655						36.4								

RV ALEXANDER AGASSIZ										CALCOFI CRUISE 7205										80070
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES						
33 48.5N		121 51.5W		6/13/72		1309 GMT				3719M	360	17KT	1	010 6 6						
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD					
									0	13.78	33.34			24.972	299.4	0.000				
									10	13.79	33.34			24.970	299.6	0.030				
									20	13.63	33.34			25.003	296.5	0.060				
									30	13.20	33.41			25.144	283.1	0.089				
									50	11.04	33.71			25.786	222.0	0.140				
									75	10.02	33.76			26.002	201.4	0.193				
									100	9.25	33.80			26.161	186.4	0.242				
									125	8.67	33.87			26.307	172.5	0.287				
									150	8.25	33.95			26.434	160.4	0.329				
									200	7.94	34.07			26.574	147.1	0.408				
									250	7.28	34.05			26.654	139.6	0.481				
									300	6.91	34.10			26.744	131.0	0.551				
									400	5.93	34.15			26.912	115.0	0.679				
									500	5.42	34.20			27.014	105.4	0.795				
									600	5.12	34.29			27.121	95.2	0.901				
									700	4.74	34.35			27.212	86.6	0.999				
									800	4.37	34.40			27.292	79.0	1.090				
									1000	3.78	34.46			27.402	68.7	1.254				

RV ALEXANDER AGASSIZ										CALCOFI CRUISE 7205										80070
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES						
33 48.5N		121 51.5W		6/13/72		1446 GMT				3719M	360	17KT	1	010 6 6						
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD					
									0	13.80	33.30			24.937	302.7	0.000				
									10	13.80	33.30			24.937	302.7	0.030				
									20	13.75	33.30			24.948	301.8	0.061				
									30	12.85	33.37			25.182	279.4	0.090				
									50	11.08	33.62			25.709	229.4	0.141				
									75	10.32	33.75			25.943	207.0	0.196				
									100	9.43	33.76			26.100	192.1	0.246				
									125	8.90	33.88			26.279	175.2	0.292				
									150	8.54	33.99			26.421	161.7	0.335				
									200	8.01	34.06			26.556	148.8	0.414				
									250	7.42	34.07			26.650	140.0	0.488				
									300	7.04	34.11			26.734	131.9	0.558				
									400	6.16	34.15			26.883	117.8	0.688				
									500	5.54	34.20			27.000	106.7	0.806				
									600	5.19	34.28			27.105	96.8	0.915				
									700	4.80	34.35			27.205	87.3	1.014				
									800	4.42	34.38			27.271	81.0	1.106				
									1000	3.92	34.47			27.395	69.2	1.273				

RV ALEXANDER AGASSIZ										CALCOFI CRUISE 7205										80080 (BUOY 58)
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES						
33 26.0N		122 37.0W		4/15/72		0003 GMT				4174M	340	14KT	1	320 12 5						
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD					
									0	13.55	33.04			24.788	317.0	0.000				
									10	13.53	33.04			24.792	316.6	0.032				
									20	13.44	33.02			24.795	316.3	0.063				
									30	13.37	33.03			24.817	314.2	0.095				
									50	13.03	33.04			24.892	307.1	0.157				
									75	12.07	33.27			25.255	272.5	0.230				
									100	10.75	33.23			25.465	252.6	0.296				
									125	9.42	33.44			25.853	215.7	0.355				
									150	8.82	33.75			26.190	183.6	0.406				
									200	7.94	33.97			26.496	154.6	0.492				
									250	7.62	34.06			26.613	143.4	0.568				
									300	7.07	34.10			26.722	133.1	0.640				
									400	6.26	34.15			26.870	119.0	0.771				
									500	5.73	34.19			26.969	109.7	0.891				
									600	5.18	34.28			27.106	96.7	1.001				
									700	4.71	34.34			27.208	87.1	1.100				
									800	4.36	34.38			27.278	80.4	1.191				
									1000	3.87	34.46			27.392	69.5	1.358				
									1200	3.38	34.51			27.481	61.1	1.506				
									1500	2.80	34.56			27.574	52.3	1.704				

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205										80080 (BUOY 581)	
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES					
33 25.5N		122 37.0W		4/15/72		0237 GMT		4174M	340	14KT	1	320 12 5					
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S1GT	DT	DD		
1286	3.16	34.529						57.7	1500	2.71	34.566		27.585	51.2			
1436	2.83	34.553						53.1	1750	2.31	34.600		27.648	45.4			
1585	2.57	34.604	U						2000	2.06	34.623		27.687	41.7			
1734	2.33	34.597						45.7	2250	1.87	34.638		27.713	39.1			
1884	2.16	34.612						43.2	2500	1.75	34.649		27.731	37.5			
2033	2.03	34.624						41.3	2750	1.66	34.652		27.740	36.6			
2183	1.91	34.632						39.8	3000	1.62	34.663		27.752	35.5			
2333	1.82	34.643						38.3	3250	1.54	34.666		27.760	34.7			
2483	1.76	34.647						37.6	3500	1.52	34.675		27.769	33.8			
2633	1.71	34.656						36.5	3750	1.50	34.680		27.774	33.3			
2782	1.65	34.650						36.6									
2932	1.64	34.662						35.6									
3081	1.60	34.661						35.4									
3230	1.54	34.678	U														
3379	1.54	34.672						34.1									
3528	1.52	34.675						33.8									
3677	1.50	34.679						33.3									
3826	1.50	34.679						33.3									
3975	1.52	34.682						33.2									

RV ALEXANDER AGASSIZ										CALCOFI CRUISE 7205						80080	
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES					
33 27.5N		122 37.5W		4/16/72		0006 GMT		4174M	320	8KT	1	320 3 3					
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S1GT	DT	DD		
									0	14.20	33.05		24.662	329.0	0.000		
									10	13.54	33.05		24.798	316.0	0.032		
									20	13.48	33.05		24.810	314.9	0.064		
									30	13.46	33.05		24.814	314.5	0.095		
									50	12.45	33.21		25.136	283.8	0.155		
									75	11.65	33.21		25.287	269.5	0.225		
									100	10.10	33.29		25.623	237.5	0.289		
									125	9.22	33.56		25.978	203.7	0.344		
									150	8.65	33.79		26.248	178.1	0.393		
									200	7.93	33.98		26.505	153.7	0.477		
									250	7.50	34.09		26.654	139.5	0.552		
									300	7.07	34.11		26.730	132.3	0.623		
									400	6.22	34.16		26.883	117.8	0.753		
									500	5.75	34.21		26.982	108.4	0.872		

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205										80080	
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES					
33 27.5N		122 37.5W		4/16/72		0127 GMT		4174M	320	8KT	1	320 3 3					
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S1GT	DT	DD		
									0	13.94	33.04		24.708	324.6	0.000		
									10	13.77	33.04		24.743	321.2	0.032		
									20	13.56	33.04		24.786	317.2	0.064		
									30	13.47	33.05		24.812	314.7	0.096		
									50	12.32	33.21		25.161	281.4	0.156		
									75	11.28	33.20		25.347	263.8	0.224		
									100	9.91	33.26		25.632	236.7	0.287		
									125	9.47	33.53		25.915	209.8	0.344		
									150	8.72	33.77		26.221	180.6	0.393		
									200	8.03	33.95		26.467	157.3	0.479		

RV ALEXANDER AGASSIZ					CALCOFI CRUISE 7205										80080 (BUOY 58)	
LATITUDE 33 26.0N		LONGITUDE 122 36.5W		MO/DAT/YR 6/14/72		MESSENGER 0049 GMT		TIME	BOTTOM 4145M		WIND 360	SPEED 12KT	WEATHER 2	DOMINANT WAVES 360 10 7		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S16T	DT	DD	
									0	14.80	33.13		24.597	335.2	0.000	
									10	14.81	33.14		24.602	334.7	0.034	
									20	14.79	33.14		24.606	334.3	0.067	
									30	14.69	33.12		24.612	333.7	0.100	
									50	12.41	33.00		24.982	298.5	0.164	
									75	10.78	33.09		25.351	263.4	0.234	
									100	10.02	33.37		25.699	230.3	0.297	
									125	9.22	33.54		25.963	205.2	0.352	
									150	9.05	33.74		26.146	187.8	0.401	
									200	8.31	33.94		26.417	162.0	0.490	
									250	7.67	34.00		26.559	148.6	0.570	
									300	7.12	34.05		26.676	137.4	0.644	

RV ALEXANDER AGASSIZ					CALCOFI CRUISE 7205										80080 (BUOY 58)	
LATITUDE 33 26.0N		LONGITUDE 122 36.5W		MO/DAT/YR 6/14/72		MESSENGER 0200 GMT		TIME	BOTTOM 4136M	WIND 350	SPEED 16KT	WEATHER 2	DOMINANT WAVES 350 10 7			
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD	
									0	14.67	33.12		24.617	333.3	0.000	
									10	14.67	33.12		24.617	333.3	0.033	
									20	14.66	33.12		24.619	333.1	0.067	
									30	14.27	33.09		24.678	327.4	0.100	
									50	12.92	32.99		24.875	308.7	0.164	
									75	10.80	33.10		25.355	263.0	0.235	
									100	9.94	33.28		25.642	235.7	0.298	
									125	9.35	33.51		25.918	209.4	0.354	
									150	9.08	33.73		26.133	189.0	0.405	
									200	8.40	33.96		26.419	161.9	0.494	
									250	7.72	34.02		26.567	147.8	0.573	
									300	7.12	34.03		26.661	138.9	0.647	

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205								80090	
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES						
33 09.0N	123 13.0W	4/17/72	0803	GMT	4241M	360	28KT	2							
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
									0	13.15	33.04		24.868	309.3	0.000
									10	13.15	33.04		24.868	309.3	0.031
									20	13.15	33.04		24.868	309.3	0.062
									30	13.04	33.04		24.890	307.3	0.093
									50	12.74	33.14		25.026	294.3	0.153
									75	12.41	33.34		25.245	273.5	0.225
									100	11.65	33.39		25.426	256.2	0.291
									125	9.73	33.52		25.864	214.6	0.351
									150	8.83	33.79		26.220	180.8	0.401
									200	8.34	33.99		26.452	158.8	0.487
									250	7.62	34.06		26.613	143.4	0.565
									300	6.86	34.07		26.728	132.6	0.636
									400	5.87	34.15		26.920	114.3	0.764
									500	5.25	34.19		27.027	104.2	0.879
									600	4.88	34.27		27.133	94.1	0.984
									700	4.69	34.35		27.218	86.1	1.081
									800	4.33	34.41		27.305	77.8	1.171
									1000	3.77	34.50		27.434	65.5	1.331

RV ALEXANDER AGASSIZ					CALCOFI CRUISE 7205										80090	
LATITUDE 33 09.0N		LONGITUDE 123 13.0W		MO/DAY/YR 4/17/72	MESSENGER 0914 GMT	TIME	BOTTOM 4241M	WIND 360	SPEED 28KT	WEATHER 2	DOMINANT WAVES					
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD	
2	13.24	33.060	6.21					309.6	0	13.24	33.060	6.21	24.866	309.6	0.000	
12	13.24	33.059	6.24					309.6	10	13.24	33.062	6.24	24.865	309.6	0.031	
32	13.20	33.063	6.26					308.6	20	13.22	33.063	6.24	24.870	309.2	0.062	
58	12.76	33.159	6.45					293.3	30	13.20	33.065	6.26	24.875	308.7	0.093	
73	12.13	33.249	6.55					275.9	50	12.96	33.124	6.38	24.968	299.8	0.154	
88	12.36	33.412	6.21					267.3	75	12.16	33.267	6.51	25.234	274.5	0.226	
103	11.79	33.390	6.11					258.7	100	11.94	33.402	6.13	25.381	260.6	0.294	
159	8.90	33.702	4.23					188.4	125	10.52	33.462	5.48	25.684	231.7	0.356	
184	8.73	33.880						172.6	150	9.29	33.625	4.59	26.017	200.1	0.410	
219	8.21	33.984	2.87					157.3	200	8.51	33.942	3.22	26.387	164.9	0.503	
284	7.47	34.069	2.22					140.7	250	7.84	34.037	2.50	26.562	148.3	0.583	
384	6.16	34.113	1.36					120.6	300	7.25	34.079	2.07	26.681	137.0	0.657	
483	5.45	34.179	0.84					107.3	400	6.02	34.124	1.26	26.880	118.1	0.790	
618	4.91	34.291	0.49					92.9	500	5.37	34.194	0.78	27.015	105.3	0.907	
771	4.36	34.389	0.49					79.7	600	4.97	34.277	0.52	27.128	94.6	1.013	
922	3.91	34.452	0.66					70.5	700	4.61	34.348	0.49	27.225	85.4	1.110	
1132	3.37	34.506	0.92					61.4	800	4.27	34.404	0.52	27.306	77.7	1.199	
									1000	3.70	34.477	0.75	27.423	66.6	1.359	

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205										83075 (BUOY 59)		
LATITUDE 33 05.0N		LONGITUDE 121 44.5W		MO/DAY/YR 4/16/72		MESSENGER 2240 GMT		TIME	BOTTOM 4003M	WIND 350	SPEED 18KT	WEATHER 2	DOMINANT WAVES 350 3 3					
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD			
									0	13.84	33.08		24.760	319.7	0.000			
									10	13.76	33.08		24.776	318.1	0.032			
									20	13.54	33.06		24.806	315.3	0.064			
									30	13.12	33.02		24.859	310.2	0.095			
									50	12.29	33.11		25.090	288.2	0.155			
									75	11.34	33.18		25.321	266.3	0.225			
									100	9.98	33.21		25.581	241.5	0.289			
									125	9.82	33.67		25.966	204.9	0.345			
									150	9.26	33.84		26.190	183.6	0.394			
									200	8.72	33.96		26.370	166.5	0.483			
									250	8.05	34.03		26.527	151.6	0.565			
									300	7.43	34.08		26.656	139.3	0.640			
									400	6.30	34.12		26.841	121.8	0.776			
									500	5.59	34.21		27.002	106.6	0.896			
									600	5.21	34.28		27.103	97.0	1.004			
									700	5.02	34.39		27.212	86.6	1.103			
									800	4.47	34.41		27.289	79.3	1.194			
									1000	3.83	34.47		27.405	68.4	1.359			
									1200	3.38	34.52		27.489	60.4	1.505			
									1500	2.83	34.58		27.588	51.0	1.701			

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205										83075 (BUOY 59)		
LATITUDE 33 03.5N		LONGITUDE 121 44.0W		MO/DAY/YR 6/14/72		MESSENGER 0920 1330		TIME	BOTTOM 4012M	WIND 360	SPEED 10KT	WEATHER 2	DOMINANT WAVES					
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD			
1	14.11	33.265						311.4	0	14.11	33.265		24.846	311.4	0.000			
11		33.266							10	14.11	33.266		24.846	311.5	0.031			
31	14.11	33.262						311.6	20	14.11	33.265		24.845	311.6	0.062			
56	13.54	33.161						307.9	30	14.11	33.264		24.844	311.6	0.094			
71	12.03	33.083						285.6	50	13.90	33.220		24.855	310.6	0.156			
86	11.68	33.271						265.5	75	11.89	33.128		25.177	280.0	0.230			
101	11.05	33.362						247.9	100	11.10	33.359		25.502	249.0	0.297			
131	9.76	33.545						213.2	125	9.99	33.509		25.810	219.7	0.356			
156	9.24	33.720						192.2	150	9.34	33.680		26.052	196.8	0.409			
181	8.82	33.877						174.2	200	8.56	33.939		26.376	165.9	0.501			
216	8.37	33.967						160.9	250	7.94	34.018		26.532	151.1	0.582			
281	7.57	34.044						143.9	300	7.36	34.054		26.646	140.3	0.657			
381	6.49	34.080						127.1	400	6.26	34.093		26.824	123.4	0.794			
481	5.46	34.155						109.2	500	5.37	34.172		26.997	107.0	0.915			
541A	5.25	34.210						102.7	600	5.15	34.291		27.118	95.6	1.023			
616	5.12	34.310						93.7	700	4.81	34.359		27.210	86.8	1.121			
688A	4.86	34.352						87.8	800	4.45	34.407		27.289	79.3	1.212			
770	4.54	34.308 U							1000	3.84	34.464		27.398	68.9	1.377			
837A	4.34	34.424						76.9	1200	3.33	34.518		27.492	60.1	1.524			
919	4.10	34.451						72.4	1500	2.78	34.559		27.575	52.1	1.720			
984A	3.88	34.513 U							1750	2.35	34.592		27.637	46.3	1.866			
1128	3.53	34.497						63.5	2000	2.06	34.629		27.691	41.2	1.999			
1181A	3.37	34.513						60.8	2250	1.90	34.646		27.718	38.7	2.122			
1378A	2.99	34.546						55.0	2500	1.78	34.666		27.742	36.3	2.239			
1575A	2.65	34.567						50.5	2750	1.69	34.677		27.758	34.9	2.353			
1772A	2.32	34.594						45.8	3000	1.63	34.668		27.755	35.2	2.466			
1969A	2.09	34.625						41.7	3250	1.58	34.670		27.761	34.7	2.580			
2167A	1.95	34.642						39.4	3500	1.54	34.682		27.773	33.4	2.693			
2364A	1.84	34.651						37.9										
2561A	1.76	34.672						35.7										
2758A	1.69	34.676						34.9										
2955A	1.64	34.667						35.2										
3153A	1.60	34.666						35.0										
3350A	1.56	34.672						34.3										
3548A	1.54	34.684						33.2										
3646A	1.53	34.685						33.1										

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205										83075 (BUOY 59)		
LATITUDE 33 03.5N		LONGITUDE 121 44.0W		MO/DAY/YR 6/14/72		MESSENGER 1215 GMT		TIME	BOTTOM 4012M	WIND 360	SPEED 10KT	WEATHER 2	DOMINANT WAVES					
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD			
									0	14.02	33.25		24.853	310.7	0.000			
									10	14.03	33.25		24.851	310.9	0.031			
									20	14.03	33.25		24.851	310.9	0.062			
									30	14.04	33.25		24.849	311.1	0.093			
									50	13.95	33.24		24.860	310.1	0.156			
									75	12.28	32.99		24.999	296.9	0.232			
									100	11.07	33.22		25.400	258.7	0.302			
									125	10.27	33.43		25.703	229.9	0.364			
									150	9.50	33.61		25.972	204.3	0.419			
									200	8.60	33.88		26.326	170.7	0.514			
									250	7.99	34.02		26.528	151.5	0.596			
									300	7.45	34.06		26.638	141.1	0.672			
									400	6.16	34.08		26.828	123.0	0.809			
									500	5.37	34.16		26.989	107.8	0.930			
									600	5.12	34.27		27.105	96.8	1.039			
									700	4.84	34.34		27.193	88.4	1.139			
									800	4.49	34.40		27.279	80.2	1.231			
									1000	3.83	34.47		27.405	68.4	1.396			

A) CAST 1.

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205							83075 (BUOY 59)		
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
33 03.5N		121 44.0W		6/14/72		1407		GMT	4012M	360	10KT	2			
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
									0	14.10	33.28		24.860	310.1	0.000
									10	14.10	33.28		24.860	310.1	0.031
									20	14.10	33.28		24.860	310.1	0.062
									30	14.11	33.28		24.858	310.3	0.093
									50	13.99	33.26		24.867	309.4	0.155
									75	11.93	33.12		25.165	281.0	0.230
									100	11.00	33.39		25.345	245.0	0.296
									125	9.72	33.47		25.827	218.1	0.354
									150	9.17	33.75		26.135	188.9	0.406
									200	8.39	33.99		26.444	159.5	0.494
									250	7.84	34.02		26.550	149.4	0.574
									300	7.35	34.08		26.668	138.3	0.648
									400	6.16	34.10		26.844	121.5	0.783
									500	5.38	34.16		26.988	107.9	0.903
									600	5.12	34.29		27.121	95.2	1.011
									700	4.87	34.35		27.197	88.0	1.110
									800	4.51	34.40		27.277	80.4	1.202
									1000	3.88	34.47		27.399	68.9	1.368

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205								83075 (BUOY 59)		
LATITUDE	LONGITUDE	MO/DAY/YR		MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES						
33 04.5N	121 45.0W	6/14/72		1626	GMT	3999M	020	12KT	2	020 5 6						
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD	
									0	14.14	33.30		24.867	309.4	0.000	
									10	14.14	33.30		24.867	309.4	0.031	
									20	14.14	33.30		24.867	309.4	0.062	
									30	14.14	33.30		24.867	309.4	0.093	
									50	14.08	33.29		24.872	309.0	0.155	
									75	11.95	33.23		25.247	273.3	0.228	
									100	10.85	33.42		25.594	240.2	0.293	
									125	9.95	33.43		25.757	224.7	0.352	
									150	9.26	33.74		26.112	191.0	0.404	
									200	8.50	34.00		26.435	160.3	0.494	
									250	7.89	34.06		26.574	147.2	0.572	
									300	7.26	34.09		26.688	136.3	0.646	

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205										83075 (BUOY 59)	
LATITUDE 33 04.5N		LONGITUDE 121 45.0W		MO/DAY/YR 6/14/72		MESSENGER 1725 6MT		TIME	BOTTOM 3999M		WIND 360	SPEED 12KT	WEATHER 2	DOMINANT WAVES 360 5 7			
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD		
									0	14.07	33.24		24.835	312.5	0.000		
									10	14.07	33.24		24.835	312.5	0.031		
									20	14.06	33.24		24.837	312.3	0.063		
									30	14.02	33.23		24.838	312.2	0.094		
									50	13.94	33.23		24.855	310.6	0.156		
									75	12.30	33.09		25.072	289.9	0.232		
									100	11.17	33.27		25.421	256.7	0.301		
									125	10.25	33.45		25.722	228.1	0.362		
									150	9.33	33.68		26.054	196.5	0.416		
									200	8.50	33.99		26.427	161.1	0.507		
									250	7.82	34.08		26.600	144.7	0.585		
									300	7.17	34.10		26.709	134.4	0.657		

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205						90032				
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
33 20.5N		118 03.0W		4/18/72		0755		6MT	722M	250	12KT					
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD	
									0	15.57	33.44		24.666	328.5	0.000	
									10	15.57	33.44		24.666	328.5	0.033	
									20	15.51	33.43		24.672	328.0	0.066	
									30	12.92	33.38		25.176	280.0	0.096	
									50	11.45	33.44		25.502	249.0	0.149	
									75	10.52	33.62		25.808	219.9	0.208	
									100	10.04	33.78		26.015	200.3	0.261	
									125	9.72	33.94		26.193	183.3	0.310	
									150	9.32	34.00		26.305	172.6	0.355	
									200	9.02	34.21		26.518	152.5	0.438	
									250	8.32	34.19		26.611	143.6	0.514	
									300	8.13	34.28		26.710	134.2	0.586	
									400	7.14	34.25		26.831	122.8	0.720	
									500	6.58	34.26		26.915	114.8	0.846	
									600	5.99	34.30		27.023	104.5	0.963	

RV DAVID STARR JORDAN

CALCOFI CRUISE 7205

90037

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME			BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
33 11.0N		118 22.5W		4/18/72		1108 GMT			1110M	280	10KT				
Z	T	S	02	P04	SI03	NO2	NO3	DT	Z	T	S	02	SI6T	DT	DU
									0	15.15	33.44		24.759	319.7	0.000
									10	15.16	33.44		24.757	319.9	0.032
									20	15.16	33.45		24.764	319.2	0.064
									30	15.01	33.44		24.789	316.8	0.096
									50	11.72	33.39		25.414	257.4	0.153
									75	10.77	33.54		25.702	230.0	0.215
									100	9.96	33.75		26.005	201.2	0.269
									125	9.67	33.88		26.154	187.0	0.318
									150	8.99	33.93		26.304	172.8	0.364
									200	8.70	34.06		26.451	158.8	0.448
									250	8.39	34.17		26.585	146.1	0.527
									300	8.05	34.23		26.683	136.8	0.600
									400	7.04	34.19		26.797	126.0	0.737
									500	6.20	34.28		26.980	108.6	0.861
									600	5.74	34.32		27.070	100.1	0.972
									700	5.32	34.35		27.145	93.0	1.077
									800	4.99	34.37		27.199	87.8	1.176

RV DAVID STARR JORDAN

CALCOFI CRUISE 7205

90037

	LATITUDE 33 11.0N	LONGITUDE 118 22.5W	MO/DAY/YR 4/18/72	MESSENGER 1233	TIME GMT	BOTTOM 1110M	WIND 280	SPEED 10KT	WEATHER	DOMINANT WAVES					
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S1GT	DT	DD
0	15.14	33.496	5.65	0.28	1.	0.03	0.0	315.4	0	15.14	33.496	5.65	24.804	315.4	0.000
10	15.14	33.494	6.00	0.29	1.	0.05	0.0	315.6	10	15.14	33.494	6.00	24.803	315.6	0.032
31	14.89	33.483	6.14	0.34	2.	0.00	0.0	311.2	20	15.02	33.491	6.07	24.824	313.5	0.063
41	12.61	33.453	6.18	0.42	3.	0.01	0.1	270.3	30	14.90	33.485	6.13	24.846	311.4	0.094
52	11.81	33.452	5.50	0.73	6.	0.04	3.6	254.5	50	11.87	33.448	5.65	25.429	256.0	0.151
67	11.45	33.512	4.77	1.11	9.	0.04	7.6	243.7	75	11.12	33.561	4.44	25.655	234.4	0.213
81	10.85	33.602		1.34	13.	0.01	12.8	226.8	100	10.24	33.773	3.70	25.975	204.1	0.268
101	10.21	33.781	3.68	1.64	20.	0.03	18.1	203.0	125	9.74	33.936	3.40	26.186	184.0	0.317
127	9.70	33.944	3.39	1.89	26.	0.00	22.5	182.7	150	9.04	34.005	3.28	26.353	168.1	0.362
146	9.12	34.000		2.01	32.	0.03	27.6	169.6	200	8.53	34.067	2.83	26.482	155.8	0.445
176	8.71	34.018	3.14	2.01	30.	0.02	22.7	162.1	250	8.31	34.209	1.55	26.627	142.1	0.521
205	8.50	34.079	2.74	2.24	37.	0.02	27.1	154.5	300	8.07	34.264	1.11	26.706	134.6	0.593
235	8.38	34.180	1.94	2.45	44.	0.00	30.7	145.2	400	7.10	34.265	0.91	26.847	121.2	0.726
274	8.19	34.237	1.07	2.68	49.	0.03	34.1	138.2	500	6.15	34.311	0.70	27.011	105.7	0.846
331	7.88	34.281	1.15	2.85	55.	0.03	36.6	130.6							
405	7.04	34.263	0.89	2.96	64.	0.04	39.2	120.5							
478	6.31	34.301	0.74	3.09	76.	0.04	41.2	108.4							
557	5.87	34.332	0.58	3.19	83.	0.03	43.8	100.7							

RV DAVID STARR JORDAN

CALCOFI CRUISE 7205

90045

Z	LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
	32	54.5N	118	55.5W	4/18/72	1634	GMT		1664M	310	22KT	1	310	12	5
	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	STGT	DT	DD
									0	14.44	33.47		24.935	303.0	0.000
									10	14.41	33.48		24.949	301.6	0.030
									20	14.32	33.46		24.952	301.3	0.060
									30	12.61	33.40		25.252	272.8	0.089
									50	10.95	33.50		25.639	236.0	0.140
									75	10.27	33.63		25.859	215.1	0.197
									100	9.62	33.77		26.077	194.3	0.249
									125	9.42	33.89		26.203	182.3	0.296
									150	9.13	34.00		26.336	169.7	0.341
									200	8.84	34.11		26.468	157.2	0.424
									250	8.07	34.14		26.610	143.7	0.502
									300	7.78	34.19		26.692	135.9	0.574
									400	6.89	34.23		26.849	121.0	0.708
									500	6.18	34.28		26.983	108.3	0.829
									600	5.63	34.33		27.092	98.0	0.939
									700	5.14	34.37		27.182	89.5	1.041
									800	4.67	34.40		27.259	82.1	1.135
									1000	4.08	34.45		27.363	72.3	1.301

RV DAVID STARR JORDAN

CALCOFI CRUISE 7205

90053

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME			BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
32 39.0N		119 28.5W		4/18/72		2141 GMT			1202M	330	20KT	1	310 10 6		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S16T	DT	DD
									0	13.22	33.38		25.117	285.7	0.000
									10	13.22	33.38		25.117	285.7	0.029
									20	13.21	33.38		25.119	285.5	0.057
									30	12.24	33.30		25.246	273.4	0.085
									50	11.92	33.37		25.361	262.5	0.139
									75	10.64	33.42		25.631	236.7	0.202
									100	10.00	33.67		25.936	207.8	0.258
									125	9.26	33.86		26.206	182.1	0.307
									150	8.86	33.96		26.348	168.6	0.351
									200	8.51	34.06		26.480	156.0	0.434
									250	8.10	34.15		26.613	143.4	0.511
									300	7.65	34.18		26.703	134.9	0.583
									400	6.83	34.24		26.865	119.5	0.716
									500	6.28	34.28		26.970	109.6	0.837
									600	5.97	34.31		27.033	103.5	0.951
									700	5.39	34.35		27.137	93.8	1.058
									800	4.93	34.39		27.222	85.7	1.156
									1000	4.11	34.45		27.360	72.6	1.332

RV DAVID STARR JORDAN

CALCOFI CRUISE 7205

90040

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
32 25.0N		119 57.5W		4/19/72		0153		GMT	929M	340	22KT	0	310 15 6		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S1GT	DT	DC
									0	13.80	33.37		24.991	297.6	0.000
									10	13.80	33.37		24.991	297.6	0.030
									20	13.81	33.38		24.997	297.1	0.060
									30	13.80	33.38		24.999	296.9	0.089
									50	13.12	33.40		25.152	282.3	0.147
									75	10.79	33.49		25.659	234.0	0.212
									100	9.56	33.64		25.986	203.0	0.267
									125	9.24	33.83		26.186	184.0	0.316
									150	8.99	33.93		26.304	172.8	0.362
									200	8.18	33.98		26.468	157.2	0.446
									250	7.70	34.11		26.641	140.8	0.522
									300	7.15	34.13		26.735	131.9	0.597
									400	6.81	34.22		26.852	120.7	0.724
									500	6.25	34.24		26.974	104.2	0.844
									600	5.59	34.33		27.097	97.6	0.951
									700	5.12	34.37		27.184	89.3	1.057
									800	4.67	34.41		27.259	82.1	1.151

RV DAVID STARR JORDAN

CALCOFI CRUISE 7205

90070

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
32 04.5N		120 38.5W		4/19/72		0729		GMT	3926M	340	18KT				
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S1GT	DT	DC
									0	13.97	33.07		24.725	322.9	0.000
									10	13.97	33.07		24.725	322.9	0.032
									20	13.97	33.08		24.733	322.2	0.065
									30	13.97	33.08		24.733	322.2	0.097
									50	13.28	33.04		24.842	311.8	0.160
									75	12.07	33.02		25.062	290.9	0.236
									100	11.17	33.12		25.305	267.8	0.307
									125	10.78	33.27		25.490	250.1	0.372
									150	9.98	33.43		25.752	225.2	0.432
									200	8.96	33.85		26.246	178.3	0.535
									250	7.68	33.97		26.505	153.7	0.620
									300	7.32	33.99		26.601	144.6	0.696
									400	6.03	34.04		26.813	124.5	0.836
									500	5.33	34.14		26.978	108.8	0.958
									600	4.81	34.25		27.125	94.9	1.066
									700	4.62	34.36		27.233	84.6	1.163
									800	4.29	34.39		27.293	78.9	1.252
									1000	3.85	34.45		27.387	70.1	1.417

RV DAVID STARR JORDAN

CALCOFI CRUISE 7205

90070

	LATITUDE	LONGITUDE	MO/DAY/YR			MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
	32 04.5N	120 38.5W	4/19/72			0829		GMT	3926M	340	18KT				
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S1GT	DT	DC
0	13.95	33.129	6.19	0.37	2.	0.01	0.0	318.2	0	13.95	33.129	6.19	24.775	318.2	0.000
10	13.97	33.129	6.10	0.35	2.	0.01	0.1	318.6	10	13.97	33.129	6.10	24.771	318.6	0.032
29	13.97	33.133	5.94	0.37	1.	0.00	0.1	318.3	20	13.97	33.133	5.99	24.772	318.5	0.064
52	12.96	33.063	6.30	0.34	2.	0.00	0.0	304.1	30	13.93	33.132	5.95	24.779	317.8	0.096
66	12.61	33.077	6.38	0.41	3.	0.00	0.1	296.5	50	13.06	33.070	6.26	24.908	305.6	0.158
81	11.83	33.091	5.99	0.52	2.	0.06	0.1	281.4	75	12.17	33.089	6.14	25.095	287.7	0.233
95	11.07	33.074	6.10	0.65	4.	0.04	1.8	269.5	100	10.97	33.114	6.01	25.334	265.0	0.302
124	10.64	33.357	5.27	0.94	9.	0.01	7.9	241.4	125	10.60	33.365	5.24	25.594	240.3	0.366
146	9.78	33.507	4.59	1.33	15.	0.00	13.8	216.3	150	9.69	33.553	4.44	25.894	211.7	0.423
170	9.34	33.770	3.77	1.50	21.	0.00	17.0	190.0	200	8.60	33.950	3.47	26.380	165.6	0.519
202	8.55	33.956	3.46	1.84	31.	0.00	23.1	164.3	250	7.89	34.000	3.11	26.527	151.6	0.600
264	7.75	34.007	3.01	2.14	40.	0.00	27.2	149.2	300	7.23	34.018	2.65	26.634	141.4	0.676
357	6.40	34.039	2.03	2.59	59.	0.00	33.3	129.1	400	6.02	34.074	1.57	26.841	121.9	0.813
451	5.68	34.120	1.08	2.99	79.	0.01	39.8	114.3	500	5.39	34.169	0.77	26.993	107.4	0.933
578	5.02	34.245	0.48	3.27	94.	0.02	43.2	97.5	600	4.96	34.269	0.46	27.123	95.1	1.040
723	4.65	34.375	0.38	3.26	101.	0.00	43.5	83.8	700	4.70	34.358	0.40	27.222	85.6	1.138
866	4.15	34.431	0.51	3.29	102.	0.00	43.8	74.4	800	4.38	34.412	0.43	27.300	78.3	1.227
1069	3.64	34.378 U	0.78	3.21	103.	0.00	44.5		1000	3.79	34.460	0.68	27.401	68.7	1.391

RV DAVID STARR JORDAN

CALCOFI CRUISE 7205

900A0

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
31 45.0N		121 19.0W		4/19/72		1302		6M1	3737M	310	16KT	1	310 10 7		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S1GT	DT	DC
									0	14.43	33.36		24.852	310.9	0.000
									10	14.42	33.36		24.854	310.6	0.031
									20	14.43	33.36		24.852	310.9	0.062
									30	14.43	33.36		24.852	310.9	0.093
									50	14.44	33.36		24.850	311.1	0.156
									75	13.95	33.28		24.891	307.2	0.233
									100	13.17	33.30		25.065	290.6	0.309
									125	12.30	33.29		25.227	275.2	0.380
									150	10.76	33.38		25.579	241.7	0.446
									200	9.38	33.77		26.116	190.6	0.555
									250	8.47	33.96		26.424	161.4	0.645
									300	7.95	34.05		26.557	148.7	0.725
									400	6.99	34.21		26.820	123.6	0.867
									500	6.45	34.26		26.932	113.2	0.992
									600	5.79	34.32		27.064	100.7	1.107
									700	5.33	34.36		27.152	92.4	1.211
									800	4.67	34.38		27.244	83.6	1.308
									1000	4.01	34.44		27.362	72.4	1.481

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205									
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
31 24.0N		122 01.0W		4/19/72		1842		GMT	3926M	340	18KT	1	340 10 6		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S1GT	DT	DD
									0	13.72	33.20		24.877	308.5	0.000
									10	13.71	33.20		24.879	308.3	0.031
									20	13.71	33.20		24.879	308.3	0.062
									30	13.71	33.20		24.879	308.3	0.093
									50	13.69	33.21		24.891	307.2	0.154
									75	13.33	33.35		25.071	290.0	0.229
									100	12.13	33.29		25.259	272.1	0.300
									125	11.10	33.37		25.511	248.1	0.366
									150	10.18	33.71		25.936	207.7	0.424
									200	9.00	33.94		26.310	172.2	0.520
									250	8.28	34.01		26.476	156.4	0.605
									300	7.53	34.08		26.642	140.7	0.681
									400	6.63	34.19		26.850	120.9	0.817
									500	5.63	34.18		26.971	109.5	0.939
									600	5.17	34.25		27.084	98.8	1.049
									700	4.89	34.36		27.203	87.5	1.150
									800	4.62	34.39		27.257	82.3	1.243
									1000	4.01	34.48		27.394	69.4	1.412

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205										90100	
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
31 05.0N		122 39.0W		4/19/72		2353		GMT	4308M	360	16KT	1	350 10 6				
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S1GT	DT	DD		
									0	13.86	32.99		24.686	326.7	0.000		
									10	13.87	32.99		24.684	326.9	0.033		
									20	13.85	33.00		24.696	325.7	0.065		
									30	13.78	33.00		24.710	324.4	0.098		
									50	13.36	33.11		24.880	308.2	0.161		
									75	12.35	33.04		25.024	294.5	0.237		
									100	12.17	33.25		25.221	275.8	0.309		
									125	10.80	33.24		25.464	252.7	0.376		
									150	10.02	33.65		25.917	209.6	0.434		
									200	8.85	33.87		26.279	175.2	0.532		
									250	8.10	33.97		26.472	156.8	0.617		
									300	7.33	34.00		26.608	144.0	0.694		
									400	6.15	34.09		26.837	122.2	0.832		
									500	5.42	34.17		26.991	107.6	0.953		
									600	5.07	34.28		27.119	95.5	1.061		
									700	4.64	34.35		27.223	85.6	1.159		
									800	4.38	34.40		27.291	79.1	1.248		
									1000	3.76	34.47		27.412	67.7	1.412		

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205										90120		
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES									
30 25.0N	124 00.0W	4/20/72	0855	GMT	4116M	270	8KT											
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S1GT	DT	DD			
									0	15.71	33.46		24.651	330.0	0.000			
									10	15.71	33.47		24.658	329.3	0.033			
									20	15.71	33.47		24.658	329.3	0.066			
									30	15.71	33.47		24.658	329.3	0.099			
									50	15.71	33.48		24.666	328.6	0.165			
									75	14.72	33.49		24.890	307.2	0.245			
									100	14.53	33.62		25.031	293.8	0.321			
									125	13.25	33.51		25.211	276.7	0.393			
									150	12.05	33.44		25.391	259.6	0.461			
									200	10.17	33.66		25.899	211.3	0.580			
									250	8.79	33.93		26.335	169.8	0.678			
									300	7.93	34.02		26.537	150.7	0.760			
									400	6.53	34.06		26.764	129.1	0.905			
									500	5.75	34.18		26.959	110.7	1.031			
									600	5.13	34.25		27.088	98.4	1.142			
									700	4.88	34.35		27.196	88.1	1.243			
									800	4.46	34.40		27.283	79.9	1.335			
									1000	3.75	34.47		27.413	67.6	1.499			

RV DAVID STARR JORDAN								CALCOFI CRUISE 7205								90120		
LATITUDE 30 25.0N		LONGITUDE 124 00.0W		MO/DAY/YR 4/20/72		MESSENGER 1027 6MT		TIME	BOTTOM 4116M	WIND 270	SPEED 8KT	WEATHER	DOMINANT WAVES					
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S1GT	DT	DD			
1	15.67		5.84	0.27	1.	0.01	0.0		0	15.67		5.84						
11	15.68		5.84	0.26	1.	0.00	0.0		10	15.68		5.84						
31	15.69		5.89	0.26	1.	0.01	0.0		20	15.69		5.86						
55	15.67		5.89	0.25	1.	0.01	0.0		30	15.69		5.89						
70	15.68		5.85	0.25	2.	0.01	0.0		50	15.67		5.89						
85	14.81		6.02	0.24	1.	0.01	0.1		75	15.40		5.91						
100	14.56		6.00	0.44U	2.	0.01	0.0		100	14.56		6.00						
129	13.67		5.81	0.39	3.	0.02	0.1		125	13.83		5.84						
155	12.34		5.59	0.52	4.	0.02	2.6		150	12.62		5.64						
178	11.06		5.27	0.77	9.	0.01	7.1		200	10.26		4.95						
212	9.92		4.77	1.16	15.	0.01	12.3		250	8.99		4.07						
277	8.46		3.54	1.81	32.	0.01	23.1		300	8.06		3.12						
374	7.00		1.94	2.54	56.	0.01	33.7		400	6.69		1.61						
472	5.97		0.93	2.99	75.	0.00	40.0		500	5.75		0.78						
603	5.12		0.50	3.16	92.	0.02	42.4		600	5.13		0.50						
754	4.65		0.37	3.30	101.	0.01	45.4		700	4.79		0.42						
900	4.11		0.51	3.33	103.	0.02	44.8		800	4.48		0.40						
1105	3.58		0.77	3.25	104.	0.00	44.5		1000	3.82		0.63						

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205						90140			
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
29 45.0N		125 20.0W		4/20/72		1819		GMT	4498M	020	7KT	1	360 5 7		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD
									0	15.67	33.49		24.683	527.0	0.000
									10	15.67	33.50		24.690	526.3	0.033
									20	15.66	33.50		24.692	526.0	0.065
									30	15.65	33.50		24.695	525.8	0.098
									50	15.63	33.50		24.699	525.4	0.163
									75	14.14	33.34		24.898	506.5	0.243
									100	12.42	33.24		25.165	281.0	0.317
									125	10.65	33.39		25.606	239.1	0.382
									150	9.55	33.68		26.022	199.6	0.436
									200	8.84	33.91		26.312	172.0	0.533
									250	7.94	33.97		26.496	154.6	0.616
									300	7.06	34.01		26.653	139.6	0.692
									400	5.97	34.09		26.860	120.0	0.827
									500	5.42	34.17		26.991	107.6	0.946
									600	5.11	34.30		27.130	94.4	1.053
									700	4.66	34.37		27.237	84.3	1.150
									800	4.41	34.43		27.312	77.2	1.238
									1000	3.82	34.49		27.421	66.8	1.399

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205										93030		
LATITUDE		LONGITUDE		MO/DAT/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES					
32 54.0N		117 31.0W		4/18/72		0130		GMT	833M	250	7KT	2	340 6 6					
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD			
									0A	15.13	33.41		24.740	321.5	0.000			
									10	13.98	33.39		24.970	299.7	0.031			
									20	12.03	33.41		25.371	261.5	0.059			
									30	11.24	33.45		25.548	244.6	0.085			
									50	10.50	33.60		25.796	221.1	0.131			
									75	9.91	33.88		26.114	190.8	0.183			
									100	9.56	33.92		26.204	182.3	0.230			
									125	9.36	34.09		26.369	166.6	0.274			
									150	9.29	34.16		26.435	160.3	0.316			
									200	9.10	34.22		26.513	153.0	0.396			
									250	8.71	34.25		26.598	144.9	0.473			
									300	8.55	34.27		26.638	141.0	0.547			
									400	7.77	34.27		26.756	129.9	0.688			
									500	6.83	34.28		26.897	116.5	0.818			

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205								94030	
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
32 43.0N		117 27.0W		4/11/72		1929		GMT	556M	270	10KT	2	260 2 8		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD
									0A	15.88	33.45		24.605	334.4	0.000
									10	10.83	33.43		25.606	239.1	0.029
									20	10.44	33.59		25.798	220.8	0.052
									30	10.28	33.66		25.880	213.1	0.073
									50	10.02	33.82		26.049	197.0	0.115
									75	9.69	33.93		26.190	183.6	0.163
									100	9.41	33.99		26.283	174.8	0.208
									125	9.23	34.04		26.351	168.3	0.251
									150	9.27	34.13		26.415	162.2	0.293
									200	8.86	34.20		26.535	150.8	0.373
									250	8.88	34.23		26.555	148.9	0.450
									300	8.40	34.23		26.630	141.8	0.525
									400	7.34	34.22		26.779	127.7	0.666
									500	6.61	34.21		26.872	118.9	0.796

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205										94050	
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
32 43.0N		117 27.0W		4/11/72		2037		GMT	556M	270	10KT	2	260 2 8				
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD		
1A	15.94	33.544	6.43					328.8	0	15.94	33.544	6.43	24.663	328.8	0.000		
11	13.55	33.516	7.76					282.0	10	13.80	33.516	7.63	25.103	287.0	0.031		
21	10.95	33.586	4.64					229.7	20	11.17	33.574	4.99	25.656	234.4	0.057		
31	10.44		4.31						30	10.49	33.590	4.34	25.788	221.8	0.080		
42	10.34	33.697	4.06					211.3	50	10.22	33.749	3.98	25.958	205.6	0.123		
52	10.19	33.761	3.96					204.1	75	9.87	33.910	3.37	26.143	188.1	0.172		
62	9.99	33.859	3.66					193.6	100	9.55	34.008	3.18	26.273	175.7	0.218		
73	9.90	33.895	3.39					189.5	125	9.29	34.019	3.11	26.325	170.8	0.262		
83	9.75	33.963	3.31					182.1	150	9.27	34.121	2.65	26.406	163.1	0.304		
93	9.60	34.008	3.15					176.4									
104	9.53	34.008	3.22					175.3									
114	9.48	34.005	3.21					174.7									
125	9.29	34.019	3.11					170.8									
135	9.25	34.060	3.01					167.1									
146	9.27	34.107	2.66					163.9									
156	9.28	34.135	2.64					162.0									
166	9.29	34.155	2.45					160.7									
178	9.13	34.171	2.43					157.0									

A) A SHAKEDOWN STATION.

RV DAVID STARR JORDAN										CALCOFI CRUISE 7205						100030
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
31 40.5N	116 46.5W	5/ 5/72	0722 GMT		427M	310	10KT					Z	T	S	O2	SIGT DT DD
2	T	S	O2	P04 S103	N02 N03	DT	Z	T	S	O2	SIGT DT DD					
							0	16.98	33.58		24.451	349.0	0.000			
							10	16.89	33.58		24.472	347.0	0.035			
							20	12.53	33.52		25.361	262.5	0.065			
							30	11.14	33.57		25.659	234.1	0.090			
							50	10.44	33.67		25.860	214.9	0.135			
							75	9.96	33.88		26.106	191.6	0.186			
							100	9.88	33.99		26.205	182.2	0.234			
							125	9.84	34.04		26.251	177.8	0.279			
							150	9.72	34.10		26.317	171.5	0.324			
							200	9.23	34.27		26.531	151.2	0.406			
							250	8.90	34.32		26.623	142.5	0.482			
							300	8.58	34.34		26.689	136.3	0.554			

RV DAVID STARR JORDAN										CALCOFI CRUISE 7205						100035
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
31 27.5N	117 07.0W	5/ 5/72	0346 GMT		1202M	290	10KT					Z	T	S	O2	SIGT DT DD
2	T	S	O2	P04 S103	N02 N03	DT	Z	T	S	O2	SIGT DT DD					
							0	17.08	33.57		24.420	352.0	0.000			
							10	17.08	33.57		24.420	352.0	0.035			
							20	13.53	33.59		25.216	276.2	0.067			
							30	11.62	33.67		25.649	235.0	0.092			
							50	10.13	33.78		25.999	201.7	0.136			
							75	9.73	33.91		26.168	185.7	0.185			
							100	9.46	33.99		26.275	175.5	0.230			
							125	9.68	34.14		26.355	167.9	0.274			
							150	9.04	34.14		26.460	158.0	0.315			
							200	9.18	34.35		26.601	144.6	0.393			
							250	8.87	34.38		26.674	137.6	0.465			
							300	8.38	34.36		26.735	131.8	0.535			
							400	7.35	34.34		26.872	118.9	0.667			
							500	6.31	34.33		27.006	106.2	0.786			
							600	5.60	34.38		27.135	93.9	0.893			
							700	5.08	34.42		27.229	85.1	0.991			
							800	4.94	34.45		27.268	81.3	1.082			
							1000	4.28	34.49		27.373	71.3	1.254			

RV DAVID STARR JORDAN										CALCOFI CRUISE 7205						100040
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
31 22.5N	117 26.5W	5/ 4/72	2337 GMT		1756M	300	9KT	2	280 1 3			Z	T	S	O2	SIGT DT DD
2	T	S	O2	P04 S103	N02 N03	DT	Z	T	S	O2	SIGT DT DD					
							0	17.11	33.56		24.405	353.4	0.000			
							10	16.88	33.52		24.429	351.2	0.035			
							20	15.33	33.46		24.735	322.0	0.069			
							30	14.34	33.42		24.917	304.6	0.100			
							50	12.13	33.40		25.344	264.0	0.157			
							75	10.65	33.67		25.824	218.4	0.218			
							100	10.09	33.84		26.053	196.6	0.270			
							125	9.72	33.99		26.232	179.6	0.318			
							150	9.59	34.18		26.401	163.5	0.362			
							200	9.49	34.33		26.535	150.8	0.442			
							250	8.99	34.37		26.647	140.2	0.517			
							300	8.48	34.38		26.735	131.8	0.588			
							400	7.64	34.36		26.846	121.4	0.720			
							500	6.72	34.35		26.967	109.9	0.843			
							600	5.91	34.37		27.088	98.3	0.955			
							700	5.41	34.41		27.181	89.5	1.057			
							800	4.97	34.43		27.249	83.1	1.152			
							1000	4.19	34.51		27.399	68.9	1.323			

RV DAVID STARR JORDAN										CALCOFI CRUISE 7205						100040
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
31 22.5N	117 26.5W	5/ 5/72	0105 GMT		1756M	300	9KT	2	280 1 3			Z	T	S	O2	SIGT DT DD
2	T	S	O2	P04 S103	N02 N03	DT	Z	T	S	O2	SIGT DT DD					
2	17.11	33.565	6.21	0.24	2.	0.00	0.0	353.0	0	17.11	33.565	6.21	24.409	353.0	0.000	
12	16.89	33.552	6.62	0.28	2.	0.00	0.0	349.0	10	16.93	33.556	6.56	24.443	349.8	0.035	
32	13.85	33.461	6.67	0.25	2.	0.00	0.0	291.5	20	15.82	33.506	6.64	24.660	329.2	0.069	
56	11.34	33.528	4.98	0.96	10.	0.11	6.2	240.6	30	14.19	33.467	6.67	24.982	298.4	0.101	
71	10.82	33.626	4.45	1.26	14.	0.06	10.8	224.5	50	11.81	33.500	5.44	25.482	251.0	0.156	
85	10.30	33.746	3.92	1.48	18.	0.02	14.4	207.0	75	10.66	33.663	4.29	25.816	219.2	0.215	
100	10.10	33.822	3.58	1.61	23.	0.01	16.2	198.1	100	10.10	33.822	3.58	26.037	198.1	0.267	
129	9.59	33.990	3.14	1.87	28.	0.01	20.0	177.6	125	9.65	33.966	3.21	26.224	180.4	0.315	
154	9.64	34.177	2.15	2.24	35.	0.00	25.4	164.5	150	9.63	34.154	2.31	26.373	166.2	0.359	
178	9.64	34.244	1.76	2.37	38.	0.00	27.6	159.6	200	9.47	34.293	1.50	26.510	153.2	0.441	
212	9.34	34.314	1.38	2.55	42.	0.00	28.8	149.7	250	9.02	34.361	1.05	26.635	141.4	0.517	
275	8.82	34.377	0.89	2.78	50.	0.00	31.3	137.1	300	8.64	34.385	0.84	26.714	133.9	0.588	
372	8.12	34.377	0.69	2.92	57.	0.00	36.5	126.8	400	7.88	34.366	0.67	26.815	124.3	0.724	
466	7.26	34.340	0.62	3.01	66.	0.00	37.0	117.7	500	6.87	34.340	0.57	26.938	112.6	0.849	
596	5.85	34.361	0.44	3.21	86.	0.00	40.3	98.3	600	5.83	34.363	0.44	27.093	97.9	0.962	
743	5.20	34.407	0.47	3.31	99.	0.01	44.5	87.4	700	5.34	34.394	0.46	27.177	90.0	1.064	
888	4.52	34.453	0.55	3.32	112.	0.00	44.3	76.6	800	4.92	34.426	0.49	27.251	82.9	1.159	
1092	3.90	34.498	0.81	3.29	127.	0.00	44.2	66.9	1000	4.13	34.482	0.67	27.382	70.5	1.331	

RV DAVID STARR JORDAN										CALCOFI CRUISE 7205									
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES						
30 00.0N		120 07.0W		5/ 4/72		0210 GMT			4212M	290	11KT	2	320 2 6						
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S1GT	DT	DD				
1	14.44	33.241	6.21	0.41	2.	0.01	0.0	319.8	0	14.44	33.241	6.21	24.759	319.8	0.000				
11	14.46	33.252	6.22	0.36	2.	0.01	0.0	319.4	10	14.46	33.253	6.22	24.762	319.4	0.032				
31	14.50	33.309	6.21	0.43	2.	0.01	0.0	316.0	20	14.48	33.275	6.22	24.775	318.2	0.064				
56	13.82	33.220	6.32	0.46	2.	0.00	0.0	309.0	30	14.50	33.307	6.21	24.796	316.2	0.096				
72	12.91	33.086	6.49	0.37	3.	0.00	0.0	301.4	50	14.06	33.258	6.28	24.850	311.1	0.159				
86	12.53	33.175	6.28	0.42	3.	0.02	0.0	287.8	75	12.84	33.104	6.46	24.977	299.0	0.235				
102	11.24	33.168	6.05	0.65	5.	0.00	4.4	265.5	100	11.41	33.171	6.08	25.299	268.3	0.307				
132	10.40	33.390	5.27	1.05	11.	0.00	10.6	235.0	125	10.49	33.322	5.46	25.580	241.6	0.371				
155	10.02	33.661	4.79	1.21	14.	0.00	14.5	208.8	150	10.10	33.607	4.89	25.868	214.3	0.429				
181	9.26	33.783	4.16	1.61	21.	0.00	21.5	187.8	200	8.99	33.877	3.97	26.262	176.7	0.528				
215	8.83	33.939	3.88	1.65	27.	0.00	22.1	169.7	250	8.25	33.997	3.43	26.470	157.0	0.614				
279	7.74	34.007	3.00	2.17	41.	0.00	28.3	149.0	300	7.41	34.019	2.70	26.610	143.8	0.691				
375	6.43	34.059	1.69	2.74	63.	0.00	37.2	127.9	400	6.19	34.089	1.39	26.831	122.8	0.830				
473	5.65	34.181	0.69	3.10	81.	0.00	41.7	109.4	500	5.51	34.212	0.62	27.011	105.6	0.949				
603	5.12	34.308 A	0.35	3.25	96.	0.00	43.8	93.9	600	5.13	34.306	0.36	27.132	94.2	1.056				
752	4.57	34.411	0.44	3.37	105.	0.00	45.7	80.3	700	4.75	34.382	0.41	27.235	84.4	1.152				
899	4.15	34.457	0.53	3.42	117.	0.00	45.1	72.5	800	4.42	34.430	0.47	27.310	77.3	1.241				
1108	3.66	34.503	0.75	3.33	129.	0.00	44.6	64.3	1000	3.90	34.483	0.62	27.407	68.1	1.403				

RV DAVID STARR JORDAN										CALCOFI CRUISE 7205							
LATITUDE 29 40.5N			LONGITUDE 120 47.0W			MO/DAY/YR 5/ 3/72		MESSENGER 1900 GMT		TIME	BOTTOM 3926M	WIND 280	SPEED 10KT	WEATHER 2	DOMINANT WAVES 270 2 6		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S1GT	DT	DD		
									0	16.00	33.65		24.731	322.4	0.000		
									10	15.97	33.65		24.738	321.7	0.032		
									20	15.90	33.65		24.754	320.2	0.064		
									30	15.85	33.66		24.773	318.4	0.096		
									50	15.77	33.67		24.798	316.0	0.160		
									75	15.73	33.68		24.815	314.4	0.239		
									100	15.22	33.70		24.943	302.2	0.317		
									125	14.12	33.66		25.148	282.7	0.391		
									150	12.17	33.53		25.437	255.2	0.459		
									200	10.05	33.71		25.958	205.6	0.576		
									250	8.90	33.95		26.334	170.0	0.672		
									300	7.77	33.99		26.537	150.7	0.755		
									400	6.63	34.11		26.790	126.6	0.899		
									500	5.82	34.19		26.958	110.7	1.024		
									600	5.19	34.29		27.113	96.0	1.134		
									700	4.82	34.38		27.227	85.2	1.232		
									800	4.46	34.44		27.314	76.9	1.320		
									1000	3.92	34.50		27.419	67.0	1.481		

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205											
LATITUDE 29 20.0N		LONGITUDE 121 26.5W		MO/DAY/YR 5/ 3/72		MESSENGER 1405 GMT		TIME	BOTTOM 4068M		WIND 270		SPEED 6KT	WEATHER 2	DOMINANT WAVES 320 2 5		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S1GT	DT	DC		
									0	15.56	33.48		24.699	325.4	0.000		
									10	15.36	33.48		24.744	321.2	0.032		
									20	15.26	33.49		24.773	318.3	0.064		
									30	15.37	33.57		24.810	314.8	0.096		
									50	15.45	33.62		24.831	312.8	0.159		
									75	14.58	33.51		24.936	302.9	0.236		
									100	14.13	33.52		25.038	293.1	0.312		
									125	12.52	33.35		25.231	274.8	0.383		
									150	11.50	33.42		25.477	251.4	0.450		
									200	9.89	33.78		26.040	197.9	0.564		
									250	8.90	33.99		26.365	167.0	0.657		
									300	8.00	34.05		26.550	149.4	0.739		
									400	6.83	34.17		26.810	124.7	0.882		
									500	5.86	34.22		26.976	109.0	1.005		
									600	5.34	34.32		27.119	95.5	1.114		
									700	4.98	34.39		27.216	86.2	1.212		
									800	4.60	34.44		27.299	78.4	1.302		
									1000	3.96	34.49		27.407	68.1	1.466		

RV DAVID STARR JORDAN

CALCOFI CRUISE 7205

100120

LATITUDE 28 40.5N			LONGITUDE 122 46.0W			MO/DAY/YR 5/ 3/72			MESSENGER TIME 0524 GMT			BOTTOM 4116M	WIND 060	SPEED 6KT	WEATHER	DOMINANT WAVES		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD			
									0	16.35	33.66		24.659	329.2	0.000			
									10	16.33	33.72		24.709	324.4	0.033			
									20	16.20	33.71		24.732	322.3	0.065			
									30	16.14	33.71		24.745	321.0	0.097			
									50	16.09	33.71		24.757	319.9	0.162			
									75	15.88	33.67		24.773	318.3	0.242			
									100	14.03	33.52		25.059	291.1	0.319			
									125	11.86	33.45		25.434	255.5	0.388			
									150	10.73	33.62		25.771	223.4	0.448			
									200	9.29	33.92		26.248	178.1	0.551			
									250	8.67	34.06		26.456	158.4	0.637			
									300	8.21	34.23		26.659	139.0	0.714			
									400	7.28	34.30		26.850	120.9	0.849			
									500	6.49	34.34		26.990	107.7	0.971			
									600	5.74	34.38		27.117	95.6	1.080			
									700	5.32	34.42		27.200	87.7	1.179			
									800	4.82	34.45		27.282	80.0	1.272			
									1000	4.02	34.50		27.409	68.0	1.438			

RV DAVID STARR JORDAN

CALCOFI CRUISE 7205

100120

LATITUDE 28 40.5N			LONGITUDE 122 46.0W			MO/DAY/YR 5/ 3/72			MESSENGER TIME 0638 GMT			BOTTOM 4116M	WIND 060	SPEED 6KT	WEATHER	DOMINANT WAVES		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD			
									0	16.37	33.689	5.89	24.676	327.6	0.000			
									10	16.31	33.704	5.91	24.702	325.2	0.033			
									20	16.18	33.698	5.95	24.726	322.9	0.065			
									30	16.05	33.682	5.99	24.744	321.1	0.097			
									50	16.05	33.685	5.95	24.745	321.0	0.162			
									75	15.77	33.643	6.00	24.776	318.1	0.242			
									100	14.07	33.519	5.95	25.050	292.0	0.319			
									125	11.94	33.525	4.88	25.476	251.5	0.387			
									150	10.86	33.612	4.45	25.740	226.4	0.448			
									200	9.31	33.882	3.71	26.213	181.4	0.552			
									250	8.79	34.034	3.05	26.415	162.2	0.640			
									300	8.40	34.139	2.15	26.559	148.6	0.720			
									400	7.47	34.271	0.84	26.799	125.8	0.863			
									500	6.57	34.323	0.46	26.966	110.0	0.988			
									600	5.72	34.366	0.33	27.108	96.4	1.099			
									700	5.18	34.405	0.38	27.205	87.3	1.198			
									800	4.72	34.433	0.45	27.279	80.3	1.290			
									1000	3.94	34.478	0.68	27.400	68.8	1.457			

RV DAVID STARR JORDAN

CALCOFI CRUISE 7205

100140

LATITUDE 28 00.0N			LONGITUDE 124 04.0W			MO/DAY/YR 5/ 2/72			MESSENGER TIME 2103 GMT			BOTTOM 4507M	WIND 310	SPEED 1KT	WEATHER 1	DOMINANT WAVES 360 2 5		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD			
									0	16.58	33.68		24.621	332.8	0.000			
									10	16.13	33.67		24.717	323.7	0.033			
									20	16.08	33.68		24.736	321.9	0.065			
									30	16.02	33.67		24.742	321.3	0.097			
									50	15.92	33.65		24.749	320.6	0.162			
									75	14.95	33.49		24.841	311.9	0.241			
									100	14.07	33.40		24.959	300.7	0.319			
									125	13.19	33.39		25.130	284.4	0.392			
									150	11.96	33.49		25.446	254.3	0.461			
									200	9.93	33.68		25.955	205.9	0.578			
									250	8.76	33.99		26.387	164.9	0.672			
									300	8.14	34.12		26.584	146.2	0.753			
									400	7.33	34.23		26.788	126.8	0.895			
									500	6.66	34.32		26.951	111.3	1.021			
									600	5.86	34.37		27.095	97.8	1.133			
									700	5.25	34.43		27.216	86.2	1.233			
									800	4.74	34.42		27.267	81.4	1.325			
									1000	4.00	34.50		27.411	67.8	1.492			

RV DAVID STARR JORDAN

CALCOFI CRUISE 7205

110035

LATITUDE 29 46.0N			LONGITUDE 116 00.0W			MO/DAY/YR 5/ 9/72			MESSENGER TIME 1340 GMT			BOTTOM 1114M	WIND 340	SPEED 19KT	WEATHER 2	DOMINANT WAVES 310 3 4		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD			
									0	13.09	33.43		25.181	279.5	0.000			
									10	13.08	33.44		25.191	278.6	0.028			
									20	12.99	33.47		25.232	274.7	0.056			
									30	12.19	33.43		25.356	262.9	0.083			
									50	10.69	33.55		25.724	227.9	0.132			
									75	9.93	33.75		26.010	200.7	0.186			
									100	10.20	34.03		26.182	184.4	0.234			
									125	10.07	34.18		26.321	171.2	0.279			
									150	9.85	34.22		26.389	164.7	0.322			
									200	9.63	34.33		26.512	153.0	0.403			
									250	9.31	34.36		26.588	145.8	0.480			
									300	8.98	34.45		26.711	134.1	0.553			
									400	7.79	34.39		26.847	121.2	0.687			
									500	6.98	34.38		26.955	111.0	0.810			
									600	6.17	34.38		27.063	100.7	0.924			
									700	5.49	34.40		27.164	91.2	1.029			
									800	4.79	34.43		27.270	81.2	1.123			
									1000	3.87	34.50		27.424	66.5	1.289			

110040

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
29 37.0N		116 20.0W		5/ 9/72		1653		GMT	2227M	310	22KT	2	310 6 5		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
									0	16.03	33.61		24.694	325.9	0.000
									10	16.01	33.61		24.698	325.5	0.033
									20	16.01	33.61		24.698	325.5	0.065
									30	16.00	33.61		24.700	325.3	0.098
									50	15.94	33.61		24.714	324.0	0.163
									75	13.59	33.45		25.096	287.7	0.240
									100	11.51	33.51		25.545	244.9	0.307
									125	10.31	33.60		25.829	218.0	0.365
									150	9.61	33.83		26.125	189.7	0.417
									200	8.68	34.00		26.407	163.0	0.507
									250	8.28	34.13		26.570	147.5	0.587
									300	8.12	34.25		26.688	136.3	0.660
									400	7.52	34.34		26.847	121.2	0.795
									500	6.75	34.35		26.963	110.3	0.917
									600	5.97	34.37		27.081	99.1	1.030
									700	5.39	34.39		27.168	90.8	1.133
									800	4.92	34.42		27.247	83.3	1.229
									1000	4.08	34.47		27.379	70.8	1.401

110040

	LATITUDE			LONGITUDE			MO/DAT/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
	29 37.0N			116 20.0W			5/ 9/72		1808		GMT	2227M	310	22KT	2	310 6 5		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S1GT	DT	DD			
0	16.03	33.640	5.94	0.27	1.	0.01	0.0	323.7	0	16.03	33.640	5.94	24.717	323.7	0.000			
10	16.03	33.640	6.05	0.24	1.	0.01	0.0	323.7	10	16.03	33.640	6.05	24.717	323.7	0.032			
30	16.02	33.636	5.96	0.27	1.	0.00	0.0	323.8	20	16.03	33.640	6.03	24.716	323.8	0.065			
55	15.81	33.614	5.97	0.30	1.	0.00	0.0	320.9	30	16.02	33.636	5.96	24.716	323.8	0.097			
70	14.22	33.486	6.07	0.29	1.	0.00	0.0	297.4	50	15.85	33.620	5.97	24.740	321.5	0.162			
85	12.73	33.469	5.54	0.58	5.	0.10	1.9	269.9	75	13.68	33.472	5.92	25.092	288.0	0.239			
100	11.86	33.512	5.07	0.85	8.	0.05	6.5	250.9	100	11.86	33.512	5.07	25.482	250.9	0.307			
130	10.31	33.636	4.48	1.30	16.	0.00	14.9	215.3	125	10.53	33.610	4.58	25.796	221.0	0.366			
154	9.66	33.848	3.73	1.62	24.	0.00	18.0	189.2	150	9.74	33.815	3.85	26.090	193.1	0.419			
179	9.16	33.958	3.50	1.76	28.	0.01	20.1	173.3	200	8.63	34.004	2.67	26.417	162.1	0.509			
213	8.34	34.025	2.44	2.05	37.	0.01	24.2	156.2	250	8.31	34.166	1.77	26.593	145.3	0.588			
276	8.29	34.229	1.47	2.57	49.	0.01	32.7	140.3	300	8.18	34.275	1.18	26.698	135.4	0.661			
372	7.75	34.347	0.60	2.92	60.	0.01	35.8	123.8	400	7.58	34.355	0.55	26.850	121.0	0.795			
467	7.14	34.355	0.44	3.04	67.	0.01	37.3	115.0	500	6.87	34.360	0.35	26.954	111.1	0.918			
595	6.08	34.380	0.15	3.19	82.	0.01	40.3	99.6	600	6.04	34.382	0.15	27.080	99.1	1.031			
743	5.14	34.426	0.37	3.30	102.	0.01	43.3	85.3	700	5.39	34.413	0.28	27.186	89.1	1.133			
886	4.41	34.465	0.51	3.33	115.	0.01	43.8	74.5	800	4.82	34.443	0.43	27.275	80.6	1.227			
1093	3.77	34.509	0.76	3.27	130.	0.00	43.0	64.9	1000	4.00	34.493	0.64	27.405	68.3	1.393			

110050

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME			BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
29 16.5N		116 59.0W		5/ 9/72		2342 GMT			3926M	320	22KT	1	310 8 5		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
									0	16.08	33.57		24.652	329.9	0.000
									10	16.03	33.58		24.671	328.1	0.033
									20	16.03	33.59		24.678	327.4	0.066
									30	16.01	33.59		24.683	327.0	0.099
									50	15.96	33.59		24.694	325.9	0.164
									75	14.25	33.40		24.921	304.3	0.243
									100	13.22	33.31		25.063	290.8	0.318
									125	11.52	33.44		25.489	250.2	0.387
									150	10.69	33.58		25.747	225.7	0.447
									200	10.04	33.92		26.124	189.9	0.553
									250	8.67	33.97		26.385	165.1	0.643
									300	8.01	34.05		26.548	149.6	0.725
									400	7.23	34.21		26.787	127.0	0.869
									500	6.48	34.29		26.952	111.3	0.994
									600	5.71	34.33		27.082	99.0	1.107
									700	5.23	34.37		27.171	90.5	1.210
									800	4.89	34.41		27.242	83.7	1.305
									1000	4.16	34.47		27.370	71.6	1.479

110060

LATITUDE 28 56.5N		LONGITUDE 117 39.0W		MO/DAY/YR 5/10/72		MESSENGER TIME 0539 GMT			BOTTOM 3737M	WIND 330	SPEED 22KT	WEATHER	DOMINANT WAVES		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S1GT	DT	DD
									0	16.29	33.61		24.634	331.6	0.000
									10	16.30	33.62		24.640	331.1	0.033
									20	16.30	33.63		24.647	330.3	0.066
									30	16.30	33.63		24.647	330.3	0.095
									50	16.26	33.62		24.649	330.2	0.164
									75	13.35	33.56		24.807	315.1	0.247
									100	12.49	33.46		25.322	266.1	0.320
									125	11.95	33.76		25.657	234.3	0.383
									150	10.92	33.87		25.931	208.2	0.439
									200	10.46	34.23		26.292	173.9	0.537
									250	9.78	34.28		26.448	159.1	0.622
									300	9.17	34.34		26.595	145.1	0.701
									400	7.50	34.29		26.811	124.7	0.842
									500	6.76	34.32		26.938	112.6	0.968
									600	6.15	34.38		27.066	100.5	1.082
									700	5.64	34.40		27.146	92.9	1.188
									800	5.07	34.42		27.230	84.9	1.286
									1000	4.25	34.47		27.361	72.5	1.462

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205						110070			
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
28 36.5N		118 18.0W		5/10/72		1103 GMT		3926M	330	18KT					
Z	T	S	O2	PO4	SI03	NO2	NO3	DT	Z	T	S	O2	SI6T	DT	DD
									0	16.66	33.70		24.618	333.1	0.000
									10	16.66	33.71		24.626	332.4	0.033
									20	16.66	33.71		24.626	332.4	0.067
									30	16.65	33.71		24.628	332.2	0.100
									50	16.53	33.68		24.633	331.7	0.167
									75	14.08	33.49		25.026	294.3	0.245
									100	12.49	33.45		25.314	266.9	0.316
									125	11.12	33.59		25.678	232.3	0.379
									150	10.43	33.75		25.924	208.9	0.435
									200	9.79	34.07		26.282	174.8	0.533
									250	9.25	34.22		26.488	155.3	0.617
									300	8.56	34.25		26.621	142.6	0.694
									400	7.62	34.32		26.817	124.1	0.834
									500	6.55	34.33		26.974	109.2	0.958
									600	5.85	34.37		27.096	97.6	1.068
									700	5.38	34.40		27.177	89.9	1.170
									800	4.95	34.42		27.243	83.6	1.266
									1000	4.16	34.47		27.370	71.6	1.439

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205										110080
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES						
28 16.5N	118 57.5W	5/10/72	1603	6MT		4116M	340	16KT	1	330	6	6				
Z	T	S	O2	PO4	SI03	NO2	NO3	DT	Z	T	S	O2	SI6T	DT	DD	
									0	16.64	33.73		24.646	330.5	0.000	
									10	16.64	33.74		24.653	329.8	0.033	
									20	16.64	33.74		24.653	329.8	0.066	
									30	16.64	33.74		24.653	329.8	0.099	
									50	16.44	33.68		24.653	329.7	0.165	
									75	13.87	33.44		25.031	293.9	0.244	
									100	12.70	33.49		25.304	267.8	0.314	
									125	10.90	33.66		25.772	223.3	0.376	
									150	10.13	33.81		26.023	199.5	0.430	
									200	9.61	34.08		26.320	171.2	0.525	
									250	9.03	34.20		26.508	153.4	0.608	
									300	8.50	34.25		26.631	141.8	0.684	
									400	7.60	34.32		26.820	123.8	0.823	
									500	6.55	34.33		26.974	109.2	0.947	
									600	5.92	34.36		27.079	99.2	1.058	
									700	5.39	34.39		27.168	90.8	1.162	
									800	4.85	34.41		27.247	83.3	1.257	
									1000	4.09	34.47		27.378	70.9	1.429	

RV DAVID STARR JORDAN								CALCOFI CRUISE 7205								110080
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
28 16.5N		118 57.5W		5/10/72		1745 GMT			4116M	340	16KT	1	330 6 6			
Z	T	S	O2	PO4	SI03	NO2	NO3	DT	Z	T	S	O2	SI6T	DT	DD	
1	16.65	33.757	5.87	0.30	0.	0.00	0.0	328.8	0	16.65	33.757	5.87	24.664	328.8	0.000	
11	16.63	33.757	5.92	0.21	0.	0.00	0.0	328.3	10	16.63	33.758	5.92	24.668	328.3	0.033	
30	16.63	33.758	5.87	0.19	1.	0.01	0.0	328.2	20	16.63	33.759	5.90	24.669	328.3	0.066	
55	16.56	33.747	5.90	0.19	1.	0.01	0.0	327.5	30	16.63	33.758	5.87	24.669	328.2	0.099	
69	15.61	33.626	6.06	0.22	1.	0.01	0.0	315.8	50	16.57	33.751	5.89	24.675	327.7	0.164	
84	13.93	33.492	5.87	0.33	2.	0.01	0.0	291.2	75	14.94	33.562	5.98	24.898	306.5	0.244	
99	12.94	33.522	5.02	0.68	5.	0.01	2.6	269.9	100	12.86	33.526	4.98	25.299	268.3	0.317	
128	10.99	33.647	4.11	1.29	13.	0.01	15.1	225.8	125	11.16	33.631	4.18	25.701	230.1	0.380	
152	10.36	33.824	3.53	1.57	19.	0.00	19.8	202.2	150	10.39	33.811	3.57	25.978	203.8	0.435	
176	9.93	33.928	3.25	1.72	24.	0.00	21.3	187.6	200	9.68	34.068	2.71	26.297	173.4	0.531	
210	9.60	34.121	2.47	2.06	31.	0.01	26.3	168.0	250	9.10	34.217	1.87	26.509	153.3	0.615	
272	8.82	34.237	1.63	2.46	44.	0.00	32.3	147.5	300	8.54	34.270	1.33	26.638	141.0	0.691	
367	7.97	34.315	0.79	2.80	56.	0.01	37.3	129.3	400	7.70	34.330	0.63	26.814	124.4	0.830	
463	7.17	34.347	0.45	3.04	64.	0.02	31.4U	116.0	500	6.80	34.352	0.38	26.957	110.8	0.954	
593	5.94	34.366	0.30	3.19	82.	0.01	43.3	99.0	600	5.89	34.369	0.30	27.089	98.3	1.067	
745	5.09	34.419	0.33	3.27	93.	0.01	44.2	85.2	700	5.30	34.404	0.32	27.189	88.8	1.168	
891	4.42	34.451	0.48	3.27	110.	0.01	44.6	75.7	800	4.82	34.433	0.38	27.268	81.3	1.262	
1105	3.83	34.499	0.69	3.27	125.	0.01	44.2	66.2	1000	4.06	34.477	0.59	27.385	70.2	1.431	

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205						120045			
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
27 43.0N		115 33.0W		5/12/72		0259		GMT	2415M	330	16KT				
Z	T	S	O2	PO4	SI03	NO2	NO3	DT	Z	T	S	O2	SI6T	DT	DD
									0	14.13	33.51		25.031	293.9	0.000
									10	14.13	33.52		25.038	293.1	0.029
									20	14.17	33.55		25.053	291.7	0.059
									30	14.01	33.56		25.094	287.8	0.088
									50	11.58	33.49		25.517	247.6	0.141
									75	10.64	33.96		26.051	196.8	0.197
									100	11.40	34.39		26.248	178.1	0.245
									125	11.40	34.48		26.317	171.5	0.289
									150	11.22	34.54		26.397	163.9	0.332
									200	10.90	34.59		26.494	154.7	0.413
									250	10.30	34.58		26.592	145.4	0.491
									300	9.71	34.55		26.670	136.0	0.565
									400	8.48	34.48		26.814	124.4	0.703
									500	6.78	34.38		26.982	108.4	0.827
									600	6.20	34.42		27.091	98.1	0.938
									700	5.65	34.43		27.168	90.8	1.041
									800	5.01	34.43		27.245	83.5	1.137
									1000	4.08	34.49		27.395	69.3	1.308

RV DAVID STARR JORDAN										CALCOFI CRUISE 7205										120050
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
27 33.0N		115 52.5W		5/11/72		2222 GMT			4116M	330	12KT	2	310 4 7							
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD					
									0	16.15	33.56		24.628	332.2	0.000					
									10	16.04	33.55		24.645	330.5	0.033					
									20	15.95	33.56		24.673	327.9	0.066					
									30	14.41	33.44		24.918	304.6	0.098					
									50	13.45	33.37		25.063	290.8	0.158					
									75	11.90	33.62		25.558	243.7	0.225					
									100	11.14	33.91		25.923	209.0	0.282					
									125	10.92	34.02		26.048	197.1	0.333					
									150	10.67	34.08		26.139	188.5	0.382					
									200	9.95	34.25		26.396	164.1	0.472					
									250	9.30	34.31		26.550	149.4	0.553					
									300	8.76	34.33		26.653	139.7	0.628					
									400	7.44	34.32		26.843	121.6	0.765					
									500	6.61	34.36		26.989	107.7	0.886					
									600	5.89	34.37		27.091	98.1	0.997					
									700	5.36	34.41		27.188	88.9	1.098					
									800	4.91	34.44		27.264	81.7	1.192					
									1000	4.21	34.48		27.373	71.4	1.364					

RV DAVID STARR JORDAN										CALCOFI CRUISE 7205										120050
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
27 33.0N		115 52.5W		5/11/72		2312 GMT			4116M	330	12KT	2	310 4 7							
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD					
0	16.14	33.594	7.50	0.17	2.	0.03	0.0	329.5	0	16.14	33.594	7.50	24.656	329.5	0.000					
9	16.13	33.590	7.63	0.12	2.	0.02	0.0	329.6	10	16.10	33.589	7.59	24.661	329.0	0.033					
29	15.06	33.511	6.47	0.21	2.	0.01	0.0	312.7	20	15.64	33.552	7.08	24.735	322.0	0.066					
53	13.54	33.455	5.87	0.39	4.	0.01	0.0	286.3	30	15.00	33.510	6.43	24.844	311.6	0.097					
68	12.63	33.430	5.59	0.57	5.	0.04	0.9	270.9	50	13.73	33.462	5.92	25.074	289.7	0.158					
83	12.05	33.582	4.47	1.05	11.	0.01	9.8	249.2	75	12.35	33.489	5.13	25.370	261.6	0.227					
97	11.39	33.775	3.23	1.60	19.	0.01	17.9	223.3	100	11.31	33.811	3.01	25.814	219.4	0.288					
126	10.98	34.013	1.79	2.22	30.	0.00	27.4	198.6	125	10.98	34.010	1.82	26.028	199.0	0.340					
151	10.85	34.063	1.62	2.33	32.	0.00	28.8	192.7	150	10.85	34.063	1.63	26.092	192.9	0.390					
175	10.61	34.137	1.79	2.25	32.	0.00	27.3	183.2	200	10.18	34.249	1.60	26.355	167.9	0.482					
208	10.02	34.281	1.50	2.41	37.	0.01	30.0	162.9	250	9.31	34.331	1.17	26.564	148.0	0.564					
270	9.00	34.328	1.04	2.67	45.	0.00	33.6	143.4	300	8.59	34.335	0.89	26.682	136.9	0.638					
366	7.82	34.336	0.64	2.90	58.	0.01	37.2	125.6	400	7.45	34.346	0.52	26.861	119.9	0.772					
459	6.88	34.362	0.35	3.11	70.	0.00	40.6	111.0	500	6.57	34.370	0.32	27.002	106.5	0.892					
586	6.03	34.383	0.26	3.23	84.	0.00	42.6	98.8	600	5.94	34.388	0.26	27.097	97.5	1.002					
733	5.21	34.427	0.29	3.30	97.	0.00	43.6	86.0	700	5.38	34.417	0.28	27.191	88.6	1.103					
875	4.63	34.464	0.38	3.35	110.	0.00	44.1	76.9	800	4.92	34.446	0.32	27.267	81.4	1.197					
1078	3.91	34.499	0.65	3.31	125.	0.00	43.6	67.0	1000	4.17	34.489	0.53	27.384	70.4	1.367					

RV DAVID STARR JORDAN										CALCOFI CRUISE 7205										120060
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
27 13.0N		116 30.5W		5/11/72		1634 GMT			3737M	320	10KT	2	270 5 8							
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD					
									0	16.25	33.54		24.590	335.8	0.000					
									10	16.26	33.55		24.595	335.3	0.034					
									20	16.14	33.56		24.630	332.0	0.067					
									30	15.76	33.55		24.708	324.5	0.100					
									50	14.94	33.52		24.866	309.5	0.164					
									75	13.90	33.48		25.055	291.5	0.239					
									100	12.47	33.49		25.349	263.6	0.309					
									125	11.53	33.71		25.697	230.5	0.371					
									150	10.95	33.99		26.019	199.8	0.426					
									200	10.05	34.21		26.347	168.6	0.520					
									250	10.00	34.39		26.496	134.5	0.603					
									300	9.53	34.50		26.661	138.9	0.679					
									400	8.02	34.42		26.837	122.2	0.817					
									500	7.27	34.46		26.977	108.9	0.940					
									600	6.38	34.42		27.067	100.3	1.053					
									700	5.64	34.43		27.169	90.7	1.157					
									800	5.06	34.44		27.247	83.3	1.253					
									1000	4.20	34.49		27.382	70.5	1.425					

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205						120070			
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
26 53.0N		117 10.0W		5/11/72		1118		GMT	3926M	330	14KT				
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD
									0	17.22	33.75		24.525	342.0	0.000
									10	17.22	33.76		24.532	341.3	0.034
									20	17.22	33.77		24.540	340.6	0.068
									30	17.23	33.77		24.537	340.8	0.102
									50	16.71	33.72		24.622	332.8	0.170
									75	13.93	33.50		25.064	290.6	0.248
									100	12.30	33.48		25.374	261.2	0.316
									125	11.54	33.74		25.718	228.5	0.380
									150	10.64	33.94		26.035	198.3	0.434
									200	9.87	34.21		26.378	165.7	0.527
									250	9.37	34.33		26.555	149.0	0.608
									300	8.96	34.36		26.644	140.5	0.683
									400	7.87	34.40		26.843	121.6	0.820
									500	7.00	34.40		26.968	109.8	0.943
									600	6.20	34.42		27.091	98.1	1.055
									700	5.60	34.44		27.182	89.5	1.158
									800	4.99	34.44		27.255	82.6	1.253
									1000	4.17	34.49		27.385	70.2	1.424

RV DAVID STARR JORDAN

CALCOFI CRUISE 7205

120080

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
26 32.5N		117 49.0W		5/11/72		0508 GMT			3926M	320	6KT				
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD
									0	17.66	33.84		24.488	345.5	0.000
									10	17.63	33.85		24.503	344.1	0.034
									20	17.63	33.85		24.503	344.1	0.069
									30	17.63	33.85		24.503	344.1	0.103
									50	17.35	33.82		24.547	339.9	0.172
									75	13.89	33.45		25.034	293.5	0.252
									100	11.85	33.41		25.405	258.3	0.321
									125	10.93	33.68		25.782	222.4	0.362
									150	10.21	33.89		26.071	194.9	0.435
									200	9.62	34.15		26.373	166.2	0.527
									250	9.35	34.36		26.581	146.4	0.607
									300	8.78	34.34		26.657	139.2	0.681
									400	7.50	34.34		26.850	120.9	0.818
									500	6.51	34.37		27.011	105.7	0.938
									600	5.98	34.41		27.111	96.2	1.046
									700	5.42	34.45		27.212	86.6	1.146
									800	4.98	34.47		27.280	80.2	1.238
									1000	4.25	34.51		27.392	69.5	1.407

RV DAVID STARR JORDAN

CALCOFI CRUISE 7205

120080

	LATITUDE	LONGITUDE	MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
	26 32.5N	117 49.0W	5/11/72		0627		GMT	3926M	320	6KT					
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD
0	17.63	33.857	5.78	0.25	2.	0.01	0.0	343.6	0	17.63	33.857	5.78	24.508	343.6	0.000
10	17.63	33.856	5.92	0.22	1.	0.00	0.0	343.7	10	17.63	33.856	5.92	24.507	343.7	0.034
30	17.63	33.857	5.82	0.22	1.	0.00	0.0	343.6	20	17.63	33.858	5.89	24.508	343.6	0.069
56	17.05	33.763	5.94	0.23	2.	0.00	0.0	337.2	30	17.63	33.857	5.82	24.508	343.6	0.103
71	14.61	33.512	6.24	0.27	2.	0.00	0.0	303.4	50	17.18	33.786	5.91	24.559	338.7	0.172
86	13.67	33.475	5.94	0.35	3.	0.00	0.0	287.4	75	14.31	33.493	6.21	24.979	298.8	0.252
101	12.32	33.496	5.16	0.73	7.	0.03	4.7	260.4	100	12.41	33.494	5.22	25.362	262.3	0.323
131	10.91	33.706	3.97	1.36	16.	0.00	15.6	220.1	125	11.09	33.658	4.17	25.734	226.9	0.384
156	10.28	33.891	3.31	1.68	23.	0.00	19.1	196.0	150	10.39	33.850	3.44	26.007	201.0	0.439
181	9.95	34.021	2.87	1.87	28.	0.00	21.8	181.0	200	9.75	34.098	2.56	26.310	172.2	0.534
216	9.61	34.161	2.29	2.16	34.	0.00	27.5	165.2	250	9.40	34.350	1.51	26.565	148.0	0.616
279	9.20	34.375	0.91	2.68	46.	0.00	35.1	143.0	300	8.93	34.373	0.85	26.659	139.1	0.690
376	7.80	34.342	0.61	2.91	52.	0.00	38.8	124.9	400	7.50	34.342	0.53	26.852	120.8	0.827
471	6.73	34.354	0.34	3.24	73.	0.00	43.6	109.7	500	6.52	34.371	0.29	27.009	105.8	0.947
600	5.97	34.428	0.22	3.28	86.	0.00	44.4	94.7	600	5.97	34.428	0.22	27.127	94.7	1.055
748	5.16	34.457	0.28	3.29	101.	0.00	44.8	83.2	700	5.41	34.452	0.26	27.214	86.4	1.154
894	4.58	34.484	0.40	3.29	112.	0.00	44.7	74.9	800	4.94	34.468	0.32	27.282	80.0	1.246
1104	3.90	34.518	0.62	3.33	129.	0.00	44.7	65.4	1000	4.21	34.503	0.50	27.390	69.7	1.414

RV DAVID STARR JORDAN

CALCOFI CRUISE 7205

130040

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME			BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
26 09.5N		114 07.5W		5/13/72		2132 GMT			2602M	300	10KT	2	270 2 3		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD
									0	16.46	33.62		24.603	334.6	0.000
									10	16.19	33.62		24.665	328.7	0.033
									20	16.16	33.63		24.679	327.3	0.066
									30	16.13	33.63		24.686	326.6	0.099
									50	14.32	33.55		25.022	294.7	0.161
									75	12.60	33.55		25.370	261.5	0.231
									100	11.52	33.70		25.691	231.1	0.293
									125	11.07	34.07		26.060	196.0	0.347
									150	10.51	34.14		26.214	181.4	0.395
									200	10.20	34.40		26.470	157.0	0.482
									250	9.90	34.44		26.552	149.2	0.561
									300	9.20	34.49		26.707	134.5	0.634
									400	8.21	34.47		26.847	121.2	0.769
									500	7.23	34.44		26.967	109.8	0.892
									600	6.34	34.42		27.072	99.8	1.005
									700	5.64	34.43		27.169	90.7	1.109
									800	5.07	34.45		27.253	82.7	1.205
									1000	4.14	34.50		27.396	69.2	1.375

RV DAVID STARR JORDAN

CALCOFI CRUISE 7205

130040

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
26 09.5N		114 07.5W		5/13/72		2240 GMT			2602M	300	10KT	2	270 3 3		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S1GT	DT	DD
0	16.41	33.658	6.85	0.20	3.	0.00	0.0	330.7	0	16.41	33.658	6.85	24.644	330.7	0.000
10	16.38	33.654	7.05	0.18	3.	0.02	0.0	330.3	10	16.38	33.654	7.05	24.647	330.3	0.033
30	16.15	33.651	6.53	0.18	3.	0.01	0.0	325.5	20	16.27	33.654	6.88	24.673	327.9	0.066
55	14.34	33.571	5.52	0.32	3.	0.01	0.0	293.6	30	16.15	33.651	6.53	24.698	325.5	0.099
71	12.79	33.563	4.34	0.71	8.	0.01	0.0	264.1	50	14.80	33.588	5.78	24.947	301.8	0.162
84	11.96	33.654	3.75	1.15	13.	0.01	3.7	242.2	75	12.49	33.586	4.14	25.417	257.1	0.232
100	11.47	33.834	3.07	1.67	19.	0.01	18.7	220.3	100	11.47	33.834	3.07	25.804	220.3	0.292
129	10.89	34.096	2.22	2.08	27.	0.02	25.1	191.0	125	10.95	34.070	2.30	26.080	194.1	0.345
153	10.56	34.155	2.02	2.19	29.	0.00	26.5	181.1	150	10.58	34.149	2.05	26.207	182.0	0.392
179	10.77	34.350	1.28	2.44	34.	0.01	29.8	170.2	200	10.52	34.401	1.16	26.415	162.2	0.480
213	10.29	34.408	1.09	2.58	38.	0.00	32.0	157.9	250	9.89	34.428	0.92	26.543	150.0	0.561
276	9.64	34.430	0.81	2.74	43.	0.01	34.4	145.8	300	9.37	34.446	0.66	26.645	140.4	0.636
372	8.53	34.479	0.29	3.04	55.	0.01	38.7	125.2	400	8.20	34.472	0.28	26.850	120.9	0.774
468	7.45	34.445	0.24	3.14	66.	0.00	40.3	112.4	500	7.16	34.440	0.24	26.976	109.0	0.896
596	6.42	34.437	0.25	3.27	80.	0.00	41.9	99.6	600	6.39	34.438	0.25	27.080	99.2	1.008
744	5.40	34.461	0.29	3.35	96.	0.00	43.3	85.6	700	5.68	34.453	0.27	27.182	89.5	1.112
889	4.69	34.482	0.43	3.39	108.	0.00	44.2	76.2	800	5.10	34.470	0.34	27.265	81.6	1.206
1097	3.85	34.524	0.65	3.37	129.	0.00	43.7	64.5	1000	4.22	34.504	0.54	27.391	69.7	1.376

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205									
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
25 49.5N		114 47.0W		5/14/72		0326		GMT	3641M	300	15KT				
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD
									0	17.60	33.89		24.541	340.5	0.000
									10	17.57	33.91		24.563	338.4	0.034
									20	17.53	33.91		24.573	337.4	0.068
									30	17.45	33.91		24.592	335.6	0.102
									50	17.34	33.88		24.595	335.3	0.169
									75	14.33	33.63		25.081	289.0	0.247
									100	13.39	33.98		25.545	244.9	0.315
									125	12.75	34.28		25.905	210.7	0.372
									150	12.11	34.47		26.176	184.9	0.423
									200	11.34	34.59		26.414	162.3	0.512
									250	10.66	34.62		26.560	148.4	0.592
									300	9.99	34.56		26.630	141.8	0.667
									400	8.74	34.52		26.804	125.3	0.808
									500	7.49	34.45		26.938	112.6	0.935
									600	6.36	34.45		27.093	97.8	1.049
									700	5.66	34.45		27.183	89.4	1.151
									800	5.10	34.47		27.266	81.5	1.245
									1000	4.25	34.51		27.392	69.5	1.415

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205										
LATITUDE 25 29.0N		LONGITUDE 115 24.0W		MO/DAY/YR 5/14/72		MESSENGER 1121		TIME GMT	BOTTOM 3641M	WIND 330	SPEED 12KT	WEATHER	DOMINANT WAVES			
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD	
									0	17.53	33.85		24.527	341.8	0.000	
									10	17.54	33.86		24.532	341.3	0.034	
									20	17.54	33.86		24.532	341.3	0.068	
									30	17.50	33.85		24.534	341.1	0.103	
									50	17.38	33.85		24.563	338.4	0.171	
									75	15.87	33.66		24.768	318.8	0.253	
									100	13.96	33.57		25.112	286.1	0.330	
									125	11.99	33.63		25.549	244.5	0.397	
									150	10.82	33.90		25.972	204.3	0.454	
									200	10.85	34.39		26.348	168.6	0.549	
									250	10.75	34.53		26.474	156.6	0.633	
									300	9.72	34.48		26.614	143.4	0.711	
									400	8.56	34.50		26.817	124.1	0.851	
									500	7.21	34.45		26.978	108.8	0.975	
									600	6.26	34.45		27.107	96.6	1.086	
									700	5.61	34.45		27.189	88.8	1.188	
									800	5.09	34.47		27.267	81.4	1.282	
									1000	4.23	34.50		27.387	70.1	1.452	

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205									
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
25 08.0N		116 03.0W		5/14/72		1649		GMT	3737M	040	6KT	2	360 2 3		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD
									0	18.32	34.04		24.479	346.3	0.000
									10	18.29	34.04		24.487	345.6	0.035
									20	18.21	34.04		24.506	343.7	0.069
									30	17.78	33.92		24.520	342.5	0.104
									50	17.64	33.90		24.539	340.7	0.172
									75	17.24	33.79		24.550	339.6	0.258
									100	14.63	33.65		25.033	293.6	0.337
									125	12.46	33.78		25.575	242.0	0.405
									150	11.55	34.16		26.042	197.7	0.461
									200	11.10	34.48		26.372	166.2	0.554
									250	10.63	34.56		26.519	152.3	0.636
									300	9.97	34.56		26.634	141.5	0.713
									400	8.30	34.46		26.826	123.3	0.852
									500	7.22	34.46		26.984	108.2	0.975
									600	6.37	34.45		27.092	98.0	1.087
									700	5.64	34.46		27.193	88.4	1.189
									800	5.12	34.47		27.263	81.8	1.283
									1000	4.29	34.51		27.388	69.9	1.453

RV DAVID STARR JORDAN										CALCOFI CRUISE 7205						
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
25 08.0N		116 03.0W		5/14/72		1739		GMT	3737M	040	6KT	2	360 2 3			
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD	
0	18.31	34.041	5.73	0.31	2.	0.01	0.0	346.0	0	18.31	34.041	5.73	24.482	346.0	0.000	
10	18.25	34.035	5.84	0.26	2.	0.01	0.0	345.1	10	18.25	34.035	5.84	24.493	345.1	0.035	
30	17.68	33.907	6.02	0.21	2.	0.01	0.0	341.1	20	17.98	33.978	5.94	24.514	343.0	0.069	
55	17.39	33.825	6.05	0.22	2.	0.01	0.0	340.4	30	17.68	33.907	6.02	24.534	341.1	0.103	
70	17.12	33.802	5.92	0.23	2.	0.01	0.0	336.0	50	17.44	33.839	6.04	24.540	340.6	0.172	
85	15.92	33.778	5.72	0.40	2.	0.20	0.0	311.3	75	16.82	33.801	5.89	24.657	329.4	0.256	
99	14.04	33.677	4.99	0.71	6.	0.01	4.0	279.8	100	13.93	33.679	4.94	25.201	277.7	0.332	
129	11.87	33.880	3.32	1.51	16.	0.01	18.2	224.0	125	12.03	33.833	3.55	25.697	230.5	0.397	
154	11.55	34.249	1.78	2.18	27.	0.01	23.2	191.1	150	11.60	34.203	2.00	26.065	195.5	0.451	
179	11.19	34.403	1.17	2.44	33.	0.01	25.2	173.5	200	11.03	34.484	0.82	26.387	164.8	0.543	
213	10.95	34.516	0.66	2.61	37.	0.01	26.4	161.0	250	10.51	34.556	0.38	26.537	150.7	0.624	
278	10.10	34.550	0.30	2.84	43.	0.01	29.4	144.3	300	9.72	34.526	0.31	26.648	140.1	0.700	
375	8.48	34.434	0.42	2.95	53.	0.01	37.2	127.8	400	8.18	34.436	0.36	26.824	123.4	0.838	
473	7.46	34.459	0.16	3.15	66.	0.01	41.5	111.5	500	7.21	34.458	0.17	26.984	108.2	0.962	
604	6.34	34.447	0.19	3.25	78.	0.01	42.9	97.8	600	6.37	34.448	0.19	27.090	98.2	1.073	
755	5.31	34.464	0.25	3.33	94.	0.01	44.2	84.3	700	5.65	34.456	0.22	27.189	88.8	1.176	
902	4.69	34.486	0.37	3.36	105.	0.00	44.8	75.9	800	5.10	34.471	0.28	27.267	81.4	1.270	
1108	3.98	34.521	0.57	3.37	122.	0.01	44.9	66.0	1000	4.33	34.503	0.46	27.378	70.9	1.441	

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205						130080			
LATITUDE 24 50.0N		LONGITUDE 116 35.5W		MO/DAY/YR 5/14/72		MESSENGER 2210 6MT		TIME	BOTTOM 4021M	WIND 350	SPEED 6KT	WEATHER 1	DOMINANT WAVES 360 3 5		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD
									0	19.28	34.24		24.390	354.8	0.000
									10	18.95	34.22		24.459	348.3	0.035
									20	18.91	34.25		24.491	345.1	0.070
									30	18.89	34.25		24.497	344.7	0.104
									50	18.84	34.25		24.509	343.5	0.174
									75	17.45	34.10		24.737	321.8	0.257
									100	14.13	33.81		25.262	271.9	0.332
									125	12.24	33.74		25.586	241.0	0.397
									150	11.57	34.09		25.984	203.2	0.453
									200	10.55	34.34		26.362	167.3	0.548
									250	9.69	34.42		26.572	147.3	0.629
									300	9.46	34.54		26.704	134.8	0.702
									400	8.46	34.51		26.840	121.9	0.837
									500	7.28	34.47		26.984	108.3	0.960
									600	6.38	34.46		27.099	97.4	1.071
									700	5.70	34.47		27.193	88.4	1.173
									800	5.11	34.48		27.272	80.9	1.267
									1000	4.27	34.52		27.398	69.0	1.436

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205						130090			
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
24 26.0N		117 17.0W		5/15/72		0354		GMT	3929M	300	6KT				
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD
									0	19.38	34.27		24.387	355.1	0.000
									10	19.24	34.28		24.430	351.0	0.035
									20	19.16	34.28		24.451	349.0	0.070
									30	19.14	34.28		24.456	348.5	0.105
									50	18.95	34.23		24.466	347.6	0.175
									75	15.02	33.71		24.995	297.3	0.256
									100	12.82	33.83		25.543	245.1	0.325
									125	11.89	34.00		25.854	215.5	0.383
									150	10.61	34.02		26.103	191.9	0.435
									200	9.64	34.15		26.370	166.5	0.526
									250	8.96	34.22		26.535	150.8	0.608
									300	8.68	34.33		26.665	138.5	0.683
									400	7.65	34.39		26.868	119.3	0.818
									500	7.19	34.46		26.988	107.8	0.939
									600	6.31	34.45		27.100	97.2	1.049
									700	5.66	34.46		27.191	88.7	1.151
									800	5.13	34.48		27.270	81.1	1.245
									1000	4.25	34.50		27.385	70.3	1.415

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205						140030			
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
24 45.0N		112 24.0W		6/ 2/72		1136		GMT	112M	350	5KT				
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD
									0	17.42	33.96		24.637	331.3	0.000
									10	15.83	33.63		24.754	320.2	0.033
									20	14.32	33.84		25.245	273.5	0.062
									30	14.13	33.88		25.315	266.7	0.089
									50	13.55	34.04		25.559	243.6	0.141
									75	13.76	34.53		25.893	211.8	0.198

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205						140040			
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
24 26.0N		113 02.0W		6/ 2/72		0514		GMT	3357M	310	2KT				
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD
									0	19.90	34.09		24.115	381.0	0.000
									10	19.18	34.09		24.301	363.3	0.037
									20	18.93	34.09		24.365	357.2	0.073
									30	18.72	34.15		24.463	347.8	0.109
									50	17.77	34.08		24.645	330.6	0.177
									75	14.30	33.64		25.095	287.7	0.254
									100	12.79	33.72		25.464	252.6	0.323
									125	11.93	34.04		25.878	213.3	0.382
									150	11.57	34.34		26.177	184.8	0.432
									200	11.10	34.49		26.380	165.5	0.522
									250	10.65	34.60		26.546	149.7	0.603
									300	10.06	34.58		26.634	141.4	0.679
									400	9.01	34.57		26.800	125.6	0.820
									500	7.58	34.51		26.972	109.4	0.945
									600	6.54	34.47		27.085	98.6	1.058
									700	5.86	34.47		27.174	90.3	1.161
									800	5.34	34.49		27.253	82.7	1.257
									1000	4.40	34.50		27.368	71.8	1.431

RV DAVID STARR JORDAN										CALCOFI CRUISE 7205							140040	
LATITUDE 24 26.0N		LONGITUDE 113 02.0W		MO/DAY/YR 6/ 2/72		MESSENGER 0622 GMT		TIME	BOTTOM 3357M	WIND 310	SPEED 2KT	WEATHER	DOMINANT WAVES					
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD			
0	19.94	34.124	5.49	0.24	1.	0.01	0.0	379.5	0	19.94	34.124	5.49	24.131	379.5	0.000			
10	19.22	34.114	5.60	0.21	1.	0.00	0.0	362.5	10	19.22	34.114	5.60	24.309	362.5	0.037			
30	18.66	34.130	5.59	0.22	1.	0.00	0.0	347.9	20	18.90	34.128	5.60	24.401	353.7	0.073			
54	17.38	34.007	5.47	0.28	2.	0.00	0.0	326.9	30	18.66	34.130	5.59	24.463	347.9	0.108			
69	14.84	33.724	5.06	0.30	4.	0.15	0.0	292.5	50	17.74	34.050	5.49	24.629	332.0	0.176			
84	13.42	33.621	4.47	0.72	6.	0.04	1.4	271.8	75	14.14	33.658	4.83	25.141	283.4	0.254			
99	13.02	33.789	3.90	1.21	11.	0.03	11.9	251.8	100	12.97	33.800	3.85	25.489	250.3	0.321			
128	11.80	34.062	2.46	1.84	21.	0.01	20.4	209.3	125	11.91	34.035	2.61	25.876	213.4	0.380			
153	11.62	34.324	1.44	2.29	28.	0.00	25.3	186.8	150	11.64	34.302	1.54	26.134	188.9	0.431			
178	11.37	34.413	1.09	2.39	33.	0.00	27.1	175.9	200	11.15	34.479	0.83	26.362	167.3	0.522			
213	11.02	34.509	0.70	2.64	37.	0.00	28.7	162.7	250	10.61	34.544	0.47	26.510	153.2	0.605			
276	10.31	34.549	0.38	2.80	41.	0.01	28.4	147.8	300	10.07	34.569	0.30	26.622	142.6	0.682			
374	9.28	34.591	0.17	3.00	53.	0.01	30.5	128.2	400	8.90	34.571	0.18	26.818	124.0	0.822			
471	7.87	34.502	0.20	3.13	62.	0.00	35.4	114.0	500	7.56	34.490	0.20	26.959	110.6	0.947			
602	6.66	34.470	0.19	3.25	76.	0.00	38.1	100.1	600	6.67	34.471	0.19	27.067	100.3	1.061			
752	5.57	34.484	0.25	3.36	93.	0.00	43.1	85.8	700	5.91	34.477	0.23	27.172	90.4	1.166			
897	4.78	34.486	0.49	3.38	104.	0.00	43.6	76.8	800	5.28	34.484	0.33	27.255	82.5	1.262			
1102	4.06	34.533	0.62	3.40	121.	0.00	44.1	65.9	1000	4.36	34.505	0.59	27.376	71.1	1.435			

RV DAVID STARR JORDAN					CALCOFI CRUISE 7205							140050			
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES						
24 06.0N	113 40.0W	6/ 1/72	2332	GMT	3169M	290	5KT	1	290 2 8						
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD
									0	22.04	34.56		25.893	402.1	0.000
									10	21.33	34.45		24.006	391.4	0.040
									20	20.51	34.45		24.228	370.3	0.078
									30	20.01	34.41		24.330	360.5	0.114
									50	18.76	34.20		24.491	345.2	0.185
									75	16.22	33.96		24.918	304.5	0.267
									100	15.13	34.07		25.247	273.2	0.340
									125	12.87	34.20		25.819	218.6	0.402
									150	11.72	34.29		26.111	191.1	0.454
									200	11.10	34.47		26.365	167.0	0.546
									250	10.74	34.58		26.515	152.7	0.628
									300	10.34	34.61		26.609	143.8	0.706
									400	9.13	34.58		26.789	126.7	0.848
									500	7.98	34.56		26.952	111.2	0.975
									600	6.76	34.50		27.079	99.2	1.090
									700	6.00	34.49		27.172	90.4	1.194
									800	5.41	34.49		27.245	83.5	1.290
									1000	4.32	34.51		27.385	70.2	1.464

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205						140060			
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES						
23 45.0N	114 16.0W	6/ 1/72	1721 GMT		4308M		0KT	1	330 2 7						
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD
									0	20.10	33.82		23.858	405.6	0.000
									10	17.78	33.73		24.375	356.3	0.038
									20	17.35	33.72		24.471	347.2	0.073
									30	17.11	33.75		24.551	339.5	0.108
									50	16.86	33.81		24.655	329.6	0.175
									75	14.83	33.63		24.974	299.2	0.254
									100	13.99	33.77		25.260	272.0	0.326
									125	11.92	33.92		25.786	221.9	0.388
									150	11.34	34.15		26.073	194.7	0.441
									200	11.01	34.52		26.420	161.7	0.532
									250	10.76	34.62		26.542	150.1	0.613
									300	9.98	34.57		26.640	140.9	0.689
									400	8.61	34.52		26.825	123.3	0.828
									500	7.41	34.48		26.973	109.3	0.952
									600	6.46	34.47		27.096	97.6	1.064
									700	5.67	34.47		27.197	88.0	1.166
									800	5.15	34.48		27.268	81.3	1.259
									1000	4.25	34.51		27.392	69.5	1.429

RV DAVID STARR JORDAN										CALCOFI CRUISE 7205							140060	
LATITUDE 23 45.0N		LONGITUDE 114 16.0W		MO/DAY/YR 6/ 1/72		MESSENGER 1817 1830		TIME GMT	BOTTOM 4308M	WIND	SPEED 0KT	WEATHER 1	DOMINANT WAVES 330 2 7					
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD			
0	20.21	33.790	5.75	0.12	3.	0.02	0.0	410.5	0	20.21	33.790	5.75	23.806	410.5	0.000			
10	17.97	33.741	6.05	0.09	3.	0.01	0.0	359.9	10	17.97	33.741	6.05	24.337	359.9	0.039			
30	17.10	33.721	5.71	0.15	3.	0.02	0.0	341.4	20	17.54	33.731	5.96	24.434	350.7	0.074			
55	16.70	33.801	5.17	0.27	3.	0.08	0.0	326.7	30	17.10	33.721	5.71	24.531	341.4	0.109			
70	15.07	33.672	5.09	0.36	4.	0.48	0.0	301.1	50	16.78	33.772	5.26	24.644	330.6	0.176			
85	14.85	33.676	4.83	0.43	5.	0.45	0.0	296.2	75	15.00	33.681	5.04	24.976	299.0	0.255			
101	14.14	33.747	3.99	0.80	9.	0.17	1.3	276.7	100	14.19	33.743	4.05	25.195	278.2	0.328			
130	12.32	33.859	3.10	1.51	17.	0.02	14.9	233.7	125	12.63	33.834	3.22	25.582	241.3	0.394			
155	11.36	34.103	2.33	1.92	24.	0.01	21.5	198.6	150	11.50	34.052	2.49	25.967	204.8	0.450			
180	11.20	34.298	1.53	2.27	30.	0.01	25.5	181.4	200	11.10	34.428	1.00	26.332	170.1	0.546			
213	11.03	34.493	0.73	2.60	36.	0.00	27.3	164.1	250	10.73	34.556	0.49	26.499	134.3	0.630			
276	10.44	34.550	0.32	2.77	39.	0.00	27.3	149.9	300	10.06	34.545	0.30	26.607	144.0	0.707			
373	8.82	34.506	0.22	2.99	53.	0.00	31.4	127.5	400	8.45	34.494	0.22	26.828	123.0	0.848			
471	7.62	34.466	0.21	3.14	64.	0.00	35.3	113.2	500	7.32	34.459	0.21	26.969	109.7	0.972			
600	6.44	34.447	0.20	3.22	77.	0.00	38.8	99.1	600	6.44	34.447	0.20	27.081	99.1	1.085			
749	5.46	34.463	0.27	3.30	94.	0.00	41.5	86.1	700	5.75	34.456	0.24	27.176	90.1	1.188			
893	4.71	34.493	0.34	3.39	106.	0.00	44.1	75.6	800	5.17	34.474	0.29	27.260	82.1	1.284			
1099	3.96	34.526	0.59	3.35	121.	0.00	44.1	65.4	1000	4.27	34.513	0.45	27.392	69.6	1.454			

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205						140070			
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
23 25.0N		114 55.0W		6/ 1/72		1203 GMT		3737M	250	2KT					
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
									0	19.45	34.11		24.247	368.4	0.000
									10	18.92	34.10		24.375	356.3	0.036
									20	18.57	34.07		24.440	350.1	0.072
									30	18.39	34.02		24.447	349.4	0.107
									50	17.66	33.90		24.534	341.1	0.176
									75	14.70	33.64		25.010	295.8	0.256
									100	12.46	33.73		25.536	245.7	0.324
									125	11.39	33.94		25.901	211.1	0.382
									150	10.94	34.16		26.153	187.1	0.433
									200	10.44	34.42		26.444	159.5	0.521
									250	10.32	34.55		26.566	147.9	0.601
									300	9.69	34.53		26.658	139.2	0.675
									400	8.50	34.51		26.834	122.5	0.813
									500	7.20	34.47		26.995	107.2	0.936
									600	6.43	34.47		27.100	97.2	1.046
									700	5.64	34.47		27.201	87.7	1.147
									800	5.13	34.48		27.270	81.1	1.241
									1000	4.27	34.51		27.390	69.7	1.411

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205						140080			
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
23 05.0N		115 33.0W		6/ 1/72		0703 GMT		4121M	330	1KT					
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
									0	19.78	34.16		24.200	372.9	0.000
									10	19.40	34.16		24.298	363.6	0.037
									20	19.04	34.12		24.360	357.7	0.073
									30	18.76	34.08		24.400	353.9	0.109
									50	18.33	34.00		24.446	349.5	0.179
									75	17.19	33.87		24.623	332.6	0.265
									100	14.46	33.57		25.007	296.1	0.344
									125	11.69	33.75		25.698	230.4	0.411
									150	10.83	34.02		26.064	195.6	0.465
									200	11.80	34.69		26.406	163.1	0.556
									250	11.14	34.68		26.520	152.2	0.638
									300	10.43	34.64		26.616	143.1	0.715
									400	8.82	34.57		26.831	122.8	0.855
									500	7.64	34.52		26.971	109.5	0.979
									600	6.59	34.50		27.102	97.0	1.091
									700	5.73	34.47		27.190	88.7	1.193
									800	5.21	34.48		27.261	82.0	1.288
									1000	4.37	34.52		27.388	70.0	1.459

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205							140090		
LATITUDE 22 42.0N		LONGITUDE 116 11.5W		MO/DAY/YR 6/ 1/72		MESSENGER TIME 0203 GMT		TIME	BOTTOM 4121M	WIND 350	SPEED 3KT	WEATHER 1	DOMINANT WAVES 310 3 5		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
									0	20.52	34.30		24.111	381.4	0.000
									10	19.90	34.28		24.260	367.2	0.037
									20	19.85	34.29		24.280	365.3	0.074
									30	19.61	34.27		24.328	360.8	0.111
									50	18.29	34.06		24.502	344.2	0.181
									75	16.14	33.71		24.745	321.0	0.265
									100	13.10	33.61		25.318	266.5	0.339
									125	12.35	33.79		25.604	239.3	0.403
									150	13.05	34.52		26.031	198.7	0.458
									200	12.14	34.69		26.341	169.2	0.553
									250	11.42	34.70		26.485	155.6	0.637
									300	10.68	34.67		26.596	145.1	0.715
									400	9.28	34.57		26.757	129.8	0.860
									500	7.95	34.53		26.933	113.0	0.990
									600	6.80	34.52		27.090	98.2	1.104
									700	5.92	34.50		27.190	88.7	1.207
									800	5.28	34.50		27.268	81.3	1.302
									1000	4.45	34.52		27.379	70.8	1.473

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205						140100			
LATITUDE 22 25.0N		LONGITUDE 116 46.0W		MO/DAY/YR 5/31/72		MESSENGER TIME 2037 GMT		BOTTOM 4313M	WIND 340	SPEED 6KT	WEATHER 1	DOMINANT WAVES 320 4 7			
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S1GT	DT	DD
									0	20.32	34.24		24.119	380.7	0.000
									10	20.09	34.24		24.180	374.9	0.038
									20	19.80	34.25		24.263	366.9	0.075
									30	19.72	34.25		24.284	364.9	0.112
									50	18.86	34.13		24.413	352.7	0.184
									75	16.35	33.78		24.751	320.5	0.268
									100	13.83	33.61		25.170	280.6	0.344
									125	12.75	34.04		25.719	228.3	0.408
									150	12.65	34.41		26.025	199.2	0.463
									200	12.01	34.70		26.373	166.1	0.556
									250	11.24	34.69		26.510	153.2	0.639
									300	10.65	34.68		26.609	143.8	0.716
									400	9.18	34.59		26.788	126.8	0.859
									500	7.78	34.53		26.958	110.7	0.986
									600	6.72	34.51		27.093	97.9	1.099
									700	6.01	34.51		27.186	89.1	1.202
									800	5.36	34.51		27.267	81.4	1.297
									1000	4.44	34.54		27.396	69.2	1.467

RV DAVID STARR JORDAN										CALCOFI CRUISE 7205							140100
LATITUDE 22 25.0N		LONGITUDE 116 46.0W		MO/DAY/YR 5/31/72		MESSENGER 2143 GMT		TIME	BOTTOM 4313M	WIND 340	SPEED 6KT	WEATHER 1	DOMINANT WAVES 320 4 7				
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD		
0	20.86	34.250	5.40	0.24	2.	0.00	0.0	393.7	0	20.86	34.250	5.40	23.982	393.7	0.000		
10	19.95	34.240	5.57	0.22	2.	0.00	0.0	371.4	10	19.95	34.240	5.57	24.216	371.4	0.038		
30	19.77	34.233	5.44	0.22	2.	0.00	0.0	367.4	20	19.86	34.237	5.53	24.237	369.4	0.075		
55	18.88	34.095	5.60	0.23	2.	0.00	0.0	355.7	30	19.77	34.233	5.44	24.258	367.4	0.112		
70	17.27	33.882	5.77	0.25	2.	0.00	0.0	333.5	50	19.18	34.141	5.55	24.340	359.6	0.185		
84	15.64	33.688	5.71	0.31	3.	0.00	0.0	311.9	75	16.70	33.805	5.75	24.688	326.5	0.272		
99	13.79	33.656	5.06	0.59	6.	0.06	2.4	276.4	100	13.72	33.666	4.98	25.235	274.4	0.347		
129	12.64	34.063	2.50	1.75	19.	0.01	18.5	224.6	125	12.66	33.993	2.87	25.699	230.2	0.411		
154	12.56	34.445	0.94	2.42	29.	0.00	24.9	195.0	150	12.57	34.395	1.13	26.028	198.9	0.466		
178	12.12	34.373	0.53	2.59	53.	0.01	26.1	177.5	200	11.88	34.646	0.33	26.355	167.9	0.559		
213	11.76	34.670	0.27	2.75	36.	0.00	27.1	163.8	250	11.22	34.669	0.21	26.496	154.5	0.643		
277	10.79	34.638	0.16	2.82	40.	0.00	26.2	149.3	300	10.46	34.626	0.16	26.600	144.7	0.721		
375	9.41	34.580	0.14	2.91	50.	0.00	29.2	131.1	400	9.05	34.563	0.14	26.788	126.8	0.864		
473	8.06	34.520	0.16	3.13	62.	0.00	33.6	115.3	500	7.76	34.511	0.17	26.947	111.7	0.991		
603	6.78	34.494	0.19	3.25	76.	0.00	37.6	99.9	600	6.80	34.495	0.19	27.069	100.2	1.106		
755	5.70	34.500	0.22	3.37	92.	0.00	41.9	86.1	700	6.06	34.497	0.21	27.169	90.7	1.211		
901	4.78	34.501	0.30	3.43	105.	0.00	44.4	75.7	800	5.39	34.500	0.24	27.254	82.6	1.307		
1107	3.99	34.529	0.56	3.39	122.	0.00	43.6	65.5	1000	4.33	34.513	0.40	27.386	70.1	1.480		

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205						140120			
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
21 44.5N		118 01.0W		5/31/72		0752 GMT			4121M	330	3KT				
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD
									0	20.39	34.37		24.199	373.0	0.000
									10	20.39	34.38		24.207	372.3	0.037
									20	20.24	34.39		24.254	367.8	0.074
									30	19.85	34.32		24.303	363.1	0.111
									50	19.10	34.19		24.398	354.1	0.183
									75	17.38	33.85		24.563	338.4	0.270
									100	14.50	33.65		25.060	291.0	0.349
									125	13.12	33.86		25.507	248.5	0.418
									150	11.60	34.01		25.916	209.6	0.476
									200	11.02	34.35		26.286	174.5	0.574
									250	10.03	34.45		26.538	150.6	0.657
									300	9.23	34.43		26.655	139.4	0.733
									400	7.97	34.44		26.860	120.0	0.869
									500	7.04	34.45		27.002	106.6	0.990
									600	6.25	34.47		27.124	95.0	1.099
									700	5.62	34.48		27.211	86.7	1.198
									800	5.08	34.49		27.284	79.8	1.290
									1000	4.24	34.53		27.409	67.9	1.457

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205						150025			
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
23 11.5N		111 01.5W		6/ 3/72		0159 GMT			1298M	310	13KT	0	300 4 4		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD
									0	24.28	35.12		23.669	423.5	0.000
									10	24.28	35.13		23.677	422.8	0.042
									20	22.96	34.95		23.928	398.9	0.083
									30	21.03	34.83		24.376	356.1	0.121
									50	16.61	34.79		25.464	252.6	0.182
									75	14.99	34.76		25.808	219.9	0.242
									100	14.04	34.78		26.027	199.0	0.295
									125	13.27	34.83		26.225	180.2	0.343
									150	12.61	34.81		26.342	169.1	0.388
									200	11.91	34.79		26.462	157.7	0.472
									250	11.40	34.77		26.542	150.1	0.551
									300	10.96	34.74		26.600	144.7	0.628
									400	9.80	34.66		26.740	131.3	0.774
									500	8.22	34.57		26.924	113.9	0.905
									600	7.14	34.53		27.050	101.9	1.023
									700	6.21	34.52		27.168	90.8	1.129
									800	5.81	34.51		27.211	86.7	1.228
									1000	4.46	34.54		27.394	69.4	1.404

RV DAVID STARR JORDAN										CALCOFI CRUISE 7205										150025
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
23 11.5N		111 01.5W		6/ 3/72		0254 GMT			1298M	310	13KT	0	300 4 4							
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD					
0	24.27	35.077	5.07	0.55	3.	0.00	0.0	426.3	0	24.27	35.077	5.07	23.640	426.3	0.000					
10	24.29	35.075	5.11	0.55	2.	0.00	0.0	427.0	10	24.29	35.075	5.11	23.633	427.0	0.043					
30	21.01	34.777	5.16	0.80	4.	0.07	0.0	359.4	20	22.96	34.931	5.14	23.915	400.1	0.084					
55	16.24	34.711	1.00	2.33	21.	0.18	18.0	250.1	30	21.01	34.777	5.16	24.341	359.4	0.122					
70	15.13	34.686	0.54	2.52	25.	0.05	22.0	228.2	50	17.08	34.703	1.85	25.286	269.5	0.185					
85	14.76	34.773	0.71	2.63	28.	0.02	23.3	214.1	75	14.99	34.717	0.59	25.774	223.0	0.247					
100	13.93	34.730	0.30	2.71	32.	0.02	24.1	200.5	100	13.93	34.730	0.30	26.012	200.5	0.301					
130	13.01	34.772	0.23	2.74	35.	0.01	26.1	179.5	125	13.12	34.761	0.24	26.203	182.3	0.350					
154	12.52	34.771	0.11	2.74	35.	0.01	25.7	170.3	150	12.59	34.772	0.13	26.317	171.5	0.395					
179	12.21	34.771	0.15	2.77	32.	0.01	25.8	164.6	200	11.99	34.768	0.15	26.430	160.8	0.480					
214	11.85	34.764	0.15	2.77	40.	0.00	26.8	158.5	250	11.52	34.750	0.16	26.506	153.6	0.561					
278	11.25	34.735	0.16	2.83	42.	0.00	26.8	150.0	300	11.01	34.718	0.15	26.574	147.1	0.640					
375	10.07	34.649	0.10	2.91	49.	0.00	27.2	136.5	400	9.68	34.624	0.10	26.731	132.2	0.787					
473	8.58	34.561	0.09	3.04	59.	0.00	31.8	111.9	500	8.27	34.547	0.09	26.898	116.4	0.920					
604	7.26	34.512	0.10	3.20	70.	0.00	36.0	104.9	600	7.29	34.513	0.10	27.015	105.3	1.040					
754	6.03	34.503	0.12	3.33	89.	0.00	38.8	89.8	700	6.43	34.504	0.11	27.124	94.9	1.150					
900	5.00	34.492	0.22	3.35	102.	0.00	43.6	78.8	800	5.68	34.498	0.14	27.218	86.1	1.251					
1105	4.14	34.535	0.62	3.40	119.	0.00	44.3	66.5	1000	4.49	34.507	0.38	27.363	72.3	1.430					

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205						150030			
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
23 02.0N		111 20.0W		6/ 3/72		0524		6MT	2602M	330	16KT	0			
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S16T	DT	DD
									0	24.84	35.27		23.614	428.7	0.000
									10	24.85	35.27		23.611	429.0	0.043
									20	24.56	35.29		23.714	419.2	0.085
									30	17.59	34.41		24.940	302.4	0.122
									50	15.82	34.49		25.416	257.2	0.178
									75	14.16	34.57		25.840	216.8	0.237
									100	13.01	34.64		26.131	189.1	0.289
									125	12.37	34.70		26.304	172.7	0.335
									150	12.15	34.74		26.378	165.7	0.378
									200	11.39	34.76		26.499	154.2	0.460
									250	10.98	34.72		26.581	146.5	0.538
									300	10.23	34.66		26.667	138.3	0.612
									400	9.04	34.60		26.819	123.9	0.751
									500	7.57	34.53		26.989	107.7	0.875
									600	6.77	34.52		27.094	97.8	0.986
									700	6.11	34.52		27.181	89.5	1.089
									800	5.41	34.52		27.268	81.3	1.184
									1000	4.39	34.53		27.393	69.4	1.355

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205						150040			
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
22 41.5N		111 56.5W		6/ 3/72		1046		GMT	3357M	340	12KT				
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S16T	DT	DD
									0	20.46	34.07		23.953	396.5	0.000
									10	21.22	34.43		24.021	390.0	0.039
									20	20.65	34.40		24.152	377.5	0.078
									30	18.46	34.08		24.475	346.7	0.114
									50	17.09	34.01		24.754	320.1	0.181
									75	14.83	34.01		25.266	271.4	0.255
									100	13.22	34.19		25.741	226.2	0.318
									125	12.27	34.46		26.138	188.5	0.371
									150	12.40	34.58		26.205	182.1	0.418
									200	11.65	34.73		26.465	157.5	0.505
									250	11.09	34.72		26.561	148.4	0.584
									300	10.38	34.64		26.625	142.3	0.660
									400	9.10	34.59		26.802	125.5	0.801
									500	7.80	34.52		26.948	111.7	0.928
									600	6.79	34.50		27.075	99.6	1.043
									700	5.91	34.50		27.191	88.6	1.146
									800	5.36	34.51		27.267	81.4	1.240
									1000	4.35	34.53		27.398	69.0	1.411

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205						150050			
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
22 21.0N		112 34.0W		6/ 3/72		1628		GMT	3545M	330	7KT	1	330 3 4		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S1GT	DT	DD
									0	22.88	34.69		23.754	415.4	0.000
									10	22.80	34.68		23.769	414.0	0.041
									20	21.86	34.57		23.951	396.6	0.082
									30	20.96	34.47		24.122	380.3	0.121
									50	19.35	34.25		24.379	355.8	0.195
									75	17.54	34.16		24.761	319.5	0.280
									100	14.85	34.21		25.416	257.2	0.353
									125	13.86	34.51		25.857	215.2	0.412
									150	12.79	34.62		26.160	186.4	0.464
									200	11.52	34.66		26.435	160.3	0.552
									250	10.95	34.67		26.547	149.7	0.633
									300	10.13	34.61		26.645	140.4	0.708
									400	8.78	34.56		26.829	122.9	0.847
									500	7.72	34.53		26.967	109.8	0.971
									600	6.73	34.50		27.083	98.8	1.084
									700	5.91	34.50		27.191	88.6	1.187
									800	5.30	34.51		27.274	80.8	1.282
									1000	4.48	34.54		27.391	69.6	1.452

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205							150060		
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES						
22 01.5N	113 11.0W	6/ 3/72	2155	GMT	3737M	320	10KT	1	310 3 4						
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S16T	DT	DD
									0	23.43	34.75		23.641	426.3	0.000
									10	22.74	34.69		23.794	411.6	0.042
									20	21.74	34.54		23.962	395.6	0.082
									30	20.94	34.43		24.097	382.7	0.121
									50	18.49	34.08		24.467	347.4	0.195
									75	15.21	33.87		25.076	289.5	0.275
									100	12.90	33.89		25.574	242.1	0.342
									125	12.28	34.23		25.958	205.6	0.398
									150	11.44	34.42		26.264	176.6	0.447
									200	11.06	34.57		26.450	158.9	0.533
									250	10.36	34.56		26.566	147.8	0.612
									300	9.66	34.54		26.670	138.0	0.687
									400	8.53	34.52		26.837	122.2	0.824
									500	7.48	34.50		26.979	108.7	0.947
									600	6.47	34.48		27.103	97.0	1.058
									700	5.85	34.50		27.198	87.9	1.160
									800	5.22	34.50		27.275	80.6	1.253
									1000	4.35	34.53		27.398	69.0	1.422

RV DAVID STARR JORDAN										CALCOFI CRUISE 7205										150060
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
22 01.5N		113 11.0W		6/ 3/72		2257 GMT			3737M	320	10KT	1	310 3 4							
Z	T	S	Q2	P04	S103	N02	N03	DT	Z	T	S	Q2	SIGT	DT	DD					
0	23.35	34.707	5.10	0.28	2.	0.00	0.0	427.1	0	23.35	34.707	5.10	23.631	427.1	0.000					
10	22.84	34.664	5.16	0.26	2.	0.00	0.0	416.2	10	22.84	34.664	5.16	23.746	416.2	0.042					
30	20.69	34.484	5.40	0.26	2.	0.00	0.0	377.5	20	21.97	34.592	5.28	23.937	398.0	0.083					
55	17.89	34.054	5.47	0.41	5.	0.01	0.0	335.3	30	20.89	34.484	5.40	24.152	377.5	0.122					
70	16.45	33.924	5.02	0.59	5.	0.06	1.7	312.2	50	18.49	34.137	5.46	24.512	343.2	0.194					
85	13.82	33.891	3.62	1.25	12.	0.04	11.8	259.8	75	15.53	33.901	4.54	25.027	294.1	0.274					
100	13.12	33.879	3.45	1.50	13.	0.02	13.6	247.1	100	13.12	33.879	3.45	25.522	247.1	0.343					
130	12.38	34.179	2.05	1.94	22.	0.01	22.1	211.2	125	12.47	34.116	2.32	25.832	217.6	0.401					
154	11.84	34.405	1.16	2.36	30.	0.00	26.1	184.8	150	11.92	34.373	1.28	26.137	188.6	0.453					
179	11.55	34.495	0.80	2.50	35.	0.00	27.6	173.0	200	11.23	34.509	0.75	26.370	166.4	0.544					
213	11.03	34.506	0.72	2.57	35.	0.00	28.5	163.1	250	10.57	34.532	0.50	26.508	153.4	0.626					
277	10.25	34.546	0.34	2.75	40.	0.00	28.5	147.1	300	9.92	34.538	0.32	26.624	142.4	0.703					
375	8.90	34.495	0.24	2.97	52.	0.00	32.3	129.5	400	8.64	34.492	0.24	26.798	125.8	0.844					
471	7.95	34.488	0.23	3.10	60.	0.00	35.6	116.2	500	7.62	34.482	0.22	26.943	112.1	0.971					
601	6.57	34.468	0.18	3.21	74.	0.00	39.5	99.1	600	6.58	34.469	0.18	27.078	99.3	1.086					
751	5.64	34.481	0.21	3.35	90.	0.00	43.5	86.8	700	5.91	34.476	0.20	27.171	90.5	1.190					
897	4.80	34.498	0.30	3.40	104.	0.00	44.6	76.2	800	5.34	34.486	0.23	27.250	83.0	1.286					
1106	4.05	34.534	0.51	3.42	120.	0.00	44.6	65.7	1000	4.36	34.515	0.39	27.384	70.3	1.459					

RV DAVID STARR JORDAN										CALCOFI CRUISE 7205						150070	
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
21 41.0N		113 48.0W		6/ 4/72		0327 GMT			3882M	330	10KT						
Z	T	S	Q2	P04	S103	N02	N03	DT	Z	T	S	Q2	SIGT	DT	DD		
									0	21.30	34.43		23.999	392.0	0.000		
									10	21.14	34.47		24.073	385.0	0.039		
									20	20.65	34.41		24.160	376.7	0.077		
									30	20.16	34.31		24.214	371.6	0.115		
									50	19.10	34.20		24.405	353.4	0.187		
									75	15.87	33.81		24.883	307.9	0.270		
									100	14.15	34.03		25.427	256.1	0.342		
									125	12.79	34.37		25.966	204.8	0.400		
									150	11.98	34.45		26.186	184.0	0.449		
									200	11.27	34.64		26.466	157.4	0.537		
									250	10.86	34.67		26.563	148.1	0.616		
									300	10.19	34.64		26.658	139.1	0.691		
									400	8.66	34.55		26.840	121.9	0.828		
									500	7.54	34.49		26.962	110.3	0.952		
									600	6.57	34.48		27.089	98.3	1.065		
									700	5.77	34.49		27.201	87.7	1.167		
									800	5.22	34.50		27.275	80.6	1.261		
									1000	4.44	34.54		27.396	69.2	1.430		

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205										150080
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
21 21.0N		114 26.0W		6/ 4/72		1212 GMT			3929M	320	5KT					
Z	T	S	Q2	P04	S103	N02	N03	DT	Z	T	S	Q2	SIGT	DT	DD	
									0	21.68	34.53		23.971	394.8	0.000	
									10	21.70	34.54		23.973	394.6	0.039	
									20	21.56	34.54		24.011	390.9	0.079	
									30	21.39	34.53		24.051	387.2	0.118	
									50	20.54	34.42		24.197	373.2	0.194	
									75	18.23	34.04		24.501	344.2	0.284	
									100	15.10	33.74		25.000	296.7	0.365	
									125	12.71	33.71		25.472	251.8	0.434	
									150	12.17	34.18		25.940	207.3	0.493	
									200	11.11	34.49		26.378	165.7	0.588	
									250	10.45	34.57		26.559	148.6	0.669	
									300	9.64	34.56		26.689	136.2	0.743	
									400	8.53	34.55		26.860	119.9	0.878	
									500	7.45	34.51		26.991	107.6	1.000	
									600	6.51	34.52		27.129	94.5	1.109	
									700	5.85	34.52		27.214	86.4	1.209	
									800	5.38	34.52		27.272	80.9	1.302	
									1000	4.54	34.53		27.377	71.0	1.474	

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205						150090				
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
21 01.0N		115 03.0W		6/ 4/72		1703 GMT			3739M	340	5KT	2	330 3 4			
Z	T	S	Q2	P04	S103	N02	N03	DT	Z	T	S	Q2	S16T	DT	DD	
									0	22.12	34.58		23.886	402.8	0.000	
									10	22.12	34.58		23.886	402.8	0.040	
									20	22.10	34.58		23.892	402.3	0.081	
									30	20.70	34.44		24.169	375.8	0.120	
									50	19.61	34.29		24.343	359.3	0.193	
									75	17.22	33.88		24.624	332.6	0.280	
									100	14.30	33.60		25.064	290.6	0.359	
									125	12.45	33.86		25.639	236.0	0.425	
									150	11.87	34.11		25.943	207.0	0.482	
									200	10.83	34.33		26.305	172.7	0.579	
									250	10.41	34.52		26.527	151.6	0.662	
									300	9.98	34.60		26.665	138.7	0.738	
									400	8.67	34.54		26.831	122.7	0.876	
									500	7.71	34.53		26.969	109.7	1.000	
									600	6.75	34.51		27.089	98.3	1.113	
									700	5.88	34.49		27.187	89.0	1.215	
									800	5.33	34.51		27.270	81.1	1.310	
									1000	4.44	34.54		27.396	69.2	1.480	

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205						150100			
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
20 39.5N		115 39.0W		6/ 4/72		2143 GMT		3929M	320	7KT	1	350 4 4			
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
									0	22.61	34.63		23.786	412.4	0.000
									10	22.60	34.63		23.789	412.1	0.041
									20	22.49	34.63		23.820	409.2	0.082
									30	22.37	34.62		23.846	406.6	0.123
									50	21.99	34.55		23.900	401.5	0.204
									75	20.14	34.32		24.227	370.3	0.301
									100	17.57	33.95		24.594	335.4	0.390
									125	14.96	33.95		25.192	278.5	0.468
									150	13.12	34.18		25.754	225.0	0.532
									200	11.49	34.50		26.316	171.6	0.633
									250	10.48	34.51		26.506	153.5	0.717
									300	9.78	34.53		26.642	140.6	0.793
									400	8.65	34.52		26.818	123.9	0.933
									500	7.61	34.52		26.975	109.0	1.057
									600	6.66	34.50		27.093	97.9	1.169
									700	5.92	34.51		27.197	88.0	1.271
									800	5.17	34.51		27.289	79.3	1.364
									1000	4.37	34.55		27.411	67.7	1.531

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205						150110			
LATITUDE 20 23.0N		LONGITUDE 116 16.0W		MO/DAY/YR 6/ 5/72		MESSENGER TIME 0241 GMT		BOTTOM 3929M	WIND 330	SPEED 10KT	WEATHER 2	DOMINANT WAVES 340 3 5			
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
									0	23.04	34.66		23.685	422.0	0.000
									10	23.01	34.66		23.694	421.2	0.042
									20	22.40	34.65		23.860	405.3	0.084
									30	21.99	34.65		23.976	394.3	0.124
									50	21.10	34.45		24.069	385.4	0.202
									75	17.60	33.87		24.525	342.0	0.293
									100	14.75	33.69		25.038	293.2	0.373
									125	12.91	33.94		25.611	238.7	0.441
									150	12.38	34.25		25.954	206.0	0.497
									200	11.88	34.57		26.298	173.4	0.594
									250	11.20	34.63		26.471	156.9	0.679
									300	10.43	34.63		26.609	143.8	0.758
									400	9.10	34.58		26.794	126.3	0.900
									500	7.86	34.51		26.931	113.3	1.028
									600	7.08	34.50		27.035	103.4	1.145
									700	6.14	34.49		27.154	92.1	1.253
									800	5.37	34.50		27.257	82.3	1.350
									1000	4.39	34.53		27.393	69.4	1.521

RV DAVID STARR JORDAN										CALCOFI CRUISE 7205							150110	
LATITUDE 20 23.0N		LONGITUDE 116 16.0W		MO/DAY/YR 6/ 5/72		MESSENGER 0359 GMT		TIME	BOTTOM 3929M	WIND 330	SPEED 10KT	WEATHER 2	DOMINANT WAVES 340 3 5					
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD			
0	22.99	34.620	5.06	0.25	2.	0.01	0.0	423.5	0	22.99	34.620	5.06	23.669	423.5	0.000			
10	23.00	34.616	5.11	0.22	1.	0.00	0.0	424.1	10	23.00	34.616	5.11	23.668	424.1	0.042			
30	22.28	34.557	5.15	0.21	2.	0.00	0.0	408.8	20	22.72	34.596	5.13	23.729	417.9	0.085			
55	21.07	34.403	5.32	0.21	2.	0.00	0.0	388.0	30	22.28	34.557	5.15	23.824	408.8	0.126			
69	19.26	34.121	5.52	0.23	2.	0.00	0.1	363.0	50	21.43	34.457	5.27	23.984	393.5	0.206			
84	16.91	33.826	5.57	0.28	3.	0.00	0.1	329.5	75	18.33	33.993	5.54	24.441	350.0	0.300			
99	14.86	33.678	5.32	0.42	4.	0.04	0.1	296.3	100	14.75	33.684	5.25	25.032	293.8	0.381			
129	12.71	34.015	2.81	1.56	17.	0.02	16.7	229.4	125	12.87	33.951	3.18	25.626	237.2	0.448			
153	12.34	34.256	1.77	2.08	25.	0.01	22.5	204.8	150	12.35	34.229	1.87	25.942	207.1	0.505			
177	12.06	34.468	1.05	2.42	32.	0.00	26.4	184.1	200	11.75	34.581	0.61	26.329	170.4	0.601			
211	11.60	34.607	0.47	2.66	38.	0.00	28.2	165.6	250	11.04	34.602	0.37	26.478	156.2	0.685			
275	10.68	34.598	0.31	2.74	39.	0.00	27.0	150.4	300	10.32	34.597	0.26	26.600	144.6	0.764			
372	9.36	34.581	0.16	2.93	49.	0.00	29.7	130.2	400	9.02	34.568	0.16	26.796	126.0	0.906			
468	8.26	34.331	0.16	3.05	57.	0.00	33.4	117.4	500	7.93	34.522	0.16	26.928	113.5	1.034			
598	7.00	34.302	0.17	3.20	70.	0.00	37.4	102.2	600	6.98	34.502	0.17	27.051	101.9	1.151			
746	5.64	34.491	0.24	3.30	88.	0.00	43.5	86.1	700	6.03	34.492	0.21	27.169	90.7	1.257			
890	4.86	34.501	0.31	3.36	102.	0.00	44.0	76.6	800	5.30	34.493	0.26	27.260	82.1	1.355			
1093	4.10	34.546	0.48	3.41	118.	0.00	44.4	65.3	1000	4.40	34.522	0.39	27.386	70.2	1.525			

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205						157010			
LATITUDE 22 33.0N		LONGITUDE 109 23.0W		MO/DAY/YR 6/ 7/72		MESSENGER TIME 0339 GMT		BOTTOM 2980M	WIND 280	SPEED 24KT	WEATHER	DOMINANT WAVES			
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
									0	25.09	34.84		23.214	466.9	0.000
									10	24.39	34.82		23.410	448.2	0.046
									20	17.14	34.26		24.933	303.1	0.083
									30	15.57	34.38		25.388	259.8	0.112
									50	14.48	34.47		25.695	230.6	0.161
									75	13.42	34.63		26.040	197.8	0.215
									100	12.81	34.69		26.210	181.7	0.263
									125	12.24	34.68		26.314	171.8	0.308
									150	12.05	34.74		26.397	163.9	0.351
									200	11.36	34.74		26.527	151.6	0.432
									250	10.74	34.69		26.600	144.6	0.508
									300	10.10	34.66		26.689	136.2	0.582
									400	8.86	34.60		26.848	121.1	0.717
									500	7.70	34.55		26.986	108.1	0.840
									600	6.65	34.51		27.102	97.0	0.951
									700	5.89	34.51		27.201	87.6	1.053
									800	5.37	34.52		27.273	80.8	1.147
									1000	4.33	34.54		27.408	68.1	1.315

RV DAVID STARR JORDAN

CALCOFI CRUISE 7205

157050

LATITUDE		LONGITUDE		MO/DAT/YR		MESSENGER TIME			BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
21 12.5N		111 52.0W		6/ 6/72		0515 GMT			3545M	300	7KT				
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DB
									0	23.98	34.75		23.479	441.6	0.000
									10	23.98	34.76		23.487	440.9	0.044
									20	23.17	34.56		23.572	432.8	0.088
									30	21.18	34.42		24.024	389.6	0.129
									50	19.33	34.18		24.331	360.4	0.204
									75	17.31	34.31		24.931	303.3	0.288
									100	15.45	34.47		25.483	250.7	0.358
									125	14.02	34.63		25.916	209.6	0.416
									150	13.20	34.75		26.178	184.7	0.466
									200	12.04	34.78		26.430	160.8	0.555
									250	11.56	34.79		26.528	151.4	0.636
									300	10.45	34.70		26.660	139.0	0.712
									400	9.19	34.66		26.841	121.7	0.849
									500	7.57	34.53		26.989	107.7	0.972
									600	6.77	34.52		27.094	97.8	1.084
									700	5.97	34.51		27.191	88.6	1.186
									800	5.34	34.52		27.277	80.5	1.280
									1000	4.41	34.54		27.399	68.9	1.450

RV DAVID STARR JORDAN

CALCOFI CRUISE 7205

157060

LATITUDE			LONGITUDE		MO/DAY/YR		MESSENGER TIME			BOTTOM		WIND		SPEED		WEATHER		DOMINANT WAVES			
20 53.0N			112 29.0W		6/ 5/72		2302 GMT			3739M		310		2KT		2		310 2 7			
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD						
									0	24.45	34.77		23.355	453.5	0.000						
									10	24.07	34.75		23.453	444.2	0.045						
									20	23.14	34.66		23.657	424.7	0.088						
									30	21.36	34.50		24.036	388.5	0.129						
									50	19.09	34.31		24.491	345.1	0.203						
									75	16.75	34.34		25.087	288.5	0.283						
									100	14.47	34.53		25.744	226.0	0.347						
									125	12.91	34.57		26.097	192.4	0.401						
									150	12.54	34.66		26.240	178.8	0.448						
									200	11.88	34.78		26.460	157.9	0.534						
									250	11.11	34.72		26.557	148.7	0.614						
									300	10.21	34.67		26.678	137.2	0.688						
									400	8.88	34.60		26.845	121.5	0.825						
									500	7.63	34.53		26.980	108.6	0.948						
									600	6.49	34.49		27.108	96.5	1.059						
									700	5.80	34.51		27.213	86.6	1.160						
									800	5.27	34.52		27.285	79.7	1.252						
									1000	4.40	34.53		27.392	69.5	1.421						

RV DAVID STARR JORDAN

CALCOFI CRUISE 7205

157060

	LATITUDE	LONGITUDE	MO/DAY/YR			MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
	20 53.0N	112 29.0W	6/ 6/72			0018	GMT	3739M	310	2KT	2	310 2 7			
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD
0	24.55	34.726	5.01	0.31	2.	0.00	0.1	459.6	0	24.55	34.726	5.01	23.291	459.6	0.000
10	24.10	34.709	5.04	0.28	2.	0.00	0.0	448.0	10	24.10	34.709	5.04	23.413	448.0	0.045
30	21.80	34.450	5.45	0.37	2.	0.00	0.0	403.7	20	23.08	34.592	5.28	23.622	428.0	0.089
54	18.79	34.255	4.53	0.72	4.	0.10	2.3	341.9	30	21.80	34.450	5.45	23.877	403.7	0.131
69	17.42	34.352	3.03	1.34	10.	0.19	11.4	304.2	50	19.27	34.269	4.80	24.415	352.5	0.207
84	16.35	34.382	2.10	1.76	15.	0.05	16.7	276.6	75	16.97	34.352	2.61	25.044	292.6	0.288
99	15.35	34.471	1.32	1.76	15.	0.05	17.7	248.5	100	15.26	34.474	1.28	25.529	246.3	0.356
128	12.96	34.550	0.63	2.17	19.	0.03	22.1	195.2	125	13.19	34.543	0.67	26.020	199.8	0.413
153	12.58	34.642	0.34	2.55	28.	0.00	26.3	180.9	150	12.63	34.644	0.36	26.209	181.7	0.461
177	12.28	34.709	0.24	2.70	33.	0.00	27.9	170.4	200	12.00	34.729	0.19	26.397	163.9	0.550
212	11.84	34.726	0.18	2.70	34.	0.00	28.2	161.2	250	11.11	34.675	0.21	26.522	152.0	0.631
276	10.58	34.631	0.25	2.80	39.	0.00	27.6	146.3	300	10.23	34.621	0.22	26.636	141.2	0.708
374	9.31	34.603	0.12	2.99	51.	0.03	29.9	127.8	400	8.99	34.587	0.13	26.815	124.2	0.848
471	8.13	34.533	0.16	3.13	59.	0.00	35.5	115.4	500	7.72	34.514	0.17	26.954	111.1	0.974
603	6.42	34.473	0.21	3.26	77.	0.00	40.8	96.9	600	6.45	34.474	0.21	27.099	97.3	1.086
754	5.50	34.493	0.23	3.36	91.	0.00	44.7	84.3	700	5.75	34.483	0.22	27.196	88.1	1.188
899	4.80	34.514	0.29	3.40	104.	0.00	46.6	75.0	800	5.26	34.500	0.24	27.270	81.1	1.282
1102	4.08	34.543	0.51	3.42	118.	0.00	47.0	65.3	1000	4.40	34.530	0.38	27.391	69.7	1.452

RV DAVID STARR JORDAN

CALCOFI CRUISE 7205

157060

LATITUDE			LONGITUDE			MO/DAY/YR			MESSENGER			TIME		BOTTOM		WIND		SPEED		WEATHER		DOMINANT WAVES			
22 48.0N			108 55.5W			6/ 7/72			0813			GMT		2980M		260		6KT							
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD										
									0	26.27	34.95		22.933	493.8	0.000										
									10	26.26	34.95		22.936	493.6	0.049										
									20	19.44	34.17		24.295	363.8	0.092										
									30	17.05	34.23		24.932	303.2	0.126										
									50	16.19	34.65		25.454	253.5	0.182										
									75	14.94	34.74		25.803	220.3	0.241										
									100	13.81	34.77		26.068	195.1	0.294										
									125	13.15	34.83		26.250	177.9	0.341										
									150	12.90	34.85		26.315	171.6	0.386										
									200	11.95	34.79		26.455	158.4	0.471										
									250	11.28	34.76		26.557	148.7	0.550										
									300	10.68	34.71		26.627	142.1	0.626										
									400	9.23	34.62		26.804	125.3	0.767										
									500	7.92	34.55		26.953	111.1	0.894										
									600	6.99	34.53		27.071	99.9	1.009										
									700	6.25	34.52		27.163	91.3	1.114										
									800	5.59	34.53		27.254	82.6	1.211										
									1000	4.55	34.54		27.384	70.3	1.384										

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205						1576070			
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES						
23 01.0N	108 25.0W	6/ 7/72	1243	GMT	2790M	250	3KT	1	230 3 5						
Z	T	S	O2	PO4	SI03	NO2	NO3	DT	Z	T	S	O2	SI6T	DT	DD
									0	26.47	35.07		22.960	491.2	0.000
									10	24.04	35.02		23.665	423.9	0.046
									20	20.69	35.01		24.605	334.3	0.084
									30	18.19	34.93		25.190	278.6	0.114
									50	15.42	34.72		25.682	231.8	0.166
									75	13.96	34.79		26.052	196.7	0.220
									100	13.46	34.82		26.179	184.6	0.268
									125	12.74	34.82		26.324	170.8	0.313
									150	12.45	34.81		26.373	166.1	0.356
									200	11.57	34.74		26.488	155.3	0.439
									250	10.98	34.73		26.588	145.7	0.517
									300	10.28	34.68		26.674	137.7	0.591
									400	8.92	34.61		26.846	121.3	0.727
									500	7.68	34.55		26.989	107.8	0.850
									600	6.85	34.53		27.091	98.1	0.962
									700	6.00	34.51		27.187	89.0	1.065
									800	5.48	34.53		27.268	81.3	1.160
									1000	4.53	34.55		27.394	69.4	1.331

RV DAVID STARR JORDAN										CALCOFI CRUISE 7205							1576070	
LATITUDE 23 01.0N		LONGITUDE 108 25.0W		MO/DAY/YR 6/ 7/72		MESSENGER 1334 GMT		TIME	BOTTOM 2790M	WIND 250	SPEED 3KT	WEATHER 1	DOMINANT WAVES 230 3 5					
Z	T	S	O2	PO4	SI03	NO2	NO3	DT	Z	T	S	O2	SI6T	DT	DD			
0	26.48	35.021	4.80	0.52	2.	0.00	0.0	495.1	0	26.48	35.021	4.80	22.920	495.1	0.000			
10	26.49	35.019	4.88	0.48	2.	0.00	0.0	495.5	10	26.49	35.019	4.88	22.915	495.5	0.050			
30	19.04	34.936	4.06	1.36	9.	0.25	4.4	298.5	20	23.13	34.933	4.65	23.865	404.9	0.095			
55	15.35	34.692	0.86	2.45	24.	0.02	21.3	232.4	30	19.04	34.936	4.06	24.981	298.5	0.130			
70	14.94	34.759	0.83	2.61	27.	0.01	22.7	218.9	50	15.69	34.700	1.44	25.606	239.0	0.184			
85	14.12	34.719	0.42	2.74	30.	0.00	24.4	205.1	75	14.67	34.747	0.70	25.868	214.2	0.241			
100	13.70	34.764	0.36	2.79	33.	0.00	26.1	193.4	100	13.70	34.764	0.36	26.086	193.4	0.293			
130	12.87	34.768	0.18	2.77	35.	0.00	26.3	177.1	125	13.00	34.773	0.20	26.236	179.1	0.340			
155	12.44	34.759	0.24	2.77	36.	0.00	26.7	171.2	150	12.52	34.746	0.23	26.310	172.1	0.385			
180	12.00	34.730	0.15	2.74	36.	0.00	27.1	163.8	200	11.72	34.729	0.11	26.450	158.8	0.470			
214	11.54	34.727	0.09	2.78	38.	0.05	26.6	155.7	250	11.06	34.714	0.10	26.562	148.2	0.549			
278	10.69	34.699	0.13	2.83	40.	1.19	24.0	143.1	300	10.43	34.687	0.13	26.652	139.7	0.624			
375	9.53	34.631	0.10	2.98	49.	0.79	27.3	129.2	400	9.15	34.607	0.10	26.807	125.0	0.764			
471	8.07	34.545	0.10	3.15	63.	0.00	33.4	113.6	500	7.72	34.531	0.10	26.967	109.8	0.890			
601	6.74	34.504	0.10	3.24	76.	0.00	38.1	98.6	600	6.75	34.505	0.10	27.084	98.7	1.003			
749	5.73	34.514	0.11	3.40	91.	0.00	44.6	85.4	700	6.02	34.509	0.11	27.183	89.3	1.106			
894	4.98	34.518	0.17	3.43	103.	0.00	46.2	76.6	800	5.44	34.516	0.12	27.260	82.0	1.202			
1101	4.15	34.543	0.42	3.46	120.	0.00	47.1	66.0	1000	4.52	34.529	0.27	27.378	70.9	1.375			

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205						1576100			
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES						
23 17.0N	107 58.0W	6/ 7/72	1853	GMT	2602M	290	3KT	1	280 2 6						
Z	T	S	O2	PO4	SI03	NO2	NO3	DT	Z	T	S	O2	SI6T	DT	DD
									0	27.30	35.06		22.688	517.2	0.000
									10	26.21	35.06		23.034	484.1	0.050
									20	24.48	34.92		23.459	443.6	0.097
									30	22.57	34.73		23.873	404.1	0.139
									50	18.75	34.79		24.943	302.1	0.210
									75	14.53	34.85		25.977	203.8	0.274
									100	13.51	34.78		26.138	188.5	0.323
									125	12.92	34.82		26.288	174.2	0.369
									150	12.39	34.82		26.393	164.3	0.413
									200	11.75	34.78		26.485	155.6	0.495
									250	11.09	34.73		26.568	147.6	0.573
									300	10.44	34.71		26.669	138.1	0.648
									400	9.11	34.64		26.839	122.0	0.785
									500	7.95	34.57		26.965	110.1	0.910
									600	7.04	34.56		27.088	98.4	1.023
									700	6.09	34.54		27.199	87.8	1.126
									800	5.48	34.53		27.268	81.3	1.220
									1000	4.54	34.55		27.393	69.5	1.391

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205						1576130			
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
23 33.5N		107 31.0W		6/ 7/72		2240		GMT	1058M	320	14KT	1	280 2 5		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
									0	29.27	34.59		21.687	613.0	0.000
									10	28.79	34.79		21.998	583.3	0.060
									20	28.00	35.17		22.544	531.0	0.116
									30	27.55	35.10		22.637	522.1	0.168
									50	22.17	34.74		23.993	492.6	0.260
									75	16.84	34.71		25.349	263.5	0.343
									100	14.28	34.73		25.938	207.5	0.402
									125	13.61	34.84		26.163	186.1	0.452
									150	12.96	34.85		26.303	172.8	0.498
									200	12.28	34.86		26.445	159.3	0.583
									250	11.77	34.82		26.512	153.0	0.664
									300	11.13	34.78		26.600	144.6	0.742
									400	9.74	34.67		26.758	129.6	0.887
									500	8.44	34.62		26.929	113.4	1.017
									600	7.23	34.58		27.077	99.4	1.133
									700	6.16	34.54		27.190	88.7	1.237
									800	5.47	34.55		27.285	79.7	1.331
									1000	4.49	34.56		27.406	68.2	1.499

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205										1576150	
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
23 43.0N		107 12.0W		6/ 8/72		0142		GMT	76M	290	12KT	1	310 3 3				
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD		
									0	29.09	34.56		21.725	609.4	0.000		
									10	29.05	34.56		21.739	608.1	0.061		
									20	28.63	34.60		21.908	591.9	0.121		
									30	27.16	34.55		22.350	549.6	0.178		
									50	23.53	34.51		23.430	446.4	0.278		

RV DAVID STARR JORDAN										CALCOFI CRUISE 7205							1576150	
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES					
23 43.0N		107 12.0W		6/ 8/72		0216		GMT	76M	290	12KT	1	310 3 3					
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD			
0	29.07	34.564	4.70	0.20	1.	0.01	0.0	608.5	0	29.07	34.564	4.70	21.735	608.5	0.000			
10	29.06	34.562	4.69	0.20	1.	0.01	0.0	608.3	10	29.06	34.562	4.69	21.737	608.3	0.061			
20	28.89	34.567	4.76	0.22	1.	0.02	0.0	602.5	20	28.89	34.567	4.76	21.797	602.5	0.121			
30	28.13	34.554	4.87	0.27	1.	0.01	0.0	579.4	30	28.13	34.554	4.87	22.039	579.4	0.181			
50	23.65	34.468	2.80	1.07	5.	0.07	8.5	452.7	50	23.65	34.468	2.80	23.363	452.7	0.284			

					Z	T	S	O2	DT
10.005	06/07/72	1423GMT	48 05.0N	125 38.0W	10	10.36	31.059	8.69	406.9
	BOTTOM	272M	WIND 310	15KT WEATHER 1					
	DOMINANT WAVES	310	02 07						
10.010	06/07/72	1651GMT	47 55.0N	126 03.5W	10	12.43	31.976	6.50	374.3
	BOTTOM	1631M	WIND 330	11KT WEATHER 1					
	DOMINANT WAVES	330	02 06						
10.015	06/07/72	2000GMT	47 45.0N	126 28.5W	10	12.30	32.090	6.49	363.6
	BOTTOM	2222M	WIND 330	10KT WEATHER 1					
	DOMINANT WAVES	330	02 07						
10.025	06/08/72	0215GMT	47 25.5N	127 19.0W	10	12.19	32.368	6.47	341.1
	BOTTOM	2562M	WIND 310	07KT WEATHER 1					
	DOMINANT WAVES	260	01 06						
10.030	06/08/72	0450GMT	47 14.5N	127 43.0W	10	11.96	32.428	6.70	332.6
	BOTTOM	2673M	WIND 360	11KT WEATHER 1					
	DOMINANT WAVES	360	02 06						
10.035	06/08/72	0836GMT	47 06.0N	128 07.0W	10	11.45	32.444	6.90	322.5
	BOTTOM	2694M	WIND 360	09KT WEATHER 1					
	DOMINANT WAVES								
10.040	06/08/72	1120GMT	46 55.5N	128 36.0W	10	11.56	32.588	6.74	313.8
	BOTTOM	2724M	WIND 360	12KT WEATHER 1					
	DOMINANT WAVES								
10.045	06/08/72	1530GMT	46 45.0N	129 02.5W	10	11.34	32.557	6.97	312.3
	BOTTOM	2645M	WIND 020	13KT WEATHER 1					
	DOMINANT WAVES	020	02 06						
10.050	06/08/72	1735GMT	46 35.0N	129 27.5W	10	11.42	32.528	7.00	315.8
	BOTTOM	2576M	WIND 060	17KT WEATHER 2					
	DOMINANT WAVES	060	02 06						
10.055	06/08/72	2055GMT	46 25.0N	129 51.0W	10	11.51	32.515	6.99	318.3
	BOTTOM	2629M	WIND 070	13KT WEATHER 2					
	DOMINANT WAVES	070	04 05						
10.060	06/08/72	2320GMT	46 15.0N	130 16.5W	10	11.17	32.663	6.86	301.5
	BOTTOM	2081M	WIND 050	14KT WEATHER 6					
	DOMINANT WAVES	070	03 04						
20.015	05/14/72	0523GMT	46 01.0N	125 13.5W	10	11.51	32.292	6.70	334.8
	BOTTOM	1757M	WIND 330	13KT WEATHER 0					
	DOMINANT WAVES								
20.020	05/14/72	0800GMT	45 51.0N	125 38.0W	10	10.46	32.458	7.06	304.9
	BOTTOM	2120M	WIND 330	13KT WEATHER					
	DOMINANT WAVES								
20.025	05/14/72	1121GMT	45 42.0N	126 04.0W	10	11.06	32.540	6.79	308.8
	BOTTOM	2525M	WIND 340	07KT WEATHER					
	DOMINANT WAVES								
20.030	05/14/72	1432GMT	45 31.0N	126 27.0W	10	11.94	32.535	6.65	324.5
	BOTTOM	2709M	WIND 020	12KT WEATHER 2					
	DOMINANT WAVES	010	04 04						
20.035	05/14/72	1743GMT	45 21.0N	126 51.0W	10	11.44	32.513	6.82	317.2
	BOTTOM	2838M	WIND 030	08KT WEATHER 1					
	DOMINANT WAVES	010	03 04						
20.045	05/15/72	0050GMT	45 02.0N	127 39.5W	10	10.77	32.498		307.0
	BOTTOM	2891M	WIND 210	10KT WEATHER 2					
	DOMINANT WAVES	010	02 03						
20.050	05/15/72	0355GMT	44 49.0N	128 06.0W	10	10.40	32.452	6.99	304.4
	BOTTOM	2862M	WIND 240	16KT WEATHER 2					
	DOMINANT WAVES	230	03 03						
20.055	05/15/72	0708GMT	44 41.0N	128 28.5W	10	11.43	32.464	6.82	320.7
	BOTTOM	2832M	WIND 250	15KT WEATHER					
	DOMINANT WAVES								
20.060	05/15/72	0955GMT	44 30.0N	128 52.0W	10	10.08	32.542	6.92	292.6
	BOTTOM	2824M	WIND 250	15KT WEATHER					
	DOMINANT WAVES								
20.065	05/15/72	1324GMT	44 21.0N	129 18.0W	10	10.23	32.603	6.88	290.4
	BOTTOM	2648M	WIND 250	15KT WEATHER 6					
	DOMINANT WAVES	230	05 04						
20.070	05/15/72	1557GMT	44 11.0N	129 43.0W	10	10.81	32.558	6.83	303.2
	BOTTOM	2709M	WIND 260	17KT WEATHER 1					
	DOMINANT WAVES	260	06 04						
20.090	05/16/72	0345GMT	43 30.0N	131 20.0W	10	10.43	32.781	6.86	280.5
	BOTTOM	3480M	WIND 360	25KT WEATHER 2					
	DOMINANT WAVES	360	06 06						

				Z	T	S	O2	DT
20.100	05/16/72 0937GMT 43 12.0N 132 06.0W BOTTOM 3673M WIND 010 21KT WEATHER 2 DOMINANT WAVES			10	11.56	32.771	6.80	300.3
30.030	05/10/72 0644GMT 43 46.5N 125 08.0W BOTTOM 1479M WIND 360 13KT WEATHER 0 DOMINANT WAVES			10	9.87	32.289	7.17	308.0
30.035	05/10/72 0330GMT 43 37.5N 125 32.5W BOTTOM 2974M WIND 350 17KT WEATHER 0 DOMINANT WAVES 350 02 06			10	10.72	32.507	6.74	305.5
30.040	05/10/72 0034GMT 43 27.0N 125 57.0W BOTTOM 2973M WIND 350 11KT WEATHER 1 DOMINANT WAVES 350 03 06			10	11.19	32.600	6.53	306.5
30.045	05/09/72 2145GMT 43 16.5N 126 20.0W BOTTOM 2964M WIND 08KT WEATHER 1 DOMINANT WAVES 340 02 05			10	11.08	32.578	6.57	306.3
30.055	05/09/72 1450GMT 42 57.0N 127 06.0W BOTTOM 2690M WIND 120 04KT WEATHER 2 DOMINANT WAVES 360 01 05			10	10.06	32.495	6.87	295.7
30.060	05/09/72 1223GMT 42 47.5N 127 30.0W BOTTOM 2690M WIND 010 04KT WEATHER 1 DOMINANT WAVES			10	10.18	32.483	6.83	298.5
30.065	05/09/72 0915GMT 42 37.0N 127 53.0W BOTTOM 1812M WIND 100 06KT WEATHER 2 DOMINANT WAVES			10	9.92	32.491	6.91	293.8
30.070	05/09/72 0539GMT 42 27.0N 128 18.5W BOTTOM 3087M WIND 340 04KT WEATHER 2 DOMINANT WAVES			10	10.30	32.570	6.81	294.0
30.080	05/09/72 0102GMT 42 08.0N 129 03.0W BOTTOM 3163M WIND 270 07KT WEATHER 1 DOMINANT WAVES 270 03 05			10	10.56	32.553	6.68	299.5
40.038	05/06/72 0906GMT 41 47.5N 124 28.0W BOTTOM 187M WIND 310 07KT WEATHER 2 DOMINANT WAVES			10	8.34	33.595	4.84	188.1
40.045	05/06/72 1431GMT 41 33.0N 125 00.0W BOTTOM 1313M WIND 020 03KT WEATHER 2 DOMINANT WAVES 020 02 08			10	10.84	32.546	6.52	304.6
40.055	05/06/72 2030GMT 41 12.5N 125 47.0W BOTTOM 3069M WIND 170 11KT WEATHER 1 DOMINANT WAVES 340 02 06			10	10.68	32.461	6.70	308.3
40.060	05/06/72 2354GMT 41 02.5N 126 08.5W BOTTOM 3068M WIND 200 12KT WEATHER 1 DOMINANT WAVES 200 02 04			10	10.84	32.501	6.61	308.0
40.065	05/07/72 0241GMT 40 52.0N 126 31.0W BOTTOM 3012M WIND 200 18KT WEATHER 5 DOMINANT WAVES 200 03 04			10	10.84	32.500	6.72	308.0
40.080	05/07/72 1126GMT 40 23.0N 127 40.0W BOTTOM 1378M WIND 260 12KT WEATHER 1 DOMINANT WAVES			10	11.06	32.597	6.55	304.6
40.090	05/07/72 1757GMT 40 02.5N 128 25.0W BOTTOM 4340M WIND 290 24KT WEATHER 1 DOMINANT WAVES 260 08 07			10	11.54	32.902	6.08	290.3
50.047	05/05/72 2005GMT 39 46.0N 123 54.0W BOTTOM 104M WIND 230 04KT WEATHER 2 DOMINANT WAVES 320 01 06			10	8.65	33.843	4.75	173.9
50.055	05/05/72 1351GMT 39 30.0N 124 30.0W BOTTOM 2130M WIND 340 24KT WEATHER 2 DOMINANT WAVES 340 04 06			10	11.12	32.791	6.84	291.2
50.060	05/05/72 1100GMT 39 20.0N 124 49.0W BOTTOM 2785M WIND 340 23KT WEATHER 2 DOMINANT WAVES			10	11.18	32.806	6.44	291.1
50.065	05/05/72 0720GMT 39 10.5N 125 14.0W BOTTOM 3012M WIND 350 18KT WEATHER DOMINANT WAVES			10	11.12	32.774	6.50	292.5
50.070	05/05/72 0321GMT 39 00.0N 125 36.0W BOTTOM 3711M WIND 350 18KT WEATHER 2 DOMINANT WAVES 350 11 06			10	11.34	32.806	6.21	293.9
50.090	05/04/72 1412GMT 38 20.0N 127 04.0W BOTTOM 4493M WIND 010 25KT WEATHER 2 DOMINANT WAVES 010 10 06			10	11.29	32.823	6.58	291.8

						Z	T	S	Q2	DT
50.100	05/04/72	0657GMT	38 00.0N	127 50.0W		10	11.88	32.938	6.36	293.6
	BOTTOM	4493M	WIND 010	17KT	WEATHER 0					
	DOMINANT WAVES									
60.050	04/24/72	0255GMT	37 57.5N	122 53.0W		10	9.54	33.783	6.01	192.1
	BOTTOM	48M	WIND 170	17KT	WEATHER 1					
	DOMINANT WAVES	170	02 03							
60.052	04/24/72	0440GMT	37 54.0N	123 01.5W		10	9.44	33.760	5.66	192.3
	BOTTOM	84M	WIND 180	17KT	WEATHER 6					
	DOMINANT WAVES		02 03							
60.055	04/24/72	0644GMT	37 47.0N	123 14.5W		10	10.54	33.110	6.44	258.0
	BOTTOM	119M	WIND 230	12KT	WEATHER 6					
	DOMINANT WAVES		02 03							
60.065	04/24/72	1350GMT	37 27.0N	123 59.0W		10	11.75	32.950	6.40	290.0
	BOTTOM	3611M	WIND 290	10KT	WEATHER 1					
	DOMINANT WAVES		270	03 07						
60.070	04/24/72	1733GMT	37 17.0N	124 21.0W		10	11.37	32.733	6.67	299.8
	BOTTOM	4014M	WIND 300	10KT	WEATHER					
	DOMINANT WAVES		290	04 08						
60.080	04/24/72	2231GMT	36 56.5N	125 03.5W		10	12.67	33.122	6.38	294.3
	BOTTOM	4206M	WIND 330	17KT	WEATHER 1					
	DOMINANT WAVES		300	04 12						
60.100	04/25/72	1042GMT	36 16.5N	126 31.0W		10	13.64	33.096	6.06	314.6
	BOTTOM	4588M	WIND 350	16KT	WEATHER					
	DOMINANT WAVES		320	08 04						
70.051	04/20/72	2125GMT	36 11.5N	121 44.0W		10	9.50	33.846		186.8
	BOTTOM	223M	WIND 310	11KT	WEATHER 0					
	DOMINANT WAVES		300	02 08						
70.053	04/20/72	1954GMT	36 06.5N	121 54.0W		10	9.68	33.796		193.4
	BOTTOM	1045M	WIND 340	15KT	WEATHER 0					
	DOMINANT WAVES		340	08 10						
70.065	04/20/72	1110GMT	35 43.0N	122 45.0W		10	11.64	32.999		284.9
	BOTTOM	2690M	WIND 340	18KT	WEATHER 1					
	DOMINANT WAVES		350	10 06						
70.070	04/20/72	0720GMT	35 34.5N	123 07.0W		10	12.26	32.911		302.4
	BOTTOM	3635M	WIND 350	22KT	WEATHER 1					
	DOMINANT WAVES		10	05						
70.080	04/20/72	0205GMT	35 14.0N	123 48.0W		10	12.44	33.176		286.1
	BOTTOM	4021M	WIND 340	18KT	WEATHER 1					
	DOMINANT WAVES		350	08 06						
80.051	04/13/72	0600GMT	34 26.0N	120 32.5W		10	13.09	33.559		270.1
	BOTTOM	145M	WIND 270	11KT	WEATHER 2					
	DOMINANT WAVES									
80.052	04/13/72	0735GMT	34 24.5N	120 36.5W		10	12.51	33.570		258.4
	BOTTOM	290M	WIND 290	16KT	WEATHER 5					
	DOMINANT WAVES									
80.055	04/13/72	0935GMT	34 19.0N	120 47.5W		10	11.56	33.648		235.6
	BOTTOM	733M	WIND 320	20KT	WEATHER 2					
	DOMINANT WAVES									

RV DAVID STARR JORDAN

CALCOFI CRUISE 7205

TEN METER DATA

						Z	T	S	Q2	DT
90.028	04/18/72	0533GMT	33 28.5N	117 46.5W		10	13.53	33.533		280.4
	BOTTOM	316M	WIND 120	10KT	WEATHER					
	DOMINANT WAVES									
90.032	04/18/72	0835GMT	33 20.5N	118 03.0W		10	15.63	33.517		324.2
	BOTTOM	722M	WIND 250	12KT	WEATHER					
	DOMINANT WAVES									
90.045	04/18/72	1717GMT	32 54.5N	118 55.5W		10	14.49	33.522		300.2
	BOTTOM	1664M	WIND 310	22KT	WEATHER 1					
	DOMINANT WAVES		310	12 05						
90.053	04/18/72	2229GMT	32 39.0N	119 28.5W		10	13.12	33.459	6.14	278.0
	BOTTOM	1202M	WIND 330	20KT	WEATHER 1					
	DOMINANT WAVES		310	10 06						
90.060	04/19/72	0245GMT	32 25.0N	119 57.5W		10	13.78	33.429	6.19	292.9
	BOTTOM	929M	WIND 340	22KT	WEATHER 0					
	DOMINANT WAVES		310	15 06						
90.080	04/19/72	1413GMT	31 45.0N	121 19.0W		10	14.42	33.392	6.02	308.3
	BOTTOM	3737M	WIND 310	16KT	WEATHER 1					
	DOMINANT WAVES		310	10 07						

					Z	T	S	02	DT
90.090	04/19/72	1940GMT	31 24.0N	122 01.0W	10	13.76	33.233	6.15	306.9
	BOTTOM	3926M	WIND 340 18KT	WEATHER 1					
	DOMINANT WAVES	340 10 06							
90.100	04/20/72	0059GMT	31 05.0N	122 39.0W	10	13.80	33.051	6.17	321.0
	BOTTOM	4308M	WIND 360 16KT	WEATHER 1					
	DOMINANT WAVES	350 10 06							
90.140	04/20/72	1903GMT	29 45.0N	125 20.0W	10		33.506	5.89	
	BOTTOM	4498M	WIND 020 07KT	WEATHER 1					
	DOMINANT WAVES	360 05 07							
100.029	05/05/72	0927GMT	31 42.0N	116 44.5W	10	15.19	33.592	7.66	309.4
	BOTTOM	205M	WIND 310 06KT	WEATHER					
	DOMINANT WAVES								
100.030	05/05/72	0801GMT	31 40.5N	116 46.5W	10	16.46	33.587	7.81	337.0
	BOTTOM	427M	WIND 310 10KT	WEATHER					
	DOMINANT WAVES								
100.035	05/05/72	0451GMT	31 27.5N	117 07.0W	10	15.08	33.558	8.07	309.6
	BOTTOM	1202M	WIND 290 10KT	WEATHER					
	DOMINANT WAVES								
100.050	05/04/72	1939GMT	31 01.0N	118 06.0W	10	15.66	33.588	6.00	319.6
	BOTTOM	1763M	WIND 300 06KT	WEATHER 2					
	DOMINANT WAVES	290 02 03							
100.060	05/04/72	1354GMT	30 40.5N	118 47.5W	10	16.00	33.662	5.97	321.5
	BOTTOM	3075M	WIND 290 09KT	WEATHER 2					
	DOMINANT WAVES	290 01 03							
100.070	05/04/72	0659GMT	30 20.5N	119 27.0W	10	15.28	33.527	6.02	316.1
	BOTTOM	3737M	WIND 280 07KT	WEATHER					
	DOMINANT WAVES								
100.090	05/03/72	1955GMT	29 40.5N	120 47.0W	10	16.00	33.649	5.97	322.4
	BOTTOM	3926M	WIND 280 10KT	WEATHER 2					
	DOMINANT WAVES	270 02 06							
100.100	05/03/72	1450GMT	29 20.0N	121 26.5W	10	15.36	33.495	6.07	320.1
	BOTTOM	4068M	WIND 270 06KT	WEATHER 2					
	DOMINANT WAVES	320 02 05							
100.140	05/02/72	2151GMT	28 00.0N	124 04.0W	10	16.17	33.679	5.97	323.9
	BOTTOM	4507M	WIND 310 01KT	WEATHER 1					
	DOMINANT WAVES	360 02 05							
110.032	05/09/72	1220GMT	29 51.0N	115 50.0W	10	11.47	33.761	4.84	225.7
	BOTTOM	52M	WIND 340 10KT	WEATHER					
	DOMINANT WAVES								
110.035	05/09/72	1428GMT	29 46.0N	116 00.0W	10	13.20	33.521	6.11	274.9
	BOTTOM	1114M	WIND 340 19KT	WEATHER 2					
	DOMINANT WAVES	310 03 04							
110.045	05/09/72	2114GMT	29 28.0N	116 39.0W	10	16.02	33.628	5.96	324.4
	BOTTOM	1298M	WIND 320 20KT	WEATHER 1					
	DOMINANT WAVES	310 08 05							
110.050	05/10/72	0035GMT	29 16.5N	116 59.0W	10	16.22	33.631	5.98	328.5
	BOTTOM	3926M	WIND 320 22KT	WEATHER 1					
	DOMINANT WAVES	310 08 05							
110.055	05/10/72	0319GMT	29 06.5N	117 18.5W	10	16.15	33.631	5.98	327.0
	BOTTOM	3498M	WIND 320 23KT	WEATHER					
	DOMINANT WAVES								
110.060	05/10/72	0629GMT	28 56.5N	117 39.0W	10	16.30	33.664	6.02	327.8
	BOTTOM	3737M	WIND 330 22KT	WEATHER					
	DOMINANT WAVES								
110.070	05/10/72	1120GMT	28 36.5N	118 18.0W	10	16.65	33.728	5.94	330.4
	BOTTOM	3926M	WIND 330 18KT	WEATHER					
	DOMINANT WAVES								
120.024	05/12/72	2311GMT	28 25.0N	114 10.5W	10	14.74	33.725		290.4
	BOTTOM	32M	WIND 320 08KT	WEATHER 2					
	DOMINANT WAVES	300 03 03							
120.025	05/12/72	2211GMT	28 22.5N	114 15.0W	10	14.86	33.719		293.3
	BOTTOM	56M	WIND 320 12KT	WEATHER 2					
	DOMINANT WAVES	300 01 03							
120.030	05/12/72	1922GMT	28 10.5N	114 37.5W	10	13.42	33.628	6.32	271.3
	BOTTOM	93M	WIND 310 05KT	WEATHER 2					
	DOMINANT WAVES	300 01 03							
120.035	05/12/72	1700GMT	28 03.0N	114 54.0W	10	14.60	33.560		299.6
	BOTTOM	82M	WIND 300 05KT	WEATHER 2					
	DOMINANT WAVES	340 02 03							

			Z	T	S	02	DT
120.040	05/12/72 1027GMT 27 55.0N 115 17.0W BOTTOM 71M WIND 340 10KT WEATHER DOMINANT WAVES		10	13.76	33.715		271.5
120.045	05/12/72 0355GMT 27 43.0N 115 33.0W BOTTOM 2415M WIND 330 16KT WEATHER DOMINANT WAVES		10	14.06	33.546	6.46	289.8
120.060	05/11/72 1713GMT 27 15.0N 116 30.5W BOTTOM 3737M WIND 320 10KT WEATHER 2 DOMINANT WAVES 270 05 08		10	16.24	33.571	6.36	333.5
120.070	05/11/72 1158GMT 26 53.0N 117 10.0W BOTTOM 3926M WIND 330 14KT WEATHER DOMINANT WAVES		10	17.21	33.784	6.34	339.3
130.028	05/13/72 1438GMT 26 33.5N 113 21.0W BOTTOM 56M WIND 240 05KT WEATHER 4 DOMINANT WAVES 270 03 03		10	13.32	34.147		231.3
130.030	05/13/72 1611GMT 26 29.0N 113 29.0W BOTTOM 80M WIND 280 03KT WEATHER 4 DOMINANT WAVES 250 02 03		10	12.51	33.956		230.0
130.035	05/13/72 1854GMT 26 19.0N 113 48.0W BOTTOM 929M WIND 280 07KT WEATHER 4 DOMINANT WAVES 280 02 03		10	15.06	33.712		298.0
130.050	05/14/72 0418GMT 25 49.5N 114 47.0W BOTTOM 3641M WIND 300 15KT WEATHER DOMINANT WAVES		10	17.55	33.912	6.07	337.7
130.060	05/14/72 1211GMT 25 29.0N 115 24.0W BOTTOM 3641M WIND 330 12KT WEATHER DOMINANT WAVES		10	17.61	33.910	6.12	339.3
130.080	05/14/72 2257GMT 24 50.0N 116 35.5W BOTTOM 4021M WIND 350 06KT WEATHER 1 DOMINANT WAVES 360 03 05		10	19.08	34.213	5.68	351.9
130.090	05/15/72 0443GMT 24 26.0N 117 17.0W BOTTOM 3929M WIND 300 06KT WEATHER DOMINANT WAVES		10	19.20	34.261	5.64	351.4
140.030	06/02/72 1200GMT 24 45.0N 112 24.0W BOTTOM 112M WIND 350 05KT WEATHER DOMINANT WAVES		10	15.88	33.969	5.43	296.5
140.035	06/02/72 0926GMT 24 35.5N 112 42.5W BOTTOM 1053M WIND 090 03KT WEATHER DOMINANT WAVES		10	18.42	33.897		359.1
140.045	06/02/72 0255GMT 24 16.0N 113 22.0W BOTTOM 3545M WIND 290 07KT WEATHER DOMINANT WAVES		10	20.02	34.299		368.8
140.050	06/02/72 0016GMT 24 06.0N 113 40.0W BOTTOM 3169M WIND 290 05KT WEATHER 1 DOMINANT WAVES 290 02 08		10	21.36	34.521	5.26	387.0
140.055	06/01/72 2127GMT 23 55.5N 113 58.5W BOTTOM 4116M WIND 280 04KT WEATHER 1 DOMINANT WAVES 280 02 06		10	20.89	34.503		376.1
140.070	06/01/72 1248GMT 23 25.0N 114 55.0W BOTTOM 3737M WIND 250 02KT WEATHER DOMINANT WAVES		10	19.04	34.146	5.51	355.8
140.080	06/01/72 0753GMT 23 05.0N 115 33.0W BOTTOM 4121M WIND 330 01KT WEATHER DOMINANT WAVES		10	19.46	34.138	5.56	366.7
140.090	06/01/72 0246GMT 22 42.0N 116 11.5W BOTTOM 4121M WIND 350 03KT WEATHER 1 DOMINANT WAVES 310 03 05		10	19.92	34.261	5.37	369.1
140.120	05/31/72 0740GMT 21 44.5N 118 01.0W BOTTOM 4121M WIND 330 03KT WEATHER DOMINANT WAVES		10	20.36	34.358	5.35	373.1
150.019	06/02/72 2317GMT 23 24.0N 110 39.0W BOTTOM 251M WIND 300 13KT WEATHER 0 DOMINANT WAVES 310 03 04		10	19.96	34.407		359.5
150.030	06/03/72 0608GMT 23 02.0N 111 20.0W BOTTOM 2602M WIND 330 16KT WEATHER 0 DOMINANT WAVES		10	24.74	35.215	5.00	429.8
150.035	06/03/72 0833GMT 22 52.0N 111 38.5W BOTTOM 3169M WIND 330 12KT WEATHER 0 DOMINANT WAVES		10	21.37	34.540		385.9

					Z	T	S	02	0T
150.040	06/03/72	1150GMT	22 41.5N	111 56.5W	10	20.23	34.060	5.54	391.4
	BOTTOM	3357M	WIND 340	12KT WEATHER 0					
	DOMINANT WAVES								
150.045	06/03/72	1423GMT	22 31.0N	112 14.5W	10	21.54	34.524		391.5
	BOTTOM	3357M	WIND 340	05KT WEATHER 1					
	DOMINANT WAVES		340 03 05						
150.050	06/03/72	1710GMT	22 21.0N	112 34.0W	10	22.80	34.637	5.14	417.1
	BOTTOM	3545M	WIND 330	07KT WEATHER 1					
	DOMINANT WAVES		330 03 04						
150.055	06/03/72	1947GMT	22 11.0N	112 53.0W	10	22.25	34.562		407.6
	BOTTOM	3545M	WIND 320	12KT WEATHER 1					
	DOMINANT WAVES		320 03 05						
150.070	06/04/72	0411GMT	21 41.0N	113 48.0W	10	21.14	34.444	5.31	386.9
	BOTTOM	3882M	WIND 330	10KT WEATHER					
	DOMINANT WAVES								
150.080	06/04/72	1258GMT	21 21.0N	114 26.0W	10	21.68	34.498	5.22	397.1
	BOTTOM	3929M	WIND 320	05KT WEATHER					
	DOMINANT WAVES								
150.090	06/04/72	1745GMT	21 01.0N	115 03.0W	10	22.13	34.544	5.13	405.7
	BOTTOM	3739M	WIND 340	05KT WEATHER 2					
	DOMINANT WAVES		330 03 04						
150.100	06/04/72	2236GMT	20 39.5N	115 39.0W	10	22.56	34.584	5.15	414.4
	BOTTOM	3929M	WIND 320	07KT WEATHER 1					
	DOMINANT WAVES		330 04 04						
157.010	06/07/72	0422GMT	22 33.0N	109 23.0W	10	24.63	34.764		459.1
	BOTTOM	2980M	WIND 280	24KT WEATHER					
	DOMINANT WAVES								
157.015	06/07/72	0113GMT	22 23.0N	109 42.0W	10		34.495		
	BOTTOM	3169M	WIND 270	15KT WEATHER 1					
	DOMINANT WAVES		300 04 03						
157.025	06/06/72	1904GMT	22 02.5N	110 19.0W	10	23.92	34.878		430.7
	BOTTOM	3169M	WIND 270	09KT WEATHER 1					
	DOMINANT WAVES		300 03 04						
157.030	06/06/72	1640GMT	21 53.0N	110 38.0W	10	21.74	34.501	5.23	398.4
	BOTTOM	2415M	WIND 320	10KT WEATHER 1					
	DOMINANT WAVES		310 03 04						
157.035	06/06/72	1348GMT	21 42.0N	110 55.5W	10	22.30	34.680		400.4
	BOTTOM	3357M	WIND 320	09KT WEATHER 1					
	DOMINANT WAVES		320 03 05						
157.040	06/06/72	1107GMT	21 29.0N	111 13.5W	10	21.82	34.514	5.20	399.6
	BOTTOM	3357M	WIND 330	06KT WEATHER					
	DOMINANT WAVES								
157.045	06/06/72	0812GMT	21 22.5N	111 33.0W	10		34.519		
	BOTTOM	3169M	WIND 330	07KT WEATHER					
	DOMINANT WAVES								
157.050	06/06/72	0555GMT	21 12.5N	111 52.0W	10	23.97	34.712	5.00	444.1
	BOTTOM	3545M	WIND 300	07KT WEATHER					
	DOMINANT WAVES								
157.055	06/06/72	0301GMT	21 02.0N	112 10.5W	10	24.21	34.730		449.6
	BOTTOM	3549M	WIND 300	08KT WEATHER					
	DOMINANT WAVES								
1576.025	06/07/72	0623GMT	22 41.0N	109 10.0W	10	23.28	34.583		434.1
	BOTTOM	3075M	WIND 260	08KT WEATHER					
	DOMINANT WAVES								
1576.040	06/07/72	0902GMT	22 48.0N	108 55.5W	10	26.24	34.938	4.23	493.8
	BOTTOM	2980M	WIND 260	06KT WEATHER					
	DOMINANT WAVES								
1576.055	06/07/72	1100GMT	22 55.5N	108 40.0W	10	26.16	34.972		489.0
	BOTTOM	3075M	WIND 240	06KT WEATHER					
	DOMINANT WAVES								
1576.085	06/07/72	1603GMT	23 10.0N	108 12.0W	10	26.70	35.034		500.8
	BOTTOM	2790M	WIND	00KT WEATHER 1					
	DOMINANT WAVES		240 02 03						
1576.100	06/07/72	1839GMT	23 17.0N	107 58.0W	10	26.92	35.020	4.78	508.5
	BOTTOM	2602M	WIND 290	03KT WEATHER 1					
	DOMINANT WAVES		280 02 06						
1576.115	06/07/72	2057GMT	23 26.0N	107 45.0W	10	28.18	34.905		555.7
	BOTTOM	1391M	WIND 300	11KT WEATHER 1					
	DOMINANT WAVES		280 02 06						
1576.130	06/07/72	2322GMT	23 33.5N	107 31.0W	10	28.85	34.573	4.67	600.8
	BOTTOM	1058M	WIND 320	14KT WEATHER 1					
	DOMINANT WAVES		280 02 05						

RV ALEXANDER AGASSIZ					CALCOFI CRUISE 7205										
LATITUDE 46 00.0N		LONGITUDE 131 00.0W		MO/DAY/YR 6/ 3/72	MESSENGER		TIME	BOTTOM 2743M	WIND 270	SPEED 7KT	WEATHER 2	DOMINANT WAVES 290 2 9			
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S1GT	DT	DC
									0	11.60	32.70		24.901	306.2	0.000
									10	10.05	32.69		25.165	281.1	0.029
									20	9.80	32.69		25.206	277.2	0.057
									30	9.10	32.71		25.334	265.0	0.084
									50	8.03	32.70		25.489	250.3	0.136
									75	7.57	32.71		25.562	243.3	0.198
									100	7.38	32.72		25.597	240.1	0.259
									125	6.84	32.69		25.803	220.4	0.317
									150	6.75	33.21		26.067	195.4	0.369
									200	6.51	33.81		26.570	147.5	0.456
									250	5.88	33.86		26.690	136.1	0.529
									300	5.45	33.87		26.750	130.4	0.597
									400	4.68	33.88		26.847	121.3	0.726
									500	4.17	34.01		27.005	106.3	0.844
									600	3.97	34.14		27.128	94.6	0.950
									700	3.83	34.21		27.198	88.0	1.047
									800	3.70	34.30		27.283	79.9	1.137
									1000	3.23	34.41		27.415	67.3	1.298

RV ALEXANDER AGASSIZ										CALCOFI CRUISE 7205						
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
46 00.0N		131 00.0W		6/ 3/72		0229 GMT			2743M	270	7KT	2	290 2 9			
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S1GT	DT	DD	
0	11.36	32.704	6.68	0.70	1.	0.11	3.7	301.8	0	11.36	32.704	6.68	24.948	301.8	0.000	
10	10.38	32.693	6.78	0.70	0.	0.11	3.8	286.2	10	10.38	32.693	6.78	25.112	286.2	0.029	
30	9.27	32.696	6.88	0.74	1.	0.15	4.1	268.6	20	9.74	32.697	6.84	25.219	276.0	0.058	
55	8.18	32.695	7.04	0.79	1.	0.19	4.9	252.8	30	9.27	32.696	6.88	25.297	268.6	0.085	
71	7.70	32.682	6.98	0.82	2.	0.19	5.6	247.2	50	8.37	32.699	7.02	25.436	255.3	0.137	
86	7.51	32.683	6.90	0.87	3.	0.25	6.4	244.5	75	7.63	32.684	6.96	25.531	246.3	0.200	
101	7.43	32.691	6.88	0.88	2.	0.27	6.7	242.9	100	7.44	32.692	6.88	25.565	243.1	0.262	
131	6.91	32.870	6.35	1.17	12.	0.03	12.3	222.8	125	7.02	32.821	6.49	25.724	228.0	0.321	
157	6.80	33.164	5.73	1.44	20.	0.02	16.7	199.4	150	6.81	33.075	5.92	25.951	206.4	0.376	
182	6.80	33.559	4.91	1.66	30.	0.01	21.6	169.9	200	6.66	33.750	4.32	26.503	153.9	0.467	
217	6.47		3.83	2.02	41.	0.02	26.9		250	6.06	33.816	3.44	26.633	141.6	0.542	
281	5.67	33.856	3.27	2.28	53.	0.00	32.0	134.0	300	5.47	33.868	3.01	26.745	130.9	0.612	
380	4.77	33.903	1.95	2.78	73.	0.00	39.8	120.5	400	4.63	33.921	1.79	26.884	117.8	0.740	
479	4.23	34.000	1.30	3.11	90.	0.00	45.0	107.7	500	4.17	34.027	1.16	27.017	105.2	0.856	
612	3.98	34.151	0.60	3.25	109.	0.00	45.2	93.8	600	3.99	34.139	0.65	27.125	94.9	0.961	
766	3.78	34.244	0.49	3.31	116.	0.00	46.2	84.9	700	3.87	34.208	0.54	27.192	88.5	1.058	
915	3.44	34.367	0.34	3.39	132.	0.00	47.0	72.5	800	3.71	34.274	0.45	27.261	82.0	1.150	
1126	3.01	34.443	0.47	3.34	145.	0.00	47.1	62.9	1000	3.26	34.412	0.39	27.414	67.5	1.313	

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205									
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
46 03.0N		133 00.0W		6/ 2/72		1354 GMT			3731M	200	10KT	2	250 4 6		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD
									0	10.10	32.71		25.172	280.4	0.000
									10	10.10	32.71		25.172	280.4	0.028
									20	9.88	32.71		25.209	277.0	0.056
									30	9.60	32.71		25.255	272.6	0.083
									50	8.00	32.71		25.501	249.2	0.136
									75	7.43	32.73		25.598	240.0	0.197
									100	7.23	32.74		25.633	236.6	0.257
									125	6.82	32.98		25.877	213.4	0.314
									150	6.90	33.51		26.282	174.9	0.363
									200	6.71	33.81		26.544	150.0	0.445
									250	5.98	33.84		26.662	138.8	0.519
									300	5.33	33.84		26.741	131.3	0.588
									400	4.45	33.90		26.888	117.4	0.716
									500	4.02	33.97		26.988	107.9	0.833
									600	3.79	34.06		27.083	96.9	0.941
									700	3.57	34.16		27.184	89.3	1.040
									800	3.42	34.25		27.270	81.1	1.131
									1000	3.06	34.36		27.392	69.6	1.294

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205									
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
46 00.0N		135 00.0W		6/ 2/72		0308 GMT			3919M	160	6KT	2	270 4 7		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD
									0	9.55	32.65		25.216	276.3	0.000
									10	9.50	32.64		25.216	276.2	0.028
									20	9.27	32.63		25.245	273.5	0.055
									30	9.05	32.67		25.311	267.2	0.082
									50	7.35	32.70		25.585	241.1	0.133
									75	6.98	32.75		25.675	232.6	0.193
									100	6.42	32.75		25.748	225.7	0.250
									125	6.72	33.21		26.071	195.0	0.303
									150	6.52	33.59		26.396	164.1	0.348
									200	6.42	33.82		26.590	145.7	0.427
									250	5.80	33.83		26.676	137.4	0.499
									300	5.03	33.85		26.784	127.3	0.567
									400	4.42	33.91		26.899	116.3	0.692
									500	3.97	34.00		27.017	105.1	0.807
									600	3.78	34.11		27.124	95.0	0.912
									700	3.58	34.20		27.215	86.4	1.008
									800	3.43	34.27		27.285	79.7	1.096
									1000	3.16	34.37		27.390	69.7	1.259

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205										46137	
LATITUDE	LONGITUDE	MO/DAY/YR		MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
46 00.0N	136 57.0W	6/ 1/72		1627	GMT	4257M	220	12KT	2	270 4 6							
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD		
									0	9.63	32.71		25.250	273.0	0.000		
									10	9.64	32.71		25.248	273.2	0.027		
									20	9.64	32.71		25.248	273.2	0.055		
									30	9.61	32.71		25.253	272.7	0.082		
									50	8.00	32.77		25.548	244.7	0.134		
									75	7.50	32.80		25.643	235.7	0.194		
									100	7.13	32.83		25.717	228.6	0.253		
									125	7.02	33.20		26.023	199.5	0.306		
									150	6.21	33.55		26.404	163.3	0.352		
									200	6.57	33.86		26.601	144.6	0.430		
									250	6.05	33.88		26.685	136.7	0.502		
									300	5.35	33.88		26.770	128.5	0.570		
									400	4.52	33.93		26.904	115.9	0.696		
									500	3.98	33.99		27.008	106.0	0.811		
									600	3.75	34.09		27.111	96.2	0.917		
									700	3.57	34.18		27.200	87.8	1.014		
									800	3.46	34.26		27.274	80.7	1.104		
									1000	3.06	34.37		27.400	68.9	1.266		

RV ALEXANDER AGASSIZ										CALCOFI CRUISE 7205							46137	
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES					
46 00.0N		136 57.0W		6/ 1/72		1803 GMT			4257M	220	12KT	2	270 4 6					
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S1GT	DT	DD			
2	9.70	32.711	6.88	0.82	10.	0.13	6.6	274.1	0	9.70	32.711	6.88	25.239	274.1	0.000			
12	9.72	32.711	6.86	0.84	10.	0.14	6.3	274.4	10	9.72	32.714	6.86	25.237	274.3	0.027			
32	9.45	32.710	6.92	0.85	10.	0.14	6.8	270.3	20	9.61	32.713	6.88	25.253	272.7	0.055			
57	7.92	32.795	6.98	0.87	9.	0.12	6.9	241.7	30	9.48	32.713	6.91	25.275	270.7	0.082			
72	7.59	32.795	6.88	0.93	11.	0.22	8.1	237.3	50	8.35	32.772	6.96	25.495	249.7	0.134			
87	7.25	32.798	6.78	1.05	12.	0.32	9.2	232.5	75	7.51	32.796	6.86	25.635	236.4	0.195			
103	7.13	32.870	6.60	1.12	14.	0.28	11.4	225.6	100	7.14	32.853	6.64	25.732	227.2	0.253			
133	7.06	33.269	6.04	1.30	19.	0.24	14.9	194.9	125	7.08	33.144	6.20	25.969	204.7	0.308			
158	6.65	33.622	5.68	1.46	27.	0.22	18.7	163.3	150	6.50	33.460	5.80	26.296	173.6	0.356			
183	6.77	33.800	5.20	1.57	31.	0.02	20.4	151.6	200	6.71	33.853	4.92	26.576	147.0	0.437			
218	6.56	33.873	4.64	1.77	38.	0.02	23.2	143.5	250	6.07	33.883	4.10	26.683	136.8	0.509			
282	5.51	33.874	3.57	2.22	55.	0.02	29.0	130.8	300	5.29	33.881	3.25	26.777	127.9	0.577			
382	4.54	33.924	2.05	2.81	78.	0.01	38.6	116.5	400	4.42	33.938	1.91	26.920	114.3	0.702			
481	4.00	33.999	1.48	3.04	94.	0.01	38.6	105.5	500	3.95	34.015	1.39	27.031	103.8	0.815			
615	3.75	34.105	0.95	3.17	108.	0.01	41.3	95.1	600	3.76	34.094	1.00	27.112	96.1	0.919			
770	3.50	34.219	0.58	3.23	118.	0.00	46.4	84.2	700	3.61	34.169	0.72	27.187	89.1	1.017			
919	3.22	34.326	0.37	3.29	132.	0.01	46.6	73.6	800	3.44	34.243	0.52	27.262	81.9	1.108			
1129	2.87	34.408	0.43	3.30	149.	0.01	46.6	64.4	1000	3.08	34.368	0.39	27.396	69.2	1.272			

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205						46139			
LATITUDE 46 00.0N		LONGITUDE 139 00.0W		MO/DAY/YR 6/ 1/72		MESSENGER 0546		TIME GMT	BOTTOM 4316M	WIND 250	SPEED 18KT	WEATHER 2	DOMINANT WAVES 250 4 7		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
									0	9.45	32.70		25.271	271.0	0.000
									10	9.44	32.70		25.273	270.9	0.027
									20	9.44	32.70		25.273	270.9	0.054
									30	9.25	32.68		25.287	269.5	0.081
									50	8.19	32.87		25.598	239.9	0.132
									75	7.53	32.84		25.670	233.1	0.192
									100	7.20	32.81		25.692	231.0	0.250
									125	6.30	32.89		25.874	213.7	0.306
									150	6.47	33.49		26.324	170.9	0.355
									200	6.37	33.80		26.580	146.5	0.435
									250	5.92	33.85		26.677	137.4	0.508
									300	5.29	33.89		26.785	127.1	0.575
									400	4.47	33.94		26.917	114.6	0.700
									500	4.00	34.01		27.022	104.7	0.813
									600	3.73	34.10		27.121	95.3	0.918
									700	3.56	34.20		27.217	86.2	1.014
									800	3.40	34.28		27.296	78.7	1.102
									1000	3.08	34.39		27.414	67.5	1.261

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205						46141					
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM		WIND		SPEED		WEATHER		DOMINANT WAVES	
46 00.0N		141 00.0W		5/31/72		1920 GMT		4429M		280		20KT		2		250 4 7	
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD		
									0	9.27	32.72		25.315	266.8	0.000		
									10	9.28	32.72		25.314	267.0	0.027		
									20	9.27	32.72		25.315	266.8	0.053		
									30	9.24	32.72		25.320	266.3	0.080		
									50	7.41	32.76		25.624	237.5	0.131		
									75	7.12	32.80		25.695	230.7	0.189		
									100	6.95	32.81		25.726	227.8	0.247		
									125	6.28	33.21		26.128	189.6	0.299		
									150	6.61	33.66		26.439	160.0	0.344		
									200	6.62	33.82		26.563	148.2	0.422		
									250	6.04	33.82		26.639	141.0	0.496		
									300	5.49	33.90		26.769	128.6	0.565		
									400	4.17	33.95		26.957	110.8	0.688		
									500	4.04	34.03		27.034	103.5	0.799		
									600	3.78	34.12		27.132	94.3	0.903		
									700	3.57	34.20		27.216	86.3	0.998		
									800	3.40	34.28		27.296	78.7	1.086		
									1000	3.07	34.37		27.399	69.0	1.247		

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205										46143		
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES								
43 58.0N	143 01.0W	5/31/72	0837	6MT		4369M	300	16KT	2									
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD			
									0	9.07	32.72		25.347	263.8	0.000			
									10	9.08	32.73		25.353	263.2	0.026			
									20	9.08	32.73		25.353	263.2	0.053			
									30	9.09	32.74		25.359	262.6	0.079			
									50	7.25	32.71		25.607	239.1	0.129			
									75	6.67	32.77		25.732	227.2	0.188			
									100	6.55	32.77		25.747	225.8	0.245			
									125	6.29	33.02		25.977	203.9	0.299			
									150	6.87	33.70		26.436	160.3	0.345			
									200	6.68	33.63		26.563	148.2	0.423			
									250	6.32	33.88		26.650	140.0	0.497			
									300	5.70	33.89		26.736	131.8	0.566			
									400	4.72	33.95		26.898	116.4	0.694			
									500	4.17	34.02		27.012	105.6	0.810			
									600	3.82	34.12		27.128	94.6	0.915			
									700	3.59	34.21		27.222	85.7	1.010			
									800	3.54	34.28		27.302	78.1	1.097			
									1000	3.00	34.38		27.413	67.6	1.256			

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205									
LATITUDE 46 02.0N		LONGITUDE 144 55.0W		MO/DAY/YR 5/30/72		MESSENGER 1326 GMT		TIME	BOTTOM 4742M	WIND 330	SPEED 16KT	WEATHER 1	DOMINANT WAVES 360 7 4		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S16T	DT	DD
									0	9.33	32.85		25.407	258.1	0.000
									10	9.33	32.85		25.407	258.1	0.026
									20	9.33	32.85		25.407	258.1	0.052
									30	9.30	32.85		25.412	257.6	0.077
									50	7.30	32.84		25.702	230.1	0.126
									75	7.20	32.85		25.724	228.0	0.184
									100	6.76	32.87		25.798	220.9	0.240
									125	7.20	32.99		25.833	217.6	0.295
									150	7.05	33.73		26.435	160.4	0.343
									200	6.56	33.88		26.619	142.9	0.420
									250	6.19	33.89		26.675	137.6	0.492
									300	5.52	33.87		26.742	131.2	0.561
									400	4.80	33.93		26.873	118.8	0.690
									500	4.12	33.99		26.994	107.3	0.807
									600	3.81	34.08		27.097	97.5	0.914
									700	3.62	34.17		27.187	89.0	1.013
									800	3.40	34.25		27.272	80.9	1.103
									1000	3.03	34.35		27.386	70.1	1.267

RV ALEXANDER AGASSIZ										CALCOFI CRUISE 7205						
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
46 02.0N		144 55.0W		5/30/72		1449 GMT			4742M	330	16KT	1	360 7 4			
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD	
1	9.39	32.845	6.85	0.82	11.	0.11	6.2	259.4	0	9.39	32.845	6.85	25.394	259.4	0.000	
11	9.39	32.845	6.89	0.82	11.	0.11	6.2	259.4	10	9.39	32.848	6.89	25.394	259.4	0.026	
31	9.23	32.843	6.90	0.82	11.	0.12	6.2	257.1	20	9.32	32.847	6.90	25.404	258.3	0.052	
57	7.13	32.853	7.01	1.03	15.	0.14	9.0	228.4	30	9.24	32.846	6.90	25.417	257.2	0.078	
72	7.30	32.897	6.87	1.00	12.	0.17	8.6	225.8	50	7.65	32.835	7.00	25.649	235.1	0.127	
87	6.91	32.846	6.93	1.06	15.	0.17	9.4	224.6	75	7.23	32.892	6.88	25.750	225.5	0.185	
102	6.90	32.852	6.93	1.06	15.	0.17	9.4	224.0	100	6.90	32.854	6.93	25.765	224.1	0.241	
133	7.07	33.355	6.16	1.28	21.	0.03	14.8	190.1	125	7.04	33.000	6.39	25.863	214.7	0.297	
158	6.78	33.752	5.81	1.44	28.	0.00	18.6	155.3	150	6.89	33.691	5.91	26.424	161.4	0.344	
183	6.67	33.823	5.49	1.53	33.	0.01	20.1	148.6	200	6.58	33.858	5.14	26.597	145.0	0.422	
218	6.47	33.880	4.75	1.77	42.	0.01	24.2	141.8	250	6.16	33.891	4.29	26.678	137.3	0.494	
284	5.79	33.886	3.87	2.10	52.	0.00	28.9	133.1	300	5.64	33.893	3.61	26.745	131.0	0.563	
383	4.94	33.936	2.38	2.60	79.	0.00	35.4	119.8	400	4.80	33.947	2.22	26.885	117.6	0.691	
483	4.23	34.002	1.64	2.94	93.	0.00	41.1	107.5	500	4.16	34.016	1.55	27.010	105.8	0.807	
616	3.82	34.109	1.07	3.07	112.	0.00	44.3	95.5	600	3.85	34.097	1.12	27.105	96.7	0.913	
770	3.51	34.228	0.67	3.24	128.	0.00	45.8	83.6	700	3.64	34.177	0.82	27.190	88.7	1.011	
921	3.23	34.316	0.49	3.24	138.	0.00	48.3U	74.4	800	3.45	34.248	0.62	27.265	81.6	1.102	
1136	2.81	34.408	0.43	3.25	153.	0.00	50.6U	63.8	1000	3.08	34.355	0.47	27.385	70.2	1.267	

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205									
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES					
46 02.0N	144 55.0W	5/30/72	1519	GMT		4742M	330	16KT	1	360 7 4					
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
									0	9.33	32.81		25.376	261.0	0.000
									10	9.34	32.81		25.374	261.2	0.026
									20	9.34	32.81		25.374	261.2	0.052
									30	9.34	32.81		25.374	261.2	0.078
									50	7.38	32.81		25.667	233.3	0.128
									75	6.98	32.82		25.730	227.4	0.186
									100	6.82	32.83		25.759	224.6	0.243
									125	6.97	32.89		25.786	222.1	0.299

RV ALEXANDER AGASSIZ

CALCOFI CRUISE 7205

42135

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES						
42 00.0N	135 00.0W	5/17/72	0346	GMT	4018M	330	16KT	2	330 5 5						
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD
									0	11.31	32.93		25.132	284.2	0.000
									10	11.31	32.93		25.132	284.2	0.028
									20	10.88	32.93		25.209	276.9	0.057
									30	10.28	32.93		25.313	267.0	0.084
									50	10.13	32.93		25.338	264.6	0.137
									75	9.87	33.02		25.452	253.8	0.202
									100	9.00	33.03		25.600	239.7	0.264
									125	8.46	33.50		26.050	196.9	0.319
									150	8.19	33.72		26.263	176.7	0.367
									200	7.90	33.97		26.502	154.0	0.451
									250	7.30	33.95		26.573	147.3	0.528
									300	6.74	33.94		26.642	140.7	0.602
									400	5.49	33.93		26.793	126.4	0.740
									500	4.56	33.96		26.923	114.0	0.865
									600	3.93	34.07		27.077	99.5	0.977
									700	3.78	34.18		27.179	89.7	1.077
									800	3.58	34.25		27.255	82.6	1.169
									1000	3.23	34.38		27.392	69.6	1.335

RV ALEXANDER AGASSIZ

CALCOFI CRUISE 7205

42137

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES						
41 59.5N	137 02.0W	5/17/72	1633	GMT	4079M	300	19KT	2	300 5 4						
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD
									0	11.03	32.97		25.213	276.5	0.000
									10	11.03	32.97		25.213	276.5	0.028
									20	10.75	32.97		25.263	271.8	0.055
									30	10.23	32.99		25.368	261.8	0.082
									50	9.96	33.00		25.421	256.7	0.134
									75	9.65	32.99		25.464	252.6	0.198
									100	9.25	33.29		25.763	224.2	0.258
									125	8.83	33.66		26.118	190.4	0.310
									150	8.78	33.88		26.298	173.4	0.356
									200	8.36	33.99		26.449	159.0	0.441
									250	7.70	33.98		26.539	150.5	0.520
									300	7.00	33.95		26.614	143.3	0.596
									400	5.76	33.92		26.752	130.2	0.737
									500	4.62	33.94		26.901	116.1	0.866
									600	4.01	34.03		27.037	103.2	0.980
									700	3.79	34.14		27.147	92.8	1.084
									800	3.57	34.23		27.240	84.0	1.178
									1000	3.25	34.35		27.366	72.0	1.348

RV ALEXANDER AGASSIZ

CALCOFI CRUISE 7205

42139

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES						
42 00.0N	139 00.0W	5/18/72	0158	GMT	4071M	310	18KT	2	310 4 6						
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD
									0	11.43	32.93		25.110	286.3	0.000
									10	11.32	32.94		25.138	283.6	0.029
									20	11.07	32.94		25.183	279.4	0.057
									30	10.50	32.99		25.322	266.2	0.084
									50	9.92	33.00		25.428	256.1	0.136
									75	9.75	33.05		25.495	249.7	0.200
									100	9.21	33.29		25.769	223.6	0.260
									125	9.27	33.73		26.103	191.9	0.312
									150	9.11	33.88		26.246	178.3	0.359
									200	8.57	33.96		26.393	164.3	0.446
									250	8.01	33.96		26.478	156.3	0.528
									300	7.39	33.94		26.552	149.2	0.607
									400	5.85	33.93		26.749	130.6	0.752
									500	4.72	33.93		26.882	117.9	0.881
									600	4.17	34.00		26.997	107.1	0.999
									700	3.83	34.10		27.111	96.2	1.106
									800	3.68	34.20		27.205	87.3	1.204
									1000	3.17	34.35		27.373	71.3	1.376

RV ALEXANDER AGASSIZ

CALCOFI CRUISE 7205

42141

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES						
41 59.5N	141 00.0W	5/18/72	1214	GMT	4410M	300	11KT		300 3 6						
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD
									0	11.96	33.22		25.237	274.2	0.000
									10	11.96	33.22		25.237	274.2	0.027
									20	11.44	33.22		25.333	265.1	0.054
									30	10.92	33.19		25.404	258.4	0.081
									50	10.73	33.27		25.499	249.3	0.132
									75	10.61	33.30		25.543	245.1	0.194
									100	10.35	33.46		25.713	229.0	0.253
									125	9.86	33.86		26.107	191.5	0.307
									150	9.20	33.93		26.270	176.0	0.353
									200	8.47	33.97		26.416	162.1	0.439
									250	7.77	33.93		26.490	155.2	0.521
									300	7.47	33.94		26.541	150.3	0.599
									400	5.94	33.93		26.738	131.6	0.745
									500	4.81	33.95		26.888	117.4	0.875
									600	4.10	34.04		27.036	103.4	0.990
									700	3.81	34.13		27.137	93.8	1.094
									800	3.63	34.21		27.218	86.1	1.190
									1000	3.21	34.34		27.362	72.4	1.362

RV ALEXANDER AGASSIZ										CALCOFI CRUISE 7205									
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES						
41 59.5N		141 00.0W		5/18/72		1330 GMT			4410M	300	11KT		300 3 6						
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD				
0	12.00	33.218	6.52	0.23	0.	0.00	0.0	275.1	0	12.00	33.218	6.52	25.228	275.1	0.000				
10	12.00	33.217	6.56	0.21	0.	0.00	0.0	275.1	10	12.00	33.217	6.56	25.227	275.1	0.028				
31	11.55	33.209	6.59	0.20	0.	0.00	0.0	267.8	20	11.84	33.213	6.57	25.254	272.7	0.055				
56	10.77	33.253	6.33	0.31	0.	0.04	0.5	251.2	30	11.58	33.211	6.59	25.299	268.3	0.082				
71	10.75	33.264	6.44	0.36	0.	0.07	0.6	250.1	50	10.93	33.243	6.38	25.442	254.7	0.135				
86	10.68	33.333	6.40	0.38	0.	0.10	1.1	243.8	75	10.73	33.282	6.43	25.507	248.6	0.198				
101	10.62	33.388	6.32	0.43	1.	0.14	2.0	238.8	100	10.63	33.385	6.33	25.605	239.2	0.259				
132	9.86	33.840	5.66	0.87	10.	0.01	10.2	193.0	125	10.06	33.738	5.81	25.978	203.8	0.315				
157	9.44	33.886	5.53	0.95	13.	0.01	12.4	183.0	150	9.55	33.886	5.55	26.178	184.8	0.364				
183	8.98	34.002	5.45	1.09	19.	0.00	15.4	167.3	200	8.72	34.006	5.44	26.405	163.2	0.453				
218	8.47	33.983	5.44	1.17	22.	0.00	14.2	161.2	250	8.10	33.968	5.37	26.471	157.0	0.535				
282	7.75	33.954	5.20	1.34	28.	0.00	18.6	153.1	300	7.54	33.952	4.97	26.539	150.5	0.614				
381	6.55	33.947	3.74	1.95	48.	0.00	27.7	137.8	400	6.28	33.945	3.50	26.705	134.7	0.762				
480	5.21	33.949	2.62	2.51	71.	0.00	32.2	121.8	500	5.00	33.961	2.44	26.873	118.8	0.894				
613	4.14	34.047	1.63	2.91	97.	0.00	39.3	103.2	600	4.21	34.036	1.71	27.020	104.9	1.011				
767	3.72								700	3.84	34.130	1.22	27.132	94.2	1.116				
918	3.40	34.284	0.69	3.15	135.	0.00	39.8	78.4	800	3.64	34.212	0.89	27.219	86.0	1.213				
1129	3.00	34.379	0.56	3.24	145.	0.00	45.1	67.7	1000	3.24	34.327	0.64	27.348	73.8	1.386				

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205										
LATITUDE 42 00.0N		LONGITUDE 143 00.0W		MO/DAY/YR 5/18/72		MESSENGER 2215 GMT		TIME	BOTTOM 4583M		WIND 240	SPEED 11KT	WEATHER 2	DOMINANT WAVES 250 3 4		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD	
									0	12.90	33.42		25.211	276.7	0.000	
									10	12.79	33.43		25.240	273.9	0.028	
									20	12.58	33.43		25.281	270.0	0.055	
									30	12.20	33.43		25.354	263.1	0.081	
									50	11.39	33.46		25.529	246.5	0.133	
									75	11.27	33.46		25.550	244.4	0.194	
									100	11.10	33.54		25.643	235.6	0.255	
									125	10.08	33.98		26.163	186.1	0.308	
									150	9.57	34.00		26.265	176.5	0.354	
									200	8.60	34.00		26.420	161.8	0.440	
									250	8.11	33.98		26.479	156.2	0.522	
									300	7.56	33.95		26.536	150.8	0.601	
									400	6.34	33.95		26.702	135.0	0.749	
									500	5.12	33.95		26.852	120.7	0.882	
									600	4.27	34.02		27.002	106.6	1.001	
									700	3.90	34.12		27.120	95.4	1.108	
									800	3.62	34.20		27.211	86.7	1.205	
									1000	3.19	34.35		27.372	71.5	1.377	

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205										
LATITUDE		LONGITUDE		MO/DAT/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
42 00.0N		145 00.0W		5/19/72		1337 GMT			4728M	190	16KT	0				
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD	
									0	11.80	33.17		25.228	275.1	0.000	
									10	11.80	33.17		25.228	275.1	0.028	
									20	10.84	33.17		25.402	258.5	0.054	
									30	10.57	33.17		25.449	254.0	0.080	
									50	10.02	33.26		25.613	238.4	0.129	
									75	10.20	33.31		25.622	237.6	0.189	
									100	9.84	33.78		26.048	197.1	0.244	
									125	9.47	33.95		26.242	178.7	0.291	
									150	9.04	34.03		26.374	166.1	0.335	
									200	8.34	33.98		26.444	159.5	0.418	
									250	7.89	33.98		26.511	153.1	0.498	
									300	7.37	33.95		26.563	148.2	0.576	
									400	6.00	33.91		26.714	133.8	0.722	
									500	5.16	33.95		26.848	121.2	0.855	
									600	4.27	34.03		27.010	105.8	0.974	
									700	3.91	34.14		27.134	94.0	1.079	
									800	3.66	34.22		27.223	85.6	1.175	
									1000	3.15	34.36		27.383	70.4	1.348	

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205						BUOY56			
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES						
42 23.0N	157 59.0W	5/22/72	2141	GMT	5173M	180	16KT	2	180 2 3						
Z	T	S	02	P04	S103	NO2	NO3	DT	Z	T	S	02	SIGT	DT	DD
									0	11.90	33.65		25.581	241.5	0.000
									10	11.78	33.65		25.604	239.3	0.024
									20	11.50	33.64		25.648	235.1	0.048
									30	11.17	33.68		25.739	226.5	0.071
									50	11.09	33.67		25.746	225.8	0.116
									75	10.25	33.66		25.885	212.6	0.171
									100	10.02	33.66		25.924	208.8	0.225
									125	9.77	33.76		26.044	197.5	0.276
									150	9.40	34.06		26.339	169.4	0.323
									200	8.40	34.04		26.482	155.9	0.405
									250	7.84	34.00		26.534	150.9	0.484
									300	7.25	33.95		26.580	146.6	0.561
									400	5.91	33.95		26.757	129.8	0.704
									500	4.99	33.98		26.891	117.1	0.832
									600	4.31	34.06		27.029	104.0	0.948
									700	3.90	34.14		27.135	93.9	1.053
									800	3.59	34.23		27.238	84.2	1.148
									1000	3.16	34.34		27.366	72.0	1.318

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205						BUDY55			
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES					
42 00.0N	164 05.0W	5/26/72	0607	GMT			320	20KT	6	310 7 6					
Z	T	S	02	P04	S103	NO2	NO3	DT	Z	T	S	02	S1GT	DT	DD
									0	10.12	33.64		25.892	211.9	0.000
									10	10.13	33.65		25.898	211.3	0.021
									20	10.13	33.65		25.898	211.3	0.042
									30	10.13	33.65		25.898	211.3	0.064
									50	10.27	33.86		26.038	198.1	0.105
									75	9.72	33.79		26.076	194.4	0.154
									100	9.45	33.85		26.167	185.8	0.202
									125	9.42	33.96		26.258	177.2	0.248
									150	9.55	34.11		26.354	168.1	0.292
									200	8.87	34.12		26.471	156.9	0.375
									250	8.02	34.05		26.547	149.7	0.453
									300	7.30	33.99		26.604	144.3	0.529
									400	5.82	33.93		26.753	130.2	0.671
									500	4.97	33.98		26.893	116.9	0.800
									600	4.40	34.06		27.020	104.9	0.916
									700	3.95	34.15		27.138	93.6	1.021
									800	3.66	34.22		27.223	85.6	1.117
									1000	3.20	34.34		27.363	72.3	1.289

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205										39133	
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
39 00.0N		132 59.0W		5/ 2/72		2211		GMT	4588M	030	11KT	1	090 1 10				
Z	T	S	02	P04	S103	NO2	NO3	DT	Z	T	S	02	S1GT	DT	DD		
0	14.28	33.545						294.3	0	14.28	33.545		25.026	294.3	0.000		
10	13.80	33.539	6.16					285.2	10	13.80	33.539	6.16	25.121	285.2	0.029		
31	13.71	33.529						284.2	20	13.76	33.536		25.127	284.7	0.058		
56	13.59	33.511						283.2	30	13.71	33.531		25.132	284.2	0.086		
71	13.55	33.505						282.8	50	13.62	33.517		25.141	283.4	0.143		
86	13.25	33.475						279.3	75	13.47	33.494		25.153	282.2	0.214		
102	13.18	33.570						271.0	100	13.19	33.556		25.258	272.3	0.284		
132	11.63	33.574						242.3	125	12.09	33.573		25.486	250.5	0.350		
157	10.01	33.615						212.0	150	10.42	33.590		25.801	220.6	0.410		
182	9.31	33.878						181.5	200	9.08	33.981		26.328	170.5	0.509		
217	8.94	34.025						165.0	250	8.55	34.030		26.451	158.8	0.594		
283	8.10	34.035						152.0	300	7.82	34.030		26.560	148.5	0.673		
382	6.42	34.000						132.2	400	6.13	34.000		26.767	128.8	0.817		
482	5.03	34.018						114.7	500	4.88	34.030		26.943	112.2	0.942		
616	4.24	34.120						98.7	600	4.29	34.107		27.068	100.3	1.054		
771	3.86	34.256						84.6	700	3.99	34.194		27.168	90.8	1.155		
921	3.61	34.392						72.2	800	3.81	34.285		27.259	82.2	1.248		
1131	3.22	34.495						60.8	1000	3.47	34.443		27.419	67.0	1.412		

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205										39133	
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
39 00.0N	132 59.0W	5/ 2/72	2246	GMT		4588M	030	11KT	1	090 1 10							
Z	T	S	02	P04	S103	NO2	NO3	DT	Z	T	S	02	S1GT	DT	DD		
									0	14.41	33.59		25.033	293.6	0.000		
									10	13.87	33.54		25.108	286.5	0.029		
									20	13.72	33.53		25.131	284.3	0.058		
									30	13.68	33.53		25.139	283.5	0.086		
									50	13.61	33.52		25.146	282.9	0.143		
									75	13.38	33.48		25.162	281.4	0.214		
									100	13.26	33.54		25.232	274.7	0.284		
									125	12.55	33.55		25.380	260.6	0.352		
									150	10.35	33.52		25.759	224.5	0.413		
									200	9.22	33.97		26.298	173.3	0.514		
									250	8.62	34.03		26.440	159.9	0.600		
									300	7.95	34.01		26.526	151.7	0.680		
									400	6.33	33.99		26.735	131.8	0.827		
									500	5.05	34.01		26.908	115.5	0.956		
									600	4.46	34.10		27.045	102.5	1.071		
									700	4.07	34.19		27.158	91.8	1.174		
									800	3.78	34.29		27.267	81.5	1.267		
									1000	3.46	34.44		27.417	67.2	1.430		

RV ALEXANDER AGASSIZ

CALCOFI CRUISE 7205

39135

LATITUDE 39 00.0N		LONGITUDE 135 00.0W		MO/DAY/YR 5/ 2/72		MESSENGER 1051 GMT		TIME	BOTTOM 4780M	WIND 230	SPEED 9KT	WEATHER 1	DOMINANT WAVES		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S1GT	DT	DD
1	14.11	33.531	6.14	0.21	1.	0.05	0.0	291.9	0	14.11	33.531	6.14	25.051	291.9	0.000
11	14.10	33.601	5.99	0.19	1.	0.04	0.0	286.6	10	14.10	33.597	6.00	25.102	287.0	0.029
31	13.92	33.631	6.06	0.18	2.	0.03	0.0	280.8	20	14.02	33.627	6.02	25.141	283.3	0.058
57	13.87	33.631	6.11	0.19	2.	0.03	0.0	279.8	30	13.93	33.633	6.06	25.166	281.0	0.086
72	13.86	33.623	6.13	0.19	2.	0.03	0.0	280.2	50	13.88	33.633	6.10	25.175	280.1	0.142
87	13.83	33.619	6.15	0.17	2.	0.03	0.0	279.9	75	13.85	33.624	6.13	25.174	280.2	0.213
102	13.20	33.631	6.05	0.21	2.	0.03	0.0	266.9	100	13.31	33.632	6.07	25.292	269.0	0.282
132	11.27	33.514	5.88	0.47	3.	0.03	3.6	240.4	125	11.72	33.537	5.93	25.525	246.8	0.347
157	10.27	33.631	5.56	0.67	6.	0.03	7.2	215.0	150	10.50	33.587	5.65	25.784	222.2	0.406
182	9.66	33.819	5.32	0.84	11.	0.03	9.6	191.3	200	9.40	33.899	5.22	26.212	181.5	0.509
217	9.22	33.946	5.13	1.07	17.	0.01	14.8	175.1	250	8.80	34.019	4.88	26.403	163.4	0.597
282	8.34	34.051	4.59	1.40	28.	0.01	20.1	154.2	300	8.00	34.046	4.41	26.546	149.8	0.678
382	6.39	33.987	3.53	2.05	50.	0.01	28.4	132.8	400	6.08	33.987	3.33	26.764	129.1	0.823
481	4.96	34.017	2.43	2.62	75.	0.01	37.9	114.0	500	4.82	34.039	2.21	26.956	110.9	0.948
615	4.37	34.172	1.12	3.00	98.	0.01	41.8	96.1	600	4.39	34.155	1.24	27.095	97.7	1.058
769	4.03	34.246	0.85	3.13	110.	0.01	44.3	87.2	700	4.16	34.215	0.97	27.168	90.8	1.158
920	3.74	34.407	0.60	3.27	127.	0.01	45.5	72.3	800	3.97	34.279	0.79	27.238	84.2	1.252
1130	3.21	34.505	0.71	3.23	140.	0.00	46.8	60.0	1000	3.56	34.462	0.64	27.425	66.4	1.418

RV ALEXANDER AGASSIZ

CALCOFI CRUISE 7205

39137

LATITUDE 38 59.0N		LONGITUDE 136 58.0W		MO/DAY/YR 5/ 1/72		MESSENGER 2319 GMT		TIME	BOTTOM 5166M	WIND 190	SPEED 12KT	WEATHER 2	DOMINANT WAVES 190 2 3		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S1GT	DT	DD
									0	13.33	33.38		25.095	287.8	0.000
									10	13.15	33.38		25.131	284.3	0.029
									20	12.93	33.38		25.174	280.2	0.057
									30	12.76	33.36		25.192	278.5	0.085
									50	12.62	33.34		25.204	277.4	0.141
									75	11.87	33.26		25.285	269.7	0.209
									100	11.60	33.44		25.474	251.6	0.275
									125	10.70	33.52		25.699	230.3	0.336
									150	9.58	33.67		26.006	201.1	0.391
									200	9.02	33.91		26.283	174.7	0.486
									250	8.59	33.98		26.436	160.2	0.572
									300	7.77	33.96		26.513	152.9	0.653
									400	6.08	33.92		26.712	134.0	0.801
									500	4.92	33.94		26.867	119.3	0.933
									600	4.26	34.03		27.011	105.7	1.051
									700	4.05	34.16		27.136	93.9	1.157
									800	3.81	34.25		27.232	84.7	1.252
									1000	3.41	34.39		27.383	70.5	1.422

RV ALEXANDER AGASSIZ

CALCOFI CRUISE 7205

39139

LATITUDE 39 02.0N		LONGITUDE 138 53.0W		MO/DAY/YR 5/ 1/72		MESSENGER 1247 GMT		TIME	BOTTOM 4884M	WIND	SPEED 14KT	WEATHER 1	DOMINANT WAVES		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S1GT	DT	DD
									0	13.02	33.42		25.187	278.9	0.000
									10	13.02	33.42		25.187	278.9	0.028
									20	13.02	33.43		25.195	278.2	0.056
									30	12.99	33.43		25.201	277.7	0.084
									50	12.82	33.41		25.219	275.9	0.139
									75	12.64	33.38		25.231	274.6	0.208
									100	12.07	33.46		25.402	258.5	0.276
									125	10.05	33.53		25.818	218.9	0.336
									150	9.40	33.68		26.043	197.6	0.389
									200	8.87	33.96		26.346	168.8	0.482
									250	8.07	33.98		26.485	155.6	0.565
									300	7.40	33.98		26.582	146.4	0.643
									400	6.10	33.94		26.725	132.8	0.787
									500	4.83	33.96		26.893	116.9	0.917
									600	4.16	34.05		27.037	103.2	1.033
									700	3.92	34.16		27.149	92.6	1.136
									800	3.74	34.25		27.239	84.1	1.231
									1000	3.26	34.39		27.397	69.1	1.398

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205									
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
39 00.0N		141 01.0W		4/30/72		1251 1827		GMT	5115M	190	19KT	2	190 2 3		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD
0	13.57	33.633	5.98	0.12	1.		0.0	273.8	0	13.57	33.633	5.98	25.241	273.8	0.002
10	13.57	33.631	6.15	0.11	1.		0.0	274.0	10	13.57	33.631	6.15	25.239	274.0	0.027
30	13.58	33.632	6.13	0.11	1.		0.0	274.1	20	13.57	33.633	6.14	25.239	274.0	0.055
56	13.61	33.634	6.01	0.13	1.		0.0	274.5	30	13.58	33.632	6.13	25.238	274.1	0.082
71	13.63	33.633	5.97	0.12	1.		0.0	275.0	50	13.60	33.635	6.04	25.235	274.4	0.137
86	13.65	33.639	6.18	0.12	1.		0.0	274.9	75	13.64	33.636	6.03	25.229	275.0	0.206
102	13.29	33.617	6.03	0.13	1.		0.0	269.6	100	13.36	33.621	6.06	25.273	270.8	0.275
132	11.02	33.689	5.57	0.48	4.		5.8	223.2	125	11.58	33.657	5.66	25.646	235.3	0.339
157	10.25	33.843	5.61	0.69	7.		9.5	199.0	150	10.39	33.799	5.59	25.969	204.7	0.395
182	9.98	33.981	5.41	0.76	10.		11.5	184.4	200	9.72	34.042	5.35	26.271	175.9	0.492
218	9.45	34.073	5.31	1.05	16.		14.2	169.3	250	9.05	34.072	5.25	26.405	163.2	0.579
283	8.64	34.070	5.13	1.15	23.		17.0	157.2	300	8.37	34.063	4.96	26.503	153.9	0.661
383	6.95	34.017	3.86	1.75	43.		26.5	137.7	400	6.67	34.012	3.61	26.708	134.5	0.810
482	5.46	34.010	2.51	2.41	65.		35.2	120.0	500	5.27	34.020	2.36	26.889	117.3	0.942
603A	4.50	34.093	1.57	2.81	89.		41.2	103.4	600	4.52	34.092	1.59	27.031	103.8	1.058
616	4.42	34.103	1.44	2.82	91.		41.9	101.8	700	4.06	34.154	1.26	27.129	94.6	1.164
770	3.88	34.196	1.11	2.92	105.		42.9	89.5	800	3.83	34.230	0.98	27.213	86.5	1.261
803A	3.93	V 34.290	V 0.50	3.17	119.	V	46.6	V	1000	3.36	34.419	0.42	27.410	67.8	1.429
921	3.62	34.362	0.52	3.10	128.		45.8	74.5	1200	2.99	34.505	0.63	27.513	58.0	1.570
1002A	3.35	34.420	0.42	3.18	138.		47.4	67.7	1500	2.46	34.570	0.73	27.611	48.8	1.755
1132	3.16	34.463	0.49	3.19	146.		47.7	62.7	1750	2.16	34.622	1.26	27.677	42.6	1.890
1202A	2.98	34.506	0.63	3.14	150.		44.4	57.9	2000	1.98	34.655	1.77	27.719	38.5	2.013
1450A	2.53	34.537	0.65	3.15	158.		45.1	50.3	2250	1.84	34.674	2.10	27.744	36.2	2.129
1700A	2.21	34.611	1.15	3.05	169.		44.4	43.7	2500	1.73	34.693	2.25	27.768	33.9	2.240
1948A	2.01	34.651	1.67	3.00	174.		44.0	39.1	2750	1.65	34.707	2.49	27.785	32.2	2.347
2199A	1.86	34.669	2.07	2.90	179.		41.8	36.6	3000	1.59	34.709	2.70	27.791	31.8	2.452
2448A	1.75	34.689	2.20	2.82	176.		41.0	34.3	3250	1.54	34.718	2.98	27.802	30.7	2.556
2697A	1.66	34.706	2.46	2.77	176.		40.7	32.4	3500	1.50	34.733	3.15	27.818	29.2	2.659
2946A	1.60	34.707	2.63	2.73	176.		42.4	31.9	3750	1.49	34.732	3.30	27.817	29.3	2.760
3196A	1.55	34.713	2.94	2.63	173.		42.0	31.1	4000	1.50	34.732	3.41	27.816	29.4	2.863
3445A	1.51	34.734	3.11	2.61	169.		39.2	29.2	4250	1.52	34.732	3.47	27.815	29.4	2.969
3688A	1.49								4500	1.52	34.733	3.48	27.815	29.4	3.077
3943A	1.50								4750	1.55	34.735	3.55	27.816	29.4	3.187
4192A	1.52	34.732	3.47	2.53	167.		36.5	29.4							
4442A	1.52	34.732	3.47	2.50	178.	U	37.5	29.4							
4691A	1.54	34.734	3.53	2.50	165.		38.0	29.4							
4791A	1.55	34.735	3.56	2.50	167.		36.8	29.4							

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205									
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
35 00.0N		128 57.5W		4/26/72		0429 GMT			4689M	020	22KT	2	020 3		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD
									0	13.85	33.21		24.858	310.3	0.000
									10	13.85	33.21		24.858	310.3	0.031
									20	13.74	33.19		24.865	309.6	0.062
									30	13.72	33.19		24.869	309.3	0.093
									50	13.72	33.20		24.877	308.5	0.155
									75	13.42	33.30		25.015	295.4	0.231
									100	13.08	33.40		25.160	281.5	0.304
									125	10.87	33.25		25.459	253.1	0.371
									150	10.07	33.31		25.644	235.5	0.433
									200	9.04	33.79		26.187	183.9	0.539
									250	8.61	34.02		26.434	160.5	0.628
									300	7.61	33.98		26.552	149.2	0.707
									400	6.29	34.02		26.764	129.1	0.852
									500	5.38	34.07		26.917	114.6	0.979
									600	5.01	34.17		27.039	103.0	1.094
									700	4.61	34.26		27.155	92.0	1.199
									800	4.42	34.36		27.255	82.5	1.294
									1000	3.86	34.44		27.378	70.9	1.464

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205										
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
35 00.0N		131 01.0W		4/27/72		0412 GMT			4974M	010	11KT	2	010 4 7			
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD	
0	14.71	33.180						329.7	0	14.71	33.180		24.654	329.7	0.000	
10	14.70	33.178	5.88					329.6	10	14.70	33.178	5.88	24.655	329.6	0.033	
30	14.67	33.171						329.5	20	14.69	33.177		24.655	329.6	0.066	
56	14.65	33.172						329.1	30	14.67	33.171		24.656	329.5	0.099	
71	12.62	33.161						290.5	50	14.65	33.174		24.660	329.2	0.165	
86	11.93	33.174						277.1	75	12.38	33.163		25.112	286.2	-0.242	
101	10.98	33.262						254.1	100	11.04	33.257		25.432	255.7	0.311	
131	10.00	33.503						220.1	125	10.16	33.456		25.741	226.3	0.371	
156	9.02	33.675						192.2	150	9.23	33.635		26.034	198.5	0.425	
181	8.65	33.865						172.6	200	8.42	33.938		26.398	163.8	0.517	
213	8.27	33.965						159.6	250	7.82	34.017		26.549	149.6	0.598	
280	7.46	34.030						143.5	300	7.19	34.035		26.655	139.5	0.672	
380	6.22	34.050						126.0	400	6.07	34.067		26.828	123.1	0.808	
478	5.65	34.136						112.8	500	5.53	34.156		26.965	110.0	0.931	
611	5.00	34.245						97.3	600	5.05	34.237		27.087	98.5	1.041	
765	4.40	34.350						83.1	700	4.63	34.310		27.192	88.6	1.142	
915	3.99	34.424						73.4	800	4.30	34.370		27.276	80.5	1.234	
1126	3.44	34.485						63.6	1000	3.76	34.455		27.399	68.9	1.400	

RV ALEXANDER AGASSIZ										CALCOFI CRUISE 7205										35133
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
34 58.5N		133 05.0W		4/27/72		1435 GMT			5071M	340	19KT	2	330 1 3							
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD					
0	14.42	33.290	6.15	0.21	1.	0.01	0.0	315.8	0	14.42	33.290	6.15	24.801	315.8	0.000					
10	14.40	33.282	6.10	0.21	1.	0.01	0.1	316.0	10	14.40	33.282	6.10	24.799	316.0	0.032					
30	14.41	33.282	6.12	0.21	1.	0.01	0.0	316.2	20	14.40	33.284	6.11	24.797	316.1	0.063					
55	14.37	33.301	6.03	0.25	1.	0.01	0.1	314.0	30	14.41	33.282	6.12	24.796	316.2	0.095					
70	14.18	33.513	6.11	0.20	3.	0.00	0.1	294.6	50	14.38	33.299	6.04	24.815	314.4	0.158					
84	14.09	33.553	6.05	0.19	2.	0.00	0.0	289.9	75	14.14	33.538	6.09	25.049	292.1	0.234					
99	14.06	33.591	6.02	0.22	2.	0.00	0.0	286.5	100	14.05	33.594	6.02	25.110	286.3	0.307					
129	13.37	33.582	5.92	0.25	4.	0.00	0.9	273.7	125	13.52	33.590	5.94	25.216	276.2	0.378					
153	11.86	33.539	5.82	0.42	4.	0.00	3.1	248.9	150	12.06	33.543	5.84	25.467	252.3	0.445					
178	10.71	33.597	5.58	0.64	6.	0.00	6.7	224.8	200	10.11	33.687	5.35	25.928	208.5	0.562					
212	9.88	33.758	5.23	0.87	12.	0.02	11.3	200.8	250	9.26	33.920	4.96	26.252	177.7	0.661					
276	8.85	33.997	4.75	1.32	24.	0.00	18.6	165.7	300	8.33	33.985	4.35	26.449	159.0	0.748					
374	6.72	33.956	3.06		50.	0.00	30.3	139.3	400	6.26	33.956	2.82	26.716	133.7	0.900					
471	5.31	33.980	2.29	2.65	70.	0.00	36.6	120.6	500	5.10	34.014	2.00	26.904	115.8	1.030					
602	4.71	34.148	1.07	3.06	90.	0.00	44.3	101.5	600	4.71	34.146	1.09	27.053	101.7	1.144					
753	4.41	34.310	0.55					86.2	700	4.50	34.260	0.65	27.167	90.9	1.247					
903	4.01	34.396	0.52	3.28	120.	0.00	43.5	75.7	800	4.29	34.343	0.54	27.255	82.5	1.341					
1112	3.45	34.463	0.78	3.25	137.	0.00	44.7	65.3	1000	3.75	34.435	0.60	27.384	70.3	1.510					

RV ALEXANDER AGASSIZ										CALCOFI CRUISE 7205										35135
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
35 00.0N		134 59.0W		4/28/72		0256 GMT			5455M	010	21KT	1	010 8 7							
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD					
1	15.06	33.560						309.1	0	15.06	33.560		24.871	309.1	0.000					
11	15.05	33.556						309.2	10	15.05	33.558		24.870	309.1	0.031					
32	15.07	33.560						309.3	20	15.06	33.561		24.869	309.2	0.062					
57	14.93	33.548						307.3	30	15.07	33.562		24.869	309.3	0.093					
72	14.52	33.642						292.0	50	14.97	33.553		24.884	307.8	0.135					
88	14.32	33.692						284.3	75	14.50	33.659		25.065	290.5	0.230					
103	13.43	33.654						269.6	100	13.65	33.668		25.251	272.9	0.301					
133	10.68	33.459						234.5	125	11.38	33.495		25.555	243.9	0.366					
158	9.86	33.615						209.6	150	10.03	33.551		25.837	217.1	0.425					
183	9.47	33.811						189.0	200	9.48	33.917		26.214	181.3	0.526					
219	9.49	33.992						175.9	250	8.95	33.995		26.361	167.4	0.615					
284	8.42	33.998						159.3	300	8.13	33.993		26.484	155.7	0.699					
382	6.67	33.949						139.2	400	6.38	33.938		26.687	136.4	0.850					
479	5.30	33.920						125.0	500	5.11	33.945		26.848	121.2	0.984					
612	4.48	34.113						101.7	600	4.52	34.093		27.032	103.7	1.102					
763	4.13	34.273						86.1	700	4.24	34.214		27.158	91.7	1.206					
913	3.77	34.389						73.9	800	4.04	34.307		27.253	82.8	1.300					
1124	3.33	34.468						63.9	1000	3.58	34.434		27.401	68.7	1.467					

RV ALEXANDER AGASSIZ						CALCOFI CRUISE 7205										35137
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
34 58.5N		137 03.0W		4/28/72		1400 GMT			5071M	030	19KT	2	020 4 9			
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD	
0	15.26	33.660	6.03					305.9	0	15.26	33.660		24.904	305.9	0.000	
10	15.25	33.693						303.3	10	15.25	33.693		24.931	303.3	0.030	
31	15.28	33.693						303.9	20	15.26	33.694		24.928	303.6	0.061	
56	15.27	33.693						303.7	30	15.28	33.694		24.925	303.9	0.091	
71	15.12	33.704						299.8	50	15.27	33.695		24.926	303.8	0.152	
86	14.67	33.765						286.0	75	15.01	33.723		25.006	296.2	0.228	
101	14.30	33.742						280.2	100	14.33	33.746		25.170	280.6	0.300	
132	13.01	33.682						259.5	125	13.33	33.692		25.333	265.0	0.369	
157	11.94	33.715						237.4	150	12.26	33.707		25.557	243.8	0.434	
182	10.59	33.690						215.9	200	10.25	33.770		25.970	204.6	0.548	
218	10.12	33.867						195.1	250	9.64	33.969		26.229	179.9	0.646	
283	9.07	34.022						167.2	300	8.72	34.011		26.409	162.8	0.735	
382	6.97	33.920						145.2	400	6.63	33.925		26.645	140.5	0.892	
482	5.38	33.769	U						500	5.20	33.962		26.852	120.8	1.028	
616	4.41	34.063						104.7	600	4.48	34.050		27.002	106.5	1.148	
771	3.90	34.244						86.1	700	4.08	34.168		27.138	93.6	1.254	
920	3.64	34.319						78.0	800	3.84	34.263		27.239	84.1	1.349	
1130	3.25	34.421						66.7	1000	3.49	34.359		27.349	73.6	1.521	

RV ALEXANDER AGASSIZ										CALCOFI CRUISE 7205										35139
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
35 00.0N		138 58.0W		4/29/72		0043		GMT	5267M	050	17KT	1	040 5 8							
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD					
0	15.70	33.999						290.4	0	15.70	33.999		25.066	290.4	0.000					
10	15.73	33.996						291.3	10	15.73	33.996		25.057	291.3	0.029					
30	15.72	33.999						290.9	20	15.73	33.999		25.059	291.1	0.058					
56	15.96	34.201						281.3	30	15.72	33.999		25.062	290.9	0.087					
71	16.12	34.282						278.8	50	15.89	34.149		25.137	283.6	0.145					
86	15.93	34.295						273.8	75	16.08	34.286		25.199	277.8	0.216					
101	15.85	34.381						265.8	100	15.86	34.375		25.319	266.4	0.284					
131	13.71	34.101						242.2	125	14.24	34.174		25.517	247.6	0.350					
157	11.84	33.964						217.3	150	12.31	33.991		25.766	223.9	0.409					
182	10.66	33.936						198.9	200	10.30	33.967		26.114	190.8	0.515					
217	10.12	34.003						185.1	250	9.63	34.037		26.282	174.8	0.609					
282	9.15	34.047						166.5	300	8.84	34.041		26.414	162.4	0.696					
381	7.44	33.996						145.7	400	7.14	33.995		26.630	141.8	0.854					
482	5.95	34.001						126.4	500	5.71	34.000		26.821	123.8	0.993					
616	4.51	34.022						108.9	600	4.64	34.017		26.959	110.7	1.116					
770	4.01	34.202						90.3	700	4.16	34.116		27.089	98.3	1.227					
920	3.54	34.323						76.7	800	3.91	34.231		27.206	87.2	1.326					
1131	3.08	34.450						64.5	1000	3.34	34.373		27.375	71.1	1.499					

RV ALEXANDER AGASSIZ										CALCOFI CRUISE 7205							
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
34 57.0N		141 00.0W		4/29/72		1217 GMT			5361M	100	16KT	1					
Z	T	S	O2	PO4	SI03	NO2	NO3	DT	Z	T	S	O2	SI6T	DT	DD		
1	15.86	33.978	5.68	0.07	2.	0.00	0.0	295.4	0	15.86	33.978	5.68	25.014	295.4	0.000		
11	15.83	33.979	5.76	0.06	2.	0.00	0.0	294.7	10	15.83	33.980	5.75	25.021	294.7	0.030		
32	15.85	33.978	5.80	0.07	2.	0.00	0.0	295.2	20	15.84	33.980	5.78	25.019	294.9	0.059		
57	15.85	33.970	5.78	0.07	2.	0.01	0.0	295.8	30	15.85	33.979	5.80	25.017	295.1	0.089		
72	15.54	33.957	5.76	0.10	2.	0.01	0.0	290.1	50	15.85	33.973	5.79	25.012	295.6	0.148		
88	15.03	33.923	5.67	0.11	2.	0.01	0.0	281.9	75	15.44	33.952	5.74	25.066	288.5	0.221		
133	14.96	33.961	5.60	0.11	2.	0.01	0.2	277.7	100	15.01	33.928	5.65	25.163	281.2	0.293		
157	14.23	33.994	5.66	0.17	3.	0.01	0.9	260.4	125	14.97	33.951	5.61	25.189	278.7	0.364		
183	12.92	33.958	5.52	0.30	4.	0.01	2.2	237.5	150	14.49	33.988	5.65	25.321	266.1	0.433		
220	10.91	33.888	5.27	0.67	8.	0.01	8.4	206.7	200	11.94	33.918	5.41	25.780	222.6	0.558		
284	9.84	34.047	4.83	1.03	16.	0.00	14.4	177.3	250	10.22	33.956	5.07	26.119	190.3	0.663		
384	7.98	33.995	4.07	1.66	33.	0.00	23.3	153.3	300	9.54	34.049	4.72	26.307	172.5	0.757		
482	6.42	34.011						131.4	400	7.70	33.996	3.90	26.550	149.4	0.924		
616	4.87	34.022	1.67	2.79	83.	0.00	39.0	112.6	500	6.16	34.010	2.84	26.771	128.4	1.070		
770	4.33	34.194	0.79	3.14	104.	0.00	43.8	94.1	600	5.01	34.019	1.83	26.919	114.5	1.198		
920	3.96	34.356	0.59	3.26	122.	0.00	45.0	78.2	700	4.48	34.108	1.11	27.048	102.2	1.313		
1131	3.37	34.451	0.64	3.25	130.	0.00	45.2	65.5	800	4.25	34.231	0.75	27.170	90.6	1.416		
									1000	3.75	34.411	0.61	27.365	72.1	1.595		

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205									
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
31 00.0N		127 00.0W		4/21/72		0548 GMT			4688M	010	10KT				
Z	T	S	O2	PO4	SI03	NO2	NO3	DT	Z	T	S	O2	SI6T	DT	DD
									0	16.05	33.72		24.773	318.3	0.000
									10	16.04	33.73		24.783	317.4	0.032
									20	16.05	33.73		24.781	317.6	0.064
									30	16.05	33.73		24.781	317.6	0.095
									50	16.04	33.73		24.783	317.4	0.159
									75	14.69	33.61		24.989	297.8	0.237
									100	15.30	33.92		25.094	287.7	0.310
									125	14.09	33.78		25.247	273.3	0.381
									150	12.19	33.62		25.303	248.9	0.447
									200	10.04	33.78		26.015	200.3	0.562
									250	9.35	33.96		26.269	176.1	0.658
									300	8.11	33.97		26.471	157.0	0.744
									400	6.60	34.03		26.731	132.2	0.894
									500	5.56	34.12		26.935	113.0	1.022
									600	5.03	34.23		27.084	98.8	1.134
									700	4.64	34.31		27.192	88.6	1.235
									800	4.32	34.37		27.274	80.8	1.327
									1000	3.70	34.46		27.410	67.9	1.492

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205									
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
31 00.0N		129 00.0W		4/21/72		2230 GMT			3834M	040	13KT	2	020 3 3		
Z	T	S	O2	PO4	SI03	NO2	NO3	DT	Z	T	S	O2	SI6T	DT	DD
									0	16.59	33.87		24.764	319.2	0.000
									10	16.58	33.88		24.774	318.2	0.032
									20	16.58	33.88		24.774	318.2	0.064
									30	16.58	33.88		24.774	318.2	0.096
									50	16.59	33.89		24.779	317.7	0.159
									75	16.63	33.94		24.809	315.0	0.239
									100	16.74	34.17		24.959	300.6	0.317
									125	16.29	34.09		25.002	296.5	0.392
									150	14.93	33.94		25.191	278.6	0.465
									200	11.49	33.66		25.665	233.5	0.595
									250	9.70	33.87		26.142	188.2	0.703
									300	8.62	33.98		26.401	163.6	0.794
									400	7.04	34.06		26.695	135.6	0.949
									500	6.01	34.12		26.879	118.2	1.082
									600	5.39	34.23		27.042	102.8	1.200
									700	4.79	34.31		27.175	90.2	1.303
									800	4.39	34.37		27.266	81.5	1.397
									1000	3.76	34.46		27.404	68.5	1.563

RV DAVID STARR JORDAN								CALCOFI CRUISE 7205							
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
31 00.0N		129 00.0W		4/21/72		2358 GMT			3834M	040	13KT	2	020 3 3		
Z	T	S	O2	PO4	SI03	NO2	NO3	DT	Z	T	S	O2	SI6T	DT	DD
2	16.49	33.848	6.03	0.25	2.	0.01	0.0	318.6	0	16.49	33.848	6.03	24.771	318.6	0.000
12	16.50	33.848	5.91	0.23	2.	0.01	0.0	318.8	10	16.50	33.849	5.93	24.769	318.8	0.032
31	16.51	33.849	5.92	0.20	2.	0.01	0.0	319.0	20	16.50	33.850	5.91	24.767	318.9	0.064
54	16.53	33.853	5.92	0.19	2.	0.00	0.1	319.1	30	16.51	33.850	5.92	24.767	319.0	0.096
69	16.52		5.92	0.20	2.	0.00	0.0		50	16.53	33.854	5.92	24.765	319.1	0.160
83	16.53	33.962	5.93	0.18	2.	0.02	0.0	311.2	75	16.52	33.921	5.92	24.817	314.1	0.239
97	16.43	34.016	6.03	0.17	2.	0.00	0.0	305.0	100	16.41	34.070	6.02	24.959	300.6	0.317
127	16.27	34.088	5.80	0.18	2.	0.01	0.0	296.3	125	16.28	34.088	5.82	25.002	296.6	0.392
150	15.56	34.054	5.63	0.25	3.	0.09	0.0	283.4	150	15.56	34.054	5.63	25.140	283.4	0.466
175	13.31	33.750	5.53	0.46	4.	0.02	2.0	261.7	200	11.74	33.659	5.33	25.618	238.0	0.599
208	11.34	33.667	5.25	0.76	8.	0.02	6.4	230.4	250	9.84	33.839	4.81	26.093	192.8	0.709
270	9.36	33.942	4.55	1.35	21.	0.01	16.4	177.6	300	8.71	33.998	4.01	26.400	163.7	0.801
368	7.63	34.039	2.76	2.19	45.	0.01	29.9	145.1	400	7.19	34.060	2.35	26.673	137.7	0.957
466	6.42	34.097	1.66	2.73	66.	0.02	38.4	125.0	500	6.06	34.127	1.32	26.877	118.4	1.092
598	5.23	34.216	0.60	3.16	91.	0.01	44.1	102.0	600	5.22	34.219	0.60	27.052	101.8	1.208
749	4.57	34.329	0.48	3.35	102.	0.02	46.2	86.4	700	4.74	34.297	0.52	27.169	90.7	1.312
896	4.04	34.415	0.62	3.31	103.	0.02	46.3	74.6	800	4.37	34.362	0.51	27.262	81.9	1.406
1101	3.55	34.488	0.92	3.28	104.	0.01	46.0	64.4	1000	3.76	34.460	0.76	27.403	68.5	1.572

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205						31131			
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
31 01.0N		131 00.0W		4/22/72		0933		GMT	4507M	030	10KT				
Z	T	S	02	P04	S103	NO2	NO3	DT	Z	T	S	02	SIGT	DT	DD
									0	16.34	33.85		24.807	315.2	0.000
									10	16.34	33.86		24.814	314.4	0.031
									20	16.35	33.86		24.812	314.6	0.063
									30	16.35	33.86		24.812	314.6	0.095
									50	16.35	33.86		24.812	314.6	0.158
									75	15.82	33.90		24.963	300.2	0.235
									100	15.88	34.08		25.088	288.4	0.309
									125	15.99	34.17		25.132	284.2	0.382
									150	16.02	34.22		25.163	281.2	0.453
									200	13.19	33.84		25.478	251.3	0.589
									250	10.45	33.80		25.960	205.5	0.706
									300	9.34	33.97		26.279	175.2	0.804
									400	7.41	34.01		26.604	144.3	0.970
									500	6.28	34.03		26.773	128.2	1.112
									600	5.05	34.09		26.971	109.5	1.238
									700	4.54	34.20		27.115	95.8	1.347
									800	4.26	34.30		27.225	85.4	1.445
									1000	3.71	34.42		27.577	71.0	1.617

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205										31133	
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
31 00.0N		133 00.0W		4/22/72		1925		GMT	4697M	010	2KT	1	020 1 4				
Z	T	S	02	P04	S103	NO2	NO3	DT	Z	T	S	02	SIGT	DT	DD		
									0	16.76	33.97		24.801	315.7	0.000		
									10	16.73	33.97		24.808	315.0	0.032		
									20	16.72	33.97		24.811	314.8	0.063		
									30	16.72	33.97		24.811	314.8	0.095		
									50	16.73	33.98		24.816	314.3	0.158		
									75	17.06	34.31		24.991	297.6	0.235		
									100	16.26	34.16		25.062	290.8	0.309		
									125	16.54	34.30		25.105	286.7	0.382		
									150	14.44	33.92		25.281	270.0	0.453		
									200	11.04	33.69		25.770	223.5	0.578		
									250	9.51	33.87		26.173	185.2	0.683		
									300	8.55	33.97		26.404	163.3	0.772		
									400	6.91	34.03		26.689	136.2	0.928		
									500	5.87	34.10		26.880	118.1	1.061		
									600	5.16	34.19		27.037	103.2	1.178		
									700	4.74	34.28		27.157	91.9	1.283		
									800	4.34	34.35		27.256	82.5	1.378		
									1000	3.77	34.46		27.403	68.6	1.545		

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205						31135			
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
31 00.0N		135 00.0W		4/23/72		0707		GMT	4327M	220	14KT				
Z	T	S	02	P04	S103	NO2	NO3	DT	Z	T	S	02	SIGT	DT	DD
									0	16.75	34.16		24.949	301.6	0.000
									10	16.76	34.17		24.954	301.1	0.030
									20	16.73	34.17		24.961	300.4	0.060
									30	16.71	34.17		24.966	300.0	0.090
									50	16.66	34.19		24.993	297.4	0.150
									75	16.51	34.30		25.112	286.1	0.224
									100	16.80	34.52		25.213	276.5	0.295
									125	16.60	34.58		25.305	267.6	0.364
									150	16.39	34.58		25.354	263.0	0.431
									200	13.57	34.08		25.586	241.0	0.560
									250	10.78	34.03		26.080	194.0	0.671
									300	9.83	34.07		26.276	175.5	0.766
									400	7.58	33.99		26.564	148.1	0.934
									500	5.88	34.01		26.808	124.9	1.077
									600	5.03	34.09		26.973	109.3	1.201
									700	4.79	34.24		27.119	95.4	1.310
									800	4.31	34.32		27.235	84.4	1.408
									1000	3.79	34.44		27.385	70.3	1.579

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205						31137			
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
31 00.0N		137 00.0W		4/23/72		2250		6MT	4889M	310	10KT	5	300	5	6
Z	T	S	02	P04	S103	NO2	NO3	DT	Z	T	S	02	SIGT	DT	DD
									0	17.18	34.23		24.901	306.2	0.000
									10	17.16	34.24		24.913	305.0	0.031
									20	17.15	34.24		24.916	304.7	0.061
									30	17.14	34.25		24.926	303.8	0.092
									50	17.13	34.25		24.928	303.6	0.153
									75	16.69	34.43		25.169	280.6	0.226
									100	16.75	34.55		25.247	273.2	0.296
									125	16.39	34.52		25.308	267.4	0.364
									150	16.46	34.61		25.361	262.4	0.432
									200	13.36	34.09		25.636	236.2	0.559
									250	11.23	33.97		25.953	206.1	0.672
									300	9.45	33.98		26.269	176.1	0.771
									400	7.47	33.99		26.580	146.6	0.938
									500	6.09	34.02		26.790	126.7	1.081
									600	5.08	34.10		26.975	109.1	1.206
									700	4.77	34.23		27.114	96.0	1.315
									800	4.58	34.33		27.214	86.4	1.414
									1000	3.87	34.44		27.377	71.0	1.589

RV DAVID STARR JORDAN

CALCOFI CRUISE 7205

31137

	LATITUDE 31 00.0N	LONGITUDE 137 00.0W	MO/DAY/YR 4/24/72	MESSANGER 0030	TIME GMT	BOTTOM 4889M	WIND 310	SPEED 10KT	WEATHER 5	DOMINANT WAVES 300 5 6					
Z	T	S	Q2	P04	S103	M02	M03	DT	Z	T	S	Q2	S16T	DT	DD
1	17.07	34.187	5.72	0.10	2.	0.01	0.0	306.8	0	17.07	34.187	5.72	24.894	306.8	0.000
11	17.01	34.189	5.72	0.10	2.	0.01	0.0	305.3	10	17.01	34.190	5.72	24.909	305.4	0.031
31	17.00	34.201	5.71	0.11	2.	0.01	0.0	304.2	20	17.01	34.192	5.72	24.913	305.0	0.061
56	17.09	34.370	5.72	0.11	2.	0.00	0.0	293.9	30	17.00	34.201	5.71	24.920	304.3	0.092
71	16.72		5.73	0.11	2.	0.01	0.0		50	17.07	34.322	5.72	24.997	297.0	0.152
86	16.70	34.472	5.67	0.10	2.	0.00	0.0	277.7	75	16.71	34.402	5.72	25.141	283.2	0.225
101	16.70	34.523	5.63	0.09	2.	0.00	0.0	274.0	100	16.70	34.521	5.63	25.236	274.2	0.295
131	16.48	34.559	5.61	0.10	3.	0.03	0.0	266.5	125	16.53	34.556	5.61	25.304	267.8	0.364
156	16.47	34.589	5.57	0.11	3.	0.07	0.0	264.1	150	16.47	34.581	5.58	25.335	264.8	0.432
180	15.68	34.472	5.80	0.23	3.	0.02	0.2	255.5	200	14.28	34.254	5.34	25.572	242.3	0.561
215	13.12	34.099	5.31	0.46	5.	0.01	2.6	231.0	250	11.32	34.001	5.11	25.959	205.5	0.676
278	10.26	34.006	4.89	1.02	15.	0.00	12.5	187.1	300	9.61	34.001	4.71	26.258	177.1	0.775
376	7.99	34.003	3.91	1.73	35.	0.00	23.5	152.8	400	7.52	34.003	3.52	26.581	146.5	0.948
472	6.35	34.010	2.34	2.48	59.	0.00	35.0	130.6	500	6.00	34.025	2.00	26.804	125.4	1.085
602	5.11	34.103	1.06	2.98	85.	0.00	41.8	109.2	600	5.12	34.102	1.07	26.972	109.4	1.209
751	4.69	34.291	0.34	3.26	105.	0.00	45.9	90.5	700	4.78	34.228	0.50	27.110	96.3	1.319
897	4.15	34.399	0.41	3.32	119.	0.00	46.8	76.9	800	4.51	34.335	0.36	27.225	85.4	1.417
1104	3.59	34.472	0.75	3.23	131.	0.00	45.4	65.9	1000	3.84	34.448	0.54	27.385	70.2	1.591

RV DAVID STARR JORDAN

CALCOFI CRUISE 7205

31139

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME			BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
31 00.0N		139 00.0W		4/24/72		1342 GMT			4121M	030	10KT	1	010 8 8		
Z	T	S	02	PO4	S103	N02	N03	DT	Z	T	S	02	S16T	DT	DD
									0	17.47	34.69		25.183	279.3	0.000
									10	17.47	34.70		25.191	278.5	0.028
									20	17.48	34.70		25.188	278.8	0.056
									30	17.48	34.70		25.188	278.8	0.084
									40	17.48	34.70		25.188	278.8	0.140
									50	17.48	34.70		25.188	278.8	0.140
									75	17.18	34.72		25.276	270.5	0.209
									100	16.62	34.66		25.362	262.3	0.276
									125	16.53	34.69		25.406	258.1	0.342
									150	15.83	34.58		25.482	250.8	0.407
									200	12.30	34.01		25.784	222.2	0.527
									250	10.87	34.00		26.041	197.7	0.635
									300	9.63	34.05		26.293	173.8	0.731
									400	7.55	33.98		26.561	148.4	0.898
									500	6.02	33.98		26.767	128.8	1.043
									600	4.91	34.06		26.963	110.2	1.169
									700	4.44	34.16		27.095	97.8	1.280
									800	4.10	34.26		27.210	86.8	1.379
									1000	3.61	34.43		27.395	69.3	1.551

RV DAVID STARR JORDAN

CALCOFI CRUISE 7205

31141

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME			BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
31 00.0N		141 00.0W		4/25/72		0207 6M1			4793M	330	12KT	1	020 8 8		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S16T	DT	DD
									0	18.09	34.84		25.146	282.8	0.000
									10	18.08	34.84		25.149	282.5	0.028
									20	17.95	34.83		25.173	280.2	0.056
									30	17.94	34.84		25.183	279.2	0.085
									50	17.90	34.84		25.193	278.3	0.141
									75	17.58	34.88		25.302	268.0	0.209
									100	17.37	34.89		25.360	262.4	0.276
									125	17.13	34.84		25.379	260.6	0.343
									150	15.84	34.64		25.526	246.6	0.407
									200	12.39	34.22		25.929	208.4	0.523
									250	11.07	34.16		26.130	189.3	0.625
									300	10.12	34.11		26.258	177.2	0.720
									400	8.34	34.04		26.491	155.0	0.893
									500	6.56	33.96		26.682	136.9	1.046
									600	5.11	33.98		26.877	118.4	1.180
									700	4.52	34.10		27.038	103.1	1.298
									800	4.13	34.21		27.167	90.9	1.402
									1000	3.65	34.41		27.375	71.2	1.571

RV DAVID STARR JORDAN

CALCOFI CRUISE 7205

31143

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME			BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES	
31 00.0N		143 00.0W		4/25/72		1429 GMT			4889M	280	10KT	1	110 6 7	
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S16T	DT
									0	18.10	34.89		25.182	279.4
									10	18.11	34.91		25.195	278.1
									20	18.11	34.91		25.195	278.1
									30	18.10	34.91		25.197	277.9
									50	18.10	34.91		25.197	277.9
									75	18.02	34.99		25.278	270.2
									100	17.55	34.96		25.370	261.5
									125	16.91	34.81		25.409	257.8
									150	15.10	34.47		25.561	243.4
									200	12.34	34.19		25.915	209.7
									250	11.55	34.21		26.080	194.0
									300	10.45	34.17		26.247	178.1
									400	8.56	34.06		26.473	156.8
									500	6.48	33.97		26.700	135.2
									600	5.03	33.99		26.894	116.8
									700	4.38	34.10		27.054	101.7
									800	4.01	34.21		27.180	89.7
									1000	3.65	34.40		27.367	71.9

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205								31145	
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
31 00.0N		145 00.0W		4/26/72		0105 GMT		5661M	300	13KT	1	100 4 5			
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD
									0	19.04	35.27		25.235	274.2	0.000
									10	19.03	35.28		25.246	273.3	0.027
									20	19.01	35.28		25.251	272.8	0.055
									30	18.97	35.28		25.261	271.8	0.082
									50	18.96	35.28		25.264	271.6	0.137
									75	18.95	35.28		25.266	271.3	0.205
									100	18.93	35.28		25.271	270.8	0.274
									125	18.58	35.21		25.306	267.5	0.342
									150	17.30	34.96		25.430	255.7	0.408
									200	13.64	34.35		25.779	222.6	0.531
									250	11.90	34.22		26.023	199.5	0.639
									300	11.09	34.19		26.149	187.5	0.739
									400	9.32	34.10		26.383	165.2	0.923
									500	7.16	33.98		26.616	143.2	1.085
									600	5.45	33.97		26.829	122.9	1.225
									700	4.55	34.06		27.004	106.4	1.347
									800	4.11	34.18		27.146	92.9	1.453
									1000	3.57	34.37		27.351	73.4	1.635

RV DAVID STARR JORDAN										CALCOFI CRUISE 7205										31145
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM		WIND	SPEED	WEATHER	DOMINANT WAVES							
31 00.0N		145 00.0W		4/26/72		0249 GMT		5661M		300	13KT	1	100 4 5							
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD					
2	19.01	35.223	5.49	0.03	2.	0.00	0.0	276.9	0	19.01	35.223	5.49	25.207	276.9	0.000					
12	19.01	35.222	5.47	0.01	2.	0.00	0.0	277.0	10	19.01	35.222	5.47	25.207	277.0	0.028					
32	18.98	35.222	5.48	0.01	2.	0.00	0.0	276.3	20	19.00	35.222	5.47	25.209	276.8	0.055					
56	18.95	35.218	5.50	0.01	2.	0.00	0.0	275.8	30	18.98	35.222	5.48	25.213	276.4	0.083					
71	18.94		5.47	0.01	2.	0.00	0.0		50	18.96	35.218	5.50	25.218	275.9	0.139					
84	18.93	35.221	5.50	0.01	2.	0.00	0.0	275.1	75	18.94	35.221	5.48	25.225	275.2	0.208					
100	18.95	35.219	5.46	0.03	2.	0.00	0.0	275.8	100	18.95	35.219	5.46	25.220	275.8	0.278					
128	18.81	35.201	5.42	0.03	2.	0.00	0.0	273.7	125	18.83	35.203	5.42	25.239	273.9	0.347					
152	17.77	35.007	5.18	0.14	3.	0.04	1.0	263.1	150	17.90	35.030	5.20	25.339	264.4	0.416					
176	15.54	34.636	5.21	0.29	4.	0.02	2.6	240.5	200	13.82	34.385	5.25	25.769	223.6	0.541					
209	13.31	34.319	5.26	0.49	7.	0.01	5.7	218.5	250	12.08	34.242	5.20	26.005	201.2	0.650					
269	11.79	34.249	5.15	0.72	10.	0.01	9.9	195.4	300	11.19	34.224	5.13	26.156	186.8	0.750					
361	10.09	34.165	4.99	1.07	19.	0.01	16.8	172.6	400	9.22	34.111	4.71	26.407	163.0	0.932					
453	8.04	34.043	4.22	1.64	36.	0.01	22.6	150.5	500	7.12	34.001	3.78	26.637	141.2	1.092					
575	5.88	33.974	3.02	2.33	62.	0.00	32.9	127.6	600	5.55	33.987	2.69	26.829	122.9	1.231					
717	4.44	34.092	1.30	3.01	99.	0.00	42.3	102.9	700	4.56	34.073	1.49	27.012	105.6	1.353					
858	3.84	34.248	0.59	3.26	125.	0.00	45.8	85.2	800	4.02	34.185	0.79	27.159	91.7	1.458					
1062	3.50	34.415	0.64	3.30	138.	0.00	46.4	69.4	1000	3.54	34.373	0.62	27.356	73.0	1.638					

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205						27125			
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM		WIND SPEED		WEATHER		DOMINANT WAVES	
27 00.0N		125 00.0W		5/ 2/72		0916 GMT		4602M		060 5KT					
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD
									0	15.91	33.57		24.690	326.3	0.000
									10	15.86	33.56		24.694	325.9	0.033
									20	15.75	33.56		24.718	323.6	0.065
									30	15.73	33.56		24.723	323.2	0.098
									50	15.70	33.56		24.730	322.5	0.162
									75	14.80	33.49		24.873	308.8	0.242
									100	13.91	33.43		25.015	295.4	0.318
									125	13.40	33.47		25.150	282.5	0.391
									150	12.27	33.51		25.403	258.4	0.459
									200	10.07	33.71		25.955	205.9	0.577
									250	9.08	34.00		26.344	169.0	0.673
									300	8.15	34.10		26.567	147.9	0.755
									400	6.64	34.17		26.836	122.3	0.896
									500	6.12	34.26		26.975	109.1	1.018
									600	5.51	34.36		27.130	94.4	1.126
									700	5.01	34.41		27.229	85.0	1.224
									800	4.63	34.46		27.311	77.2	1.313
									1000	3.92	34.51		27.427	66.2	1.474

RV DAVID STARR JORDAN										CALCOFI CRUISE 7205										27125
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES								
27 00.0N		125 00.0W		5/ 2/72		1053 GMT		4602M	060	5KT										
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD					
0	15.92	33.569	5.96	0.28	2.	0.02	0.0	326.6	0	15.92	33.569	5.96	24.687	326.6	0.000					
10	15.87	33.567	5.94	0.27	2.	0.00	0.0	325.6	10	15.87	33.567	5.94	24.697	325.6	0.035					
30	15.72	33.554	6.01	0.28	2.	0.00	0.0	323.4	20	15.81	33.563	5.97	24.706	324.7	0.065					
55	15.36	33.543	6.08	0.27	2.	0.00	0.0	316.6	30	15.72	33.554	6.01	24.720	323.4	0.098					
70	14.91	33.530	6.11	0.27	2.	0.00	0.0	308.2	50	15.46	33.547	6.07	24.772	318.5	0.162					
85	14.35	33.458	6.16	0.32	2.	0.00	0.0	302.1	75	14.72	33.509	6.13	24.903	306.0	0.241					
100	13.93	33.431	6.09	0.33	4.	0.00	0.0	295.7	100	13.93	33.431	6.09	25.011	295.7	0.316					
130	12.99	33.505	5.74	0.47	4.	0.03	2.5	272.1	125	13.19	33.490	5.82	25.206	277.2	0.389					
154	11.37	33.541	5.29	0.87	9.	0.01	7.9	240.2	150	11.64	33.534	5.38	25.537	245.7	0.455					
179	10.38	33.663	4.61	1.24	15.	0.00	14.5	214.5	200	9.74	33.781	4.34	26.064	195.5	0.567					
213	9.42	33.849	4.22	1.56	22.	0.01	19.0	185.4	250	8.85	33.990	3.57	26.372	166.3	0.660					
277	8.55	34.054	3.06	2.08	38.	0.01	27.4	157.1	300	8.17	34.078	2.74	26.545	149.9	0.741					
375	7.04	34.108	1.85	2.65	58.	0.00	37.3	132.1	400	6.79	34.155	1.56	26.788	126.8	0.885					
472	6.24	34.214	0.87	3.04	74.	0.00	41.5	114.0	500	6.09	34.243	0.79	26.965	110.0	1.010					
602	5.62	34.327	0.51	3.25	90.	0.01	44.6	98.1	600	5.63	34.326	0.52	27.088	98.3	1.121					
752	4.87	34.402	0.57	3.37	95.	0.02	46.6	84.1	700	5.12	34.381	0.55	27.193	88.4	1.222					
898	4.41	34.454	0.66	3.32	105.	0.00	46.3	75.4	800	4.70	34.422	0.59	27.273	80.9	1.315					
1106	3.76	34.500	1.02	3.29	122.	0.01	45.6	65.4	1000	4.09	34.482	0.80	27.386	70.1	1.484					

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205									
LATITUDE		LONGITUDE		MO/DAT/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
27 00.0N		126 59.5W		5/ 1/72		2301 GMT			4507M	030	10KT	1	020 4 5		
Z	T	S	Q2	P04	S103	N02	N03	DT	Z	T	S	Q2	S16T	DT	DD
									0	17.34	34.07		24.740	321.4	0.000
									10	17.24	34.08		24.772	318.4	0.032
									20	17.12	34.09		24.808	315.0	0.064
									30	17.10	34.10		24.821	313.8	0.095
									50	17.11	34.11		24.826	313.3	0.158
									75	17.12	34.12		24.831	312.8	0.237
									100	17.25	34.35		24.976	299.0	0.314
									125	17.19	34.42		25.044	292.5	0.389
									150	16.94	34.46		25.134	284.0	0.462
									200	12.26	33.83		25.652	234.7	0.594
									250	9.21	33.89		26.237	179.1	0.700
									300	8.43	34.00		26.446	159.3	0.787
									400	6.59	34.02		26.725	132.8	0.939
									500	5.54	34.15		26.961	110.5	1.066
									600	5.11	34.27		27.106	96.6	1.176
									700	4.66	34.36		27.229	85.0	1.274
									800	4.33	34.43		27.320	76.3	1.363
									1000	3.85	34.52		27.442	64.8	1.520

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205									
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
27 00.0N		129 00.0W		5/ 1/72		1214 GMT		4410M	020	12KT					
Z	T	S	Q2	P04	S103	N02	N03	DT	Z	T	S	Q2	S16T	DT	DD
									0	17.86	34.38		24.852	310.8	0.000
									10	17.86	34.38		24.852	310.8	0.031
									20	17.86	34.38		24.852	310.8	0.062
									30	17.87	34.39		24.857	310.3	0.093
									50	17.88	34.40		24.862	309.8	0.156
									75	17.89	34.41		24.867	309.3	0.234
									100	17.53	34.49		25.016	295.2	0.310
									125	16.65	34.44		25.187	279.0	0.383
									150	15.27	34.17		25.293	268.8	0.452
									200	11.65	33.82		25.760	224.5	0.578
									250	9.85	33.96		26.187	183.9	0.682
									300	8.66	34.02		26.426	161.2	0.771
									400	6.69	34.05		26.735	131.9	0.923
									500	5.64	34.13		26.933	113.1	1.052
									600	5.12	34.26		27.097	97.5	1.164
									700	4.73	34.36		27.221	85.8	1.262
									800	4.36	34.44		27.325	75.9	1.351
									1000	3.84	34.52		27.443	64.7	1.508

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205									
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
27 00.0N		131 00.0W		5/ 1/72		0155 GMT			4889M	040	16KT	2	040 6 5		
Z	T	S	Q2	P04	S103	N02	N03	DT	Z	T	S	Q2	S16T	DT	DD
									0	17.73	34.38		24.883	307.8	0.000
									10	17.73	34.39		24.891	307.1	0.031
									20	17.73	34.39		24.891	307.1	0.062
									30	17.74	34.39		24.889	307.3	0.092
									50	17.70	34.39		24.898	306.4	0.154
									75	17.50	34.49		25.023	294.5	0.230
									100	17.35	34.53		25.090	288.2	0.303
									125	17.49	34.76		25.232	274.6	0.374
									150	17.53	34.93		25.352	263.2	0.443
									200	12.48	33.97		25.718	228.4	0.568
									250	10.33	33.94		26.089	193.2	0.676
									300	9.06	34.01		26.355	167.9	0.769
									400	7.41	34.10		26.675	137.6	0.928
									500	6.15	34.15		26.884	117.7	1.062
									600	5.20	34.23		27.064	100.6	1.178
									700	4.74	34.33		27.196	88.1	1.280
									800	4.52	34.43		27.300	78.3	1.371
									1000	3.94	34.52		27.433	65.7	1.532

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205									
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
27 00.0N		133 01.0W		4/30/72		1321 GMT		4697M	070	22KT		070 7 6			
Z	T	S	Q2	P04	S103	N02	N03	DT	Z	T	S	Q2	S16T	DT	DD
									0	18.12	34.42		24.818	314.0	0.00
									10	18.13	34.43		24.824	313.5	0.03
									20	18.13	34.43		24.824	313.5	0.06
									30	18.13	34.44		24.831	312.8	0.09
									50	18.14	34.46		24.844	311.6	0.15
									75	18.21	34.57		24.911	305.2	0.23
									100	18.00	34.62		25.000	296.7	0.31
									125	17.99	34.70		25.064	290.6	0.38
									150	18.11	34.75		25.073	289.8	0.45
									200	14.08	34.09		25.488	250.3	0.59
									250	11.58	33.94		25.666	214.4	0.71
									300	9.41	33.98		26.275	175.5	0.81
									400	7.24	34.03		26.644	140.5	0.98
									500	5.95	34.10		26.871	119.0	1.11
									600	5.14	34.21		27.055	101.5	1.23
									700	4.65	34.32		27.198	87.9	1.33
									800	4.43	34.41		27.294	78.9	1.42
									1000	3.94	34.52		27.433	65.7	1.58

RV DAVID STARR JORDAN										CALCOFI CRUISE 7205										27133
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
27 00.0N		133 01.0W		4/30/72		1447 GMT			4697M	070	22KT		070	7	6					
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD					
1	18.08	34.384	5.68	0.20	1.	0.02	0.0	315.7	0	18.08	34.384	5.68	24.801	315.7	0.000					
11	18.08	34.383	5.72	0.18	1.	0.00	0.0	315.7	10	18.08	34.384	5.72	24.800	315.7	0.032					
32	18.09	34.384	5.69	0.18	1.	0.00	0.0	315.9	20	18.08	34.384	5.71	24.799	315.8	0.063					
57	18.13	34.392	5.68	0.16	1.	0.00	0.0	316.3	30	18.09	34.384	5.69	24.798	315.9	0.095					
70	18.22	34.489	5.67	0.15	1.	0.00	0.0	311.3	50	18.12	34.390	5.68	24.796	316.2	0.158					
86	18.17	34.580	5.64	0.20	2.	0.00	0.0	303.5	75	18.20	34.518	5.67	24.872	308.9	0.237					
100	17.78	34.526	5.56	0.14	1.	0.00	0.0	298.4	100	17.78	34.526	5.56	24.983	298.4	0.314					
130	18.14	34.721	5.38	0.15	2.	0.00	0.0	292.6	125	18.04	34.678	5.41	25.035	293.3	0.389					
154	18.16	34.793	5.30	0.17	2.	0.00	0.0	287.8	150	18.16	34.777	5.32	25.082	288.9	0.462					
180	16.75	34.541	5.09	0.13	1.	0.06	0.0	273.8	200	14.77	34.214	4.85	25.435	255.3	0.601					
215	13.23	34.005	4.63	0.22	2.	0.02	0.4	240.0	250	11.26	33.937	4.02	25.921	209.2	0.720					
278	10.29	33.998	3.49	0.56	6.	0.00	4.5	188.2	300	9.58	33.999	3.05	26.261	176.8	0.820					
376	7.78	34.006	1.87	1.14	17.	0.00	15.5	149.6	400	7.30	34.022	1.86	26.627	142.1	0.985					
474	6.14	34.079	1.83	1.92	39.	0.00	26.9	122.9	500	5.86	34.101	1.62	26.882	118.0	1.121					
606	5.10	34.192	0.67	2.69	64.	0.00	38.5	102.4	600	5.13	34.188	0.73	27.039	103.1	1.239					
756	4.50	34.348	0.45	3.26	110.	0.00	45.6	84.3	700	4.67	34.293	0.53	27.174	90.3	1.342					
902	4.17	34.446	0.63	3.26	114.	0.00	45.8	73.5	800	4.39	34.384	0.48	27.277	80.5	1.435					
1107	3.70	34.504	0.88	3.24	127.	0.00	45.6	64.6	1000	3.95	34.486	0.75	27.405	68.3	1.601					

RV DAVID STARR JORDAN										CALCOFI CRUISE 7205										27135
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
27 00.0N		135 00.0W		4/30/72		0011 GMT			4602M	050	20KT	2	070	6	6					
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD					
									0	19.11	34.83		24.882	307.9	0.000					
									10	19.11	34.84		24.890	307.2	0.031					
									20	19.11	34.84		24.890	307.2	0.062					
									30	19.11	34.84		24.890	307.2	0.092					
									50	19.12	34.84		24.888	307.4	0.154					
									75	19.02	34.82		24.898	306.4	0.231					
									100	18.10	34.72		25.052	291.7	0.307					
									125	17.94	34.84		25.183	279.2	0.379					
									150	16.97	34.61		25.241	273.7	0.449					
									200	13.32	34.06		25.621	237.7	0.580					
									250	10.23	33.92		26.091	193.0	0.690					
									300	9.11	34.02		26.355	167.9	0.783					
									400	6.96	34.01		26.667	138.3	0.942					
									500	5.70	34.11		26.909	115.3	1.075					
									600	5.12	34.24		27.081	99.0	1.189					
									700	4.76	34.34		27.202	87.6	1.289					
									800	4.48	34.43		27.304	77.9	1.380					
									1000	3.94	34.50		27.417	67.2	1.542					

RV DAVID STARR JORDAN										CALCOFI CRUISE 7205										27137
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES							
27 00.0N		137 00.0W		4/29/72		1204 GMT			4889M	070	22KT		070	6	6					
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD					
									0	19.04	34.79		24.870	309.1	0.000					
									10	19.04	34.80		24.877	308.3	0.031					
									20	19.04	34.80		24.877	308.3	0.062					
									30	19.04	34.80		24.877	308.3	0.093					
									50	18.91	34.79		24.903	305.9	0.154					
									75	17.90	34.63		25.033	293.6	0.230					
									100	17.65	34.73		25.170	280.5	0.302					
									125	17.56	34.61		25.253	272.6	0.372					
									150	16.62	34.60		25.316	266.6	0.441					
									200	12.51	33.97		25.712	229.0	0.567					
									250	10.51	33.96		26.074	194.7	0.676					
									300	9.00	34.02		26.372	166.3	0.769					
									400	7.16	34.01		26.639	141.0	0.928					
									500	5.66	34.05		26.867	119.4	1.065					
									600	5.06	34.21		27.065	100.6	1.181					
									700	4.70	34.34		27.209	87.0	1.282					
									800	4.39	34.41		27.298	78.5	1.372					
									1000	3.87	34.50		27.424	66.5	1.534					

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205										27139
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME			BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
27 00.0N		139 00.0W		4/28/72		2350	GMT		4697M	080	21KT	1	080 6 5			
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD	
									0	19.89	34.85		24.696	325.6	0.000	
									10	19.88	34.85		24.698	325.4	0.033	
									20	19.82	34.86		24.722	323.2	0.065	
									30	19.64	34.87		24.776	318.0	0.097	
									50	18.79	34.89		25.009	295.8	0.159	
									75	18.64	35.02		25.146	282.7	0.232	
									100	18.30	35.02		25.232	274.6	0.302	
									125	18.05	34.98		25.263	271.6	0.371	
									150	18.21	35.12		25.330	265.2	0.440	
									200	17.52	35.00		25.408	257.9	0.573	
									250	12.99	34.17		25.772	223.3	0.697	
									300	10.33	34.06		26.183	184.3	0.802	
									400	7.58	34.01		26.580	146.6	0.974	
									500	6.09	34.09		26.845	121.5	1.114	
									600	5.16	34.13		26.990	107.7	1.236	
									700	4.71	34.26		27.144	93.1	1.343	
									800	4.26	34.37		27.280	80.1	1.437	
									1000	3.80	34.50		27.431	65.8	1.599	

27141

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME			BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
27 00.0N		141 00.0W		4/28/72		1010 GMT			4697M	080	25KT				
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DO
									0	19.84	35.13		24.922	304.1	0.000
									10	19.87	35.15		24.929	303.4	0.030
									20	19.86	35.15		24.932	303.2	0.061
									30	19.86	35.15		24.932	303.2	0.091
									50	19.91	35.18		24.941	302.2	0.152
									75	19.87	35.23		24.990	297.6	0.228
									100	19.13	35.18		25.144	283.0	0.301
									125	18.94	35.19		25.200	277.6	0.372
									150	18.66	35.16		25.248	273.0	0.442
									200	16.77	34.77		25.411	257.6	0.577
									250	13.57	34.30		25.755	224.9	0.701
									300	11.14	34.11		26.078	194.2	0.810
									400	8.45	34.03		26.466	157.4	0.992
									500	6.61	34.01		26.714	133.8	1.145
									600	5.27	34.09		26.943	111.9	1.275
									700	4.74	34.20		27.093	97.9	1.387
									800	4.33	34.31		27.225	85.4	1.486
									1000	3.81	34.46		27.399	68.9	1.655

27141

	LATITUDE 27 00.0N	LONGITUDE 141 00.0W	MO/DAY/YR 4/28/72	MESSANGER 1135	TIME GMT	BOTTOM 4697M	WIND 080	SPEED 25KT	WEATHER	DOMINANT WAVES					
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD
0	19.83	35.098	5.55	0.08	2.	0.00	0.0	306.2	0	19.83	35.098	5.55	24.900	306.2	0.000
9	19.84	35.100	5.46	0.07	2.	0.03	0.0	306.3	10	19.84	35.100	5.46	24.899	306.3	0.031
28	19.85	35.099	5.50	0.08	2.	0.11	0.0	306.6	20	19.85	35.099	5.48	24.897	306.5	0.061
52	19.89	35.113	5.48	0.09	2.	0.02	0.0	306.6	30	19.85	35.100	5.50	24.896	306.6	0.092
67	19.90	35.115	5.41	0.09	2.	0.00	0.0	306.7	50	19.89	35.112	5.48	24.896	306.6	0.154
80	19.55	35.153	5.50	0.05	2.	0.00	0.0	295.2	75	19.69	35.136	5.47	24.966	299.9	0.230
94	19.42	35.190	5.36	0.06	2.	0.00	0.0	289.3	100	19.29	35.173	5.38	25.097	287.5	0.304
122	18.87	35.099	5.46	0.09	2.	0.00	0.0	282.5	125	18.87	35.105	5.42	25.153	282.1	0.376
146	18.86	35.142	5.19	0.12	2.	0.02	0.5	279.2	150	18.84	35.142	5.21	25.190	278.6	0.448
169	18.59	35.108	5.33	0.09	2.	0.05	0.3	275.1	200	17.50	34.888	5.22	25.328	265.4	0.587
202	17.40	34.870	5.21	0.17	3.	0.00	1.5	264.6	250	13.98	34.368	4.86	25.721	228.1	0.713
263	12.99	34.256	4.76	0.69	8.	0.00	8.4	217.0	300	11.20	34.123	4.68	26.076	194.4	0.822
357	9.32	34.060	4.55	1.35	25.	0.00	20.3	168.2	400	8.40	34.035	4.23	26.477	156.4	1.005
452	7.58	34.021	3.67	1.95	41.	0.00	28.9	145.8	500	6.69	34.026	2.91	26.716	133.7	1.157
579	5.45	34.070	1.69	2.81	76.	0.00	40.0	115.4	600	5.26	34.093	1.48	26.948	111.7	1.287
726	4.59	34.235	0.74	3.20	104.	0.00	45.2	93.7	700	4.67	34.205	0.82	27.105	96.8	1.398
872	4.08	34.376	0.72	3.23	117.	0.00	45.6	77.9	800	4.30	34.312	0.73	27.230	85.0	1.496
1077	3.65	34.486	1.26	3.17	123.	0.00	44.4	65.5	1000	3.77	34.458	0.98	27.400	68.8	1.666

27143

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
27 00.0N		143 08.5W		4/27/72		2135 GMT			4697M	050	22KT	1	040 5 5		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S1GT	DT	DD
									0	20.51	35.23		24.820	313.8	0.000
									10	20.51	35.24		24.828	313.0	0.031
									20	20.50	35.24		24.831	312.8	0.063
									30	20.50	35.24		24.831	312.8	0.094
									50	20.28	35.29		24.927	303.6	0.156
									75	19.67	35.28		25.080	289.0	0.231
									100	19.07	35.23		25.197	277.9	0.302
									125	18.34	35.04		25.237	274.1	0.372
									150	17.08	34.83		25.383	260.2	0.440
									200	15.97	34.58		25.734	226.9	0.565
									250	11.94	34.17		25.976	203.9	0.675
									300	10.52	34.11		26.189	183.7	0.775
									400	7.92	33.99		26.515	152.8	0.950
									500	6.16	34.01		26.773	128.3	1.097
									600	5.16	34.12		26.982	108.4	1.222
									700	4.58	34.23		27.135	93.9	1.330
									800	4.21	34.33		27.254	82.6	1.426
									1000	3.71	34.48		27.425	66.3	1.591

27145

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME			BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
27 00.0N		144 58.0W		4/27/72		0715 GMT			5080M	090	16KT				
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S1GT	DT	DD
									0	20.42	35.37		24.951	301.3	0.000
									10	20.42	35.38		24.958	300.6	0.030
									20	20.41	35.38		24.961	300.4	0.060
									30	20.27	35.37		24.991	297.5	0.090
									50	20.08	35.36		25.034	293.5	0.150
									75	20.04	35.37		25.052	291.7	0.223
									100	19.57	35.32		25.137	283.6	0.296
									125	19.03	35.26		25.230	274.7	0.367
									150	18.04	35.08		25.342	264.1	0.435
									200	15.31	34.49		25.530	246.3	0.566
									250	13.00	34.28		25.855	215.4	0.684
									300	10.95	34.14		26.136	188.8	0.789
									400	8.57	34.03		26.448	159.1	0.969
									500	6.64	33.99		26.694	135.7	1.124
									600	5.21	34.08		26.945	112.0	1.255
									700	4.61	34.22		27.124	95.0	1.365
									800	4.30	34.33		27.244	83.6	1.462
									1000	3.69	34.45		27.403	68.5	1.630

24119

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
24 00.0N		119 00.0W		5/15/72		2038		GMT	4313M	350	9KT	1	350	3	4
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S16T	DT	DD
	0									18.28	33.88		24.367	357.0	0.001
	10									17.90	33.85		24.437	350.3	0.031
	20									17.70	33.85		24.486	345.7	0.071
	30									17.56	33.84		24.512	343.2	0.101
	50									16.99	33.82		24.632	331.7	0.171
	75									15.82	33.67		24.787	317.0	0.251
	100									13.59	33.51		25.142	483.2	0.331
	125									11.61	33.58		25.581	241.5	0.391
	150									11.18	33.98		25.970	204.5	0.451
	200									10.61	34.33		26.344	169.0	0.541
	250									10.25	34.48		26.523	151.9	0.631
	300									9.57	34.52		26.670	138.0	0.701
	400									8.03	34.43		26.843	121.6	0.841
	500									6.95	34.45		27.014	105.4	0.961
	600									6.15	34.45		27.121	95.3	1.071
	700									5.58	34.47		27.208	87.0	1.171
	800									5.05	34.49		27.287	79.5	1.261
	1000									4.19	34.51		27.399	68.9	1.441

24119

	LATITUDE 24 00.0N	LONGITUDE 119 00.0W	MO/DAY/YR 5/15/72		MESSENGER 2146	TIME GMT	BOTTOM 4313M	WIND 350	SPEED 9KT	WEATHER 1	DOMINANT WAVES 350 3 4				
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S16T	DT	DD
0	18.39	33.887	5.73	0.23	2.	0.01	0.0	359.1	0	18.39	33.887	5.73	24.345	359.1	0.00
10	17.96	33.883	5.83	0.22	2.	0.00	0.0	349.3	10	17.96	33.883	5.83	24.448	349.3	0.03
29	17.64	33.847	5.77	0.22	2.	0.01	0.0	344.5	20	17.75	33.867	5.81	24.487	345.6	0.07
53	17.35	33.821	5.85	0.22	2.	0.01	0.0	339.8	30	17.63	33.847	5.77	24.500	344.3	0.10
67	16.50	33.767	5.98	0.21	2.	0.00	0.0	324.7	50	17.39	33.826	5.84	24.542	340.4	0.17
82	15.71	33.666	6.03	0.24	2.	0.00	0.1	315.0	75	16.09	33.718	6.01	24.761	319.5	0.25
96	14.64	33.568	5.89	0.31	3.	0.00	0.0	299.9	100	14.26	33.567	5.82	25.047	292.5	0.33
125	12.15	33.565	5.07	0.75	7.	0.03	6.7	252.2	125	12.15	33.565	5.07	25.468	252.2	0.40
148	11.21	33.835	3.87	1.35	16.	0.01	13.9	215.7	150	11.22	33.871	3.71	25.877	213.3	0.46
172	11.31	34.180	2.09	2.06	27.	0.00	24.3	192.0	200	10.73	34.273	1.82	26.278	175.2	0.56
205	10.60	34.274	1.77	2.28	32.	0.00	26.9	173.0	250	10.34	34.459	0.84	26.492	154.9	0.64
266	10.29	34.514	0.52	2.74	41.	0.00	28.0	150.1	300	9.79	34.522	0.47	26.634	141.4	0.72
358	8.75	34.455	0.39	2.94	51.	0.00	34.3	130.2	400	8.04	34.414	0.38	26.828	123.0	0.86
451	7.29	34.379	0.36	3.06	64.	0.00	38.3	115.2	500	6.87	34.403	0.27	26.987	108.0	0.98
575	6.43	34.456	0.15	3.29	78.	0.00	45.2	98.3	600	6.25	34.463	0.16	27.117	95.6	1.09
719	5.46	34.478	0.21	3.34	93.	0.00	45.8	85.0	700	5.58	34.478	0.20	27.214	86.4	1.19
861	4.70	34.495	0.39	3.36	105.	0.00	46.4	75.3	800	5.00	34.489	0.31	27.291	79.1	1.28
1064	4.01	34.524	0.59	3.36	123.	0.00	46.0	66.1	1000	4.18	34.516	0.53	27.405	68.4	1.45

24121

LATITUDE			LONGITUDE			MO/DAY/YR		MESSENGER TIME		BOTTOM		WIND		SPEED		WEATHER		DOMINANT WAVES		
24 00.0N			121 00.0W			5/16/72		0747 GMT		4217M		030		7KT						
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S16T	DT	DD					
									0	18.28	33.96		24.428	351.2	0.000					
									10	18.24	33.96		24.438	350.3	0.035					
									20	18.02	33.94		24.477	346.6	0.070					
									30	17.93	33.92		24.483	345.9	0.105					
									50	17.25	33.80		24.556	339.1	0.173					
									75	15.58	33.60		24.787	317.0	0.256					
									100	14.64	33.54		24.946	301.9	0.334					
									125	12.70	33.59		25.381	260.5	0.405					
									150	10.91	33.73		25.824	218.3	0.466					
									200	10.37	34.21		26.292	173.9	0.566					
									250	9.70	34.29		26.469	157.1	0.651					
									300	9.42	34.43		26.624	142.3	0.728					
									400	7.86	34.36		26.813	124.4	0.868					
									500	7.15	34.43		26.970	109.5	0.993					
									600	6.27	34.43		27.090	98.2	1.105					
									700	5.69	34.45		27.179	89.8	1.207					
									800	5.07	34.47		27.269	81.2	1.302					
									1000	4.14	34.52		27.412	67.7	1.469					

24123

LATITUDE 24 00.0N		LONGITUDE 123 00.0W		MO/DAY/YR 5/16/72		MESSENGER 1824 GMT		TIME	BOTTOM 3929M	WIND 010	SPEED 1KT	WEATHER 1	DOMINANT WAVES 010 3 5		
Z	T	S	02	P0%	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
									0	18.28	33.90		24.382	355.6	0.000
									10	17.78	33.89		24.497	344.6	0.035
									20	17.73	33.90		24.517	342.8	0.069
									30	17.71	33.91		24.529	341.6	0.104
									50	17.66	33.91		24.541	340.4	0.172
									75	16.85	33.79		24.642	330.8	0.257
									100	15.30	33.62		24.864	309.7	0.337
									125	13.69	33.61		25.199	277.9	0.411
									150	11.93	33.65		25.576	242.0	0.477
									200	10.41	34.03		26.145	187.8	0.587
									250	9.28	34.15		26.429	160.9	0.676
									300	8.76	34.33		26.653	139.7	0.754
									400	7.62	34.35		26.841	121.8	0.891
									500	6.77	34.37		26.976	109.0	1.013
									600	6.01	34.42		27.115	95.8	1.124
									700	5.36	34.45		27.219	85.9	1.223
									800	4.99	34.47		27.278	80.3	1.315
									1000	4.12	34.52		27.414	67.5	1.461

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205										
LATITUDE 24 00.0N		LONGITUDE 125 00.0W		MO/DAY/YR 5/17/72		MESSENGER 0552 GMT		TIME	BOTTOM 4410M	WIND 340	SPEED 4KT	WEATHER	DOMINANT WAVES			
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD	
									0	18.36	34.09		24.507	343.6	0.000	
									10	17.94	34.08		24.603	334.5	0.034	
									20	17.87	34.07		24.612	333.6	0.067	
									30	17.85	34.08		24.625	332.4	0.101	
									50	17.82	34.07		24.625	332.5	0.168	
									75	17.63	34.04		24.648	330.3	0.251	
									100	17.40	33.99		24.665	328.6	0.334	
									125	17.43	34.09		24.734	322.0	0.416	
									150	15.03	33.85		25.100	287.2	0.493	
									200	10.44	33.77		25.938	207.5	0.619	
									250	9.50	34.05		26.315	171.7	0.716	
									300	8.45	34.15		26.560	148.5	0.799	
									400	7.26	34.27		26.829	122.9	0.941	
									500	6.30	34.30		26.983	108.3	1.063	
									600	5.69	34.36		27.108	96.5	1.173	
									700	5.18	34.43		27.225	85.4	1.271	
									800	4.81	34.46		27.291	79.1	1.362	
									1000	4.06	34.51		27.413	67.6	1.527	

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205									
LATITUDE 24 00.0N		LONGITUDE 127 00.0W		MO/DAY/YR 5/17/72		MESSENGER 1814 GMT		TIME	BOTTOM 4121M	WIND 010	SPEED 13KT	WEATHER 1	DOMINANT WAVES 360 3 5		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD
									0	18.34	34.19		24.589	335.9	0.000
									10	18.30	34.19		24.598	335.0	0.034
									20	18.29	34.19		24.601	334.7	0.067
									30	18.29	34.20		24.609	334.0	0.101
									50	18.27	34.20		24.613	333.5	0.168
									75	18.00	34.13		24.627	332.3	0.251
									100	16.40	33.91		24.839	312.1	0.333
									125	13.51	33.74		25.336	264.8	0.405
									150	12.27	33.84		25.658	234.2	0.469
									200	10.13	34.00		26.170	185.5	0.576
									250	9.37	34.09		26.367	166.7	0.666
									300	8.16	34.13		26.589	145.8	0.747
									400	6.84	34.18		26.817	124.1	0.887
									500	6.14	34.29		26.996	107.1	1.009
									600	5.54	34.36		27.126	94.7	1.117
									700	5.15	34.42		27.220	85.8	1.215
									800	4.79	34.46		27.293	78.9	1.306
									1000	4.12	34.51		27.406	68.2	1.471

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205									
LATITUDE 24 00.0N		LONGITUDE 129 00.0W		MO/DAY/YR 5/18/72		MESSENGER 0606 GMT		TIME	BOTTOM 4121M	WIND 040	SPEED 16KT	WEATHER	DOMINANT WAVES		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD
									0	19.35	34.48		24.554	339.1	0.000
									10	19.35	34.49		24.562	338.4	0.034
									20	19.35	34.50		24.570	337.7	0.068
									30	19.18	34.52		24.629	332.1	0.101
									50	18.99	34.55		24.700	325.3	0.167
									75	18.31	34.50		24.832	312.7	0.248
									100	18.35	34.58		24.884	307.8	0.326
									125	16.86	34.31		25.038	293.1	0.402
									150	15.67	34.25		25.265	271.5	0.474
									200	11.14	33.81		25.845	216.4	0.598
									250	9.68	34.04		26.277	175.3	0.698
									300	8.52	34.07		26.487	155.4	0.783
									400	7.18	34.14		26.739	131.5	0.933
									500	5.66	34.15		26.946	111.9	1.061
									600	5.36	34.32		27.116	95.7	1.171
									700	5.03	34.41		27.226	85.3	1.269
									800	4.68	34.45		27.298	78.5	1.359
									1000	4.03	34.51		27.416	67.3	1.523

RV DAVID STARR JORDAN										CALCOFI CRUISE 7205							
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
24 00.0N		129 00.0W		5/18/72		0714 GMT			4121M	040	16KT						
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD		
0	19.33	34.468	5.39	0.22	1.	0.00	0.0	339.5	0	19.33	34.468	5.39	24.550	339.5	0.000		
10	19.34	34.468	5.58	0.21	2.	0.00	0.0	339.8	10	19.34	34.468	5.58	24.548	339.8	0.034		
30	19.33	34.475	5.42	0.20	1.	0.00	0.0	339.0	20	19.34	34.472	5.54	24.552	339.4	0.068		
54	18.78	34.485	0.20	1.	0.00	0.0	0.0	324.9	30	19.33	34.475	5.42	24.556	339.0	0.102		
69	18.32	34.471	5.53	0.16	2.	0.00	0.0	315.0	50	18.90	34.485	5.48	24.673	327.9	0.169		
84	18.26	34.468	5.55	0.16	1.	0.00	0.0	313.8	75	18.30	34.474	5.54	24.816	314.2	0.250		
98	18.47	34.603	5.50	0.15	2.	0.00	0.0	309.0	100	18.40	34.589	5.50	24.877	308.4	0.328		
128	16.91	34.285	5.45	0.19	2.	0.00	0.0	296.1	125	17.12	34.326	5.46	24.989	297.8	0.405		
152	16.06	34.327	5.09	0.33	3.	0.04	1.3	274.2	150	16.15	34.327	5.12	25.214	276.3	0.478		
176	13.71	34.028	4.99	0.50	5.	0.00	4.1	247.6	200	11.82	33.849	4.74	25.749	225.5	0.606		
211	11.14	33.814	4.59	0.97	12.	0.00	10.8	216.1	250	9.86	34.000	4.00	26.216	181.1	0.710		
275	9.46	34.066	3.57	1.66	26.	0.00	20.6	169.9	300	9.03	34.108	3.09	26.435	160.3	0.798		
372	7.73	34.152	1.88	2.50	50.	0.00	32.5	138.1	400	7.15	34.142	1.65	26.744	131.0	0.949		
469	5.90	34.126	1.29	2.87	74.	0.00	41.0	116.5	500	5.77	34.178	1.10	26.954	111.1	1.077		
600	3.34	34.295	0.62	3.19	88.	0.00	45.0	97.3	600	5.34	34.295	0.62	27.099	97.3	1.188		
750	4.94	34.424	0.49	3.28	100.	0.00	46.2	83.2	700	5.07	34.390	0.53	27.206	87.2	1.288		
897	4.39	34.477	0.64	3.29	111.	0.00	46.2	73.4	800	4.76	34.448	0.53	27.287	79.5	1.379		
1104	3.80	34.517	0.83	3.27	125.	0.00	46.4	64.6	1000	4.07	34.503	0.74	27.406	68.3	1.585		

RV DAVID STARR JORDAN

CALCOFI CRUISE 7205

24131

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME			BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
24 00.0N		131 00.0W		5/18/72		1739 GMT			4889M	030	16KT	2	020 4 4		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
									0	19.22	34.78		24.816	314.2	0.000
									10	19.22	34.79		24.824	313.5	0.031
									20	19.22	34.80		24.831	312.7	0.063
									30	19.22	34.80		24.831	312.7	0.094
									50	19.21	34.80		24.834	312.5	0.157
									75	19.03	34.81		24.888	307.4	0.235
									100	18.76	34.88		25.009	295.8	0.311
									125	18.43	34.84		25.062	290.8	0.385
									150	18.14	34.87		25.157	281.8	0.458
									200	14.25	34.05		25.421	256.7	0.595
									250	10.66	33.94		26.032	198.6	0.712
									300	9.18	34.01		26.336	169.8	0.807
									400	6.94	34.02		26.677	137.3	0.966
									500	5.52	34.12		26.939	112.5	1.097
									600	5.24	34.29		27.107	96.6	1.208
									700	5.02	34.40		27.220	85.9	1.307
									800	4.63	34.46		27.311	77.2	1.397
									1000	4.03	34.51		27.416	67.3	1.559

RV DAVID STARR JORDAN

CALCOFI CRUISE 7205

24133

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME			BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
24 00.0N		133 00.0W		5/19/72		0423 GMT			4507M	030	18KT		030 8 5		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
									0	19.58	34.79		24.731	322.3	0.000
									10	19.58	34.80		24.739	321.6	0.032
									20	19.59	34.81		24.744	321.1	0.064
									30	19.59	34.81		24.744	321.1	0.097
									50	19.57	34.81		24.749	320.6	0.161
									75	18.99	34.71		24.822	313.7	0.241
									100	18.98	34.76		24.862	309.8	0.320
									125	18.54	34.83		25.027	294.1	0.396
									150	17.99	34.74		25.095	287.7	0.470
									200	14.81	34.31		25.501	249.0	0.607
									250	11.50	34.02		25.942	207.1	0.724
									300	9.58	34.05		26.302	173.0	0.822
									400	7.25	34.03		26.442	140.7	0.985
									500	6.06	34.14		26.888	117.3	1.120
									600	5.49	34.28		27.069	100.2	1.236
									700	5.03	34.36		27.187	89.0	1.338
									800	4.60	34.43		27.291	79.1	1.430
									1000	3.92	34.52		27.435	65.5	1.592

RV DAVID STARR JORDAN

CALCOFI CRUISE 7205

24135

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
24 00.0N		135 00.0W		5/19/72		1642		GMT	4889M	030	13KT	2	030 7 5		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	S1GT	DT	DD
									0	19.32	34.64		24.684	326.8	0.000
									10	19.33	34.65		24.689	326.3	0.033
									20	19.33	34.65		24.689	326.3	0.065
									30	19.33	34.66		24.697	325.6	0.098
									50	19.34	34.66		24.694	325.8	0.163
									75	19.31	34.87		24.862	309.9	0.243
									100	18.80	34.83		24.961	300.4	0.320
									125	18.21	34.81		25.094	287.8	0.395
									150	18.46	35.00		25.176	279.9	0.467
									200	14.66	34.21		25.457	253.3	0.603
									250	11.67	33.99		25.888	212.3	0.722
									300	9.32	33.99		26.298	173.4	0.822
									400	7.20	34.01		26.634	141.5	0.985
									500	5.76	34.08		26.878	118.3	1.121
									600	4.95	34.19		27.062	100.9	1.237
									700	4.48	34.32		27.217	86.2	1.338
									800	4.27	34.42		27.319	76.5	1.426
									1000	3.83	34.52		27.444	64.6	1.584

RV DAVID STARR JORDAN

CALCOFI CRUISE 7205

24137

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
24 00.0N		137 00.0W		5/20/72		0330		6MT	4507M	050	10KT	1	050 7 6		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
									0	20.64	34.73		24.406	353.3	0.000
									10	20.55	34.75		24.445	349.5	0.035
									20	20.35	34.79		24.529	341.6	0.070
									30	20.24	34.79		24.558	338.8	0.104
									50	20.18	34.82		24.597	335.1	0.172
									75	19.70	34.93		24.806	315.1	0.253
									100	19.37	34.92		24.884	307.7	0.332
									125	19.16	35.03		25.022	294.6	0.408
									150	18.92	35.09		25.129	284.4	0.482
									200	17.30	34.74		25.262	271.7	0.624
									250	12.98	34.17		25.774	223.1	0.751
									300	10.50	34.08		26.169	185.6	0.856
									400	8.01	34.06		26.556	148.8	1.030
									500	6.01	34.03		26.808	125.0	1.174
									600	5.09	34.20		27.053	101.7	1.294
									700	4.81	34.36		27.212	86.6	1.395
									800	4.56	34.45		27.311	77.2	1.485
									1000	3.93	34.53		27.442	64.8	1.644

RV DAVID STARR JORDAN									CALCOFI CRUISE 7205						
LATITUDE 24 00.0N		LONGITUDE 137 00.0W		MO/DAY/YR 5/20/72		MESSENGER 0448 GMT		TIME	BOTTOM 4507M	WIND 050	SPEED 10KT	WEATHER 1	DOMINANT WAVES 050 7 6		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
0	20.61	34.703	5.29	0.21	1.	0.03	0.0	354.5	0	20.61	34.703	5.29	24.393	354.5	0.000
10	20.59	34.707	5.40	0.19	1.	0.01	0.0	353.7	10	20.59	34.707	5.40	24.402	353.7	0.035
30	20.44	34.733	5.34	0.16	1.	0.01	0.0	348.0	20	20.53	34.717	5.37	24.425	351.4	0.071
55	20.18	34.815	5.33	0.18	1.	0.00	0.0	335.5	30	20.44	34.733	5.34	24.461	348.0	0.106
70	19.73	34.864	5.37	0.13	1.	0.00	0.0	320.6	50	20.26	34.796	5.33	24.358	338.8	0.175
84	19.49	34.864	5.46	0.13	1.	0.00	0.0	314.7	75	19.62	34.866	5.41	24.778	317.8	0.257
99	19.46	34.868	5.42	0.13	1.	0.00	0.0	313.7	100	19.45	34.872	5.41	24.827	313.1	0.337
130	19.10	35.018	5.15	0.12	2.	0.07	0.0	294.0	125	19.17	34.992	5.20	24.991	297.5	0.414
154	18.92	35.037	5.06	0.15	2.	0.17	0.0	288.2	150	18.97	35.042	5.07	25.080	289.0	0.489
179	18.14	34.901	4.96	0.20	2.	0.02	0.9	279.5	200	17.10	34.700	4.93	25.279	270.1	0.631
213	15.01	34.377	4.90	0.40	4.	0.02	3.3	248.3	250	12.76	34.174	4.68	25.821	218.7	0.757
276	11.62	34.137	4.46	0.94	12.	0.01	11.6	200.6	300	10.77	34.123	4.19	26.153	187.1	0.862
373	8.73	34.102	3.28	1.83	33.	0.00	26.3	156.2	400	8.03	34.083	2.99	26.569	147.6	1.036
470	6.52	34.054	2.26	2.47	58.	0.00	39.9	129.4	500	6.05	34.076	1.86	26.838	122.0	1.177
600	5.02	34.193	0.73	3.11	90.	0.00	44.7	101.4	600	5.02	34.193	0.73	27.056	101.4	1.296
749	4.73	34.388	0.58	3.23	102.	0.00	45.9	83.7	700	4.83	34.341	0.63	27.195	88.3	1.397
895	4.28	34.465	0.79	3.20	113.	0.00	45.9	73.2	800	4.58	34.424	0.64	27.288	79.4	1.489
1101	3.73	34.518	1.01	3.20	127.	0.00	45.9	63.8	1000	3.99	34.501	0.91	27.412	67.6	1.654

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205										
LATITUDE 24 00.0N		LONGITUDE 139 00.0W		MO/DAY/YR 5/20/72		MESSENGER 1734 GMT		TIME	BOTTOM 5080M	WIND 050	SPEED 10KT	WEATHER 1	DOMINANT WAVES 030 6 5			
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD	
									0	21.48	34.88		24.291	364.2	0.000	
									10	21.48	34.88		24.291	364.2	0.036	
									20	20.98	34.97		24.496	344.7	0.072	
									30	20.43	35.05		24.705	324.8	0.105	
									50	19.81	35.04		24.861	309.9	0.169	
									75	19.27	35.11		25.055	291.5	0.245	
									100	18.77	35.08		25.159	281.5	0.317	
									125	18.34	35.08		25.217	276.0	0.388	
									150	17.97	34.98		25.283	269.8	0.457	
									200	14.43	34.33		25.598	239.8	0.587	
									250	11.77	34.06		25.923	209.0	0.702	
									300	10.25	34.08		26.212	181.5	0.803	
									400	7.95	34.02		26.534	151.0	0.976	
									500	5.94	34.05		26.832	122.6	1.119	
									600	5.06	34.16		27.025	104.3	1.239	
									700	4.62	34.29		27.178	89.9	1.343	
									800	4.38	34.38		27.275	80.6	1.436	
									1000	3.89	34.50		27.422	66.7	1.600	

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205									
LATITUDE 24 00.0N		LONGITUDE 141 00.0W		MO/DAY/YR 5/21/72		MESSENGER 0533 GMT		TIME	BOTTOM 4507M	WIND 040	SPEED 18KT	WEATHER	DOMINANT WAVES		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
									0	22.28	34.79		24.000	391.9	0.000
									10	22.28	34.80		24.008	391.2	0.039
									20	22.29	34.81		24.013	390.8	0.078
									30	22.29	34.81		24.013	390.8	0.118
									50	21.28	34.82		24.301	363.3	0.193
									75	20.23	35.07		24.773	318.2	0.279
									100	20.26	35.27		24.917	304.5	0.358
									125	19.80	35.29		25.054	291.5	0.433
									150	19.02	35.19		25.180	279.6	0.506
									200	16.10	34.52		25.375	261.0	0.644
									250	12.20	34.11		25.880	213.0	0.765
									300	10.42	34.08		26.183	184.3	0.868
									400	8.01	34.09		26.580	146.6	1.040
									500	6.03	34.08		26.845	121.5	1.181
									600	5.25	34.22		27.051	101.9	1.299
									700	4.82	34.34		27.195	88.2	1.401
									800	4.62	34.45		27.305	77.8	1.492
									1000	3.95	34.52		27.432	65.8	1.653

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205									
LATITUDE	LONGITUDE	MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
24 00.0N	143 00.0W	5/21/72		1738 GMT			5080M	080	14KT	1	060 6 5				
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
									0	21.70	35.03		24.344	359.1	0.000
									10	21.70	35.04		24.352	358.4	0.036
									20	21.70	35.05		24.359	357.7	0.072
									30	21.70	35.05		24.359	357.7	0.108
									50	21.34	35.05		24.459	348.2	0.179
									75	20.88	35.31		24.781	317.5	0.262
									100	20.33	35.27		24.899	306.3	0.341
									125	19.75	35.22		25.014	295.3	0.417
									150	19.13	35.18		25.144	283.0	0.491
									200	17.42	34.87		25.333	265.0	0.631
									250	13.14	34.26		25.812	219.5	0.755
									300	11.09	34.11		26.087	193.4	0.862
									400	8.25	34.04		26.504	153.7	1.042
									500	6.01	34.03		26.808	125.0	1.188
									600	4.96	34.14		27.021	104.7	1.310
									700	4.53	34.29		27.188	88.9	1.413
									800	4.29	34.40		27.301	78.2	1.504
									1000	3.87	34.52		27.440	65.0	1.666

RV DAVID STARR JORDAN										CALCOFI CRUISE 7205						20105	
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
24 00.0N		145 00.0W		5/22/72		0508		GMT	5467M	090	17KT	6					
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD		
									0	21.78	34.85		24.185	374.3	0.000		
									10	21.78	34.86		24.193	373.6	0.037		
									20	21.79	34.86		24.190	373.8	0.075		
									30	21.24	35.10		24.524	342.0	0.111		
									50	20.85	35.15		24.668	328.3	0.178		
									75	20.41	35.26		24.870	309.1	0.258		
									100	19.90	35.26		25.005	296.2	0.335		
									125	19.37	35.21		25.105	286.7	0.409		
									150	19.07	35.21		25.182	279.3	0.481		
									200	17.32	34.87		25.357	262.7	0.619		
									250	14.13	34.39		25.708	229.4	0.745		
									300	11.75	34.17		26.012	200.5	0.856		
									400	8.79	34.06		26.437	160.2	1.044		
									500	6.44	34.01		26.737	131.7	1.197		
									600	5.25	34.08		26.940	112.4	1.326		
									700	4.97	34.30		27.146	92.9	1.436		
									800	4.49	34.39		27.271	81.0	1.531		
									1000	3.87	34.49		27.416	67.3	1.696		

RV DAVID STARR JORDAN										CALCOFI CRUISE 7205										24105
LATITUDE 24 00.0N		LONGITUDE 145 00.0W		MO/DAY/YR 5/22/72		MESSENGER 0622 GMT		TIME	BOTTOM 5467M	WIND 090	SPEED 17KT	WEATHER 6	DOMINANT WAVES							
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD					
0	21.77	34.813	5.19	0.15	1.	0.01	0.0	376.7	0	21.77	34.813	5.19	24.160	376.7	0.000					
10	21.76	34.813	5.32	0.15	1.	0.00	0.0	376.4	10	21.76	34.813	5.32	24.163	376.4	0.038					
30	21.78	34.813	5.25	0.15	1.	0.00	0.0	377.0	20	21.77	34.813	5.29	24.160	376.7	0.075					
55	20.91	35.079	5.36	0.09	1.	0.00	0.0	335.0	30	21.78	34.813	5.25	24.157	377.0	0.113					
70	20.59	35.118	5.33	0.10	1.	0.00	0.0	323.9	50	21.11	35.023	5.34	24.502	344.1	0.186					
85	20.37	35.206	5.36	0.07	1.	0.01	0.0	311.9	75	20.51	35.148	5.34	24.759	319.6	0.269					
100	20.19	35.221	5.30	0.09	1.	0.01	0.0	306.3	100	20.19	35.221	5.30	24.899	306.3	0.348					
130	19.39	35.161	5.28	0.08	1.	0.00	0.0	290.7	125	19.53	35.174	5.28	25.036	293.3	0.424					
154	18.97	35.122	5.21	0.09	1.	0.07	0.0	283.3	150	19.04	35.130	5.22	25.130	284.3	0.497					
179	18.46	35.014	5.13	0.12	2.	0.07	0.1	278.9	200	17.40	34.829	4.99	25.308	267.4	0.638					
214	16.52	34.694	4.89	0.27	4.	0.01	2.4	257.6	250	14.14	34.399	4.86	25.713	228.9	0.766					
277	12.46	34.243	4.83	0.67	8.	0.00	8.3	208.0	300	11.60	34.183	4.76	26.049	197.0	0.876					
376	9.64	34.088	4.30	1.34	25.	0.00	19.7	171.1	400	8.96	34.060	4.08	26.409	162.8	1.063					
473	7.12	34.015	3.24	2.06	47.	0.00	30.3	140.0	500	6.58	34.014	2.82	26.721	133.2	1.218					
603	5.20	34.087	1.34	2.85	82.	0.00	41.3	111.4	600	5.22	34.084	1.38	26.946	111.9	1.348					
753	4.66	34.341	0.63	3.19	106.	0.00	46.5	86.5	700	4.98	34.290	0.73	27.137	93.7	1.458					
899	4.14	34.438	0.92	3.16	112.	0.00	45.8	73.8	800	4.45	34.379	0.68	27.266	81.5	1.553					
1105	3.71	34.517	1.13	3.14	123.	0.00	45.5	63.7	1000	3.88	34.486	1.05	27.412	67.7	1.719					

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205								20119		
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
20 00.0N		119 00.0W		5/30/72		1842		GMT	4313M	340	10KT	1	330 3 7			
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD	
									0A	21.36	34.49		24.028	389.3	0.000	
									10	21.25	34.50		24.066	385.7	0.039	
									20	21.23	34.51		24.079	384.4	0.077	
									30	21.22	34.51		24.082	384.2	0.116	
									50	21.14	34.51		24.104	382.1	0.193	
									75	18.66	34.11		24.448	349.3	0.285	
									100	16.86	34.02		24.816	314.3	0.368	
									125	13.24	33.85		25.475	251.5	0.440	
									150	12.03	34.01		25.835	217.3	0.499	
									200	10.99	34.41		26.338	169.5	0.598	
									250	10.74	34.61		26.538	150.5	0.681	
									300	10.03	34.61		26.662	138.7	0.756	
									400	8.60	34.54		26.842	121.7	0.893	

RV DAVID STARR JORDAN								CALCOFI CRUISE 7205								20119
LATITUDE 20 00.0N		LONGITUDE 119 00.0W		MO/DAY/YR 5/30/72		MESSENGER 1910 GMT		TIME	BOTTOM 4313M	WIND 340	SPEED 10KT	WEATHER 1	DOMINANT WAVES 330 3 7			
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S1GT	DT	DD	
									0	21.38	34.48		24.015	390.5	0.000	
									10	21.25	34.48		24.051	387.1	0.039	
									20	21.24	34.49		24.061	386.1	0.078	
									30	21.23	34.49		24.064	385.9	0.116	
									50	21.15	34.47		24.071	385.2	0.194	
									75	18.77	34.07		24.390	354.9	0.287	
									100	17.12	33.95		24.701	325.2	0.372	
									125	13.99	33.85		25.322	266.1	0.447	
									150	12.06	34.00		25.822	218.6	0.509	
									200	11.01	34.43		26.330	168.4	0.607	
									250	10.62	34.61		26.560	148.5	0.689	
									300	9.93	34.59		26.664	138.6	0.764	
									400	8.59	34.53		26.836	122.3	0.901	
									500	7.56	34.52		26.983	108.3	1.023	
									600	6.65	34.50		27.094	97.8	1.136	
									700	5.91	34.51		27.199	87.9	1.238	
									800	5.34	34.51		27.269	81.2	1.333	
									1000	4.42	34.54		27.398	69.0	1.503	

RV DAVID STARR JORDAN										CALCOFI CRUISE 7205									
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES						
20 00.0N		119 00.0W		5/30/72		2017 GMT			4313M	340	10KT	1	330 3 7						
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD				
0	21.45	34.471	5.21	0.22	2.	0.00	0.0	393.0	0	21.45	34.471	5.21	23.989	393.0	0.000				
10	21.24	34.464	5.36	0.21	1.	0.00	0.0	388.0	10	21.24	34.464	5.36	24.042	388.0	0.039				
29	21.22	34.463	5.24	0.21	2.	0.00	0.0	387.6	20	21.23	34.464	5.32	24.044	387.8	0.078				
54	21.17	34.458	5.21	0.22	2.	0.00	0.0	386.6	30	21.22	34.463	5.24	24.047	387.5	0.117				
68	19.35	34.229	5.53	0.21	2.	0.00	0.0	357.4	50	21.18	34.459	5.21	24.054	386.8	0.194				
83	18.61	34.144	5.55	0.26	2.	0.01	0.0	345.6	75	18.95	34.187	5.54	24.433	350.7	0.287				
97	17.60	33.994	5.54	0.25	2.	0.00	0.0	332.9	100	17.24	33.967	5.46	24.683	326.9	0.373				
126	14.10	33.858	4.40	0.76	7.	0.01	5.6	267.7	125	14.22	33.859	4.45	25.278	270.3	0.448				
151	12.37	33.945	3.37	1.29	14.	0.00	13.8	228.3	150	12.42	33.940	3.41	25.706	229.6	0.511				
175	11.49	34.152	2.16	1.87	24.	0.00	21.6	197.2	200	11.07	34.354	1.38	26.280	175.0	0.615				
209	10.99	34.415	1.18	2.41	32.	0.00	26.0	169.1	250	10.75	34.580	0.53	26.513	152.9	0.699				
273	10.44	34.578	0.34	2.70	38.	0.00	26.3	147.8	300	10.12	34.700	0.30	26.717	133.5	0.774				
371	9.16	34.552	0.18	2.91	49.	0.00	29.6	129.3	400	8.75	34.525	0.19	26.806	125.1	0.910				
468	7.86	34.499	0.20	3.10	59.	0.00	35.3	114.1	500	7.54	34.496	0.20	26.967	109.9	1.036				
600	6.71	34.499	0.18	3.24	74.	0.00	39.7	98.6	600	6.71	34.499	0.18	27.085	98.6	1.149				
752	5.66	34.501	0.20	3.37	88.	0.00	43.2	85.6	700	5.99	34.501	0.19	27.181	89.6	1.252				
898	4.87	34.509	0.31	3.37	101.	0.00	45.0	76.1	800	5.38	34.503	0.23	27.259	82.2	1.348				
1105	4.10	34.537	0.51	3.40	117.	0.00	45.8	66.0	1000	4.44	34.522	0.40	27.381	70.6	1.520				

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205									
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
20 00.0N		121 00.0W		5/30/72		0544 GMT			4313M	030	12KT				
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD
									0	21.11	34.45		24.066	385.7	0.000
									10	21.11	34.46		24.074	384.9	0.039
									20	21.07	34.45		24.077	384.6	0.077
									30	20.93	34.47		24.130	379.6	0.115
									50	20.49	34.41		24.203	372.6	0.191
									75	19.06	34.20		24.415	352.4	0.282
									100	17.52	34.03		24.667	328.5	0.368
									125	13.86	33.83		25.333	265.1	0.443
									150	12.45	34.01		25.755	224.9	0.505
									200	10.97	34.32		26.272	175.8	0.607
									250	9.93	34.42		26.531	151.2	0.691
									300	9.59	34.54		26.682	136.9	0.766
									400	8.19	34.50		26.874	118.7	0.901
									500	7.18	34.49		27.013	105.4	1.021
									600	6.32	34.50		27.138	93.6	1.128
									700	5.75	34.52		27.227	85.2	1.227
									800	5.23	34.52		27.290	79.2	1.318
									1000	4.31	34.54		27.410	67.9	1.485

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205										
LATITUDE 20 00.0N		LONGITUDE 123 00.0W		MO/DAY/YR 5/29/72		MESSENGER 1538 GMT		TIME	BOTTOM 4313M		WIND 050	SPEED 8KT	WEATHER 1	DOMINANT WAVES 010 4 4		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	S16T	DT	DD	
									0	22.00	34.35		23.745	416.3	0.000	
									10	21.98	34.36		23.759	415.0	0.042	
									20	21.99	34.37		23.763	414.6	0.083	
									30	21.99	34.37		23.763	414.6	0.125	
									50	21.73	34.37		23.836	407.7	0.207	
									75	21.00	34.39		24.051	387.2	0.307	
									100	19.15	34.23		24.415	352.4	0.400	
									125	17.29	34.09		24.768	318.8	0.485	
									150	13.97	33.95		25.403	258.4	0.558	
									200	12.14	34.57		26.248	178.1	0.670	
									250	11.50	34.68		26.454	158.5	0.757	
									300	10.67	34.62		26.559	148.6	0.837	
									400	8.69	34.49		26.789	126.8	0.981	
									500	7.52	34.49		26.965	110.0	1.108	
									600	6.76	34.50		27.079	99.2	1.221	
									700	6.06	34.50		27.172	90.4	1.325	
									800	5.41	34.51		27.260	82.0	1.421	
									1000	4.45	34.53		27.387	70.1	1.599	

RV DAVID STARR JORDAN

CALCOFI CRUISE 7205

20125

LATITUDE 19 55.0N		LONGITUDE 124 59.0W		MO/DAY/YR 5/29/72		MESSENGER TIME 0510 GMT		BOTTOM 4025M	WIND 030	SPEED 10KT	WEATHER 2	DOMINANT WAVES			
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
0	20.93	34.438	5.30	0.20	1.	0.01	0.1	381.9	0	20.93	34.438	5.30	24.106	381.9	0.000
10	20.80	34.437	5.42	0.22	1.	0.01	0.1	378.6	10	20.80	34.437	5.42	24.140	378.6	0.038
30	20.82	34.445	5.29	0.21	1.	0.01	0.1	378.5	20	20.81	34.442	5.37	24.141	378.6	0.076
55	19.50	34.387	5.47	0.18	1.	0.00	0.0	349.6	30	20.82	34.445	5.29	24.141	378.5	0.114
70	19.08	34.347	5.52	0.18	2.	0.00	0.1	342.2	50	19.79	34.401	5.42	24.380	355.8	0.188
85	18.45	34.295	5.54	0.19	1.	0.01	0.0	330.9	75	18.88	34.332	5.53	24.562	338.4	0.275
100	17.92	34.222	5.51	0.19	2.	0.00	0.0	323.7	100	17.92	34.222	5.51	24.716	323.7	0.358
130	15.75	34.048	5.04	0.37	4.	0.04	1.6	287.9	125	16.20	34.078	5.14	25.012	295.6	0.437
154	13.19	33.928	4.53	0.75	8.	0.02	5.8	244.9	150	13.61	33.942	4.62	25.470	252.0	0.506
179	11.50	33.936	3.90	1.22	15.	0.01	12.4	213.3	200	10.64	34.050	3.13	26.119	190.3	0.619
213	10.27	34.129	2.65	1.93	28.	0.00	21.0	178.2	250	9.48	34.248	1.83	26.472	156.8	0.708
278	9.07	34.294	1.45	2.45	41.	0.03	26.6	147.0	300	8.73	34.318	1.23	26.648	140.1	0.785
374	7.79	34.352	0.78	2.89	58.	0.01	35.3	124.0	400	7.56	34.368	0.62	26.862	119.8	0.921
470	7.07	34.403	0.30	3.07	87.	0.00	28.0	110.5	500	6.86	34.417	0.28	27.000	106.7	1.041
601	6.17	34.453	0.22	3.21	79.	0.01	38.2	95.3	600	6.18	34.453	0.22	27.119	95.4	1.150
749	5.16	34.478	0.29	3.31	93.	0.00	44.4	81.6	700	5.47	34.471	0.25	27.222	85.7	1.249
894	4.57	34.517	0.46	3.32	107.	0.00		72.3	800	4.92	34.493	0.35	27.304	77.9	1.340
1098	3.89	34.540	0.66	3.33	120.	0.00		63.7	1000	4.19	34.534	0.57	27.417	67.2	1.504

RV DAVID STARR JORDAN

CALCOFI CRUISE 7205

20127

LATITUDE 19 55.0N		LONGITUDE 127 01.0W		MO/DAY/YR 5/28/72		MESSENGER TIME 1625 GMT		BOTTOM 5080M	WIND 030	SPEED 6KT	WEATHER 2	DOMINANT WAVES 020 5 4			
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
0	22.87	34.61							0	22.87	34.61		23.696	420.9	0.000
10	22.87	34.63							10	22.87	34.63		23.711	419.5	0.042
20	22.87	34.64							20	22.87	34.64		23.719	418.8	0.084
30	22.87	34.64							30	22.87	34.64		23.719	418.8	0.126
50	21.20	34.51							50	21.20	34.51		24.087	383.7	0.207
75	19.50	34.39							75	19.50	34.39		24.447	349.3	0.299
100	18.49	34.32							100	18.49	34.32		24.650	330.0	0.384
125	16.74	34.24							125	16.74	34.24		25.012	295.5	0.463
150	14.49	33.95							150	14.49	33.95		25.293	268.8	0.535
200	11.16	34.05							200	11.16	34.05		26.028	199.0	0.654
250	9.44	34.20							250	9.44	34.20		26.442	159.7	0.746
300	8.31	34.27							300	8.31	34.27		26.675	137.5	0.823
400	7.58	34.40							400	7.58	34.40		26.886	117.6	0.957
500	6.60	34.41							500	6.60	34.41		27.030	103.9	1.074
600	5.96	34.47							600	5.96	34.47		27.161	91.5	1.180
700	5.46	34.49							700	5.46	34.49		27.239	84.1	1.276
800	5.02	34.51							800	5.02	34.51		27.307	77.6	1.366
1000	4.22	34.53							1000	4.22	34.53		27.412	67.7	1.530

RV DAVID STARR JORDAN

CALCOFI CRUISE 7205

20129

LATITUDE 20 00.0N		LONGITUDE 129 00.0W		MO/DAY/YR 5/28/72		MESSENGER TIME 0043 GMT		BOTTOM 1861M	WIND 040	SPEED 13KT	WEATHER 1	DOMINANT WAVES 050 3 4			
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
0	20.82	34.51							0	20.82	34.51		24.190	373.8	0.000
10	20.79	34.51							10	20.79	34.51		24.198	373.1	0.037
20	20.70	34.52							20	20.70	34.52		24.230	370.0	0.075
30	20.67	34.53							30	20.67	34.53		24.246	368.5	0.112
50	20.65	34.53							50	20.65	34.53		24.251	368.0	0.186
75	19.54	34.47							75	19.54	34.47		24.498	344.5	0.275
100	18.71	34.42							100	18.71	34.42		24.671	328.0	0.360
125	17.98	34.32							125	17.98	34.32		24.776	318.0	0.442
150	16.79	34.27							150	16.79	34.27		25.024	294.5	0.519
200	12.06	33.96							200	12.06	33.96		25.791	221.5	0.651
250	10.36	34.10							250	10.36	34.10		26.209	181.8	0.754
300	9.66	34.36							300	9.66	34.36		26.530	151.3	0.840
400	8.70	34.49							400	8.70	34.49		26.787	126.9	0.986
500	7.52	34.48							500	7.52	34.48		26.957	110.8	1.113
600	6.60	34.48							600	6.60	34.48		27.085	98.6	1.226
700	5.80	34.49							700	5.80	34.49		27.197	88.1	1.329
800	5.20	34.50							800	5.20	34.50		27.278	80.4	1.422
1000	4.27	34.54							1000	4.27	34.54		27.414	67.5	1.589

RV DAVID STARR JORDAN

CALCOFI CRUISE 7205

20131

LATITUDE 20 00.0N		LONGITUDE 131 00.0W		MO/DAY/YR 5/27/72		MESSENGER TIME 1245 GMT		BOTTOM 4697M	WIND 060	SPEED 14KT	WEATHER	DOMINANT WAVES			
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
0	20.64	34.60							0	20.64	34.60		24.307	362.7	0.000
10	20.64	34.61							10	20.64	34.61		24.315	362.0	0.036
20	20.63	34.62							20	20.63	34.62		24.325	361.0	0.072
30	20.55	34.63							30	20.55	34.63		24.354	358.2	0.109
50	20.13	34.64							50	20.13	34.64		24.473	346.9	0.179
75	19.29	34.65							75	19.29	34.65		24.699	325.3	0.264
100	18.80	34.68							100	18.80	34.68		24.847	311.3	0.344
125	18.41	34.78							125	18.41	34.78		25.021	294.7	0.421
150	17.73	34.69							150	17.73	34.69		25.120	285.3	0.495
200	12.58	34.01							200	12.58	34.01		25.730	227.3	0.625
250	10.26	34.03							250	10.26	34.03		26.171	185.4	0.731
300	8.80	34.18							300	8.80	34.18		26.529	151.4	0.818
400	7.47	34.32							400	7.47	34.32		26.839	122.0	0.961
500	6.63	34.42							500	6.63	34.42		27.034	103.5	1.080
600	6.01	34.47							600	6.01	34.47		27.155	92.1	1.186
700	5.29	34.48							700	5.29	34.48		27.251	82.9	1.282
800	4.84	34.51							800	4.84	34.51		27.327	75.7	1.370
1000	4.11	34.55							1000	4.11	34.55		27.439	65.1	1.529

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205									
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
20 00.0N		133 00.0W		5/26/72		2339		GMT	5080M	050	14KT	2	050 5 4		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
									0	21.41	34.53		24.045	387.7	0.000
									10	21.41	34.54		24.053	387.0	0.039
									20	21.36	34.54		24.066	385.7	0.077
									30	21.28	34.55		24.096	382.8	0.116
									50	20.79	34.57		24.244	368.7	0.191
									75	19.89	34.70		24.582	336.5	0.280
									100	17.89	34.42		24.875	308.6	0.361
									125	16.61	34.41		25.173	280.3	0.436
									150	14.34	34.21		25.525	246.8	0.503
									200	10.71	34.14		26.178	184.7	0.613
									250	9.30	34.15		26.426	161.2	0.702
									300	8.97	34.33		26.619	142.8	0.780
									400	8.00	34.46		26.871	119.0	0.918
									500	6.89	34.45		27.022	104.6	1.037
									600	6.20	34.47		27.130	94.4	1.144
									700	5.52	34.48		27.223	85.5	1.243
									800	4.94	34.49		27.300	78.3	1.334
									1000	4.15	34.52		27.411	67.8	1.498

RV DAVID STARR JORDAN										CALCOFI CRUISE 7205					
LATITUDE 20 00.0N		LONGITUDE 133 00.0W		MO/DAY/YR 5/27/72		MESSENGER 0054 GMT		TIME	BOTTOM 5080M	WIND 050	SPEED 14KT	WEATHER 2	DOMINANT WAVES 050 5 4		
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
1	21.41	34.525	5.22	0.22	1.	0.00	0.0	388.0	0	21.41	34.525	5.22	24.041	388.0	0.000
11	21.40	34.521	5.28	0.20	1.	0.00	0.0	388.1	10	21.40	34.522	5.28	24.041	388.1	0.039
30	21.29	34.514	5.24	0.19	1.	0.00	0.0	385.7	20	21.35	34.518	5.27	24.053	386.9	0.078
54	20.31	34.527	5.29	0.20	1.	0.00	0.0	359.6	30	21.29	34.514	5.24	24.066	385.7	0.116
68	19.98	34.683	5.37	0.20	1.	0.00	0.0	340.0	50	20.49	34.513	5.28	24.281	365.2	0.192
83	18.76	34.501	5.04	0.28	1.	0.05	0.1	323.3	75	19.44	34.614	5.25	24.633	331.7	0.279
97	18.01	34.417	4.59	0.47	3.	0.11	1.9	311.6	100	17.80	34.406	4.54	24.886	307.6	0.360
124	15.90	34.313	4.30	0.51	5.	0.01	4.6	271.8	125	15.82	34.307	4.28	25.275	270.5	0.433
148	13.98	34.151	3.85	0.92	8.	0.01	8.4	243.9	150	13.81	34.137	3.87	25.578	241.7	0.498
173	12.09	34.022	4.05	1.04	12.	0.00	10.0	217.5	200	10.86	34.117	3.21	26.133	188.9	0.608
206	10.66	34.149	2.98	1.70	23.	0.00	17.4	183.2	250	9.46	34.227	2.34	26.458	158.1	0.697
266	9.16	34.239	2.20	2.14	35.	0.00	21.7	152.5	300	8.61	34.282	1.61	26.639	141.0	0.775
360	7.95	34.345	0.70	2.78	53.	0.00		126.8	400	7.67	34.390	0.46	26.864	119.6	0.911
453	7.36	34.455	0.33	2.97	62.	0.00		111.9	500	6.96	34.449	0.31	27.011	105.7	1.031
578	6.30	34.454	0.29	3.11	74.	0.00		96.8	600	6.16	34.458	0.29	27.126	94.8	1.139
723	5.44	34.471	0.37	3.22	89.	0.00		85.3	700	5.56	34.470	0.35	27.210	86.9	1.239
864	4.60	34.484	0.61	3.22	104.	0.00		75.1	800	4.96	34.478	0.50	27.287	79.5	1.331
1065	4.00	34.529	0.73	3.30	116.	0.00		65.6	1000	4.12	34.513	0.69	27.408	68.0	1.496

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205									
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
20 00.0N		135 00.0W		5/26/72		0922		6MT	4793M	050	14KT				
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
									0	21.53	34.63		24.088	383.6	0.000
									10	21.54	34.64		24.093	383.1	0.038
									20	21.54	34.65		24.100	382.4	0.077
									30	21.54	34.65		24.100	382.4	0.115
									50	20.81	34.65		24.299	363.4	0.190
									75	19.80	34.79		24.674	327.8	0.277
									100	18.79	34.66		24.834	312.5	0.358
									125	18.14	34.71		25.035	293.4	0.434
									150	17.07	34.61		25.218	276.0	0.507
									200	13.28	34.17		25.714	228.8	0.635
									250	10.26	34.12		26.242	178.7	0.740
									300	8.49	34.06		26.484	155.7	0.826
									400	7.23	34.25		26.818	124.0	0.972
									500	6.89	34.44		27.014	105.3	1.094
									600	6.20	34.47		27.130	94.4	1.201
									700	5.50	34.48		27.226	85.3	1.300
									800	4.91	34.49		27.304	77.9	1.390
									1000	4.17	34.53		27.417	67.2	1.554

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205								20137	
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES						
20 00.0N	136 59.0W	5/25/72	2150	GMT	5467M	050	17KT	1	040	4	5				
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
									0	22.29	34.58		23.838	407.4	0.000
									10	22.26	34.58		23.847	406.6	0.041
									20	22.19	34.60		23.882	403.3	0.081
									30	22.16	34.60		23.890	402.5	0.122
									50	20.90	34.67		24.290	364.3	0.199
									75	20.38	34.79		24.521	342.3	0.288
									100	19.61	34.76		24.700	325.2	0.372
									125	19.02	34.78		24.867	309.3	0.452
									150	18.40	34.81		25.046	292.3	0.528
									200	13.83	34.19		25.617	238.1	0.664
									250	10.71	34.20		26.225	180.3	0.771
									300	8.70	34.07		26.459	158.1	0.858
									400	7.27	34.22		26.789	126.8	1.007
									500	6.24	34.32		27.007	106.1	1.130
									600	5.88	34.44		27.147	92.7	1.237
									700	5.33	34.47		27.238	84.1	1.333
									800	4.82	34.50		27.322	76.2	1.422
									1000	4.01	34.53		27.434	65.6	1.582

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205						20139			
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES						
19 56.0N	138 59.0W	5/25/72	0755	GMT	5080M	070	20KT								
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
									0	22.94	34.52		23.608	429.3	0.000
									10	22.94	34.53		23.616	428.6	0.043
									20	22.94	34.54		23.623	427.9	0.086
									30	22.94	34.54		23.623	427.9	0.129
									50	22.95	34.56		23.636	426.7	0.214
									75	22.20	34.62		23.894	402.1	0.319
									100	20.60	34.81		24.477	346.5	0.413
									125	19.79	34.95		24.798	315.9	0.497
									150	18.81	35.00		25.088	288.3	0.574
									200	13.25	34.28		25.805	220.2	0.703
									250	11.33	34.41		26.276	175.4	0.805
									300	9.79	34.43		26.563	148.2	0.889
									400	8.11	34.45		26.847	121.3	1.030
									500	6.84	34.41		26.998	106.9	1.152
									600	6.13	34.47		27.139	93.5	1.260
									700	5.63	34.49		27.218	86.1	1.358
									800	5.10	34.50		27.289	79.3	1.450
									1000	4.24	34.54		27.417	67.2	1.615

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205						20141			
LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES						
19 59.0N	141 01.0W	5/24/72	1913	GMT	5467M	050	17KT	1	070 5 4						
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
									0	21.59	34.76		24.170	375.8	0.000
									10	21.59	34.76		24.170	375.8	0.038
									20	21.57	34.76		24.175	375.2	0.075
									30	21.56	34.77		24.186	374.2	0.113
									50	20.96	34.76		24.342	359.3	0.186
									75	20.65	35.03		24.631	331.8	0.273
									100	19.69	35.11		24.946	301.8	0.353
									125	18.90	35.02		25.081	289.0	0.428
									150	17.73	34.81		25.212	276.5	0.500
									200	13.28	34.16		25.706	229.5	0.629
									250	10.79	34.12		26.149	187.5	0.756
									300	9.39	34.21		26.458	158.2	0.825
									400	7.95	34.34		26.784	127.2	0.975
									500	7.24	34.46		26.981	108.5	1.100
									600	6.34	34.47		27.112	96.1	1.210
									700	5.66	34.48		27.206	87.2	1.311
									800	5.15	34.50		27.284	79.8	1.403
									1000	4.23	34.52		27.403	68.6	1.571

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205									
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
19 59.0N		141 01.0W		5/24/72		2025 2050		GMT	5467M	050	17KT	1	070 5 4		
Z	T	S	O2	PO4	SI03	NO2	NO3	DT	Z	T	S	O2	SI6T	DT	DD
0	21.64	34.694	5.20	0.16	2.	0.01	0.0	381.9	0	21.64	34.694	5.20	24.106	381.9	0.000
10	21.65	34.695	5.33	0.14	1.	0.01	0.0	382.0	10	21.65	34.695	5.33	24.104	382.0	0.038
30	21.60	34.690	5.26	0.12	1.	0.00	0.0	381.1	20	21.63	34.693	5.30	24.109	381.6	0.076
55	21.03	34.695	5.31	0.12	1.	0.01	0.0	365.9	30	21.60	34.690	5.26	24.114	381.1	0.115
70	20.90	34.947	5.29	0.08	2.	0.00	0.0	344.3	50	21.15	34.673	5.30	24.224	370.6	0.190
85	20.53	34.994	5.19	0.08	2.	0.00	0.0	331.4	75	20.79	34.973	5.26	24.549	339.6	0.279
100	20.11	35.065	5.09	0.07	1.	0.00	0.0	315.6	100	20.11	35.065	5.09	24.801	315.6	0.362
129	19.10	35.008	5.10	0.10	1.	0.15	0.0	294.7	125	19.27	35.030	5.10	24.994	297.3	0.440
155	17.55	34.784	4.72	0.27	3.	0.01	1.9	274.3	150	17.92	34.842	4.80	25.190	278.7	0.513
178A	15.09	34.405	4.59	0.46	5.	0.00	4.4	247.9	200	13.58	34.239	4.53	25.705	229.7	0.643
213A	12.89	34.186	4.48	0.72	9.	0.00	8.6	220.2	250	10.89	34.133	4.14	26.140	188.4	0.750
277A	9.71	34.143	3.78	1.45	24.	0.00	19.5	168.1	300	8.94	34.134	3.34	26.471	156.9	0.839
373A	7.49	34.161	1.86	2.43	51.	0.00	32.4	134.1	400	7.90	34.340	1.38	26.792	126.5	0.987
471A	7.50	34.443	0.43	2.90	58.	0.00	39.4	113.3	500	7.24	34.452	0.42	26.975	109.1	1.112
602A	6.29	34.442	0.40	3.11	74.	0.00	42.5	97.6	600	6.31	34.443	0.40	27.094	97.8	1.224
752A	5.41	34.470	0.40	3.27	89.	0.00	45.0	85.0	700	5.68	34.460	0.40	27.188	88.9	1.326
899A	4.71	34.492	0.64	3.24	102.	0.00	44.9	75.6	800	5.17	34.478	0.47	27.264	81.7	1.420
1108A	3.93	34.524	0.89	3.20	119.	0.00	44.5	65.3	1000	4.30	34.508	0.77	27.385	70.2	1.591

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205									
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
20 00.0N		143 00.0W		5/24/72		0344		GMT	5272M	070	16KT	1	090 4 6		
Z	T	S	O2	PO4	SI03	NO2	NO3	DT	Z	T	S	O2	SI6T	DT	DD
	0	22.29	34.70										23.929	398.7	0.000
	10	22.29	34.71										23.937	398.0	0.040
	20	22.29	34.72										23.944	397.3	0.080
	30	22.25	34.72										23.956	396.2	0.119
	50	22.13	34.72										23.989	393.0	0.199
	75	21.56	34.79										24.201	372.8	0.295
	100	21.36	35.07										24.468	347.3	0.386
	125	20.21	35.01										24.733	322.1	0.470
	150	20.12	35.29										24.970	299.5	0.549
	200	17.26	34.69										25.233	274.5	0.696
	250	13.33	34.26										25.773	223.2	0.824
	300	11.15	34.15										26.107	191.5	0.931
	400	8.11	34.12										26.588	145.8	1.106
	500	6.41	34.21										26.898	116.4	1.244
	600	5.44	34.33										27.115	95.8	1.357
	700	5.12	34.44										27.240	84.0	1.455
	800	4.79	34.49										27.317	76.7	1.544
	1000	4.05	34.54										27.437	65.3	1.704

RV DAVID STARR JORDAN						CALCOFI CRUISE 7205									
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME			BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
20 00.0N		145 00.0W		5/23/72		1018	GMT		4889M	080	12KT				
Z	T	S	O2	PO4	SI03	NO2	NO3	DT	Z	T	S	O2	SI6T	DT	DD
	0	22.90	34.55										23.642	426.1	0.000
	10	22.88	34.56										23.656	424.8	0.043
	20	22.89	34.57										23.660	424.4	0.085
	30	22.89	34.57										23.660	424.4	0.128
	50	22.67	34.71										23.829	408.3	0.211
	75	21.61	34.97										24.323	361.1	0.308
	100	20.72	35.01										24.597	335.1	0.396
	125	20.36	35.08										24.746	320.8	0.479
	150	19.54	35.10										24.977	298.8	0.557
	200	17.17	34.78										25.324	265.9	0.702
	250	12.90	34.26										25.860	215.0	0.825
	300	10.57	34.16										26.219	180.9	0.927
	400	7.92	34.21										26.687	136.4	1.093
	500	6.59	34.30										26.945	111.9	1.224
	600	5.92	34.38										27.095	97.7	1.336
	700	5.27	34.43										27.214	86.4	1.436
	800	4.78	34.47										27.302	78.0	1.527
	1000	4.15	34.53										27.419	67.0	1.690

A) CAST II.

						Z	T	S	02	0T
46.133	06/02/72	1354GMT	46 03.0N	133 00.0W		10	10.16	32.750	6.91	278.4
	BOTTOM	3730M	WIND 200	10KT	WEATHER 2					
	DOMINANT WAVES	250	04	06						
46.135	06/02/72	0308GMT	46 00.0N	135 00.0W		10	9.58	32.662	7.15	275.8
	BOTTOM	3918M	WIND 160	06KT	WEATHER 2					
	DOMINANT WAVES	270	04	07						
46.139	06/01/72	0546GMT	46 00.0N	139 00.0W		10	9.49	32.695	6.87	272.0
	BOTTOM	4316M	WIND 250	18KT	WEATHER 2					
	DOMINANT WAVES	250	04	07						
46.141	05/31/72	1921GMT	46 00.0N	141 00.0W		10	9.36	32.724	6.80	267.9
	BOTTOM	4314M	WIND 280	20KT	WEATHER 2					
	DOMINANT WAVES	250	04	07						
46.143	05/31/72	0837GMT	45 58.0N	143 01.0W		10	9.14	32.729	7.04	264.2
	BOTTOM	4569M	WIND 300	16KT	WEATHER 2					
	DOMINANT WAVES									
45.150	05/29/72	1206GMT	45 01.0N	149 59.0W		10	9.92	33.061	6.77	251.6
	BOTTOM	5218M	WIND 070	14KT	WEATHER 2					
	DOMINANT WAVES									
44.155	05/28/72	0845GMT	43 56.0N	155 00.0W		10	10.16	33.241	6.73	242.1
	BOTTOM	5494M	WIND 180	19KT	WEATHER 2					
	DOMINANT WAVES									
43.160	05/27/72	0858GMT	42 52.0N	160 00.0W		10	10.46	33.639	6.72	217.5
	BOTTOM	5175M	WIND 350	08KT	WEATHER 2					
	DOMINANT WAVES									
42.135	05/17/72	0347GMT	42 00.0N	135 00.0W		10	11.38	32.917	6.53	286.4
	BOTTOM	4017M	WIND 330	16KT	WEATHER 2					
	DOMINANT WAVES	330	05	05						
42.137	05/17/72	1634GMT	41 59.5N	137 02.0W		10	11.07	32.920	6.77	280.9
	BOTTOM	4078M	WIND 300	19KT	WEATHER 2					
	DOMINANT WAVES	300	05	04						
42.139	05/18/72	0159GMT	41 59.5N	139 00.0W		10	11.42	32.981	6.68	282.3
	BOTTOM	4070M	WIND 310	18KT	WEATHER 2					
	DOMINANT WAVES	310	04	06						
42.143	05/18/72	2215GMT	42 00.0N	142 57.5W		10	12.80	33.480	6.27	270.4
	BOTTOM	4582M	WIND 240	11KT	WEATHER 2					
	DOMINANT WAVES	250	03	04						
42.145	05/19/72	1338GMT	42 00.0N	143 00.5W		10	11.72	33.157	6.67	274.6
	BOTTOM	4727M	WIND 190	16KT	WEATHER 0					
	DOMINANT WAVES									
42.153	05/21/72	1550GMT	41 44.0N	152 57.0W		10		33.347	6.68	
	BOTTOM	5201M	WIND 030	10KT	WEATHER 1					
	DOMINANT WAVES	020	02	05						
BUOY 56	05/22/72	2010GMT	42 23.0N	157 59.0W		10	11.90	33.664	6.62	240.4
	BOTTOM	5215M	WIND 150	13KT	WEATHER 1					
	DOMINANT WAVES	150	02	03						
BUOY 56	05/22/72	2143GMT	42 23.0N	157 59.0W		10	11.89	33.657	6.62	240.8
	BOTTOM	5172M	WIND 180	16KT	WEATHER 2					
	DOMINANT WAVES	180	02	03						
BUOY 55	05/26/72	0608GMT	42 00.0N	164 05.0W		10	10.18	33.667	6.65	210.9
	BOTTOM	M	WIND 320	20KT	WEATHER 6					
	DOMINANT WAVES	310	07	06						
BUOY 48	05/20/72	0531GMT	41 01.0N	148 02.0W		10	13.68	33.698	6.06	271.2
	BOTTOM	5025M	WIND 210	19KT	WEATHER 2					
	DOMINANT WAVES	210	08	04						
39.137	05/01/72	2302GMT	38 59.0N	136 58.0W		10	13.10	33.394	6.18	282.4
	BOTTOM	5167M	WIND 190	12KT	WEATHER 2					
	DOMINANT WAVES	190	02	03						
39.139	05/01/72	1300GMT	39 02.0N	138 53.0W		10	12.98	33.435	6.02	277.1
	BOTTOM	4885M	WIND 220	14KT	WEATHER					
	DOMINANT WAVES									
35.129	04/26/72	0436GMT	35 00.0N	128 57.5W		10	13.92	33.203	6.08	312.2
	BOTTOM	4688M	WIND 020	22KT	WEATHER 2					
	DOMINANT WAVES	020		05						

					Z	T	S	Q2	DT
31.127	04/21/72	0640GMT	31 00.0N	127 00.0W	10	16.04	33.732	5.84	317.2
		BOTTOM 4697M	WIND 010 10KT	WEATHER					
		DOMINANT WAVES							
31.131	04/22/72	1015GMT	31 01.0N	131 00.0W	10	16.34	33.858	5.86	314.6
		BOTTOM 4507M	WIND 030 10KT	WEATHER					
		DOMINANT WAVES							
31.133	04/22/72	2028GMT	31 00.0N	133 00.0W	10	16.72	33.959	5.77	315.6
		BOTTOM 4697M	WIND 010 02KT	WEATHER 1					
		DOMINANT WAVES	020 01 04						
31.135	04/23/72	0751GMT	31 00.0N	135 00.0W	10	16.75	34.153	5.74	302.1
		BOTTOM 4327M	WIND 220 14KT	WEATHER					
		DOMINANT WAVES							
31.139	04/24/72	1440GMT	31 00.0N	139 00.0W	10	17.46	34.663	5.68	281.0
		BOTTOM 4121M	WIND 030 10KT	WEATHER 1					
		DOMINANT WAVES	010 08 08						
31.141	04/25/72	0215GMT	31 00.0N	141 00.0W	10	18.00	34.812	5.62	282.7
		BOTTOM 4793M	WIND 330 12KT	WEATHER 1					
		DOMINANT WAVES	020 08 08						
31.143	04/25/72	1537GMT	31 00.0N	143 00.0W	10	18.10	34.868	5.69	281.0
		BOTTOM 4889M	WIND 280 10KT	WEATHER 1					
		DOMINANT WAVES	110 06 07						
27.127	05/01/72	2342GMT	27 00.0N	126 59.5W	10	17.08	34.058	5.83	316.4
		BOTTOM 4507M	WIND 030 10KT	WEATHER 1					
		DOMINANT WAVES	020 04 05						
27.129	05/01/72	1312GMT	27 00.0N	129 00.0W	10	17.84	34.341	5.72	313.2
		BOTTOM 4410M	WIND 020 12KT	WEATHER					
		DOMINANT WAVES							
27.131	05/01/72	0235GMT	27 00.0N	131 00.0W	10	17.72	34.359	5.78	309.1
		BOTTOM 4889M	WIND 040 16KT	WEATHER 2					
		DOMINANT WAVES	040 06 05						
27.135	04/30/72	0132GMT	27 00.0N	135 00.0W	10	19.12	34.793	5.55	310.8
		BOTTOM 4602M	WIND 050 20KT	WEATHER 2					
		DOMINANT WAVES	070 06 06						
27.137	04/29/72	1259GMT	27 00.0N	137 00.0W	10	19.08	34.771	5.54	311.4
		BOTTOM 4889M	WIND 070 22KT	WEATHER					
		DOMINANT WAVES							
27.139	04/29/72	0027GMT	27 00.0N	139 00.0W	10	19.87		5.53	
		BOTTOM 4697M	WIND 080 21KT	WEATHER 1					
		DOMINANT WAVES	080 06 05						
27.143	04/27/72	2213GMT	27 00.0N	143 08.5W	10	20.53	35.182	5.48	317.8
		BOTTOM 4697M	WIND 050 22KT	WEATHER 1					
		DOMINANT WAVES	040 05 05						
27.145	04/27/72	0802GMT	27 00.0N	144 58.0W	10	20.40	35.317	5.39	304.7
		BOTTOM 5080M	WIND 090 16KT	WEATHER					
		DOMINANT WAVES							
24.121	05/16/72	0832GMT	24 00.0N	121 00.0W	10	18.20	34.352U	5.59	
		BOTTOM 4217M	WIND 070 07KT	WEATHER					
		DOMINANT WAVES							
24.123	05/16/72	1919GMT	24 00.0N	123 00.0W	10	17.94	33.894	5.68	348.1
		BOTTOM 3929M	WIND 010 01KT	WEATHER 1					
		DOMINANT WAVES	010 03 05						
24.125	05/17/72	0642GMT	24 00.0N	125 00.0W	10	17.91	34.072	5.63	334.4
		BOTTOM 4410M	WIND 340 04KT	WEATHER					
		DOMINANT WAVES							
24.127	05/17/72	1930GMT	24 00.0N	127 00.0W	10	18.40	34.178	5.56	338.2
		BOTTOM 4121M	WIND 010 13KT	WEATHER 1					
		DOMINANT WAVES	360 03 05						
24.131	05/18/72	1822GMT	24 00.0N	131 00.0W	10	19.20	34.741	5.50	316.5
		BOTTOM 4889M	WIND 030 16KT	WEATHER 2					
		DOMINANT WAVES	020 04 04						
24.133	05/19/72	0515GMT	24 00.0N	133 00.0W	10	19.58	34.765	5.43	324.1
		BOTTOM 4507M	WIND 030 18KT	WEATHER					
		DOMINANT WAVES	030 08 05						

					Z	T	S	02	DT
24.135	05/19/72	1728GMT	24 00.0N	135 00.0W	10	19.62	U 34.676	5.51	
	BOTTOM	4889M	WIND 030	13KT WEATHER 2					
	DOMINANT WAVES	030 07 05							
24.139	05/20/72	1820GMT	24 00.0N	139 00.0W	10		34.841	5.24	
	BOTTOM	5080M	WIND 050	10KT WEATHER 1					
	DOMINANT WAVES	030 06 05							
24.141	05/21/72	0627GMT	24 00.0N	141 00.0W	10	22.29	34.754	5.21	394.8
	BOTTOM	4507M	WIND 040	18KT WEATHER					
	DOMINANT WAVES								
24.143	05/21/72	1822GMT	24 00.0N	143 00.0W	10	21.70	34.997	5.27	361.5
	BOTTOM	5080M	WIND 080	14KT WEATHER 1					
	DOMINANT WAVES	060 06 05							
20.121	05/30/72	0636GMT	20 00.0N	121 00.0W	10	21.10	34.424	5.33	387.3
	BOTTOM	4313M	WIND 030	12KT WEATHER					
	DOMINANT WAVES								
20.123	05/29/72	1619GMT	20 00.0N	123 00. W	10	22.00	34.327	5.17	417.9
	BOTTOM	4313M	WIND 050	08KT WEATHER 1					
	DOMINANT WAVES	010 04 04							
20.127	05/28/72	1706GMT	19 55.0N	127 01.0W	10	22.88	34.584	5.10	423.1
	BOTTOM	5080M	WIND 030	06KT WEATHER 2					
	DOMINANT WAVES	020 05 04							
20.129	05/28/72	0127GMT	20 00.0N	129 00.0W	10	20.81	34.490	5.38	375.0
	BOTTOM	1861M	WIND 040	13KT WEATHER 1					
	DOMINANT WAVES	050 03 04							
20.131	05/27/72	1335GMT	20 00.0N	131 00.0W	10	20.64	34.575	5.29	364.5
	BOTTOM	4697M	WIND 060	14KT WEATHER					
	DOMINANT WAVES								
20.135	05/26/72	1003GMT	20 00.0N	135 00.0W	10	21.52	34.605	5.21	385.1
	BOTTOM	4793M	WIND 050	14KT WEATHER					
	DOMINANT WAVES								
20.137	05/25/72	2236GMT	20 00.0N	136 59.0W	10	22.32	34.547	5.20	410.6
	BOTTOM	5467M	WIND 050	17KT WEATHER 1					
	DOMINANT WAVES	040 04 05							
20.139	05/25/72	0835GMT	19 56.0N	138 59.0W	10	22.93	34.489	5.09	431.3
	BOTTOM	5080M	WIND 070	20KT WEATHER					
	DOMINANT WAVES								
20.143	05/24/72	0431GMT	20 00.0N	143 10.0W	10	22.29	34.670	5.17	400.9
	BOTTOM	5272M	WIND 070	16KT WEATHER 1					
	DOMINANT WAVES	090 04 06							
20.145	05/23/72	1106GMT	20 00.0N	145 00.0W	10	22.90	34.528	5.22	427.7
	BOTTOM	4889M	WIND 080	12KT WEATHER					
	DOMINANT WAVES								