

data report

PHYSICAL, CHEMICAL AND BIOLOGICAL DATA

**CalCOFI Cruise 8602
5 – 20 February 1986**

**SIO Reference 86-9
5 May 1986**

UNIVERSITY OF CALIFORNIA
SCRIPPS INSTITUTION OF OCEANOGRAPHY

PHYSICAL, CHEMICAL AND BIOLOGICAL DATA

CalCOFI Cruise 8602
5 - 20 February 1986

SIO Reference 86-9
5 May 1986

Approved for distribution:


W. A. Nierenberg, Director

CONTENTS

Introduction	3
Literature Cited	5
Cruise 8602	
List of Figures	7
Personnel	13
Tabulated Hydrographic Cast Data	14
Tabulated Primary Productivity Cast Data	39
Tabulated Secchi Disk Observations	42
Tabulated Macrozooplankton Data	43
Distribution List	44

INTRODUCTION

The data in this report were collected during Cruise 8602* of the California Cooperative Oceanic Fisheries Investigations (CalCOFI) program aboard the RV *David Starr Jordan* of the National Marine Fisheries Service. The data were collected and processed by personnel of the Marine Life Research Group (MLRG), the Southwest Fisheries Center, National Marine Fisheries Service (NMFS), and the Physical and Chemical Oceanographic Data Facility (PACODF).

STANDARD PROCEDURES

Hydrographic Cast Data

The hydrographic casts consisted of 20 or fewer Nansen bottles lowered to a maximum sampling depth of 600 meters, bottom depth permitting. Temperature, salinity, oxygen and nutrients were determined for all depths sampled. Chlorophyll-a and phaeopigments were usually determined from the top 12 depths.

Paired protected reversing thermometers were used to determine temperatures which are recorded to hundredths of a degree Celsius. Sampling bottles used below a depth of 100 meters were equipped with unprotected thermometers for determination of the depth of sampling.

Salinity samples were analyzed at sea using inductive-type salinometers. Salinometers were standardized with sub-standard seawater. Periodic checks on the concentration of the substandard were made by comparison with Wormley Standard Seawater batch P-96. The salinity values are reported to three decimal places.

Dissolved oxygen was determined by the Winkler method as modified by Carpenter (1965), using the equipment and procedure outlined by Anderson (1971). Percent oxygen saturation was calculated from the equations of Weiss (1970).

Silicate, phosphate, nitrate and nitrite nutrients were determined at sea using an automated analyzer. The procedures used are similar to those described in Atlas *et al.* (1971).

Chlorophyll was measured with a fluorometric technique (Yentsch and Menzel, 1963; Holm-Hansen *et al.*, 1965) from subsamples filtered onto GF/C filters. The pigments were extracted with a cold extraction technique in 90% acetone (Venrick and Hayward, 1984) and the fluorescence determined before and after acidification with a Turner fluorometer.

The observed data have been evaluated using the methodology described by Klein (1973). This involves consideration of their variation as functions of density or depth and their relations to each other, and comparisons with adjacent observations.

Primary Productivity Casts

Primary production was estimated from C uptake using a simulated *in situ* technique. Light penetration was estimated from the Secchi depth (assuming that the 1% light level is three times the Secchi depth). Six depths, corresponding to predetermined levels of light penetration, were sampled with 5 l Niskin bottles. Temperature, salinity, oxygen, nutrients, chlorophyll-a, and phaeopigments were determined for all depths sampled. Triplicate samples (two light and one dark control) were drawn from each depth into 250 ml polycarbonate incubation bottles which were inoculated with 10 μ Ci of C as NaHCO₃. These were then incubated approximately from local apparent noon to civil twilight in seawater-cooled incubators with neutral-density screens which simulate the *in situ* light levels. At the end of the incubation, the samples were filtered onto HA millipore filters and placed in scintillation vials. One-half ml of 10% HCl was added to each sample. The sample was then allowed to sit, without a cap, at room temperature for 12 hours (after Lean and Burnison, 1979). Following this, 10 ml of scintillation fluor were added to each sample and the samples were returned to S.I.O. where the radioactivity was determined with a scintillation counter.

* The first two digits represent the year and the last digits the month of the cruise.

Macrozooplankton Net Tows

Macrozooplankton was sampled with a 71 cm mouth diameter paired net (bongo net) equipped with 0.505 mm plankton mesh. Bottom depth permitting, the nets were towed obliquely from 210 m to the surface. The tow time for a standard tow was 21.5 minutes. Volumes filtered were determined from flowmeter readings and the mouth area of the net. Only one sample of each pair was retained and preserved. The biomass, as wet displacement volume, after removal of large (> 5 ml) organisms, was determined in the laboratory ashore. These procedures are summarized in greater detail in Kramer *et al.* (1972).

TABULATED DATA

The reported hydrographic cast time is the Greenwich Mean Time (GMT) of the messenger release. Bottom depths, determined acoustically, have been corrected using British Admiralty Tables (Carter, 1980) and are reported in meters. Weather conditions have been coded using W M O code 4051.

Data tabulations are presented in the following forms:

Hydrographic Cast Data

Observed and interpolated standard depth data from hydrographic casts have been interspersed and are presented together sequentially by depth. Interpolated or extrapolated standard level data are noted by the footnote "ISL" printed after the depth. Density-related parameters have been calculated from the International Equation of State of Seawater 1980 (EOS80, UNESCO, 1981). Some of the differences between EOS80 and the older equations-of-state are discussed in the introduction to SIO Ref. 84-18. Computed values of potential temperature, sigma-theta, specific volume anomaly (SVA), dynamic height or geopotential anomaly, and pressure are included with both observed and interpolated standard depth levels.

Primary Productivity Casts

In addition to the normal hydrographic data, the tabulated data include: the light levels at which the samples were incubated, the uptake from each of the replicate light bottles (uptake 1 and uptake 2) which have been corrected for dark uptake by subtracting the dark value, the mean of the two uptake values, the dark uptake, chlorophyll and phaeophytin. The uptake values shown are the total for the incubation period. The times of local apparent noon (LAN), civil twilight, and the vertically integrated value of the mean uptake from the surface to the deepest sample depth (assuming that the shallowest measured value extends to the surface and that negative values are zero) are also shown for each experiment. The uptake data have been presented to two significant digits (values < 1.00) or one decimal (values > 1.00). The higher production values may not warrant all of the significant digits presented. Incubation time, LAN, and civil twilight are given in local Pacific Standard Time (PST); to convert to GMT, add eight hours to the PST time.

Secchi Disk Observations


Secchi disk observations were made on most daylight stations. The times are given in local PST (4-8) time. Weather codes and cloud observations are also presented.

Macrozooplankton Data

Macrozooplankton biomass volumes are tabulated as total biomass volume (cm³/1000 m strained) and as the total volume minus the volume of larger organisms under the heading "Small".

LITERATURE CITED

- Anderson, G. C., compiler, 1971. "Oxygen Analysis," Marine Technician's Handbook, SIO Ref. No. 71-8, Sea Grant Pub. No. 9.
- Atlas, E. L., J. C. Callaway, R. D. Tomlinson, L. I. Gordon, L. Barstow and P. K. Park, 1971. *A Practical Manual for Use of the Technicon Auto Analyzer in Sea Water Nutrient Analysis*; Revised. Oregon State University Technical Report 215, Reference No. 71-22.
- Carpenter, J. H., 1965. The Chesapeake Bay Institute technique for the Winkler dissolved oxygen method. *Limnol. Oceanogr.*, 10:141-143.
- Carter, D. J. T., 1980. Echo-sounding correction tables. Third Edition. Hydrographic Department, Ministry of Defence, Taunton, U. K., NP 139: 150 pp.
- Holm-Hansen, O., C. J. Lorenzen, R. W. Holmes, and J. D. H. Strickland, 1965. Fluorometric determination of chlorophyll. *J. Cons. perm. int. Explor. Mer.*, 30:3-15.
- Klein, Hans T., 1973. A new technique for processing physical Oceanographic data. SIO Ref. No. 73-14.
- Kramer, D., M. J. Kalin, E. G. Stevens, J. R. Thrailkill, and J. R. Zweifel, 1972. Collecting and processing data on fish eggs and larvae in the California Current region. *NOAA Technical Report NMFS CIRC-370*: 38 pp.
- Lean, D. R. S., and B. K. Burnison, 1979. An evaluation of errors in the C method of primary production measurement. *Limnol. Oceanogr.*, 24:799-998.
- Scripps Institution of Oceanography, University of California, 1984. Physical, Chemical and Biological Data, CalCOFI Cruise 8401, 4-27 January 1984. SIO Ref. No. 84-18, 120 pp.
- UNESCO, 1981. Background papers and supporting data on the International Equation of State 1980. *UNESCO Tech. Pap. in Mar. Sci.*, No. 38.
- Venrick, E. L. and T. L. Hayward, 1984. Determination of chlorophyll on the 1984 CalCOFI surveys. *CalCOFI Rep.*, Vol. XXV: 74-79.
- Weiss, R. F., 1970. The solubility of nitrogen, oxygen and argon in water and seawater. *Deep-Sea Res.*, 17:721-735.
- Yentsch, C. S. and D. W. Menzel, 1963. A method for the determination of phytoplankton chlorophyll and phaeophytin by fluorescence. *Deep-Sea Res.*, 10:221-231.



cm/sec	0	1	2	3	4	5	6	7	8	9
0	<i>KNOTS</i> 0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16	0.17	
	<i>NM/DAY</i> 0.47	0.93	1.40	1.86	2.33	2.80	3.26	3.73	4.20	4.20
10	0.19	0.21	0.23	0.25	0.27	0.29	0.31	0.33	0.35	0.37
	4.66	5.13	5.59	6.06	6.53	6.99	7.46	7.93	8.39	8.86
20	0.39	0.41	0.43	0.45	0.47	0.49	0.51	0.52	0.54	0.56
	9.32	9.79	10.26	10.72	11.19	11.66	12.12	12.59	13.05	13.52
30	0.58	0.60	0.62	0.64	0.66	0.68	0.70	0.72	0.74	0.76
	13.99	14.45	14.92	15.38	15.85	16.32	16.78	17.25	17.72	18.18
40	0.78	0.80	0.82	0.84	0.85	0.87	0.89	0.91	0.93	0.95
	18.65	19.11	19.58	20.05	20.51	20.98	21.45	21.91	22.38	22.84
50	0.97	0.99	1.01	1.03	1.05	1.07	1.09	1.11	1.13	1.15
	23.31	23.78	24.24	24.71	25.17	25.64	26.11	26.57	27.04	27.51
60	1.17	1.18	1.20	1.22	1.24	1.26	1.28	1.30	1.32	1.34
	27.98	28.44	28.90	29.37	29.84	30.30	30.77	31.24	31.70	32.17
70	1.36	1.38	1.40	1.42	1.44	1.46	1.48	1.50	1.52	1.53
	32.63	33.10	33.57	34.03	34.50	34.96	35.43	35.90	36.36	36.83
80	1.55	1.57	1.59	1.61	1.63	1.65	1.67	1.69	1.71	1.73
	37.30	37.76	38.23	38.69	39.16	39.63	40.09	40.56	41.03	41.49
90	1.75	1.77	1.79	1.81	1.83	1.85	1.86	1.88	1.90	1.92
	41.96	42.42	42.89	43.36	43.82	44.29	44.76	45.22	45.69	46.15
100	1.94	1.96	1.98	2.00	2.02	2.04	2.06	2.08	2.10	2.12
	46.62	47.09	47.55	48.02	48.48	48.95	49.42	49.88	50.35	50.82



CONVERSION TABLE
(CENTIMETERS / SECOND - KNOTS - NAUTICAL MILES / DAY)

1cm/sec = 0.019 kts = 0.466 NAUTICAL MILES / DAY
 1kt = 24 NAUTICAL MILES / DAY = 51.48 cm/sec
 1NAUTICAL MILE / DAY = 0.042 kts = 2.14 cm/sec

FIGURES

Cruise 8602

1. CalCOFI Cruise 8602, station positions.
2. Horizontal distribution of chlorophyll-a at 10 meters.
3. Horizontal distribution of dynamic height anomaly (0 over 500 m).
4. Horizontal distribution of sigma-theta at 10 meters.
5. Horizontal distribution of temperature at 10 meters.
6. Horizontal distribution of salinity at 10 meters.
7. Horizontal distribution of dynamic height anomaly (200 over 500 m).
8. Horizontal distribution of sigma-theta at 200 meters.
9. Horizontal distribution of temperature at 200 meters.
10. Horizontal distribution of salinity at 200 meters.






FIGURE 3




FIGURE 4




FIGURE 5




FIGURE 6




FIGURE 7




FIGURE 8




FIGURE 9




FIGURE 10

PERSONNEL

Cruise 8602

SHIP'S CAPTAIN

Milton Roll, RV *David Starr Jordan*

PERSONNEL PARTICIPATING IN THE COLLECTION OF DATA

Flerx, William C. (in charge)	Fishery Biologist, NMFS
Abramenkoff, Dimitry N.	Fishery Biologist, NMFS
Anderson, George C.	Staff Research Associate, SIO
Bryan, Walter R.	Marine Technician, SIO
Cummings, Sherry L.	Staff Research Associate, SIO
Dotson, Ronald C.	Fishery Biologist, NMFS
Masten, Douglas M.	Marine Technician, SIO
Meyer, Cindy H.	Computer Programmer, NMFS
Sweet, Paul R.	Staff Research Associate, SIO
Tsuji, Sachiko	U. C. Sea Grant Program, NMFS

LATITUDE	LONGITUDE	DAY/MO/YR	MESSENGER	BOTTOM	WIND	SPEED	WAVES	WEATHER	BAROMETER	DRY	WET	CLOUD	AMT	TYPE		
35 01.1 N	120 55.1 W	19/02/86	2059 GMT	248 M	220	06 KT	260 07 10	2	1016.6 MB	15.0 C	14.0 C	8/8	SC			
CAST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRESS
	M	DEG C	DEG C		THETA			ML/I.	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR
1	0 ISL	13.74	13.74	33.105	24.777	316.6	.000	6.09	103.1							0
1	1	n.74	13.74	33.105	24.777	316.0	.003	6.09	103.1							1
1	10 ISL	13.51	13.51	33.105	24.824	311.8	.031	6.15	103.6	4.0	.51	1.2	.07	.85	.35	10
1	11	13.49	13.49	33.105	24.828	311.4	.034	6.15	103.6	3.8	.50	1.0	.07	.95	.40	11
1	20 ISL	13.43	13.43	33.118	24.850	309.6	.062	6.11	102.8							20
1	30 ISL	13.39	13.39	33.152	24.885	306.5	.093	6.06	101.9							30
1	32	13.39	13.38	33.161	24.893	305.8	.099	6.05	101.7	3.8	.51	1.3	.09	.93	.39	32
1	48	13.08	13.08	33.281	25.046	291.6	.147	5.91	98.8	4.6	.58	2.3	.16	.46	.33	48
1	50 ISL	13.05	13.05	33.280	25.052	291.0	.153	5.91	98.8							50
1	58	12.94	12.93	33.277	25.072	289.5	.175	5.90	98.4	4.7	.62	2.5	.18	.41	.36	58
1	74	12.69	12.68	33.350	25.178	279.8	.221	5.71	94.7	5.8	.69	3.8	.24	.27	.27	74
1	75 ISL	12.67	12.66	33.352	25.183	279.3	.225	5.69	94.4							75
1	89	12.47	12.46	33.380	25.244	273.9	.262	5.52	91.2	7.9	.83	5.1	.25	.31	.42	89
1	100 ISL	12.31	12.29	33.441	25.323	266.6	.293	5.36	88.3							101
1	108	12.11	12.10	33.497	25.403	259.2	.315	5.17	84.8	9.7	.95	8.1	.35	.20	.24	109
1	125 ISL	11.36	11.34	33.599	25.624	238.5	.356	4.40	71.1							126
1	134	10.81	10.79	33.669	25.776	224.1	.378	3.88	62.0	19.3	1.50	17.0	.14	.12	.19	135
1	150 ISL	9.80	9.78	33.835	26.079	195.4	.411	3.06	47.9							151
1	154	9.55	9.53	33.878	26.155	188.3	.419	2.87	44.6	28.8	1.95	24.1	.04	.02	.10	155
1	186	8.70	8.68	33.999	26.385	166.8	.476	2.41	36.8	37.9	2.22	27.6	.07	.01	.12	187
1	200 ISL	8.51	8.49	34.029	26.439	161.9	.499	2.27	34.5							202
1	213	8.42	8.40	34.043	26.462	159.9	.520	2.18	33.1	41.8	2.32	28.9	.09	.01	.17	214

LATITUDE	LONGITUDE	DAY/MO/YR	MESSENGER	BOTTOM	WIND	SPEED	WAVES	WEATHER	BAROMETER	DRY	WET	CLOUD	AMT	TYPE		
34 53.1 N	121 12.0 W	19/02/86	1741 GMT	573 M	210	11 KT	210 05 07	2	1015.9 MB	15.7 C	14.6 C	8/8	SC			
CAST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRESS
	M	DEG C	DEG C		THETA			ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR
1	0 ISL	13.44	13.44	33.249	24.950	299.7	.000	6.05	101.9							0
1	1	13.44	13.44	33.249	24.950	299.5	.003	6.05	101.9	4.2	.51	1.6	.09	1.16	.55	1
1	10 ISL	13.38	13.38	33.253	24.964	298.4	.030	6.07	102.1							10
1	11	13.38	13.37	33.253	24.966	298.3	.033	6.07	102.1	4.3	.52	1.7	.09	1.11	.57	11
1	20 ISL	13.26	13.26	33.287	25.016	293.9	.060	6.01	100.9							20
1	30 ISL	13.06	13.06	33.339	25.096	286.4	.089	5.86	98.0							30
1	32	13.01	13.01	33.352	25.115	284.7	.094	5.82	97.2	5.1	.62	3.0	.18	.41	.38	32
1	48	12.49	12.49	33.442	25.287	268.7	.138	5.37	88.8	7.9	.80	6.0	.27	.25	.26	48
1	50 ISL	12.44	12.44	33.445	25.299	267.7	.144	5.34	88.3							50
1	59	12.23	12.23	33.461	25.352	262.8	.167	5.22	85.8	9.5	.89	7.2	.26	.24	.27	59
1	74	11.62	11.61	33.595	25.570	242.3	.205	4.62	75.1	15.0	1.21	12.2	.35	.19	.29	74
1	75 ISL	11.58	11.57	33.600	25.583	241.1	.208	4.57	74.2							76
1	90	11.09	11.08	33.642	25.705	229.9	.242	4.05	65.1	17.3	1.41	15.8	.08	.09	.21	90
1	100 ISL	10.68	10.67	33.685	25.810	220.1	.266	3.71	59.1							101
1	104	10.52	10.50	33.705	25.855	215.9	.275	3.58	56.8	20.4	1.59	19.0	.02	.04	.16	105
1	125 ISL	10.01	9.99	33.804	26.020	200.5	.318	3.13	49.1							126
1	130	9.91	9.90	33.828	26.055	197.3	.329	3.04	47.7	25.5	1.83	22.6	.02	.02	.11	131
1	150 ISL	9.63	9.61	33.889	26.149	188.7	.367	2.81	43.8							151
1	151	9.62	9.60	33.891	26.153	188.3	.369	2.80	43.6	28.5	1.95	24.2	.01	.02	.09	152
1	181	9.46	9.44	33.929	26.209	183.6	.424	2.66	41.3	30.4	2.02	25.1	.01	.01	.08	182
1	200 ISL	9.19	9.17	33.978	26.292	176.1	.459	2.52	38.8							202
1	212	9.01	8.98	34.009	26.345	171.2	.479	2.43	37.4	34.3	2.15	27.1	.00	.01	.07	213
1	242	8.66	8.64	34.047	26.429	163.6	.529	2.33	35.6	37.3	2.23	28.2	.00			243
1	250 ISL	8.51	8.48	34.057	26.461	160.7	.543	2.27	34.6							252
1	282	7.89	7.86	34.094	26.582	149.5	.593	1.98	29.7	45.8	2.43	30.9	.00			284
1	300 ISL	7.67	7.64	34.119	26.635	144.7	.619	1.74	26.0							302
1	343	7.26	7.22	34.164	26.729	136.2	.679	1.24	18.3	57.5	2.74	34.2	.00			345
1	398	6.81	6.77	34.162	26.790	131.0	.753	1.14	16.7	61.6	2.80	35.9	.00			401
1	400 ISL	6.81	6.77	34.164	26.792	130.8	.755	1.13	16.5							403
1	460	6.60	6.56	34.239	26.879	123.3	.831	.68	9.9	69.4	3.00	37.4	.00			463
1	500 ISL	6.32	6.27	34.266	26.938	118.1	.880	.52	7.5							504
1	523	6.09	6.04	34.272	26.972	114.9	.907	.47	6.8	78.4	3.10	39.1	.00			527

LATITUDE	LONGITUDE	DAY/MO/YR	MESSENGER		BOTTOM	WIND	SPEED	WAVES	WEATHER	BAROMETER	DRY	WET	CLOUD	AMT	TYPE	
34 03.3 N	122 56.1 W	19/02/86	0438	GMT	4305 M	190	22 KT		A	1012.0 MB	15.0 C	15.0 C		7/8	ST	
CAST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SIO3	PO4	NO3	NO2	CHL-A	PHAE0	PRESS
	M	DEG C	DEG C		THETA			ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR
	0	ISL 14.26	14.26	33.068	2A.6A0	329.0	.000	5.95	101.8							0
1	1	14.26	14.26	33.068	2A.6A0	329.0	.003	5.95	101.8	2.3	.38	.0	.00	.15	.07	1
	10	ISL 14.26	14.26	33.068	2A.6A1	329.3	.033	5.99	102.5							10
1	11	14.26	14.26	33.068	2A.6A1	329.3	.036	5.99	102.5	2.3	.40	.0	.00	.17	.06	11
	20	ISL 14.25	14.25	33.066	2A.6A2	329.2	.066	5.99	102.5							20
1	27	14.23	14.22	33.065	2A.6A7	329.2	.089	5.99	102.4	2.3	.38	.0	.00	.18	.07	27
	30	ISL 14.20	14.20	33.062	2A.650	328.9	.099	5.99	102.4							30
1	A2	14.10	14.10	33.053	2A.66A	327.9	.138	5.99	102.2	2.4	.39	.0	.00	.22	.09	42
	50	ISL 13.81	13.80	33.091	24.753	319.7	.164	6.01	101.9							50
1	58	13.26	13.26	33.124	24.889	306.9	.188	6.03	101.1	3.2	.45	.5	.07	.40	.21	58
1	68	11.98	11.97	33.121	25.136	283.5	.218	5.87	95.8	5.1	.68	4.0	.13	.23	.20	68
	75	ISL 11.64	11.63	33.196	25.257	272.2	.238	5.73	92.9							76
1	78	11.58	11.57	33.226	25.292	268.8	.245	5.67	91.8	6.5	.8A	6.8	.05	.15	.18	78
1	9A	10.86	10.85	33.311	25.488	250.5	.286	5.2A	83.6	8.5	1.01	9.9	.02	.05	.08	9A
	100	ISL 10.59	10.58	33.379	25.588	241.1	.302	5.03	79.9							101
1	108	10.24	10.23	33.469	25.718	228.8	.322	4.78	75.3	12.7	1.20	13.8	.01	.03	.04	109
1	124	9.60	9.59	33.562	25.898	212.0	.357	4.50	69.9	16.6	1.40	16.9	.00	.01	.03	125
	125	ISL 9.58	9.57	33.568	25.906	211.3	.359	4.47	69.4							126
1	149	9.00	8.98	33.779	26.166	186.9	.407	3.36	51.6	27.2	1.86	24.2	.00	.01	.03	150
	150	ISL 8.98	8.96	33.784	26.173	186.3	.408	3.36	51.5							151
1	170	8.52	8.51	33.883	26.321	172.4	.444	3.32	50.5	30.3	1.90	25.2	.00	.00	.02	171
1	190	8.20	8.19	33.927	26.40A	164.9	.478	3.52	53.1	32.1	1.89	25.1	.00			191
	200	ISL 8.06	8.04	33.948	26.442	161.4	.494	3.50	52.6							202
1	211	7.90	7.88	33.966	26.480	157.9	.511	3.47	52.0	34.9	1.94	26.0	.00			212
1	242	7.30	7.28	33.974	26.572	149.4	.559	3.08	45.5	41.7	2.12	28.7	.00			243
	250	ISL 7.21	7.19	33.986	26.594	147.4	.571	2.91	43.0							252
1	282	6.96	6.94	34.035	26.667	140.8	.618	2.25	33.0	51.1	2.42	32.2	.00			284
	300	ISL 6.81	6.78	34.047	26.698	138.1	.642	2.02	29.5							302
1	344	6.39	6.36	34.061	26.765	132.2	.702	1.61	23.3	61.4	2.68	35.7	.00			346
	400	ISL 5.77	5.74	34.080	26.858	123.6	.774	1.20	17.1							403
1	421	5.57	5.54	34.091	26.891	120.5	.799	1.06	15.1	75.7	2.94	39.1	.00			424
1	498	5.38	5.34	34.183	26.988	112.1	.888	.54	7.6	84.9	3.12	40.9	.00			501
	500	ISL 5.37	5.33	34.187	26.992	111.9	.891	.53	7.5							504
1	575	5.11	5.07	34.283	27.099	102.3	.971	.30	4.2	93.9	3.24	41.9	.00			579

LATITUDE	LONGITUDE	DAY/MO/YR	MESSENGER		BOTTOM	WIND	SPEED	WAVES	WEATHER	BAROMETER	DRY	WET	CLOUD	AMT	TYPE	
33 43.1 N	123 37.9 W	18/02/86	2338	GMT	4305 M	190	18 KT	200 04 07	2	1013.3 MB	16.0 C	15.3 C		8/8	ST	
CAST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SIO3	PO4	NO3	NO2	CHL-A	PHAE0	PRESS
	M	DEG C	DEG C		THETA			ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR
1	0	15.22	15.22	33.130	24.483	344.0	.000	5.85	102.1	2.3	.37	.1	.00	.07	.03	0
1	10	15.13	15.13	33.119	24.494	343.2	.034	5.90	102.8	2.3	.37	.1	.00	.08	.03	10
	20	ISL 15.05	15.05	33.107	24.503	342.7	.069	5.89	102.5							20
1	26	15.00	15.00	33.106	24.514	341.9	.089	5.89	102.3	2.3	.39	.0	.00	.10	.04	26
	30	ISL 14.96	14.96	33.108	24.524	341.0	.103	5.89	102.3							30
1	41	14.86	14.85	33.154	24.582	335.8	.140	5.89	102.1	2.3	.40	.0	.00	.17	.06	41
	50	ISL 14.43	14.42	33.167	24.684	326.4	.170	5.95	102.3							50
1	56	14.09	14.08	33.184	24.768	318.4	.188	5.98	102.0	2.4	.40	.0	.00	.32	.22	56
1	67	13.47	13.46	33.279	24.968	299.6	.222	5.92	99.8	2.8	.48	.7	.19	.31	.25	67
	75	ISL 13.24	13.23	33.333	25.057	291.4	.247	5.82	97.6							76
1	78	13.18	13.17	33.345	25.077	289.5	.255	5.78	96.9	3.4	.55	2.2	.12	.21	.20	78
1	93	12.88	12.86	33.371	25.159	282.2	.297	5.64	94.0	3.7	.64	3.6	.02	.14	.15	93
	100	ISL 12.36	12.35	33.339	25.234	275.1	.318	5.53	91.1							101
1	109	11.67	11.66	33.326	25.353	263.8	.341	5.30	86.0	6.5	.85	7.2	.01	.08	.10	109
1	123	10.73	10.72	33.495	25.654	235.4	.378	4.47	71.2	13.1	1.29	14.7	.00	.03	.05	124
	125	ISL 10.66	10.64	33.506	25.676	233.3	.382	A.A2	70.3							126
1	149	9.87	9.85	33.652	25.925	210.0	.436	3.84	60.1	19.3	1.60	19.9	.00	.01	.03	150
	150	ISL 9.86	9.84	33.658	25.931	209.5	.437	3.81	59.6							151
1	170	9.62	9.60	33.808	26.088	194.9	.478	3.14	48.9	24.9	1.86	23.5	.00	.01	.03	171
1	190	9.16	9.14	33.925	26.255	179.4	.515	2.79	43.0	30.0	2.03	25.8	.00			191
	200	ISL 8.99	8.97	33.961	26.310	174.3	.533	2.67	41.1							201
1	211	8.82	8.80	33.990	26.359	169.8	.551	2.58	39.5	33.2	2.12	27.2	.00			212
	242	8.30	8.28	34.049	26.486	158.1	.602	2.41	36.5	38.3	2.22	28.9	.00			243
1	250	ISL 8.22	8.19	34.065	26.511	155.8	.615	2.31	34.9							252
	283	7.91	7.89	34.117	26.597	148.1	.666	1.86	27.9	45.5	2.45	31.4	.00			285
1	300	ISL 7.65	7.62	34.116	26.636	144.3	.690	1.72	25.7							302
1	344	6.93	6.90	34.114	26.735	135.4	.751	1.44	21.1	57.2	2.70	35.1	.00			346
	400	ISL 6.42	6.38	34.138	26.823	127.5	.825	1.06	15.3							403
1	421	6.28	6.25	34.149	26.849	125.3	.852	.93	13.4	67.9	2.93	38.0	.00			424
1	498	5.89	5.84	34.185	26.929	118.4	.945	.67	9.6	76.1	3.06	39.9	.00			501
	500	ISL 5.87	5.83	34.187	26.932	118.2	.948	.66	9.5							504
1	574	5.45	5.40	34.252	27.035	108.8	1.032	.41	5.8	85.6	3.19	41.3	.00			578

LATITUDE	LONGITUDE	DAY/MO/YR	MESSENGER	BOTTOM	WIND	SPEED	WAVES	WEATHER	BAROMETER	DRY	WET	CLOUD	AMT	TYPE		
34 09.0 N	121 08.8 W	17/02/86	1446 GMT	2227 M	170 16 KT	240 06 09	2	1019.8 MB	14.2 C	14.0 C	8/8	ST				
CAST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRESS
	M	DEG C	DEG C		THETA			ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR
	0 ISL	14.36	14.36	33.087	24.634	329.6	.000	5.94	101.9							0
1	1	14.36	14.36	33.087	24.634	329.6	.003	5.94	101.9	2.5	.39	.1	.00	.15	.06	1
1	20 ISL	14.34	14.34	33.086	24.638	329.6	.033	6.00	102.9	2.5	.38	.1	.00	.14	.06	10
1	26	14.24	14.24	33.078	24.653	328.4	.066	5.99	102.4							20
1	30 ISL	14.17	14.17	33.073	24.665	327.5	.085	5.98	102.2	2.5	.39	.1	.00	.16	.07	26
1	41	14.14	14.14	33.072	24.669	327.1	.099	5.98	102.1							30
1	50 ISL	14.06	14.06	33.071	24.685	325.9	.134	5.98	101.9	2,4	.39	.1	.00	.20	.10	41
1	57	13.88	13.88	33.060	24.714	323.4	.164	5.98	101.5							50
1	67	13.75	13.75	33.052	24.735	321.6	.186	5.98	101.3	2.6	.42	.3	.02	.31	.16	57
1	75 ISL	12.91	12.90	33.061	24.911	304.9	.217	5.96	99.2	2.9	.51	1.4	.07	.28	.20	67
1	77	11.60	11.59	33.182	25.254	272.4	.241	5.69	92.2							76
1	94	11.35	11.34	33.212	25.323	265.8	.245	5.63	90.7	5.2	.76	5.7	.02	.09	.12	77
1	94	11.03	11.02	33.403	25.529	246.6	.288	5.14	82.3	7.9	.94	9.4	.02	.04	.06	94
1	100 ISL	10.95	10.94	33.442	25.574	242.5	.304	5.08	81.2							101
1	108	10.76	10.76	33.484	25.638	236.6	.325	4.95	78.9	9.8	1.04	11.2	.02	.03	.05	109
1	124	9.95	9.93	33.585	25.859	215.8	.360	4.16	65.2	17.4	1.47	18.1	.01	.01	.03	125
1	125 ISL	9.92	9.91	33.589	25.866	215.1	.362	4.14	64.8							126
1	150	9.22	9.20	33.753	26.110	192.3	.413	3.54	54.6	23.9	1.76	22.7	.00	.00	.02	151
1	170	9.03	9.01	33.876	26.237	180.6	.450	3.07	47.2	28.5	1.91	25.1	.00	.00	.03	171
1	191	8.80	8.78	33.954	26.335	171.7	.487	2.86	43.8	31.7	2.03	26.1	.00			192
1	200 ISL	8.72	8.70	33.974	26.363	169.2	.502	2.81	42.9							202
1	211	8.62	8.60	33.992	26.392	166.5	.521	2.75	41.9	33.6	2.08	27.0	.00			212
1	242	8.21	8.18	34.041	26.494	157.3	.570	2.53	38.2	38.0	2.18	28.8	.00			243
1	250 ISL	8.10	8.08	34.049	26.515	155.4	.584	2.47	37.3							252
1	282	7.76	7.73	34.076	26.588	148.9	.633	2.21	33.0	43.7	2.35	30.7	.00			284
1	300 ISL	7.66	7.63	34.100	26.622	146.0	.659	1.98	29.6							302
1	344	7.45	7.41	34.159	26.698	139.3	.721	1.40	20.8	52.6	2.65	33.8	.00			346
1	400 ISL	6.95	6.91	34.211	26.809	129.3	.797	.89	13.0							403
1	420	6.76	6.72	34.226	26.848	125.8	.823	.75	11.0	65.5	2.92	37.0	.00			423
1	497	6.14	6.09	34.270	26.964	115.4	.915	.45	6.5	76.6	3.07	39.4	.00			500
1	500 ISL	6.11	6.07	34.272	26.969	115.0	.919	.44	6.3							504
1	572	5.63	5.58	34.306	27.057	107.0	.998	.32	4.6	85.7	3.19	40.9	.00			576

LATITUDE	LONGITUDE	DAY/MO/YR	MESSENGER	BOTTOM	WIND	SPEED	WAVES	WEATHER	BAROMETER	DRY	WET	CLOUD	AMT	TYPE		
33 48.9 N	121 50.5 W	17/02/86	2019 GMT	3686 M	170 15 KT	190 06 08	4	1020.0 MB	14.8 C	14.6 C						
CAST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRESS
	M	DEG C	DEG C		THETA			ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR
	0 ISL	14.10	14.10	33.160	24.746	326.5	.000	6.06	103.4							0
1	2	14.10	14.10	33.160	24.746	319.0	.006	6.06	103.4	2.6	.41	.4	.02	.58	.19	2
1	10 ISL	13.3y	13.39	33.287	24.990	296.0	.031	6.08	102.3							10
1	12	13.27	13.27	33.311	25.032	292.1	.037	6.08	102.1	3.4	.53	1.4	.07	.95	.33	12
1	20 ISL	13.19	13.19	33.333	25.068	288.8	.060	6.05	101.5							20
1	28	13.11	13.10	33.362	25.104	285.6	.083	6.00	100.5	4.0	.54	2.2	.10	.74	.39	28
1	30 ISL	13.10	13.09	33.367	25.104	285.1	.089	5.99	100.3							30
1	43	12.99	12.98	33.393	25.153	281.4	.125	5.8	98.4	4.4	.60	3.1	.13	.58	.36	43
1	50 ISL	12.90	12.90	33.419	25.189	278.1	.145	5.81	96.9							50
1	59	12.61	12.60	33.434	25.259	271.7	.169	5.61	93.0	5.6	.71	4.9	.1	.25	.26	59
1	69	11.78	11.77	33.398	25.389	259.5	.196	5.14	83.7	7.6	.91	8.3	.10	.1b	.22	69
1	75 ISL	11.57	11.56	33.477	25.489	250.2	.212	4.75	77.0							7b
1	79	11.50	11.49	33.529	25.542	245.2	.221	4.54	73.5	11.8	1.16	12.5	.15	.21	.34	79
1	94	11.10	11.09	33.583	25.656	234.6	.257	4.21	67.6	14.7	1.32	15.0	.06	.16	.29	94
1	100 ISL	10.92	10.91	33.613	25.712	229.4	.272	4.05	64.9							101
1	109	10.58	10.57	33.661	25.809	220.3	.293	3.82	60.7	18.0	1.50	18.1	.02	.08	.20	HU
1	124	9.76	9.75	33.754	26.021	200.3	.324	3.47	54.2	23.0	1.72	22.0	.01	.03	.1b	125
1	125 ISL	9.74	9.73	33.758	26.028	199.7	.325	3.46	54.0							126
1	150	9.18	9.16	33.863	26.202	183.6	.374	3.13	48.3	28.1	1.90	24.8	.00	.01	.08	151
1	169	8.83	8.81	33.923	26.305	174.1	.407	3.04	46.5	31.0	1.95	26.0	.00	.01	.10	170
1	19u	8.43	8.41	33.977	26.410	164.4	.443	2.96	44.9	34.2	2.03	27.1	.00			191
1	200 ISL	8.26	8.24	33.994	26.448	160.9	.459	2.93	44.3							201
1	210	8.11	8.08	34.004	26.479	158.0	.475	2.89	43.5	37.3	2.08	28.1	.00			211
1	240	7.73	7.70	34.026	26.553	151.4	.521	2.64	39.4	41.7	2.22	29.9	.02			241
1	250 ISL	7.56	7.53	34.036	26.585	148.4	.536	2.47	36.8							252
1	280	7.10	7.08	34.069	26.675	140.2	.580	1.94	28.6	52.1	2.50	33.3	.00			282
1	300 ISL	6.94	6.91	34.088	26.712	136.9	.607	1.68	24.7							302
1	341	6.72	6.69	34.124	26.771	131.8	.662	1.27	18.5	60.7	2.74	36.5	.00			343
1	400 ISL	6.40	6.36	34.174	26.854	124.7	.738	.87	12.7							403
1	417	6.32	6.28	34.189	26.876	122.7	.760	.79	11.4	69.8	2.96	38.6	.00			420
1	495	6.06	6.02	34.280	26.981	113.6	.851	.45	6.5	78.1	3.12	39.9	.00			498
1	500 ISL	6.04	6.00	34.284	26.988	113.1	.857	.44	6.4							504
1	574	5.62	5.57	34.320	27.069	105.9	.938	.35	5.0	87.2	3.20	41.3	.00			578

LATITUDE	LONGITUDE	DAY/MO/YR	MESSENGER	BOTTOM	WIND	SPEED	WAVES	WEATHER	BAROMETER	DRY	WET	CLOUD	AKT	TYPE		
33 49.4 N	118 37.4 W	15/02/86	1849 GMT	642 M	210	13 KT	200 04 08	2	1013.2 MB	16.5 C	15.6 C	8/8		SC		
CAST	DEPTH M	TEMP DEC C	POT TAMP DEG C	SALINITY	SIGMA THETA	SVA	DYN HT	OXYGEN ML/L	OXY PCT	SI03 UM/L	P04 UM/L	N03 UM/L	N02 UM/L	CHL-A UG/L	PHAE0 UG/L	PRESS D.BAR
1	0	ISL 14.54	14.54	33.403	24.841	310.1	.000	5.97	103.0							0
1	1	14.4	14.54	33.403	24.841	310.0	.003	5.97	103.0	1.4	.34	.2	.00	.69	.25	1
10	ISL 14.49	14.49	14.49	33.404	24.852	309.1	.031	5.99	103.2							10
1	11	14.49	14.48	33.405	24.854	309.0	.034	5.99	103.2	1.3	.34	.2	.00	.71	.23	11
1	20	ISL 14.44	14.44	33.442	24.895	305.6	.062	5.94	102.3							20
1	27	.14.40	14.40	33.510	24.953	300.0	.083	5.91	101.7	2.1	.36	.4	.01	1.09	.55	27
1	30	ISL 14.11	14.10	33.498	25.006	295.1	.092	5.78	98.8							30
1	43	12.76	12.76	33.448	25.240	273.1	.128	5.16	85.8	6.1	.78	6.0	.12	.35	.37	43
1	50	ISL 12.35	12.34	33.454	25.325	265.1	.148	4.98	82.1							50
1	58	12.01	12.01	33.480	25.408	257.4	.168	4.79	78.4	8.8	.97	9.5	.04	.26	.24	58
1	69	11.54	11.53	33.550	25.551	244.1	.195	4.34	70.4	12.0	1.20	12.9	.06	.36	.15	69
1	75	ISL 11.33	11.32	33.587	25.619	237.8	.210	4.19	67.7							75
1	79	11.22	11.2.1	33.605	25.652	234.6	.219	4.13	66.5	14.0	1.32	14.9	.02	.16	.12	79
1	95	10.90	10.89	33.655	25.749	225.8	.256	3.90	62.4	16.1	1.42	16.7	.00	.07	.08	95
1	100	ISL 10.70	10.69	33.681	25.804	220.6	.268	3.79	60.4							101
1	109	10.35	10.34	33.732	25.904	211.3	.288	3.59	56.8	19.9	1.59	19.6	.00	.04	.04	110
1	125	10.07	10.05	33.828	26.028	199.8	.321	3.24	51.0	23.5	1.75	21.7	.00	.02	.05	126
1	150	9.73	9.71	33.959	26.188	185.1	.369	2.76	43.1	28.3	1.95	24.5	.00	.01	.03	151
1	171	9.53	9.51	33.975	26.233	181.2	.407	2.71	42.2	29.4	2.00	25.4	.00	.01	.02	172
1	191	9.14	9.12	34.012	26.325	172.7	.442	2.66	41.0	32.0	2.06	26.4	.00			192
1	200	ISL 9.00	8.98	34.029	26.361	169.5	.458	2.61	40.2							201
1	212	8.85	8.83	34.051	26.403	165.7	.477	2.53	38.8	34.7	2.14	27.4	.00			213
1	242	8.60	8.58	34.115	26.492	157.7	.526	2.18	33.2	38.9	2.28	29.0	.00			243
1	250	ISL 8.55	8.52	34.125	26.507	156.4	.539	2.11	32.1							252
1	282	8.37	8.34	34.147	26.553	152.5	.589	1.86	28.2	42.6	2.42	30.5	.00			284
1	300	ISL 8.25	8.22	34.159	26.581	150.2	.615	1.74	26.3							302
1	343	7.94	7.90	34.188	26.651	144.2	.679	1.45	21.8	49.2	2.61	32.6	.00			345
1	400	ISL 7.49	7.45	34.226	26.746	135.8	.758	1.02	15.2							403
1	419	7.33	7.29	34.239	26.779	132.9	.784	.88	13.0	59.4	2*85	35.5	.00			422
1	497	6.71	6.67	34.299	26.912	120.9	.883	.46	6.7	70.5	3.05	38.0	.00			500
1	500	ISL 6.69	6.64	34.301	26.917	120.5	.887	.45	6.6							504
1	574	6.28	6.23	34.325	26.990	114.2	.973	.33	4.8	77.8	3.16	39.1	.01			578

LATITUDE	LONGITUDE	DAY/MO/YR	MESSENGER	BOTTOM	WIND	SPEED	WAVES	WEATHER	BAROMETER	DRY	WET	CLOUD	AMT	TYPE		
33 39.4 N	118 58.5 W	15/02/86	1458 GMT	773 M	210	12 KT	240 06 08	2	1012.1 MB	15.2 C	14.6 C	8/8		SC		
CAST	DEPTH M	TEMP DEG C	POT TEMP DEG C	SALINITY	SIGMA THETA	SVA	DYN HT	OXYGEN ML/L	OXY PCT	SI03 UM/L	P04 UM/L	N03 UM/L	N02 UM/L	CHL-A UG/L	PHAE0 UG/L	PRESS D.BAR
1	0	ISL 14.11	14.11	33.436	24.956	299.0	.000	6.00	102.6							0
1	2	14.11	14.11	33.436	24.956	299.0	.006	6.00	102.6	1.2	.37	.3	.00	2.20	.46	2
1	10	ISL 14.11	14.11	33.435	24.956	299.2	.030	6.06	103.6							10
1	11	14.11	14.11	33.435	24.956	299.3	.033	6.06	103.6	1.0	.36	.3	.00	2.08	.63	11
1	20	ISL 14.11	14.11	33.435	24.955	299.6	.060	6.03	103.1							20
1	27	14.12	14.11	33.435	24.955	299.9	.080	6.01	102.8	1.0	.36	.3	.00	2.16	.55	27
1	30	ISL 14.08	14.08	33.442	24.968	298.7	.090	5.98	102.3							30
1	44	13.91	13.90	33.473	25.028	293.4	.131	5.87	100.0	2.1	.42	.9	.02	1.99	.65	44
1	50	ISL 13.27	13.27	33.481	25.164	280.6	.148	5.49	92.3							50
1	58	12.36	12.36	33.504	25.360	262.0	.169	4.95	81.7	8.2	.90	8.4	.11	.50	.42	58
1	69	11.45	11.44	33.566	25.580	241.3	.197	4.38	70.9	12.4	1.19	13.1	.05	.19	.26	69
1	75	ISL 11.25	11.24	33.587	25.633	236.3	.212	4.25	68.6							76
1	79	11.18	11.17	33.597	25.653	234.5	.221	4.21	67.7	13.7	1.28	14.5	.02	.13	.19	79
1	96	10.72	10.71	33.668	25.790	221.8	.259	3.87	61.7	16.6	1.45	17.2	.01	.05	.11	96
1	100	ISL 10.60	10.59	33.689	25.828	218.4	.269	3.78	60.1							101
1	109	10.36	10.35	33.736	25.906	211.0	.289	3.59	56.8	19.4	1.58	19.5	.00	.03	.10	110
1	125	9.98	9.96	33.816	26.034	199.2	.322	3.26	51.2	23.2	1.76	21.8	.00	.01	.05	126
1	150	9.71	9.70	33.880	26.129	190.7	.370	2.94	45.9	27.1	1.89	23.7	.00	.02	.05	151
1	171	9.28	9.26	33.973	26.273	177.3	.409	2.57	39.8	31.4	2.06	26.0	.00	.01	.04	172
1	192	8.96	8.94	34.043	26.379	167.6	.445	2.40	36.9	34.5	2.15	27.4	.00			193
1	200	ISL 8.86	8.84	34.066	26.413	164.5	.458	2.32	35.5							201
1	212	8.73	8.71	34.096	26.457	160.5	.477	2.19	33.5	37.6	2.27	28.7	.00			213
1	244	8.46	8.43	34.149	26.541	153.0	.527	1.83	27.8	41.3	2.41	30.2	.00			245
1	250	ISL 8.41	8.38	34.158	26.555	151.7	.537	1.76	26.7							252
1	282	8.15	8.12	34.197	26.625	145.6	.585	1.41	21.3	46.8	2.59	32.0	.00			284
1	300	ISL 7.98	7.95	34.217	26.666	142.0	.610	1.23	18.5							302
1	344	7.57	7.54	34.256	26.757	133.9	.671	.85	12.7	56.5	2.83	34.8	.00			346
1	400	ISL 7.20	7.16	34.281	26.830	127*6	.744	.62	9.1							403
1	420	7.08	7.04	34.286	26.852	125.8	.770	.57	8.4	64.3	2.98	36.5	.00			423
1	497	6.49	6.45	34.307	26.948	117.3	.863	.40	5.8	74.3	3.08	38.3	.00			500
1	500	ISL 6.47	6.42	34.308	26.951	117.0	.867	.39	5.7							504
1	574	5.94	5.89	34.337	27.043	108.8	.950	.32	4.6	84.7	3.19	39.8	.00			578

LATITUDE		LONGITUDE		DAY/MO/YR		MESSENGER		BOTTOM	WIND		SPEED		WAVES		WEATHER	BAROMETER		DRY	WET	CLOUD	AMT	TYPE
33 15.6 N		118 14.5 W		13/02/86		1609 GMT		389 M	150	20 KT	150 05 07	6	1017.2 MB		14.0 C	13.9 C	8/8	NS				
CAST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRESS						
	M	DEG C	DEG C		THETA			ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR						
1	0	ISL 14.47	14.47	33.442	24.885	305.9	.000	6.02	103.7							0						
	2	14.47	14.47	33.442	24.885	305.7	.006	6.02	103.7	2.2	.36	.2	.01	.94	.25	2						
	10	ISL 14.46	14.46	33.450	24.894	305.1	.031	6.03	103.8						10							
1	17	14.45	14.45	33.457	24.902	304.6	.052	6.03	103.8	2.1	.36	.2	.01	.95	.26	17						
	20	ISL 14.41	14.41	33.457	24.909	303.9	.061	6.01	103.4						20							
	30	ISL 14.14	14.14	33.457	24.967	298.7	.091	5.86	100.3						30							
1	32	14.06	14.06	33.457	24.983	297.3	.097	5.82	99.4	3.1	.46	.8	.11	1.37	.36	32						
	50	ISL 12.58	12.57	33.452	25.279	269.8	.148	5.05	83.6						50							
1	52	12.42	12.41	33.451	25.309	266.7	.153	4.96	81.9	7.3	.88	7.7	.05	.27	.31	52						
	75	ISL 11.24	11.23	33.608	25.650	234.7	.211	4.12	66.4						75							
	77	11.18	11.17	33.621	25.671	232.8	.215	4.07	65.5	14.6	1.30	15.0	.01	.08	.17	77						
	100	ISL 10.50	10.49	33.750	25.893	212.2	.267	3.51	55.8						101							
1	106	10.35	10.34	33.779	25.941	207.7	.281	3.40	53.8	21.1	1.62	20.1	.01	.02	.06	107						
	125	ISL 9.87	9.85	33.853	26.081	194.7	.318	3.17	49.6						126							
1	142	9.49	9.47	33.911	26.190	184.6	.351	3.01	46.8	27.8	1.88	24.1	.01	.00	.03	143						
	150	ISL 9.37	9.35	33.938	26.230	180.9	.365	2.93	45.4						151							
1	178	9.06	9.04	34.024	26.347	170.3	.414	2.64	40.7	32.6	2.06	26.5	.01	.01	.06	179						
	200	ISL 8.87	8.85	34.077	26.419	164.0	.451	2.38	36.6						201							
1	218	8.73	8.71	34.107	26.465	159.8	.479	2.20	33.6	37.9	2.24	28.4	.01	.00	.04	219						
	250	ISL 8.43	8.40	34.129	26.530	154.1	.530	2.03	30.8						252							
1	263	8.31	8.28	34.133	26.552	152.3	.551	1.97	29.8	42.8	2.34	30.2	.01	.00	.03	265						
	300	ISL 8.06	8.03	34.153	26.605	147.8	.605	1.75	26.3						302							
1	304	8.03	8.00	34.155	26.610	147.4	.612	1.72	25.9	46.4	2.46	31.5	.01	.00	.03	306						

LATITUDE		LONGITUDE		DAY/MO/YR		MESSENGER		BOTTOM	WIND		SPEED		WAVES		WEATHER	BAROMETER		DRY	WET	CLOUD	AMT	TYPE
33 11.5 N		118 23.4 W		13/02/86		1904 GMT		1208 M	160	15 KT	160 05 05	5	1019.4 MB		14.3 C	14.2 C	8/8	NS				
CAST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRESS						
	M	DEG C	DEG C		THETA			ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR						
1	0	ISL 14.86	14.86	33.484	24.833	310.7	.000	5.95	103.4						0							
	1	14.86	14.86	33.484	24.833	310.7	.003	5.95	103.4	2.1	.33	.0	.00	.47	.18	1						
	10	ISL 14.84	14.84	33.484	24.839	310.4	.031	5.98	103.8						10							
1	11	14.84	14.84	33.484	24.839	310.4	.034	5.98	103.8	2.0	.33	.0	.00	.48	.16	11						
	20	ISL 14.83	14.83	33.487	24.843	310.3	.062	5.97	103.7						20							
1	27	14.83	14.83	33.489	24.846	310.3	.083	5.97	103.6	1.9	.36	.0	.00	.48	.20	27						
	30	ISL 14.56	14.55	33.477	24.895	305.7	.093	5.87	101.4						30							
1	43	13.20	13.19	33.450	25.155	281.2	.131	5.34	89.6	5.3	.70	4.2	.19	.46	.26	43						
	50	ISL 12.58	12.58	33.478	25.297	267.8	.150	5.04	83.4						50							
1	58	12.06	12.06				.170	4.72	77.4	9.1	1.00	9.5	.03	.19	.23	58						
1	69	11.64	11.63	33.573	25.551	244.1	.198	4.33	70.4	12.0	1.18	12.6	.01	.12	.16	69						
	75	ISL 11.48	11.47	33.596	25.598	239.8	.213	4.21	68.1						76							
1	79	11.40	11.39	33.608	25.622	237.6	.222	4.15	67.1	13.8	1.28	14.1	.00	.08	.16	79						
1	95	11.03	11.02	33.666	25.734	227.2	.259	3.86	61.9	16.2	1.42	16.0	.00	.04	.11	95						
	100	ISL 10.86	10.85	33.695	25.787	222.3	.271	3.73	59.6						101							
1	109	10.60	10.59	33.746	25.873	214.3	.292	3.51	55.8	19.5	1.59	18.8	.00	.02	.07	110						
1	125	10.36	10.35	33.802	25.958	206.5	.325	3.32	52.5	22.3	1.69	20.5	.00	.01	.07	126						
	150	ISL 9.82	9.80	33.959	26.173	186.5	.374	2.76	43.1						151							
1	151	9.79	9.77	33.966	26.183	185.6	.376	2.73	42.7	28.3	1.96	24.2	.00	.01	.04	152						
	171	9.56	9.54	34.012	26.258	178.9	.412	2.59	40.3	30.6	2.04	25.3	.00	.00	.04	172						
1	192	9.22	9.20	34.067	26.356	169.8	.448	2.41	37.3	33.6	2.17	26.7	.00		193							
	200	ISL 9.12	9.10	34.083	26.384	167.3	.462	2.35	36.2						201							
1	213	8.96	8.94	34.102	26.425	163.6	.483	2.25	34.6	36.2	2.23	27.5	.00		214							
1	244	8.34	8.31	34.129	26.543	152.7	.532	2.02	30.6	42.0	2.39	29.7	.00		245							
	250	ISL 8.25	8.23	34.134	26.560	151.2	.542	1.97	29.8						252							
1	284	7.91	7.88	34.154	26.627	145.3	.593	1.68	25.2	47.5	2.54	31.6	.00		286							
	300	ISL 7.78	7.75	34.166	26.656	142.7	.615	1.54	23.0						302							
1	346	7.44	7.41	34.204	26.735	135.9	.679	1.14	16.9	56.0	2.76	34.1	.00		348							
	400	ISL 7.10	7.06	34.244	26.815	129.0	.751	.80	11.8						403							
1	422	6.97	6.93	34.259	26.845	126.3	.779	.69	10.1	64.8	2.98	36.4	.00		425							
1	499	6.48	6.43	34.315	26.956	116.6	.872	.38	5.5	74.2	3.14	38.2	.00		502							
	500	ISL 6.47	6.42	34.316	26.958	116.4	.874	.38	5.5						504							
1	575	5.86	5.81	34.344	27.058	107.3	.957	.28	4.0	84.7	3.23	39.6	.00		579							

Table with columns: LATITUDE, LONGITUDE, DAY/MO/YR, MESSENGER, BOTTOM, WIND, SPEED, WAVES, WEATHER, BAROMETER, DRY, WET, CLOUD AMT, TYPE. Includes data for station 90 80 with various depth measurements from 0 to 574 meters.

Table with columns: LATITUDE, LONGITUDE, DAY/MO/YR, MESSENGER, BOTTOM, WIND, SPEED, WAVES, WEATHER, BAROMETER, DRY, WET, CLOUD AMT, TYPE. Includes data for station 90 90 with various depth measurements from 0 to 575 meters.

LATITUDE		LONGITUDE		DAY/MO/YR	MESSENGER	BOTTOM	WIND	SPEED	WAVES	WEATHER	BAROMETER	DRY	WET	CLOUD	A.MT	TYPE		
29 50.8 N		123 35.3		W 09/02/86	0921 GMT	~2.10 K	3 3 0	is KT	3.10 Oh	06	1015.6 MB	14. /	c	10.8 C				
CAST	DEPTH	TEMP	POT	TEMP	SALINITY	SIGMA	SVA	JJYN	HT	OXYGEN	OXY	SI O3	P04	K03	N02	CHL-A	PHAE0	PRESS
	M	DEG C	CC	DEG C		THETA				ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR
				16.85	33.664	24.524	340.1	.000		5.63	101.9							0
				16.85	33.664	24.524	340.1	.003		5.63	101.9							1
	10	ISL		16.86	33.662	24.523	340.6	.034		5.67	102.7	1.9	.32	.1	.00	.07	.03	10
	11		Jo.8b	16.86	33.662	24.522	340.8	.044		5.68	102.8	1.9	.32	.1	.00	.07	.03	13
20	1 S T 1 6 . 8 7			16.86	33.662	24.520	341.2	.068		5.67	102.5							20
	1			16.87	33.661	24.518	341.6	.098		5.64	102.1	1.8	.33	.1	.00	.07	.03	29
	29			16.87	33.661	24.518	341.6	.102		5.64	102.1							30
	30	ISL		16.87	33.661	24.521	341.9	.150		5.65	102.2	1.8	.33	.1	.00	.07	.03	44
	44			16.86	33.660	24.521	342.0	.171		5.65	102.2							50
	50	ISL		16.86	33.659	24.522	342.3	.204		5.65	102.2	1.7	.33	.1	.00	.07	.03	60
	60			16.85	33.662	24.521	342.9	.256		5.65	102.1	1.6	.33	.1	.00	.07	.03	70
	70			16.88	33.661	24.518	343.0	.238		5.64	102.1	1.6	.33	.1	.00	.07	.03	76
	75	ISL		16.88	33.662	24.521	342.9	.256		5.65	102.1							80
	80			16.87	33.663	24.523	342.9	.272		5.65	102.2	1.7	.33	.1	.00	.08	.03	80
	95			16.87	33.663	24.523	342.9	.272		5.65	102.2	1.7	.33	.1	.00	.08	.03	80
	95			16.61	33.736	24.640	332.2	.323		5.74	103.4	2.0	.32	.1	.00	.15	.17	95
	100	ISL		15.74	33.602	24.736	323.0	.340		5.81	102.8							101
	111			13.96	33.367	24.937	303.9	.373		5.90	100.5	2.3	.45	.3	.10	.17	.22	111
	125			13.37	33.431	25.108	287.9	.415		5.73	96.5	2.7	.50	1.4	.07	.13	.23	125
	150	ISL		11.77	33.368	25.368	263.4	.485		5.26	85.6							151
	151			11.69	33.366	25.382	262.1	.489		5.23	85.0	6.4	.88	7.8	.01	.05	.11	152
	172			11.13	33.542	25.621	239.8	.541		4.74	76.1	10.4	1.10	11.9	.00	.02	.06	173
	192			10.49	33.741	25.889	214.6	.586		4.50	71.4	14.2	1.22	14.4	.00			193
	200	ISL		10.15	33.767	25.969	207.1	.603		4.34	68.3							201
	213			9.59	33.792	26.082	196.4	.629		4.06	63.2	20.3	1.49	19.0	.00			214
	244			8.79	33.922	26.311	174.9	.686		3.67	56.1	27.4	1.75	23.1	.00			245
	250	ISL		8.65	33.938	26.345	171.7	.697		3.61	55.0							252
	285			7.97	33.996	26.494	157.9	.754		3.24	48.7	36.1	1.97	26.6	.00			286
	300	ISL		7.72	34.010	26.542	153.5	.778		3.02	45.1							302
	345			7.10	34.035	26.649	143.7	.845		2.36	34.7	49.0	2.36	31.6	.00			347
	400	ISL		6.45	34.060	26.758	133.7	.921		1.70	24.6							403
	423			6.21	34.072	26.797	130.1	.951		1.46	21.1	63.9	2.73	36.7	.00			425
	499			5.53	34.133	26.931	117.7	1.045		.82	11.6	78.8	3.02	40.2	.00			502
	500	ISL		5.52	34.134	26.933	117.6	1.047		.81	11.5							504
	575			5.12	34.226	27.053	106.7	1.131		.43	6.0	89.9	3.17	42.1	.00			579

RV DAVID STARR JORDAN CALCOFI CRUISE 8602 STATION 77 55

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	SECCHI	DEPTH	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED	VALUE						
34 52.9 N	121 12.3 W	02/19/86	1808 GMT	10	M	1225 - 1820 PST	1226 PST	1814 PST	289.4 MG	C/M2						
DEPTH	TEMP	SALINITY	SIGMA	DISS O2	OXY	SI03	P04	N03	N02	CHL	PHAE0	LIGHT	UPTAKE (MGC/M3)		DARK	
M	DEG C		THETA	ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	%	1	2	MEAN	DARK
1	13.37	33.256	24.969	6.03	101.4	4.5	0.53	1.7	0.10	1.26	0.48	96	7.6	14.2	10.9	1.2
8	13.33	33.270	24.988	5.98	100.5	4.5	0.55	2.0	0.12	1.08	0.47	34	16.6	13.3	14.9	0.16
10	13.32	33.271	24.991	5.98	100.5	4.5	0.55	2.0	0.12	1.07	0.50	24	12.7	12.0	12.4	0.16
16	13.31	33.276	24.997	5.98	100.5	4.6	0.56	2.1	0.12	1.00	0.50	12	10.6	9.5	10.0	0.15
26	13.22	33.309	25.041	5.91	99.1	4.7	0.58	2.5	0.15	0.67	0.42	2.6	2.5	2.8	2.7	0.12
46	12.45	33.444	25.296	5.36	88.6	8.1	0.83	6.2	0.27	0.26	0.26	0.13	0.30	0.34	0.32	0.11

RV DAVID STARR JORDAN CALCOFI CRUISE 8602 STATION 77 100

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	SECCHI	DEPTH	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED	VALUE						
33 23.4 N	124 19.4 W	02/18/86	1814 GMT	23	M	1229 - 1828 PST	1231 PST	1828 PST	77.4 MG	C/M2						
DEPTH	TEMP	SALINITY	SIGMA	DISS O2	OXY	SI03	P04	N03	N02	CHL	PHAE0	LIGHT	UPTAKE (MGC/M3)		DARK	
M	DEG C		THETA	ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	%	1	2	MEAN	DARK
1	14.45	33.019	24.563	5.94	102.0	2.4	0.40	0.0	0.00	0.13	0.05	96	1.1	1.0	1.0	0.13
17	14.43	33.020	24.568	5.95	102.2	2.3	0.39	0.0	0.00	0.14	0.05	34	0.58	1.2	0.87	0.13
22	14.39	33.022	24.579	5.95	102.1	2.3	0.39	0.0	0.00	0.15	0.06	24	1.3	1.4	1.3	0.14
33	14.25	33.021	24.609	5.96	101.9	2.3	0.39	0.0	0.00	0.22	0.09	12	1.6	1.4	1.5	0.10
57	12.56	33.197	25.084	5.92	97.9	3.1	0.53	1.5	0.05	0.26	0.26	2.6	0.70	0.56	0.63	0.09
104	10.01	33.434	25.730	4.47	70.0	16.5	1.47	17.2	0.00	0.02	0.06	0.13	0.01	0.01	0.01	0.09

RV DAVID STARR JORDAN CALCOFI CRUISE 8602 STATION 80 70

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	SECCHI	DEPTH	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED	VALUE						
33 49.1 N	121 50.4 W	02/17/86	1952 GMT	14	M	1219 - 1821 PST	1221 PST	1821 PST	372.0 MG	C/M2						
DEPTH	TEMP	SALINITY	SIGMA	DISS O2	OXY	SI03	P04	N03	N02	CHL	PHAE0	LIGHT	UPTAKE (MGC/M3)		DARK	
M	DEG C		THETA	ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	%	1	2	MEAN	DARK
0	14.23	33.106	24.677	6.02	103.0	2.5	0.40	0.2	0.00	0.44	0.15	96	5.8	7.2	6.5	0.14
10	13.75	33.250	24.888	6.07	102.9	3.0	0.45	0.7	0.04	0.69	0.24	34	18.4	12.9	15.7	0.31
15	13.27	33.314	25.034	6.06	101.8	3.4	0.51	1.3	0.07	0.93	0.36	24	15.3	16.0	15.7	0.18
20	13.18	33.362	25.090	6.01	100.8	3.6	0.53	2.0	0.09	0.81	0.38	12	10.8	7.2	9.0	0.15
34	13.02	33.378	25.133	5.85	97.8	4.3	0.59	2.9	0.14	0.47	0.34	2.6	2.6	2.4	2.5	0.12
64	11.64	33.397	25.413	5.06	82.1	8.3	0.94	9.0	0.07	0.17	0.22	0.13	0.17	0.20	0.18	0.10

RV DAVID STARR JORDAN CALCOFI CRUISE 8602 STATION 83 60

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	SECCHI	DEPTH	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED	VALUE						
33 34.4 N	120 45.0 W	02/16/86	1810 GMT	24	M	1217 - 1818 PST	1218 PST	1816 PST	117.7 MG	C/M2						
DEPTH	TEMP	SALINITY	SIGMA	DISS O2	OXY	SI03	P04	N03	N02	CHL	PHAE0	LIGHT	UPTAKE (MGC/M3)		DARK	
M	DEG C		THETA	ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	%	1	2	MEAN	DARK
1	14.65	33.201	24.661	5.91	102.0	2.3	0.38	0.2	0.00	0.11	0.05	96	0.35	0.29	0.32	0.11
18	14.50	33.218	24.706	5.93	102.1	2.4	0.38	0.2	0.00	0.15	0.07	34	1.6	0.96	1.3	0.14
23	14.45	33.232	24.728	5.95	102.3	2.2	0.38	0.2	0.00	0.20	0.10	24	0.93	1.3	1.1	0.13
34	14.46	33.234	24.728	5.96	102.5	2.2	0.38	0.2	0.00	0.20	0.11	12	1.8	1.8	1.8	0.13
59	13.14	33.365	25.101	5.78	96.8	3.8	0.55	2.1	0.12	0.50	0.48	2.6	1.8	1.3	1.6	0.09
107	10.56	33.531	25.712	4.35	69.0	14.5	1.32	15.9	0.00	0.03	0.06	0.13	0.04	0.03	0.03	0.08

RV DAVID STARR JORDAN

CALCOFI CRUISE 8602

::!'A':ion b- 3:>

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	SECCHI	DEPTH	INCUBATION TIME	LAN	CIVIL TWILIGHT	INT'LIGkAtR.;	VALUE						
33 49.4 N	118 37.7 W	02/15/86	1824 GMT	17 M	1207 - 1807 PST	1208 PST	1807 PET	260.3 MG C/M2								
DEPTH	TEMP	SALINITY	SIGMA	DISS O2	OXY	SI03	P04	N03	N02	CHL	PHAE0	LIGHT	UPTAKE (MGC/M3)		DARK	
M	DEG C		THETA	ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	%	1	2	MEAN	DARK
1	14.54	33.402	24.841	5.97	103.0	1.5	0.34	0.3	0.00	0.69	0.26	96	2.5	2.3	2.4	0.16
13	14.50	33.406	24.851	5.98	103.1	1.4	0.35	0.3	0.00	0.77	0.30	34	9.3	9.3	9.3	0.16
18	14.47	33.415	24.865	5.97	102.8	1.4	0.35	0.3	0.00	0.79	0.35	24	8.3	9.3	8.8	0.14
25	14.40	33.509	24.952	5.91	101.7	2.1	0.38	0.4	0.01	1.17	0.48	12	7.1	6.2	6.7	0.12
43	12.78	33.447	25.236	5.18	86.2	6.1	0.77	5.9	0.12	0.32	0.34	2.6	0.89	0.99	0.94	0.10
78	11.45	33.565	25.578	4.27	69.1	12.8	1.23	13.4	0.05	0.19	0.17	0.13	0.19	0.15	0.17	0.10

RV DAVID STARR JORDAN

CALCOFI CRUISE 8602

STATION 90 37

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	SECCHI	DEPTH	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED	VALUE						
33 11.3 N	118 23.4 W	02/13/86	1839 GMT	16 M	1208 - 1806 PST	1208 PST	1805 PST	145.8 MG C/M2								
DEPTH	TEMP	SALINITY	SIGMA	DISS O2	OXY	SI03	P04	N03	N02	CHL	PHAE0	LIGHT	UPTAKE (MGC/M3)		DARK	
M	DEG C		THETA	ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	%	1	2	MEAN	DARK
1	14.84	33.485	24.840	5.96	103.5	2.1	0.33	0.0	0.00	0.44	0.16	96	3.7	4.6	4.1	0.13
12	14.86	33.481	24.833	5.96	103.5	2.0	0.33	0.0	0.00	0.43	0.18	34	4.7	4.8	4.7	0.14
16	14.83	33.482	24.839	5.96	103.5	2.0	0.35	0.0	0.00	0.45	0.17	24	3.5	3.8	3.6	0.15
24	14.83	33.487	24.844	5.97	103.6	1.9	0.35	0.0	0.00	0.49	0.19	12	3.1	3.1	3.1	0.13
40	13.91	33.458	25.016	5.57	94.9	3.7	0.55	2.1	0.20	0.72	0.32	2.6	0.95	1.1	1.0	0.12
72	11.48	33.599	25.600	4.18	67.7	13.3	1.24	13.7	0.00	0.09	0.13	0.13	0.08	0.06	0.07	0.09

RV DAVID STARR JORDAN

CALCOFI CRUISE 8602

STATION 90 70

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	SECCHI	DEPTH	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED	VALUE						
32 04.9 N	120 37.0 W	02/14/86	1716 GMT	16 M	1216 - 1815 PST	1218 PST	1809 PST	44.3 MG C/M2								
DEPTH	TEMP	SALINITY	SIGMA	DISS O2	OXY	SI03	P04	N03	N02	CHL	PHAE0	LIGHT	UPTAKE (MGC/M3)		DARK	
M	DEG C		THETA	ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	%	1	2	MEAN	DARK
1	14.43	33.272	24.763	5.95	102.3	2.6	0.40	0.3	0.00	0.15	0.06	96	0.74	0.62	0.68	0.13
12	14.43	33.272	24.764	5.95	102.3	2.6	0.40	0.3	0.00	0.17	0.06	34	1.4	1.4	1.4	0.13
17	14.41	33.270	24.765	5.95	102.3	2.6	0.40	0.3	0.00	0.16	0.06	24	1.1	1.0	1.1	0.19
24	14.41	33.271	24.767	5.95	102.3	2.5	0.40	0.3	0.00	0.16	0.07	12	0.77	0.82	0.79	0.12
40	14.26	33.296	24.818	5.97	102.3	2.5	0.40	0.2	0.00	0.27	0.13	2.6	0.42	0.49	0.45	0.11
73	13.10	33.349	25.097	5.78	96.7	3.5	0.55	2.1	0.15	0.36	0.30	0.13	0.11	0.14	0.12	0.10

RV DAVID STARR JORDAN

CALCOFI CRUISE 8602

STATION 90 80

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	SECCHI	DEPTH	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED	VALUE						
31 44.0 N	121 15.2 W	02/10/86	1836 GMT	35 M	1219 - 1810 PST	1219 PST	1807 PST	126.6 MG C/M2								
DEPTH	TEMP	SALINITY	SIGMA	DISS O2	OXY	SI03	P04	N03	N02	CHL	PHAE0	LIGHT	UPTAKE (MGC/M3)		DARK	
M	DEG C		THETA	ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	%	1	2	MEAN	DARK
1	14.77	33.214	24.646	5.89	101.9	2.9	0.38	0.1	0.00	0.08	0.03	96	0.25	0.29	0.27	0.12
26	14.60	33.223	24.690	5.91	101.9	2.8	0.39	0.1	0.00	0.09	0.04	34	1.4	1.2	1.3	0.12
34	14.57	33.226	24.699	5.92	102.0	2.8	0.39	0.1	0.00	0.10	0.05	24	0.83	1.2	1.0	0.12
50	14.36	33.240	24.754	5.97	102.5	2.8	0.40	0.1	0.00	0.16	0.07	12	1.2	1.2	1.2	0.11
86	12.84	33.259	25.079	5.96	99.1	3.1	0.48	1.2	0.09	0.33	0.29	2.6	1.2	1.1	1.1	0.09
156	10.22	33.618	25.839	4.30	67.8	16.0	1.35	16.3	0.01	0.02	0.03	0.13	0*>	0	0	0.09

*DARK UPTAKE EXCEEDED LIGHT UPTAKE.

RV DAVID STARR JORDAN

CALCOFI CRUISE 8602

STATION 90 120

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	SECCHI DEPTH	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE
30 24.7 N	123 59.6 W	02/09/86	1726 GMT	36 M	1224 - 1820 PST	1228 PST	1818 PST	51.3 MG C/M2

DEPTH	TEMP	SALINITY	SIGMA	DISS O2	OXY	SI03	P04	N03	N02	CHL	PHAE0	LIGHT	UPTAKE (MGC/M3)			
M	DEG C		THETA	ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	%	1	2	MEAN	DARK
1	17.22	33.758	24.509	5.58	101.7	2.2	0.30	0.0	0.00	0.06	0.03	96	0.10	0.11	0.11	0.10
26	17.23	33.758	24.509	5.59	101.9	2.2	0.30	0.0	0.00	0.06	0.03	34	0.56	0.65	0.61	0.08
34	17.22	33.756	24.510	5.59	101.9	2.1	0.30	0.0	0.00	0.06	0.03	24	0.51	0.46	0.48	0.09
52	17.23	33.755	24.508	5.60	102.1	2.0	0.30	0.0	0.00	0.06	0.02	12	0.47	0.48	0.48	0.08
89	15.57	33.693	24.842	5.87	103.5	2.2	0.31	0.0	0.00	0.11	0.11	2.6	0.34	0.39	0.36	0.08
161	11.72	33.700	25.636	4.91	80.0	8.7	0.89	9.1	0.00	0.03	0.05	0.13	0.01	0.02	0.02	0.07

RV DAVID STARR JORDAN

CALCOFI CRUISE 8602

STATION 93 45

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	SECCHI DEPTH	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE
32 20.5 N	118 33.7 W	02/06/86	1837 GMT	13 M	1206 - 1758 PST	1210 PST	1758 PST	141.0 MG C/M2

DEPTH	TEMP	SALINITY	SIGMA	DISS O2	OXY	SI03	P04	N03	N02	CHL	PHAE0	LIGHT	UPTAKE (MGC/M3)			
M	DEG C		THETA	ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	%	1	2	MEAN	DARK
1	14.19	33.391	24.905	5.96	102.1	2.7	0.39	0.2	0.02	0.51	0.17	96	0.56	0.51	0.53	0.13
10	14.20	33.393	24.905	5.97	102.2	2.8	0.39	0.2	0.02	0.49	0.21	34	4.4	4.6	4.5	0.13
13	14.19	33.389	24.904	5.97	102.2	2.8	0.38	0.2	0.02	0.48	0.19	24	4.5	4.3	4.4	0.13
19	14.19	33.389	24.904	5.97	102.2	2.8	0.38	0.2	0.02	0.50	0.19	12	3.5	3.9	3.7	0.14
33	14.17	33.387	24.907	5.97	102.2	2.8	0.38	0.3	0.02	0.47	0.21	2.6	2.2	2.6	2.4	0.10
59	12.79	33.411	25.206	5.42	90.2	5.4	0.69	4.8	0.12	0.39	0.30	0.13	0.46	0.49	0.48	0.10

RV DAVID STARR JORDAN

CALCOFI CRUISE 8602

STATION 93 60

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	SECCHI DEPTH	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE
31 50.9 N	119 34.2 W	02/07/86	1953 GMT	33 M	1212 - 1807 PST	1212 PST	1807 PST	164.1 MG C/M2

DEPTH	TEMP	SALINITY	SIGMA	DISS O2	OXY	SI03	P04	N03	N02	CHL	PHAE0	LIGHT	UPTAKE (MGC/M3)			
M	DEG C		THETA	ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	%	1	2	MEAN	DARK
0	14.99	33.258	24.632	5.89	102.4	2.2	0.38	0.2	0.00	0.13	0.06	96	0.75	0.69	0.72	0.12
24	14.50	33.274	24.750	5.94	102.3	2.4	0.43	0.2	0.00	0.18	0.09	34	2.8	2.1	2.4	0.12
32	14.41	33.280	24.774	5.95	102.3	2.5	0.39	0.2	0.00	0.19	0.11	24	1.9	1.9	1.9	0.12
49	14.38	33.280	24.780	5.96	102.4	2.5	0.39	0.1	0.02	0.22	0.11	12	2.6	2.5	2.5	0.11
81	12.90	33.293	25.094	5.74	95.6	3.5	0.58	2.3	0.09	0.17	0.25	2.6	0.69	0.59	0.64	0.08
147	9.91	33.695	25.951	3.87	60.6	19.7	1.53	19.7	0.04	0.01	0.04	0.13	0.02	0.02	0.02	0.07

RV DAVID STARR JORDAN

CALCOFI CRUISE 8602

STATION 93 90

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	SECCHI DEPTH	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE
30 51.3 N	121 37.5 W	02/08/86	1753 GMT	28 M	1216 - 1817 PST	1222 PST	1817 PST	35.1 MG C/M2

DEPTH	TEMP	SALINITY	SIGMA	DISS O2	OXY	SI03	P04	N03	N02	CHL	PHAE0	LIGHT	UPTAKE (MGC/M3)			
M	DEG C		THETA	ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	%	1	2	MEAN	DARK
1	15.67	33.367	24.566	5.77	101.8	2.3	0.37	0.2	0.00	0.07	0.03	96	0.06	0.05	0.06	0.10
21	15.70	33.366	24.560	5.77	101.8	2.2	0.36	0.2	0.00	0.07	0.04	34	0.74	0.81	0.78	0.10
27	15.68	33.365	24.564	5.77	101.8	2.1	0.36	0.0	0.00	0.07	0.03	24	0.66	0.65	0.65	0.12*
40	15.70	33.366	24.561	5.78	102.0	2.1	0.36	0.0	0.00	0.07	0.03	12	0.48	0.53	0.51	0.19
70	15.71	33.366	24.560	5.77	101.8	2.1	0.36	0.0	0.00	0.07	0.04	2.6	0.13	0.16	0.15	0.11
125	12.07	33.345	25.294	5.47	89.6	5.0	0.71	5.1	0.01	0.09	0.15	0.13	0.04	0.02	0.03	0.12

* DARK VALUE UNCERTAIN, REPORTED VALUE BASED ON AVERAGE OF OTHER 5 DARK VALUES.

Secchi Disk Observations

CalCOFI Cruise 8602

Line	Sta.	Day	Mo	Local Time (+ 8: PST)	Secchi Depth (m)	Weather	Clouds Type/Amt
77	51	19	2	1245	7	2	SC 8/8
77	55	19	2	1000	10	2	SC 8/8
77	90	18	2	1510	23	2	ST 8/8
77	100	18	2	1000	23	2	ST 8/8
80	70	17	2	1145	14	4	- -
83	60	16	2	1000	24	2	cs 8/8
83	70	16	2	1455	24	1	SC 7/8
87	33	15	2	1235	9	1	SC 4/8
87	35	15	2	1015	17	2	SC 8/8
87	70	14	2	1315	15	2	NS 8/8
90	35	13	2	0745	13	6	NS 8/8
90	37	13	2	1020	16	5	NS 8/8
90	45	13	2	1525	15	5	ST 8/8
90	70	14	2	0905	16	2	NS 8/8
90	80	10	2	1030	35	1	SC 4/8
90	110	9	2	1325	36	1	SC 7/8
90	120	9	2	0915	36	2	SC 8/8
93	26.4	5	2	1420	3	-	- -
93	26.7	5	2	1440	7	1	SC 2/8
93	29	5	2	1650	20	1	SC 1/8
93	45	6	2	1030	13	1	SC 5/8
93	55	7	2	0755	21	1	AS 1/8
93	60	7	2	1140	33	1	cu 3/8
93	90	8	2	0935	28	1	SC 4/8
93	100	8	2	1345	24	2	SC 8/8

CalCOFI Cruise 8602

MACROZOOPLANKTON BIOMASS

Net Mesh Size: 0.505 mm

Line	Sta.	Position	Date Mo/Day	Time (GMT)		Water Volume Strained (m)	Max. Tow Depth (m)	Volume per 1000 m Strained	
				Start	End			Total (cm)	Small (cm)
77	51	35 01.1N 120 55.1W	2/19	2130	2152	436	206	135	135
77	55	34 53.3N 121 11.9W	2/19	1829	1851	458	206	94	94
77	60	34 43.3N 121 32.9W	2/19	1454	1516	454	205	48	48
77	70	34 23.3N 122 14.8W	2/19	1002	1024	434	214	78	78
77	80	34 03.2N 122 56.5W	2/19	0518	0540	457	207	59	48
77	90	33 43.3N 123 38.0W	2/19	0017	0040	439	223	23	23
77	100	33 23.3N 124 19.4W	2/18	1912	1934	434	210	30	30
80	51	34 27.0N 12031.4W	2/17	0852	0900	149	71	281	281
80	55	34 19.0N 120 48.1W	2/17	1146	1209	447	204	127	127
80	60	34 09.0N 121 08.9W	2/17	1521	1543	426	212	19	19
80	70	33 49.1N 121 50.4W	2/17	2135	2156	421	211	178	142
80	80	33 28.8N 122 32.0W	2/18	0301	0323	447	210	29	29
80	90	33 09.0N 123 13.2W	2/18	0817	0839	431	212	37	37
80	100	32 49.0N 123 54.6W	2/18	1345	1407	431	208	58	58
82	46	34 16.2N 119 56.3W	2/16	0723	0745	430	204	149	149
83	40.6	34 13.5N 119 24.7W	2/16	0235	0238	51	20	311	311
83	42	34 10.7N 119 30.5W	2/16	0400	0418	342	166	129	129
83	55	33 44.6N 120 24.7W	2/16	1356	1418	447	208	49	49
83	60	33 34.7N 120 45.3W	2/16	1715	1737	439	209	23	23
83	70	33 14.7N 121 26.6W	2/17	0000	0022	425	211	28	28
87	33	33 53.3N 118 29.5W	2/15	2115	2121	111	49	117	117
87	35	33 49.4N 118 37.7W	2/15	1921	1943	428	213	42	42
87	40	33 39.4N 118 58.5W	2/15	1533	1555	419	209	55	55
87	45	33 29.4N 119 19.1W	2/15	1206	1228	428	211	131	131
87	50	33 19.4N 119 39.8W	2/15	0909	0917	155	68	174	174
87	60	32 59.3N 120 21.0W	2/15	0403	0425	465	206	45	34
90	28	33 29.1N 117 46.1W	2/13	1057	1105	148	70	95	95
90	30	33 25.1N 117 54.2W	2/13	1307	1329	426	206	56	56
90	35	33 15.2N 118 14.9W	2/13	1643	1705	432	209	25	25
90	37	33 11.1N 118 23.2W	2/13	1938	2000	418	211	24	24
90	45	32 55.1N 118 56.1W	2/14	0055	0118	433	234	23	23
90	53	32 39.1N 119 28.9W	2/14	0605	0627	419	212	96	96
90	60	32 25.1N 119 57.5W	2/14	1040	1103	467	206	158	101
90	70	32 05.1N 120 38.3W	2/14	1626	1648	445	212	18	18
90	90	31 25.1N 121 59.5W	2/10	1024	1046	417	210	60	60
90	100	31 05.1N 122 39.7W	2/10	0449	0511	425	222	47	47
90	110	30 45.1N 123 19.9W	2/9	2330	2352	411	209	19	19
90	120	30 25.1N 124 00.0W	2/9	1545	1607	418	214	19	19
93	26.7	32 57.3N 117 18.3W	2/5	2332	2339	129	57	77	77
93	29	32 52.8N 117 27.7W	2/6	0202	0224	425	210	54	54
93	30	32 50.8N 117 31.9W	2/6	0407	0429	417	214	48	48
93	35	32 40.9N 117 52.4W	2/6	0755	0819	464	210	41	41
93	40	32 30.8N 118 12.8W	2/6	1216	1238	491	197	26	26
93	45	32 20.7N 118 33.2W	2/6	1601	1625	487	243	29	29
93	50	32 11.0N 118 53.6W	2/7	1329	1351	432	213	42	42
93	55	32 00.9N 119 13.9W	2/7	1700	1722	404	216	37	37
93	60	31 50.9N 119 34.2W	2/7	2143	2205	403	214	62	62
93	70	31 30.5N 120 14.9W	2/8	0330	0352	442	211	36	36
93	90	30 50.8N 121 35.6W	2/8	1701	1723	449	214	13	13
93	100	30 30.8N 122 15.5W	2/8	2300	2322	442	211	16	16
93	110	30 10.8N 122 55.4W	2/9	0430	0452	430	217	37	37
93	120	29 50.8N 123 35.2W	2/9	1000	1023	435	212	28	28

AFRICA

M. Henri Rotschi
Centre de Recherches
Oceanographiques
29, Rue des Pecheurs
B.P.V. 18 - Abidjan
Republique de Cote d'Ivoire

AUSTRALIA

Dr. John A. T. Bye
Flinders Institute for Atmospheric
and Marine Sciences
The Flinders University of S.A.
Bedford Park 5042, S.A.
Australia

Prof. R. Radok, Director
Horace Lamb Institute of Oceanography
P. O. Box 167
Kingswood 5062, S.A.
Australia

CANADA

Director
Institute of Oceanography
University of British Columbia
Vancouver, B.C. V6T 1W5
Canada

Library
Pacific Biological Station
Fisheries and Marine Service
Nanaimo, B.C. V9R 5K6
Canada

Dr. C. S. Wong
Institute of Ocean Sciences
Department of Fisheries and
Environment
P. O. Box 6000
Sidney, B.C. V8L 4B2
Canada

Library
Science Services
Dalhousie University
Halifax, N.S. B3H 4J3
Canada

Dr. Cedric R. Mann
Institute of Ocean Sciences
9860 West Saanich Road
Sidney, B.C. V8L 4B2
Canada

GERMANY

Akademie der Wissenschaften der D D R
Institut für Meereskunde Bibliothek
253 Warnemünde
German Democratic Republic

Deutsches-Hydrographisches Institut
Tauschstelle
Postfach 220
Bernhard-Hocht-Str. 78
D-2000 Hamburg
Federal Republic of Germany

Dr. Reimer Simonsen
Institut für Meeresforschung
285 Bremerhaven
Am Handelshafen 12
Federal Republic of Germany

ICELAND

Dr. Unnsteinn Stefansson
Hafrannsóknastofnunin
Skulagata 4
Reykjavik
Iceland

JAPAN

Dr. Kiyomitsu Kitano
Hokkaido Regional Fisheries
Research Laboratory
Katsurakoi 116, Kushiro City
Hokkaido
Japan

Director
Kobe Marine Observatory
Nakayamate 7
Kobe, 650
Japan

The Public Health Institute
of Hyogo Prefecture
Arata-Cho, Hyogo-Ku
2-1 Kobe
Japan

Prof. Hideo Kawai
Kyoto University
Department of Fisheries
Faculty of Agriculture
Kyoto
Japan

Mr. Hajime Yamanaka
Far Seas Fisheries
Research Laboratory
Orido, Shimizu 424
Shizuoka-Ken
Japan

Director
Japan Oceanographic Data Center
Hydrographic Department
Maritime Safety Agency
No. 3-1,5 Chome, Tsukiji
Chuo-Ku, Tokyo
Japan 104

Library
Ocean Research Institute
University of Tokyo
Nakano-Ku, Tokyo
Japan

Oceanography Division
Marine Department
Japan Meteorological Agency
1-3-4 Ohte-Machi, Chiyoda-Ku
Tokyo, 100
Japan

KOREA

Library
Fisheries Research and
Development Agency
16-2KA, Namhang Dong
Youngdo-Ku Busan 606
Korea

MEXICO

Biblioteca
Centro de Investigacion Cientifica y
Educacion Superior de Ensenada
Apartado Postal 2732
Ensenada, Baja California
Mexico

Biblioteca
Instituto Nacional de Pesca
Centro de Investigacion Pesquera
Apartado Postal 1306
Ensenada, Baja California
Mexico

Biblioteca
Unidad de Ciencias Marinas
Universidad Autonoma de Baja
California
Apartado de Correos 453
Ensenada, Baja California
Mexico

Biblioteca, U. N. A. M.
Centro de Ciencias del
Mar y Limnologia
Apartado Postal 811
Mazatlan, Sinaloa
Mexico

Biblioteca
Centro de Promocion Pesquera
Apartado Postal 396
Mazatlan, Sinaloa
Mexico

Biblioteca
Centro de Investigacion Pesquera
Seccion de Hidrologia
Instituto Nacional de Pesca
Apartado Postal 550
Mazatlan, Sinaloa
Mexico

American Embassy (4)
Regional Fishery Attache
Apartado Postal 83-BIS
Mexico 1, D. F.
Mexico

Biblioteca
Departamento de Pesca
Alvaro Obregon 269
Mexico 7, D. F.
Mexico

Biblioteca
Universidad Nacional Autonoma
de Mexico
Apartado Postal 70-223
Mexico 20, D. F.
Mexico

Director
Inst, de Geofisica
Torre de Ciencias, 3ER Piso
Universidad Nacional Autonoma
de Mexico
Villa Obregon, D.F.
Mexico

NEW ZEALAND

Director
New Zealand Oceanographic Institute
P. O. Box 8009
Wellington
New Zealand

PERU

Biblioteca, Instituto del Mar
Apartado Postal 22
Callao
Peru

UNITED KINGDOM

Science Reference Library (A)
25 Southampton Buildings
Chancery Lane
London WC2A 1AW England
United Kingdom

Library
Subscription Department
New South Wales Government Offices
66 Strand
London, WC2N 5LZ, England
United Kingdom

Library
Fisheries Laboratory
Ministry of Agriculture, Fisheries
and Food
Lowestoft, Suffolk
NR33 0HT, England
United Kingdom

Head of Library and
Information Service
Plymouth
PL1 2PB, England
United Kingdom

Library
Inst, of Oceanographic Science
Wormley, Godalming
Surrey GU8 5UB, England
United Kingdom

Library
Department of Agriculture and
Fisheries for Scotland
Marine Laboratory
P. O. Box 101, Victoria Road
Tony, Aberdeen AB9 8DB, Scotland
United Kingdom

UNITED STATES

ALASKA

Library
Institute of Marine Science
University of Alaska
College, AK 99701

CALIFORNIA

Library — Periodicals
Humboldt State University
Arcata, CA 95521

Marine Technical Information Center
Department of Fish and Game
245 W. Broadway, Suite 350
Long Beach, CA 90802

Dr. Donn S. Gorsline
Department of Geology
University of Southern California
Los Angeles, CA 90007

Hancock Library of Biology
and Oceanography
University of Southern California
Los Angeles, CA 90007

Dr. Dale Straughan
University of Southern California
Los Angeles, CA 90007

James V. Gardner
Geological Survey
Branch of Pacific Marine Geology
345 Middlefield Road, MS999
Menlo Park, CA 94025

Naval Environmental Prediction
Research Facility
Monterey, CA 93940

Prof. O. N. K. Mooers, Chairman
Department of Oceanography
U. S. Naval Postgraduate School
Monterey, CA 93940

Director
Pacific Environmental Group
NMFS / NOAA
C/O Fleet Numerical Weather Central
Monterey, CA 93940

Commanding Officer (Code 40) (2)
Fleet Numerical Weather Central
Monterey, CA 93940

Library
Geology-Oceanography Department
California State University
Northridge, CA 91324

Dr. Donald J. Collins
Jet Propulsion Laboratory
California Institute of Technology
4800 Oak Grove Drive
Pasadena, CA 91109

E. J. List
Jet Propulsion Laboratory
California Institute of Technology
4800 Oak Grove Drive
Pasadena, CA 91109

Ocean Remote Sensing Library
Jet Propulsion Laboratory
California Institute of Technology
4800 Oak Grove Drive
Pasadena, CA 91109

Officer in Charge (Code L31)
Civil Engineering Laboratory
Naval Construction Battalion Center
Port Hueneme, CA 93043

Bernard Cohenour
Code 3144, Bldg. 514
Pacific Missile Test Center
Point Mugu, CA 93042

Director
Operations Research Branch
Department of Fish and Game
1416 Ninth Street
Sacramento, CA 95814

Mr. David Farris
Department of Biology
San Diego State University
San Diego, CA 92182

Intersea Research Corporation
11760 Sorrento Valley Road
San Diego, CA 92121

Library
Department of the Navy
Naval Ocean Systems Center
San Diego, CA 92152

Library
San Diego Society of Natural History
P. O. Box 1390
San Diego, CA 92112

Eric Shulenberger
San Diego Natural History Museum
P. O. Box 1390
San Diego, CA 92112

Library
California Academy of Sciences
Golden Gate Park
San Francisco, CA 94118

Director
Center for Coastal Marine Studies
University of California
Santa Cruz, CA 95064

NMFS / NOAA
Tiburon Laboratory
3150 Paradise Drive
Tiburon, CA 94920

CONNECTICUT

Prof. George Veronis
Department of Geology
and Geophysics
Yale University
P. O. Box 2161, Yale Station
New Haven, CT 06520

<p>FLORIDA</p> <p>R.S.M.A.S. Library University of Miami 4600 Rickenbacker Causeway Miami, FL 33149</p> <p>Library</p> <p>NMFS/NOAA</p> <p>Southwest Fisheries Center 75 Virginia Beach Drive Miami, FL 33149</p> <p>HAWAII</p> <p>Library Southwest Fisheries Center NMFS/NOAA P. O. Box 3830 Honolulu, HI 96812</p> <p>MAINE</p> <p>Director Center for Marine Studies University of Maine Orono, ME 04469</p> <p>MARYLAND</p> <p>Secretary for Publications Chesapeake Bay Institute The Johns Hopkins University Baltimore, MD 21218</p> <p>Acquisitions Section, IRDB/D823 Library and Information Services Division, NOAA 6009 Executive Blvd. Rockville, MD 20852</p> <p>Chief Oceanic Services Division (W16) Office of Meteorology and Oceanography National Weather Service 8060 13th Street, Room 1213 Silver Spring, MD 20910</p> <p>MASSACHUSETTS</p> <p>Dr. John M. Edmond Department of Earth and Planetary Sciences Bldg. 54, Room 1326 Mass. Institute of Technology Cambridge, MA 02139</p> <p>Prof. Henry M. Stommel Dept. of Physical Oceanography Woods Hole Oceanographic Inst. Woods Hole, MA 02543</p> <p>Dr. Bruce A. Warren Woods Hole Oceanographic Inst. Woods Hole, MA 02543</p> <p>Dr. L. V. Worthington Woods Hole Oceanographic Inst. Woods Hole, MA 02543</p>	<p>MISSISSIPPI</p> <p>NAV OCEAN NSTL Station, MS 39522</p> <p>NEW JERSEY</p> <p>Princeton Geology Library Department of Geological and Geophysical Sciences Guyot Hall Princeton University Princeton, NJ 08540</p> <p>NEW YORK</p> <p>Prof. Gerhard Neumann Department of Meteorology and Oceanography New York University Bronx. New York, NY 10453</p> <p>Dr. Arnold L. Gordon Lamonl-Doherty Geological Observatory of Columbia Univ. Palisades, NY 10964</p> <p>OREGON</p> <p>Pattullo Study School of Oceanography Oregon State University Corvallis, OR 97331</p> <p>Pacific Marine Fisheries Commission 528 S. W. Mill Portland, OR 97201</p> <p>RHODE ISLAND</p> <p>Pell Marine Science Library University of Rhode Island Narragansett Bay Campus Narragansett, RI 02882</p> <p>TEXAS</p> <p>Working Collection Department of Oceanography Texas A & M University College Station, TX 77843</p> <p>VIRGINIA</p> <p>Professor Ronald E. Johnson Institute of Oceanography Old Dominion University Norfolk, VA 23508</p> <p>WASHINGTON</p> <p>Library Fisheries-Oceanography WB-30 151 Oceanography Teaching Bldg. University of Washington Seattle, WA 98195</p>	<p>Prof. Gunnar I. Roden Dept. of Oceanography WB-10 University of Washington Seattle, WA 98195 j</p> <p>WASHINGTON, D.C.</p> <p>British Navy Staff British Embassy- Si 00 Massachusetts Avenue, N.W. Attn: Scientific Information Officer Washington, DC 20008</p> <p>Commanding Officer U. S. Coast Guard Oceanographic Unit Bldg. 159-E, Navy Yard Annex Washington, DC 20590</p> <p>Commander (2) U. S. Naval Oceanographic Office Library Code 3330 Washington, DC 20373</p> <p>Director (3) National Oceanographic Data Center NOAA Washington, DC 20235</p> <p>Director (6) World Data Center A NOAA Washington, DC 20235</p> <p>Dr. Robert H. Gibbs, Jr. Division of Fisheries U. S. National Museum Washington, DC 20560</p> <p>Director National Marine Fisheries Service NOAA Washington, DC 20235</p>
--	--	--