

data report

PHYSICAL, CHEMICAL AND BIOLOGICAL DATA

CalCOFI Cruise 8605
9 – 22 May 1986

Cruise CW86
6 – 11 March 1986

SIO Reference 86-22
26 September 1986

UNIVERSITY OF CALIFORNIA
SCRIPPS INSTITUTION OF OCEANOGRAPHY

PHYSICAL, CHEMICAL AND BIOLOGICAL DATA

CalCOFI Cruise 8605
9 - 22 May 1986

Cruise CW 86
6-11 March 1986

SIO Reference 86-22
26 September 1986

Approved for distribution:


Edward A. Frieman, Director

CONTENTS

Introduction	3
Literature Cited	5
Cruise 8605	
List of Figures	7
Personnel	13
Tabulated Hydrographic Cast Data	14
Tabulated Primary Productivity Cast Data	42
Tabulated Secchi Disk Observations	45
Tabulated Macrozooplankton Data	46
Cruise CW86	
CW86 Cruise Track	47
Personnel	48
Tabulated Hydrographic Cast Data	49
Tabulated Primary Productivity Cast Data	57
Tabulated Secchi Disk Observations	58
Tabulated Macrozooplankton Data	58
Distribution List	59

INTRODUCTION

The data in this report were collected during Cruise 8605* of the California Cooperative Oceanic Fisheries Investigations (CalCOFI) program aboard RV *David Starr Jordan* of the National Marine Fisheries Service; and Cruise CW86 aboard RV *New Horizon*. The 8605 cruise was one of the quarterly CalCOFI survey cruises. The CW86 cruise was planned to compare estimates of water transparency derived from the secchi disk and the submarine photometer and to assess the effects of biases in estimates of light penetration on the primary productivity technique. The data were collected and processed by personnel of the Marine Life Research Group (MLRG), the Southwest Fisheries Center, National Marine Fisheries Service (NMFS), and the Physical and Chemical Oceanographic Data Facility (PACODF). Additional data collected but not tabulated in this report include (1) light penetration measurements with a submarine photometer, and (2) photosynthesis — irradiance (P-I) curves.

STANDARD PROCEDURES

Hydrographic Cast Data

The hydrographic casts consisted of 20 or fewer Nansen bottles lowered to a maximum sampling depth of 600 meters, bottom depth permitting. Temperature, salinity, oxygen and nutrients were determined for all depths sampled. Chlorophyll-a and phaeopigments were usually determined from the top 12 depths.

Paired protected reversing thermometers were used to determine temperatures which are recorded to hundredths of a degree Celsius. Sampling bottles used below a depth of 100 meters were equipped with unprotected thermometers for determination of the depth of sampling.

Salinity samples were analyzed at sea using inductive-type salinometers. Salinometers were standardized with sub-standard seawater. Periodic checks on the concentration of the substandard were made by comparison with Wormley Standard Seawater batch P-96. The salinity values are reported to three decimal places.

Dissolved oxygen was determined by the Winkler method as modified by Carpenter (1965), using the equipment and procedure outlined by Anderson (1971). Percent oxygen saturation was calculated from the equations of Weiss (1970).

Silicate, phosphate, nitrate and nitrite nutrients were determined at sea using an automated analyzer. The procedures used are similar to those described in Atlas *et al.* (1971).

Chlorophyll was measured with a fluorometric technique (Yentsch and Menzel, 1963; Holm-Hansen *et al.*, 1965) from subsamples filtered onto GF/C filters. The pigments were extracted with a cold extraction technique in 90% acetone (Venrick and Hayward, 1984) and the fluorescence determined before and after acidification with a Turner fluorometer.

The observed data have been evaluated using the methodology described by Klein (1973). This involves consideration of their variation as functions of density or depth and their relations to each other, and comparisons with adjacent observations.

Primary Productivity Casts

Primary production was estimated from C uptake using a simulated *in situ* technique. Light penetration was estimated from the Secchi depth (assuming that the 1% light level is three times the Secchi depth). Six depths, corresponding to predetermined levels of light penetration, were sampled with 5 l Niskin bottles. Temperature, salinity, oxygen, nutrients, chlorophyll-a, and phaeopigments were determined for all depths sampled. Triplicate samples (two light and one dark control) were drawn from each depth into 250 ml polycarbonate incubation bottles which were inoculated with 10 uci of C as NaHCO₃. These were then incubated approximately from local apparent noon to civil twilight in seawater-cooled incubators with neutral-density screens which simulate the *in situ* light levels.

* The first two digits represent the year and the last digits the month of the cruise.

At the end of the incubation, the samples were filtered onto HA milipore filters and placed in scintillation vials. One-half ml of 10% HCl was added to each sample. The sample was then allowed to sit, without a cap, at room temperature for 12 hours (after Lean and Burnison, 1979). Following this, 10 ml of scintillation fluor were added to each sample and the samples were returned to S.I.O. where the radioactivity was determined with a scintillation counter.

Macrozooplankton Net Tows

Macrozooplankton was sampled with a 71 cm mouth diameter paired net (bongo net) equipped with 0.505 mm plankton mesh. Bottom depth permitting, the nets were towed obliquely from 210 m to the surface. The tow time for a standard tow was 21.5 minutes. Volumes filtered were determined from flowmeter readings and the mouth area of the net. Only one sample of each pair was retained and preserved. The biomass, as wet displacement volume, after removal of large (> 5 ml) organisms, was determined in the laboratory ashore. These procedures are summarized in greater detail in Kramer *et al.* (1972).

TABULATED DATA

Hydrographic Cast Data

The reported hydrographic cast time is the Greenwich Mean Time (GMT) of the messenger release. Bottom depths, determined acoustically, have been corrected using British Admiralty Tables (Carter, 1980) and are reported in meters. Weather conditions have been coded using WMO code 4051.

Observed and interpolated standard depth data from hydrographic casts have been interspersed and are presented together sequentially by depth. Interpolated or extrapolated standard level data are noted by the footnote "ISL" printed after the depth. Density-related parameters have been calculated from the International Equation of State of Seawater 1980 (EOS80, UNESCO, 1981). Some of the differences between EOS80 and the older equations-of-state are discussed in the introduction to SIO Ref. 84-18. Computed values of potential temperature, sigma-theta, specific volume anomaly (SVA), dynamic height or geopotential anomaly, and pressure are included with both observed and interpolated standard depth levels.

Primary Productivity Casts

In addition to the normal hydrographic data, the tabulated data include: the light levels at which the samples were incubated, the uptake from each of the replicate light bottles (uptake 1 and uptake 2) which have been corrected for dark uptake by subtracting the dark value, the mean of the two uptake values, the dark uptake, chlorophyll and phaeophytin. The uptake values shown are the total for the incubation period. The times of local apparent noon (LAN), civil twilight, and the vertically integrated value of the mean uptake from the surface to the deepest sample depth (assuming that the shallowest measured value extends to the surface and that negative values are zero) are also shown for each experiment. The uptake data have been presented to two significant digits (values < 1.00) or one decimal (values > 1.00). The higher production values may not warrant all of the significant digits presented. Incubation time, LAN, and civil twilight are given in local Pacific Standard Time (PST); to convert to GMT, add eight hours to the PST time.

Secchi Disk Observations


Secchi disk observations were made on most daylight stations. The times are given in local PST (+8) time. Weather codes and cloud observations are also presented.

Macrozooplankton Data

Macrozooplankton biomass volumes are tabulated as total biomass volume (cm/1000 m strained) and as the total volume minus the volume of larger organisms under the heading "Small".

LITERATURE CITED

- Anderson, G. C., compiler, 1971. "Oxygen Analysis," Marine Technician's Handbook, SIO Ref. No. 71-8, Sea Grant Pub. No. 9.
- Atlas, E. L., J. C. Callaway, R. D. Tomlinson, L. I. Gordon, L. Barstow and P. K. Park, 1971. *A Practical Manual for Use of the Technicon AutoAnalyzer in Sea Water Nutrient Analysis*; Revised. Oregon State University Technical Report 215, Reference No. 71-22.
- Carpenter, J. H., 1965. The Chesapeake Bay Institute technique for the Winkler dissolved oxygen method. *Limnol. Oceanogr.*, 10:141-143.
- Carter, D. J. T., 1980. Echo-sounding correction tables. Third Edition. Hydrographic Department, Ministry of Defence, Taunton, U. K., NP 139: 150 pp.
- Holm-Hansen, O., C. J. Lorenzen, R. W. Holmes, and J. D. H. Strickland, 1965. Fluorometric determination of chlorophyll. *J. Cons. perm. int. Explor. Mer.*, 30:3-15.
- Klein, Hans T., 1973. A new technique for processing physical Oceanographic data. SIO Ref. No. 73-14.
- Kramer, D., M. J. Kalin, E. G. Stevens, J. R. Thrailkill, and J. R. Zweifel, 1972. Collecting and processing data on fish eggs and larvae in the California Current region. *NOAA Technical Report NMFS CIRC-370*: 38 pp.
- Lean, D. R. S., and B. K. Burnison, 1979. An evaluation of errors in the C method of primary production measurement. *Limnol. Oceanogr.*, 24:799-998.
- Scripps Institution of Oceanography, University of California, 1984. Physical, Chemical and Biological Data, CalCOFI Cruise 8401, 4-27 January 1984. SIO Ref. No. 84-18, 120 pp.
- UNESCO, 1981. Background papers and supporting data on the International Equation of State 1980. *UNESCO Tech. Pap. in Mar. Sci.*, No. 38.
- Venrick, E. L. and T. L. Hayward, 1984. Determination of chlorophyll on the 1984 CalCOFI surveys. *CalCOFI Rep.*, Vol. XXV: 14-19.
- Weiss, R. F., 1970. The solubility of nitrogen, oxygen and argon in water and seawater. *Deep-Sea Res.*, 17:721-735.
- Yentsch, C. S. and D. W. Menzel, 1963. A method for the determination of phytoplankton chlorophyll and phaeophytin by fluorescence. *Deep-Sea Res.*, 10:221-231.



cm/sec	0	1	2	3	4	5	6	7	8	9
0	<i>KNOTS</i> 0.02 <i>NM/DAY</i>	0.04	0.06	0.08	0.10	0.12	0.14	0.16	0.17	0.19
10	4.66	5.13	5.59	6.06	6.53	6.99	7.46	7.93	8.39	8.86
20	9.32	9.79	10.26	10.72	11.19	11.66	12.12	12.59	13.05	13.52
30	13.99	14.45	14.92	15.38	15.85	16.32	16.78	17.25	17.72	18.18
40	18.65	19.11	19.58	20.05	20.51	20.98	21.45	21.91	22.38	22.84
50	23.31	23.78	24.24	24.71	25.17	25.64	26.11	26.57	27.04	27.51
60	27.98	28.44	28.90	29.37	29.84	30.30	30.77	31.24	31.70	32.17
70	32.63	33.10	33.57	34.03	34.50	34.96	35.43	35.90	36.36	36.83
80	37.30	37.76	38.23	38.69	39.16	39.63	40.09	40.56	41.03	41.49
90	41.96	42.42	42.89	43.36	43.82	44.29	44.76	45.22	45.69	46.15
100	46.62	47.09	47.55	48.02	48.48	48.95	49.42	49.88	50.35	50.82

CONVERSION TABLE
(CENTIMETERS / SECOND - KNOTS - NAUTICAL MILES / DAY)

1 cm/sec = 0.019 kts = 0.466 NAUTICAL MILES / DAY
1 kt = 24 NAUTICAL MILES / DAY = 51.48 cm/sec
1 NAUTICAL MILE / DAY = 0.042 kts = 2.14 cm/sec

FIGURES

Cruise 8605

1. CalCOFI Cruise 8605, station positions.
2. Horizontal distribution of chlorophyll-a at 10 meters.
3. Horizontal distribution of dynamic height anomaly (0 over 500 m).
4. Horizontal distribution of sigma-theta at 10 meters.
5. Horizontal distribution of temperature at 10 meters.
6. Horizontal distribution of salinity at 10 meters.
7. Horizontal distribution of dynamic height anomaly (200 over 500 m).
8. Horizontal distribution of sigma-theta at 200 meters.
9. Horizontal distribution of temperature at 200 meters.
10. Horizontal distribution of salinity at 200 meters.




FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4




FIGURE 5




FIGURE 6




FIGURE 7




FIGURE 8




FIGURE 9




FIGURE 10

PERSONNEL

Cruise 8605

SHIP'S CAPTAIN

Roll, Milton, RV *David Starr Jordan*

PERSONNEL PARTICIPATING IN THE COLLECTION OF DATA

Flerx, William C. (in charge)	Fishery Biologist, NMFS
Abramenkoff, Dmitry N.	Fishery Biologist, NMFS
Anderson, George C.	Staff Research Associate, SIO
Bryan, Walter R.	Marine Technician, SIO
Charter, Richard L.	Computer Specialist, NMFS
Cummings, Sherry L.	Staff Research Associate, SIO
Dotson, Ronald C.	Fishery Biologist, NMFS
Estrada-Garcia, Jaime	Fishery Biologist, INP
Gruber, Dennis W.	Marine Technician, SIO
Mead, Richard V.	Marine Technician, SIO

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 77 55

LATITUDE	LONGITUDE	DAY/MO/YR	MESSENGER	BOTTOM	WIND	SPEED	WAVES	WEATHER	BAROMETER	DRY	WET	CLOUD	AMT	TYPE			
34 53.6 N	121 11.9 W	21/05/86	2205 GMT	2485 M	330	30 KT	3 40 06	06 1	1017.5	MB	13.9 C	11.8 C	4/8	CS			
CST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXY	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRESS	
	M	DEG C	DEG C		THETA			ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR	
1	0	ISL	12.57	12.56	33.424	25.258	270.4	.000	6.53	108.1						0	
1	1		12.57	12.56	33.424	25.258	270.2	.003	6.53	108.1	1.2	.63	3.4	.13	3.93	.75	1
1	10	ISL	12.49	12.49	33.427	25.27 4	268.8	.027	6.50	107.5							10
1	11		12.48	12.48	33.427	25.277	268.7	.03 0	6.50	107.4	1.7	.67	3.7	.14	3.27	1.05	11
1	20		12.27	12.27	33.441	25.328	264.1	.053	6.28	103.4	3.1	.75	5.1	.15	7.05	3.01	20
1	30		11.04	11.03	33.564	25.652	233.5	.07 8	5.20	83.4	12.6	1.24	12.4	.21	.67	1.08	30
1	41		10.58	10.57	33.644	25.796	220.0	.103	4.75	75.5	16.5	1.43	15.5	.23	.76	1.14	41
1	50		10.08	10.08	33.723	25.942	206.3	.122	4.15	65.3	21.4	1.65	19.4	.23	.66	1.03	50
1	60		9.88	9.87	33.759	26.004	200.5	.142	3.81	59.7	24.0	1.75	21.1	.19	.61	1.16	60
1	71		9.65	9.64	33.830	26.098	191.9	.164	2.94	45.8	27.7	1.89	24.1	.07	.35	1.05	71
1	75	ISL	9.54	9.53	33.865	26.145	187.5	.172	2.71	42.2							75
1	87		9.29	9.28	33.946	26.249	177.9	.193	2.35	36.4	33.0	2.12	26.8	.03	.12	.85	87
1	100	ISL	9.22	9.21	33.974	26.282	175.0	.217	2.22	34.3							100
1	101		9.22	9.21	33.975	26.283	174.9	.219	2.22	34.3	34.3	2.17	27.4	.03	.12	.72	101
1	120		9.10	9.09	34.011	26.329	170.9	.252	2.09	32.2	36.0	2.22	28.1	.02	.08	.52	120
1	125	ISL	9.08	9.07	34.021	26.341	169.8	.260	2.08	32.1							125
1	144		8.92	8.90	34.050	26.390	165.6	.292	2.04	31.3	37.7	2.27	28.6	.02	.06	.44	144
1	150	ISL	8.81	8.79	34.042	26.401	164.6	.302	2.19	33.5							150
1	174		8.28	8.26	34.001	26.451	160.2	.341	2.83	42.8	36.6	2.09	27.7	.02			174
1	200	ISL	7.86	7.84	34.004	26.516	154.3	.382	2.89	43.3							200
1	203		7.82	7.80	34.007	26.524	153.6	.386	2.90	43.4	39.4	2.12	28.5	.02			203
1	232		7.65	7.63	34.055	26.586	148.2	.429	2.31	34.5	44.8	2.31	30.9	.01			232
1	250	ISL	7.55	7.52	34.093	26.631	144.1	.456	1.96	29.1							250
1	271		7.39	7.36	34.129	26.682	139.5	.486	1.62	24.0	52.3	2.60	33.4	.01			271
1	300	ISL	6.99	6.96	34.127	26.737	134.6	.526	1.41	20.7							300
1	324		6.68	6.65	34.122	26.775	131.1	.557	1.30	19.0	61.1	2.75	36.2	.02			324
1	382		6.61	6.58	34.213	26.856	124.3	.632	.81	11.8	67.0	2.95	37.5	.02			382
1	400	ISL	6.53	6.49	34.225	26.877	122.6	.654	.73	10.6							400
1	448		6.24	6.20	34.240	26.927	118.3	.712	.60	8.7	74.0	3.06	38.9	.03			448
1	500	ISL	5.96	5.92	34.252	26.973	114.4	.772	.50	7.2							500
1	519		5.86	5.82	34.255	26.987	113.2	.7 94	.48	6.9	80.9	3.13	40.0	.03			519

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 77 60

LATITUDE	LONGITUDE	DAY/MO/YR	MESSENGER	BOTTOM	WIND	SPEED	WAVES	WEATHER	BAROMETER	DRY	WET	CLOUD	AMT	TYPE		
34 43.2 N	121 33.0 W	21/05/86	1802 GMT	945 M	340	26 KT	350 06 06	1	1018.7	MB	13.6 C	11.0 C	5/8	CS		
CST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRESS
	M	DEG C	DEG C		THETA			ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR
1	0	ISL	11.96	11.96	33.378	25.337	262.8	.000	6.04	98.7						0
	2		11.96	11.96	33.378	25.337	262.7	.005	6.04	98.7						2
	10	ISL	11.95	11.94	33.381	25.343	262.4	.026	6.03	98.6						10
1	12		11.94	11.94	33.382	25.344	262.3	.031	6.03	98.5						12
	20	ISL	11.44	11.44	33.447	25.488	248.9	.052	5.61	90.8						20
1	22		11.31	11.31	33.464	25.524	245.5	.057	5.51	88.9						22
	30	ISL	11.13	11.12	33.492	25.580	240.4	.076	5.38	86.4						30
	33		11.10	11.10	33.496	25.588	239.6	.083	5.36	86.1						33
1	43		10.98	10.97	33.508	25.619	236.9	.107	5.25	84.1	12.0	1.23	12.8	.23	1.00	.85
	50	ISL	10.85	10.85	33.538	25.665	232.7	.124	5.16	82.4						50
	52		10.79	10.79	33.552	25.686	230.7	.130	5.11	81.5	12.9	1.29	13.7	.20	1.90	1.41
1	62		10.53	10.52	33.604	25.774	222.6	.150	4.87	77.3	15.6	1.42	15.6	.21	1.15	1.35
1	73		10.42	10.41	33.637	25.818	218.6	.175	4.82	76.3	16.6	1.46	16.2	.21	1.35	1.14
	75	ISL	10.35	10.34	33.640	25.832	217.4	.180	4.72	74.6						75
	89		9.95	9.94	33.661	25.917	209.5	.209	4.11	64.4	20.6	1.63	19.6	.18	.32	.80
1	100	ISL	9.83	9.81	33.722	25.986	203.2	.232	3.95	61.8						100
	103		9.79	9.78	33.743	26.008	201.2	.23 9	3.91	61.1	23.1	1.75	21.0	.21	.57	.99
1	122		9.26	9.25	33.823	26.158	187.3	.276	3.05	47.1	27.7	1.93	24.9	.13	.26	.85
	125	ISL	9.22	9.20	33.832	26.172	185.9	.281	3.03	46.7						125
1	148		8.95	8.93	33.904	26.271	177.0	.323	2.81	43.1	31.2	2.02	26.4	.08	.15	.76
	150	ISL	8.93	8.92	33.909	26.277	176.4	.326	2.80	42.9						150
1	177		8.68	8.67	33.971	26.365	168.5	.373	2.68	40.9	33.9	2.09	27.4	.08		177
	200	ISL	8.37	8.35	33.999	26.436	162.1	.411	2.66	40.3						200
1	207		8.27	8.25	34.005	26.455	160.3	.422	2.65	40.1	36.8	2.15	28.3	.04		207
1	237		7.92	7.90	34.038	26.533	153.3	.468	2.43	36.5	41.5	2.25	29.9	.03		237
	250	ISL	7.75	7.73	34.049	26.567	150.3	.489	2.32	34.6						250
1	275		7.45	7.42	34.067	26.625	145.0	.526	2.08	30.9	47.8	2.42	32.1	.02		275
	300	ISL	7.23	7.21	34.093	26.676	140.6	.561	1.80	26.6						300
1	329		7.05	7.02	34.123	26.725	136.2	.601	1.47	21.6	55.8	2.67	34.8	.02		329
	387		6.81	6.78	34.182	26.805	129.4	.679	.97	14.2	62.9	2.86	36.5	.05		387
	400	ISL	6.73	6.69	34.194	26.826	127.6	.6 95	.89	13.0						400
1	451		6.35	6.31	34.236	26.910	120.1	.758	.64	9.3	72.0	3.03	38.5	.03		451
	500	ISL	5.96	5.91	34.272	26.989	112.9	.815	.49	7.1						500
1	519		5.79	5.75	34.284	27.019	110.1	.837	.46	6.6	83.1	3.16	40.2	.02		519

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 77 70

LATITUDE	LONGITUDE	DAY/MO/YR	MESSENGER	BOTTOM	WIND	SPEED	WAVES	WEATHER	BAROMETER	DRY	WET	CLOUD	AMT	TYPE		
34 23.3 N	122 15.0 W	21/05/86	1036 GMT	4066 M	320	20 KT			1016.5 MB	13.5 C	12.5 C					
CST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRESS
	M	DEG C	DEG C		THETA			ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR
1	0 ISL	13.17	13.17	33.227	24.986	296.2	.000	6.19	103.7							0
1	1	13.17	13.17	33.227	24.986	296.2	.003	6.19	103.7	2.1	.57	2.4	.09	1.03	.30	1
1	10 ISL	13.16	13.15	33.228	24.991	295.9	.030	6.20	103.9							10
1	16	13.14	13.14	33.230	24.995	295.8	.047	6.21	104.0	2.1	.57	2.4	.09	1.03	.31	16
1	20 ISL	13.05	13.05	33.249	25.027	292.7	.059	6.26	104.7							20
1	30	12.71	12.71	33.298	25.133	282.9	.088	6.32	104.9	1.4	.63	3.4	.12	1.63	.41	30
1	43	12.02	12.02	33.315	25.278	269.4	.123	5.95	97.3	4.0	.79	5.5	.15	1.29	.68	43
1	50 ISL	11.91	11.90	33.352	25.328	264.8	.142	5.81	94.8							50
1	52	11.89	11.88	33.363	25.341	263.7	.147	5.78	94.3	5.0	.85	6.3	.20	.93	.81	52
1	61	11.59	11.58	33.426	25.445	253.9	.170	5.61	91.0	6.5	.97	7.8	.19	.62	.64	61
1	73	11.15	11.14	33.502	25.585	240.8	.200	4.96	79.7	11.2	1.21	11.4	.25	.35	.47	73
1	75 ISL	11.07	11.06	33.540	25.629	236.7	.205	4.88	78.3							75
1	81	10.89	10.88	33.628	25.729	227.3	.218	4.70	75.2	14.8	1.37	13.4	.26	.18	.37	81
1	96	10.53	10.52	33.694	25.844	216.7	.252	4.04	64.1	19.9	1.54	17.2	.29	.12	.35	96
1	100 ISL	10.28	10.27	33.697	25.890	212.4	.261	3.86	61.0							101
1	110	9.72	9.71	33.711	25.994	202.6	.283	3.47	54.1	24.0	1.72	21.9	.05	.08	.30	111
1	125 ISL	9.52	9.51	33.817	26.110	191.9	.312	2.94	45.7							126
1	126	9.52	9.51	33.827	26.119	191.1	.314	2.90	45.1	28.1	1.91	24.3	.03	.07	.33	127
1	149	9.12	9.10	33.907	26.246	179.3	.356	2.76	42.5	31.3	2.02	25.8	.03	.05	.31	150
1	150 ISL	9.11	9.09	33.910	26.251	178.9	.358	2.75	42.4							151
1	174	8.76	8.74	33.985	26.365	168.5	.400	2.54	38.8	35.1	2.12	27.3	.04			175
1	200 ISL	8.32	8.30	34.011	26.451	160.6	.442	2.61	39.5							202
1	203	8.27	8.25	34.011	26.460	159.8	.447	2.62	39.6	37.8	2.15	28.2	.04			204
1	232	7.60	7.58	34.024	26.570	149.7	.491	2.57	38.3	43.4	2.24	30.0	.03			233
1	250 ISL	7.36	7.33	34.037	26.614	145.6	.519	2.36	35.0							252
1	270	7.18	7.15	34.054	26.653	142.2	.548	2.07	30.5	50.3	2.45	32.5	.02			272
1	300 ISL	6.95	6.93	34.084	26.707	137.4	.589	1.68	24.7							302
1	323	6.80	6.77	34.105	26.745	134.1	.620	1.41	20.6	59.0	2.70	35.4	.02			325
1	382	6.38	6.35	34.140	26.829	126.7	.697	1.00	14.5	66.8	2.89	37.6	.01			384
1	400 ISL	6.27	6.23	34.156	26.857	124.3	.720	.89	12.8							403
1	447	6.00	5.96	34.198	26.924	118.2	.777	.64	9.2	75.5	3.06	39.4	.01			450
1	500 ISL	5.72	5.68	34.248	26.998	111.7	.838	.45	6.4							504
1	518	5.64	5.59	34.265	27.022	109.5	.858	.40	5.7	84.3	3.17	40.8	.01			522

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 77 80

LATITUDE	LONGITUDE	DAY/MO/YR	MESSENGER	BOTTOM	WIND	SPEED	WAVES	WEATHER	BAROMETER	DRY	WET	CLOUD	AMT	TYPE		
34 03.5 N	122 56.5 W	21/05/86	0536 GMT	4114 M	340	17 KT			1016.6 MB	14.8 C	13.0 C					
CAST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRESS
	M	DEG C	DEG C		THETA			ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR
1	0 ISL	14.89	14.88	33.011	24.465	345.8	.000	5.92	102.6							0
	2	14.89	14.88	33.011	24.465	345.8	.007	5.92	102.6	2.8	.39	.1	.00	.12	.02	2
1	10 ISL	14.89	14.89	33.012	24.465	346.1	.035	5.95	103.1							10
1	16	14.89	14.89	33.012	24.465	346.2	.055	5.96	103.3	2.8	.39	.1	.00	.11	.02	16
	20 ISL	14.86	14.86	33.013	24.472	345.7	.069	5.96	103.2							20
	30 ISL	14.78	14.78	33.015	24.490	344.2	.104	5.94	102.7							30
1	31	14.77	14.77	33.015	24.493	344.0	.107	5.94	102.7	2.7	.39	.1	.00	.10	.03	31
1	42	14.73	14.73	33.014	24.500	343.6	.144	5.93	102.4	2.8	.39	.1	.00	.12	.03	42
1	50	14.68	14.68	33.011	24.509	343.0	.172	6.02	103.9	2.8	.39	.1	.00	.12	.03	50
1	60	14.55	14.54	33.013	24.541	340.2	.206	6.07	104.4	2.7	.39	.1	.00	.14	.05	60
1	70	14.49	14.48	33.012	24.552	339.5	.240	5.96	102.4	2.7	.39	.1	.00	.16	.09	70
	75 ISL	14.34	14.33	33.016	24.587	336.6	.257	5.98	102.4							76
1	81	14.01	14.00	33.020	24.658	329.6	.276	5.99	101.9	2.7	.40	.1	.00	.27	.15	81
1	96	11.99	11.98	33.166	25.170	281.0	.322	5.72	93.4	4.5	.65	4.0	.08	.38	.44	96
	100 ISL	11.69	11.68	33.225	25.272	271.4	.334	5.59	90.8							101
1	110	11.25	11.23	33.333	25.436	255.9	.359	5.31	85.4	6.9	.84	7.8	.03	.15	.28	110
1	125	10.54	10.53	33.398	25.611	239.4	.399	4.93	78.1	10.8	1.10	12.1	.01	.09	.15	126
1	150	9.49	9.48	33.608	25.952	207.3	.454	4.01	62.2	20.5	1.60	20.3	.00	.02	.03	151
1	173	8.97	8.95	33.767	26.160	187.9	.499	3.54	54.3	26.3	1.80	23.8	.00			174
	200 ISL	8.51	8.49	33.912	26.345	170.7	.547	2.94	44.7							202
1	204	8.46	8.43	33.928	26.367	168.7	.554	2.87	43.6	34.1	2.05	27.6	.00			205
1	234	8.03	8.01	33.993	26.483	158.1	.603	2.69	40.5	38.4	2.14	28.9	.00			235
	250 ISL	7.77	7.75	34.009	26.533	153.5	.628	2.61	39.1							252
1	273	7.42	7.39	34.020	26.593	148.0	.663	2.47	36.6	45.2	2.29	30.9	.00			275
	300 ISL	7.13	7.11	34.036	26.646	143.3	.702	2.14	31.5							302
1	327	6.88	6.85	34.048	26.690	139.3	.740	1.80	26.4	54.5	2.52	34.1	.00			329
1	387	6.16	6.13	34.050	26.786	130.5	.821	1.55	22.3	64.3	2.73	36.9	.00			389
	400 ISL	6.03	6.00	34.053	26.805	128.8	.838	1.46	21.0							403
1	451	5.63	5.59	34.078	26.875	122.6	.902	1.09	15.5	74.6	2.91	39.4	.00			454
	500 ISL	5.36	5.32	34.129	26.948	115.9	.961	.75	10.6							504
1	520	5.28	5.23	34.159	26.981	112.9	.984	.61	8.6	85.7	3.09	41.3	.00			524

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 77 90

LATITUDE		LONGITUDE		DAY/MO/YR		MESSENGER		BOTTOM		WIND		SPEED		WAVES		WEATHER		BAROMETER		DRY		WET		CLOUD		AMT		TYPE			
33 43.A N		123 38.0 W		20/05/86		2318 GMT		4305 M		310		13 KT		320 03 05		1		1016.6 MB		16.7 C		14.6 C				1/8		ST			
CAST	DEPTH	TEMP		POT TEMP		SALINITY		SIGMA		SVA		DYN HT		OXYGEN		OXY		SI03		PO4		NO3		NO2		CHL-A		PHAE0		PRESS	
	M	DEG	C	DEG	C				THETA					ML/L	PCT		UM/L	UM/L	UM/L	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L		D.BAR				
1	0	ISL	14.99	14.99		33.056	24.477	3 45.1		.000	5.94	103.2																	0		
	1		14.99	14.99		33.056	24.477	344.6		.003	5.94	103.2																	1		
	10	ISL	14.82	14.81		33.052	24.511	341.6		.03 4	5.97	103.3																	10		
1	16		14.74	14.74		33.052	24.528	340.2		.055	5.98	103.3																	16		
	20	ISL	14.73	14.73		33.053	24.530	340.2		.068	5.98	103.3																	20		
	30	ISL	14.72	14.72		33.054	24.534	340.0		.102	5.97	103.2																	30		
1	36		14.71	14.71		33.055	24.537	340.0		.122	5.97	103.1																	36		
	50	ISL	14.60	14.60		33.053	24.558	338.3		.170	5.98	103.1																	50		
1	56		14.56	14.55		33.052	24.567	337.6		.190	5.99	103.1																	56		
1	71		13.61	13.61						.239	6.02	101.6																	71		
	75	ISL	13.56	13.55		33.049	24.772	317.5		.253	6.07	102.3																	76		
1	81		13.37	13.36		33.048	24.810	315.1		.270	6.13	103.0																	81		
1	91		11.98	11.97		33.161	25.167	281.1		.300	5.69	92.9																	91		
	100	ISL	11.50	11.49		33.253	25.328	266.0		.326	5.54	89.5																	100		
1	101		11.49	11.47		33.258	25.334	265.4		.327	5.53	89.4																	101		
1	110		11.28	11.27		33.356	25.448	254.8		.351	5.39	86.8																	110		
1	124		10.33	10.31		33.440	25.682	232.7		.387	4.84	76.4																	124		
	125	ISL	10.30	10.29		33.443	25.689	232.0		.388	4.82	76.0																	125		
1	139		9.77	9.75		33.541	25.854	216.5		.420	4.34	67.7																	139		
	150	ISL	9.33	9.32		33.630	25.995	203.2		.443	4.13	63.9																	150		
1	159		9.02	9.00		33.709	26.107	192.7		.461	3.93	60.3																	159		
1	179		8.82	8.80		33.854	26.253	179.2		.498	3.04	46.5																	179		
	200	ISL	8.53	8.50		33.915	26.346	170.7		.535	2.94	44.7																	200		
1	204		8.47	8.44		33.921	26.360	169.4		.541	2.92	44.3																	204		
1	234		7.99	7.96		33.981	26.47 9	158.4		.590	2.92	43.9																	234		
	250	ISL	7.70	7.67		33.991	26.529	153.8		.615	2.92	43.6																	250		
1	273		7.31	7.28		33.995	26.588	148.4		.651	2.93	43.3																	273		
	300	ISL	7.00	6.97		34.011	26.644	143.4		.6 90	2.56	37.6																	300		
1	327		6.74	6.71		34.030	26.6 94	138.8		.728	2.08	30.4																	327		
1	387		6.16	6.12		34.079	26.809	128.4		.807	1.28	18.4																	387		
	400	ISL	6.08	6.04		34.090	26.82 9	126.7		.824	1.17	16.8																	400		
1	451		5.81	5.77		34.132	26.896	120.8		.888	.87	12.4																	451		
	500	ISL	5.50	5.45		34.171	26.965	114.5		.945	.62	8.8																	500		
1	520		5.35	5.31		34.187	26.995	111.8		.968	.53	7.5																	520		

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 77 100

LATITUDE		LONGITUDE		DAY/MO/YR		MESSENGER		BOTTOM		WIND		SPEED		WAVES		WEATHER		BAROMETER		DRY		WET		CLOUD		AMT		TYPE			
33 23.2 N		124 19.5 W		20/05/86		1621 GMT		4305 M		340		12 KT		350 04 05		2		1017.5 MB		15.2 C		13.0 C				8/8		ST			
CAST	DEPTH	TEMP		POT TEMP		SALINITY		SIGMA		SVA		DYN HT		OXYGEN		OXY		SI03		PO4		NO3		NO2		CHL-A		PHAE0		PRESS	
	M	DEG	C	DEG	C				THETA					ML/L	PCT		UM/L	UM/L	UM/L	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L				D.BAR		
	0	ISL	14.62	14.62		32.926	24.456	3 46.7	.000	5.97	102.8																		0		
1	2		14.62	14.62		32.926	24.456	3 46.6	.007	5.97	102.8	3.6	.36	.2	.00	.19	.04												2		
	10	ISL	14.60	14.60		32.928	24.462	346.3	.035	5.99	103.2																		10		
1	16		14.59	14.59		32.932	24.467	3 46.0	.055	6.00	103.3	3.4	.35	.2	.00	.17	.05												16		
	20	ISL	14.60	14.59		32.931	24.465	346.3	.06 9	6.00	103.3																		20		
	30	ISL	14.61	14.61		32.929	24.461	347.0	.104	5.99	103.2																		30		
1	36		14.62	14.61		32.927	24.458	347.4	.124	5.98	103.0	3.3	.35	.2	.00	.19	.05												36		
	50	ISL	14.72	14.71		33.056	24.536	3 40.4	.173	5.97	103.0																		50		
1	56		14.76	14.75		33.125	24.581	336.3	.192	5.96	103.1	2.6	.35	.2	.00	.24	.08												56		
1	70		14.16	14.15		33.107	24.695	325.8	.23 9	5.95	101.6	2.4	.37	.2	.00	.21	.12												70		
	75	ISL	14.16	14.15		33.138	24.717	323.9	.256	6.02	102.8																		76		
1	80		14.17	14.16		33.168	24.739	321.9	.271	6.06	103.6	2.3	.38	.2	.00	.24	.16												80		
1	91		14.41	14.40		33.370	24.846	312.1	.306	5.86	100.8	2.1	.35	.2	.00	.25	.26												91		
	100	ISL	13.96	13.94		33.376	24.945	302.7	.334	5.82	99.2																		101		
1	101		13.91	13.90		33.376	24.955	302.0	.336	5.82	99.1	2.5	.41	.3	.03	.25	.29												101		
1	110		12.92	12.90		33.323	25.114	286.8	.362	5.75	95.8	3.6	.53	2.1	.12	.20	.26												110		
1	123		12.37	12.36		33.427	25.300	269.4	.401	5.52	91.0	4.5	.64	4.0	.12	.17	.19												124		
	125	ISL	12.29	12.28		33.434	25.321	267.5	.405	5.49	90.4																		126		
1	137		11.55	11.53		33.468	25.487	251.7	.43 8	5.24	84.9	6.8	.82	7.6	.04	.12	.16												138		
	150	ISL	10.64	10.62		33.505	25.679	233.6	.468	4.99	79.3																		151		
1	157		10.14	10.12		33.536	25.789	223.2	.485	4.81	75.6	12.9	1.21	14.1	.01	.03	.05												158		
1	177		9.29	9.27		33.677	26.03 9	199.6	.527	4.00	61.8	21.4	1.60	20.6	.00														178		
	200	ISL	8.74	8.72		33.829	26.245	180.4	.570	3.64	55.5																		201		
1	203		8.70	8.68		33.845	26.265	178.5	.576	3.62	55.2	28.0	1.79	23.9	.00														204		
1	232		8.37	8.34		33.923	26.377	168.3	.625	3.57	54.1	31.1	1.83	24.8	.00														233		
	250	ISL	8.04	8.02		33.960	26.455	161.1	.655	3.47	52.2																		252		
1	271		7.65	7.63		33.991	26.536	153.5	.688	3.29	49.1	38.7	1.99	27.5	.00														272		
	300	ISL	7.22	7.19		34.007	26.611	146.7	.732	2.87	42.3																		302		
1	324		6.90	6.87		34.009	26.656	142.5	.767	2.48	36.3	50.6	2.33	32.0	.00														326		
1	385		6.19	6.15		34.030	26.767	132.3	.850	1.74	25.1	62.4	2.65	36.2	.00														3 87		
	400	ISL	6.06	6.02		34.039	26.791	130.2	.870	1.58	22.6																		403		
1	449		5.73	5.69		34.076	26.861	123.9	.933	1.12	16.0	73.0	2.88	39.2	.00														452		
	500	ISL	5.45	5.41		34.129	26.937	117.1	.994	.76	10.7																		504		
1	519		5.37	5.33		34.153	26.966	114.5	1.015	.65	9.2	84.1	3.08	41.2	.00														522		

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 77 I10

LATITUDE	LONGITUDE	DAY/MO/YR	MESSENGER	BOTTOM	WIND	SPEED	WAVES	WEATHER	BAROMETER	DRY	WET	CLOUD	AMT	TYPE		
33 03.4 N	125 00.6 W	20/05/86	1052 GMT	4880 M	340	13 KT			1016.5 MB	15.1 C	13.0 C					
CAST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRESS
	M	DEG C	DEG C		THETA			ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR
1	0 ISL	14.90	14.90	33.012	24.462	346.1	.000	5.92	102.6							0
	2	14.90	14.90	33.012	24.462	346.0	.007	5.92	102.6	3.1	.36	.2	.00	.12	.02	2
1	10 ISL	14.89	14.89	33.012	24.465	346.0	.035	5.94	102.9							10
	17	14.88	14.87	33.012	24.468	346.0	.059	5.95	103.1	3.1	.36	.1	.00	.12	.02	17
	20 ISL	14.88	14.87	33.014	24.470	345.9	.069	5.95	103.1							20
	30 ISL	14.86	14.86	33.023	24.479	345.2	.104	5.96	103.2							30
1	37	14.85	14.85	33.034	24.490	344.4	.127	5.96	103.2	3.0	.36	.1	.00	.15	.03	37
	50 ISL	14.80	14.80	33.055	24.518	342.2	.173	5.97	103.4							50
1	56	14.78	14.77	33.073	24.537	340.5	.192	5.98	103.4	2.8	.36	.1	.00	.16	.04	56
1	69	15.46	15.45	33.357	24.608	334.2	.236	5.82	102.2	2.3	.32	.1	.00	.14	.05	69
	75 ISL	15.31	15.29	33.415	24.687	326.9	.257	5.88	103.0							75
1	81	14.99	14.97	33.439	24.775	318.6	.275	5.94	103.4	2.3	.31	.1	.00	.16	.08	81
	91	14.24	14.23	33.470	24.958	301.4	.306	5.84	100.1	2.7	.36	.1	.00	.20	.23	91
1	100	13.65	13.63	33.500	25.105	287.6	.332	5.73	97.1	3.6	.40	.6	.05	.34	.31	100
1	110	12.93	12.91	33.477	25.231	275.7	.360	5.62	93.8	4.1	.51	2.3	.12	.28	.25	110
	124	12.03	12.01	33.480	25.407	259.2	.400	5.35	87.6	6.1	.70	5.8	.04	.18	.24	124
1	125 ISL	12.00	11.98	33.481	25.413	258.7	.402	5.34	87.4							125
1	139	11.24	11.23	33.490	25.560	244.9	.438	5.04	81.1	9.0	.91	9.3	.02	.11	.15	139
	150 ISL	10.55	10.53	33.519	25.705	231.1	.463	4.75	75.3							150
1	158	10.05	10.03	33.558	25.822	220.1	.482	4.51	70.8	15.8	1.31	16.1	.00	.11	.16	158
1	179	9.34	9.32	33.709	26.056	198.0	.525	4.02	62.2	21.9	1.55	20.3	.00			179
	200 ISL	8.90	8.88	33.806	26.203	184.4	.565	3.73	57.2							200
1	203	8.85	8.83	33.817	26.219	182.8	.571	3.71	56.8	26.7	1.73	23.1	.00			203
1	233	8.34	8.31	33.937	26.392	166.8	.623	3.88	58.7	30.0	1.72	23.6	.00			233
	250 ISL	8.06	8.04	33.964	26.455	161.1	.651	3.79	57.1							250
1	272	7.75	7.72	33.977	26.512	155.9	.685	3.56	53.2	36.4	1.89	26.1	.00			272
	300 ISL	7.38	7.35	33.994	26.577	149.9	.729	3.10	45.9							300
1	325	7.10	7.07	34.004	26.625	145.6	.766	2.65	39.0	47.8	2.25	30.9	.00			325
1	385	6.55	6.51	34.032	26.722	136.9	.850	1.91	27.8	58.2	2.54	34.9	.00			385
	400 ISL	6.41	6.37	34.045	26.751	134.4	.871	1.71	24.8							400
1	447	5.99	5.95	34.087	26.837	126.4	.932	1.15	16.5	69.7	2.84	38.5	.00			447
	500 ISL	5.62	5.58	34.137	26.924	118.6	.997	.74	10.5							500
1	516	5.53	5.48	34.153	26.947	116.4	1.015	.66	9.4	81.2	3.06	40.8	.00			516

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 77 120

LATITUDE		LONGITUDE		DAY/MO/YR		MESSENGER		BOTTOM		WIND		SPEED		WAVES		WEATHER		BAROMETER		DRY		WET		CLOUD		AMT		TYPE			
32 43.3 N		125 41.9 W		20/05/86		0525 GMT		4400 M		320		16 KT						1017.0 MB		15.0 C		13.7 C									
CAST	DEPTH	TEMP		POT TEMP		SALINITY		SIGMA		SVA		DYN HT		OXYGEN		OXY		SI03		P04		N03		N02		CHL-A		PHAE0		PRESS	
	M	DEG	C	DEG	C			THETA						ML/L		PCT		UM/L	UM/L	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	UG/L	D.BAR				
	0 ISL	15.69		15.69		33.187	24.424	349.5		.000	5.82		102.6																0		
1	2	15.69		15.69		33.187	24.424	349.7		.007	5.82		102.6				2.2	.36		.2	.00		.07		.01				2		
	10 ISL	15.69		15.69		33.188	24.425	350.0		.035	5.84		102.9																10		
1	17	15.69		15.69		33.188	24.425	350.1		.05 9	5.85		103.1				2.1	.36		.2	.00		.07		.00				17		
	20 ISL	15.68		15.68		33.188	24.427	350.1		.07 0	5.85		103.1																20		
1	30 ISL	15.66		15.65		33.189	24.434	349.8		.105	5.86		103.2																30		
	37	15.64		15.63		33.189	24.439	349.4		.129	5.86		103.2				2.1	.35		.2	.00		.07		.01				37		
1	50 ISL	15.62		15.62		33.206	24.455	348.2		.175	5.85		103.1																50		
1	57	15.62		15.61		33.215	24.464	347.6		.198	5.85		103.0				2.0	.35		.2	.00		.09		.02				57		
1	72	15.57		15.56		33.421	24.632	332.1		.249	5.84		102.8				1.9	.31		.2	.00		.10		.03				72		
	75 ISL	15.54		15.53		33.421	24.640	331.0		.260	5.87		103.4																76		
1	82	15.43		15.42		33.422	24.666	329.1		.282	5.93		104.1				1.7	.31		.2	.00		.11		.04				82		
1	92	15.14		15.12		33.428	24.734	322.9		.315	5.86		102.3				1.7	.30		.2	.00		.13		.05				92		
	100 ISL	15.09		15.08		33.508	24.806	316.4		.341	5.83		101.8																101		
1	103	15.07		15.05		33.535	24.832	313.9		.349	5.83		101.7				1.9	.31		.1	.00		.16		.10				103		
1	112	14.65		14.63		33.577	24.955	302.4		.377	5.83		100.9				2.6	.32		.1	.00		.18		.17				112		
1	125	14.08		14.06		33.646	25.129	286.2		.418	5.68		97.2				3.4	.37		.5	.06		.33		.31				126		
1	140	12.44		12.42		33.478	25.328	267.2		.45 9	5.49		90.7				5.1	.58		4.0	.05		.21		.27				141		
	150 ISL	11.81		11.79		33.480	25.448	257.2		.484	5.31		86.5																151		
1	159	11.34		11.33		33.481	25.535	247.7		.508	5.10		82.3				8.5	.88		9.0	.02		.09		.15				160		
1	180	10.18		10.16		33.576	25.814	221.3		.557	4.57		71.9				14.6	1.25		15.0	.01								180		
1	200 ISL	9.39		9.37		33.709	26.049	199.2		.599	4.04		62.5																201		
1	205	9.23		9.21		33.743	26.101	194.3		.608	3.93		60.6				22.9	1.56		20.9	.01								206		
1	235	8.65		8.63		33.912	26.325	173.3		.663	3.83		58.4				28.2	1.69		23.0	.00								236		
1	250 ISL	8.37		8.34		33.953	26.400	166.4		.689	3.74		56.7																252		
1	275	7.92		7.90		33.982	26.490	158.1		.729	3.54		53.1				35.4	1.89		25.7	.00								276		
1	300 ISL	7.47		7.44		33.993	26.564	151.2		.768	3.19		47.3																302		
1	328	7.02		6.99		33.993	26.628	145.4		.810	2.76		40.5				48.1	2.21		30.7	.00								330		
1	388	6.31		6.28		34.008	26.734	135.6		.894	2.09		30.2				59.5	2.52		34.7	.00								390		
1	400 ISL	6.17		6.14		34.013	26.755	133.7		.910	1.94		28.0																403		
1	452	5.67		5.63		34.044	26.844	125.5		.97 8	1.34		19.1				72.4	2.74		38.5	.00								455		
1	500 ISL	5.39		5.35		34.101	26.922	118.5		1.036	.88		12.5																504		
1	522	5.33		5.29		34.134	26.956	115.4		1.061	.70		9.9				84.1	3.06		41.1	.00								525		

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 80 51

LATITUDE		LONGITUDE		DAY/MO/YR		MESSENGER		BOTTOM		WIND		SPEED		WAVES		WEATHER		BAROMETER		DRY		WET		CLOUD		AMT		TYPE			
34 27.1 N		120 31.8 W		18/05/86		0246 GMT		81 M		310		22 KT		300 04 05		1		1014.8 MB		13.9 C		13.0 C		3/8		ST					
CAST	DEPTH	TEMP		POT TEMP		SALINITY		SIGMA		SVA		DYN HT		OXYGEN		OXY		SI03		PO4		NO3		NO2		CHL-A		PHAE0		PRESS	
	M	DEG	C	DEG	C				THETA					ML/L	PCT		UM/L	UM/L	UM/L	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	UG/L	UG/L	UG/L	UG/L	D.BAR	
1	0	ISL	13.63	13.63		33.742	25.292	270.5		.000	7.54	127.9		7.54	127.9															0	
	1		13.63	13.63		33.742	25.292	267.1		.003	7.54	127.9	1.7	.32	.3	.05	2.65	.77	10												
1	10	ISL	12.37	12.37		33.753	25.552	242.5		.026	7.42	122.7																	1		
	12		12.18	12.18		33.758	25.591	238.8		.030	7.40	121.8	2.6	.48	1.6	.08	2.30	.43	12												
1	20	ISL	11.73	11.73		33.774	25.689	229.8		.049	6.14	100.1																	20		
	22		11.68	11.68		33.777	25.700	228.7		.054	5.84	95.1	8.0	1.03	8.1	.17	2.00	.80	22												
1	30	ISL	11.60	11.59		33.780	25.718	227.2		.07 2	5.58	90.8																	30		
	32		11.58	11.58		33.781	25.722	226.9		.076	5.57	90.5	9.0	1.13	9.1	.19	2.24	.86	32												
1	42		11.50	11.49		33.781	25.738	225.6		.098	4.97	80.6	10.4	1.26	10.6	.21	1.91	.70	42												
	50	ISL	11.05	11.04		33.803	25.836	216.5		.116	4.15	66.7																	50		
1	52		10.91	10.91		33.810	25.866	213.6		.120	3.94	63.1	18.1	1.67	16.5	.28	.94	.78	52												

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 80 55

LATITUDE	LONGITUDE	DAY/MO/YR	MESSENGER	BOTTOM	WIND	SPEED	WAVES	WEATHER	BAROMETER	DRY	WET	CLOUD	AMT	TYPE		
34 19.2 N	120 48.3 W	18/05/86	0634 GMT	845 M	330	18 KT			1015.3 MB	13.0 C	12.1 C					
CAST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	PO4	NO3	NO2	CHL-A	PHAE0	PRESS
	M	DEG C	DEG C		THETA			ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR
1	0 ISL	12.20	12.20	33.609	25.472	252.3	.000	6.83	112.4							0
1	2	12.20	12.20	33.609	25.472	249.9	.005	6.83	112.4	2.5	.70	5.1	.18	5.44	.71	2
1	10 ISL	11.71	11.71	33.609	25.564	241.6	.025	6.62	107.8							10
1	12 P	11.62	11.62	33.609	25.581	239.8	.029	6.54	106.3	3.6	.79	6.4	.17	5.16	.99	12
1	20 P	11.34	11.34	33.629	25.647	233.7	.048	6.07	98.1	6.1	.92	7.9	.18	5.16	1.29	20
1	30 P	10.89	10.89	33.653	25.748	224.4	.07 1	5.71	91.4	9.6	1.07	9.1	.19	4.64	1.46	30
1	38 P	10.57	10.57	33.675	25.821	217.6	.089	5.11	81.2	14.2	1.29	12.4	.20	4.45	1.70	38
1	47 P	9.90	9.90	33.691	25.948	205.6	.107	4.34	68.0	19.2	1.56	17.0	.21	2.38	1.72	47
1	50 ISL	9.66	9.65	33.691	25.988	201.9	.114	4.07	63.5							50
1	57 P	9.24	9.24	33.696	26.060	195.2	.127	3.63	56.0	24.0	1.74	22.0	.08	.28	.63	57
1	71 P	8.96	8.95	33.771	26.164	185.6	.154	3.41	52.3	27.1	1.85	24.0	.02	.11	.53	71
1	75 ISL	8.92	8.91	33.789	26.185	183.7	.162	3.35	51.3							76
1	84 P	8.86	8.85	33.818	26.216	180.8	.178	3.26	49.9	29.0	1.90	25.0	.02	.12	.49	84
1	100 ISL	8.70	8.69	33.848	26.265	176.5	.207	3.26	49.8							101
1	103 P	8.67	8.66	33.854	26.275	175.6	.213	3.26	49.7	30.1	1.92	25.4	.02	.06	.21	104
1	125 ISL	8.36	8.35	33.929	26.381	165.9	.250	3.27	49.5							126
1	126 P	8.34	8.33	33.933	26.387	165.3	.252	3.27	49.5	32.8	1.94	26.0	.02	.04	.11	127
1	150 ISL	8.04	8.03	33.981	26.470	157.9	.290	3.17	47.7							151
1	156 P	7.98	7.97	33.989	26.485	156.4	.300	3.11	46.7	36.8	2.03	27.3	.01			157
1	184 P	7.81	7.79	34.028	26.541	151.6	.343	2.58	38.6	41.7	2.21	29.4	.02			185
1	200 ISL	7.63	7.61	34.046	26.581	148.0	.367	2.34	34.9							202
1	214 P	7.50	7.48	34.064	26.615	144.9	.387	2.14	31.8	47.7	2.39	31.7	.01			215
1	250 ISL	7.45	7.42	34.147	26.688	138.7	.43 8	1.51	22.4							252
1	254 P	7.44	7.42	34.156	26.696	138.0	.444	1.44	21.4	53.8	2.64	33.6	.01			256
1	300 ISL	7.12	7.09	34.200	26.777	130.9	.506	1.03	15.2							302
1	309 P	7.04	7.01	34.205	26.791	129.7	.517	.98	14.4	61.3	2.84	35.6	.00			311
1	370 P	6.81	6.77	34.242	26.853	124.6	.596	.76	11.1	67.0	2.95	36.9	.00			373
1	400 ISL	6.58	6.55	34.245	26.885	121.8	.632	.67	9.7							403
1	435 P	6.30	6.26	34.247	26.925	118.3	.674	.57	8.2	74.6	3.05	38.6	.00			438
1	500 ISL	5.87	5.83	34.283	27.008	110.9	.749	.42	5.9							504
1	502 P	5.86	5.81	34.285	27.011	110.6	.751	.41	5.9	83.4	3.15	39.8	.04			506

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 80 60

LATITUDE	LONGITUDE	DAY/MO/YR	MESSENGER	BOTTOM	WIND	SPEED	WAVES	WEATHER	BAROMETER	DRY	WET	CLOUD	AMT	TYPE		
34 09.3 N	121 09.2 W	18/05/86	1008 GMT	2227 M	340	19 KT			1014.2 MB	12.5 C	12.0 C					
CAST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	PO4	NO3	NO2	CHL-A	PHAE0	PRESS
	M	DEG C	DEG C		THETA			ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR
	0 ISL	12.65	12.65	33.492	25.294	266.8	.000	6.43	106.7							0
1	1	12.65	12.65	33.492	25.294	266.8	.003	6.43	106.7	1.6	.68	4.5	.17	2.77	.64	1
1	10	12.36	12.36	33.511	25.365	260.4	.026	6.54	107.9	1.6	.72	4.8	.18	3.69	.98	10
1	20	11.47	11.46	33.588	25.593	238.9	.051	5.74	92.9	7.6	1.02	9.0	.20	4.07	1.43	20
1	30	11.17	11.17	33.668	25.708	228.1	.074	4.91	79.1	13.6	1.33	12.2	.23	.76	1.05	30
1	41	10.87	10.87	33.696	25.784	221.1	.099	4.14	66.2	18.4	1.52	15.6	.29	.29	.75	41
1	50	10.58	10.57	33.722	25.857	214.5	.118	3.85	61.2	20.4	1.60	18.0	.31	.22	.63	50
1	60	10.17	10.16	33.777	25.970	203.8	.13 9	3.30	52.0	24.0	1.74	21.1	.37	.21	.74	60
1	70	9.88	9.88	33.797	26.034	198.0	.159	3.18	49.8	25.2	1.79	22.2	.34	.18	.52	70
	75 ISL	9.72	9.71	33.792	26.058	195.9	.170	3.20	49.9							76
1	85	9.38	9.37	33.787	26.109	191.1	.188	3.27	50.6	26.0	1.82	23.4	.16	.11	.37	85
1	98	8.73	8.72	33.845	26.25 9	177.1	.214	3.30	50.4	29.0	1.87	24.9	.06	.08	.38	99
	100 ISL	8.68	8.67	33.852	26.271	175.9	.217	3.30	50.3							101
1	119	8.34	8.33	33.928	26.3 83	165.6	.250	3.26	49.4	32.2	1.93	26.1	.03	.03	.16	120
1	125 ISL	8.27	8.25	33.940	26.404	163.7	.25 9	3.25	49.1							126
1	144	8.07	8.05	33.969	26.456	159.0	.290	3.21	48.3	35.0	1.98	26.8	.02	.03	.13	145
1	150 ISL	8.02	8.00	33.980	26.473	157.6	.299	3.12	46.9							151
1	173	7.82	7.81	34.011	26.526	152.9	.335	2.72	40.7	39.8	2.16	29.0	.01			174
1	200 ISL	7.56	7.54	34.017	26.570	149.0	.376	2.55	37.9							202
1	203	7.53	7.51	34.018	26.574	148.7	.380	2.54	37.8	43.8	2.24	30.2	.02			204
1	233	7.34	7.32	34.020	26.603	146.4	.424	2.43	36.0	45.8	2.29	31.1	.02			234
	250 ISL	7.20	7.17	34.021	26.624	144.6	.449	2.37	35.0							252
1	271	6.99	6.97	34.027	26.657	141.7	.47 9	2.23	32.8	50.5	2.40	32.5	.01			273
1	300 ISL	6.66	6.64	34.064	26.731	134.9	.519	1.71	24.9							302
1	326	6.38	6.35	34.101	26.798	128.8	.553	1.22	17.7	64.3	2.79	37.2	.01			328
1	384	5.99	5.96	34.134	26.874	122.1	.627	.86	12.3	72.4	2.95	39.1	.01			387
1	400 ISL	5.96	5.92	34.152	26.893	120.5	.646	.77	11.1							403
1	449	5.87	5.84	34.210	26.949	115.8	.703	.54	7.7	78.0	3.08	39.9	.00			452
1	500 ISL	5.66	5.62	34.250	27.007	110.8	.761	.40	5.6							504
1	517	5.57	5.53	34.259	27.026	109.1	.7 80	.37	5.3	85.2	3.17	41.1	.00			521

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 80 70

LATITUDE	LONGITUDE	DAY/MO/YR	MESSENGER	BOTTOM	WIND	SPEED	WAVES	WEATHER	BAROMETER	DRY	WET	CLOUD	AMT	TYPE		
33 49.0 N	121 50.4 W	18/05/86	1649 GMT	3733 M	340	19 KT	330 06 06	2	1015.1 MB	13.3 C	12.6 C	8/8	ST			
CAST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRESS
	M	DEG C	DEG C		THETA			ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR
1	0 ISL	13.34	13.34	33.173	24.910	303.4	.000	6.07	102.0							0
	2	13.34	13.34	33.173	24.910	303.4	.006	6.07	102.0	2.5	.51	1.3	.05	.31	.14	2
	10 ISL	13.33	13.33	33.173	24.912	303.4	.03 0	6.07	102.0							10
1	17	13.32	13.32	33.173	24.915	303.4	.051	6.07	102.0	2.6	.51	1.5	.06	.25	.18	17
	20 ISL	13.30	13.30	33.167	24.914	303.1	.061	6.07	101.8							20
	30 ISL	13.15	13.15	33.152	24.933	301.9	.091	6.04	101.0							30
1	32	13.11	13.10	33.145	24.936	301.7	.097	6.03	100.8	2.7	.54	1.7	.07	.35	.22	32
1	42	12.76	12.75	33.163	25.019	294.1	.126	5.98	99.3	3.0	.60	2.4	.08	.33	.23	42
	50 ISL	13.02	13.01	33.308	25.082	288.3	.150	6.04	100.9							50
1	52	13.09	13.08	33.335	25.088	287.8	.155	6.06	101.4	2.4	.61	2.5	.10	.37	.16	52
1	61	13.11	13.10				.181	6.08	101.7	2.5	.62	2.6	.10	.37	.19	61
1	73	10.81	10.80	33.145	25.366	261.5	.214	5.44	86.6	7.0	.92	8.2	.07	.29	.21	73
	75 ISL	10.75	10.74	33.179	25.403	258.1	.220	5.36	85.2							76
1	81	10.61	10.60	33.233	25.471	251.8	.235	5.18	82.1	8.6	1.02	10.3	.05	.12	.16	81
1	96	10.26	10.25	33.373	25.640	236.0	.271	4.74	74.7	12.4	1.24	14.2	.03	.11	.17	96
	100 ISL	10.11	10.10	33.431	25.711	229.3	.282	4.60	72.2							101
1	110	9.73	9.72	33.564	25.878	213.6	.305	4.27	66.6	17.2	1.45	18.1	.02	.04	.05	111
1	125	9.28	9.27	33.686	26.047	197.8	.335	3.91	60.4	21.7	1.61	21.0	.01	.03	.10	126
	150 ISL	8.83	8.81	33.855	26.252	178.7	.382	3.62	55.5							151
1	151	8.81	8.80	33.862	26.259	178.0	.384	3.62	55.4	27.1	1.76	23.5	.01	.00	.02	152
1	175	8.51	8.49	33.918	26.350	169.8	.425	3.67	55.8	28.9	1.77	23.9	.01			176
	200 ISL	8.03	8.01	33.971	26.465	159.2	.466	3.45	51.9							201
1	205	7.94	7.92	33.979	26.485	157.3	.47 4	3.40	51.0	35.0	1.90	26.2	.00			206
1	234	7.57	7.55	33.993	26.549	151.6	.519	3.27	48.7	39.3	1.98	27.4	.00			235
	250 ISL	7.35	7.33	34.005	26.589	147.9	.543	2.94	43.6							252
1	273	7.04	7.01	34.022	26.647	142.6	.577	2.40	35.3	49.4	2.32	31.9	.00			275
	300 ISL	6.66	6.63	34.033	26.707	137.2	.614	2.01	29.3							302
1	328	6.30	6.28	34.044	26.762	132.1	.652	1.69	24.4	61.6	2.61	35.9	.00			330
1	387	5.89	5.86	34.092	26.853	123.9	.727	1.07	15.3	70.8	2.85	38.7	.01			389
	400 ISL	5.81	5.77	34.103	26.872	122.3	.7 43	.98	13.9							403
1	449	5.54	5.50	34.144	26.93 8	116.5	.802	.72	10.2	80.0	2.99	40.4	.00			452
	500 ISL	5.32	5.28	34.201	27.010	110.1	.860	.51	7.3							504
1	517	5.25	5.21	34.223	27.035	107.8	.879	.46	6.5	89.2	3.12	41.7	.00			521

RV DAVID STARR JORDAN

CALCOEI CRUISE 8605 .

STATION 80 80

LATITUDE		LONGITUDE		DAY/MO/YR		MESSENGER		BOTTOM		WIND		SPEED		WAVES		WEATHER		BAROMETER		DRY		WET		CLOUD		AMT		TYPE			
33 29.1 N		122 32.0 W		19/05/86		0009 GMT		3924 M		3 40		16 KT		3 40 06 06		1		1014.8 MB		15.1 C		14.0 C		3/8				ST			
CAST	DEPTH	TEMP		POT TEMP		SALINITY		SIGMA		SVA		DYN HT		OXYGEN		OXY		SI03		P04		N03		N02		CHL-A		PHAE0		PRESS	
	M	DEG	C	DEG	C				THETA					ML/L		PCT		UM/L	UM/L	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L			D.BAR			
	0 ISL	15.18		15.18		33.055		24.435	348.7		.000		5.87		102.3														0		
1	1	15.18		15.18		33.055		24.435	348.7		.003		5.87		102.3			2.7	.38		.1	.00		.11		.03			1		
	10 ISL	15.14		15.14		33.056		24.445	347.9		.035		5.90		102.8														10		
1	16	15.11		15.11		33.057		24.451	347.5		.055		5.92		103.1			2.7	.38		.1	.00		.11		.03			16		
	20 ISL	15.09		15.09		33.057		24.456	347.2		.070		5.93		103.2														20		
	30 ISL	15.05		15.04		33.056		24.465	346.6		.104		5.95		103.4														30		
1	31	15.05		15.04		33.056		24.466	346.6		.107		5.95		103.5		2.6	.38		.0	.00		.09		.03				31		
1	40	15.02		15.02		33.054		24.469	346.5		.138		5.91		102.7		2.6	.38		.0	.00		.07		.02				40		
1	50	15.00		14.99		33.050		24.472	346.5		.173		5.88		102.1		2.6	.38		.0	.00		.12		.03				50		
1	61	14.98		14.97		33.048		24.474	3 46.7		.211		5.90		102.4		2.6	.38		.0	.00		.09		.02				61		
1	70	14.98		14.96		33.049		24.477	346.7		.242		5.91		102.6		2.6	.37		.0	.00		.13		.04				70		
	75 ISL	14.59		14.57		33.036		24.550	339.8		.260		5.95		102.5														76		
1	80	14.13		14.12		33.031		24.643	331.1		.276		5.99		102.2		2.5	.39		.0	.00		.18		.09				80		
1	96	12.59		12.58		33.127		25.025	294.9		.326		5.93		98.1		3.3	.51		1.3	.06		.42		.33				96		
	100 ISL	12.18		12.17		33.148		25.119	285.9		.338		5.84		95.7														101		
1	110	11.40		11.38		33.195		25.302	268.7		.365		5.58		90.0		5.5	.73		5.5	.09		.28		.24				110		
1	124	10.60		10.59		33.287		25.515	248.6		.403		5.13		81.4		9.4	1.01		10.5	.02		.14		.22				125		
	125 ISL	10.58		10.56		33.292		25.523	247.8		.405		5.11		81.0														126		
1	149	9.71		9.70		33.527		25.853	216.8		.461		4.27		66.5		18.0	1.49		18.4	.01		.09		.07				150		
	150 ISL	9.69		9.68		33.533		25.861	216.0		.463		4.25		66.2														151		
1	174	9.07		9.05		33.739		26.123	191.5		.512		3.69		56.7		24.6	1.71		22.6	.01								175		
	200 ISL	8.50		8.48		33.883		26.325	172.7		.559		3.52		53.4														201		
1	203	8.44		8.42		33.896		26.344	170.9		.564		3.51		53.3		30.6	1.84		25.0	.01								204		
1	232	7.97		7.95		33.999		26.496	156.8		.611		3.26		49.0		36.4	1.96		26.6	.01								233		
	250 ISL	7.65		7.63		34.002		26.545	151.7		.639		3.05		45.5														252		
1	271	7.30		7.28		34.005		26.597	147.5		.672		2.76		40.8		44.6	2.19		29.9	.00								273		
	300 ISL	7.00		6.97		34.026		26.656	142.2		.713		2.31		33.9														302		
1	325	6.80		6.77		34.051		26.703	138.0		.7 48		1.91		27.9		55.3	2.51		34.0	.00								327		
1	384	6.44		6.40		34.120		26.806	128.9		.826		1.16		16.8		65.0	2.81		37.2	.00								386		
	400 ISL	6.34		6.30		34.135		26.830	126.8		.847		1.03		14.9														403		
1	448	6.06		6.02		34.171		26.896	121.0		.907		.76		10.9		73.6	2.95		39.0	.00								451		
	500 ISL	5.75		5.71		34.209		26.964	114.9		.968		.55		7.9														504		
1	519	5.64		5.60		34.222		26.988	112.8		.989		.50		7.1		82.5	3.10		40.6	.00								522		

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 80 90

LATITUDE	LONGITUDE	DAY/MO/YR	MESSENGER	BOTTOM	WIND	SPEED	WAVES	WEATHER	BAROMETER	DRY	WET	CLOUD	AMT	TYPE		
33 09.2 N	123 13.5 W	19/05/86	0544 GMT	4209 M	340	22 KT			1016.1 MB	14.0 C	13.0 C					
CAST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRESS
	M	DEG C	DEG C		THETA			ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR
1	0 ISL	14.92	14.92	33.025	24.468	345.5	.000	5.96	103.4							0
	2	14.92	14.92	33.025	24.468	345.5	.007	5.96	103.4	2.7	.38	.0	.00	.10	.02	2
1	10 ISL	14.90	14.90	33.023	24.470	3 4 5 .5	.035	5.95	103.1							10
	17	14.88	14.88	33.019	24.472	3 4 5 .5	.059	5.94	102.9	2.8	.38	.0	.00	.09	.03	17
	20 ISL	14.87	14.86	33.018	24.475	345.4	.06 9	5.94	102.8							20
	30 ISL	14.81	14.80	33.017	24.487	344.6	.104	5.92	102.5							30
1	38	14.75	14.75	33.016	24.498	343.7	.13 1	5.92	102.3	2.7	.38	.0	.00	.12	.04	38
	50 ISL	14.67	14.66	33.025	24.524	341.6	.172	5.94	102.4							50
1	58	14.61	14.60	33.031	24.540	340.3	.199	5.95	102.5	2.7	.38	.0	.00	.20	.08	58
1	73	13.18	13.17	33.061	24.859	310.2	.247	6.05	101.2	2.9	.47	.7	.04	.51	.28	73
	75 ISL	12.80	12.79	33.060	24.932	303.8	.254	5.99	99.4							76
1	82	11.82	11.81	33.059	25.118	285.5	.274	5.77	93.8	5.0	.69	4.1	.17	.36	.31	82
1	92	11.42	11.41	33.239	25.332	265.4	.301	5.46	88.1	6.2	.79	6.4	.13	.22	.33	92
	100 ISL	11.34	11.33	33.330	25.416	257.6	.323	5.21	84.0							101
1	103	11.33	11.32	33.352	25.436	255.8	.330	5.13	82.7	7.7	.91	8.7	.04	.16	.33	103
1	112	11.09	11.08	33.446	25.552	244.9	.352	4.77	76.5	10.2	1.07	11.7	.03	.13	.34	112
	125 ISL	10.43	10.41	33.577	25.771	224.2	.384	4.20	66.4							126
1	127	10.30	10.28	33.600	25.812	220.4	.389	4.09	64.6	16.5	1.42	17.4	.01	.05	.10	128
1	140	9.74	9.73	33.720	25.998	202.8	.417	3.53	55.1	22.3	1.68	21.4	.00	.02	.05	141
	150 ISL	9.57	9.55	33.775	26.071	196.1	.436	3.27	50.9							151
1	161	9.46	9.44	33.823	26.126	191.0	.458	3.07	47.6	26.6	1.87	24.0	.01	.02	.05	162
1	181	9.18	9.16	33.925	26.251	179.6	.494	2.77	42.7	30.1	2.00	25.7	.01			182
1	200 ISL	9.00	8.98	33.976	26.320	173.4	.528	2.60	40.0							201
1	206	8.95	8.93	33.987	26.336	171.9	.53 8	2.56	39.3	32.8	2.10	27.0	.00			207
1	235	8.67	8.64	34.051	26.432	163.3	.586	2.32	35.4	36.3	2.21	28.4	.00			236
1	250 ISL	8.46	8.44	34.076	26.483	158.6	.611	2.16	32.8							252
1	274	8.14	8.12	34.108	26.556	152.0	.649	1.90	28.7	43.2	2.41	30.8	.00			276
	300 ISL	7.94	7.91	34.131	26.605	147.6	.687	1.71	25.7							302
1	328	7.74	7.70	34.149	26.649	143.9	.728	1.53	22.9	48.9	2.57	32.7	.00			330
1	388	7.10	7.07	34.175	26.760	133.9	.811	1.11	16.4	58.1	2.77	35.4	.00			3 90
	400 ISL	6.98	6.94	34.179	26.780	132.2	.827	1.05	15.4							403
1	453	6.50	6.46	34.196	26.858	125.1	.896	.81	11.8	66.8	2.94	37.7	.00			456
	500 ISL	6.15	6.10	34.231	26.933	118.3	.953	.59	8.6							504
1	524	5.99	5.94	34.257	26.973	114.7	.981	.48	6.9	77.3	3.10	39.9	.00			528

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 80 100

LATITUDE	LONGITUDE	DAY/MO/YR	MESSENGER	BOTTOM	WIND	SPEED	WAVES	WEATHER	BAROMETER	DRY	WET	CLOUD	AMT	TYPE		
32 49.1 N	123 54.7 W	19/05/86	1109 GMT	4114 M	350	20 KT			1015.2 MB	14.5 C	13.3 C					
CAST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRESS
	M	DEG C	DEG C		THETA			ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR
1	0	14.98	14.98	32.989	24.427	349.4	.000	5.89	102.2	2.6	.39	.1	.00	.08	.02	0
1	10 ISL	14.97	14.97	32.993	24.433	349.1	.035	5.90	102.4							10
1	15	14.97	14.96	32.998	24.438	348.7	.052	5.91	102.6	2.6	.39	.1	.00	.07	.02	15
	20 ISL	14.89	14.89	32.988	24.446	348.1	.07 0	5.92	102.6							20
	30 ISL	14.73	14.73	32.965	24.463	346.8	.105	5.94	102.6							30
1	34	14.66	14.65	32.954	24.470	346.2	.118	5.95	102.6	2.7	.38	.1	.00	.11	.02	34
	50 ISL	14.50	14.49	32.936	24.491	344.7	.174	5.96	102.4							50
1	55	14.46	14.46	32.934	24.497	344.3	.190	5.96	102.3	2.8	.39	.1	.00	.16	.05	55
1	70	14.37	14.36	33.115	24.607	329.5	.240	5.96	102.2	2.3	.36	.1	.00	.17	.06	70
	75 ISL	14.14	14.12	33.119	24.708	324.7	.258	5.96	101.7							76
1	81	13.80	13.79	33.133	24.789	317.1	.276	5.95	100.9	2.3	.38	.1	.00	.32	.27	81
1	90	13.15	13.13	33.279	25.034	293.9	.303	5.83	97.6	2.7	.46	.8	.07	.33	.41	90
1	100 ISL	12.70	12.68	33.338	25.168	281.4	.333	5.74	95.2							101
1	102	12.64	12.62	33.340	25.181	280.2	.338	5.72	94.8	3.0	.51	1.9	.16	.23	.34	102
1	110	12.21	12.20	33.369	25.286	270.4	.359	5.58	91.7	3.8	.59	3.6	.08	.16	.29	110
1	125	11.57	11.55	33.381	25.416	258.3	.402	5.34	86.5	5.9	.75	6.7	.03	.11	.22	126
1	145	10.63	10.61	33.451	25.638	237.3	.451	4.87	77.4	10.4	1.06	12.0	.01	.06	.11	146
1	150 ISL	10.41	10.40	33.481	25.699	231.6	.462	4.77	75.4							151
1	160	9.96	9.94	33.556	25.834	218.9	.485	4.53	71.0	15.1	1.29	15.9	.01	.03	.04	161
1	179	9.26	9.24	33.706	26.066	197.0	.524	3.90	60.2	22.3	1.61	21.1	.01			180
1	200 ISL	8.71	8.69	33.834	26.255	179.4	.563	3.63	55.5							201
1	205	8.60	8.58	33.859	26.291	176.0	.572	3.61	55.0	28.4	1.79	24.1	.00			206
1	234	8.05	8.02	33.966	26.45 9	160.4	.621	3.46	52.0	34.1	1.87	25.9	.00			235
1	250 ISL	7.78	7.76	33.986	26.513	155.4	.646	3.30	49.3							252
1	273	7.43	7.43	33.992	26.565	150.6	.681	3.02	44.8	41.5	2.09	28.8	.00			274
1	300 ISL	7.10	7.07	34.005	26.626	145.1	.721	2.62	38.6							302
1	327	6.79	6.76	34.019	26.679	140.3	.760	2.21	32.3	53.1	2.40	33.1	.01			329
1	385	6.27	6.24	34.068	26.786	130.6	.838	1.45	20.9	63.7	2.72	36.9	.00			387
1	400 ISL	6.14	6.11	34.078	26.810	128.4	.858	1.32	18.9							403
1	449	5.80	5.76	34.112	26.881	122.1	.919	.97	13.9	73.8	2.92	39.4	.00			452
1	500 ISL	5.56	5.52	34.165	26.952	115.8	.980	.64	9.1							504
1	517	5.51	5.47	34.186	26.975	113.8	.999	.54	7.7	82.7	3.09	41.0	.00			520

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 80 IIO

LATITUDE	LONGITUDE	DAY/MO/YR	MESSENGER	BOTTOM	WIND	SPEED	WAVES	WEATHER	BAROMETER	DRY	WET	CLOUD	AMT	TYPE		
32 28.9 N	124 35.3 W	19/05/86	1636 GMT	4114 M	010	14 KT	360 05 08	1	1016.7	MB	15.7 C	13.8 C	2/8	CU		
CAST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRESS
	M	DEG C	DEG C		THETA			ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR
1	0 ISL	15.57	15.57	33.175	24.441	348.3	.000	5.82	102.4							0
	2	15.57	15.57	33.175	24.441	348.1	.007	5.82	102.4	2.4	.36	.2	.00	.06	.01	2
1	10 ISL	15.53	15.53	33.174	24.449	347.6	.035	5.83	102.4							10
	17	15.51	15.51	33.174	24.454	347.3	.059	5.83	102.4	2.4	.36	.2	.00	.06	.01	17
	20 ISL	15.51	15.51	33.174	24.454	347.4	.070	5.83	102.4							20
	30 ISL	15.52	15.51	33.174	24.453	347.8	.104	5.84	102.5							30
1	38	15.52	15.51	33.174	24.453	348.0	.132	5.84	102.6	2.3	.36	.2	.00	.06	.01	38
	50 ISL	15.47	15.47	33.172	24.462	347.6	.174	5.85	102.6							50
1	58	15.43	15.42	33.170	24.470	347.0	.201	5.85	102.6	2.3	.36	.2	.00	.11	.02	58
1	73	15.34	15.32	33.169	24.490	345.5	.253	5.84	102.2	2.4	.36	.2	.00	.16	.04	73
	75 ISL	14.91	14.90	33.177	24.590	336.1	.260	5.90	102.4							76
1	83	13.39	13.38	33.222	24.941	302.7	.285	6.05	101.8	3.2	.43	.2	.00	.22	.12	83
1	93	12.56	12.54	33.261	25.136	284.2	.314	5.79	95.7	3.9	.53	1.7	.10	.38	.36	93
	100 ISL	12.24	12.23	33.296	25.223	276.1	.335	5.59	91.8							101
1	103	12.15	12.14	33.309	25.251	273.5	.342	5.51	90.4	5.1	.69	4.3	.16	.35	.35	103
1	114	11.47	11.45	33.379	25.432	256.4	.371	5.06	81.8	8.0	.90	8.8	.04	.23	.32	114
	125 ISL	10.74	10.73	33.487	25.646	236.1	.399	4.48	71.4							126
1	127	10.60	10.59	33.511	25.689	232.2	.405	4.37	69.4	13.7	1.27	15.0	.01	.11	.13	128
1	142	10.12	10.10	33.609	25.849	217.2	.43 8	3.99	62.7	17.8	1.48	18.5	.00	.05	.07	143
	150 ISL	9.89	9.87	33.662	25.930	209.6	.455	3.80	59.5							151
1	161	9.58	9.57	33.740	26.041	199.2	.478	3.54	55.1	23.1	1.71	22.1	.00	.01	.04	162
i	181	9.25	9.23	33.858	26.188	185.6	.516	3.09	47.7	27.7	1.88	24.6	.01			182
	200 ISL	9.12	9.10	33.968	26.294	175.9	.550	2.54	39.1							201
1	206	9.10	9.08	33.998	26.322	173.3	.560	2.38	36.7	32.8	2.13	27.6	.00			207
1	235	8.80	8.77	34.071	26.427	163.9	.609	2.11	32.3	37.0	2.25	29.1	.00			236
	250 ISL	8.66	8.63	34.098	26.470	160.0	.634	1.99	30.4							252
1	273	8.45	8.42	34.130	26.528	154.8	.671	1.83	27.8	41.4	2.39	30.6	.00			275
	300 ISL	8.20	8.16	34.155	26.586	149.7	.711	1.66	25.1							302
1	327	7.92	7.88	34.167	26.637	145.1	.751	1.51	22.7	48.2	2.56	32.6	.00			329
1	386	7.21	7.17	34.152	26.727	137.1	.834	1.27	18.8	56.2	2.72	35.0	.00			388
	400 ISL	7.08	7.05	34.157	26.749	135.1	.853	1.18	17.4							403
1	449	6.70	6.66	34.185	26.823	128.6	.918	.88	12.8	64.9	2.90	37.2	.00			45 2
	500 ISL	6.31	6.27	34.209	26.894	122.2	.982	.67	9.7							504
1	520	6.16	6.12	34.218	26.920	119.8	1.005	.62	8.9	74.5	3.05	39.3	.00			523

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 80 120

LATITUDE	LONGITUDE	DAY/MO/YR	MESSENGER	BOTTOM	WIND	SPEED	WAVES	WEATHER	BAROMETER	DRY	WET	CLOUD	AMT	TYPE		
32 09.3 N	125 16.3 W	19/05/86	2352 GMT	3924 M	350	16 KT	340 04 06	1	1017.3 MB	17.3 C	14.9 C	7/8		SC		
CAST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY PCT	SI03	P04	N03	N02	CHL-A	PHAE0	PRESS
	M	DEG C	DEG C		THETA			ML/L		UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR
1	0 ISL	15.78	15.78	33.188	24.404	351.7	.000	5.85	103.3							0
	2	15.78	15.78	33.188	24.404	351.6	.007	5.85	103.3	2.3	.37	.2	.00	.06	.01	2
	10 ISL	15.75	15.74	33.188	24.412	351.1	.035	5.85	103.2							10
1	17	15.72	15.71	33.188	24.419	350.6	.059	5.85	103.2	2.3	.37	.2	.00	.06	.01	17
	20 ISL	15.70	15.70	33.189	24.423	350.5	.07 0	5.86	103.3							20
	30 ISL	15.66	15.66	33.191	24.435	349.8	.105	5.88	103.6							30
1	37	15.64	15.63	33.193	24.441	349.2	.129	5.89	103.7	2.2	.36	.2	.00	.07	.01	37
	50 ISL	15.63	15.62	33.233	24.474	346.4	.175	5.86	103.3							50
1	56	15.63	15.62	33.250	24.488	345.3	.195	5.85	103.0	2.2	.35	.2	.00	.09	.02	56
1	71	15.58	15.57	33.253	24.501	344.5	.246	5.84	102.7	2.2	.35	.2	.00	.13	.02	71
	75 ISL	15.49	15.48	33.255	24.522	342.6	.261	5.85	102.8							76
1	82	15.35	15.34	33.257	24.556	339.6	.284	5.89	103.1	2.0	.35	.2	.00	.17	.04	82
1	91	13.59	13.58	33.248	24.921	304.9	.313	5.99	101.2	2.9	.44	.2	.00	.33	.19	91
	100 ISL	13.25	13.23	33.267	25.005	297.1	.341	5.96	100.0							101
1	101	13.24	13.23	33.267	25.006	297.0	.3 43	5.96	100.0	3.1	.46	.3	.01	.47	.31	101
1	111	12.42	12.40	33.295	25.189	279.6	.371	5.64	93.0	4.4	.61	3.0	.12	.44	.32	111
1	125	11.09	11.07	33.452	25.558	244.7	.410	4.76	76.4	10.5	1.08	11.4	.04	.19	.23	126
1	139	10.49	10.47	33.611	25.787	223.1	.443	3.86	61.2	17.4	1.49	18.0	.02	.12	.18	140
	150 ISL	10.20	10.18	33.678	25.890	213.5	.466	3.58	56.4							151
1	160	9.95	9.93	33.735	25.976	205.4	.488	3.39	53.1	22.4	1.72	21.8	.00	.04	.06	161
1	178	9.40	9.38	33.906	26.200	184.4	.523	2.69	41.7	29.0	2.00	25.7	.00			17 9
	200 ISL	9.23	9.20	34.000	26.303	175.0	.562	2.30	35.5							201
1	204	9.22	9.20	34.009	26.311	174.4	.569	2.26	34.9	32.7	2.17	27.6	.00			205
1	232	9.00	8.97	34.060	26.386	167.7	.616	2.06	31.7	35.6	2.25	28.6	.00			233
	250 ISL	8.85	8.82	34.092	26.436	163.3	.647	1.94	29.8							252
1	272	8.67	8.64	34.127	26.491	158.4	.681	1.81	27.6	39.5	2.37	30.0	.00			273
	300 ISL	8.45	8.42	34.162	26.552	153.1	.725	1.60	24.4							302
1	325	8.25	8.22	34.182	26.599	148.9	.763	1.43	21.6	45.7	2.56	31.9	.00			327
1	385	7.62	7.58	34.194	26.702	139.8	.849	1.14	17.0	53.3	2.72	34.1	.00			3 87
	400 ISL	7.49	7.45	34.196	26.722	138.0	.871	1.09	16.2							403
1	449	7.10	7.06	34.202	26.782	132.8	.937	.93	13.7	60.3	2.85	36.0	.00			452
	500 ISL	6.65	6.61	34.211	26.851	126.7	1.003	.75	10.9							504
1	521	6.46	6.41	34.214	26.87 9	124.1	1.029	.67	9.7	69.9	3.00	38.1	.00			524

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 82 47

LATITUDE	LONGITUDE	DAY/MO/YR	MESSENGER	BOTTOM	WIND	SPEED	WAVES	WEATHER	BAROMETER	DRY	WET	CLOUD	AMT	TYPE			
34 17.1 N	120 02.0 W	17/05/86	2248 GMT	592 M	290	07 KT	260 03 07	4	1016.4 MB	14.2 C	13.6 C	8/8	ST				
CST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	PO4	NO3	NO2	CHL-A	PHAE0	PRESS	
	M	DEG C	DEG C		THETA			ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR	
1	0	ISL	12.66	12.66	33.831	25.555	248.7	.000	8.94	148.7	1.2	.22	.1	.01	15.26	4.75	0
	2		12.66	12.66	33.831	25.555	242.1	.005	8.94	148.7							2
	10	ISL	11.50	11.50	33.819	25.766	222.1	.023	6.58	106.9							10
1	12		11.30	11.30	33.818	25.801	218.9	.028	6.18	99.9	8.5	.80	6.8	.14	13.01	3.07	12
	20	ISL	11.10	11.10	33.798	25.822	217.1	.045	5.46	87.8							20
1	27		10.93	10.93	33.782	25.840	215.6	.060	5.22	83.7	12.9	1.16	11.1	.18	8.90	3.35	27
	30	ISL	10.76	10.76	33.775	25.865	213.2	.067	4.88	78.0							30
1	42		10.13	10.12	33.766	25.968	203.7	.091	3.74	58.9	23.2	1.71	20.0	.23	.48	1.75	42
	50	ISL	9.97	9.96	33.784	26.010	199.9	.108	3.47	54.4							50
1	57		9.89	9.88	33.808	26.042	197.0	.121	3.37	52.8	25.4	1.79	21.7	.22	.44	1.07	57
1	73		9.54	9.53	33.883	26.158	186.2	.152	2.93	45.6	29.9	1.95	24.3	.28	.41	1.24	73
	75	ISL	9.49	9.48	33.890	26.172	184.9	.156	2.89	45.0							76
1	87		9.29	9.28	33.918	26.227	179.9	.177	2.77	42.9	30.6	1.98	25.4	.15	.23	1.00	87
1	100		9.16	9.14	33.953	26.276	175.6	.202	2.61	40.3	32.2	2.03	26.1	.10	.14	.69	101
1	116		9.08	9.07	33.990	26.317	171.9	.230	2.45	37.7	34.3	2.12	26.9	.12	.11	.76	117
	125	ISL	8.98	8.96	34.009	26.349	169.1	.244	2.36	36.2							126
1	146		8.75	8.73	34.059	26.424	162.3	.279	2.11	32.3	38.5	2.25	28.7	.09	.04	.43	147
	150	ISL	8.74	8.73	34.072	26.435	161.4	.286	2.05	31.4							151
1	175		8.72	8.70	34.140	26.492	156.5	.325	1.71	26.2	41.6	2.39	29.8	.01	.03	.40	176
	200	ISL	8.54	8.52	34.158	26.534	152.9	.364	1.57	24.0							202
1	204		8.51	8.49	34.159	26.540	152.4	.370	1.56	23.7	44.7	2.47	30.8	.01		.30	205
1	242		8.16	8.13	34.165	26.599	147.4	.428	1.31	19.8	50.2	2.59	32.2	.01			244
	250	ISL	8.08	8.06	34.165	26.610	146.4	.439	1.27	19.1							252
1	297		7.62	7.59	34.165	26.678	140.5	.506	1.02	15.2	57.4	2.75	33.8	.01			299
	300	ISL	7.59	7.56	34.166	26.683	140.1	.511	1.00	14.9							302
1	375		6.94	6.90	34.196	26.799	129.9	.612	.55	8.1	70.1	2.97	35.6	.03			378
	400	ISL	6.74	6.70	34.203	26.832	127.1	.644	.46	6.7							403
1	453		6.41	6.37	34.213	26.884	122.6	.710	.29	4.2	86.8	3.20	33.4	.01			456
	500	ISL	6.28	6.23	34.216	26.904	121.3	.767	.12	1.8							504
1	502		6.28	6.23	34.216	26.904	121.2	.770	.12	1.7	105.8	3.47	24.1	.00			506
1	528		6.29	6.24	34.224	26.909	121.2	.802	.16	2.3	101.0	3.44	27.1	.01			532
1	549		6.29	6.24	34.229	26.913	121.1	.827	.16	2.3	99.5	3.42	28.9	.03			553
1	570		6.30	6.25	34.231	26.914	121.4	.852	.19	2.7	99.1	3.39	29.1	.10			574

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 83 40.6

LATITUDE	LONGITUDE	DAY/MO/YR	MESSENGER	BOTTOM	WIND	SPEED	WAVES	WEATHER	BAROMETER	DRY	WET	CLOUD	AMT	TYPE			
34 13.6 N	119 24.6 W	17/05/86	1734 GMT	36 M		00	260 01 07	4	1017.5 MB	14.8 C	14.0 C	8/8		ST			
CST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	PO4	NO3	NO2	CHL-A	PHAE0	PRESS	
	M	DEG C	DEG C		THETA			ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR	
	0	ISL	13.86	13.86	33.706	25.216	279.0	.000	6.41	109.2						0	
1	1		13.86	13.86	33.706	25.216	274.2	.003	6.41	109.2	3.8	.64	2.7	.06	.36	.14	1
	10	ISL	12.27	12.27	33.713	25.539	243.7	.026	5.24	86.5							10
1	11		12.17	12.17	33.715	25.559	241.9	.028	5.17	85.1	9.0	1.07	7.8	.13	.62	.16	11
	20	ISL	11.97	11.96	33.725	25.606	237.6	.050	4.95	81.1							20
1	21		11.94	11.94	33.726	25.611	237.2	.052	4.94	80.9	10.7	1.18	9.3	.16	.58	.13	21
	30	ISL	11.51	11.51	33.750	25.711	227.9	.073	4.38	71.0							30
1	31		11.46	11.45	33.753	25.723	226.8	.075	4.31	69.9	7.9	1.21	11.2	.19	4.26	1.07	31

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 83 42

LATITUDE	LONGITUDE	DAY/MO/YR	MESSENGER	BOTTOM	WIND	SPEED	WAVES	WEATHER	BAROMETER	DRY	WET	CLOUD	AMT	TYPE			
34 11.5 N	119 29.5 W	17/05/86	1459 GMT	122 M	120	07 KT	250 03 06	4	1016.4 MB	13.0 C	13.0 C	8/8	ST				
CST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	PO4	NO3	NO2	CHL-A	PHAE0	PRESS	
	M	DEG C	DEG C		THETA			ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR	
	0	ISL	13.23	13.22	33.747	25.378	259.9	.000	7.62	128.2						0	
1	1		13.23	13.22	33.747	25.378	258.8	.003	7.62	128.2	1.1	.27	.2	.01	4.92	1.11	1
	10	ISL	12.76	12.76	33.742	25.467	250.6	.026	7.28	121.2						10	
1	11		12.71	12.71	33.740	25.475	249.9	.028	7.24	120.5	2.0	.44	.8	.03	4.40	1.40	11
	20	ISL	12.32	12.32	33.715	25.531	244.8	.050	5.41	89.2						20	
1	21		12.28	12.28	33.713	25.536	244.3	.052	5.22	86.1	8.5	1.02	7.3	.12	.96	1.51	21
	30	ISL	11.83	11.83	33.719	25.627	235.9	.074	4.66	76.1						30	
1	31		11.79	11.78	33.721	25.637	235.0	.076	4.64	75.7	12.0	1.23	10.6	.15	.28	.32	31
1	41		11.20	11.20	33.753	25.769	222.6	.099	4.19	67.5	12.9	1.38	13.8	.16	.30	.51	41
	50	ISL	10.87	10.87	33.748	25.825	217.5	.119	3.67	58.7						50	
1	51		10.85	10.84	33.747	25.828	217.2	.121	3.63	58.1	16.8	1.55	17.2	.15	.26	.76	51
1	61		10.50	10.50	33.770	25.907	209.9	.142	3.25	51.6	20.2	1.66	19.9	.12	.27	1.14	61
1	72		10.19	10.18	33.825	26.004	200.9	.165	3.00	47.3	23.2	1.78	21.9	.10	.18	.59	72
	75	ISL	10.13	10.12	33.843	26.029	198.6	.171	2.91	45.9						76	
1	87		9.96	9.95	33.897	26.099	192.2	.194	2.66	41.8	26.4	1.91	23.7	.20	.33	.56	87
	100	ISL	9.80	9.79	33.943	26.163	186.4	.219	2.54	39.8						101	
1	101		9.78	9.77	33.947	26.168	185.9	.222	2.54	39.7	28.2	1.99	24.5	.14	.35	.74	102

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 83 51

LATITUDE		LONGITUDE		DAY/MO/YR		MESSENGER		BOTTOM		WIND	SPEED	WAVES	WEATHER	BAROMETER		DRY	WET	CLOUD	AMT	TYPE	
33 52.8 N		120 08.1 W		17/05/86		0952 GMT		101 M		030	06 KT				1014.1 MB	13.1 C	12.5 C				
CAST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXYPCT	SI03	NO3	NO2	CHL-A	PHAE0	PRESS						
	M	DEG C	DEG C		THETA			ML/L		UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR						
1	0 ISL	13.59	13.59	33.661	25.238	273.0	.000	6.34	107.4						0						
	1	13.59	13.59	33.661	25.238	272.1	.003	6.34	107.4	3.2	.50	2.1	.07	2.27	.53						
	10 ISL	12.81	12.81	33.670	25.401	256.9	.027	5.66	94.3						10						
1	12	12.56	12.56	33.676	25.454	251.9	.031	5.42	89.9		7.5	.88	6.8	.13	2.14	.70					
	20 ISL	11.21	11.20	33.729	25.750	224.0	.051	4.03	64.9						20						
	22	10.90	10.90	33.745	25.816	217.7	.055	3.71	59.4	18.2	1.53	17.3	.13	1.36	1.11	22					
1	30 ISL	10.32	10.32	33.779	25.945	205.6	.072	3.11	49.1						30						
	32	10.26	10.25	33.785	25.960	204.2	.076	3.04	48.0	22.7	1.75	21.7	.07	.47	.80	32					
	42	10.08	10.08	33.848	26.039	196.9	.096	2.89	45.5	24.7	1.83	22.6	.08	.54	.92	42					
1	50 ISL	9.98	9.98	33.877	26.07 9	193.3	.112	2.79	43.8						50						
	52	9.97	9.96	33.881	26.085	192.7	.115	2.77	43.5	26.3	1.90	23.3	.09	.54	1.18	52					
	62	9.88	9.87	33.898	26.113	190.3	.134	2.72	42.6	27.3	1.92	23.8	.09	.45	1.13	62					
1	75 ISL	9.77	9.76	33.922	26.151	187.1	.159	2.65	41.4						75						
	77	9.76	9.75	33.924	26.154	186.7	.162	2.64	41.3	28.4	1.97	24.3	.09	.43	.94	77					

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 83 55

LATITUDE	LONGITUDE	DAY/MO/YR	MESSENGER	BOTTOM	WIND	SPEED	WAVES	WEATHER	BAROMETER	DRY	WET	CLOUD	AMT	TYPE	
33 44.8 N	120 24.9 W	17/05/86	0640 GMT	1037 M	330	23 KT			1014.5 MB	12.0 C	11.9 C				
CST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXYPCT	SI03	NO3	NO2	CHL-A	PHAE0	PRESS
	M	DEG C	DEG C		THETA			ML/L		UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR
1	0 ISL	12.30	12.30	33.640	25.477	249.4	.000	6.07	100.1						0
	1	12.30	12.30	33.640	25.477	249.4	.002	6.07	100.1						1
	10 ISL	12.31	12.30	33.643	25.478	249.6	.025	6.06	100.0		.84	6.3	.15	2.05	10
1	16	12.31	12.31	33.645	25.47 9	249.7	.040	6.06	99.9	6.2	.83	6.3	.15	1.96	16
	20 ISL	12.25	12.24	33.653	25.498	247.9	.050	6.05	99.6						20
	30 ISL	12.00	12.00	33.678	25.563	241.9	.074	5.94	97.4						30
1	31	11.97	11.97	33.680	25.570	241.3	.076	5.93	97.1	6.4	.89	6.6	.14	3.79	31
1	42	11.62	11.61	33.702	25.654	233.6	.102	5.63	91.5	9.1	1.01	9.5	.17	5.06	42
	50 ISL	10.72	10.71	33.612	25.747	225.0	.121	4.42	70.4						50
1	51	10.64	10.63	33.604	25.754	224.2	.123	4.31	68.6	17.0	1.42	15.8	.28	.66	51
1	61	10.46	10.46	33.619	25.797	220.4	.145	4.13	65.4	18.3	1.48	17.1	.29	.37	61
1	71	10.52	10.51	33.760	25.897	211.1	.166	3.93	62.4	20.4	1.60	17.7	.20	.35	71
	75 ISL	10.13	10.12	33.775	25.976	203.6	.176	3.66	57.6						76
1	81	9.57	9.56	33.785	26.076	194.1	.187	3.30	51.3	24.9	1.76	22.7	.15	.24	81
1	96	9.27	9.26	33.878	26.198	182.9	.217	2.99	46.2	28.1	1.88	24.4	.08	.23	97
	100 ISL	9.28	9.27	33.904	26.218	181.1	.223	2.88	44.6						101
1	111	9.30	9.29	33.965	26.262	177.1	.243	2.57	39.8	31.1	2.03	25.8	.07	.23	112
	125 ISL	9.31	9.30	33.992	26.282	175.6	.267	2.44	37.7						126
1	126	9.31	9.30	33.994	26.283	175.4	.270	2.43	37.6	32.1	2.07	26.3	.07	.19	127
1	150	9.04	9.03	34.054	26.374	167.3	.311	2.28	35.1	34.9	2.16	27.5	.03	.16	151
1	175	8.31	8.29	33.989	26.437	161.5	.351	2.84	43.0	35.6	2.04	27.4	.02		176
	200 ISL	7.99	7.97	34.055	26.535	152.5	.391	2.32	34.9						201
1	205	7.97	7.95	34.071	26.552	151.0	.398	2.18	32.8	43.0	2.29	30.2	.01		206
1	235	7.89	7.86	34.099	26.587	148.2	.442	1.94	29.1	45.4	2.37	31.6	.01		236
	250 ISL	7.81	7.78	34.128	26.622	145.1	.465	1.71	25.6						252
1	273	7.66	7.63	34.172	26.678	140.2	.498	1.36	20.3	51.9	2.59	33.2	.00		275
	300 ISL	7.47	7.44	34.193	26.722	136.3	.535	1.16	17.2						302
1	327	7.26	7.23	34.202	26.759	133.1	.571	1.03	15.2	58.2	2.74	35.0	.00		329
1	386	6.81	6.77	34.224	26.839	126.2	.649	.78	11.4	65.4	2.88	36.9	.00		389
	400 ISL	6.70	6.67	34.231	26.859	124.4	.666	.73	10.6						403
1	450	6.33	6.29	34.260	26.931	118.0	.726	.56	8.1	74.2	3.00	38.5	.00		453
	500 ISL	5.97	5.92	34.283	26.996	112.2	.784	.44	6.3						504
1	518	5.84	5.79	34.289	27.017	110.3	.804	.41	5.9	82.6	3.09	40.2	.00		522

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 83 60

LATITUDE		LONGITUDE		DAY/MO/YR		MESSENGER		BOTTOM		WIND		SPEED		WAVES		WEATHER		BAROMETER		DRY		WET		CLOUD		AMT		TYPE	
33 34.6 N		120 45.2 W		17/05/86		0255 GMT		1463 M		330		18 KT		320 06 06		1		1014.2 MB		14.0 C		12.9 C		2/8				ST	
CAST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN	HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRESS												
	M	DEG C	DEG C		THETA				ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR												
1	0	14.40	14.40	33.115	24.647	328.3	.000		6.04	103.7	2.5	.39	.0	.00	.26	.10	0												
	10 ISL	14.40	14.39	33.114	24.648	328.5	.033		6.04	103.7							10												
1	16	14.39	14.39	33.114	24.649	328.6	.052		6.04	103.7	2.5	.40	.0	.00	.25	.11	16												
	20 ISL	14.36	14.36	33.114	24.655	328.2	.066		6.08	104.3							20												
	30 ISL	14.29	14.29	33.114	24.671	327.0	.098		6.14	105.1							30												
1	31	14.29	14.28	33.114	24.672	326.9	.101		6.14	105.2	2.5	.40	.0	.00	.27	.13	31												
1	41	14.25	14.24	33.122	24.686	325.8	.134		6.01	102.9	2.5	.40	.1	.00	.30	.15	41												
1	50	14.14	14.14	33.135	24.719	323.0	.163		6.01	102.6	2.8	.41	.2	.00	.35	.19	50												
	61	12.52	12.51	33.288	25.163	280.8	.196		5.69	94.0	5.4	.69	3.8	.27	.27	.24	61												
1	70	11.93	11.92	33.382	25.348	263.5	.220		5.29	86.4	8.3	.89	7.5	.30	.20	.36	70												
	75 ISL	11.63	11.62	33.376	25.398	258.7	.234		5.18	84.0							76												
1	80	11.36	11.35	33.366	25.440	254.8	.246		5.08	82.0	10.3	.99	9.6	.31	.13	.18	80												
1	95	10.18	10.17	33.504	25.755	225.0	.282		4.35	68.5	17.6	1.40	16.8	.15	.06	.16	95												
	100 ISL	9.98	9.97	33.547	25.823	218.7	.294		4.17	65.4							101												
1	109	9.74	9.72	33.637	25.934	208.3	.314		3.84	59.9	21.9	1.59	20.2	.05	.04	.14	110												
1	123	9.23	9.21	33.859	26.191	184.1	.341		3.02	46.6	29.0	1.88	24.6	.00	.02	.10	124												
	125 ISL	9.21	9.20	33.866	26.199	183.3	.344		2.96	45.8							126												
1	149	9.00	8.98	33.973	26.317	172.6	.388		2.51	38.6	34.0	2.08	26.9	.00	.01	.09	150												
	150 ISL	8.99	8.98	33.975	26.320	172.4	.389		2.50	38.4							151												
1	174	8.80	8.79	34.027	26.390	166.1	.430		2.29	35.1	36.8	2.17	28.0	.00			175												
	200 ISL	8.60	8.58	34.083	26.467	159.3	.472		2.11	32.1							201												
1	203	8.58	8.56	34.088	26.474	158.7	.476		2.09	31.8	40.0	2.29	29.3	.00			204												
1	234	8.48	8.45	34.114	26.510	155.8	.525		1.90	28.9	41.9	2.35	29.8	.00			235												
1	250 ISL	8.37	8.35	34.135	26.543	152.9	.550		1.77	26.8							252												
	273	8.19	8.16	34.165	26.595	148.3	.585		1.56	23.6	45.6	2.49	31.3	.00			275												
1	300 ISL	7.95	7.92	34.189	26.649	143.6	.624		1.34	20.1							302												
	328	7.70	7.66	34.208	26.701	138.9	.664		1.13	16.9	53.7	2.68	33.6	.00			330												
1	387	7.15	7.12	34.236	26.801	130.1	.742		.83	12.2	61.7	2.85	35.7	.00			389												
	400 ISL	6.98	6.94	34.239	26.827	127.7	.760		.77	11.2							403												
1	450	6.35	6.31	34.250	26.920	119.1	.821		.57	8.3	72.7	3.01	38.5	.00			453												
	500 ISL	5.90	5.86	34.277	26.999	111.8	.879		.48	6.9							504												
1	518	5.78	5.73	34.290	27.025	109.5	.900		.47	6.7	82.7	3.14	40.4	.00			522												

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 83 70

LATITUDE	LONGITUDE	DAY/MO/YR	MESSENGER	BOTTOM	WIND	SPEED	WAVES	WEATHER	BAROMETER	DRY	WET	CLOUD	AMT	TYPE		
33 14.7 N	121 26.8 W	16/05/86	2140 GMT	3764 M	330	24 KT	340 08 07	1	1016.9 MB	15.1 C	13.9 C	3/8		ST		
CAST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRESS
	M	DEG C	DEG C		THETA			ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR
1	0 ISL	15.02	15.02	33.221	24.598	333.1	.000	5.92	103.0							0
	2	15.02	15.02	33.221	24.598	333.1	.007	5.92	103.0	2.5	.38	.0	.00	.21	.05	2
1	10 ISL	14.98	14.98	33.214	24.599	333.2	.033	5.97	103.7							10
	17	14.96	14.96	33.208	24.601	333.3	.056	5.98	103.9	2.5	.38	.0	.00	.22	.06	17
	20 ISL	14.95	14.95	33.208	24.603	333.2	.067	5.97	103.8							20
	30 ISL	14.91	14.91	33.208	24.611	332.8	.100	5.94	103.1							30
1	32	14.91	14.90	33.208	24.612	332.7	.106	5.93	102.9	2.5	.38	.0	.00	.22	.06	32
1	41	14.87	14.87	33.207	24.620	332.2	.136	5.91	102.5	2.5	.38	.0	.00	.23	.08	41
	50 ISL	13.85	13.84	33.261	24.876	308.0	.165	5.97	101.4							50
1	52	13.59	13.58	33.275	24.940	301.9	.171	5.98	101.1	3.6	.49	1.3	.10	1.08	.34	52
1	62	12.26	12.25	33.323	25.240	273.5	.199	5.43	89.3	6.7	.80	5.8	.69	.58	.54	62
1	72	11.74	11.73	33.379	25.381	260.3	.226	5.04	82.0	9.1	.96	9.2	.30	.33	.37	72
	75 ISL	11.62	11.61	33.394	25.414	257.2	.235	4.96	80.5							76
1	82	11.40	11.39	33.428	25.481	251.0	.251	4.79	77.4	10.7	1.08	11.5	.05	.25	.32	82
1	97	10.79	10.78	33.568	25.701	230.4	.287	4.10	65.4	16.3	1.38	16.4	.02	.11	.19	97
1	100 ISL	10.63	10.62	33.598	25.751	225.6	.295	3.97	63.1							101
1	111	10.15	10.14	33.679	25.897	211.9	.320	3.63	57.1	20.9	1.59	20.0	.01	.04	.15	112
1	125 ISL	9.81	9.80	33.731	25.995	202.8	.348	3.49	54.5							126
	126	9.79	9.77	33.736	26.003	202.1	.351	3.48	54.4	23.0	1.68	21.6	.01	.02	.11	127
1	150	9.33	9.31	33.833	26.155	188.1	.398	3.17	49.0	27.3	1.84	24.0	.01	.01	.09	151
	175	8.75	8.73	33.935	26.327	172.0	.442	2.97	45.4	31.9	1.97	26.1	.00			176
1	200 ISL	8.45	8.43	34.005	26.428	162.9	.484	2.67	40.6							201
	204	8.42	8.40	34.013	26.439	161.9	.490	2.62	39.8	36.5	2.11	27.9	.00			205
1	234	8.18	8.16	34.070	26.520	154.7	.538	2.12	32.0	42.1	2.31	30.0	.00			235
	250 ISL	8.05	8.02	34.085	26.552	151.8	.563	2.03	30.6							252
1	272	7.81	7.79	34.095	26.595	148.1	.596	1.99	29.8	45.9	2.40	31.2	.00			274
	300 ISL	7.35	7.32	34.088	26.655	142.5	.636	1.84	27.3							302
1	326	6.90	6.87	34.081	26.713	137.2	.673	1.66	24.3	56.0	2.58	34.5	.00			328
1	385	6.28	6.25	34.119	26.825	126.9	.750	1.10	15.9	67.2	2.84	37.6	.00			387
1	400 ISL	6.19	6.15	34.132	26.848	125.0	.769	1.00	14.4							403
1	448	5.97	5.93	34.176	26.911	119.5	.828	.75	10.8	75.2	2.99	39.3	.00			451
1	500 ISL	5.73	5.69	34.227	26.980	113.4	.889	.51	7.3							50*
1	518	5.65	5.61	34.246	27.005	111.2	.909	.44	6.3	83.3	3.13	40.7	.00			522

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 84 70

LATITUDE		LONGITUDE		DAY/MO/YR		MESSENGER		BOTTOM	WIND	SPEED	WAVES	WEATHER	BAROMETER		DRY	WET	CLOUD	AMT	TYPE
33 05.1 N		121 21.3 W		16/05/86		1925 GMT													
CAST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRESS			
	M	DEG C	DEG C		THETA			ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR			
1	2 A	14.95	14.95	33.184	24.584	334.4	.007	5.92	102.8	2.5	.38	.0	.00	.18	.05	2			
1	16 A	14.95	14.95	33.183	24.583	335.0	.053	5.93	103.0	2.5	.38	.0	.00	.19	.04	16			
1	20 A	14.91	14.91	33.182	24.591	334.3	.067	5.92	102.7	2.4	.38	.0	.00	.18	.05	20			
1	30 A	14.89	14.88	33.181	24.596	334.1	.100	5.93	102.9	2.3	.39	.0	.00	.19	.06	30			
1	49 A	12.62	12.62	33.215	25.086	287.9	.159	5.82	96.4	4.7	.60	2.8	.28	.72	.52	49			
2	71	11.93	11.92	33.363	25.334	264.8	.219	5.19	84.7	7.6	.88	7.7	.25	.38	.40	71			
1	76 A	11.04	11.03	33.422	25.542	245.0	.23 2	4.64	74.4	12.4	1.17	12.9	.05	.20	.25	76			
2	81	11.07	11.06	33.409	25.526	246.6	.244	4.73	75.9	12.1	1.16	12.5	.06	.20	.30	81			
2	95	10.58	10.56	33.555	25.727	227.7	.277	4.13	65.6	16.5	1.38	16.5	.01	.07	.14	95			
2	109	10.22	10.20	33.639	25.855	215.9	.310	3.85	60.7	19.2	1.53	18.9	.01	.03	.10	110			
2	124	9.60	9.58	33.757	26.051	197.5	.341	3.57	55.5	23.4	1.69	21.7	.00	.01	.09	125			
2	149	9.18	9.16	33.870	26.208	183.0	.388	3.07	47.4	28.7	1.89	24.6	.00	.01	.09	150			
2	173	8.85	8.83	33.967	26.337	171.2	.431	2.65	40.6	33.5	2.06	26.8	.00			174			
2	202	8.42	8.40	34.011	26.438	162.0	.47 9	2.56	38.8	36.9	2.15	28.3	.00			203			

A. PRIMARY PRODUCTIVITY SAMPLES WERE TAKEN FROM THESE DEPTHS.

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 87 33

LATITUDE		LONGITUDE		DAY/MO/YR		MESSENGER		BOTTOM		WIND		SPEED		WAVES		WEATHER		BAROMETER			DRY		WET		CLOUD		AMT		TYPE	
33 53.4 N		118 29.4 W		15/05/86		1114 GMT		59 M		270		08 KT						1011.5 MB			14.5 C		13.2 C							
CAST	DEPTH	TEMP		POT TEMP		SALINITY	SIGMA	SVA	DYN	HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRESS											
	M	DEG C	DEG C	DEG C	THETA															UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	UG/L	D.BAR			
1	0 ISL	14.35	14.35	14.35	14.35	33.608	25.038	291.6	.000		6.90	118.7																		0
	1	14.35	14.35	14.35	14.35	33.608	25.038	291.2	.003		6.90	118.7	1.5	.27	.1	.00	1.24	.42											1	
1	10 ISL	14.15	14.15	14.15	14.15	33.600	25.074	288.0	.029		6.83	117.0																	10	
	11	14.13	14.13	14.13	14.13	33.599	25.078	287.6	.03 2		6.82	116.8	2.0	.30	.2	.01	1.90	.46											11	
1	20 ISL	12.43	12.43	12.43	12.43	33.574	25.400	257.4	.056		5.07	83.8																	20	
	21	12.25	12.24	12.24	12.24	33.572	25.43 4	254.0	.05 9		4.87	80.2	9.4	1.02	8.7	.23	1.62	.70											21	
1	30 ISL	11.26	11.26	11.26	11.26	33.615	25.651	233.6	.081		3.73	60.1																	30	
	31	11.20	11.20	11.20	11.20	33.619	25.665	232.3	.083		3.65	58.8	15.8	1.58	16.0	.28	.76	.68											31	
1	41	10.94	10.94	10.94	10.94	33.602	25.699	229.3	.105		3.08	49.3	19.5	2.05	17.8	.34	1.08	.77											41	
	50 ISL	10.66	10.66	10.66	10.66	33.736	25.852	214.9	.126		2.70	42.9																	50	
1	51	10.64	10.64	10.63	10.63	33.753	25.870	213.2	.127		2.67	42.5	19.5	2.09	19.3	.34	3.12	1.31											51	

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 87 35

LATITUDE	LONGITUDE	DAY/MO/YR	MESSENGER	BOTTOM	WIND	SPEED	WAVES	WEATHER	BAROMETER	DRY	WET	CLOUD	AMT	TYPE		
33 49.4 N	118 37.7 W	15/05/86	1306 GMT	670 M	290	08 KT	290 02 06	2	1011.5 MB	13.8 C	12.9 C	8/8		ST		
CAST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRESS	
	M	DEG C	DEG C		THETA			ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR
1	0	13.88	13.88	33.630	25.155	280.1	.000	6.73	114.7	1.7	.34	.6	.03	1.73	.42	0
	10 ISL	13.60	13.60	33.602	25.190	276.9	.028	6.24	105.6							10
1	11	13.55	13.54	33.592	25.194	276.6	.030	6.19	104.7	3.5	.48	1.4	.08	2.81	.78	11
	20 ISL	12.79	12.79	33.619	25.366	260.5	.055	5.78	96.3							20
1	21	12.69	12.69	33.623	25.388	258.4	.057	5.72	95.1	4.2	.66	4.3	.13	1.63	.65	21
	30 ISL	11.49	11.49	33.636	25.626	236.0	.080	4.39	71.2							30
1	31	11.38	11.38	33.637	25.646	234.1	.082	4.27	69.0	12.5	1.24	13.4	.17	.85	.62	31
	41	10.81	10.80	33.655	25.763	223.2	.104	3.78	60.4	16.6	1.45	17.1	.10	.66	.59	41
1	50 ISL	10.68	10.67	33.689	25.813	218.6	.125	3.60	57.3							50
1	52	10.67	10.67	33.695	25.819	218.1	.128	3.58	57.0	18.8	1.56	18.8	.06	.52	.56	52
1	62	10.50	10.49	33.715	25.865	213.9	.150	3.47	55.1	19.8	1.60	19.4	.05	.39	.46	62
1	72	10.24	10.23	33.765	25.948	206.2	.171	3.25	51.3	21.6	1.68	20.8	.03	.34	.33	72
	75 ISL	10.17	10.17	33.780	25.971	204.1	.17 8	3.22	50.8							76
1	87	9.97	9.96	33.825	26.041	197.7	.201	3.16	49.6	24.1	1.77	22.2	.02	.33	.31	87
1	100	9.75	9.74	33.872	26.115	190.9	.228	2.98	46.6	26.0	1.85	23.3	.01	.21	.20	101
1	120	9.65	9.64	33.984	26.219	181.4	.265	2.61	40.7	29.0	1.99	25.0	.01	.44	.71	121
1	125 ISL	9.58	9.57	34.001	26.244	179.2	.273	2.56	40.0							126
1	145	9.27	9.26	34.057	26.339	170.5	.309	2.40	37.1	32.9	2.11	26.7	.01	.36	.51	146
1	150 ISL	9.25	9.23	34.073	26.356	169.1	.317	2.33	36.0							151
1	174	9.13	9.11	34.135	26.424	163.1	.357	1.99	30.7	36.1	2.27	28.0	.01			175
1	200 ISL	8.80	8.78	34.148	26.487	157.5	.398	1.91	29.3							201
1	204	8.75	8.73	34.150	26.496	156.7	.404	1.90	29.1	39.4	2.33	29.1	.00			205
1	233	8.57	8.55	34.228	26.585	148.7	.448	1.37	20.9	44.3	2.52	30.8	.00			234
1	250 ISL	8.42	8.39	34.224	26.606	146.5	.47 4	1.35	20.5							252
1	271	8.20	8.17	34.220	26.636	144.4	.505	1.32	20.0	47.6	2.58	31.8	.00			273
1	300 ISL	7.86	7.83	34.233	26.696	139.1	.546	1.13	16.9							302
1	325	7.57	7.54	34.247	26.750	134.1	.580	.93	13.9	56.2	2.78	34.3	.00			327
1	384	6.98	6.94	34.260	26.844	125.9	.657	.67	9.8	64.2	2.93	36.5	.00			387
1	400 ISL	6.85	6.81	34.266	26.867	123.8	.677	.61	8.9							403
1	449	6.48	6.43	34.289	26.935	117.8	.736	.44	6.4	72.7	3.07	38.2	.00			452
1	500 ISL	6.15	6.10	34.317	27.000	112.0	.7 94	.33	4.7							504
1	519	6.04	5.99	34.329	27.024	110.0	.816	.30	4.3	82.1	3.17	39.1	.00			523

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 87 40

LATITUDE	LONGITUDE	DAY/MO/YR	MESSENGER	BOTTOM	WIND	SPEED	WAVES	WEATHER	BAROMETER	DRY	WET	CLOUD	AMT	TYPE		
33 39.4 N	118 58.5 W	15/05/86	1641 GMT	681 M	250	06 KT	280 02 06	2	1013.3 MB	15.0 C	13.4 C	8/8		ST		
CAST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	PO4	NO3	NO2	CHL-A	PHAE0	PRESS
	M	DEG C	DEG C		THETA			ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR
1	0 ISL	15.30	15.30	33.568	24.803	313.6	.000	6.38	111.9							0
	1	15.30	15.30	33.568	24.803	313.6	.003	6.38	111.9	2.4	.34	.1	.00	1.81	.21	1
	10 ISL	15.09	15.09	33.564	24.846	309.7	.031	6.34	110.8							10
1	11	15.05	15.05	33.564	24.854	309.0	.034	6.34	110.6	2.3	.36	.3	.01	1.81	.83	11
	20 ISL	14.54	14.54	33.561	24.963	298.9	.062	6.06	104.5							20
1	21	14.47	14.46	33.560	24.978	297.5	.064	6.01	103.6	4.9	.50	1.6	.05	1.64	1.08	21
	30 ISL	13.29	13.29	33.573	25.231	273.6	.090	5.27	88.7							30
1	33	12.90	12.89	33.583	25.317	265.5	.098	5.01	83.6	10.9	.91	8.0	.19	.71	.67	33
	41	12.14	12.13	33.611	25.486	249.6	.118	4.43	72.8	13.6	1.13	11.7	.22	.65	1.08	50
1	50 ISL	11.39	11.39	33.654	25.657	233.5	.141	4.07	65.9							41
1	52	11.28	11.28	33.663	25.686	230.8	.145	4.02	64.9	16.5	1.38	15.8	.19	.39	.70	52
1	62	10.79	10.78	33.716	25.815	218.7	.167	3.60	57.5	19.2	1.54	18.3	.15	.29	.49	62
1	72	10.14	10.13	33.777	25.976	203.5	.188	3.26	51.3	22.8	1.71	21.3	.04	.12	.24	72
	75 ISL	10.00	9.99	33.807	26.022	199.3	.195	3.16	49.6							76
1	87	9.74	9.73	33.899	26.139	188.4	.217	2.86	44.7	27.4	1.90	23.9	.02	.09	.25	87
	100 ISL	9.63	9.62	33.943	26.191	183.7	.242	2.67	41.6							101
1	101	9.62	9.61	33.946	26.194	183.4	.245	2.65	41.3	29.3	1.98	24.8	.02	.05	.19	102
1	122	9.36	9.35	34.010	26.288	174.9	.282	2.43	37.7	32.4	2.10	26.3	.02	.05	.24	123
1	125 ISL	9.33	9.32	34.017	26.298	174.0	.287	2.40	37.3							126
1	146	9.14	9.12	34.069	26.370	167.6	.323	2.21	34.1	35.2	2.19	27.4	.03	.07	.20	147
1	150 ISL	9.12	9.10	34.077	26.380	166.7	.330	2.17	33.5							151
1	176	8.96	8.94	34.123	26.441	161.4	.372	1.94	29.8	37.9	2.31	28.5	.02			177
1	200 ISL	8.73	8.71	34.145	26.495	156.6	.410	1.79	27.4							201
1	205	8.68	8.66	34.149	26.505	155.7	.418	1.76	26.9	41.3	2.40	29.7	.03			206
1	234	8.61	8.58	34.204	26.561	151.1	.462	1.50	22.9	43.5	2.49	30.5	.02			235
1	250 ISL	8.36	8.34	34.222	26.613	146.3	.486	1.33	20.2							252
1	272	7.96	7.93	34.238	26.686	139.6	.518	1.12	16.8	51.2	2.69	32.8	.01			274
1	300 ISL	7.57	7.55	34.237	26.742	134.4	.556	.96	14.4							302
1	326	7.28	7.25	34.237	26.784	130.8	.591	.86	12.7	59.7	2.84	35.2	.01			328
1	386	6.82	6.79	34.273	26.876	122.7	.667	.60	8.8	68.2	2.99	36.9	.01			389
1	400 ISL	6.73	6.69	34.278	26.892	121.3	.684	.56	8.1							403
1	450	6.40	6.36	34.297	26.951	116.2	.743	.42	6.1	74.6	3.09	38.4	.00			453
1	500 ISL	6.08	6.03	34.323	27.013	110.7	.800	.32	4.6							504
1	521	5.94	5.90	34.335	27.040	108.3	.823	.29	4.2	84.5	3.20	39.2	.00			525

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 87 45

LATITUDE		LONGITUDE		DAY/MO/YR		MESSENGER		BOTTOM		WIND		SPEED		WAVES		WEATHER		BAROMETER		DRY		WET		CLOUD		AMT		TYPE			
33 29.3 N		119 19.1 W		15/05/86		2100 GMT		1668 M		320		20 KT		2 90 04 06		1		1013.0 MB		15.5 C		13.2 C		5/8				ST			
CAST	DEPTH	TEMP		POT TEMP		SALINITY		SIGMA		SVA		DYN HT		OXYGEN		OXY		SI03		PO4		NO3		NO2		CHL-A		PHAE0		PRESS	
	M	DEG	C	DEG	C			THETA				HT	ML/L	PCT	UM/L		PCT	UM/L	UM/L	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	UG/L	UG/L	D.BAR			
1	0	ISL	14.07	14.07		33.615	25.102	287.6		.000	6.42	109.8																	0		
	2		14.07	14.07		33.615	25.102	285.1		.006	6.42	109.8						.39	1.6	.07	2.81	.95							2		
	10	ISL	13.47	13.47		33.618	25.229	273.2		.028	6.43	108.6																	10		
1	11		13.38	13.38		33.618	25.247	271.6		.031	6.43	108.4			3.0	.42	1.7	.06	2.66	1.34	1.11								11		
	20	ISL	12.42	12.41		33.612	25.433	254.2		.054	5.92	97.9																	20		
1	21		12.32	12.32		33.611	25.451	252.5		.057	5.84	96.3			4.0	.76	4.1	.09	1.39	1.08	1.01								21		
	30	ISL	11.65	11.65		33.648	25.605	237.9		.079	4.59	74.6																	30		
1	31		11.60	11.60		33.653	25.619	236.7		.081	4.47	72.6			12.5	1.29	12.1	.20	.66	1.10	1.10								31		
1	41		11.05	11.04		33.698	25.755	223.9		.104	3.77	60.5			17.1	1.54	16.8	.19	.40	.92									41		
	50	ISL	10.80	10.79		33.712	25.810	219.0		.124	3.67	58.6																	50		
1	52		10.77	10.76		33.713	25.816	218.4		.128	3.65	58.3			18.9	1.60	18.3	.19	.42	.91	52								52		
1	61		10.53	10.53		33.724	25.866	213.8		.147	3.50	55.6			20.3	1.65	19.3	.19	.42	.91	61								61		
1	72		10.03	10.02		33.821	26.029	198.5		.170	3.10	48.7			24.2	1.81	22.4	.11	.26	.92	72								72		
	75	ISL	9.96	9.95		33.844	26.058	195.9		.177	3.01	47.3																	76		
1	87		9.86	9.85		33.904	26.122	190.1		.199	2.80	43.9			26.4	1.91	23.9	.07	.16	.65	87								87		
1	100		9.71	9.70		33.951	26.184	184.4		.225	2.68	41.9			27.9	1.98	24.8	.07	.12	.53	101								101		
1	120		9.37	9.35		34.053	26.320	171.8		.260	2.35	36.4			32.0	2.14	26.8	.04	.08	.35	121								121		
	125	ISL	9.31	9.29		34.061	26.336	170.3		.268	2.32	35.9																	126		
1	146		9.10	9.08		34.083	26.388	165.9		.304	2.20	33.9			34.7	2.21	27.7	.03	.09	.35	147								147		
1	150	ISL	9.07	9.06		34.093	26.399	164.9		.310	2.16	33.3																	151		
	176		8.94	8.92		34.154	26.469	158.8		.352	1.90	29.2			38.1	2.33	28.9	.02											177		
1	200	ISL	8.72	8.70		34.158	26.506	155.5		.390	1.77	27.1																	201		
1	204		8.68	8.66		34.159	26.513	155.0		.396	1.75	26.7			40.5	2.40	29.8	.02											205		
1	234		8.31	8.28		34.187	26.593	147.8		.441	1.50	22.7			45.2	2.51	31.2	.02											235		
1	250	ISL	8.18	8.16		34.203	26.625	145.0		.465	1.39	20.9																	252		
	273		8.01	7.99		34.222	26.665	141.6		.499	1.24	18.7			49.1	2.65	32.6	.01											275		
1	300	ISL	7.69	7.66		34.227	26.718	136.9		.536	1.09	16.3																	302		
1	326		7.36	7.33		34.232	26.768	132.4		.571	.95	14.1			57.5	2.81	35.0	.00											328		
1	386		6.91	6.87		34.276	26.866	123.7		.648	.60	8.8			65.7	2.97	36.8	.00											389		
	400	ISL	6.81	6.77		34.284	26.887	121.9		.665	.55	8.1																	403		
1	450		6.44	6.40		34.308	26.954	115.9		.724	.44	6.4			74.0	3.08	38.2	.00											453		
	500	ISL	6.14	6.10		34.326	27.008	111.4		.781	.36	5.2																	504		
1	520		6.04	5.99		34.330	27.024	109.9		.804	.34	4.9			82.0	3.16	39.1	.00											524		

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 87 50

LATITUDE	LONGITUDE	DAY/MO/YR	MESSENGER	BOTTOM	WIND	SPEED	WAVES	WEATHER	BAROMETER	DRY	WET	CLOUD	AMT	TYPE		
33 19.3 N	119 39.6 W	16/05/86	0030 GMT	81 M	310	23 KT	320 10 07	0	1012.3 MB	13.2 C	11.8 C	0/8				
CAST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRESS
	M	DEG C	DEG C		THETA			ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR
	0	ISL 12.58	12.58	33.43 9	25.266	269.5	.000	6.01	99.6							0
1	1	12.58	12.58	33.439	25.266	269.5	.003	6.01	99.6	4.7	.74	4.4	.16	.77	.46	1
	10	ISL 12.58	12.58	33.448	25.274	269.0	.027	6.00	99.4							10
1	11	12.58	12.58	33.449	25.275	268.9	.029	6.00	99.4	5.0	.75	4.4	.16	.69	.56	11
	20	ISL 12.55	12.54	33.524	25.339	263.0	.054	6.00	99.4							20
1	21	12.54	12.54	33.532	25.347	262.3	.056	6.00	99.4	4.9	.78	4.3	.17	.43	.91	21
	30	ISL 12.44	12.44	33.569	25.395	258.0	.080	6.05	100.1							30
1	31	12.43	12.43	33.573	25.401	257.5	.082	6.06	100.2	4.9	.77	4.2	.15	.48	1.01	31
1	41	11.93	11.93	33.570	25.493	249.0	.107	5.50	89.9	8.1	.96	7.2	.20	.52	1.21	41
	50	ISL 11.20	11.20	33.570	25.627	236.5	.129	4.73	76.2							50
1	51	11.13	11.13	33.568	25.638	235.3	.131	4.66	74.9	13.6	1.25	12.7	.23	.38	1.11	51

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 87 55

LATITUDE	LONGITUDE	DAY/MO/YR	MESSENGER	BOTTOM	WIND	SPEED	WAVES	WEATHER	BAROMETER	DRY	WET	CLOUD	AMT	TYPE		
33 09.5 N	120 00.5 W	16/05/86	0353 GMT	123 4 M	320	26 KT	320 10 05	0	1013.1	MB	13.8 C	11.0 C	0/8			
CAST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRESS
	M	DEG C	DEG C		THETA			ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR
1	0	ISL 14.40	14.40	33.218	24.727	320.8	.000	5.98	102.7							0
	1	14.40	14.40	33.218	24.727	320.8	.003	5.98	102.7	2.6	.44	.3	.02	.33	.12	1
	10	ISL 14.39	14.39	33.218	24.729	320.9	.03 2	6.01	103.3							10
1	12	14.39	14.39	33.218	24.729	320.9	.038	6.02	103.4	2.7	.43	.3	.01	.36	.11	12
	20	ISL 14.37	14.37	33.218	24.734	320.7	.064	6.04	103.8							20
1	22	14.36	14.36	33.218	24.736	320.6	.07 0	6.05	103.9	2.7	.43	.3	.02	.34	.11	22
	30	ISL 12.86	12.85	33.291	25.098	286.2	.095	5.82	96.9							30
1	31	12.68	12.68	33.302	25.141	282.2	.097	5.79	96.0	4.5	.69	3.4	.20	.38	.18	31
1	42	12.08	12.08	33.385	25.321	265.3	.127	5.66	92.7	6.2	.84	5.0	.17	.40	.36	42
	50	ISL 11.46	11.46	33.387	25.438	254.3	.149	5.21	84.3							50
1	52	11.34	11.33	33.388	25.461	252.2	.153	5.11	82.4	8.1	.94	8.8	.08	.30	.36	52
1	62	10.99	10.98	33.444	25.568	242.2	.178	4.83	77.3	10.7	1.09	11.6	.07	.22	.29	62
1	72	10.74	10.73	33.483	25.642	235.3	.201	4.59	73.1	12.5	1.20	13.6	.05	.20	.26	72
	75	ISL 10.69	10.68	33.496	25.661	233.6	.209	4.51	71.7							76
1	87	10.41	10.40	33.563	25.762	224.2	.236	4.17	66.0	16.0	1.41	16.8	.05	.14	.19	87
1	100	9.64	9.63	33.737	26.028	199.1	.265	3.57	55.6	22.8	1.69	21.6	.02	.04	.13	101
1	121	9.29	9.27	33.810	26.143	188.6	.306	3.39	52.4	25.6	1.78	23.3	.02	.03	.06	122
	125	ISL 9.23	9.21	33.821	26.161	186.9	.312	3.38	52.1							126
1	145	8.87	8.86	33.880	26.264	177.5	.349	3.29	50.4	29.0	1.88	24.7	.02	.04	.07	146
	150	ISL 8.79	8.77	33.898	26.291	175.0	.358	3.25	49.7							151
1	175	8.38	8.36	33.979	26.419	163.2	.400	2.99	45.3	34.4	2.02	26.9	.01			176
	200	ISL 8.06	8.04	34.011	26.492	156.6	.440	2.75	41.3							201
1	205	8.00	7.98	34.014	26.504	155.6	.448	2.70	40.6	39.0	2.16	28.6	.01			206
1	235	7.50	7.48	34.038	26.594	147.2	.493	2.40	35.7	45.3	2.32	30.9	.00			236
	250	ISL 7.29	7.27	34.048	26.631	143.9	.515	2.22	32.8							252
1	273	7.02	7.00	34.059	26.678	139.7	.548	1.93	28.4	53.1	2.51	33.4	.00			275
	300	ISL 6.74	6.71	34.070	26.726	135.4	.585	1.65	24.0							302
1	328	6.50	6.47	34.088	26.772	131.4	.622	1.37	19.9	62.1	2.74	36.3	.00			330
1	386	6.31	6.28	34.173	26.864	123.4	.6 97	.84	12.1	69.7	2.95	38.2	.00			389
	400	ISL 6.27	6.23	34.195	26.887	121.4	.713	.75	10.8							403
1	450	6.07	6.03	34.260	26.965	114.5	.772	.49	7.0	77.4	3.10	39.5	.00			453
	500	ISL 5.72	5.67	34.260	27.009	109.7	.828	.42	5.9							504
1	518	5.55	5.51	34.267	27.034	108.3	.848	.39	5.5	85.9	3.17	41.0	.00			522

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 87 60

LATITUDE		LONGITUDE		DAY/MO/YR		MESSENGER		BOTTOM		WIND		SPEED		WAVES		WEATHER		BAROMETER		DRY		WET		CLOUD		AMT		TYPE	
32 59.4 N		120 21.0 W		16/05/86		0724 GMT		7 42 M		310		21 KT						1014.9 MB		12.9 C		12.0 C							
CAST	DEPTH	TEMP		POT	TEMP	SALINITY	SIGMA	SVA	DYN	HT	OXYGEN	OXY	SI03	PO4	NO3	NO2	CHL-A	PHAE0	PRESS										
		M	DEG C																	DEG C	THETA	ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L
1	0	ISL	13.23	13.23	33.257	24.997	295.0	.000	6.09	102.2	2.7	.55	1.8	.07	.31	.13	0												
	2		13.23	13.23	33.257	24.997	295.1	.006	6.09	102.2							2												
	10	ISL	13.24	13.23	33.254	24.995	295.5	.030	6.07	101.9							10												
1	13		13.24	13.23	33.254	24.995	295.7	.03 8	6.07	101.8	2.6	.58	1.9	.08	.27	.14	13												
	20	ISL	13.06	13.06	33.283	25.052	290.4	.059	6.07	101.5							20												
1	22		13.01	13.00	33.292	25.070	288.7	.064	6.07	101.4	2.7	.61	2.4	.08	.28	.11	22												
	30	ISL	12.81	12.81	33.319	25.129	283.3	.088	6.03	100.3							30												
1	32		12.78	12.77	33.323	25.139	282.4	.093	6.02	100.1	2.9	.66	3.0	.10	.37	.16	32												
	41		12.69	12.68	33.324	25.158	280.8	.118	5.96	98.9	3.1	.68	3.2	.11	.26	.18	41												
1	50	ISL	12.51	12.51	33.369	25.227	274.5	.144	5.86	96.8							50												
	51		12.50	12.50	33.374	25.232	274.0	.146	5.85	96.7	4.0	.73	3.6	.13	.19	.27	51												
1	62		12.60	12.60	33.444	25.267	271.0	.175	5.88	97.4	3.5	.73	3.0	.10	.16	.37	62												
	73		11.14	11.13	33.340	25.461	252.7	.204	5.17	83.0	9.1	1.04	9.1	.17	.14	.33	73												
1	75	ISL	10.97	10.97	33.345	25.493	250.5	.210	5.07	81.1							76												
	87		10.46	10.45	33.368	25.601	239.5	.238	4.66	73.7	13.4	1.22	13.8	.20	.12	.30	87												
1	100	ISL	9.89	9.88	33.602	25.881	213.1	.26 9	4.06	63.6							101												
	103		9.79	9.78	33.652	25.937	207.9	.27 4	3.95	61.7	19.2	1.52	19.3	.03	.05	.15	103												
1	121		9.17	9.15	33.840	26.186	184.5	.311	3.21	49.5	27.1	1.85	24.2	.01	.02	.09	122												
	125	ISL	9.10	9.09	33.855	26.208	182.5	.318	3.19	49.2							126												
1	146		8.88	8.86	33.895	26.275	176.5	.356	3.09	47.3	29.8	1.90	25.5	.01	.02	.07	147												
	150	ISL	8.83	8.81	33.904	26.290	175.2	.362	3.08	47.1							151												
1	176		8.52	8.50	33.958	26.381	166.9	.407	3.01	45.8	32.8	1.97	26.5	.00			177												
	200	ISL	8.29	8.27	33.988	26.43 9	161.8	.446	2.91	44.0							201												
1	207		8.22	8.20	33.995	26.455	160.3	.457	2.86	43.2	36.1	2.05	27.6	.00			208												
	236		7.81	7.78	34.040	26.552	151.4	.502	2.50	37.4	41.8	2.20	29.6	.00			237												
1	250	ISL	7.54	7.51	34.045	26.595	147.5	.524	2.34	34.8							252												
	274		7.10	7.08	34.048	26.659	141.6	.559	2.07	30.5	49.9	2.40	32.7	.00			276												
1	300	ISL	6.85	6.82	34.064	26.707	137.4	.595	1.75	25.6							302												
	330		6.64	6.61	34.088	26.754	133.2	.635	1.39	20.3	59.8	2.69	36.0	.00			332												
1	388		6.18	6.15	34.138	26.853	124.3	.709	.91	13.1	69.6	2.89	38.3	.00			3 90												
	400	ISL	6.07	6.03	34.145	26.873	122.4	.725	.84	12.1							403												
1	451		5.66	5.62	34.176	26.948	115.6	.7 85	.62	8.8	79.6	3.03	40.3	.00			454												
	500	ISL	5.47	5.43	34.227	27.012	110.1	.841	.44	6.3							504												
1	520		5.44	5.40	34.253	27.036	108.0	.863	.38	5.4	86.9	3.14	41.4	.00			524												

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 87 70

LATITUDE		LONGITUDE		DAY/MO/YR		MESSENGER		BOTTOM		WIND		SPEED		WAVES		WEATHER		BAROMETER		DRY		WET		CLOUD		AMT		TYPE	
32 39.5 N		121 02.1 W		16/05/86		1308 GMT		3733 M		330		23 KT		340 09 08		2		1015.5 MB		13.7 C		12.5 C		8/8				ST	
CAST	DEPTH	TEMP		POT TEMP		SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	PO4	NO3	NO2	CHL-A	PHAE0	PRESS											
		DEG C	DEG C	DEG C	DEG C														ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR		
1	0 ISL	15.05	15.05	15.05	15.05	33.174	24.554	337.2	.000	5.88	102.3																		0
	2	15.05	15.05	15.05	15.05	33.174	24.554	337.3	.007	5.88	102.3	2.7	.37	.0	.00	.21	.05	2											
1	10 ISL	15.06	15.06	15.06	15.06	33.173	24.552	337.7	.03 4	5.89	102.5																	10	
1	12	15.06	15.06	15.06	15.06	33.173	24.552	337.8	.040	5.89	102.5	2.7	.37	.0	.00	.20	.06	12											
1	20	15.08	15.07	15.07	15.07	33.173	24.549	338.3	.067	5.88	102.4	2.7	.37	.0	.00	.20	.05	20											
1	30	15.05	15.05	15.05	15.05	33.172	24.553	338.2	.101	5.90	102.7	2.7	.37	.0	.00	.20	.05	30											
1	40	15.05	15.05	15.05	15.05	33.172	24.553	338.5	.135	5.90	102.7	2.6	.37	.0	.00	.21	.05	40											
1	49	15.07	15.06	15.06	15.06	33.172	24.551	339.0	.165	5.89	102.5	2.7	.37	.0	.00	.21	.06	49											
	50 ISL	14.91	14.90	14.90	14.90	33.170	24.583	336.0	.169	5.91	102.5																	50	
1	60	13.50	13.49	13.49	13.49	33.166	24.874	308.4	.201	6.03	101.6	3.4	.44	.3	.08	.72	.40	60											
1	70	13.07	13.06	13.06	13.06	33.184	24.975	299.0	.231	5.95	99.4	3.8	.50	1.1	.23	.52	.44	70											
	75 ISL	12.89	12.88	12.88	12.88	33.218	25.036	293.3	.246	5.85	97.4																	76	
1	84	12.64	12.63	12.63	12.63	33.281	25.134	284.2	.271	5.65	93.6	5.0	.69	3.6	.37	.36	.48	84											
1	99	12.21	12.19	12.19	12.19	33.337	25.261	272.4	.313	5.32	87.4	6.1	.77	6.2	.12	.21	.33	99											
	100 ISL	12.16	12.15	12.15	12.15	33.342	25.275	271.2	.317	5.28	86.7																	101	
1	119	11.38	11.36	11.36	11.36	33.429	25.488	251.3	.368	4.76	76.8	10.6	1.07	11.3	.02	.11	.22	120											
	125 ISL	11.09	11.07	11.07	11.07	33.466	25.569	243.6	.381	4.59	73.6																	126	
1	142	10.19	10.18	10.18	10.18	33.600	25.829	219.1	.421	4.07	64.1	17.4	1.43	17.6	.01	.04	.08	143											
	150 ISL	9.88	9.86	9.86	9.86	33.662	25.931	209.5	.43 8	3.87	60.5																	151	
1	172	9.16	9.14	9.14	9.14	33.821	26.173	186.8	.482	3.42	52.7	26.1	1.77	23.2	.01			173											
1	200	8.59	8.57	8.57	8.57	33.934	26.352	170.2	.53 1	3.21	48.9	31.3	1.89	25.3	.01			201											
1	231	8.04	8.02	8.02	8.02	34.016	26.498	156.6	.582	2.71	40.8	38.7	2.11	28.3	.00			232											
	250 ISL	7.84	7.82	7.82	7.82	34.032	26.541	152.8	.611	2.56	38.3							252											
1	270	7.68	7.66	7.66	7.66	34.039	26.570	150.3	.643	2.42	36.1	43.7	2.25	30.1	.00			272											
	300 ISL	7.44	7.41	7.41	7.41	34.074	26.633	144.8	.686	2.03	30.1							302											
1	324	7.20	7.17	7.17	7.17	34.098	26.685	140.1	.720	1.70	25.1	53.2	2.54	33.5	.00			326											
1	384	6.33	6.30	6.30	6.30	34.093	26.798	129.5	.801	1.25	18.1	64.9	2.76	36.9	.00			3 86											
	400 ISL	6.16	6.12	6.12	6.12	34.105	26.830	126.6	.822	1.10	15.9							403											
1	446	5.78	5.74	5.74	5.74	34.152	26.915	118.9	.878	.72	10.3	77.1	3.01	39.7	.00			449											
	500 ISL	5.51	5.47	5.47	5.47	34.212	26.996	111.7	.940	.48	6.8							504											
1	515	5.47	5.43	5.43	5.43	34.229	27.014	110.1	.956	.45	6.4	86.0	3.14	40.9	.00			518											

RV DAVID STARR JORDAN				CALCOFI CRUISE 8605										STATION 90 28																			
LATITUDE		LONGITUDE		DAY/MO/YR		MESSENGER		BOTTOM		WIND		SPEED		WAVES		WEATHER		BAROMETER		DRY		WET		CLOUD		AMT		TYPE					
33 29.0 N		117 46.2 W		15/05/86		0542 GMT		68 M		330		09 KT						1016.0 MB		15.6 C		14.1 C											
CAST		DEPTH		TEMP		POT TEMP		SALINITY		SIGMA		SVA		DYN HT		OXYGEN		OXY		SI03		P04		N03		N02		CHL-A		PHAE0		PRESS	
		M		DEG C		DEG C				THETA						ML/L		PCT		UM/L		UM/L		UM/L		UM/L		UG/L		UG/L		D.BAR	
1	0	ISL	16.69		16.69		33.564		24.485		347.5		.000		6.62		119.3														0		
	1		16.69		16.69		33.564		24.485		343.8		.003		6.62		119.3														1		
1	10	ISL	14.81		14.81		33.553		24.898		304.7		.033		5.85		101.5					.32		.0		.00		1.62		.46		10	
	11		14.57		14.57		33.551		24.948		300.0		.036		5.72		98.8				9.2	.57		.9		.06		3.69		.98		11	
1	20	ISL	11.85		11.85		33.560		25.499		247.8		.060		4.01		65.4															20	
	21		11.62		11.62		33.564		25.546		243.4		.063		3.85		62.5				15.1	1.48		13.9		.33		.80		.51		21	
1	30	ISL	11.14		11.14		33.585		25.649		233.7		.084		3.67		59.0															30	
	31		11.10		11.10		33.588		25.660		232.8		.086		3.65		58.6				17.1	1.71		16.8		.24		.31		.32		31	
1	41		10.79		10.79		33.667		25.776		221.9		.109		3.33		53.2				19.7	1.79		18.9		.20		.20		.27		41	
	50	ISL	10.49		10.48		33.760		25.902		210.2		.129		3.19		50.7															50	
1	51		10.46		10.45		33.768		25.913		209.2		.130		3.19		50.6				22.3	1.72		20.7		.15		.19		.27		51	

RV DAVID STARR JORDAN				CALCOFI CRUISE 8605										STATION 90 30				
LATITUDE		LONGITUDE		DAY/MO/YR		MESSENGER		BOTTOM	WIND	SPEED	WAVES	WEATHER	BAROMETER	DRY	WET	CLOUD	AMT	TYPE
33 25.1 N		117 54.5 W		15/05/86		0146 GMT		620 M	230	04 KT	330 01 05	1	1012.1 MB	16.2 C	14.0 C		4/8	ST
CAST	DEPTH	TEMP	POT	TEMP	SALINITY	SIGMA	SVA	DYN	HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRESS
	M	DEG C		DEG C		THETA				ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR
1	0	16.39	16.39		33.536	24.534	339.1		.000	6.80	121.8	1.9	.24	.2	.00	.64	.15	0
1	10	15.58	15.58		33.539	24.720	321.7		.033	7.45	131.3	1.5	.21	.1	.00	1.14	.27	10
1	20	14.83	14.83		33.558	24.898	305.1		.064	8.16	141.7	1.0	.21	.1	.00	2.99	.77	20
1	30	13.05	13.04		33.553	25.264	270.5		.093	5.85	97.9	5.0	.69	2.6	.13	3.08	1.24	30
1	40	11.97	11.96		33.576	25.491	249.0		.119	3.85	63.0	12.0	1.33	13.3	.33	2.50	2.34	40
1	50	11.01	11.00		33.617	25.699	229.5		.142	3.88	62.2	15.8	1.39	16.5	.11	.52	1.57	50
1	60	10.64	10.64		33.645	25.785	221.5		.165	3.79	60.3	17.5	1.45	17.8	.06	.41	1.11	60
1	71	10.27	10.26		33.739	25.923	208.6		.188	3.43	54.2	20.8	1.63	20.3	.04	.26	.74	71
	75 ISL	10.20	10.19		33.755	25.948	206.4		.197	3.39	53.4							76
1	85	10.08	10.07		33.776	25.984	203.0		.217	3.35	52.7	22.4	1.68	21.2	.03	.22	.62	85
1	98	9.76	9.75		33.836	26.085	193.7		.245	3.14	49.1	25.0	1.80	22.7	.02	.14	.53	99
	100 ISL	9.73	9.72		33.843	26.096	192.8		.247	3.12	48.7							101
1	118	9.47	9.45		33.929	26.207	182.6		.282	2.87	44.6	28.6	1.93	24.7	.01	.09	.29	119
	125 ISL	9.45	9.44		33.966	26.23 9	179.7		.294	2.74	42.5							126
1	142	9.41	9.40		34.054	26.314	172.9		.324	2.40	37.3	32.2	2.10	26.4	.01	.07	.21	143
	150 ISL	9.32	9.30		34.080	26.349 9	169.7		.338	2.30	35.6							151
1	171	9.00	8.98		34.128	26.43 9	161.5		.373	2.07	31.9	37.0	2.26	28.2	.01			172
1	200	8.53	8.51		34.166	26.542	152.1		.418	1.57	27.0	41.8	2.40	29.9	.00			201
1	229	8.23	8.21		34.190	26.607	146.4		.461	1.56	23.6	45.7	2.51	31.2	.00			230
	250 ISL	8.11	8.08		34.210	26.642	143.5		.492	1.37	20.7							252
1	265	8.04	8.01		34.225	26.664	141.6		.514	1.24	18.7	49.3	2.63	32.5	.00			267
	300 ISL	7.84	7.81		34.256	26.718	137.0		.562	.98	14.8							302
1	319	7.71	7.68		34.268	26.747	134.5		.588	.87	13.0	55.6	2.80	34.1	.00			321
1	378	7.10	7.07		34.269	26.834	126.8		.664	.66	9.7	63.3	2.92	36.2	.00			3 80
	400 ISL	6.92	6.89		34.271	26.861	124.5		.6 92	.61	8.9							403
1	444	6.62	6.58		34.281	26.910	120.2		.7 46	.52	7.6	70.6	3.04	37.8	.00			447
	500 ISL	6.27	6.22		34.309	26.978	114.3		.812	.38	5.4							504
1	516	6.18	6.13		34.319	26.998	112.5		.830	.33	4.8	78.7	3.14	39.3	.00			520

RV DAVID STARR JORDAN				CALCOFI CRUISE 8605										STATION 90 35			
LATITUDE		LONGITUDE		DAY/MO/YR	MESSENGER	BOTTOM	WIND	SPEED	WAVES	WEATHER	BAROMETER	DRY	WET	CLOUD	AMT	TYPE	
33 15.1 N		118 15.1 W		14/05/86	2220 GMT	440 M	310	04 KT		2	1013.5 MB	17.9 C	14.0 C		8/8	ST	
CAST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRESS	
	M	DEG C	DEG C		THETA			ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR	
	0	ISL 17.16	17.16	33.519	24.341	359.7	.000	5.92	107.6							0	
1	1	17.16	17.16	33.519	24.341	357.6	.004	5.92	107.6	2.9	.29	.0	.00	.25	.05	1	
	10	ISL 16.52	16.51	33.512	24.487	343.9	.035	5.96	106.9							10	
1	11	16.47	16.47	33.512	24.496	3 43.1	.038	5.96	106.9	2.7	.30	.0	.00	.43	.09	11	
	20	ISL 16.32	16.32	33.500	24.522	340.9	.069	6.01	107.4							20	
1	21	16.31	16.31	33.499	24.525	340.7	.072	6.01	107.5	3.1	.30	.0	.00	.48	.14	21	
	30	ISL 12.96	12.96	33.502	25.242	272.6	.100	5.46	91.3							30	
1	31	12.62	12.62	33.511	25.315	265.6	.103	5.39	89.4	8.1	.74	4.2	.15	1.44	.49	31	
1	41	11.77	11.76	33.555	25.511	247.1	.128	4.48	73.0	11.2	1.12	10.9	.34	1.05	.54	41	
	50	ISL 11.33	11.33	33.606	25.632	235.9	.150	4.13	66.6							50	
1	51	11.31	11.30	33.610	25.640	235.2	.152	4.11	66.3	13.8	1.30	14.9	.15	.95	.47	51	
1	61	11.05	11.04	33.648	25.716	228.1	.175	3.87	62.1	15.7	1.41	16.5	.07	.49	.37	61	
1	70	10.78	10.77	33.705	25.808	219.5	.195	3.56	56.8	17.8	1.53	18.4	.03	.22	.23	70	
	75	ISL 10.62	10.61	33.740	25.864	214.4	.207	3.44	54.8							76	
1	85	10.31	10.30	33.800	25.965	205.0	.227	3.29	52.0	22.6	1.71	21.0	.01	.08	.13	85	
1	100	9.73	9.72	33.890	26.133	189.3	.258	3.06	47.8	26.2	1.86	23.6	.00	.02	.11	101	
1	119	9.45	9.43	33.991	26.259	177.6	.293	2.64	41.0	29.9	2.01	25.5	.00	.01	.08	120	
	125	ISL 9.37	9.36	34.010	26.286	175.2	.303	2.58	40.0							126	
1	143	9.16	9.14	34.060	26.360	168.5	.334	2.42	37.4	33.5	2.13	26.9	.00	.01	.05	144	
	150	ISL 9.10	9.08	34.087	26.390	165.7	.345	2.30	35.4							151	
1	173	8.92	8.91	34.168	26.482	157.5	.383	1.87	28.7	39.5	2.35	29.0	.00			174	
	200	ISL 8.68	8.66	34.203	26.548	151.6	.424	1.62	24.8							201	
1	202	8.66	8.64	34.204	26.552	151.3	.427	1.61	24.6	42.9	2.46	30.2	.00			203	
1	237	8.39	8.36	34.226	26.612	146.2	.47 9	1.38	21.0	46.2	2.58	31.3	.00			23 8	
	250	ISL 8.32	8.30	34.226	26.621	145.4	.498	1.34	20.4							252	
1	286	8.09	8.06	34.225	26.656	142.7	.551	1.24	18.7	49.8	2.65	32.3	.00			288	
	300	ISL 7.90	7.87	3 4.231	26.690	139.7	.570	1.13	17.0							302	
1	341	7.31	7.28	34.252	26.791	130.4	.625	.81	12.0	61.0	2.87	35.3	.00			3 43	
	400	ISL 6.90	6.86	34.252	26.849	124.7	.701	.67	9.8							403	
1	407	6.88	6.84	34.263	26.861	124.5	.710	.65	9.5	66.9	2.96	36.9	.00			410	

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 90 37

LATITUDE	LONGITUDE	DAY/MO/YR	MESSENGER	BOTTOM	WIND	SPEED	WAVES	WEATHER	BAROMETER	DRY	WET	CLOUD	AMT	TYPE	
33 11.1 N	118 23.3 W	14/05/86	1953 GMT	1204 M	290	07 KT	280 02 10	2	1014.5	MB	16.8 C	14.0 C	8/8	ST	
CST DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRESS
M	DEG C	DEG C	THETA				ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR
0 ISL	17.06	17.06	33.522	24.367	356.0	.000	6.07	110.2							0
1	17.06	17.06	33.522	24.367	355.1	.004	6.07	110.2	.8	.20	.0	.00	.32	.05	1
10 ISL	16.67	16.67	33.515	24.453	347.2	.035	6.08	109.5							10
11	16.63	16.63	33.515	24.462	346.3	.03 8	6.08	109.4	1.0	.22	.0	.00	.34	.07	11
20 ISL	15.04	15.04	33.474	24.789	315.5	.068	6.52	113.6							20
21	14.86	14.85	33.471	24.826	312.0	.07 1	6.55	113.7	.5	.25	.0	.00	.91	.22	21
30	13.67	13.66	33.468	25.073	288.6	.098	6.23	105.6	1.5	.39	.2	.02	4.83	1.27	30
40	12.03	12.02	33.507	25.427	255.2	.125	4.81	78.8	9.6	.94	8.6	.30	1.36	.68	40
50 ISL	11.33	11.32	33.601	25.629	236.2	.150	4.06	65.6							50
52	11.27	11.26	33.618	25.653	233.9	.154	3.98	64.2	14.5	1.34	15.6	.09	.58	.55	52
62	10.84	10.84	33.707	25.798	220.3	.177	3.58	57.2	17.9	1.50	18.3	.03	.24	.39	62
71	10.62	10.61	33.749	25.870	213.6	.196	3.38	53.8	19.6	1.61	19.5	.02	.13	.17	71
75 ISL	10.50	10.49	33.776	25.912	209.7	.206	3.30	52.4							76
85	10.24	10.23	33.838	26.006	201.0	.225	3.13	49.4	23.2	1.74	21.8	.01	.06	.15	85
99	9.87	9.86	33.911	26.125	189.9	.254	2.87	45.0	26.3	1.87	23.6	.01	.02	.09	100
100 ISL	9.86	9.85	33.914	26.130	189.5	.255	2.87	44.9							101
119	9.27	9.25	33.97 9	26.279	175.7	.291	2.79	43.2	30.2	1.99	25.6	.01	.01	.06	120
125 ISL	9.15	9.14	33.995	26.309	17 2.9	.301	2.76	42.5							126
145	8.91	8.90	34.048	26.389	165.6	.335	2.57	39.5	33.8	2.09	27.0	.01	.01	.06	146
150 ISL	8.91	8.89	34.066	26.405	164.3	.343	2.49	38.3							151
174	8.88	8.86	34.136	26.464	159.2	.382	2.08	31.9	37.2	2.26	28.5	.01			175
200 ISL	8.86	8.83	34.191	26.511	155.2	.422	1.72	26.4							201
204	8.85	8.83	34.199	26.518	154.6	.428	1.68	25.8	40.3	2.41	29.5	.01			205
233	8.48	8.45	34.221	26.594	147.8	.472	1.47	22.4	44.3	2.53	30.9	.01			23 4
250 ISL	8.24	8.21	34.228	26.636	144.0	.497	1.35	20.4							252
271	7.95	7.92	34.232	26.683	139.8	.527	1.21	18.2	50.2	2.61	32.7	.00			273
300 ISL	7.61	7.58	34.231	26.732	135.5	.567	1.07	16.0							302
325	7.34	7.31	34.231	26.770	132.1	.600	.96	14.2	57.4	2.81	34.8	.00			327
384	6.77	6.74	34.271	26.881	122.2	.676	.58	8.5	67.0	2.98	37.2	.00			387
400 ISL	6.66	6.63	34.279	26.902	120.4	.6 95	.53	7.7							403
449	6.36	6.32	34.302	26.960	115.3	.753	.43	6.2	74.2	3.08	38.6	.00			452
500 ISL	6.05	6.00	34.328	27.021	109.9	.810	.33	4.7							504
517	5.94	5.90	34.337	27.042	108.1	.829	.30	4.3	82.1	3.18	39.9	.00			521

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 90 45

ATTITUDE		LONGITUDE		DAY/MO/YR		MESSENGER		BOTTOM		WIND		SPEED		WAVES		WEATHER		BAROMETER		DRY		WET		CLOUD		AMT		TYPE			
32 55.3 N		118 55.8 W		14/05/86		1501 GMT		1575 M		160		03 KT		290 02 05		2		1013.9		MB		13.1 C		11.9 C		8/8		ST			
CAST DEPTH		TEMP		POT TEMP		SALINITY		SIGMA		SVA		DYN HT		OXYGEN		OXY		SI03		P04		N03		N02		CHL-A		PHAE0		PRESS	
M		DEG C		DEG C				THETA						ML/L		PCT		UM/L		UM/L		UM/L		UM/L		UG/L		UG/L		D.BAR	
1	0 ISL	15.82	15.82	15.82		33.524	24.655	327.8		.000	6.29	111.4																	0		
	1	15.82	15.82	15.82		33.524	24.655	327.7		.003	6.29	111.4						.3	.18		.0	.00	1.01		.20				1		
	10 ISL	15.77	15.77	15.77		33.523	24.665	327.0		.033	6.31	111.6																	10		
1	11	15.77	15.76	15.76		33.523	24.666	326.9		.036	6.31	111.6						.4	.18		.0	.00	.93		.25				11		
	20 ISL	15.24	15.23	15.23		33.518	24.779	316.4		.065	6.12	107.1																	20		
1	21	15.18	15.18	15.18		33.517	24.791	315.4		.068	6.10	106.7						.8	.26		.1	.00	2.11		.51				21		
	30 ISL	13.01	13.01	13.01		33.537	25.259	270.9		.094	4.98	83.3																	30		
1	31	12.78	12.77	12.77		33.543	25.310	266.1		.097	4.86	80.9						9.4	.90		8.2	.35	1.09		.61				31		
1	40	11.13	11.13	11.13		33.593	25.657	233.2		.119	4.07	65.4						15.6	1.32		15.4	.36	.34		.42				40		
1	50	10.86	10.85	10.85		33.619	25.727	226.8		.142	3.92	62.7						17.0	1.42		16.9	.21	.28		.54				50		
1	61	10.26	10.25	10.25		33.699	25.894	211.1		.166	3.54	55.9						20.6	1.60		19.9	.03	.11		.30				61		
1	69	10.09	10.08	10.08		33.727	25.945	206.5		.183	3.43	53.9						21.9	1.67		20.9	.02	.11		.28				69		
1	75 ISL	9.95	9.94	9.94		33.768	26.001	201.2		.196	3.30	51.8																	76		
	85	9.74	9.73	9.73		33.832	26.085	193.4		.214	3.11	48.6						25.4	1.81		23.0	.01	.02		.16				85		
1	99	9.51	9.50	9.50		33.881	26.161	186.5		.243	2.95	45.9						27.5	1.89		24.1	.01	.01		.12				100		
	100 ISL	9.51	9.50	9.50		33.884	26.164	186.2		.244	2.94	45.7																	101		
1	118	9.40	9.38	9.38		33.963	26.245	178.9		.277	2.65	41.1						30.1	2.02		25.4	.01	.02		.09				119		
	125 ISL	9.32	9.30	9.30		33.982	26.273	176.4		.289	2.58	40.0																	126		
1	142	9.11	9.09	9.09		34.029	26.344	170.0		.319	2.43	37.5						33.6	2.13		27.0	.01	.01		.08				143		
	150 ISL	9.05	9.04	9.04		34.060	26.376	167.0		.332	2.32	35.8																	151		
1	171	8.92	8.90	8.90		34.131	26.454	160.0		.366	2.04	31.3						37.5	2.27		28.5	.00							172		
	200 ISL	8.60	8.58	8.58		34.156	26.524	153.9		.412	1.81	27.5																	201		
1	201	8.59	8.57	8.57		34.156	26.525	153.7		.413	1.80	27.4						41.4	2.39		29.8	.00							202		
	230	8.28	8.25	8.25		34.190	26.600	147.1		.456	1.52	23.0						45.7	2.52		31.3	.00							231		
1	250 ISL	8.07	8.05	8.05		34.197	26.636	143.9		.486	1.41	21.3																	252		
	268	7.89	7.86	7.86		34.200	26.666	141.3		.512	1.33	20.0						50.1	2.62		32.7	.00							270		
1	300 ISL	7.58	7.55	7.55		34.224	26.730	135.6		.556	1.08	16.1																	302		
	320	7.39	7.36	7.36		34.240	26.770	132.1		.583	.92	13.7						58.4	2.82		34.8	.00							322		
1	380	6.91	6.88	6.88		34.266	26.858	124.4		.659	.64	9.4						66.4	2.96		36.7	.00							3 82		
	400 ISL	6.76	6.72	6.72		34.276	26.887	121.9		.684	.57	8.3																	403		
1	443	6.45	6.41	6.41		34.296	26.945	116.8		.736	.45	6.5						73.7	3.07		38.2	.00							446		
	500 ISL	6.09	6.04	6.04		34.322	27.011	110.9		.801	.35	5.1																	504		
1	512	6.02	5.97	5.97		34.327	27.025	109.8		.814	.34	4.9						81.4	3.16		39.6	.00							516		

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 90 53

LATITUDE		LONGITUDE		DAY/MO/YR		MESSENGER		BOTTOM		WIND		SPEED		WAVES		WEATHER		BAROMETER		DRY		WET		CLOUD		AMT		TYPE	
32 39.1 N		119 28.9 W		14/05/86		1027 GMT		1343 M		310		18 KT						1014.0 MB		13.9 C		12.5 C							
CAST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	PO4	NO3	NO2	CHL-A	PHAE0	PRESS													
	M	DEG C	DEG C		THETA			ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR													
	0 ISL	15.30	15.30	33.221	24.536	338.9	.000	5.85	102.4							0													
1	1	15.30	15.30	33.221	24.536	339.0	.003	5.85	102.4	2.4	.36	.0	.00	.13	.02	1													
	10 ISL	15.30	15.30	33.216	24.533	339.5	.034	5.88	102.8							10													
1	11	15.30	15.30	33.216	24.533	339.6	.037	5.88	102.9	2.4	.37	.0	.00	.13	.02	11													
	20 ISL	15.33	15.32	33.222	24.532	339.9	.068	5.88	102.9							20													
1	21	15.33	15.32	33.223	24.533	339.9	.071	5.88	102.9	2.4	.37	.0	.00	.12	.02	21													
1	30	15.30	15.29	33.221	24.538	339.7	.101	5.92	103.6	2.2	.36	.0	.00	.13	.03	30													
1	41	15.20	15.20	33.234	24.569	337.0	.13 9	5.86	102.3	2.3	.37	.0	.00	.17	.04	41													
1	50	14.72	14.71	33.241	24.680	326.7	.168	5.98	103.4	2.5	.39	.0	.00	.31	.13	50													
1	60	13.52	13.51	33.273	24.954	300.8	.200	5.93	100.1	2.8	.55	1.3	.06	.48	.17	60													
1	71	12.65	12.64	33.312	25.156	281.7	.231	5.61	93.0	4.6	.65	3.7	.13	.38	.33	71													
	75 ISL	12.20	12.19	33.338	25.263	271.6	.243	5.41	88.8							76													
1	87	11.04	11.03	33.441	25.557	243.8	.273	4.77	76.5	10.7	1.08	11.9	.09	.20	.29	87													
	100 ISL	10.28	10.27	33.602	25.815	219.4	.304	4.03	63.5							101													
1	102	10.22	10.20	33.620	25.841	217.1	.308	3.95	62.3	17.9	1.48	18.3	.03	.09	.16	102													
1	120	9.57	9.56	33.768	26.064	196.2	.347	3.47	54.0	24.1	1.71	22.0	.02	.05	.11	121													
	125 ISL	9.48	9.46	33.792	26.098	193.0	.356	3.39	52.6							126													
1	146	9.17	9.15	33.881	26.218	182.0	.395	3.07	47.3	28.8	1.90	24.6	.03	.04	.18	147													
1	150 ISL	9.12	9.10	33.898	26.23 9	180.0	.402	3.00	46.3							151													
1	175	8.81	8.79	33.994	26.364	168.6	.446	2.58	39.5	34.4	2.10	27.1	.02			176													
	200 ISL	8.56	8.54	34.050	26.446	161.2	.487	2.33	35.4							201													
1	206	8.48	8.46	34.061	26.464	159.6	.496	2.27	34.5	38.6	2.23	28.8	.02			207													
1	235	8.20	8.18	34.135	26.568	150.1	.541	1.82	27.5	43.8	2.42	30.8	.01			236													
	250 ISL	8.07	8.04	34.151	26.601	147.3	.564	1.69	25.4							252													
1	273	7.85	7.83	34.160	26.640	143.9	.598	1.54	23.1	49.0	2.56	32.3	.00			275													
	300 ISL	7.50	7.47	34.167	26.697	138.8	.635	1.36	20.2							302													
1	327	7.15	7.12	34.174	26.752	133.7	.672	1.18	17.4	57.8	2.73	34.9	.00			329													
1	384	6.74	6.71	34.208	26.835	126.5	.7 46	.85	12.4	64.9	2.88	36.8	.00			3 86													
	400 ISL	6.64	6.60	34.220	26.858	124.4	.766	.76	11.1							403													
1	448	6.36	6.32	34.257	26.924	118.6	.825	.54	7.8	72.6	3.04	38.5	.00			451													
	500 ISL	6.11	6.06	34.296	26.989	113.1	.885	.38	5.5							504													
1	518	6.03	5.98	34.309	27.009	111.3	.906	.34	4.9	80.1	3.14	39.7	.00			522													

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 90 60

LATITUDE		LONGITUDE		DAY/MO/YR		MESSENGER		BOTTOM		WIND		SPEED		WAVES		WEATHER		BAROMETER		DRY		WET		CLOUD		AMT		TYPE	
32 25.1 N		119 57.8 W		14/05/86		0608 GMT		843 M		310		18 KT						1015.8 MB		13.9 C		12.3 C							
CAST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	PO4	NO3	NO2	CHL-A	PHAE0	PRESS													
	M	DEG C	DEG C		THETA			ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR													
	0 ISL	15.29	15.29	33.246	24.558	337.1	.000	5.88	102.9																				
1	1	15.29	15.29	33.246	24.558	337.0	.003	5.88	102.9	2.5	.37	.1	.00	.15	.03	0													
	10 ISL	15.23	15.23	33.246	24.572	335.9	.03 4	5.89	102.8																				
1	17	15.20	15.19	33.246	24.578	335.5	.057	5.89	102.8	2.5	.37	.1	.00	.15	.04	17													
	20 ISL	15.19	15.19	33.245	24.579	335.5	.067	5.90	102.9																				
	30 ISL	15.18	15.18	33.245	24.582	335.5	.101	5.92	103.3																				
1	32	15.18	15.17	33.245	24.582	335.6	.107	5.92	103.3	2.5	.37	.1	.00	.17	.06	32													
1	43	14.82	14.81	33.269	24.679	326.6	.143	6.01	104.1	2.3	.37	.1	.00	.39	.18	43													
	50 ISL	14.68	14.67	33.273	24.713	323.6	.167	5.96	102.9																				
1	52	14.64	14.63	33.275	24.722	322.7	.172	5.94	102.6	2.5	.39	.2	.01	.51	.20	52													
1	63	14.24	14.23	33.324	24.845	311.3	.207	5.99	102.6	2.6	.43	.4	.04	.49	.21	63													
1	72	14.10	14.09	33.374	24.914	305.1	.235	5.98	102.2	3.0	.46	.8	.05	.39	.20	72													
	75 ISL	14.04	14.03	33.371	24.923	303.9	.245	5.96	101.7																				
1	83	13.78	13.77	33.364	24.971	299.9	.268	5.92	100.5	3.5	.49	1.0	.06	.39	.23	83													
1	98	12.33	12.31	33.310	25.218	276.5	.311	5.53	91.0	5.1	.68	4.3	.20	.28	.48	98													
	100 ISL	12.15	12.14	33.316	25.257	272.9	.318	5.45	89.4																				
1	113	11.33	11.32	33.388	25.464	253.4	.353	4.99	80.5	8.8	.98	9.7	.08	.17	.34	114													
	125 ISL	10.79	10.77	33.480	25.633	237.5	.381	4.54	72.5																				
1	127	10.69	10.67	33.501	25.667	234.2	.387	4.46	71.0	13.2	1.24	14.5	.03	.12	.21	128													
	150 ISL	9.75	9.74	33.665	25.954	207.2	.437	4.16	64.8																				
1	152	9.67	9.65	33.681	25.981	204.8	.442	4.14	64.5	19.0	1.47	18.8	.01	.04	.07	153													
1	177	8.90	8.88	33.843	26.232	181.2	.490	3.67	56.2	26.2	1.72	23.0	.01			178													
	200 ISL	8.49	8.47	33.986	26.407	164.8	.529	2.85	43.3																				
1	206	8.42	8.39	34.016	26.442	161.6	.539	2.64	40.1	36.4	2.11	28.0	.01			207													
1	235	8.13	8.10	34.077	26.534	153.3	.584	2.24	33.8	41.8	2.30	29.9	.00			236													
	250 ISL	7.98	7.95	34.091	26.567	150.5	.607	2.13	32.0							252													
1	273	7.77	7.75	34.103	26.607	146.9	.642	1.98	29.6	46.3	2.42	31.4	.00			275													
	300 ISL	7.60	7.57	34.134	26.656	142.7	.681	1.70	25.3							302													
1	326	7.45	7.42	34.164	26.702	138.6	.717	1.41	20.9	53.2	2.65	33.7	.00			328													
1	386	7.00	6.96	34.209	26.801	129.9	.7 97	.92	13.5	61.7	2.86	36.1	.00			388													
	400 ISL	6.90	6.87	34.219	26.822	128.1	.816	.83	12.2							403													
1	449	6.59	6.55	34.247	26.887	122.4	.877	.61	8.9	68.9	3.00	37.9	.00			452													
	500 ISL	6.20	6.16	34.265	26.952	116.6	.938	.47	6.8							504													
1	521	6.03	5.99	34.268	26.977	114.4	.962	.44	6.3	78.3	3.12	39.9	.00			524													

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 90 70

LATITUDE	LONGITUDE	DAY/MO/YR	MESSENGER	BOTTOM	WIND	SPEED	WAVES	WEATHER	BAROMETER	DRY	WET	CLOUD	AMT	TYPE		
32 05.2 N	120 38.5 W	14/05/86	0020 GMT	3924 M	320	17 KT	320 05 05	2	1015.6 MB	15.0 C	12.1 C	8/8	ST			
CST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRESS
	M	DEG C	DEG C		THETA			ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR
1	0 ISL	15.91	15.91	33.262	24.432	348.9	.000	5.88	104.2							0
	1	15.91	15.91	33.262	24.432	348.9	.003	5.88	104.2							1
	10 ISL	15.91	15.91	33.261	24.432	349.2	.035	5.82	103.1	2.1	.35	.0	.00	.09	.01	10
1	17	15.91	15.90	33.258	24.431	349.5	.059	5.80	102.7	2.1	.35	.0	.00	.09	.01	17
	20 ISL	15.91	15.91	33.257	24.429	349.8	.07 0	5.80	102.8							20
	30 ISL	15.92	15.92	33.255	24.425	350.5	.105	5.81	102.9							30
1	31	15.92	15.92	33.255	24.425	350.6	.108	5.81	102.9	2.0	.35	.0	.00	.09	.01	31
	42	15.88	15.87	33.255	24.436	349.9	.146	5.82	103.0	2.0	.35	.0	.00	.10	.02	42
	50 ISL	15.92	15.91	33.272	24.440	349.7	.175	5.81	102.8							50
1	52	15.93	15.92	33.276	24.441	349.7	.181	5.80	102.8	2.0	.35	.0	.00	.12	.02	52
1	61	15.94	15.94	33.286	24.445	349.5	.212	5.76	102.1	1.9	.35	.0	.00	.14	.02	61
	71	15.71	15.70	33.256	24.474	347.1	.247	5.83	102.8	2.0	.36	.0	.00	.16	.04	71
	75 ISL	15.05	15.04	33.206	24.581	336.9	.262	5.96	103.7							75
1	81	14.04	14.03	33.155	24.756	320.4	.280	6.11	104.1	2.5	.39	.0	.00	.19	.09	81
1	96	12.58	12.56	33.244	25.119	285.9	.326	5.80	95.9	3.3	.53	1.7	.10	.32	.31	96
	100 ISL	12.30	12.29	33.273	25.195	278.8	.338	5.67	93.2							101
1	111	11.79	11.78	33.334	25.338	265.4	.367	5.36	87.2	5.9	.76	6.3	.05	.23	.26	111
1	124	11.24	11.23	33.390	25.481	251.9	.403	5.10	82.1	8.1	.91	9.1	.03	.14	.19	124
	125 ISL	11.22	11.20	33.394	25.490	251.2	.404	5.08	81.7							125
1	149	10.09	10.07	33.605	25.851	217.1	.461	4.16	65.4	17.2	1.41	17.6	.01	.03	.06	150
	150 ISL	10.07	10.05	33.609	25.858	216.4	.463	4.15	65.1							151
1	173	9.52	9.50	33.741	26.052	198.3	.511	3.84	59.6	21.9	1.57	20.4	.00			174
	200 ISL	8.89	8.87	33.881	26.262	178.7	.561	3.51	53.8							201
1	203	8.83	8.81	33.894	26.282	176.8	.567	3.48	53.3	28.4	1.77	23.9	.00			204
1	233	8.35	8.32	33.968	26.415	164.6	.617	3.22	48.8	33.2	1.92	26.0	.00			234
	250 ISL	8.04	8.01	33.993	26.481	158.6	.645	3.08	46.3							252
1	272	7.68	7.65	34.014	26.551	152.1	.679	2.87	42.8	41.0	2.11	28.6	.00			273
	300 ISL	7.33	7.30	34.038	26.620	145.9	.721	2.44	36.1							302
1	326	7.06	7.03	34.055	26.671	141.3	.759	2.02	29.7	52.3	2.44	33.0	.00			328
1	386	6.41	6.38	34.094	26.788	130.6	.840	1.34	19.4	63.6	2.73	36.6	.00			388
	400 ISL	6.28	6.25	34.105	26.814	128.3	.858	1.21	17.4							403
1	450	5.89	5.85	34.148	26.898	120.6	.921	.82	11.7	74.9	2.95	39.2	.00			453
	500 ISL	5.61	5.57	34.200	26.975	113.8	.97 9	.56	8.0							504
1	520	5.53	5.48	34.222	27.002	111.4	1.001	.49	7.0	84.9	3.12	40.9	.00			523

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 90 80

LATITUDE	LONGITUDE	DAY/MO/YR	MESSENGER	BOTTOM	WIND	SPEED	WAVES	WEATHER	BAROMETER	DRY	WET	CLOUD	AMT	TYPE		
31 45.1 N	121 18.7 W	13/05/86	1818 GMT	3543 M	310	17 KT	300 06 06	2	1018.0 MB	15.0 C	13.3 C	8/8		ST		
CST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRESS
	M	DEG C	DEG C		THETA			ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR
1	0 ISL	15.49	15.49	33.178	24.461	346.1	.000	5.84	102.5							0
1	1	15.49	15.49	33.178	24.461	346.1	.003	5.84	102.5	2.3	.36	.0	.00	.14	.01	1
1	10 ISL	15.49	15.49	33.177	24.461	346.5	.035	5.92	103.9							10
1	17	15.50	15.49	33.177	24.460	346.7	.059	5.94	104.3	2.4	.37	.0	.00	.14	.02	17
1	20 ISL	15.50	15.49	33.177	24.459	346.9	.069	5.92	104.0							20
1	30 ISL	15.50	15.50	33.177	24.458	347.3	.104	5.87	103.1							30
1	32	15.51	15.50	33.177	24.458	347.4	.111	5.86	102.9	2.3	.37	.0	.00	.15	.02	32
1	42	15.48	15.48	33.176	24.463	347.2	.145	5.90	103.6	2.3	.36	.0	.00	.16	.02	42
1	50 ISL	15.49	15.48	33.175	24.461	347.6	.173	5.85	102.8							50
1	51	15.49	15.48	33.175	24.461	347.7	.176	5.85	102.7	2.3	.36	.0	.00	.16	.02	51
1	62	15.46	15.45	33.172	24.465	347.6	.214	5.93	104.0	2.3	.36	.0	.00	.19	.03	62
1	72	15.38	15.37	33.162	24.476	346.9	.249	5.87	102.8	2.4	.37	.0	.00	.25	.05	72
1	75 ISL	15.00	14.99	33.164	24.560	339.0	.260	5.91	102.7							76
1	83	13.94	13.93	33.178	24.795	316.6	.285	6.01	102.2	2.6	.40	.0	.00	.33	.24	83
1	97	12.67	12.66	33.202	25.069	290.8	.328	5.91	97.9	2.8	.49	.8	.08	.36	.30	97
1	100 ISL	12.50	12.49	33.214	25.109	287.0	.337	5.87	96.9							101
1	112	12.07	12.05	33.265	25.233	275.4	.370	5.65	92.5	3.8	.60	3.3	.14	.21	.30	112
1	124	11.39	11.38	33.337	25.413	258.5	.404	5.27	85.0	6.3	.81	7.3	.05	.12	.25	125
1	125 ISL	11.37	11.35	33.341	25.421	257.8	.406	5.25	84.7							126
1	150	10.29	10.27	33.544	25.770	224.9	.467	4.39	69.2	14.7	1.32	16.0	.02	.04	.07	151
1	175	9.49	9.47	33.737	26.054	198.2	.519	3.71	57.6	22.2	1.62	21.1	.01			176
1	200 ISL	8.92	8.90	33.876	26.255	179.4	.566	3.31	50.7							201
1	204	8.84	8.82	33.893	26.281	177.1	.573	3.28	50.2	28.6	1.84	24.7	.00			205
1	234	8.22	8.20	33.961	26.429	163.4	.624	3.58	54.1	31.4	1.82	24.8	.00			235
1	250 ISL	8.04	8.01	33.987	26.477	159.0	.650	3.39	51.0							252
1	273	7.81	7.79	34.012	26.530	154.3	.686	2.96	44.3	38.8	2.05	28.0	.00			274
1	300 ISL	7.36	7.33	34.028	26.607	147.1	.727	2.53	37.5							302
1	327	6.91	6.88	34.043	26.681	140.2	.766	2.11	30.9	52.4	2.43	33.0	.00			329
1	386	6.35	6.31	34.102	26.803	129.1	.845	1.22	17.7	64.9	2.77	37.2	.00			388
1	400 ISL	6.20	6.17	34.114	26.831	126.6	.863	1.08	15.5							403
1	450	5.78	5.74	34.156	26.918	118.6	.925	.72	10.3	76.9	2.98	39.8	.00			453
1	500 ISL	5.54	5.50	34.202	26.985	112.7	.982	.51	7.3							504
1	521	5.49	5.44	34.222	27.007	110.9	1.005	.47	6.7	85.2	3.10	41.0	.00			524

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 90 90

LATITUDE		LONGITUDE		DAY/MO/YR		MESSENGER		BOTTOM		WIND		SPEED		WAVES		WEATHER		BAROMETER		DRY		WET		CLOUD		AMT		TYPE	
31 25.2 N		121 59.3 W		13/05/86		1243 GMT		3738 M		340		16 KT						1017.5 MB		14.3 C		12.0 C							
CAST	DEPTH	TEMP		POT TEMP		SALINITY		SIGMA		SVA	DYN HT	OXYGEN		OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRESS								
		M	DEG C	DEG C		THETA	ML/L	PCT	UM/L			UM/L	UM/L									UM/L	UG/L	UG/L	D.BAR				
1	0	ISL	16.19	16.19		33.325	24.418	350.2		.000	5.76	102.6																	0
	1		16.19	16.19		33.325	24.418	350.2		.003	5.76	102.6		1.8	.33	.0	.00	.08	.01									1	
	10	ISL	16.19	16.19		33.327	24.419	350.5		.035	5.75	102.5																	10
1	17		16.19	16.19		33.328	24.419	350.6		.05 9	5.75	102.5		1.8	.33	.0	.00	.08	.01										17
	20	ISL	16.19	16.19		33.328	24.420	350.7		.070	5.75	102.5																	20
	30	ISL	16.19	16.19		33.328	24.420	351.0		.105	5.75	102.5																	30
1	31		16.19	16.19		33.328	24.420	351.0		.108	5.75	102.5		1.8	.33	.0	.00	.08	.01										31
	41		16.18	16.17		33.327	24.423	351.1		.143	5.73	102.1		1.8	.33	.0	.00	.08	.01										41
	50	ISL	16.18	16.17		33.327	24.422	351.4		.175	5.75	102.4																	50
1	51		16.18	16.17		33.327	24.422	351.4		.178	5.75	102.4		1.8	.32	.0	.00	.07	.02										51
	61		16.00	15.99		33.287	24.433	350.7		.213	5.80	102.9		1.7	.32	.0	.00	.08	.02										61
	72		15.77	15.76		33.295	24.491	345.5		.251	5.81	102.6		1.7	.32	.0	.00	.09	.02										72
1	75	ISL	15.71	15.69		33.290	24.502	344.6		.263	5.82	102.6																	75
	82		15.51	15.50		33.278	24.536	341.5		.286	5.84	102.6		1.7	.32	.0	.00	.11	.04										82
	97		14.57	14.56		33.297	24.755	320.9		.335	5.90	101.7		1.9	.35	.0	.00	.14	.07										97
1	100	ISL	14.22	14.20		33.298	24.830	314.0		.346	5.90	100.9																	101
	111		13.15	13.14		33.300	25.049	293.1		.378	5.88	98.5		2.3	.42	.1	.03	.22	.21										111
	125		12.47	12.45		33.343	25.217	277.3		.420	5.66	93.5		3.0	.53	2.3	.07	.24	.17										126
1	150	ISL	11.42	11.40		33.414	25.46 9	253.8		.485	5.18	83.7																	151
	151		11.36	11.34		33.419	25.483	252.4		.489	5.15	83.1		7.4	.87	8.4	.02	.12	.12										152
	176		10.08	10.05		33.565	25.823	220.4		.548	4.32	67.8		15.8	1.35	16.8	.01												177
1	200	ISL	9.26	9.24		33.729	26.085	195.7		.597	4.08	62.9																	201
	204		9.16	9.14		33.757	26.124	192.1		.605	4.05	62.4		21.9	1.54	20.5	.00												205
	235		8.60	8.58		33.932	26.348	171.1		.661	3.42	52.1		29.8	1.81	24.6	.00												236
1	250	ISL	8.34	8.31		33.966	26.415	165.0		.686	3.40	51.5																	252
	275		7.95	7.92		33.987	26.490	158.1		.726	3.37	50.6		35.2	1.92	26.3	.00												276
	300	ISL	7.64	7.61		34.012	26.555	152.2		.766	2.95	43.9																	302
1	328		7.33	7.30		34.034	26.616	146.7		.808	2.36	34.9		46.7	2.31	31.2	.00												330
	388		6.63	6.60		34.079	26.748	134.6		.891	1.49	21.7		59.0	2.65	35.5	.00												3 90
	400	ISL	6.49	6.46		34.090	26.775	132.2		.908	1.35	19.6																	403
1	451		5.99	5.95		34.134	26.875	122.9		.973	.88	12.6		71.8	2.93	38.8	.00												454
	500	ISL	5.65	5.61		34.177	26.951	116.1		1.031	.62	8.8																	504
	520		5.56	5.52		34.194	26.976	113.9		1.054	.56	8.0		81.7	3.08	40.7	.00												523

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 90 100

ATTITUDE		LONGITUDE		DAY/MO/YR		MESSENGER		BOTTOM		WIND		SPEED		WAVES		WEATHER		BAROMETER		DRY		WET		CLOUD		AMT		TYPE			
31 05.2 N		122 39.6 W		13/05/86		0703 GMT		4309 M		330		12 KT						1019.2 MB		15.2 C		12.2 C									
CAST	DEPTH	TEMP		POT TEMP		SALINITY		SIGMA		SVA		DYN HT		OXYGEN		OXY		SI03		P04		N03		N02		CHL-A		PHAE0		PRESS	
	M	DEG C		DEG C				THETA						ML/L		PCT		UM/L		UM/L		UM/L		UM/L		UG/L		UG/L		D.BAR	
1	0	17.10		17.10		33.664		24.466		345.7		.000		5.64		102.5		2.0		.38		.1		.00		.07		.01		0	
	10 ISL	17.11		17.11		33.664		24.464		346.1		.035		5.65		102.7														10	
1	16	17.11		17.11		33.664		24.464		346.4		.055		5.65		102.7		1.9		.43		.1		.00		.07		.01		16	
	20 ISL	17.12		17.11		33.663		24.463		346.6		.06 9		5.65		102.7														20	
1	30	17.12		17.12		33.662		24.461		347.1		.104		5.64		102.6		1.9		.34		.0		.00		.07		.01		30	
	41	17.11		17.10		33.662		24.465		347.1		.142		5.65		102.7		1.9		.29		.0		.00		.07		.01		41	
1	50 ISL	17.12		17.11		33.662		24.463		347.7		.173		5.64		102.5														50	
1	61	17.12		17.11		33.662		24.462		347.7		.176		5.64		102.5		2.0		.31		.0		.00		.06		.01		51	
1	70	17.13		17.14		33.663		24.455		348.8		.211		5.67		103.2		2.0		.30		.0		.00		.07		.02		61	
1	70	17.14		17.13		33.664		24.460		348.6		.242		5.64		102.6		1.8		.30		.0		.00		.07		.01		70	
	75 ISL	17.19		17.17		33.681		24.462		348.5		.260		5.63		102.4														76	
1	81	17.23		17.22		33.699		24.465		348.5		.280		5.61		102.2		1.7		.29		.0		.00		.08		.02		81	
1	96	15.65		15.63		33.576		24.736		322.9		.330		5.80		102.4		1.9		.33		.0		.00		.17		.07		96	
	100 ISL	15.08		15.06		33.531		24.826		314.4		.344		5.80		101.2														101	
1	110	13.95		13.93		33.462		25.014		296.6		.374		5.81		99.0		2.7		.39		.2		.02		.34		.29		110	
1	124	13.05		13.04		33.497		25.222		277.0		.416		5.50		92.0		3.8		.55		3.0		.07		.24		.28		125	
	125 ISL	13.04		13.02		33.500		25.227		276.6		.418		5.49		91.9														126	
1	149	12.49		12.47		33.624		25.43 2		257.7		.483		5.16		85.4		5.8		.73		6.1		.02		.11		.19		150	
	150 ISL	12.45		12.43		33.624		25.43 8		257.0		.485		5.15		85.1														151	
1	174	10.97		10.95		33.621		25.711		231.2		.544		4.66		74.6		11.3		1.07		12.4		.01						175	
	200 ISL	9.77		9.75		33.740		26.011		203.0		.600		4.05		63.2														201	
1	204	9.62		9.60		33.764		26.054		198.9		.608		3.96		61.6		20.7		1.50		19.6		.00						205	
1	234	8.88		8.85		33.907		26.285		177.2		.664		3.61		55.3		27.4		1.72		23.1		.00						235	
	250 ISL	8.59		8.56		33.958		26.371		169.3		.6 92		3.38		51.5														252	
1	273	8.25		8.22		34.007		26.462		160.9		.729		3.06		46.2		35.5		1.98		26.7		.00						274	
	300 ISL	7.81		7.78		34.033		26.546		153.2		.772		2.72		40.7														302	
1	327	7.41		7.38		34.042		26.611		147.2		.813		2.39		35.4		46.1		2.28		30.9		.00						329	
1	385	6.66		6.63		34.072		26.738		135.5		.894		1.65		24.0		58.5		2.60		35.1		.00						387	
	400 ISL	6.50		6.46		34.082		26.768		132.8		.915		1.48		21.5														403	
1	449	6.06		6.02		34.117		26.853		125.1		.978		1.01		14.5		70.5		2.87		38.4		.00						452	
	500 ISL	5.72		5.68		34.166		26.934		117.7		1.040		.68		9.7														504	
1	517	5.63		5.59		34.184		26.959		115.5		1.059		.60		8.5		80.8		3.05		40.4		.00						520	

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 90 IIO

LATITUDE		LONGITUDE		DAY/MO/YR		MESSENGER		BOTTOM		WIND		SPEED		WAVES		WEATHER		BAROMETER		DRY		WET		CLOUD		AMT		TYPE	
30 45.2 N		123 19.8 W		13/05/86		0124 GMT		3927 M		350		16 KT		340 06 07		2		1020.0 MB		16.8 C		13.1 C		8/8		ST			
CST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRESS													
	M	DEG C	DEG C		THETA			ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR													
1	0	17.18	17.18	33.759	24.521	340.4	.000	5.62	102.4	2.2	.29	.0	.00	.06	.01	0													
	10	17.18	17.18	33.759	24.520	340.8	.03 4	5.63	102.5							10													
1	16	17.19	17.18	33.760	24.520	341.1	.054	5.63	102.6	2.2	.30	.0	.00	.06	.01	16													
	20	17.19	17.18	33.760	24.521	341.1	.068	5.63	102.6							20													
	30	17.18	17.18	33.760	24.522	341.3	.102	5.64	102.7							30													
1	36	17.18	17.17	33.760	24.523	341.4	.122	5.64	102.7	2.1	.29	.0	.00	.08	.01	36													
	50	17.17	17.17	33.760	24.525	341.8	.171	5.67	103.3							50													
1	57	17.17	17.16	33.761	24.526	341.9	.194	5.68	103.4	2.0	.29	.0	.00	.06	.01	57													
1	72	17.12	17.11	33.754	24.533	341.7	.245	5.63	102.4	1.9	.29	.0	.00	.08	.02	72													
	75	16.64	16.62	33.719	24.620	333.4	.256	5.69	102.5							76													
1	81	15.73	15.71	33.657	24.780	318.3	.274	5.80	102.6	2.1	.32	.0	.00	.13	.05	81													
1	91	14.89	14.87	33.582	24.907	306.3	.306	5.82	101.2	2.4	.34	.0	.00	.16	.10	91													
	100	13.75	13.74	33.461	25.053	292.6	.334	5.78	98.1							101													
1	101	13.68	13.67	33.454	25.062	291.7	.335	5.78	98.0	2.7	.43	.3	.03	.26	.20	101													
1	111	13.03	13.01	33.439	25.182	280.4	.364	5.61	93.8	3.5	.52	2.1	.09	.21	.26	111													
1	125	12.77	12.76	33.571	25.334	266.3	.405	5.29	88.0	5.2	.65	4.9	.05	.13	.20	126													
1	139	13.12	13.10	33.851	25.483	252.7	.441	5.07	85.1	5.7	.64	5.5	.03	.10	.17	140													
	150	12.55	12.53	33.798	25.554	246.1	.467	4.95	82.1							151													
1	159	11.84	11.82	33.707	25.620	239.8	.490	4.86	79.4	8.9	.91	9.6	.02	.06	.09	160													
1	179	10.79	10.77	33.800	25.883	215.0	.535	4.68	74.8	12.5	1.06	12.7	.01			180													
	200	9.78	9.75	33.780	26.041	200.1	.578	4.14	64.7							201													
1	203	9.65	9.62	33.776	26.060	198.3	.584	4.06	63.2	20.2	1.46	19.0	.00			204													
1	232	8.79	8.77	33.920	26.309	174.9	.638	3.67	56.1	27.3	1.72	22.9	.00			233													
	250	8.36	8.33	33.967	26.413	165.2	.669	3.44	52.1							252													
1	271	7.96	7.94	33.998	26.496	157.5	.702	3.17	47.6	36.2	1.98	26.8	.00			272													
	300	7.63	7.60	34.029	26.570	150.8	.7 47	2.70	40.3							302													
1	324	7.42	7.39	34.043	26.610	147.2	.7 83	2.33	34.6	45.8	2.31	31.0	.00			326													
1	383	6.73	6.70	34.065	26.724	136.9	.867	1.73	25.3	56.4	2.57	34.5	.00			385													
	400	6.58	6.54	34.077	26.754	134.1	.890	1.55	22.5							403													
1	446	6.21	6.17	34.117	26.834	127.0	.950	1.09	15.7	67.1	2.83	37.5	.00			449													
	500	5.80	5.76	34.163	26.922	119.0	1.016	.72	10.3							504													
1	517	5.69	5.64	34.178	26.948	116.6	1.036	.64	9.1	79.1	3.05	40.0	.00			520													

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 90 120

LATITUDE		LONGITUDE		DAY/MO/YR		MESSENGER		BOTTOM		WIND		SPEED		WAVES		WEATHER		BAROMETER		DRY		WET		CLOUD		AMT		TYPE			
30 25.1 N		124 00.1 W		12/05/86		1902 GMT		3927 M		350		19 KT		010 06 07		1		1021.8 MB		16.5 C		13.5 C		7/8				SC			
CST	DEPTH	TEMP		POT TEMP		SALINITY		SIGMA		SVA		DYN HT		OXYGEN		OXY		SI03		P04		N03		N02		CHL-A		PHAE0		PRESS	
	M	DEG	C	DEG	C				THETA					ML/L	PCT		UM/L	UM/L	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	UG/L	UG/L	D.BAR				
1	0	ISL	17.43	17.43		33.838	24.522	340.3		.000	5.60		102.6																0		
	2		17.43	17.43		33.838	24.522	340.4		.007	5.60		102.6				1.6	.26	.0	.00	.07	.01						2			
	10	ISL	17.43	17.42		33.838	24.523	340.6		.03 4	5.60		102.5																16		
1	16		17.43	17.42		33.839	24.524	340.7		.054	5.60		102.5				1.5	.26	.0	.00	.07	.02							20		
	20	ISL	17.43	17.43		33.841	24.523	340.8		.068	5.60		102.6																30		
	30	ISL	17.45	17.45		33.847	24.524	341.1		.102	5.60		102.6																36		
1	36		17.47	17.46		33.852	24.525	341.2		.122	5.60		102.6				1.4	.26	.0	.00	.07	.02							50		
	50	ISL	17.47	17.46		33.862	24.531	341.2		.170	5.59		102.4																56		
	56		17.48	17.47		33.865	24.533	341.1		.190	5.58		102.3				1.4	.26	.0	.00	.08	.02							72		
1	72		17.50	17.49		33.868	24.530	342.0		.245	5.58		102.3				1.4	.26	.0	.00	.08	.01							76		
	75	ISL	17.51	17.49		33.868	24.529	342.2		.256	5.59		102.5																81		
	81		17.51	17.50		33.871	24.529	342.4		.275	5.60		102.7				1.4	.25	.0	.00	.09	.02							92		
1	92		17.52	17.51		33.882	24.537	342.0		.313	5.57		102.2				1.4	.25	.0	.00	.11	.02							100		
	100		16.34	16.32		33.832	24.776	319.3		.339	5.68		101.8				1.7	.27	.0	.00	.16	.07							110		
	110		14.74	14.73		33.671	25.008	297.4		.370	5.72		99.2				2.2	.34	.2	.02	.22	.16							125		
1	124		14.67	14.65		33.820	25.139	285.3		.413	5.49		95.1				2.6	.36	.7	.10	.20	.19							126		
	125	ISL	14.66	14.64		33.824	25.143	284.9		.415	5.48		95.0																140		
	139		14.16	14.14		33.866	25.282	272.1		.455	5.31		91.1				3.4	.45	2.7	.06	.15	.19							151		
1	150	ISL	13.21	13.19		33.783	25.413	259.7		.483	5.15		86.5																160		
	159		12.30	12.28		33.707	25.53 2	248.3		.507	5.00		82.5				6.9	.76	7.6	.02	.09	.10							180		
	179		11.17	11.14		33.719	25.753	227.5		.554	4.77		76.8				10.6	.99	11.7	.01									201		
1	200	ISL	10.32	10.29		33.809	25.972	206.8		.599	4.55		71.9																203		
	202		10.25	10.23		33.819	25.992	205.0		.603	4.53		71.5				14.9	1.16	14.9	.00									233		
	232		9.43	9.40		33.891	26.186	186.9		.662	4.24		65.8				20.8	1.40	18.8	.00									252		
1	250	ISL	8.93	8.90		33.931	26.297	176.5		.695	3.97		60.9																272		
	271		8.43	8.40		33.970	26.405	166.4		.730	3.65		55.4				30.5	1.73	23.9	.00									302		
	300	ISL	8.01	7.98		33.995	26.488	158.8		.778	3.33		50.0																326		
1	324		7.73	7.70		34.005	26.536	154.5		.816	3.04		45.4				39.5	2.01	27.9	.00									384		
	382		6.84	6.81		34.055	26.701	139.1		.900	1.89		27.7				54.6	2.46	33.9	.00									403		
	400	ISL	6.64	6.61		34.072	26.7 40	135.5		.925	1.62		23.6																449		
1	446		6.25	6.21		34.112	26.825	127.9		.986	1.10		15.9				67.2	2.78	37.8	.00									504		
	500	ISL	5.90	5.86		34.162	26.908	120.4		1.053	.72		10.4																520		
	517		5.82	5.78		34.177	26.930	118.4		1.073	.66		9.4				77.5	2.99	39.9	.00											

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 93 26.7

LATITUDE	LONGITUDE	DAY/MO/YR	MESSENGER	BOTTOM	WIND	SPEED	WAVES	WEATHER	BAROMETER	DRY	WET	CLOUD	AMT	TYPE		
32 57.4 N	117 18.3 W	09/05/86	2329 GMT	72 M	300	06 KT	260 02 06	0	1012.3 MB	20.1 C	17.9 C		0/8			
CAST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRESS
	M	DEG C	DEG C		THETA			ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR
1	0 ISL	14.40	14.40	33.525	24.965	307.1	.000	5.92	101.9							0
	1	14.40	14.40	33.525	24.965	298.2	.003	5.92	101.9	8.5	.56	.3	.04	2.50	.48	10
1	10 ISL	11.66	11.65	33.595	25.563	241.5	.027	4.19	68.2							10
	11	11.49	11.49	33.603	25.599	238.0	.030	4.09	66.3	13.5	1.30	10.0	.36	1.30	.44	11
1	20 ISL	11.27	11.27	33.632	25.663	232.2	.051	3.90	62.9							20
	21	11.25	11.24	33.635	25.669	231.6	.053	3.88	62.6	15.4	1.42	12.6	.14	.67	.33	21
1	30 ISL	10.95	10.95	33.681	25.759	223.3	.07 4	3.56	57.1							30
	31	10.92	10.92	33.687	25.769	222.4	.07 6	3.53	56.5	18.0	1.54	15.3	.08	.38	.27	31
1	41	10.51	10.51	33.781	25.914	208.8	.098	3.15	50.0	22.0	1.72	18.8	.08	.13	.18	41
	50 ISL	10.46	10.46	33.798	25.936	207.0	.117	2.93	46.5							50
1	51	10.46	10.45	33.799	25.937	206.8	.118	2.92	46.3	23.3	1.79	19.9	.11	.09	.19	51

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 93 29

LATITUDE	LONGITUDE	DAY/MO/YR	MESSENGER	BOTTOM	WIND	SPEED	WAVES	WEATHER	BAROMETER	DRY	WET	CLOUD	AMT	TYPE		
32 52.8 N	117 27.8 W	10/05/86	0138 GMT	668 M	320	08 KT	280 02 10	0	1011.5 MB	19.5 C	16.8 C	0/8				
CAST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRESS
	M	DEG C	DEG C		THETA			ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR
1	0 ISL	17.69	17.69	33.531	24.223	371.4	.000	5.91	108.6							0
	1	17.69	17.69	33.531	24.223	368.9	.004	5.91	108.6	3.2	.25	.0	.00	.30	.04	1
	10 ISL	16.03	16.03	33.503	24.590	334.1	.035	6.17	109.8							10
	11	15.78	15.78	33.496	24.642	329.2	.03 9	6.20	109.7	3.8	.27	.0	.00	.52	.10	11
	20	12.69	12.69	33.439	25.246	271.9	.065	5.80	96.3	4.8	.59	2.2	.15	2.48	.70	20
	30 ISL	11.82	11.82	33.552	25.500	245.6	.092	4.43	72.3							30
	32	11.66	11.65	33.573	25.546	243.6	.096	4.19	68.1	12.5	1.20	13.1	.15	.68	.47	32
	41	11.36	11.35	33.614	25.633	235.6	.118	3.99	64.5	14.4	1.33	15.1	.07	.49	.45	41
	50 ISL	11.05	11.04	33.665	25.729	226.6	.139	3.66	58.7							50
	52	10.98	10.98	33.674	25.748	224.9	.143	3.61	57.9	17.6	1.50	17.8	.02	.35	.35	52
	62	10.59	10.58	33.711	25.846	215.7	.165	3.79	60.3	19.3	1.56	18.8	.02	.11	.18	62
	71	10.27	10.27	33.797	25.968	204.3	.183	3.25	51.3	22.3	1.68	20.8	.01	.07	.10	71
	75 ISL	10.18	10.17	33.831	26.010	200.4	.192	3.15	49.7							76
	86	10.03	10.02	33.897	26.088	193.2	.213	3.03	47.6	25.8	1.85	22.8	.01	.03	.08	86
	100	9.88	9.87	33.954	26.158	186.9	.241	2.67	41.9	27.8	1.95	23.9	.01	.02	.08	101
	120	9.53	9.52	33.984	26.240	179.5	.278	2.63	40.9	29.8	1.99	25.0	.01	.01	.11	121
	125 ISL	9.49	9.47	33.995	26.255	178.1	.286	2.60	40.4							126
	145	9.32	9.30	34.039	26.318	172.5	.322	2.45	37.9	32.0	2.07	26.0	.01	.01	.05	146
	150 ISL	9.24	9.22	34.047	26.336	170.9	.330	2.43	37.6							151
	174	8.84	8.82	34.079	26.425	162.8	.370	2.33	35.7	36.3	2.17	27.6	.00			175
	200 ISL	8.55	8.53	34.122	26.505	155.6	.411	2.07	31.5							201
	203	8.52	8.50	34.126	26.513	154.9	.416	2.04	31.0	40.3	2.29	29.0	.00			204
	231	8.19	8.17	34.155	26.585	148.5	.458	1.80	27.2	44.3	2.42	30.4	.00			232
	250 ISL	8.21	8.19	34.198	26.616	145.9	.486	1.51	22.9							252
	269	8.26	8.23	34.241	26.643	143.8	.514	1.23	18.6	48.1	2.59	31.5	.00			271
	300 ISL	7.99	7.96	34.260	26.699	138.9	.558	1.02	15.3							302
	323	7.70	7.67	34.260	26.7 41	135.1	.589	.95	14.2	55.5	2.75	33.6	.00			325
	381	7.06	7.03	34.259	26.831	127.0	.664	.92	13.6	63.4	2.90	35.9	.00			383
	400 ISL	6.95	6.91	34.267	26.854	125.1	.689	.80	11.7							403
	445	6.74	6.70	34.290	26.901	121.3	.7 45	.50	7.3	69.2	3.03	37.0	.00			448
	500 ISL	6.39	6.35	34.308	26.961	116.0	.810	.42	6.1							504
	517	6.27	6.22	34.311	26.980	114.3	.830	.40	5.8	76.5	3.09	38.7	.00			521

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 93 30

LATITUDE	LONGITUDE	DAY/MO/YR	MESSENGER	BOTTOM	WIND	SPEED	WAVES	WEATHER	BAROMETER	DRY	WET	CLOUD	AMT	TYPE		
32 50.4 N	117 32.0 W	10/05/86	0359 GMT	888 M	340	02 KT			1011.8 MB	18.9 C	16.0 C					
CAST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRESS
	M	DEG C	DEG C		THETA			ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR
1	0	17.72	17.72	33.520	24.207	370.3	.000	5.90	108.5	2.3	.26	.0	.00	.21	.04	0
1	10	16.26	16.26	33.503	24.538	339.1	.035	6.10	109.0	3.0	.27	.0	.00	.36	.08	10
1	20	13.19	13.19	33.424	25.135	282.4	.066	6.28	105.4	3.1	.44	.5	.06	1.57	.34	20
1	30	12.18	12.18	33.514	25.403	257.3	.093	4.74	77.9	9.0	.98	9.3	.28	2.03	.92	30
1	39	11.73	11.72	33.568	25.529	245.4	.116	4.21	68.5	12.3	1.18	13.0	.11	.78	.45	39
1	50	11.39	11.38	33.612	25.627	236.3	.142	3.90	63.0	14.6	1.35	15.4	.05	.60	.49	50
1	60	10.77	10.76	33.678	25.790	221.1	.165	3.59	57.3	18.0	1.50	18.2	.01	.18	.22	60
1	69	10.38	10.37	33.705	25.878	212.8	.184	3.58	56.7	19.8	1.57	19.3	.01	.10	.19	69
	75 ISL	10.19	10.19	33.738	25.935	207.5	.197	3.47	54.7							76
1	84	10.01	10.00	33.797	26.012	200.4	.215	3.25	51.0	23.0	1.71	21.4	.00	.04	.11	84
1	97	9.77	9.76	33.906	26.138	188.7	.240	2.91	45.5	26.7	1.86	23.5	.00	.02	.06	97
	100 ISL	9.71	9.69	33.910	26.152	187.4	.247	2.86	44.6							101
1	118	9.42	9.40	33.913	26.202	182.9	.281	2.63	40.8	30.4	2.00	25.3	.00	.01	.05	119
	125 ISL	9.39	9.37	33.963	26.247	178.9	.293	2.47	38.3							126
1	143	9.32	9.30	34.105	26.369	167.6	.324	2.08	32.2	34.6	2.19	27.2	.00	.01	.06	144
	150 ISL	9.22	9.20	34.117	26.3 94	165.4	.336	2.09	32.3							151
1	173	8.91	8.89	34.119	26.446	160.8	.373	2.11	32.4	37.0	2.21	28.0	.01			174
1	200 ISL	8.88	8.86	34.168	26.489	157.3	.416	1.82	27.9							201
1	203	8.88	8.86	34.173	26.493	157.0	.420	1.78	27.3	39.5	2.37	28.9	.01			204
1	232	8.82	8.79	34.227	26.546	152.5	.465	1.46	22.4	42.4	2.47	29.9	.00			233
	250 ISL	8.70	8.68	34.243	26.577	149.9	.493	1.34	20.4							252
1	271	8.53	8.50	34.253	26.611	147.0	.525	1.23	18.7	46.0	2.58	31.0	.01			273
	300 ISL	8.29	8.26	34.265	26.658	143.0	.566	1.08	16.3							302
1	326	8.03	8.00	34.268	26.700	139.3	.603	.96	14.5	51.9	2.72	32.7	.00			328
1	386	7.29	7.25	34.249	26.7 92	131.0	.683	.78	11.5	59.6	2.84	35.1	.00			388
	400 ISL	7.13	7.09	34.250	26.816	128.9	.702	.72	10.7							403
1	449	6.67	6.63	34.269	26.894	121.9	.763	.53	7.7	68.7	3.01	37.3	.00			452
	500 ISL	6.29	6.24	34.301	26.970	115.1	.824	.39	5.6							504
1	517	6.18	6.13	34.314	26.994	112.9	.844	.35	5.1	77.3	3.13	39.0	.00			521

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 93 35

LATITUDE		LONGITUDE		DAY/MO/YR		MESSENGER		BOTTOM		WIND		SPEED		WAVES		WEATHER		BAROMETER		DRY		WET		CLOUD		AMT		TYPE	
32 40.5 N		117 52.4 W		10/05/86		07 45 GMT		666 M		230		07 KT						1013.1 MB		17.2 C		15.6 C							
CAST	DEPTH	TEMP		POT TEMP		SALINITY	SIGMA		SVA	DYN	HT	OXYGEN	OXY	SI03	PO4	NO3	NO2	CHL-A	PHAE0	PRESS									
		M	DEG C	DEG C	THETA		ML/L	PCT													UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR			
1	0 ISL	17.30	17.30	17.30	17.30	33.509	24.299	363.3		.000		5.79	105.6																0
	2	17.30	17.30	17.30	17.30	33.509	24.299	361.6		.007		5.79	105.6	2.4	.27	.0	.00	.19	.04									2	
	10 ISL	16.94	16.94	16.94	16.94	33.494	24.375	354.6		.036		5.83	105.6																10
1	11	16.89	16.89	16.89	16.89	33.493	24.384	353.8		.03 9		5.84	105.6	2.2	.28	.0	.00	.22	.04										11
1	20 ISL	14.60	14.60	14.60	14.60	33.423	24.844	310.3		.069		6.09	105.2																20
	21	14.34	14.34	14.34	14.34	33.419	24.895	305.4		.072		6.11	105.0	3.1	.38	.3	.02	.72	.19										21
	30 ISL	13.02	13.01	13.01	13.01	33.412	25.161	280.4		.099		5.82	97.2																30
1	31	12.92	12.91	12.91	12.91	33.411	25.180	278.5		.101		5.76	96.1	4.8	.59	3.4	.11	.72	.29										31
1	41	11.76	11.76	11.76	11.76	33.498	25.469	251.3		.128		4.70	76.5	9.7	1.03	10.4	.28	.86	.44										41
1	50 ISL	11.20	11.19	11.19	11.19	33.594	25.646	234.5		.150		4.07	65.5																50
	52	11.12	11.11	11.11	11.11	33.610	25.674	231.9		.154		3.99	64.1	15.0	1.34	15.6	.07	.36	.30										52
	62	10.52	10.51	10.51	10.51	33.643	25.806	219.5		.176		3.91	62.0	17.2	1.41	17.4	.03	.15	.22										62
1	72	10.11	10.10	10.10	10.10	33.685	25.908	210.0		.198		3.76	59.2	19.5	1.54	19.4	.02	.08	.17										72
1	75 ISL	9.99	9.98	9.98	9.98	33.704	25.943	206.7		.205		3.70	58.1																75
	86	9.68	9.67	9.67	9.67	33.767	26.044	197.2		.226		3.52	54.9	23.0	1.68	21.5	.01	.03	.10										86
	100	9.46	9.45	9.45	9.45	33.826	26.127	189.8		.253		3.33	51.7	25.3	1.76	22.7	.01	.01	.08										100
1	120	9.52	9.51	9.51	9.51	33.990	26.245	179.0		.292		2.62	40.8	29.9	2.00	25.1	.01	.01	.09										121
	125 ISL	9.50	9.48	9.48	9.48	34.004	26.260	177.6		.300		2.58	40.1																126
	145	9.35	9.34	9.34	9.34	34.042	26.314	172.9		.335		2.49	38.6	31.8	2.09	26.0	.01	.01	.06										146
1	150 ISL	9.34	9.32	9.32	9.32	34.061	26.332	171.3		.343		2.39	37.0																151
	175	9.26	9.24	9.24	9.24	34.161	26.423	163.1		.385		1.95	30.2																176
	200 ISL	8.55	8.53	8.53	8.53	34.096	26.484	157.6		.425		2.26	34.5																201
1	203	8.48	8.45	8.45	8.45	34.088	26.490	157.1		.430		2.30	35.0	38.3	2.25	28.4	.01												204
1	234	8.46	8.43	8.43	8.43	34.182	26.567	150.4		.477		1.69	25.7	42.8	2.44	30.0	.01												235
1	250 ISL	8.37	8.35	8.35	8.35	34.224	26.612	146.4		.501		1.43	21.7																252
	273	8.20	8.18	8.18	8.18	34.267	26.672	141.0		.535		1.14	17.2	48.8	2.66	32.0	.00												275
	300 ISL	7.97	7.94	7.94	7.94	34.265	26.706	137.6		.572		1.00	15.0																302
1	328	7.69	7.66	7.66	7.66	34.263	26.745	134.8		.610		.92	13.7	54.6	2.79	33.7	.00												330
1	386	7.07	7.04	7.04	7.04	34.274	26.842	126.1		.685		.63	9.3	63.0	2.92	36.1	.00												388
1	400 ISL	6.96	6.93	6.93	6.93	34.281	26.863	124.4		.703		.58	8.5																403
	450	6.64	6.59	6.59	6.59	34.305	26.927	118.8		.764		.43	6.3	70.7	3.02	37.7	.00												453
	500 ISL	6.29	6.25	6.25	6.25	34.324	26.987	113.5		.822		.33	4.8																504
1	518	6.17	6.12	6.12	6.12	34.330	27.008	111.6		.843		.31	4.5	78.4	3.14	39.3	.00												522

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605 .

STATION 93 40

LATITUDE		LONGITUDE		DAY/MO/YR		MESSENGER		BOTTOM		WIND		SPEED		WAVES		WEATHER		BAROMETER		DRY		WET		CLOUD		AMT		TYPE			
32 30.7 N		118 12.9 W		10/05/86		1128 GMT		1682 M		250		08 KT						1013.0 MB		16.0 C		15.0 C									
CAST	DEPTH	TEMP		POT TEMP		SALINITY		SIGMA		SVA		DYN HT		OXYGEN		OXY		SI03		PO4		NO3		NO2		CHL-A		PHAE0		PRESS	
	M	DEG C		DEG C				THETA						ML/L		PCT		UM/L		UM/L		UM/L		UM/L		UG/L		UG/L		D.BAR	
1	0	16.81	16.81	16.81	16.81	33.508	24.416	350.4	.000	5.83	105.3	3.0	.31	.1	.00	.26	.06	0													
	10 ISL	16.47	16.47	16.47	16.47	33.505	24.491	343.5	.035	5.85	104.9																			10	
1	11	16.42	16.42	16.42	16.42	33.503	24.501	342.7	.03 8	5.85	104.8	2.9	.30	.1	.00	.33	.10	11												20	
	20 ISL	15.96	15.95	15.95	15.95	33.483	24.593	334.3	.069	5.93	105.3																			20	
1	22	15.75	15.75	15.75	15.75	33.476	24.634	330.3	.075	5.95	105.2	2.7	.30	.0	.00	.80	.27	22												30	
	30 ISL	13.75	13.74	13.74	13.74	33.470	25.059	290.5	.100	5.52	93.7																			32	
1	32	13.25	13.24	13.24	13.24	33.469	25.159	280.5	.105	5.38	90.4	6.7	.69	5.1	.20	1.33	.50	32												41	
1	41	11.90	11.90	11.90	11.90	33.512	25.453	252.7	.129	4.65	76.0	11.2	1.05	10.4	.73	.79	.53	41												50	
	50 ISL	11.07	11.06	11.06	11.06	33.528	25.619	237.1	.152	4.29	68.8																			51	
1	51	11.02	11.01	11.01	11.01	33.529	25.628	236.2	.154	4.27	68.5	13.8	1.27	14.5	.07	.38	.37	51												62	
1	62	10.75	10.74	10.74	10.74	33.579	25.715	228.2	.179	4.09	65.2	15.5	1.36	16.0	.04	.23	.31	62												72	
1	72	10.45	10.44	10.44	10.44	33.642	25.816	218.8	.201	3.86	61.2	17.7	1.47	17.7	.03	.11	.20	72												76	
	75 ISL	10.34	10.33	10.33	10.33	33.669	25.857	214.9	.208	3.76	59.4																			88	
1	88	9.94	9.93	9.93	9.93	33.770	26.004	201.2	.235	3.39	53.1	22.3	1.69	21.2	.02	.06	.14	88												100	
	100 ISL	9.69	9.68	9.68	9.68	33.835	26.096	192.7	.259	3.19	49.8																			102	
1	102	9.66	9.65	9.65	9.65	33.848	26.111	191.3	.264	3.15	49.1	25.0	1.79	22.7	.01	.02	.07	103												121	
1	121	9.67	9.66	9.66	9.66	34.003	26.231	180.4	.299	2.53	39.5	29.3	2.01	24.9	.01	.01	.06	122												125	
	125 ISL	9.64	9.62	9.62	9.62	34.019	26.249	178.7	.305	2.48	38.7																			147	
1	147	9.36	9.35	9.35	9.35	34.081	26.3 43	170.2	.344	2.30	35.7	32.6	2.14	26.6	.00	.01	.08	148												150	
	150 ISL	9.35	9.33	9.33	9.33	34.089	26.352	169.4	.349	2.26	35.1																			176	
1	176	9.13	9.11	9.11	9.11	34.144	26.430	162.5	.392	1.96	30.3	36.3	2.27	28.0	.00			177												200	
	200 ISL	8.65	8.63	8.63	8.63	34.148	26.510	155.1	.430	1.91	29.1																			206	
1	206	8.53	8.51	8.51	8.51	34.149	26.529	153.5	.43 9	1.90	28.9	40.8	2.35	29.4	.00			207												235	
1	235	8.35	8.33	8.33	8.33	34.181	26.582	148.9	.483	1.64	24.9	43.7	2.46	30.4	.01			236												250	
	250 ISL	8.16	8.14	8.14	8.14	34.190	26.618	145.7	.505	1.51	22.8							252												273	
1	273	7.86	7.84	7.84	7.84	34.204	26.673	140.7	.53 9	1.31	19.7	50.0	2.62	32.4	.00			275												300	
	300 ISL	7.69	7.66	7.66	7.66	34.238	26.726	136.2	.576	1.04	15.5							302												327	
1	327	7.54	7.50	7.50	7.50	34.267	26.771	132.2	.612	.80	11.9	57.1	2.83	34.3	.00			329												385	
1	385	6.94	6.90	6.90	6.90	34.261	26.850	125.2	.686	.62	9.1	64.8	2.96	36.2	.00			387												400	
	400 ISL	6.82	6.78	6.78	6.78	34.267	26.872	123.4	.705	.57	8.4							403												449	
1	449	6.48	6.44	6.44	6.44	34.292	26.937	117.6	.764	.44	6.4	72.1	3.06	38.1	.00			452												500	
	500 ISL	6.14	6.09	6.09	6.09	34.319	27.003	111.8	.823	.33	4.7							504												518	
1	518	6.02	5.97	5.97	5.97	34.328	27.025	109.7	.843	.29	4.2	80.3	3.17	39.4	.00			522													

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 93 45

LATITUDE	LONGITUDE	DAY/MO/YR	MESSENGER	BOTTOM	WIND	SPEED	WAVES	WEATHER	BAROMETER	DRY	WET	CLOUD	AMT	TYPE		
32 21.0 N	118 33.3 W	10/05/86	1513 GMT	1372 M	280	14 KT	290 03 05	1	1014.0	MB	15.0 C	14.1 C	6/8	CU		
CAST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRESS
	M	DEG C	DEG C		THETA			ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR
1	0	15.57	15.57	33.508	24.698	323.5	.000	6.00	105.7	2.8	.31	.0	.00	.65	.17	0
1	10 ISL	15.23	15.23	33.507	24.772	316.6	.03 2	6.10	106.8	2.8	.31	.0	.00	.84	.25	10
1	20 ISL	12.16	12.16	33.507	24.787	315.4	.035	6.11	106.8	2.8	.31	.0	.00	.84	.25	11
1	21	14.25	14.25	33.459	24.946	300.5	.063	5.60	96.1							20
1	21	14.11	14.10	33.453	24.971	298.2	.066	5.53	94.6	5.6	.57	3.0	.17	1.44	.51	21
1	30 ISL	11.78	11.77	33.437	25.418	256.1	.091	4.83	78.6							30
1	31	11.57	11.57	33.435	25.455	252.2	.093	4.77	77.3	10.1	1.03	10.5	.26	.42	.32	31
1	41	11.18	11.17	33.476	25.559	242.6	.118	4.57	73.5	12.0	1.14	12.5	.12	.35	.28	41
1	50 ISL	10.82	10.81	33.563	25.690	230.3	.139	4.23	67.6							50
1	52	10.74	10.73	33.583	25.720	227.5	.143	4.16	66.3	16.0	1.36	16.1	.06	.14	.19	52
1	61	10.11	10.11	33.678	25.902	210.3	.163	3.78	59.5	19.6	1.54	19.1	.03	.04	.07	61
1	70	9.96	9.95	33.735	25.972	203.9	.181	3.53	55.4	21.9	1.63	20.4	.02	.04	.13	70
1	75 ISL	9.89	9.88	33.765	26.009	200.5	.192	3.41	53.3							75
1	85	9.72	9.71	33.817	26.07 8	194.1	.211	3.21	50.1	25.2	1.79	22.5	.02	.02	.13	85
1	99	9.23	9.22	33.895	26.218	181.0	.23 9	2.95	45.6	29.2	1.93	24.6	.01	.01	.10	100
1	100 ISL	9.22	9.21	33.897	26.221	180.8	.240	2.95	45.5							101
1	118	9.06	9.04	33.930	26.274	176.1	.273	2.83	43.6	30.9	1.99	25.4	.01	.01	.08	119
1	125 ISL	8.98	8.96	33.947	26.300	173.7	.284	2.78	42.7							126
1	144	8.75	8.73	34.006	26.382	166.3	.317	2.58	39.5	34.5	2.11	27.1	.01	.00	.10	145
1	150 ISL	8.70	8.68	34.027	26.406	164.0	.327	2.48	37.9							151
1	174	8.52	8.50	34.107	26.497	155.9	.365	2.09	31.8	39.5	2.30	29.0	.00			175
1	200 ISL	8.36	8.34	34.139	26.547	151.6	.405	1.88	28.4							201
1	204	8.34	8.31	34.141	26.553	151.1	.411	1.85	28.0	42.3	2.40	30.0	.00			205
1	234	7.95	7.93	34.164	26.628	144.3	.455	1.56	23.4	47.3	2.54	31.7	.00			235
1	250 ISL	7.82	7.80	34.177	26.658	141.7	.47 8	1.43	21.5							252
1	273	7.68	7.65	34.195	26.694	138.7	.511	1.27	19.0	52.0	2.67	32.9	.00			275
1	300 ISL	7.50	7.47	34.213	26.734	135.3	.548	1.08	16.1							302
1	329	7.31	7.28	34.232	26.776	131.6	.586	.89	13.2	58.7	2.75	34.9	.00			331
1	388	6.90	6.86	34.270	26.863	124.0	.662	.59	8.7	66.1	2.98	36.6	.00			391
1	400 ISL	6.81	6.77	34.273	26.878	122.8	.676	.56	8.2							403
1	451	6.43	6.39	34.281	26.935	117.8	.738	.47	6.8	72.7	3.06	38.2	.00			454
1	500 ISL	6.10	6.05	34.299	26.992	112.7	.7 94	.38	5.4							504
1	519	5.98	5.93	34.308	27.014	110.7	.816	.34	4.9	80.6	3.14	39.7	.00			523

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 93 50

LATITUDE	LONGITUDE	DAY/MO/YR	MESSENGER	BOTTOM	WIND	SPEED	WAVES	WEATHER	BAROMETER	DRY	WET	CLOUD	AMT	TYPE		
32 10.7 N	118 53.7 W	10/05/86	1858 GMT	1502 M	300	15 KT	300 04 07	1	1014.9	MB	15.7 C	13.8 C	7/8	CU		
CAST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRESS
	M	DEG C	DEG C		THETA			ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR
1	0	15.29	15.29	33.596	24.828	311.2	.000	6.07	106.4	2.0	.35	.1	.02	.55	.11	0
1	10	14.04	14.04	33.354	24.908	303.8	.031	6.25	106.7	1.3	.37	.0	.01	.74	.21	10
	20 ISL	14.00	14.00	33.344	24.909	304.0	.061	6.19	105.6							20
1	21	14.00	13.99	33.343	24.909	304.1	.064	6.19	105.5	1.4	.42	.1	.02	1.09	.44	21
	30 ISL	13.93	13.92	33.347	24.927	302.5	.091	6.09	103.7							30
1	31	13.91	13.91	33.347	24.930	302.4	.094	6.08	103.5	2.2	.47	.4	.04	1.26	.67	31
1	41	13.57	13.56	33.358	25.010	295.0	.124	5.82	98.4	3.6	.56	1.8	.11	1.08	.53	41
	50 ISL	12.63	12.62	33.416	25.241	273.2	.150	5.25	87.0							50
1	52	12.41	12.40	33.433	25.296	268.0	.155	5.11	84.3	8.6	.90	7.6	.37	.54	.46	52
1	62	11.32	11.31	33.547	25.589	240.2	.180	4.28	69.1	13.8	1.24	13.9	.17	.19	.25	62
1	72	11.00	10.99	33.567	25.662	233.5	.204	4.14	66.3	14.9	1.32	15.3	.08	.21	.29	72
	75 ISL	10.87	10.86	33.575	25.692	230.7	.211	4.10	65.5							76
1	87	10.41	10.40	33.625	25.810	219.7	.237	3.89	61.6	17.6	1.48	17.8	.03	.11	.22	87
	100 ISL	9.97	9.96	33.741	25.976	204.2	.266	3.48	54.6							101
1	102	9.93	9.92	33.755	25.994	202.4	.26 9	3.43	53.8	22.4	1.66	20.8	.02	.05	.17	102
1	121	9.35	9.34	33.900	26.203	182.9	.307	2.88	44.6	28.8	1.92	24.4	.01	.01	.11	122
	125 ISL	9.28	9.27	33.914	26.225	180.9	.314	2.84	43.9							126
1	146	8.96	8.94	33.971	26.322	172.0	.351	2.70	41.5	33.4	2.04	26.2	.01	.02	.11	147
1	150 ISL	8.89	8.87	33.982	26.341	170.3	.358	2.66	40.7							151
	175	8.49	8.47	34.052	26.458	159.5	.399	2.34	35.6	37.8	2.21	28.2	.01			176
1	200 ISL	8.21	8.19	34.107	26.544	151.8	.43 8	2.04	30.9							201
1	206	8.16	8.14	34.117	26.560	150.4	.447	1.98	29.9	42.9	2.36	30.0	.01			207
1	234	7.98	7.96	34.146	26.610	146.1	.488	1.73	26.0	46.2	2.47	31.2	.01			235
	250 ISL	7.85	7.83	34.158	26.638	143.6	.512	1.60	24.0							252
1	272	7.67	7.65	34.174	26.677	140.2	.543	1.42	21.2	51.5	2.60	32.6	.01			274
	300 ISL	7.49	7.46	34.201	26.725	136.1	.581	1.17	17.3							302
1	326	7.31	7.28	34.226	26.771	132.1	.616	.94	13.9	58.4	2.82	34.5	.00			328
1	385	6.79	6.76	34.271	26.878	122.5	.691	.60	8.8	67.8	2.99	36.7	.00			387
	400 ISL	6.67	6.64	34.278	26.900	120.6	.710	.54	7.9							403
1	449	6.34	6.30	34.298	26.959	115.4	.767	.42	6.1	75.4	3.09	38.4	.01			452
	500 ISL	6.07	6.03	34.322	27.014	110.6	.825	.33	4.7							504
1	520	5.98	5.94	34.333	27.034	109.0	.847	.30	4.3	82.4	3.17	39.4	.00			524

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 93 55

LATITUDE	LONGITUDE	DAY/MO/YR	MESSENGER	BOTTOM	WIND	SPEED	WAVES	WEATHER	BAROMETER	DRY	WET	CLOUD	AMT	TYPE		
32 00.7 N	119 14.0 W	10/05/86	2254 GMT	1636 M	330	16 KT	320 04 06	1	1013.9 MB	16.1 C	14.8 C	2/8		SC		
CAST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	PO4	NO3	NO2	CHL-A	PHAE0	PRESS
	M	DEG C	DEG C		THETA			ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR
1	0	14.91	14.91	33.305	24.687	324.6	.000	6.02	104.5	2.4	.38	.0	.00	.24	.06	0
	10	14.70	14.70	33.310	24.734	320.0	.03 2	6.07	104.9							10
1	11	14.66	14.66	33.310	24.743	319.6	.035	6.07	104.9	2.4	.39	.1	.02	.44	.09	11
1	19	14.24	14.23	33.333	24.852	309.5	.060	6.18	105.9	2.0	.39	.2	.02	.81	.27	19
	20	14.23	14.22	33.340	24.859	308.8	.064	6.18	105.8							20
1	30	14.13	14.13	33.367	24.899	305.3	.094	6.16	105.3	1.6	.43	.3	.03	1.42	.56	30
1	41	14.03	14.02	33.382	24.933	302.4	.127	6.06	103.4	2.2	.44	.5	.05	1.59	.73	41
	50	13.68	13.67	33.357	24.986	297.6	.155	5.86	99.3							50
1	51	13.63	13.62	33.354	24.993	296.8	.157	5.84	98.8	4.0	.55	1.7	.12	.89	.64	51
1	61	12.47	12.46	33.345	25.217	275.8	.186	5.43	89.7	6.0	.75	4.9	.22	.51	.48	61
1	70	11.60	11.60	33.439	25.453	253.4	.209	4.75	77.1	10.4	1.05	10.8	.16	.24	.29	70
	75	11.34	11.33	33.484	25.536	245.6	.223	4.53	73.0							76
1	85	11.03	11.02	33.554	25.646	235.3	.246	4.25	68.2	14.4	1.28	14.7	.03	.15	.27	85
1	100	10.43	10.42	33.663	25.836	217.5	.279	3.76	59.6	18.9	1.50	18.1	.01	.14	.43	100
1	119	9.76	9.74	33.780	26.043	198.2	.321	3.38	52.8	23.6	1.71	21.7	.00	.04	.11	120
	125	9.64	9.63	33.802	26.07 9	194.9	.332	3.32	51.7							126
1	145	9.31	9.30	33.864	26.181	185.4	.370	3.14	48.6	27.5	1.85	23.8	.00	.01	.06	146
1	150	9.22	9.20	33.881	26.210	182.8	.379	3.10	47.8							151
1	174	8.74	8.72	33.959	26.347	170.2	.421	2.88	44.0	32.4	1.99	26.1	.00			175
	200	8.35	8.33	34.016	26.452	160.6	.464	2.69	40.7							201
1	202	8.32	8.30	34.019	26.458	160.0	.467	2.67	40.4	36.7	2.11	27.6	.00			203
1	233	7.92	7.90	34.072	26.561	150.6	.515	2.27	34.1	42.6	2.27	29.7	.00			234
	250	7.71	7.69	34.092	26.607	146.5	.541	2.05	30.6							252
1	272	7.46	7.44	34.111	26.658	142.0	.573	1.78	26.4	49.7	2.48	32.2	.00			274
	300	7.19	7.16	34.131	26.712	137.0	.612	1.49	22.0							302
1	326	6.97	6.94	34.149	26.757	133.1	.647	1.26	18.5	58.3	2.70	34.8	.00			328
1	384	6.68	6.64	34.194	26.833	126.6	.722	.88	12.8	64.5	2.87	36.5	.00			386
	400	6.56	6.53	34.200	26.853	124.9	.7 42	.81	11.7							403
1	449	6.25	6.21	34.221	26.910	119.9	.802	.63	9.1	71.9	2.99	38.1	.00			452
	500	6.10	6.05	34.266	26.967	115.2	.862	.45	6.5							504
1	519	6.08	6.03	34.288	26.987	113.5	.884	.39	5.6	78.2	3.10	39.2	.00			523

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 93 60

LATITUDE	LONGITUDE	DAY/MO/YR	MESSENGER	BOTTOM	WIND	SPEED	WAVES	WEATHER	BAROMETER	DRY	WET	CLOUD	AMT	TYPE		
31 50.6 N	119 34.4 W	11/05/86	0248 GMT	1859 M	330	14 KT	320 07 05	1	1013.9 MB	14.8 C	12.7 C	7/8				
CAST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	PO4	NO3	NO2	CHL-A	PHAE0	PRESS
	M	DEG C	DEG C		THETA			ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR
	0	ISL 14.98	14.98	33.425	24.763	317.3	.000	6.27	109.1							0
1	1	14.98	14.98	33.425	24.763	317.4	.003	6.27	109.1	1.1	.36	.0	.00	1.24	.27	1
	10	ISL 14.98	14.97	33.420	24.760	317.9	.03 2	6.25	108.8							10
1	11	14.98	14.97	33.419	24.760	318.0	.035	6.25	108.8	1.1	.35	.0	.00	1.20	.24	11
1	20	14.31	14.30	33.340	24.842	310.4	.063	6.16	105.7	1.9	.40	.3	.02	1.42	.30	20
	30	ISL 14.26	14.26	33.340	24.852	309.8	.094	6.13	105.1							30
1	31	14.26	14.25	33.340	24.853	309.7	.097	6.13	105.1	2.0	.41	.3	.03	1.17	.27	31
1	41	14.20	14.20	33.341	24.865	308.8	.128	6.09	104.3	2.1	.41	.4	.03	.93	.42	41
	50	ISL 13.97	13.97	33.426	24.979	298.3	.156	6.04	102.9							50
1	51	13.96	13.95	33.434	24.989	297.4	.158	6.03	102.8	2.9	.48	1.1	.07	.84	.56	51
1	60	13.93	13.93	33.442	24.999	296.5	.184	5.97	101.7	3.1	.49	1.2	.07	.78	.73	60
1	71	12.70	12.69	33.366	25.189	278.7	.216	5.53	91.8	5.8	.70	4.7	.16	.47	.50	71
	75	ISL 12.25	12.24	33.379	25.286	269.5	.228	5.27	86.7							76
1	85	11.44	11.43	33.440	25.483	250.8	.253	4.76	77.0	10.2	1.04	10.8	.17	.19	.29	85
1	100	10.99	10.97	33.487	25.603	239.8	.289	4.55	72.9	12.1	1.17	13.1	.07	.11	.24	100
1	120	10.41	10.40	33.686	25.858	215.8	.337	3.69	58.4	19.2	1.51	18.6	.02	.07	.19	121
	125	ISL 10.28	10.27	33.717	25.905	211.5	.347	3.59	56.7							126
1	144	9.74	9.73	33.816	26.073	195.8	.386	3.31	51.7	24.1	1.73	22.1	.01	.02	.09	145
1	150	ISL 9.60	9.59	33.837	26.113	192.1	.397	3.23	50.2							151
1	173	9.06	9.05	33.908	26.256	178.9	.440	2.97	45.7	29.7	1.92	25.1	.01			174
	200	ISL 8.41	8.39	33.999	26.430	162.7	.486	2.90	44.0							201
1	204	8.32	8.30	34.010	26.451	160.7	.492	2.89	43.8	35.6	2.03	27.1	.00			205
1	233	7.95	7.93	34.036	26.528	153.8	.53 8	2.64	39.6	40.1	2.15	28.7	.00			23 4
	250	ISL 7.84	7.81	34.066	26.568	150.2	.564	2.37	35.5							252
1	272	7.72	7.69	34.108	26.619	145.7	.597	1.98	29.6	46.7	2.40	31.2	.00			274
	300	ISL 7.45	7.42	34.144	26.686	139.7	.636	1.56	23.2							302
1	326	7.18	7.15	34.173	26.746	134.3	.672	1.22	18.0	56.9	2.70	34.5	.00			328
1	384	6.80	6.76	34.236	26.849	125.1	.7 47	.71	10.4	65.3	2.91	36.7	.00			386
	400	ISL 6.72	6.68	34.250	26.872	123.2	.767	.63	9.2							403
1	448	6.45	6.41	3 4 27 8	26.93 0	118.2	.825	.47	6.8	71.8	3.04	38.1	.00			451
	500	ISL 6.03	5.99	34.296	26.998	112.1	.885	.35	5.1							504
1	516	5.88	5.84	34.298	27.019	110.2	.902	.33	4.7							519

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 93 70

LATITUDE	LONGITUDE	DAY/MO/YR	MESSENGER	BOTTOM	WIND	SPEED	WAVES	WEATHER	BAROMETER	DRY	WET	CLOUD	AMT	TYPE		
31 30.5 N	120 15.3 W	11/05/86	0813 GMT	4018 M	330	14 KT			1015.5 MB	14.2 C	12.1 C					
CST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRESS
	M	DEG C	DEG C		THETA			ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR
1	0 ISL	15.64	15.64	33.202	24.446	347.6	.000	5.87	103.4							0
	1	15.64	15.64	33.202	24.446	347.6	.003	5.87	103.4	2.4	.36	.0	.00	.13	.02	1
	10 ISL	15.65	15.65	33.202	24.445	348.0	.035	5.85	103.1							10
1	11	15.65	15.65	33.202	24.445	348.0	.038	5.85	103.1	2.5	.37	.0	.00	.12	.02	11
	20 ISL	15.65	15.65	33.201	24.444	348.4	.070	5.87	103.4							20
1	21	15.65	15.65	33.201	24.444	348.4	.073	5.87	103.4	2.4	.37	.0	.00	.12	.02	21
	30 ISL	15.62	15.62	33.203	24.452	347.9	.104	5.87	103.3							30
1	32	15.62	15.61	33.203	24.453	347.8	.111	5.87	103.3	2.4	.36	.0	.00	.13	.03	32
1	41	15.48	15.47	33.226	24.502	343.5	.142	5.92	103.9	2.4	.37	.0	.00	.15	.03	41
	50 ISL	15.19	15.18	33.239	24.576	336.7	.173	5.95	103.9							50
1	52	15.12	15.12	33.240	24.591	335.3	.179	5.96	103.9	2.4	.36	.0	.00	.19	.06	52
	62	14.90	14.89	33.258	24.654	329.6	.212	6.02	104.5	2.4	.36	.0	.00	.22	.06	62
1	73	14.61	14.60	33.270	24.724	323.2	.248	6.06	104.6	2.6	.37	.0	.00	.29	.13	73
	75 ISL	14.46	14.45	33.267	24.755	320.3	.255	6.04	103.8							76
1	88	13.32	13.30	33.264	24.988	298.3	.294	5.91	99.3	3.4	.48	.9	.08	.42	.23	88
	100 ISL	12.04	12.02	33.317	25.279	270.8	.330	5.40	88.3							101
1	102	11.89	11.88	33.326	25.313	267.6	.334	5.33	86.9	6.2	.79	6.2	.22	.26	.24	102
1	121	11.32	11.31	33.399	25.474	252.6	.386	4.97	80.1	8.8	.99	9.9	.09	.17	.23	122
	125 ISL	11.18	11.16	33.420	25.517	248.6	.394	4.88	78.5							126
1	147	10.28	10.26	33.581	25.800	221.9	.447	4.25	67.0	15.8	1.37	16.7	.03	.10	.10	148
	150 ISL	10.20	10.18	33.602	25.830	219.1	.453	4.17	65.6							151
1	175	9.57	9.55	33.784	26.079	195.9	.505	3.42	53.2	24.0	1.74	22.0	.02			176
	200 ISL	9.10	9.07	33.928	26.267	178.4	.552	2.91	44.8							201
1	206	8.99	8.97	33.953	26.304	175.0	.562	2.84	43.6	30.9	1.97	25.6	.01			207
	235	8.37	8.35	33.994	26.432	163.1	.611	3.01	45.6	34.2	1.98	26.5	.01			236
	250 ISL	8.17	8.14	34.015	26.480	158.7	.635	2.86	43.2							252
1	274	7.91	7.89	34.045	26.541	153.3	.672	2.51	37.7	40.8	2.20	29.1	.01			275
	300 ISL	7.63	7.60	34.076	26.607	147.3	.712	2.16	32.2							302
1	325	7.36	7.33	34.101	26.665	142.0	.748	1.84	27.3	50.1	2.47	32.5	.00			327
1	385	6.68	6.65	34.145	26.793	130.4	.829	1.25	18.2	61.9	2.77	36.1	.01			387
	400 ISL	6.57	6.54	34.153	26.814	128.5	.849	1.12	16.3							403
1	447	6.29	6.25	34.177	26.871	123.6	.909	.79	11.4	69.9	2.92	38.0	.00			450
	500 ISL	5.95	5.91	34.218	26.947	116.8	.972	.54	7.8							504
1	517	5.84	5.80	34.234	26.973	114.4	.991	.49	7.0	79.0	3.07	39.7	.00			520

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605'

STATION 93 80

LATITUDE	LONGITUDE	DAY/MO/YR	MESSENGER	BOTTOM	WIND	SPEED	WAVES	WEATHER	BAROMETER	DRY	WET	CLOUD	AMT	TYPE		
31 10.8 N	120 55.6 W	11/05/86	1348 GMT	3827 M	3 40	18 KT	340 06 05	1	1016.2 MB	13.7 C	11.0 C	5/8				
CST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRESS
	M	DEG C	DEG C		THETA			ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR
1	0 ISL	15.64	15.64	33.199	24.444	347.7	.000	5.83	102.7							0
1	1	15.64	15.64	33.199	24.444	347.8	.003	5.83	102.7	2.4	.37	.0	.00	.10	.02	1
1	10 ISL	15.64	15.64	33.189	24.436	348.8	.035	5.84	102.8							10
1	16	15.64	15.64	33.185	24.434	349.2	.056	5.84	102.8	2.5	.38	.0	.00	.10	.02	16
1	20 ISL	15.64	15.64	33.185	24.434	349.3	.070	5.84	102.9							20
1	30 ISL	15.64	15.63	33.185	24.435	349.6	.105	5.85	103.0							30
1	31	15.64	15.63	33.185	24.435	349.6	.108	5.85	103.0	2.4	.37	.0	.00	.11	.02	31
1	42	15.53	15.52	33.196	24.468	346.7	.146	5.84	102.6	2.4	.38	.0	.00	.16	.03	42
1	50 ISL	15.28	15.27	33.184	24.513	342.7	.174	5.89	102.9							50
1	52	15.20	15.20	33.180	24.527	341.4	.180	5.90	103.0	2.6	.38	.0	.00	.18	.04	52
1	63	14.52	14.51	33.171	24.667	328.3	.217	5.99	103.1	2.7	.40	.0	.00	.20	.07	63
1	72	13.33	13.33	33.184	24.922	304.1	.245	6.06	101.8	2.9	.43	.0	.00	.25	.13	72
1	75 ISL	13.11	13.10	33.206	24.985	298.2	.255	6.01	100.6							76
1	82	12.77	12.76	33.260	25.094	288.0	.275	5.84	97.0	3.5	.51	1.3	.05	.39	.42	82
1	97	11.79	11.78	33.361	25.359	263.1	.316	5.22	85.0	6.9	.83	7.2	.04	.26	.33	97
1	100 ISL	11.68	11.67	33.377	25.392	260.0	.325	5.15	83.6							101
1	112	11.41	11.39	33.423	25.478	252.0	.354	4.96	80.1	8.9	.96	9.7	.03	.18	.24	112
1	125 ISL	10.97	10.95	33.477	25.599	240.8	.387	4.67	74.7							126
1	126	10.92	10.90	33.484	25.613	239.4	.391	4.63	74.0	11.6	1.17	13.0	.04	.13	.18	127
1	150 ISL	9.98	9.97	33.668	25.918	210.7	.444	3.87	60.8							151
1	151	9.93	9.91	33.680	25.936	209.0	.447	3.83	60.0	20.1	1.54	19.5	.01	.03	.06	152
1	175	9.12	9.10	33.868	26.217	182.6	.493	3.21	49.4	27.9	1.84	24.1	.01			176
1	200 ISL	8.78	8.76	33.977	26.356	169.8	.537	2.80	42.8							201
1	204	8.75	8.72	33.988	26.369	168.6	.544	2.75	42.0	33.2	2.04	26.6	.00			205
1	233	8.35	8.33	34.037	26.469	159.6	.591	2.50	37.9	37.9	2.18	28.3	.01			234
1	250 ISL	8.16	8.14	34.072	26.525	154.5	.618	2.27	34.2							252
1	272	7.94	7.91	34.111	26.589	148.7	.651	1.95	29.3	44.7	2.40	30.8	.00			273
1	300 ISL	7.60	7.57	34.144	26.665	141.8	.692	1.58	23.6							302
1	325	7.31	7.28	34.164	26.722	136.6	.727	1.30	19.2	55.1	2.68	33.9	.00			327
1	384	6.82	6.78	34.199	26.818	128.1	.805	.87	12.7	63.3	2.87	36.4	.01			386
1	400 ISL	6.71	6.67	34.210	26.841	126.1	.825	.79	11.5							403
1	449	6.41	6.37	34.240	26.905	120.6	.886	.59	8.6	70.9	3.02	38.0	.00			452
1	500 ISL	6.04	5.99	34.266	26.974	114.4	.946	.43	6.2							504
1	521	5.87	5.83	34.274	27.001	111.9	.969	.38	5.4	80.5	3.13	39.9	.00			524

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 93 90

LATITUDE		LONGITUDE		DAY/MO/YR	MESSENGER	BOTTOM	WIND	SPEED	WAVES		WEATHER	BAROMETER		DRY	WET	CLOUD	AMT	TYPE
30 50.5 N		121 35.8 W		11/05/86	2004 GMT	4094 M	330	16 KT	350 06 07	1	1	1019.1 MB	16.0 C	12.2 C		3/8		SC
CAST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN	HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRESS	
	M	DEG C	DEG C		THETA				ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR	
	0 ISL	15.88	15.87	33.165	24.366	355.3		.000	5.80	102.6								0
1	2	15.88	15.87	33.165	24.366	355.3		.007	5.80	102.6	2.1	.37	.0	.00	.07	.01		2
	10 ISL	15.85	15.85	33.165	24.371	355.1		.036	5.81	102.7								10
1	16	15.83	15.83	33.165	24.375	354.7		.057	5.81	102.7	2.2	.39	.0	.00	.07	.01		16
	20 ISL	15.89	15.89	33.190	24.381	354.3		.07 1	5.81	102.8								20
	30 ISL	16.05	16.05	33.255	24.396	353.3		.106	5.81	103.2								30
1	32	16.08	16.08	33.268	24.399	353.0		.113	5.81	103.3	1.9	.35	.0	.00	.08	.01		32
1	41	16.12	16.11	33.293	24.410	352.2		.145	5.83	103.7	1.9	.34	.0	.00	.09	.01		41
	50 ISL	16.12	16.12	33.295	24.411	352.5		.177	5.81	103.4								50
1	52	16.12	16.12	33.295	24.411	352.5		.183	5.81	103.4	1.8	.34	.0	.00	.09	.01		52
1	62	16.02	16.01	33.281	24.424	351.6		.218	5.88	104.4	1.8	.34	.0	.00	.11	.03		62
	72	15.94	15.93	33.298	24.456	348.9		.253	5.82	103.2	1.8	.34	.0	.00	.11	.03		72
	75 ISL	15.65	15.64	33.284	24.510	343.8		.265	5.85	103.0								76
1	82	14.90	14.89	33.255	24.651	330.4		.287	5.92	102.7	1.9	.35	.0	.00	.13	.05		82
1	97	13.49	13.47	33.274	24.962	301.1		.334	5.98	100.8	2.2	.41	.0	.00	.21	.16		97
	100 ISL	13.28	13.27	33.285	25.012	296.3		.344	5.94	99.8								101
1	112	12.79	12.77	33.328	25.143	284.2		.378	5.76	95.7	3.1	.51	1.6	.07	.31	.26		112
	125 ISL	12.47	12.45	33.356	25.227	276.4		.416	5.57	92.0								126
1	126	12.43	12.42	33.360	25.237	275.5		.420	5.55	91.6	3.9	.61	3.6	.06	.23	.25		127
	150 ISL	11.40	11.38	33.476	25.522	248.8		.481	5.03	81.3								151
1	151	11.32	11.30	33.483	25.540	247.0		.485	5.00	80.6	8.6	.94	10.0	.02	.12	.12		152
1	175	10.02	10.00	33.598	25.857	217.1		.540	4.51	70.8	15.0	1.27	15.6	.00				176
	200 ISL	9.16	9.14	33.799	26.157	188.9		.590	3.87	59.7								201
1	204	9.05	9.03	33.831	26.198	184.9		.598	3.77	58.0	24.8	1.66	21.9	.00				205
1	234	8.46	8.43	33.955	26.388	167.3		.650	3.22	48.9	32.1	1.91	25.7	.00				235
	250 ISL	8.19	8.16	33.982	26.451	161.5		.677	3.17	47.8								252
1	273	7.84	7.81	33.999	26.515	155.6		.713	3.13	46.9	37.7	2.01	27.3	.00				274
	300 ISL	7.47	7.44	34.024	26.588	149.0		.754	2.68	39.8								302
1	326	7.16	7.13	34.045	26.649	143.4		.7 93	2.16	31.8	49.9	2.42	32.2	.00				328
1	384	6.57	6.53	34.095	26.769	132.5		.872	1.41	20.5	61.0	2.72	35.8	.00				386
	400 ISL	6.42	6.38	34.104	26.7 96	130.1		.894	1.27	18.4								403
1	448	6.02	5.98	34.131	26.869	123.4		.955	.94	13.5	71.4	2.93	38.4	.00				451
	500 ISL	5.67	5.63	34.177	26.948	116.3		1.017	.66	9.4								504
1	519	5.57	5.53	34.196	26.976	113.8		1.038	.58	8.2	81.8	3.09	40.4	.00				522

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 93 100

LATITUDE		LONGITUDE		DAY/MO/YR	MESSENGER		BOTTOM	WIND	SPEED	WAVES		WEATHER	BAROMETER	DRY	WET	CLOUD	AMT	TYPE
30 31.0 N		122 15.8 W		12/05/86	0141	GMT	4118 M	350	17 KT	330 06 05	1		1018.6 MB	16.0 C	12.3 C	7/8		SC
CAST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRESS		
	M	DEG C	DEG C		THETA			ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR		
	0 ISL	17.11	17.11	33.611	24.423	349.6	.000	5.65	102.7									0
1	1	17.11	17.11	33.611	24.423	349.8	.003	5.65	102.7	1.9	.29	.0	.00	.05	.01			1
	10 ISL	17.11	17.11	33.600	24.414	350.9	.035	5.67	103.0									10
1	17	17.12	17.11	33.600	24.414	351.2	.059	5.67	103.1	2.0	.29	.0	.00	.05	.01			17
	20 ISL	17.12	17.11	33.603	24.417	351.0	.07 0	5.67	103.0									20
	30 ISL	17.11	17.10	33.613	24.427	350.4	.105	5.66	102.9									30
1	32	17.10	17.10	33.615	24.429	350.2	.112	5.66	102.9	2.0	.30	.0	.00	.05	.01			32
	42	17.08	17.08	33.612	24.432	350.3	.147	5.67	103.0	2.0	.29	.0	.00	.05	.01			42
	50 ISL	17.09	17.09	33.614	24.431	350.6	.175	5.66	102.9									50
1	53	17.10	17.09	33.615	24.431	350.7	.185	5.66	102.8	1.9	.29	.0	.00	.06	.01			53
1	61	17.17	17.16	33.647	24.440	350.2	.213	5.65	102.8	1.9	.29	.0	.00	.07	.01			61
1	72	17.26	17.25	33.696	24.455	349.2	.251	5.68	103.6	2.0	.27	.0	.00	.08	.02			72
	75 ISL	17.26	17.25	33.708	24.465	348.3	.263	5.67	103.5									76
1	82	17.26	17.25	33.755	24.501	345.0	.286	5.67	103.4	2.0	.26	.0	.00	.10	.03			82
1	97	16.59	16.57	33.786	24.683	328.2	.336	5.79	104.2	2.1	.27	.0	.00	.13	.06			97
	100 ISL	16.17	16.16	33.752	24.752	321.6	.347	5.79	103.4									101
1	111	14.91	14.90	33.677	24.975	300.5	.3 80	5.80	100.9	2.7	.32	.0	.00	.24	.19			111
1	125	14.49	14.47	33.843	25.195	280.0	.423	5.51	95.2	3.1	.37	.9	.05	.26	.28			126
1	150	12.90	12.88	33.802	25.490	252.2	.490	5.06	84.5	6.6	.69	6.6	.01	.10	.15			151
1	175	11.27	11.24	33.709	25.727	229.9	.549	4.68	75.5	11.2	1.00	11.5	.00					176
	200 ISL	9.82	9.79	33.764	26.021	201.9	.603	3.91	61.1									201
1	205	9.57	9.55	33.788	26.082	196.2	.613	3.74	58.2	22.5	1.58	20.6	.00					206
1	234	8.70	8.68	33.956	26.352	170.9	.666	3.15	48.1	31.5	1.89	25.1	.00					235
	250 ISL	8.39	8.36	33.997	26.432	163.4	.6 93	2.94	44.5									252
1	274	8.05	8.02	34.025	26.505	156.7	.731	2.66	40.0	38.6	2.13	28.4	.00					275
	300 ISL	7.75	7.72	34.063	26.580	150.0	.771	2.26	33.7									302
1	328	7.49	7.46	34.100	26.646	144.0	.813	1.81	26.9	49.3	2.48	32.4	.00					330
1	387	7.07	7.03	34.180	26.769	133.0	.894	1.00	14.7	59.1	2.78	35.4	.00					389
	400 ISL	6.98	6.94	34.191	26.790	131.2	.911	.91	13.3									403
1	450	6.66	6.62	34.223	26.858	125.2	.976	.68	9.9	66.7	2.94	37.2	.00					453
	500 ISL	6.38	6.33	34.257	26.923	119.5	1.037	.49	7.1									504
1	519	6.27	6.23	34.269	26.946	117.5	1.059	.43	6.2	74.4	3.08	38.8	.00					522

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 93 IIO

LATITUDE		LONGITUDE		DAY/MO/YR		MESSENGER		BOTTOM		WIND		SPEED		WAVES		WEATHER		BAROMETER		DRY		WET		CLOUD		AMT		TYPE	
30 10.8 N		122 55.5 W		12/05/86		0727 GMT		3547 M		330		17 KT						1020.9 MB		15.7 C		11.8 C							
CAST	DEPTH	TEMP	POT	TEMP	SALINITY	SIGMA	SVA	DYN	HT	OXYGEN	OXY	SI03	P04	NO3	NO2	CHL-A	PHAE0	PRESS											
	M	DEG C	DEG C			THETA				ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR											
1	0	16.90	16.90		33.493	24.383	353.6	.000		5.69	102.9	1.9	.33	.0	.00	.08	.00	0											
	10 ISL	16.90	16.90		33.493	24.382	354.0	.035		5.69	102.9							10											
1	15	16.90	16.90		33.493	24.382	354.2	.053		5.69	102.9	1.8	.34	.0	.00	.07	.01	15											
	20 ISL	16.91	16.90		33.492	24.381	354.4	.071		5.69	103.0							20											
	30 ISL	16.91	16.90		33.492	24.381	354.8	.106		5.70	103.1							30											
1	35	16.91	16.91		33.492	24.380	355.0	.124		5.70	103.1	1.8	.35	.0	.00	.07	.01	35											
	50 ISL	16.91	16.91		33.497	24.384	355.1	.177		5.71	103.3							50											
1	54	16.92	16.91		33.498	24.385	355.2	.191		5.71	103.3	1.9	.32	.0	.00	.08	.02	54											
1	70	17.20	17.19		33.668	24.448	349.8	.247		5.66	103.1	1.9	.31	.0	.00	.08	.02	70											
	75 ISL	17.19	17.18		33.671	24.453	349.4	.265		5.65	102.9							76											
1	79	17.19	17.17		33.678	24.460	348.8	.278		5.65	102.9	1.8	.30	.0	.00	.10	.03	79											
1	89	16.94	16.93		33.700	24.535	342.0	.313		5.70	103.3	1.8	.28	.0	.00	.11	.03	89											
1	99	16.12	16.10		33.723	24.744	322.4	.346		5.74	102.3	2.2	.31	.0	.00	.15	.07	99											
	100 ISL	16.01	16.00		33.726	24.770	319.9	.350		5.74	102.1							101											
1	109	15.43	15.41		33.739	24.910	306.7	.377		5.74	101.0	2.4	.31	.0	.00	.20	.17	109											
1	125	14.56	14.54		33.683	25.055	293.2	.425		5.69	98.3	2.7	.36	.3	.03	.26	.29	125											
1	138	13.50	13.48		33.631	25.237	276.1	.464		5.45	92.1	4.0	.54	2.8	.09	.20	.31	139											
	150 ISL	12.86	12.84		33.653	25.381	262.6	.496		5.20	86.8							151											
1	158	12.41	12.39		33.669	25.483	253.0	.517		5.00	82.6	7.1	.78	7.4	.03	.10	.16	159											
1	178	10.81	10.78		33.601	25.725	230.0	.565		4.45	71.0	13.4	1.21	14.2	.01			179											
	200 ISL	9.64	9.62		33.737	26.030	201.0	.612		3.82	59.5							201											
1	203	9.52	9.50		33.763	26.070	197.3	.618		3.74	58.1	22.6	1.62	21.0	.01			204											
1	233	8.85	8.83		33.896	26.281	177.6	.674		3.27	50.1	29.1	1.84	24.7	.01			234											
	250 ISL	8.52	8.50		33.947	26.372	169.1	.704		3.12	47.4							252											
1	271	8.18	8.15		33.991	26.459	161.1	.738		2.97	44.8	35.8	2.01	27.2	.00			272											
	300 ISL	7.78	7.75		34.025	26.545	153.2	.784		2.67	39.9							302											
1	324	7.51	7.48		34.042	26.598	148.5	.821		2.39	35.5	45.5	2.26	30.7	.00			326											
1	385	6.91	6.88		34.093	26.722	137.3	.907		1.61	23.6	56.1	2.59	34.5	.00			387											
	400 ISL	6.76	6.73		34.110	26.755	134.3	.928		1.42	20.7							403											
1	449	6.32	6.28		34.161	26.854	125.2	.992		.89	12.9	68.8	2.87	37.9	.00			452											
	500 ISL	5.94	5.89		34.196	26.931	118.3	1.053		.63	9.0							504											
1	521	5.81	5.76		34.206	26.955	116.1	1.078		.60	8.6	78.7	3.04	39.9	.00			524											

RV DAVID STARR JORDAN

CALCOFI CRUISE 8605

STATION 93 120

LATITUDE		LONGITUDE		DAY/MO/YR		MESSENGER		BOTTOM		WIND		SPEED		WAVES		WEATHER		BAROMETER		DRY		WET		CLOUD		AMT		TYPE	
29 50.7 N		123 34.1 W		12/05/86		1257 GMT		4118 M		010		12 KT						1020.1 MB		14.7 C		11.5 C							
CAST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	NO3	NO2	CHL-A	PHAE0	PRESS													
	M	DEG C	DEG C		THETA			ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR													
1	0	17.96	17.96	34.026	24.537	338.9	.000	5.53	102.4	2.0	.26	.0	.00	.08	.01	0													
	10 ISL	17.96	17.96	34.026	24.538	339.2	.034	5.51	102.1							10													
1	16	17.96	17.95	34.025	24.538	339.4	.054	5.51	102.0	2.0	.25	.0	.00	.08	.01	16													
	20 ISL	17.96	17.96	34.025	24.537	339.6	.068	5.52	102.2							20													
	30 ISL	17.97	17.97	34.025	24.535	340.1	.102	5.53	102.5							30													
1	36	17.98	17.97	34.026	24.534	340.4	.122	5.54	102.6	2.0	.25	.0	.00	.07	.02	36													
	50 ISL	17.98	17.97	34.027	24.535	340.9	.170	5.51	102.1							50													
1	56	17.98	17.97	34.027	24.535	341.1	.190	5.50	101.9	1.9	.25	.0	.00	.07	.01	56													
1	70	17.98	17.97	34.029	24.537	341.3	.237	5.51	102.1	1.9	.24	.0	.00	.07	.01	70													
	75 ISL	17.99	17.98	34.029	24.535	341.7	.255	5.50	102.0							76													
1	81	17.99	17.98	34.028	24.533	342.1	.275	5.50	101.9	1.9	.24	.0	.00	.07	.01	81													
1	91	17.99	17.97	34.027	24.535	342.3	.309	5.52	102.3	1.8	.24	.0	.00	.07	.01	91													
	100 ISL	17.98	17.96	34.028	24.538	342.3	.341	5.52	102.2							101													
1	101	17.98	17.96	34.028	24.538	342.3	.343	5.52	102.3	1.8	.24	.0	.00	.08	.02	101													
1	111	16.71	16.69	33.914	24.754	321.9	.376	5.62	101.5	2.0	.27	.0	.00	.16	.10	111													
	125 ISL	15.13	15.11	33.774	25.002	298.4	.421	5.65	98.8							126													
1	126	15.09	15.07	33.771	25.010	297.7	.422	5.65	98.7	2.5	.32	.0	.00	.16	.19	126													
1	140	14.44	14.42	33.846	25.209	279.1	.465	5.40	93.2	3.3	.41	1.6	.08	.18	.22	141													
	150 ISL	14.13	14.10	33.901	25.316	269.1	.491	5.21	89.4							151													
1	158	13.84	13.82	33.932	25.400	261.3	.514	5.07	86.4	5.1	.57	4.6	.02	.12	.12	159													
1	179	12.72	12.69	33.882	25.588	243.7	.566	4.96	82.6	6.5	.70	7.0	.01			180													
	200 ISL	11.18	11.16	33.804	25.816	222.0	.615	4.68	75.4							201													
1	203	10.96	10.94	33.796	25.850	218.8	.622	4.63	74.2	12.0	1.04	12.4	.01			204													
1	233	9.84	9.81	33.831	26.071	198.0	.684	4.25	66.5	18.5	1.35	17.5	.00			234													
	250 ISL	9.33	9.30	33.879	26.193	186.5	.717	4.02	62.2							252													
1	272	8.78	8.76	33.942	26.329	173.8	.756	3.75	57.3	27.2	1.68	22.6	.00			273													
	300 ISL	8.24	8.21	33.983	26.445	163.0	.803	3.52	53.2							302													
1	324	7.86	7.83	34.004	26.517	156.4	.842	3.29	49.3	37.0	1.95	26.6	.00			326													
1	384	7.05	7.01	34.045	26.665	142.7	.931	2.15	31.6	50.5	2.40	32.4	.00			386													
	400 ISL	6.83	6.79	34.057	26.705	139.0	.954	1.89	27.6							403													
1	447	6.23	6.19	34.094	26.813	129.0	1.017	1.27	18.3	65.1	2.78	37.1	.00			450													
	500 ISL	5.74	5.70	34.128	26.902	120.7	1.083	.87	12.5							504													
1	517	5.62	5.58	34.138	26.924	118.7	1.103	.81	11.5	77.4	3.00	39.7	.00			520													

D. S. JORDAN

CALCOFI CRUISE 8605

STATION 77 60

LATITUDE	LONGITUDE	MO/DAY/YR	MESSENGER	SECCHI	DEPTH	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
34 43.0 N	121 33.2 W	05/21/86	1927 GMT	10	M	1209 - 1934 PST	1203 PST	1930 PST	854.4 MG C/M2							
DEPTH	TEMP	SALINITY	SIGMA	DISS O2	OXY	SI03	PO4	NO3	NO2	CHL	PHAE0	LIGHT	UPTAKE	(MG C/M3)		
M	DEG C		THETA	ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	%	1	2	MEAN	DARK
1	11.97	33.384	25.341	6.02	98.4	6.4	0.88	7.4	0.16	1.96	0.66	96	12.5	9.3	10.9	0.20
8	11.95	33.386	25.347	6.01	98.2	6.5	0.89	7.6	0.16	1.96	0.81	35	55.2	55.4	55.3	0.25
10	11.90	33.388	25.357	5.99	97.8	6.4	0.89	7.6	0.16	1.97	0.75	26	50.2	47.2	48.7	0.24
14	11.79	33.406	25.391	5.89	95.9	7.6	0.95	8.3	0.17	2.03	0.83	13	38.2	34.3	36.3	0.26
23	11.17	33.478	25.561	5.39	86.7	11.2	1.16	11.8	0.22	1.24	1.23	3.4	15.5	14.2	14.9	0.13
35	11.04	33.495	25.598	5.28	84.7	12.1	1.23	12.0	0.22	1.02	0.93	0.56	2.8	3.2	3.0	0.11

D. S. JORDAN

CALCOFI CRUISE 8605

STATION 77 100

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		SECCHI		DEPTH		INCUBATION TIME		LAN		CIVIL TWILIGHT		INTEGRATED VALUE	
33 23.0 N		124 19.2 W		05/20/86		1851 GMT		24		M		1211 - 1942 PST		1231 PST		1940 PST		185.4 MG C/M2	
DEPTH		TEMP	SALINITY	SIGMA	DISS O2	OXY	SI03	PO4	NO3	NO2	CHL	PHAE0	LIGHT	UPTAKE (MG C/M3)					
M		DEG C		THETA	ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	%	1	2	MEAN	DARK		
1		14.75	32.977	24.467	5.93	102.5	3.2	0.38	0.2	0.00	0.18	0.04	96	1.0	0.75	0.88	0.10		
16		14.74	32.986	24.478	5.95	102.8	3.1	0.37	0.2	0.00	0.17	0.04	35	3.7	3.7	3.7	0.11		
22		14.72	32.985	24.481	5.95	102.7	3.0	0.37	0.2	0.00	0.18	0.04	26	3.7	3.5	3.6	0.10		
32		14.70	32.985	24.486	5.95	102.7	3.0	0.37	0.2	0.00	0.19	0.04	13	3.3	3.4	3.4	0.13		
53		14.66	33.049	24.544	5.94	102.5	3.0	0.38	0.2	0.00	0.25	0.07	3.4	2.0	1.8	1.9	0.06		
83		14.00	33.087	24.713	5.98	101.8	2.7	0.39	0.2	0.00	0.25	0.17	0.56	0.54	0.69	0.61	0.04		

D. S. JORDAN

CALCOFI CRUISE 8605

STATION 80 70

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		SECCHI		DEPTH		INCUBATION TIME			LAN		CIVIL TWILIGHT		INTEGRATED VALUE								
33 49.3 N		121 48.4 W		05/18/86		1901 GMT		18		M		1202 - 1936 PST			1205 PST		1932 PST		463.2 MG C/M2								
DEPTH		TEMP		SALINITY		SIGMA		DISS O2		OXY		SI03		P04		N03		N02		CHL		PHAE0		LIGHT		UPTAKE (MG C/M3)	
M		DEG C				THETA		ML/L		PCT		UM/L		UM/L		UM/L		UM/L		UG/L		UG/L		%		1 2 MEAN DARK	
1		13.30						6.06				2.7		0.55		1.7		0.07		0.41		0.15		96		6.1 6.3 6.2 0.19	
13		13.28		33.206		24.948		6.06		101.7		2.7		0.55		1.6		0.07		0.40		0.17		35		18.4 18.0 18.2 0.22	
17		13.27		33.205		24.949		6.06		101.7		2.7		0.55		1.7		0.07		0.38		0.13		26		16.5 15.1 15.8 0.15	
25		13.17		33.252		25.007		6.06		101.5		2.7		0.56		2.1		0.08		0.37		0.15		13		7.6 9.3 8.4 0.15	
41		13.20		33.310		25.046		6.07		101.8		2.7		0.60		2.2		0.09		0.32		0.15		3.4		3.4 4.6 4.0 0.14	
62		12.40		33.344		25.229		5.90		97.3		3.6		0.75		4.2		0.14		0.21		0.16		0.56		0.33 0.55 0.44 0.11	

D. S. JORDAN

CALCOFI CRUISE 8605

STATION 80 110

LATITUDE		"LONGITUDE		MO/DAY/YR		MESSENGER		SECCHI		DEPTH		INCUBATION TIME		LAN		CIVIL TWILIGHT		INTEGRATED VALUE									
32 29.0 N		124 36.0 W		05/19/86		1917 GMT		29		M		1209 - 1947 PST		1214 PST		1944 PST		103.7 MG C/M2									
DEPTH		TEMP		SALINITY		SIGMA		DISS O2		OXY		SI03		PO4		NO3		NO2		CHL		PHAE0		LIGHT		UPTAKE (MG C/M3)	
M		DEG C				THETA		ML/L		PCT		UM/L		UM/L		UM/L		UM/L		UG/L		UG/L		%		1 2 MEAN DARK	
2		15.61		33.176		24.433		5.82		102.4		2.5		0.36		0.2		0.00		0.06		0.01		96		0.65 0.76 0.71 0.08	
21		15.55		33.177		24.448		5.81		102.1		2.5		0.36		0.2		0.00		0.07		0.01		35		1.6 1.6 1.6 0.10	
26		15.54		33.177		24.450		5.81		102.1		2.4		0.36		0.2		0.00		0.07		0.01		26		1.5 1.5 1.5 0.10	
40		15.52		33.182		24.458		5.81		102.1		2.4		0.36		0.1		0.00		0.07		0.01		13		1.2 1.3 1.3 0.11	
65		15.46		33.172		24.466		5.83		102.3		2.5		0.36		0.1		0.00		0.12		0.02		3.4 0.91 1.0 0.98 0.11			
100		12.51		33.285		25.164		5.73		94.7		4.0		0.56		2.0		0.11		0.43		0.30		0.56 0.36 0.47 0.42 0.07			

STATION 83 40.6

STATION 84 70

STATION 87 40

STATION 90 37

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		SECCHI		DEPTH		INCUBATION TIME		LAN		CIVIL TWILIGHT		INTEGRATED VALUE															
33 11.1 N		118 23.2 W		05/14/86		1926 GMT		15		M		1156 - 1911 PST		1150 PST		1910 PST		833.6 MG C/M2															
DEPTH		TEMP		SALINITY		SIGMA		DISS O2		OXY		SI03		P04		NO3		NO2		CHL		PHAE0		LIGHT		UPTAKE (MG C/M3)							
M		DEG C		THETA		ML/L		PCT		UM/L		UM/L		UM/L		UM/L		UG/L		UG/L		%		1		2		MEAN		DARK			
1		16.69		33.511		24.445		6.05		109.0		1.4		0.23		0.0		0.00		0.35		0.06		96		7.8		7.7		7.8		0.18	
11		16.65		33.510		24.453		6.06		109.1		1.2		0.22		0.0		0.00		0.36		0.06		35		11.4		11.2		11.3		0.22	
14		15.94		33.487		24.598		6.13		108.8		1.2		0.24		0.0		0.00		0.38		0.08		26		8.0		11.3		9.7		0.22	
21		14.75		33.465		24.845		6.55		113.5		0.7		0.25		0.0		0.00		1.04		0.23		13		24.1		18.0		21.1		0.27	
34		13.12		33.479		25.193		5.63		94.3		5.1		0.60		2.6		0.12		3.41		1.09		3.4		30.0		27.7		28.8		0.25	
52		11.18		33.632		25.679		3.78		60.8		15.4		1.37		16.3		0.06		0.44		0.37		0.56		0.68		0.62		0.65		0.05	

D. S. JORDAN

CALCOFI CRUISE 8605

STATION 90 80

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		SECCHI		DEPTH		INCUBATION TIME		LAN		CIVIL TWILIGHT		INTEGRATED VALUE	
31 45.2 N		121 19.2 W		05/13/86		1914 GMT		21		M		1157 - 1920 PST		1201 PST		1918 PST		81.0 MG C/M2	
DEPTH	TEMP	SALINITY	SIGMA	DISS	O2	OXY	SI03	P04	N03	N02	CHL	PHAE0	LIGHT	UPTAKE (MG C/M3)					
														THETA	ML/L	PCT	UM/L	UM/L	UM/L
2	15.43	33.146	24.451	5.87	102.9	2.2	0.38	0.0	0.00	0.14	0.02	96	1.1	1.2	1.1	0.10			
15	15.44	33.145	24.447	5.88	103.1	2.3	0.38	0.0	0.00	0.14	0.03	35	2.1	1.6	1.9	0.12			
19	15.42	33.144	24.452	5.87	102.9	2.4	0.38	0.0	0.00	0.14	0.02	26	2.0	1.5	1.8	0.09			
29	15.41	33.143	24.453	5.88	103.0	2.3	0.38	0.0	0.00	0.15	0.03	13	1.7	1.4	1.5	0.10			
47	15.46	33.164	24.459	5.86	102.8	2.4	0.36	0.0	0.00	0.18	0.04	3.4	0.87	0.93	0.90	0.10			
72	15.35	33.163	24.484	5.88	102.9	2.3	0.38	0.0	0.00	0.27	0.07	0.56	0.19	0.21	0.20	0.04			

D. S. JORDAN

CALCOFI CRUISE 8605

STATION 90 120

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		SECCHI		DEPTH		INCUBATION TIME		LAN		CIVIL TWILIGHT		INTEGRATED		VALUE															
30 25.0 N		124 00.1 W		05/12/86		1936 GMT		30		M		1212 - 1924 PST		1212 PST		1924 PST		62.2 MG		C/M2															
DEPTH		TEMP		SALINITY		SIGMA		DISS		O2		OXY		SI03		P04		N03		N02		CHL		PHAE0		LIGHT		UPTAKE		(MG C/M3)					
M		DEG C				THETA		ML/L		PCT		UM/L		UM/L		UM/L		UM/L		UM/L		UG/L		UG/L		%		1		2		MEAN		DARK	
2		17.45		33.835		24.514		5.59		102.4		1.5		0.27		0.1		0.00		0.07		0.01		96		0.42		0.31		0.36		0.07			
22		17.47		33.845		24.519		5.59		102.4		1.5		0.26		0.1		0.00		0.08		0.02		35		1.1		1.0		1.1		0.07			
27		17.45		33.845		24.522		5.58		102.2		1.5		0.26		0.1		0.00		0.06		0.02		26		1.1		0.70		0.90		0.08			
41		17.49		33.862		24.528		5.59		102.5		1.5		0.26		0.1		0.00		0.07		0.02		13		0.79		0.88		0.83		0.08			
67		17.51		33.869		24.527		5.59		102.5		1.5		0.26		0.1		0.00		0.08		0.02		3.4		0.49		0.47		0.48		0.08			
103		15.52		33.731		24.884		5.74		101.1		1.8		0.31		0.1		0.00		0.17		0.12		0.56		0.24		0.21		0.23		0.04			

D. S. JORDAN

CALCOFI CRUISE 8605

STATION 93 50

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		SECCHI		DEPTH		INCUBATION TIME		LAN		CIVIL TWILIGHT		INTEGRATED		VALUE															
32 10.7 N		118 53.8 W		05/10/86		1928 GMT		14		M		1203 - 1910 PST		1152 PST		1910 PST		749.3 MG		C/M2															
DEPTH		TEMP		SALINITY		SIGMA		DISS		O2		OXY		SI03		P04		N03		N02		CHL		PHAE0		LIGHT		UPTAKE		(MG C/M3)					
M		DEG C				THETA		ML/L		PCT		UM/L		UM/L		UM/L		UM/L		UM/L		UG/L		UG/L		%		1		2		MEAN		DARK	
1		15.51		33.495		24.700		6.03		106.1		2.2		0.34		0.2		0.05		0.55		0.06		96		9.7		11.0		10.4		0.13			
11		14.12		33.348		24.887		6.28		107.4		1.1		0.36		0.0		0.01		0.86		0.17		35		21.5		19.8		20.6		0.23			
13		14.08		33.348		24.895		6.27		107.1		1.1		0.37		0.0		0.01		0.97		0.25		26		20.7		20.5		20.6		0.19			
20		14.02		33.347		24.908		6.23		106.3		1.2		0.37		0.0		0.02		1.08		0.29		13		22.4		23.8		23.1		0.22			
32		13.90		33.348		24.934		6.02		102.4		2.3		0.44		0.6		0.05		1.64		0.60		3.4		16.1		18.4		17.2		0.19			
48		12.70		33.387		25.205		5.31		88.1		7.0		0.79		5.6		0.30		0.71		0.43		0.56		1.3		1.3		1.3		0.06			

D. S. JORDAN

CALCOFI CRUISE 8605

STATION 93 90

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		SECCHI		DEPTH		INCUBATION TIME		LAN		CIVIL TWILIGHT		INTEGRATED VALUE									
30 50.8 N		121 35.4 W		05/11/86		1937 GMT		35		M		1206 - 1925 PST		1202 PST		1926 PST		87.5 MG C/M2									
DEPTH		TEMP		SALINITY		SIGMA		DISS O2		OXY		SI03		P04		N03		N02		CHL		PHAE0		LIGHT		UPTAKE (MG C/M3)	
M		DEG C				THETA		ML/L		PCT		UM/L		UM/L		UM/L		UM/L		UG/L		UG/L		%		1 2 MEAN DARK	
2		15.89		33.163		24.361		5.80		102.6		2.7		0.37		0.2		0.00		0.07		0.01		96		0.39 0.27 0.33 0.08	
25		15.83		33.165		24.375		5.80		102.5		2.3		0.38		0.0		0.00		0.08		0.01		35		1.4 1.0 1.2 0.12	
32		16.06		33.251		24.392		5.78		102.7		2.2		0.35		0.0		0.00		0.09		0.01		26		1.0 1.1 1.1 0.13	
48		16.13		33.293		24.407		5.77		102.7		2.0		0.34		0.0		0.00		0.11		0.01		13		0.81 1.0 0.91 0.14	
79		15.54		33.306		24.551		5.83		102.5		2.0		0.34		0.0		0.00		0.13		0.04		3.4		0.72 0.57 0.64 0.11	
120		12.65		33.336		25.177		5.66		93.8		3.6		0.55		2.4		0.08		0.29		0.26		0.56		0.40 0.38 0.39 0.04	

Secchi Disk Observations

CalCOFI Cruise 8605


Line	Sta.	Day	Mo	Local Time (+8: PST)	Secchi Depth (m)	Weather	Clouds Type/Amt
77	55	21	5	1340	7	1	CS 4/8
77	60	21	5	1110	10	1	CS 5/8
77	90	20	5	1454	25	1	ST 1/8
77	100	20	5	1035	24	2	ST 8/8
80	51	17	5	1830	8	1	ST 3/8
80	70	18	5	1045	18	2	ST 8/8
80	80	18	5	1540	37	1	ST 3/8
80	110	19	5	1106	29	1	CU 2/8
80	120	19	5	1525	36	1	SC 7/8
82	47	17	5	1410	3	4	ST 8/8
83	40.6	17	5	1035	22	4	ST 8/8
83	42	17	5	0708	8	4	ST 8/8
83	60	16	5	1629	19	1	ST 2/8
83	70	16	5	1318	14	1	ST 3/8
84	70	16	5	1110	22	1	ST 3/8
87	35	15	5	0620	11	2	ST 8/8
87	40	15	5	0955	9	2	ST 8/8
87	45	15	5	1235	7	1	ST 5/8
87	50	15	5	1415	13	0	- 0
87	70	16	5	0650	18	2	ST 8/8
90	30	14	5	1715	11	1	ST 4/8
90	35	14	5	1359	19	2	ST 8/8
90	37	14	5	1115	15	2	ST 8/8
90	70	13	5	1550	24	2	ST 8/8
90	80	13	5	1100	21	2	ST 8/8
90	90	13	5	0600	28	.	- 0
90	110	12	5	1650	30	2	ST 8/8
90	120	12	5	1125	30	1	SC 7/8
93	26	9	5	1434	5	-	- -
93	26.7	9	5	1515	7	0	- 0
93	29	9	5	1705	11	0	- 0
93	45	10	5	0735	12	1	CU 6/8
93	50	10	5	1110	14	1	CU 7/8
93	55	10	5	1428	17	1	SC 2/8
93	60	10	5	1818	11	1	CU 7/8
93	80	11	5	0515	26	1	SC 5/8
93	90	11	5	1119	35	1	SC 3/8
93	100	11	5	1705	31	1	SC 7/8
93	120	12	5	0615	34	-	- -

CalCOFI Cruise 8605

MACROZOOPLANKTON BIOMASS

Net Mesh Size: 0.505 mm

Line	Sta.	Position		Date Mo/Day	Time (GMT) Start End		Water Volume Strained (m)	Max. Tow Depth (m)	Volume per	
									1000 m Strained	Small (cm)
77	55	34 53.3N	121 11.9W	5/21	2220	2242	392	215	525	525
77	60	34 43.3N	121 32.9W	5/21	1820	1842	412	223	301	301
77	70	34 23.3N	122 14.9W	5/21	1115	1137	425	196	497	497
77	80	34 03.3N	122 56.5W	5/21	0608	0630	410	217	61	61
77	90	33 43.3N	123 38.0W	5/21	0100	0122	422	210	36	36
77	100	33 23.3N	124 19.4W	5/20	1655	1717	395	213	89	89
77	110	33 03.4N	125 00.5W	5/20	1135	1157	415	210	48	48
77	120	32 43.3N	125 41.6W	5/20	0557	0619	415	214	58	58
80	51	34 27.0N	120 31.4W	5/18	0315	0322	130	65	425	425
80	55	34 19.0N	120 48.2W	5/18	0715	0737	400	207	470	470
80	60	34 09.0N	121 09.0W	5/18	1045	1107	400	212	463	463
80	70	33 49.0N	121 50.6W	5/18	1725	1747	382	214	196	196
80	80	33 29.0N	122 32.0W	5/19	0045	0108	423	227	33	33
80	90	33 09.0N	123 13.3W	5/19	0618	0640	411	220	95	95
80	100	32 49.0N	123 54.4W	5/19	1155	1217	417	213	36	36
80	110	32 29.0N	124 35.3W	5/19	1710	1732	420	212	36	36
80	120	32 09.0N	125 16.1W	5/20	0031	0053	409	209	49	49
82	47	34 17.0N	120 02.1W	5/17	2326	2348	393	209	417	417
83	40.6	34 13.5N	119 24.7W	5/17	1800	1804	57	27	647	647
83	42	34 10.7N	119 30.5W	5/17	1535	1546	164	96	610	610
83	51	33 52.7N	120 08.0W	5/17	1020	1030	183	92	252	252
83	55	33 44.7N	120 24.7W	5/17	0715	0737	422	207	211	211
83	60	33 34.7N	120 45.4W	5/17	0329	0351	402	213	154	154
83	70	33 14.7N	121 26.6W	5/16	2155	2217	438	212	91	91
87	33	33 53.4N	118 29.4W	5/15	1145	1152	110	57	1002	1002
87	35	33 49.4N	118 37.7W	5/15	1350	1412	382	208	259	259
87	40	33 39.3N	118 58.5W	5/15	1715	1737	396	212	235	235
87	45	33 29.4N	119 19.1W	5/15	2133	2155	411	214	197	197
87	50	33 19.4N	119 39.8W	5/16	0055	0103	138	65	348	348
87	55	33 09.4N	120 00.4W	5/16	0412	0435	419	223	167	167
87	60	32 59.3N	120 21.0W	5/16	0753	0815	427	211	237	237
87	70	32 39.5N	121 02.0W	5/16	1355	1417	442	212	45	45
90	28	33 29.1N	117 46.1W	5/15	0606	0616	167	83	539	539
90	30	33 25.1N	117 54.4W	5/15	0223	0245	375	206	278	278
90	35	33 15.1N	118 15.0W	5/14	2251	2313	397	208	116	116
90	37	33 11.2N	118 23.1W	5/14	2025	2047	397	210	128	128
90	45	32 55.2N	118 56.0W	5/14	1556	1618	407	211	111	111
90	53	32 39.0N	119 28.9W	5/14	1105	1127	404	205	109	109
90	60	32 25.1N	119 57.7W	5/14	0641	0703	417	216	163	163
90	70	32 05.1N	120 38.3W	5/14	0110	0132	399	209	55	55
90	80	31 45.1N	121 19.1W	5/13	1925	1947	414	213	36	36
90	90	31 25.1N	121 59.4W	5/13	1330	1352	412	208	27	27
90	100	31 05.1N	122 39.4W	5/13	0748	0810	426	214	33	33
90	110	30 45.1N	123 19.9W	5/13	0203	0225	407	210	32	32
90	120	30 25.1N	123 59.9W	5/12	2000	2022	434	209	21	21
93	26.7	32 57.4N	117 18.3W	5/9	2357	0006	149	77	302	302
93	29	32 52.8N	117 27.8W	5/10	0226	0248	402	203	119	119
93	30	32 50.8N	117 31.9W	5/10	0440	0502	387	214	163	163
93	35	32 40.8N	117 52.4W	5/10	0831	0853	391	210	171	171
93	40	32 30.8N	118 12.9W	5/10	1215	1237	391	210	123	123
93	45	32 20.8N	118 33.3W	5/10	1600	1622	377	214	130	130
93	50	32 10.8N	118 53.6W	5/10	1949	2011	378	212	132	132
93	55	32 00.8N	119 14.0W	5/10	2334	2356	391	208	141	141
93	60	31 50.8N	119 34.2W	5/11	0327	0349	393	220	130	130
93	70	31 30.8N	120 14.9W	5/11	0855	0917	418	203	134	134
93	80	31 10.7N	120 55.3W	5/11	1425	1447	398	214	45	45
93	90	30 50.8N	121 35.4W	5/11	2039	2101	416	211	31	31
93	100	30 30.9N	122 15.4W	5/12	0229	0251	426	209	21	21
93	110	30 10.8N	122 55.7W	5/12	0810	0832	435	217	30	30
93	120	29 50.4N	123 33.4W	5/12	1340	1402	417	207	24	24



PERSONNEL

Cruise CW86

SHIP'S CAPTAIN

Munsch, Phillip L., RV *New Horizon*

PERSONNEL PARTICIPATING IN THE COLLECTION OF DATA

Hayward, Thomas L. (Chief Scientist)	Asst. Research Oceanographer, SIO
Boaz, John T.	Marine Technician, SIO
Bryan, Walter R.	Marine Technician, SIO
Cummings, Sherry L.	Staff Research Associate, SIO
Hester, Arthur W.	Staff Research Associate, SIO
Hood, Raleigh R.	Graduate Student, SIO
Plummer, Kenneth M.	Staff Research Associate, SIO
Sweet, Paul R.	Staff Research Associate, SIO
Venrick, Elizabeth L.	Assoc. Research Oceanographer, SIO

RV NEW HORIZON				CRUISE CW86										STATION 90 28																	
LATITUDE		LONGITUDE		DAY/MO/YR		MESSENGER		BOTTOM		WIND		SPEED		WAVES		WEATHER		BAROMETER		DRY		WET		CLOUD		AMT		TYPE			
33 28.5 N		117 47.2 W		06/03/86		2259 GMT		426 M		190		04 KT		250 02 04		2		1020.8 MB		16.0 C		14.0 C		8/8		ST					
CAST	DEPTH	TEMP		POT TEMP		SALINITY		SIGMA		SVA		DYN HT		OXYGEN		OXY		SI03		P04		N03		N02		CHL-A		PHAE0		PRESS	
	M	DEG C		DEG C				THETA						ML/L		PCT		UM/L		UM/L		UM/L		UM/L		UG/L		UG/L		D.BAR	
1	0	15.62	15.62	33.290	24.520	3 40.5	.000	6.38	112.4	1.9	.28	.0		1.13	.51	0															
1	10	14.99	14.99	33.336	24.692	324.4	.033	5.93	103.2	2.8	.40	.0		1.41	.75	10															
	20 ISL	13.93	13.93	33.408	24.972	298.0	.064	5.35	91.1							20															
1	26	13.33	13.32	33.449	25.127	283.3	.081	5.05	85.0	6.5	.81	2.0		.43	.36	26															
	30 ISL	13.09	13.08	33.460	25.184	278.1	.093	4.94	82.8							30															
1	36	12.80	12.80	33.469	25.248	272.2	.109	4.83	80.4	8.0	.93	4.8		.28	.29	36															
	46	12.25	12.25	33.504	25.381	259.7	.136	4.62	76.0	9.5	1.03	7.6		.20	.27	46															
	50 ISL	12.10	12.09	33.519	25.422	255.9	.146	4.53	74.3							50															
1	63	11.72	11.71	33.564	25.529	246.0	.17 8	4.26	69.3	12.5	1.21	11.2		.18	.24	63															
	75 ISL	11.30	11.29	33.618	25.647	235.0	.208	3.99	64.4							75															
1	78	11.21	11.20	33.631	25.674	232.5	.214	3.93	63.3	15.7	1.35	14.4		.12	.18	78															
	100 ISL	10.35	10.34	33.786	25.947	207.0	.263	3.29	52.1							101															
1	102	10.25	10.24	33.807	25.981	203.8	.26 8	3.21	50.7	23.0	1.71	21.2		.06	.06	103															

RV NEW HORIZON				CRUISE CW86										STATION 90 30				
LATITUDE		LONGITUDE		DAY/MO/YR		MESSENGER		BOTTOM	WIND	SPEED	WAVES	WEATHER	BAROMETER	DRY	WET	CLOUD	AMT	TYPE
33 24.8 N		117 53.7 W		07/03/86		0128 GMT		620 M	210	06 KT	260 02 04	2	1019.5 MB	15.0 C	13.5 C	8/8	ST	
CAST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRESS		
	M	DEG C	DEG C		THETA			ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR		
1	0	15.42	15.42	33.308	24.577	335.1	.000	6.25	109.7	.9	.27	.0		.64	.25	0		
1	10	15.34	15.34	33.305	24.593	333.9	.033	6.27	109.8	.9	.28	.0		.79	.31	10		
	20 ISL	14.82	14.82	33.356	24.745	319.7	.066	6.09	105.7							20		
1	21	14.75	14.75	33.363	24.766	317.7	.06 9	6.06	104.9	1.4	.32	.0		.92	.41	21		
	30 ISL	13.66	13.66	33.435	25.049	291.0	.097	5.41	91.6							30		
1	32	13.43	13.43	33.448	25.106	285.6	.102	5.27	88.9	4.8	.66	1.4		.64	.50	32		
1	42	12.69	12.68	33.458	25.26 1	271.0	.130	4.96	82.4	6.8	.85	5.0		.34	.38	42		
	50 ISL	12.08	12.07	33.528	25.433	254.9	.151	4.40	72.2							50		
1	52	11.97	11.96	33.543	25.465	251.8	.156	4.29	70.2	11.6	1.21	11.2		.18	.23	52		
1	64	11.73	11.72	33.564	25.527	246.3	.185	4.21	68.5	12.3	1.23	12.2		.16	.24	64		
1	73	11.36	11.35	33.619	25.638	235.8	.207	4.04	65.3	14.6	1.32	14.2		.14	.20	73		
	75 ISL	11.30	11.29	33.628	25.656	234.2	.213	4.00	64.5							75		
1	90	11.02	11.01	33.673	25.742	226.3	.246	3.73	59.8	17.0	1.46	16.5		.11	.14	90		
	100 ISL	10.79	10.78	33.724	25.822	219.0	.26 9	3.56	56.9							101		
1	103	10.72	10.70	33.742	25.849	216.4	.277	3.51	56.0	19.1	1.56	18.4		.13	.10	104		
1	124	10.17	10.15	33.842	26.022	200.4	.320	3.15	49.7	23.4	1.76	22.1		.03	.05	125		
	125 ISL	10.16	10.14	33.845	26.026	200.0	.322	3.14	49.5							126		
1	149	9.78	9.77	33.959	26.17 8	186.0	.368	2.78	43.5	27.7	1.94	25.2		.02	.04	150		
	150 ISL	9.77	9.76	33.962	26.183	185.6	.370	2.77	43.3							151		
1	181	9.41	9.39	34.062	26.322	173.0	.426	2.39	37.1	32.5	2.13	27.8				182		
	200 ISL	9.30	9.28	34.129	26.392	166.6	.458	2.15	33.3							201		
1	211	9.26	9.24	34.167	26.427	163.5	.476	2.00	31.0	36.9	2.28	29.5				212		
1	242	9.26	9.24	34.260	26.501	157.2	.525	1.49	23.1	39.3	2.53	31.0				243		
	250 ISL	9.11	9.09	34.255	26.521	155.4	.538	1.50	23.1							252		
1	281	8.44	8.41	34.212	26.593	148.8	.586	1.53	23.3	44.3	2.51	32.5				283		
	300 ISL	8.24	8.21	34.218	26.629	145.7	.613	1.43	21.6							302		
1	342	7.93	7.90	34.247	26.6 98	139.7	.673	1.13	17.0	52.1	2.70	35.1				344		
	400 ISL	7.31	7.27	34.234	26.778	132.6	.752	.94	13.9							403		
1	418	7.12	7.08	34.230	26.801	130.5	.776	.89	13.1	61.0	2.87	38.1				421		
1	496	6.65	6.60	34.287	26.911	120.9	.873	.50	7.3	70.8	3.06	40.5				499		
	500 ISL	6.62	6.57	34.290	26.917	120.4	.879	.48	7.1							504		
1	575	6.15	6.10	34.335	27.014	111.8	.966	.30	4.3	80.6	3.20	41.8				579		

RV NEW HORIZON				CRUISE CW86										STATION 90 35																	
LATITUDE		LONGITUDE		DAY/MO/YR		MESSENGER		BOTTOM		WIND		SPEED		WAVES		WEATHER		BAROMETER		DRY		WET		CLOUD		AMT		TYPE			
33 15.1 N		118 15.3 W		07/03/86		0506 GMT		435 M		23 0		04 KT						1019.0 MB		15.2 C		13.8 C									
CAST	DEPTH	TEMP		POT TEMP		SALINITY		SIGMA		SVA		DYN HT		OXYGEN		OXY		SI03		P04		N03		N02		CHL-A		PHAE0		PRESS	
	M	DEG C		DEG C				THETA						ML/L		PCT		UM/L		UM/L		UM/L		UM/L		UG/L		UG/L		D.BAR	
	0	ISL	15.97	15.97		33.432	24.549	338.1		.000			5.93	105.3																0	
1	1		15.97	15.97		33.432	24.549	337.8		.003			5.93	105.3			1.5	.31	.0	.00		.34	.07							1	
1	10		15.84	15.84		33.455	24.597	333.4		.033			5.92	104.8			1.6	.32	.0	.00		.28	.07							10	
	20	ISL	15.59	15.59		33.462	24.657	327.5		.067			5.97	105.2																20	
	30	ISL	15.00	14.99		33.468	24.794	315.3		.099			6.02	104.8																30	
1	31		14.93	14.92		33.469	24.809	313.9		.102			6.02	104.7			1.7	.33	.0	.00		.48	.19							31	
	46		12.89	12.88		33.470	25.23 2	273.9		.145			5.30	88.4			5.5	.72	4.2	.32		.73	.72							46	
	50	ISL	12.62	12.61		33.481	25.294	268.2		.157			5.13	85.0																50	
	62		12.14	12.13		33.521	25.417	256.7		.188			4.69	77.0			9.5	.99	9.2	.15		.42	.51							62	
	75	ISL	11.53	11.53		33.583	25.578	241.7		.221			4.25	68.9																75	
1	77		11.46	11.45		33.592	25.598	239.8		.225			4.20	68.0			13.2	1.23	13.5	.02		.14	.27							77	
1	93		10.82	10.81		33.682	25.783	222.4		.261			3.83	61.2			17.2	1.43	17.0	.01		.06	.16							93	
	100	ISL	10.57	10.56		33.730	25.865	214.8		.278			3.63	57.7																	101
1	113		10.22	10.20		33.817	25.994	202.8		.306			3.28	51.8			22.6	1.70	20.8	.00		.01	.08							114	
	125	ISL	10.06	10.04		33.886	26.075	195.3		.329			3.04	47.8																	126
1	138		9.93	9.91		33.957	26.152	188.3		.354			2.80	43.9			26.9	1.92	23.7	.00		.01	.04							13 9	
	150	ISL	9.75	9.73		34.007	26.222	181.9		.376			2.61	40.8																	151
1	169		9.47	9.45		34.074	26.320	172.9		.410			2.34	36.4			32.2	2.14	26.4	.00		.00	.03							170	
	200	ISL	9.23	9.21		34.159	26.426	163.5		.462			1.98	30.6																	201
1	205		9.20	9.18		34.167	26.43 8	162.4		.470			1.94	30.0			36.6	2.31	28.4	.00		.00	.03							206	
1	242		8.79	8.77		34.174	26.509	156.2		.528			1.86	28.5			39.8	2.38	29.5	.00		.00	.03							243	
	250	ISL	8.66	8.63		34.177	26.53 2	154.1		.541			1.80	27.6																	252
1	282		8.14	8.11		34.190	26.621	146.0		.590			1.55	23.4			47.0	2.55	31.8	.01										284	
	300	ISL	7.94	7.90		34.197	26.657	142.7		.615			1.42	21.4																	302
1	329		7.65	7.62		34.207	26.707	138.4		.656			1.23	18.4			53.5	2.71	33.9	.00										331	
1	369		7.31	7.28		34.218	26.764	133.4		.710			1.00	14.8			58.5	2.83	35.4	.00										371	

RV NEW HORIZON				CRUISE CW86										STATION 90 37															
LATITUDE		LONGITUDE		DAY/MO/YR		MESSENGER		BOTTOM		WIND		SPEED		WAVES		WEATHER		BAROMETER		DRY		WET		CLOUD		AMT		TYPE	
33 11.0 N		118 22.9 W		07/03/86		0733 GMT		1174 M		280		05 KT						1019.2 MB		14.6 C		13.3 C							
CAST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRESS													
	M	DEG C	DEG C		THETA			ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR													
1	0 ISL	15.85	15.85	33.461	24.599	333.7	.000	5.88	104.2							0													
	2	15.85	15.85	33.461	24.599	333.0	.007	5.88	104.2							2													
1	10 ISL	15.76	15.76	33.472	24.627	330.6	.033	5.93	104.9	2.1	.32	.0	.00	.26	.14	10													
1	12	15.74	15.74	33.473	24.634	330.1	.040	5.94	105.0	2.2	.32	.0	.00	.24	.06	12													
	20 ISL	15.63	15.63	33.470	24.656	328.2	.066	5.95	104.9							20													
1	23	15.59	15.59	33.469	24.664	327.5	.07 6	5.95	104.9	2.2	.33	.0	.00	.28	.09	23													
1	30 ISL	14.61	14.60	33.466	24.876	307.7	.098	5.97	103.2							30													
1	33	14.14	14.14	33.465	24.973	298.3	.107	5.98	102.3	3.0	.40	.0	.03	.82	.42	33													
1	44	12.94	12.93	33.474	25.225	274.5	.138	5.34	89.1	5.9	.72	3.8	.32	.66	.42	44													
1	50 ISL	12.50	12.50	33.484	25.317	265.9	.155	5.01	82.9							50													
1	54	12.30	12.29	33.493	25.364	261.5	.165	4.83	79.6	8.8	.94	8.1	.19	.45	.49	54													
1	64	11.63	11.83	33.545	25.492	249.5	.190	4.49	73.3	11.4	1.11	11.1	.05	.20	.28	64													
1	75	11.37	11.36	33.601	25.622	237.4	.217	4.15	67.1	14.2	1.27	13.9	.02	.14	.28	75													
1	90	10.86	10.85	33.682	25.776	223.1	.251	3.77	60.3	17.8	1.47	17.2	.02	.07	.16	90													
1	100 ISL	10.45	10.44	33.765	25.914	210.2	.27 4	3.46	54.8							101													
1	105	10.24	10.23	33.807	25.982	203.8	.285	3.31	52.3	22.9	1.70	20.9	.01	.02	.07	106													
1	125	9.81	9.79	33.876	26.109	192.1	.325	3.11	48.7	26.3	1.82	22.9	.01	.01	.05	126													
1	150 ISL	9.48	9.46	33.949	26.220	181.9	.371	2.91	45.2							151													
1	151	9.47	9.45	33.952	26.225	181.5	.373	2.90	45.0	29.4	1.94	24.8	.01	.00	.03	152													
1	182	9.02	9.00	34.050	26.374	167.9	.427	2.53	38.9	34.6	2.13	27.3	.00			183													
1	200 ISL	8.84	8.81	34.085	26.431	162.7	.456	2.37	36.3							201													
1	213	8.75	8.73	34.112	26.466	159.7	.477	2.23	34.1	38.6	2.25	28.9	.00			214													
1	243	8.79	8.77	34.217	26.542	153.1	.524	1.62	24.8	42.7	2.48	30.5	.00			244													
1	250 ISL	8.73	8.71	34.230	26.562	151.3	.535	1.52	23.3							252													
1	283	8.31	8.28	34.254	26.647	143.7	.584	1.22	18.5	48.8	2.66	32.5	.00			285													
1	300 ISL	8.04	8.01	34.249	26.683	140.4	.608	1.14	17.2							302													
1	345	7.35	7.32	34.225	26.764	133.1	.669	1.01	15.0	58.6	2.81	35.6	.00			347													
1	400 ISL	6.95	6.91	34.243	26.835	126.9	.7 41	.78	11.4							403													
1	422	6.84	6.80	34.256	26.860	124.8	.769	.68	10.0	66.6	2.99	37.8	.00			425													
1	500	6.35	6.31	34.303	26.963	115.8	.862	.40	5.8	74.8	3.13	39.7	.00			503													
1	578	5.91	5.86	34.341	27.050	108.1	.949	.28	4.0	83.0	3.23	41.3	.00			582													

RV NEW HORIZON				CRUISE CW86										STATION 90 45															
LATITUDE		LONGITUDE		DAY/MO/YR		MESSENGER		BOTTOM		WIND		SPEED		WAVES		WEATHER		BAROMETER		DRY		WET		CLOUD		AMT		TYPE	
32 54.5 N		118 55.6 W		07/03/86		1250 GMT		1690 M		310		12 KT						1019.0 MB		14.3 C		12.8 C							
CAST	DEPTH	TEMP		POT	TEMP	SALINITY		SIGMA		SVA	DYN	HT	OXYGEN		OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRESS							
	M	DEG	C		DEG C		THETA						ML/L	PCT		UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR							
	0 ISL	15.26		15.26		33.448	24.719	321.5		.000			5.92	103.6								0							
1	1	15.26		15.26		33.448	24.719	321.6		.003			5.92	103.6	1.4	.33	.0	.00	.20	.06	1								
1	10	15.25		15.25		33.446	24.719	321.8		.032			5.95	104.1	1.4	.33	.0	.00	.19	.07	10								
	20 ISL	14.77		14.77		33.440	24.820	312.5		.064			6.08	105.5							20								
1	22	14.65		14.65		33.439	24.846	310.1		.07 0			6.11	105.6	1.4	.33	.0	.00	.23	.09	22								
1	30 ISL	14.23		14.23		33.447	24.940	301.3		.095			6.13	105.1							30								
1	33	14.05		14.04		33.449	24.980	297.6		.103			6.14	104.9	1.8	.36	.0	.00	.44	.25	33								
1	43	13.05		13.04		33.433	25.171	279.7		.132			5.52	92.3	5.2	.63	3.4	.29	.50	.49	43								
1	50 ISL	12.16		12.16		33.455	25.360	261.8		.151			5.01	82.2							50								
1	53	11.86		11.85		33.470	25.43 0	255.2		.158			4.82	78.6	9.6	1.00	9.7	.12	.24	.39	53								
1	64	11.33		11.32		33.559	25.596	239.6		.186			4.32	69.7	13.1	1.22	13.6	.03	.17	.23	64								
1	74	11.12		11.11		33.611	25.674	232.4		.209			4.09	65.7	15.1	1.32	15.1	.02	.12	.23	74								
1	75 ISL	11.09		11.08		33.617	25.685	231.4		.212			4.06	65.3							76								
1	90	10.69		10.68		33.678	25.803	220.5		.245			3.80	60.5	18.1	1.48	17.6	.01	.05	.12	90								
1	100 ISL	10.40		10.39		33.720	25.886	212.8		.26 8			3.63	57.4							101								
1	105	10.25		10.24		33.745	25.931	208.6		.27 9			3.54	55.9	21.3	1.62	19.8	.01	.02	.06	106								
1	125	9.72		9.70		33.880	26.128	190.2		.319			3.26	50.9	26.8	1.85	23.1	.00	.01	.04	126								
1	150 ISL	9.28		9.27		33.947	26.251	178.9		.364			3.10	47.9							151								
1	151	9.26		9.25		33.949	26.256	178.5		.366			3.09	47.8	30.3	1.98	25.2	.00	.00	.04	152								
1	182	8.79		8.77		34.044	26.406	164.7		.419			2.69	41.2	35.6	2.15	27.5	.00			183								
1	200 ISL	8.65		8.63		34.083	26.459	160.0		.449			2.38	36.4							201								
1	213	8.56		8.54		34.105	26.490	157.3		.46 9			2.17	33.1	39.3	2.30	29.1	.00			214								
1	244	8.18		8.15		34.148	26.582	149.0		.516			1.81	27.3	44.5	2.46	30.8	.00			245								
1	250 ISL	8.13		8.10		34.158	26.598	147.6		.526			1.73	26.0							252								
1	284	7.89		7.86		34.204	26.670	141.2		.575			1.31	19.7	50.6	2.66	32.8	.00			286								
1	300 ISL	7.76		7.73		34.217	26.699	138.7		.597			1.18	17.7							302								
1	346	7.41		7.38		34.242	26.769	132.6		.659			.92	13.7	58.1	2.85	35.0	.00			348								
1	400 ISL	7.10		7.06		34.261	26.829	127.6		.730			.70	10.3							403								
1	422	6.97		6.93		34.268	26.853	125.6		.758			.63	9.3	65.8	2.99	36.9	.00			425								
1	500	6.35		6.31		34.304	26.963	115.7		.851			.41	5.9	75.6	3.15	39.1	.00			503								
1	578	5.93		5.87		34.338	27.045	108.6		.93 9			.29	4.2	84.1	3.23	40.7	.00			582								

RV NEW HORIZON				CRUISE CW86										STATION 90 45															
LATITUDE		LONGITUDE		DAY/MO/YR		MESSENGER		BOTTOM		WIND		SPEED		WAVES		WEATHER		BAROMETER		DRY		WET		CLOUD		AMT		TYPE	
32 53.9 N		118 55.3 W		11/03/86		23 AL GMT		1690 M		290		20 KT		280 12 10		1		1019.1 MB		14.9 C		12.8 C		2/8		CU			
CAST	DEPTH	TEMP	POT	TEMP	SALINITY	SIGMA	SVA	DYN	HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRESS											
	M	DEG C	DEG C			THETA				ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR											
1	0	ISL	14.96	14.96	33.425	24.767	316.9	.000		5.98	104.0																		0
	2		14.96	14.96	33.425	24.767	317.0	.006		5.98	104.0	1.5	.33	.0	.00	.31	.08											2	
1	10	ISL	14.96	14.96	33.421	24.764	317.5	.03 2		6.01	104.5																	10	
	12		14.96	14.96	33.421	24.764	317.5	.038		6.01	104.6	1.5	.33	.0	.00	.28	.13											12	
1	20	ISL	14.96	14.95	33.420	24.765	317.8	.063		5.99	104.2																	20	
	23		14.95	14.95	33.420	24.765	317.8	.073		5.98	104.0	1.5	.33	.0	.00	.27	.11											23	
1	30	ISL	14.94	14.94	33.419	24.767	317.9	.095		5.97	103.9																	30	
	33		14.94	14.93	33.418	24.768	317.9	.104		5.97	103.8	1.5	.33	.0	.00	.30	.13											33	
1	43		14.35	14.34	33.432	24.905	305.1	.135		5.99	102.9	2.3	.39	.5	.04	.67	.26											43	
	50	ISL	13.17	13.16	33.424	25.141	283.1	.156		5.57	93.5																	50	
1	53		12.71	12.71	33.421	25.228	274.5	.164		5.38	89.4	5.9	.73	5.0	.36	.63	.58											53	
	63		12.08	12.07	33.458	25.378	260.4	.191		4.91	80.5	8.8	.96	9.0	.16	.38	.44											63	
1	73		11.65	11.64	33.504	25.495	249.5	.216		4.62	75.1	10.9	1.10	11.5	.06	.23	.37											73	
	75	ISL	11.57	11.56	33.516	25.519	247.2	.222		4.56	73.9																	76	
1	88		11.09	11.08	33.589	25.663	233.9	.252		4.19	67.3	14.4	1.30	15.0	.02	.12	.20											88	
	100	ISL	10.43	10.42	33.690	25.858	215.5	.280		3.76	59.5																	101	
1	103		10.30	10.29	33.711	25.897	211.8	.286		3.67	58.0	20.0	1.58	19.5	.01	.03	.08											103	
	121		9.75	9.74	33.829	26.082	194.6	.324		3.23	50.5	25.2	1.79	22.5	.00	.01	.05											122	
1	125	ISL	9.69	9.67	33.849	26.108	192.1	.331		3.17	49.4																	126	
	147		9.36	9.34	33.948	26.240	180.0	.372		2.87	44.5	29.7	1.96	25.0	.00	.01	.03											148	
1	150	ISL	9.33	9.31	33.956	26.251	179.0	.377		2.85	44.1																	151	
	177		8.97	8.95	34.013	26.354	169.7	.424		2.63	40.4	33.3	2.09	26.7	.00													178	
1	200	ISL	8.60	8.58	34.077	26.462	159.7	.462		2.32	35.4																	201	
	207		8.50	8.48	34.095	26.491	157.1	.473		2.23	33.9	39.7	2.29	29.4	.00													208	
1	236		8.30	8.27	34.125	26.546	152.3	.518		1.99	30.1	42.3	2.38	30.2	.00													237	
	250	ISL	8.19	8.16	34.142	26.576	149.7	.53 9		1.83	27.7																	252	
1	276		7.99	7.96	34.174	26.631	144.9	.578		1.54	23.2	47.6	2.56	32.2	.00													278	
	300	ISL	7.83	7.80	34.199	26.675	141.0	.612		1.31	19.7																	302	
1	336		7.58	7.55	34.229	26.735	135.8	.662		1.03	15.4	55.8	2.80	34.7	.00													338	
	400	ISL	7.11	7.07	34.260	26.826	127.9	.7 46		.72	10.6																	403	
1	409		7.04	7.01	34.264	26.838	126.8	.758		.69	10.2	64.2	2.97	36.8	.00													412	
	487		6.61	6.57	34.300	26.926	119.3	.853		.43	6.3	71.7	3.10	38.6	.00													490	
1	500	ISL	6.52	6.47	34.307	26.944	117.8	.869		.40	5.8																	504	
	565		5.95	5.90	34.334	27.040	109.0	.942		.31	4.4	82.6	3.22	40.5	.00													569	

RV NEW HORIZON				CRUISE CW86										STATION 90 53			
LATITUDE	LONGITUDE	DAY/MO/YR	MESSENGER	BOTTOM	WIND	SPEED	WAVES	WEATHER	BAROMETER	DRY	WET	CLOUD	AMT	TYPE			
32 39.0 N	119 28.8 W	07/03/86	1804 GMT	1316 M	310	16 KT	330 06 06	5	1021.0 MB	14.5 C	14.0 C	8/8	ST				
CAST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRESS	
	M	DEG C	DEG C		THETA			ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR	
1	0	14.31	14.31	33.357	24.854	308.7	.000	6.06	104.0	2.3	.36	.0	.00	.54	.26	0	
1	10	14.30	14.30	33.359	24.858	308.6	.031	6.12	105.0	2.3	.36	.0	.00	.54	.23	10	
	20	ISL 14.30	14.30	33.356	24.855	309.2	.062	6.09	104.4							20	
1	21	14.30	14.30	33.356	24.855	309.2	.065	6.08	104.3	2.3	.36	.0	.00	.53	.29	21	
	30	ISL 14.26	14.26	33.357	24.865	308.5	.093	6.06	103.9							30	
1	31	14.26	14.25	33.358	24.866	308.4	.095	6.06	103.9	2.3	.36	.0	.00	.58	.30	31	
1	42	13.17	13.16	33.425	25.141	282.4	.128	5.48	91.9	4.8	.64	3.6	.29	.44	.38	42	
	50	ISL 12.67	12.67	33.460	25.266	270.8	.150	5.16	85.7							50	
1	52	12.58	12.58	33.466	25.288	268.7	.155	5.10	84.5	7.4	.84	7.0	.26	.26	.35	52	
1	64	11.88	11.87	33.508	25.455	253.0	.186	4.71	76.9	10.5	1.05	10.6	.12	.17	.31	64	
1	73	11.50	11.50	33.529	25.541	245.1	.209	4.54	73.5	12.0	1.14	12.2	.07	.14	.24	73	
	75	ISL 11.39	11.38	33.534	25.565	242.8	.214	4.50	72.8							76	
1	89	10.75	10.74	33.586	25.721	228.2	.246	4.21	67.1	15.7	1.34	15.7	.03	.06	.18	89	
	100	ISL 10.33	10.31	33.689	25.875	213.8	.271	3.72	58.7							101	
1	104	10.17	10.15	33.731	25.936	208.1	.281	3.53	55.6	22.1	1.63	20.1	.02	.04	.15	105	
1	125	9.25	9.23	33.829	26.165	186.6	.322	3.34	51.6	27.2	1.82	23.6	.01	.01	.09	126	
1	150	8.84	8.83	33.913	26.294	174.7	.367	3.05	46.7	31.4	1.96	25.8	.01	.00	.06	151	
1	181	8.59	8.57	34.001	26.403	164.9	.419	2.71	41.3	35.8	2.10	27.5	.00			182	
	200	ISL 8.40	8.38	34.037	26.461	159.8	.450	2.56	38.8							201	
1	212	8.27	8.25	34.055	26.495	156.7	.46 9	2.46	37.2	40.2	2.22	29.0	.00			213	
1	243	7.91	7.89	34.102	26.586	148.5	.516	2.07	31.1	45.9	2.39	30.9	.00			244	
	250	ISL 7.83	7.80	34.105	26.601	147.1	.527	2.02	30.2							252	
1	282	7.48	7.46	34.117	26.660	142.0	.573	1.81	26.9	51.2	2.52	32.6	.00			284	
	300	ISL 7.34	7.31	34.137	26.697	138.6	.598	1.60	23.7							302	
1	343	7.01	6.98	34.189	26.783	130.9	.656	1.10	16.2	61.4	2.80	35.8	.00			345	
	400	ISL 6.52	6.48	34.210	26.866	123.5	.729	.80	11.6							403	
1	419	6.37	6.34	34.214	26.889	121.5	.752	.74	10.7	71.1	2.98	38.5	.00			422	
1	497	6.10	6.06	34.273	26.971	114.7	.844	.50	7.2	77.3	3.11	39.8	.00			500	
	500	ISL 6.09	6.05	34.276	26.975	114.3	.848	.49	7.1							504	
1	574	5.78	5.73	34.329	27.057	107.3	.929	.33	4.7	83.9	3.21	40.9	.00			578	

RV NEW HORIZON

CRUISE CW86

STATION 90 53

LATITUDE		LONGITUDE		DAY/MO/YR	MESSENGER		BOTTOM	WIND	SPEED	WAVES		WEATHER	BAROMETER	DRY	WET	CLOUD	AMT	TYPE
32 39.2 N		119 28.9 W		11/03/86	1644 GMT		1309 M	300	18 KT	280 12 10	1		1018.9 MB	14.8 C	13.2 C	2/8		CU
CAST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRESS		
	M	DEG C	DEG C		THETA			ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR		
1	0	14.26	14.26	33.359	24.866	307.5	.000	5.99	102.7	2.9	.35	.1	.02	.49	.27	0		
1	10	14.26	14.26	33.358	24.866	307.9	.031	6.02	103.2	2.8	.35	.1	.02	.52	.26	10		
	20 ISL	14.27	14.26	33.358	24.864	308.3	.062	6.02	103.2							20		
1	21	14.27	14.26	33.358	24.864	308.4	.064	6.02	103.2	2.8	.35	.1	.02	.48	.24	21		
	30 ISL	13.51	13.50	33.404	25.057	290.2	.092	5.75	97.1							30		
1	31	13.41	13.40	33.410	25.081	287.9	.094	5.71	96.2	4.4	.54	2.3	.20	.73	.35	31		
1	42	12.12	12.11	33.490	25.396	258.2	.124	4.89	80.2	9.8	.95	9.0	.29	.27	.29	42		
	50 ISL	11.38	11.37	33.538	25.571	241.7	.144	4.48	72.3							50		
1	53	11.17	11.16	33.551	25.619	237.1	.151	4.38	70.4	13.9	1.22	13.9	.07	.11	.17	53		
1	63	10.54	10.53	33.585	25.757	224.2	.174	4.22	67.0	16.2	1.36	16.3	.04	.05	.11	63		
1	73	10.32	10.31	33.632	25.831	217.4	.196	4.02	63.5	18.2	1.44	18.0	.03	.03	.10	73		
	75 ISL	10.30	10.30	33.634	25.836	216.9	.201	4.01	63.3							75		
1	90	10.20	10.19	33.663	25.876	213.5	.232	3.87	61.0	19.5	1.52	18.9	.02	.03	.10	90		
	100 ISL	10.01	9.99	33.745	25.973	204.4	.254	3.50	54.9							100		
1	103	9.93	9.92	33.773	26.008	201.1	.261	3.37	52.8	24.1	1.72	21.6	.02	.02	.10	103		
1	124	9.50	9.49	33.833	26.126	190.4	.302	3.23	50.2	27.2	1.84	23.5	.01	.01	.07	124		
	125 ISL	9.47	9.47	33.835	26.131	189.9	.303	3.22	50.1							125		
1	150	8.82	8.80	33.923	26.306	173.6	.349	3.01	46.1	31.9	1.98	26.1	.01	.00	.05	150		
1	182	8.48	8.46	33.983	26.406	164.7	.403	2.85	43.3	35.3	2.07	27.5	.01			182		
	200 ISL	8.23	8.21	34.025	26.478	158.1	.432	2.63	39.8							200		
1	212	8.07	8.04	34.051	26.522	153.9	.450	2.47	37.2	41.5	2.24	29.4	.01			212		
1	242	7.76	7.74	34.086	26.595	147.5	.495	2.12	31.7	46.4	2.40	31.3	.01			242		
1	250	7.69	7.67	34.092	26.610	146.2	.508	2.04	30.5							250		
1	282	7.42	7.39	34.110	26.663	141.6	.554	1.79	26.6	51.3	2.54	33.1	.00			282		
	300 ISL	7.25	7.22	34.116	26.692	139.0	.579	1.66	24.5							300		
1	343	6.85	6.82	34.134	26.761	132.9	.637	1.34	19.6	59.9	2.76	35.9	.00			343		
	400 ISL	6.51	6.47	34.192	26.853	124.8	.711	.86	12.6							400		
1	419	6.41	6.38	34.214	26.884	122.1	.735	.72	10.4	70.6	3.02	38.7	.00			419		
1	497	5.94	5.89	34.296	27.010	110.8	.825	.41	5.9	80.7	3.19	40.6	.00			497		
	500 ISL	5.92	5.88	34.298	27.014	110.4	.828	.40	5.7							500		
1	575	5.66	5.62	34.347	27.085	104.5	.909	.28	4.0	87.7	3.27	41.5	.00			575		

RV NEW HORIZON

CRUISE CW86

STATION 90 75

LATITUDE	LONGITUDE	DAY/MO/YR	MESSENGER	BOTTOM	WIND	SPEED	WAVES	WEATHER	BAROMETER	DRY	WET	CLOUD	AMT	TYPE		
31 53.9 N	120 58.2 W	08/03/86	1919 GMT	4070 M	220	14 KT	250 08 12	2	1017.3 MB	16.5 C	15.0 C	8/8	ST			
CAST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRESS
	M	DEG C	DEG C		THETA			ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR
1	0	ISL 14.77	14.77	33.150	24.596	333.2	.000	5.95	102.9							0
1	1	14.77	14.77	33.150	24.596	333.3	.003	5.95	102.9	2.6	.36	.0	.00	.12	.05	1
1	10	ISL 14.77	14.77	33.149	24.596	333.5	.033	6.00	103.8							10
1	11	14.77	14.77	33.149	24.597	333.5	.037	6.00	103.8	2.7	.37	.0	.00	.13	.04	11
1	20	ISL 14.75	14.75	33.149	24.601	333.4	.067	5.98	103.5							20
1	27	14.74	14.73	33.149	24.604	333.3	.090	5.97	103.2	2.7	.37	.0	.00	.14	.05	27
1	30	ISL 14.61	14.61	33.160	24.639	330.1	.100	5.98	103.2							30
1	42	14.09	14.08	33.207	24.785	316.4	.138	6.05	103.3	2.6	.38	.0	.00	.26	.13	42
1	50	ISL 13.97	13.96	33.214	24.815	313.8	.164	6.08	103.4							50
1	58	13.81	13.80	33.235	24.865	309.3	.188	6.10	103.5	2.7	.39	.0	.00	.38	.23	58
1	68	13.22	13.21	33.340	25.065	290.4	.218	5.88	98.7	3.3	.49	1.4	.20	.44	.40	68
1	75	ISL 12.69	12.68	33.328	25.160	281.5	.239	5.68	94.3							75
1	78	12.50	12.49	33.317	25.189	278.8	.246	5.61	92.7	4.5	.63	3.9	.09	.25	.33	78
1	94	11.72	11.71	33.337	25.352	263.6	.289	5.25	85.3	7.3	.85	7.8	.03	.16	.20	94
1	100	ISL 11.38	11.37	33.396	25.460	253.4	.306	4.93	79.5							100
1	109	10.96	10.95	33.485	25.606	239.7	.327	4.49	71.9	12.7	1.22	14.1	.01	.07	.10	109
1	124	10.35	10.34	33.592	25.796	221.9	.364	4.06	64.2	17.4	1.44	17.8	.01	.03	.06	124
1	125	ISL 10.33	10.32	33.596	25.802	221.3	.365	4.05	63.9							125
1	150	9.57	9.56	33.743	26.045	198.6	.418	3.50	54.4	24.2	1.73	22.3	.01	.01	.04	150
1	171	9.26	9.25	33.834	26.167	187.4	.458	3.23	49.9	27.7	1.86	24.1	.01	.00	.05	171
1	191	8.74	8.72	33.917	26.315	173.5	.494	3.26	49.8	30.9	1.88	25.3	.01			191
1	200	ISL 8.57	8.55	33.942	26.360	169.4	.510	3.30	50.3							200
1	213	8.37	8.35	33.966	26.409	164.8	.531	3.33	50.5	33.1	1.91	25.8	.00			213
1	243	7.90	7.88	34.009	26.514	155.3	.579	2.95	44.2	39.0	2.11	28.5	.00			243
1	250	ISL 7.77	7.74	34.016	26.539	152.9	.590	2.83	42.3							250
1	283	7.21	7.19	34.045	26.641	143.5	.640	2.24	33.1	49.1	2.41	32.3	.00			283
1	300	ISL 7.04	7.02	34.064	26.679	140.0	.663	1.98	29.1							300
1	345	6.71	6.68	34.111	26.762	132.7	.724	1.39	20.3	61.3	2.74	36.3	.00			345
1	400	ISL 6.27	6.23	34.143	26.846	125.2	.795	.97	14.0							400
1	421	6.11	6.08	34.155	26.876	122.6	.822	.86	12.4	72.3	2.99	39.3	.00			421
1	499	5.74	5.69	34.239	26.990	112.5	.913	.48	6.9	82.0	3.16	41.0	.00			499
1	500	ISL 5.73	5.69	34.240	26.991	112.3	.914	.48	6.8							500
1	576	5.30	5.25	34.285	27.080	104.5	.997	.34	4.8	91.7	3.27	42.5	.00			576

RV NEW HORIZON				CRUISE CW86										STATION 90 80															
LATITUDE		LONGITUDE		DAY/MO/YR		MESSENGER		BOTTOM		WIND		SPEED		WAVES		WEATHER		BAROMETER		DRY		WET		CLOUD		AMT		TYPE	
31 42.1 N		121 17.3 W		09/03/86		0005 GMT		3858 M		320		16 KT		250 06 08		1		1014.8 MB		16.2 C		15.9 C		1/8				ST	
CAST	DEPTH	TEMP		POT TEMP		SALINITY	SIGMA	SVA	DYN	HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRESS										
		M	DEG C	DEG C	THETA																								
	0 ISL	15.26	15.26	15.26	15.26	33.180	24.513	341.3	.000		5.89	102.9																	0
1	1	15.26	15.26	15.26	15.26	33.180	24.513	341.2	.003		5.89	102.9	2.5	.37	.0	.00	.07	.02											1
	10 ISL	15.16	15.15	15.15	15.15	33.173	24.531	339.8	.03 4	5.93	103.5																		10
1	11	15.14	15.13	15.13	15.13	33.171	24.534	339.5	.037	5.94	103.5	2.5	.37	.0	.00	.08	.01	.11											20
	20 ISL	14.79	14.79	14.79	14.79	33.135	24.581	335.3	.068	6.00	103.9																		10
1	27	14.54	14.54	14.54	14.54	33.112	24.616	332.1	.091	6.04	104.0	2.6	.38	.0	.00	.13	.04	.27											30
	30 ISL	14.54	14.54	14.54	14.54	33.121	24.623	331.6	.101	6.03	103.9																		43
1	43	14.55	14.54	14.54	14.54	33.149	24.645	329.8	.144	5.99	103.2	2.6	.38	.0	.00	.16	.05	.43											58
	50 ISL	14.52	14.52	14.52	14.52	33.173	24.668	327.9	.167	5.99	103.2																		50
1	58	14.50	14.49	14.49	14.49	33.210	24.702	324.9	.192	6.00	103.3	2.6	.38	.0	.00	.21	.10	.58											69
1	69	14.29	14.28	14.28	14.28	33.238	24.768	318.8	.228	6.01	103.0	2.6	.38	.0	.00	.26	.19	.69											76
	75 ISL	13.47	13.45	13.45	13.45	33.262	24.957	300.9	.247	5.95	100.2																		79
1	79	12.91	12.90	12.90	12.90	33.273	25.075	289.7	.258	5.90	98.3	3.0	.48	1.1	.10	.29	.25	.94											94
	94	11.57	11.56	11.56	11.56	33.170	25.251	273.1	.300	5.74	92.9	4.8	.69	4.5	.05	.23	.17	.79											101
1	100 ISL	11.34	11.33	11.33	11.33	33.212	25.325	266.2	.317	5.59	90.1																		110
	110	11.15	11.13	11.13	11.13	33.315	25.440	255.5	.342	5.29	84.9	7.3	.88	8.2	.02	.08	.12	.101											125
1	124	10.71	10.70	10.70	10.70	33.481	25.647	236.1	.379	4.61	73.4	12.7	1.20	13.7	.01	.04	.06	.126											150
	125 ISL	10.69	10.67	10.67	10.67	33.485	25.654	235.4	.3 80	4.59	73.1																		170
1	150	9.70	9.68	9.68	9.68	33.645	25.947	207.8	.436	3.99	62.2	19.8	1.54	19.5	.01	.01	.03	.171											190
	170	9.30	9.28	9.28	9.28	33.832	26.160	188.0	.476	3.27	50.6	26.8	1.81	23.7	.00	.01	.04	.191											200 ISL
1	190	8.84	8.82	8.82	8.82	33.930	26.309	174.2	.512	3.02	46.2	31.0	1.94	25.9	.00			.201											211
	200 ISL	8.69	8.67	8.67	8.67	33.960	26.357	169.7	.529	2.96	45.2							.212											243
1	211	8.54	8.51	8.51	8.51	33.984	26.399	165.9	.547	2.92	44.4	34.1	2.03	26.9	.00			.244											250 ISL
	243	8.01	7.99	7.99	7.99	34.016	26.503	156.3	.598	2.81	42.2	38.5	2.12	28.5	.00			.252											282
1	250 ISL	7.90	7.88	7.88	7.88	34.025	26.527	154.2	.610	2.71	40.6							.284											300 ISL
	282	7.45	7.43	7.43	7.43	34.064	26.622	145.4	.658	2.17	32.2	47.1	2.38	31.8	.00			.302											344
1	300 ISL	7.20	7.17	7.17	7.17	34.079	26.670	141.1	.683	1.91	28.2							.346											400 ISL
	344	6.65	6.62	6.62	6.62	34.111	26.771	131.9	.7 43	1.35	19.7	60.8	2.73	36.5	.00			.403											420
1	400 ISL	6.30	6.27	6.27	6.27	34.148	26.845	125.4	.815	.91	13.2							.423											499
	420	6.21	6.18	6.18	6.18	34.161	26.867	123.4	.841	.80	11.5	70.5	2.95	38.9	.00			.502											500 ISL
1	499	5.64	5.60	5.60	5.60	34.227	26.991	112.2	.933	.48	6.8	82.4	3.14	41.1	.00			.504											575
	500 ISL	5.63	5.59	5.59	5.59	34.228	26.993	112.0	.93 4	.48	6.8							.579											
1	575	5.20	5.16	5.16	5.16	34.278	27.085	103.8	1.015	.34	4.8	92.3	3.24	42.7	.00														

RV NEW HORIZON				CRUISE CW86										STATION 90				82											
LATITUDE		LONGITUDE		DAY/MO/YR		MESSENGER		BOTTOM		WIND		SPEED		WAVES		WEATHER		BAROMETER		DRY		WET		CLOUD		AMT		TYPE	
31 38.9 N		121 22.8 W		11/03/86		0033 GMT				300		26 KT		280 10 08		1		1012.1 MB		16.0 C		14.0 C		7/8				SC	
CAST	DEPTH	TEMP		POT	TEMP	SALINITY		SIGMA		SVA	DYN	HT	OXYGEN		OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRESS							
	M	DEG	C		DEG	C			THETA				ML/L	PCT		UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR							
	0 ISL	15.36		15.36			33.166		24.480	344.3		.000	5.86	102.6															
1	2	15.36		15.36			33.166		24.480	344.3		.007	5.86	102.6	2.5	.37	.1	.00	.07	.02									
	10 ISL	15.35		15.35			33.164		24.481	344.5		.034	5.88	102.9															
1	13	15.35		15.35			33.164		24.482	344.5		.045	5.88	102.9	2.4	.37	.1	.00	.07	.02									
	20 ISL	15.35		15.35			33.163		24.481	344.8		.069	5.88	103.0															
1	28	15.35		15.34			33.162		24.481	345.1		.096	5.89	103.1	2.4	.37	.1	.00	.07 A	.02A									
	30 ISL	15.24		15.23			33.155		24.500	343.4		.103	5.91	103.2															
1	42	14.57		14.57			33.131		24.625	331.7		.143	6.01	103.5	2.4	.38	.1	.00	.12	.05									
	50 ISL	14.39		14.38			33.159		24.686	326.2		.170	6.02	103.3															
1	58	14.25		14.24			33.198		24.746	320.6		.195	6.02	103.1	2.6	.38	.1	.00	.21	.15									
	73	13.63		13.62			33.269		24.928	303.6		.242	6.02	101.8	3.0	.43	.1	.03	.51	.44									
1	75 ISL	13.56		13.55			33.277		24.949	301.7		.249	6.00	101.3															
	85	13.19		13.18			33.313		25.052	292.2		.278	5.83	97.7	3.5	.53	1.6	.15	.39	.43									
1	99	12.15		12.14			33.381		25.307	268.1		.317	5.37	88.1	5.8	.75	6.0	.02	.09	.19									
	100 ISL	12.07		12.06			33.384		25.324	266.5		.320	5.33	87.2															
1	120	11.08		11.06			33.435		25.546	245.6		.373	4.77	76.5	10.8	1.12	12.1	.01	.05	.08									
	125 ISL	10.82		10.81			33.471		25.620	238.8		.384	4.69	74.8															
1	140	10.04		10.03			33.610		25.863	215.8		.419	4.38	68.8	16.2	1.35	16.5	.00	.01	.02									
	150 ISL	9.72		9.70			33.687		25.977	205.1	.43	9	4.02	62.7															
1	160	9.47		9.45			33.758		26.07 4	196.0		.459	3.65	56.6	23.4	1.68	21.7	.00	.00	.02									
	181	9.13		9.11			33.857		26.205	183.9		.499	3.28	50.5	27.5	1.84	24.3	.00	.00	.00									
1	200 ISL	8.76		8.74			33.944		26.333	172.0		.533	3.08	47.0															
	203	8.70		8.68			33.955		26.350	170.4		.538	3.06	46.7	31.9	1.97	26.1	.00											
1	223	8.43		8.41			33.972		26.406	165.4		.571	3.15	47.8	33.1	1.97	26.3	.00											
	250 ISL	8.00		7.98			34.005		26.496	157.1		.615	2.98	44.7															
1	259	7.86		7.84			34.015		26.525	154.5		.628	2.88	43.2	39.6	2.13	28.4	.00											
	300 ISL	7.25		7.22			34.036		26.630	144.9	.6	90	2.41	35.6															
1	310	7.10		7.07			34.040		26.653	142.8		.705	2.27	33.4	50.0	2.40	32.5	.00											
	367	6.45		6.42			34.092		26.782	130.9	.7	82	1.40	20.3	62.6	2.75	37.0	.00											
1	400 ISL	6.17		6.13			34.117		26.838	125.8		.825	1.08	15.6															
	454	5.80		5.76			34.156		26.916	118.9		.891	.75	10.7	76.6	3.04	40.4	.00											
1	500 ISL	5.55		5.51			34.199		26.981	113.2		.945	.55	7.8															
	541	5.36		5.32			34.237		27.033	108.5		.990	.43	6.1	87.9	3.21	42.2	.00											
1	600 ISL	5.14		5.09			34.281		27.095	103.1	1.052		.31	4.4															
	629	5.06		5.00			34.299		27.119	101.0	1.082		.28	3.9	95.9	3.27	43.1	.00											

A. SECOND FLOUROMETER READING NOT RECORDED. CHLOROPHYLL AND PHAEOPHYTIN CALCULATED WITH ASSUMED ACID RATIO INTERPOLATED FROM ADJACENT LEVELS.

RV NEW HORIZON				CRUISE CW86										STATION 90 85			
LATITUDE	LONGITUDE	DAY/MO/YR	MESSENGER	BOTTOM	WIND	SPEED	WAVES	WEATHER	BAROMETER	DRY	WET	CLOUD	AMT	TYPE			
31 30.5 N	121 38.1 W	10/03/86	2106	GMT	250	30 KT	260 10 08	1	1011.8	MB	18.0 C	15.1 C	7/8	SC			
CST DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	PO4	NO3	NO2	CHL-A	PHAE0	PRESS		
M	DEG C	DEG C		THETA			ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR		
1	0	16.03	16.03	33.241	24.388	353.1	.000	5.77	102.4	2.2	.35	.0	.00	.05	.01	0	
1	10	16.04	16.04	33.240	24.386	353.5	.035	5.79	102.8	2.2	.35	.0	.00	.04	.01	10	
	20	ISL 16.04	16.04	33.240	24.387	353.9	.071	5.78	102.6							20	
1	25	16.04	16.04	33.240	24.386	354.0	.088	5.77	102.5	2.2	.35	.0	.00	.05	.01	25	
	30	ISL 16.03	16.02	33.240	24.389	353.9	.106	5.77	102.5							30	
1	41	15.97	15.96	33.239	24.402	353.0	.144	5.78	102.5	2.2	.35	.0	.00	.05	.01	41	
	50	ISL 15.90	15.89	33.239	24.419	351.5	.177	5.79	102.5							50	
1	56	15.83	15.82	33.239	24.436	350.3	.197	5.80	102.5	2.3	.36	.0	.00	.07	.02	56	
	71	15.49	15.48	33.200	24.481	346.3	.249	5.86	102.9	2.2	.36	.0	.00	.10	.04	71	
	75	ISL 15.46	15.45	33.230	24.509	343.8	.264	5.84	102.5							76	
1	81	15.43	15.42	33.302	24.572	338.1	.283	5.82	102.1	2.2	.36	.0	.00	.13	.10	81	
1	96	13.79	13.78	33.341	24.951	302.1	.331	6.00	101.9	2.4	.41	.1	.02	.24	.27	96	
	100	ISL 13.46	13.45	33.327	25.008	296.8	.344	5.99	100.9							101	
1	116	12.60	12.58	33.278	25.142	284.3	.389	5.80	96.0	3.3	.54	1.9	.06	.20	.28	116	
	125	ISL 12.23	12.21	33.304	25.232	275.9	.416	5.61	92.2							126	
1	135	11.88	11.86	33.363	25.344	265.4	.444	5.35	87.2	5.7	.78	6.3	.02	.10	.15	136	
	150	ISL 11.28	11.26	33.489	25.552	245.9	.481	4.89	78.8							151	
1	155	11.07	11.05	33.539	25.630	238.5	.494	4.73	75.9	11.0	1.09	12.1	.01	.04	.06	156	
1	175	10.36	10.34	33.685	25.868	216.1	.539	4.34	68.6	16.0	1.30	15.9	.01	.02	.03	176	
1	195	9.55	9.53	33.788	26.084	195.8	.580	3.84	59.7	22.4	1.58	20.5	.00			196	
	200	ISL 9.38	9.35	33.818	26.136	190.9	.590	3.66	56.7							201	
1	214	8.94	8.91	33.898	26.270	178.4	.616	3.20	49.1	29.9	1.89	25.1	.00			215	
1	249	8.24	8.22	33.995	26.452	161.4	.675	2.97	44.9	36.0	2.05	27.5	.00			250	
	250	ISL 8.22	8.20	33.996	26.456	161.0	.677	2.96	44.8							252	
1	297	7.57	7.54	34.030	26.580	149.8	.750	2.60	38.7	43.5	2.24	30.2	.00			299	
	300	ISL 7.54	7.51	34.033	26.586	149.2	.754	2.56	38.1							302	
1	351	6.99	6.96	34.077	26.697	139.1	.828	1.83	26.9	54.1	2.55	34.1	.00			353	
	400	ISL 6.49	6.46	34.115	26.795	130.2	.894	1.28	18.6							403	
1	434	6.19	6.15	34.141	26.855	124.8	.938	.98	14.1	69.6	2.92	38.7	.00			437	
	500	ISL 5.81	5.76	34.190	26.942	117.1	1.017	.62	8.8							504	
1	519	5.73	5.68	34.205	26.964	115.1	1.039	.55	7.8	80.4	3.11	40.9	.00			522	
	600	ISL 5.49	5.44	34.305	27.073	105.6	1.128	.32	4.5							605	
1	605	5.48	5.43	34.313	27.080	105.0	1.133	.31	4.4	89.8	3.25	42.0	.00			609	

RV NEW HORIZON				CRUISE CW86										STATION 90 90			
LATITUDE	LONGITUDE	DAY/MO/YR	MESSENGER	BOTTOM	WIND	SPEED	WAVES	WEATHER	BAROMETER	DRY	WET	CLOUD	AMT	TYPE			
31 24.2 N	122 00.6 W	10/03/86	1537	GMT	4156 M	280	16 KT	280 08 08	1	1010.0	MB	16.5 C	15.8 C	6/8	NS		
CST DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	PO4	NO3	NO2	CHL-A	PHAE0	PRESS		
M	DEG C	DEG C		THETA			ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR		
	0	ISL 16.45	16.45	33.502	24.493	343.0	.000	5.67	101.7							0	
1	1	16.45	16.45	33.502	24.493	343.1	.003	5.67	101.7	1.9	.34	.1	.00	.05	.01	1	
	10	ISL 16.46	16.46	33.501	24.492	343.5	.034	5.70	102.1							10	
1	12	16.46	16.46	33.501	24.491	343.6	.041	5.70	102.2	1.9	.34	.1	.00	.05	.02	12	
	20	ISL 16.46	16.45	33.500	24.492	343.9	.069	5.71	102.3							20	
1	27	16.45	16.45	33.500	24.492	344.0	.092	5.71	102.4	1.9	.34	.1	.00	.05	.01	27	
	30	ISL 16.45	16.45	33.500	24.493	344.1	.103	5.71	102.3							30	
1	42	16.44	16.43	33.498	24.496	344.1	.144	5.70	102.2	1.9	.33	.1	.00	.06	.02	42	
	50	ISL 16.51	16.50	33.542	24.512	342.9	.172	5.70	102.4							50	
1	58	16.53	16.53	33.578	24.535	341.0	.198	5.71	102.6	1.8	.33	.0	.00	.08	.03	58	
1	68	16.34	16.33	33.563	24.569	338.0	.232	5.71	102.2	1.8	.32	.0	.00	.10	.05	68	
	75	ISL 15.92	15.90	33.479	24.600	335.2	.257	5.74	101.8							76	
1	78	15.71	15.69	33.444	24.621	333.4	.266	5.76	101.7	1.8	.35	.0	.00	.14	.11	78	
1	94	13.93	13.92	33.341	24.922	304.8	.317	5.91	100.6	2.4	.44	.2	.05	.25	.21	94	
	100	ISL 13.32	13.31	33.292	25.009	296.6	.336	5.85	98.3							101	
1	109	12.70	12.68	33.269	25.115	286.7	.361	5.77	95.7	3.0	.54	1.8	.06	.23	.22	109	
1	124	12.45	12.44	33.485	25.330	266.6	.405	5.26	86.9	5.4	.70	5.5	.02	.10	.16	125	
	125	ISL 12.43	12.41	33.490	25.338	265.8	.406	5.25	86.6							126	
1	150	11.07	11.05	33.654	25.719	230.0	.469	4.60	73.9	11.7	1.09	12.4	.01	.03	.06	151	
1	170	10.09	10.07	33.721	25.941	209.0	.513	4.00	62.9	18.6	1.45	18.2	.00	.01	.03	171	
1	191	9.31	9.29	33.846	26.168	187.6	.554	3.42	52.9	26.0	1.76	23.0	.00			192	
	200	ISL 9.06	9.04	33.880	26.235	181.4	.570	3.27	50.2							201	
1	212	8.80	8.78	33.915	26.303	175.0	.592	3.12	47.7	30.7	1.92	25.5	.00			213	
1	243	8.47	8.45	33.975	26.402	166.2	.644	2.94	44.7	34.3	2.02	26.9	.00			244	
	250	ISL 8.35	8.33	33.990	26.432	163.4	.656	2.85	43.2							252	
1	283	7.81	7.78	34.059	26.568	150.8	.709	2.36	35.3	43.2	2.29	30.3	.00			285	
	300	ISL 7.64	7.61	34.092	26.617	146.3	.733	2.06	30.8							302	
1	345	7.31	7.28	34.165	26.723	136.9	.797	1.31	19.4	55.6	2.70	34.9	.00			347	
	400	ISL 6.87	6.83	34.217	26.825	127.7	.870	.82	12.0							403	
1	422	6.70	6.66	34.232	26.861	124.6	.898	.70	10.2	67.3	2.98	38.1	.00			425	
1	500	6.20	6.16	34.284	26.967	115.3	.991	.43	6.2	76.3	3.14	39.8	.00			503	
1	578	5.79	5.74	34.320	27.048	108.1	1.078	.33	4.7	85.1	3.23	41.2	.00			582	

RV NEW HORIZON				CRUISE CW86										STATION 90 I10															
LATITUDE		LONGITUDE		DAY/MO/YR		MESSENGER		BOTTOM		WIND		SPEED		WAVES		WEATHER		BAROMETER		DRY		WET		CLOUD		AMT		TYPE	
30 45.0 N		123 19.1 W		09/03/86		1522 GMT		3990 M		180		02 KT		290 06 08		1		1019.8 MB		15.6 C		13.9 C		5/8				CU	
CAST	DEPTH	TEMP		POT TEMP		SALINITY	SIGMA	SVA	DYN	HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRESS										
	M	DEG C	DEG C	DEG C	UM/L															UM/L	UM/L	UM/L	UM/L	UM/L	UM/L	UM/L	UM/L	UM/L	UM/L
	0	ISL	16.38	16.38		33.325	24.375	354.3			.000	5.73	102.5																0
1	1		16.38	16.38		33.325	24.375	354.3			.004	5.73	102.5	2.5	.34	.0	.00	.05	.02										10
1	10	ISL	16.38	16.38		33.324	24.374	354.8			.035	5.76	103.0																11
1	11		16.38	16.38		33.324	24.374	354.8			.03 9	5.76	103.0	2.4	.34	.0	.01	.05	.02	.11									20
1	20	ISL	16.35	16.34		33.321	24.380	354.5			.071	5.78	103.2																27
1	27		16.29	16.28		33.310	24.384	354.3			.095	5.78	103.2	2.4	.34	.0	.00	.05	.02										30
1	30	ISL	16.24	16.24		33.310	24.395	353.4			.106	5.78	103.0																43
1	43		16.03	16.04		33.309	24.439	349.6			.151	5.76	102.3	2.4	.34	.0	.01	.06	.03	.50									59
1	50	ISL	16.01	16.00		33.307	24.446	349.1			.176	5.76	102.3																69
1	59		15.92	15.91		33.296	24.458	348.3			.207	5.77	102.2	2.3	.34	.0	.00	.08	.04										75
1	69		15.61	15.60		33.263	24.502	344.3			.242	5.80	102.1	2.3	.34	.0	.00	.10	.06	.69									80
1	75	ISL	15.06	15.05		33.280	24.636	331.7			.263	5.88	102.4																95
1	80		14.58	14.57		33.298	24.754	320.6			.278	5.94	102.4	2.5	.37	.0	.00	.14	.13										100
1	95		13.28	13.27		33.280	25.007	296.6			.324	5.92	99.4	2.8	.48	.6	.09	.24	.22	.95									112
1	100	ISL	13.04	13.02		33.288	25.063	291.5			.3 40	5.86	98.0																125
1	112		12.63	12.61		33.313	25.162	282.3			.373	5.70	94.4	3.6	.56	2.6	.05	.20	.20										126
1	125	ISL	11.99	11.98		33.348	25.311	268.3			.410	5.49	89.7																127
1	126		11.92	11.90		33.353	25.329	266.7			.414	5.46	89.1	5.3	.69	5.2	.02	.10	.15										150
1	150	ISL	10.86	10.84		33.506	25.640	237.4			.473	4.71	75.2																151
1	151		10.80	10.78		33.516	25.659	235.6			.477	4.66	74.3	12.8	1.17	13.6	.01	.03	.05										172
1	172		9.85	9.83		33.698	25.964	206.8			.523	4.00	62.5	20.5	1.51	19.4	.02	.01A	.02A										173
1	193		9.49	9.47		33.773	26.085	195.9			.565	3.73	57.9	23.9	1.64	21.4	.00												200
1	200	ISL	9.27	9.25		33.818	26.154	189.2			.578	3.64	56.2																214
1	214		8.82	8.80		33.907	26.294	176.0			.604	3.47	53.1	29.9	1.79	24.4	.00												244
1	244		8.41	8.38		33.968	26.406	165.8			.654	3.36	51.0	34.0	1.91	25.7	.00												250
1	250	ISL	8.33	8.30		33.976	26.425	164.0			.665	3.33	50.4																285
1	285		7.86	7.83		34.010	26.521	155.3			.721	3.07	46.0	39.6	2.05	27.9	.00												300
1	300	ISL	7.69	7.66		34.024	26.558	152.0			.744	2.85	42.5																346
1	346		7.15	7.12		34.064	26.665	142.2			.811	2.06	30.4	52.2	2.46	33.1	.00												400
1	400	ISL	6.53	6.49		34.110	26.786	131.1			.885	1.34	19.4																423
1	423		6.27	6.23		34.129	26.835	126.6			.915	1.09	15.7	68.5	2.87	38.2	.00												500
1	500		5.62	5.58		34.184	26.960	115.2			1.008	.64	9.1	80.9	3.10	41.0	.00												576
1	576		5.28	5.24		34.255	27.057	106.5			1.092	.38	5.4	89.6	3.23	42.2	.00												

A. SECOND FLOUROMETER READING NOT RECORDED, CHLOROPHYLL AND PHAEOPHYTIN CALCULATED WITH ASSUMED ACID RATIO INTERPOLATED FROM ADJACENT LEVELS.

RV NEW HORIZON				CRUISE CW86										STATION 90				114											
LATITUDE		LONGITUDE		DAY/MO/YR		MESSENGER		BOTTOM		WIND		SPEED		WAVES		WEATHER		BAROMETER		DRY		WET		CLOUD		AMT		TYPE	
30 36.5 N		123 36.6 W		09/03/86		2140 GMT		4156 M		180		14 KT		280 06 08		1		1019.8 MB		16.9 C		15.0 C		3/8		NS			
CAST	DEPTH	TEMP	POT	TEMP	SALINITY	SIGMA	SVA	DYN	HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRESS											
	M	DEG C		DEG C		THETA				ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR											
1	0	16.47	16.47	33.301	24.336	358.0	.000	5.74	102.8			1.8	.34	.1	.00	.05	.01	0											
	10 ISL	16.47	16.47	33.301	24.336	358.4	.036	5.75	103.0									10											
1	11	16.47	16.47	33.301	24.336	358.4	.03 9	5.75	103.0	1.8	.34	.1	.00	.05	.01	.11		11											
	20 ISL	16.39	16.39	33.297	24.351	357.2	.07 2	5.76	103.0									20											
1	25	16.33	16.33	33.296	24.364	356.2	.089	5.76	102.9	1.8	.34	.0	.00	.05	.01	.25		25											
	30 ISL	16.26	16.26	33.297	24.381	354.7	.107	5.76	102.7									30											
1	40	16.15	16.14	33.308	24.415	351.8	.142	5.75	102.4	1.8	.34	.0	.00	.05	.01	.40		40											
	50 ISL	16.14	16.13	33.336	24.440	349.8	.178	5.75	102.3									50											
1	55	16.13	16.12	33.344	24.447	349.2	.194	5.75	102.3	1.8	.33	.0	.00	.06	.02	.55		55											
	65	16.10	16.09	33.343	24.453	348.9	.229	5.75	102.3	1.8	.33	.0	.00	.07	.02	.65		65											
1	75	15.94	15.93	33.323	24.475	3 47.1	.264	5.78	102.5	1.8	.34	.0	.00	.10	.04	.75		75											
1	89	14.52	14.51	33.208	24.697	326.3	.311	5.97	102.8	2.1	.39	.0	.00	.13	.10	.89		89											
	100 ISL	13.79	13.77	33.214	24.854	311.5	.347	6.02	102.0									101											
1	104	13.62	13.61	33.227	24.899	307.3	.358	6.03	101.9	2.3	.41	.0	.04	.22	.19	.104		104											
1	118	13.19	13.17	33.301	25.044	293.8	.400	5.89	98.7	2.5	.46	.7	.09	.18	.20	.118		118											
	125 ISL	12.85	12.83	33.324	25.128	285.9	.422	5.79	96.4									126											
1	141	11.99	11.97	33.372	25.331	266.9	.467	5.46	89.3	4.9	.68	5.1	.02	.09	.14	.142		141											
	150 ISL	11.52	11.50	33.409	25.447	255.9	.489	5.17	83.8									151											
1	160	10.96	10.94	33.473	25.597	241.7	.515	4.79	76.6	10.9	1.10	12.2	.01	.03	.08	.161		160											
	179	10.05	10.03	33.680	25.917	211.5	.558	4.10	64.4	18.0	1.43	18.1	.01			.180		179											
1	198	9.64	9.62	33.742	26.03 4	200.7	.597	3.85	59.9	21.1	1.56	20.3	.00			.199		198											
	200 ISL	9.58	9.56	33.754	26.053	198.9	.601	3.81	59.2									200											
1	227	8.76	8.74	33.927	26.319	173.8	.651	3.21	49.1	30.1	1.89	25.3	.00			.228		227											
	250 ISL	8.28	8.25	33.988	26.441	162.5	.6 90	3.06	46.3								.252		250										
1	264	8.05	8.03	34.004	26.488	158.2	.711	3.01	45.3	37.0	2.04	27.6	.00			.265		264											
	300 ISL	7.53	7.50	34.041	26.593	148.5	.767	2.53	37.6								.302		300										
1	321	7.27	7.24	34.052	26.639	144.3	.7 98	2.20	32.5	48.9	2.39	32.4	.00			.323		321											
	393 ISL	6.37	6.33	34.086	26.788	130.6	.897	1.40	20.3	63.5	2.75	37.1	.00			.3 95		393											
1	400	6.30	6.27	34.091	26.801	129.5	.906	1.34	19.3							.403		400											
	469 ISL	5.83	5.79	34.144	26.902	120.4	.992	.84	12.0	74.6	2.99	39.9	.00			.472		469											
	500 ISL	5.65	5.61	34.172	26.947	116.5	1.029	.68	9.7							.504		500											
1	548	5.42	5.38	34.219	27.012	110.6	1.084	.50	7.1	85.8	3.16	41.8	.00			.552		548											

RV NEW HORIZON

CRUISE CW86

STATION 90 119

LATITUDE	LONGITUDE	DAY/MO/YR	MESSENGER	BOTTOM	WIND	SPEED	WAVES	WEATHER	BAROMETER	DRY	WET	CLOUD	AMT	TYPE		
30 26.5 N	123 55.6 W	10/03/86	0152 GMT	4191 M	200	17 KT	290 07 11	1	1015.6 MB	17.5 C	16.2 C	7/8		ST		
CAST	DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRESS
	M	DEG C	DEG C		THETA			ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR
1	0	ISL 16.68	16.68	33.381	24.348	356.9	.000	5.75	103.5							0
	2	16.68	16.68	33.381	24.348	356.9	.007	5.75	103.5							2
	10	ISL 16.67	16.67	33.379	24.349	357.1	.036	5.72	103.0	1.9	.33	.0	.00	.04	.02	10
1	12	16.67	16.66	33.379	24.350	357.1	.043	5.72	102.9	1.9	.33	.0	.00	.04	.01	12
	20	ISL 16.54	16.54	33.375	24.377	355.5	.071	5.73	102.8							20
1	28	16.46	16.46	33.372	24.393	353.5	.099	5.74	102.9	1.8	.33	.0	.00	.05	.01	28
	30	ISL 16.52	16.52	33.395	24.396	353.3	.107	5.73	102.9							30
1	44	16.85	16.85	33.522	24.417	351.7	.156	5.69	102.8	1.7	.31	.0	.00	.05	.02	44
	50	ISL 16.66	16.65	33.484	24.433	350.5	.177	5.71	102.7							50
1	59	16.30	16.29	33.408	24.458	348.3	.208	5.74	102.5	1.7	.33	.0	.00	.08	.03	59
1	70	16.08	16.07	33.387	24.493	345.3	.246	5.76	102.4	1.7	.33	.0	.00	.08	.05	70
	75	ISL 15.97	15.96	33.410	24.535	341.4	.264	5.77	102.4							76
1	80	15.88	15.86	33.456	24.592	336.2	.280	5.79	102.6	1.9	.33	.0	.00	.11	.06	80
1	96	13.44	13.43	33.241	24.946	302.5	.331	6.01	101.2	2.2	.43	.1	.05	.22	.19	96
	100	ISL 13.21	13.19	33.249	25.000	298.3	.344	5.99	100.4							101
1	111	12.89	12.88	33.270	25.078	290.4	.375	5.86	97.6	2.6	.49	1.1	.10	.20	.23	111
	125	ISL 12.10	12.09	33.327	25.274	271.9	.416	5.55	90.9							126
1	126	12.02	12.00	33.334	25.295	269.8	.420	6.26U	102.4U	4.8	.70	5.2	.02	.13	.17	127
	150	ISL 10.88	10.87	33.463	25.603	240.9	.480	4.90	78.3							151
1	152	10.80	10.78	33.478	25.630	238.4	.485	4.84	77.2	10.6	1.06	11.9	.00	.02	.05	153
1	173	10.44	10.42	33.623	25.805	222.1	.533	4.43	70.2	14.8	1.27	15.5	.00	.02	.04	174
1	195	9.73	9.71	33.724	26.004	203.4	.580	3.91	61.0	20.6	1.53	19.7	.00			196
	200	ISL 9.58	9.56	33.753	26.052	199.0	.590	3.81	59.2							201
1	214	9.18	9.16	33.834	26.180	186.9	.617	3.54	54.6	26.0	1.73	22.8	.00			215
1	246	8.47	8.44	33.966	26.396	166.9	.673	3.13	47.5	33.3	1.96	26.4	.00			247
	250	ISL 8.39	8.36	33.974	26.414	165.1	.680	3.09	46.9							252
1	287	7.81	7.78	34.017	26.535	154.0	.738	2.80	41.9	40.3	2.13	28.9	.00			288
	300	ISL 7.64	7.61	34.028	26.568	151.1	.759	2.64	39.4							302
1	348	7.14	7.10	34.059	26.664	142.4	.829	2.03	29.9	51.6	2.45	33.2	.00			350
	400	ISL 6.56	6.52	34.101	26.775	132.2	.901	1.36	19.8							403
1	424	6.32	6.28	34.124	26.825	127.6	.932	1.08	15.6	66.5	2.86	38.1	.00			427
	500	ISL 5.88	5.83	34.207	26.948	116.7	1.025	.56	8.0							504
1	502	5.87	5.82	34.208	26.949	116.5	1.027	.55	7.9	78.3	3.10	40.7	.00			505
1	576	5.39	5.34	34.267	27.055	106.9	1.110	.33	4.7	88.9	3.22	42.3	.00			580

RV NEW HORIZON						CRUISE CW86							STATION 90 53					
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		SECCHI	DEPTH	INCUBATION TIME			LAN	CIVIL TWILIGHT	INTEGRATED	VALUE		
32 39.2 N		119 29.0 W		03/07/86		18A6 GMT		16	M	1209 - 1819 PST			1209 PST	1819 PST	351.1 MG	C/M2		
DEPTH	TEMP	SALINITY	SIGMA	DISS	O2	OXY	SI03	PO4	NO3	NO2	CHL	PHAE0	LIGHT	UPTAKE (MGC/M3)				
														1	2	MEAN	DARK	
0	14.36	33.362	24.847	6.06		104.1	1.9	0.34	0.0	0.00	0.50	0.25	96	7.8	9.4	8.6	0.35	
11	14.38	33.362	24.844	6.10		104.8	1.9	0.34	0.0	0.00	0.49	0.28	34	12.3	11.0	11.7	0.42	
15	14.33	33.357	24.850	6.09		104.6	1.8	0.34	0.0	0.00	0.52	0.21	24	7.5	9.1	8.3	0.19	
23	14.30	33.354	24.854	6.09		104.5	1.8	0.34	0.0	0.00	0.53	0.31	12	7.9	6.7	7.3	0.18	
39	14.24	33.361	24.873	6.05		103.7	1.8	0.35	0.0	0.01	0.62	0.28	2.6	3.1	3.0	3.0	0.17	
71	11.50	33.524	25.538	4.56		73.8	11.7	1.12	11.8	0.07	0.13	0.28	0.13	0.30	0.38	0.34	0.16	

RV NEW HORIZON				CRUISE CW86										STATION 90 53																			
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		SECCHI		DEPTH		INCUBATION TIME		LAN		CIVIL TWILIGHT		INTEGRATED VALUE															
32 40.2 N		119 30.3 W		03/11/86		1858 GMT		16		M		1208 - 1825 PST		1208 PST		1826 PST		336.2 MG C/M2															
DEPTH		TEMP		SALINITY		SIGMA		DISS		O2		OXY		SI03		P04		NO3		NO2		CHL		PHAE0		LIGHT		UPTAKE (MGC/M3)					
M		DEG C				THETA		ML/L		PCT		UM/L		UM/L		UM/L		UM/L		UG/L		UG/L		%		1		2		MEAN		DARK	
0		14.31		33.360		24.856		6.02		103.3		3.0		0.35		0.2		0.01		0.55		0.19		96		2.6		3.2		2.9		0.18	
11		14.31		33.358		24.854		6.03		103.5		2.9		0.34		0.2		0.01		0.52		0.22		34		10.1		10.5		10.3		0.19	
15		14.31		33.359		24.856		6.03		103.5		2.9		0.34		0.2		0.01		0.59		0.24		24		7.6		8.5		8.1		0.16	
23		14.28		33.359		24.863		6.02		103.2		2.8		0.33		0.2		0.01		0.55		0.21		12		9.9		8.0		9.0		0.19	
39		12.71		33.447		25.248		5.46		90.7		6.8		0.73		5.4		0.39		0.42		0.29		2.6		4.3		2.9		3.6		0.40	
71		10.72		33.598		25.736		4.10		65.3		16.5		1.37		16.5		0.04		0.07		0.12		0.13		0*		0*		0		0.28	

* DARK UPTAKE EXCEEDED LIGHT UPTAKE.

RV NEW HORIZON				CRUISE CW86										STATION 90 75																			
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		SECCHI		DEPTH		INCUBATION		TIME		LAN		CIVIL TWILIGHT		INTEGRATED		VALUE											
31 54.1 N		120 58.4 W		03/08/86		1841 GMT		20		M		1216 - 1832		PST		1215 PST		1834 PST		162.7 MG		C/M2											
DEPTH		TEMP		SALINITY		SIGMA		DISS		O2		OXY		SI03		P04		N03		N02		CHL		PHAE0		LIGHT		UPTAKE (MGC/M3)					
M		DEG C				THETA		ML/L		PCT		UM/L		UM/L		UM/L		UM/L		UG/L		UG/L		%		1		2		MEAN		DARK	
1		14.77						5.95				2.9		0.37		0.0		0.00		0.15		0.03		96		1.9		2.0		1.9		0.16	
14		14.77		33.152		24.598		5.95		102.9		2.7		0.37		0.1		0.00		0.14		0.04		34		2.2		2.2		2.2		0.18	
20		14.73		33.151		24.606		5.96		103.0		2.8		0.37		0.1		0.00		0.14		0.04		24		2.2		2.0		2.1		0.19	
29		14.67		33.151		24.619		5.98		103.3		2.8		0.37		0.0		0.00		0.16		0.06		12		2.2		2.0		2.1		0.14	
49		13.85						6.08				2.8		0.39		0.0		0.00		0.34		0.22		2.6		2.6		2.3		2.5		0.14	
90		11.82		33.354		25.347		5.24		85.4		7.0		0.84		7.5		0.03		0.18		0.22		0.13		0.23		0.27		0.25		0.14	

RV NEW HORIZON						CRUISE CW86							STATION 90 85				
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		SECCHI	DEPTH	INCUBATION TIME			LAN	CIVIL TWILIGHT	INTEGRATED	VALUE	
31 31.7 N		121 39.7 W		03/10/86		1917 GMT		22	M	1202 - 1830 PST			1216 PST	1834 PST	49.6 MG	C/M2	
DEPTH		TEMP	SALINITY	SIGMA	DISS	O2	OXY	SI03	PO4	NO3	NO2	CHL	PHAE0	LIGHT	UPTAKE (MGC/M3)		
M		DEG C		THETA	ML/L	PCT		UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	%	1	2	
															MEAN	DARK	
2		16.04	33.249	24.394	5.74	101.9	2.3	0.36	0.0	0.00	0.05	0.01	96	0.37	0.36	0.37	
16		16.04	33.248	24.392	5.76	102.3	2.3	0.36	0.0	0.00	0.05	0.00	34	0.50	0.55	0.52	
22		16.01			5.76		2.1	0.36	0.0	0.00	0.05	0.01	24	0.49	0.37	0.43	
32		16.01	33.254	24.405	5.76	102.2	2.1	0.36	0.0	0.00	0.05	0.01	12	0.42	0.42	0.42	
55		15.48	33.168	24.457	5.85	102.7	2.2	0.36	0.0	0.00	0.09	0.02	2.6	0.73	0.58	0.66	
99		13.26			5.86		2.9	0.45	0.7	0.07	0.24	0.29	0.13	0.31	0.47	0.39	

RV NEW HORIZON						CRUISE CW86							STATION 90 115																				
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		SECCHI		DEPTH		INCUBATION TIME		LAN		CIVIL TWILIGHT		INTEGRATED VALUE															
30 35.8 N		123 38.6 W		03/09/86		1940 GMT		41		M		1235 - 1847 PST		1235 PST		1848 PST		87.0 MG C/M2															
DEPTH		TEMP		SALINITY		SIGMA		DISS		O2		OXY		SI03		P04		NO3		NO2		CHL		PHAE0		LIGHT		UPTAKE (MGC/M3)					
M		DEG C				THETA		ML/L		PCT		UM/L		UM/L		UM/L		UM/L		UG/L		UG/L		%		1		2		MEAN		DARK	
1		16.44		33.299		24.341		5.74		102.8		2.1		0.35		0.1		0.00		0.05		0.01		96		0.37		0.21		0.29		0.15	
30		16.18						5.76				2.1		0.35		0.1		0.00		0.05		0.01		34		0.38		0.45		0.41		0.16	
39		16.10		33.315		24.432						2.0		0.36		0.1		0.00		0.05		0.02		24		0.39		0.48		0.44		0.18	
58		16.02		33.324		24.457		5.78		102.6		2.0		0.35		0.1		0.00		0.08		0.02		12		0.36		0.25		0.30		0.16	
100		13.51						6.00				2.7		0.44		0.2		0.06		0.21		0.18		2.6		0.82		1.10		0.96		0.13	
181		9.92		33.673		25.932		4.07		63.7		18.8		1.46		18.6		0.01		0.01		0.05		0.13		0.00		0.01		0.01		0.10	

CRUISE CW86

Secchi Disk Observations

Line	Sta.	Day	Mo	Local Time (+8: PST)	Secchi Depth (m)	Weather	Clouds Type/ Amt
90	28	6	3	1415	10	2	ST 8/8
90	30	6	3	1633	18	2	ST 8/8
90	45	11	3	1430	15	1	CU 2/8
90	53	7	3	1040	16	5	ST 8/8
90	53	11	3	1050	16	1	CU 2/8
90	75	8	3	1035	20	2	ST 8/8
90	80	8	3	1530	33	1	ST 1/8
90	82	10	3	1515	24	1	SC 7/8
90	85	10	3	1110	22	1	SC 7/8
90	90	10	3	0705	34	1	NS 6/8
90	110	9	3	0640	49	1	CU 5/8
90	115	9	3	1130	41	1	NS 3/8
90	119	9	3	1745	31	1	ST 7/8

MACROZOOPLANKTON BIOMASS

Net Mesh Size: 0.505 mm

Line	Sta.	Position	Date Mo/Day	Time (GMT)		Water Volume Strained (m)	Max. Tow Depth (m)	Volume per 1000 m Strained	
				Start	End			Total (cm)	Small (cm)
90	28	33 28.6N 117 47.7W	3/6	2325	2346	388	201	122	122
90	30	33 24.4N 117 53.8W	3/7	0210	0231	403	185	108	95
90	35	33 15.2N 118 15.5W	3/7	0532	0553	416	172	96	96
90	37	33 11.1N 118 22.9W	3/7	0812	0833	404	201	73	73
90	45	32 54.6N 118 56.0W	3/7	1324	1346	394	193	89	89
90	53	32 39.2N 119 29.4W	3/7	1857	1918	419	212	60	60

DISTRIBUTION LIST

INTER-AMERICAN TROPICAL TUNA COMMISSION
(C/O SCRIPPS INSTITUTION OF OCEANOGRAPHY)

DR. JAMES JOSEPH

NATIONAL MARINE FISHERIES SERVICE
(C/O SCRIPPS INSTITUTION OF OCEANOGRAPHY)

DIRECTOR'S OFFICE

MR. RON DOTSON

MR. WILLIAM C. FLERX

DR. REUBEN LASKER

DR. A. ALVARINO DE LEIRA

LIBRARY (2)

MR. RONALD J. LYNN

DR. GEOFFREY MOSER

DR. ROBERT OWEN, JR.

MR. NELSON C. ROSS, JR.

DR. PAUL SMITH

SCRIPPS INSTITUTION OF OCEANOGRAPHY

DR. MARK ABBOTT

DR. LAURENCE ARMI

DR. ROBERT L. BERNSTEIN

DR. EDWARD BRINTON

DR. RICHARD W. EPPLEY

DR. ABRAHAM FLEMINGER

DR. JORIS M. T. M. GIESKES

DR. LOREN R. HAURY

DR. THOMAS L. HAYWARD

DR. GEORGE A. JACKSON

MRS. KITTIE KUHN

LIBRARY, SIO (DR. PETER BRUEGGEMAN)

LIBRARY, SIO (STELLA WADE) (4)

MR. ARNOLD W. MANTYLA

DR. JOHN A. MCGOWAN

DR. W. A. NIERENBERG

DR. PEARL P. NIILER

PROF. JOSEPH L. REID

DR. RICHARD H. ROSENBLATT

MR. RICHARD A. SCHWARTZLOSE

DR. JAMES J. SIMPSON

DR. KENNETH L. SMITH

MR. GEORGE H. SNYDER

DR. ROBERT E. STEVENSON

DR. MIZUKI TSUCHIYA

AFRICA

M. Henri Rotschi
Centre de Recherches
Oceanographiques
29, Rue des Pecheurs
B.P.V. 18 - Abidjan
Republique de Cote d'Ivoire

AUSTRALIA

Dr. John A. T. Bye
Flinders Institute for Atmospheric
and Marine Sciences
The Flinders University of S.A.
Bedford Park 5042, S.A.
Australia

Prof. R. Radok, Director
Horace Lamb Institute of Oceanography
P. O. Box 167
Kingswood 5062, S.A.
Australia

CANADA

Director
Institute of Oceanography
University of British Columbia
Vancouver, B.C. V6T 1W5
Canada

Library
Pacific Biological Station
Fisheries and Marine Service
Nanaimo, B.C. V9R 5K6
Canada

Dr. C. S. Wong
Institute of Ocean Sciences
Department of Fisheries and
Environment
P. O. Box 6000
Sidney, B.C. V8L 4B2
Canada

Library
Science Services
Dalhousie University
Halifax, N.S. B3H 4J3
Canada

Dr. Cedric R. Mann
Institute of Ocean Sciences
9860 West Saanich Road
Sidney, B.C. V8L 4B2
Canada

GERMANY

Akademie der Wissenschaften der D D R
Institut für Meereskunde Bibliothek
253 Warnemünde
German Democratic Republic

Deutsches-Hydrographisches Institut
Tauschstelle
Postfach 220
Bernhard-Hocht-Str. 78
D-2000 Hamburg
Federal Republic of Germany

Dr. Reimer Simonsen
Institut für Meeresforschung
285 Bremerhaven
Am Handelshafen 12
Federal Republic of Germany

ICELAND

Dr. Unnsteinn Stefansson
Hafrannsóknastofnunin
Skulagata 4
Reykjavik
Iceland

JAPAN

Dr. Kiyomitsu Kitano
Hokkaido Regional Fisheries
Research Laboratory
Katsurakoi 116, Kushiro City
Hokkaido
Japan

Director
Kobe Marine Observatory
Nakayamate 7
Kobe, 650
Japan

The Public Health Institute
of Hyogo Prefecture
Arata-Cho, Hyogo-Ku
2-1 Kobe
Japan

Prof. Hideo Kawai
Kyoto University
Department of Fisheries
Faculty of Agriculture
Kyoto
Japan

Director
Japan Oceanographic Data Center
Hydrographic Department
Maritime Safety Agency
No. 3-1,5 Chome, Tsukiji
Chuo-Ku, Tokyo
Japan 104

Library
Ocean Research Institute
University of Tokyo
Nakano-Ku, Tokyo
Japan

Oceanography Division
Marine Department
Japan Meteorological Agency
1-3-4 Ohte-Machi, Chiyoda-Ku
Tokyo, 100
Japan

KOREA

Library
Fisheries Research and
Development Agency
16-2KA, Namhang Dong
Youngdo-Ku Busan 606
Korea

MEXICO

Biblioteca
Centro de Investigacion Cientifica y
Educacion Superior de Ensenada
Apartado Postal 2732
Ensenada, Baja California
Mexico

Biblioteca
Instituto Nacional de Pesca
Centro de Investigacion Pesquera
Apartado Postal 1306
Ensenada, Baja California
Mexico

Biblioteca
Unidad de Ciencias Marinas
Universidad Autonoma de Baja
California
Apartado de Correos 453
Ensenada, Baja California
Mexico

Biblioteca, U.N.A.M.
Centro de Ciencias del
Mar y Limnologia
Apartado Postal 811
Mazatlan, Sinaloa
Mexico

Biblioteca
Centro de Promocion Pesquera
Apartado Postal 396
Mazatlan, Sinaloa
Mexico

Biblioteca
Centro de Investigacion Pesquera
Seccion de Hidrologia
Instituto Nacional de Pesca
Apartado Postal 550
Mazatlan, Sinaloa
Mexico

American Embassy (4)
Regional Fishery Attache
Apartado Postal 83-BIS
Mexico 1, D.F.
Mexico

Biblioteca
Departamento de Pesca
Alvaro Obregon 269
Mexico 7, D.F.
Mexico

Biblioteca
Universidad Nacional Autonoma
de Mexico
Apartado Postal 70-223
Mexico 20, D.F.
Mexico

Director
Inst. de Geofisica
Torre de Ciencias, 3ER Piso
Universidad Nacional Autonoma
de Mexico
Villa Obregon, D.F.
Mexico

NEW ZEALAND

Director
New Zealand Oceanographic Institute
P. O. Box 8009
Wellington
New Zealand

PERU

Biblioteca, Instituto del Mar
Apartado Postal 22
Callao
Peru

UNITED KINGDOM

Science Reference Library (A)
25 Southampton Buildings
Chancery Lane
London WC2A 1AW England
United Kingdom

Library
Subscription Department
New South Wales Government Offices
66 Strand
London, WC2N 5LZ, England
United Kingdom

Library
Fisheries Laboratory
Ministry of Agriculture, Fisheries
and Food
Lowestoft, Suffolk
NR33 0HT, England
United Kingdom

Head of Library and
Information Service
Plymouth
PL1 2PB, England
United Kingdom

Library
Inst. of Oceanographic Science
Wormley, Godalming
Surrey GU8 5UB, England
United Kingdom

Library
Department of Agriculture and
Fisheries for Scotland
Marine Laboratory
P. O. Box 101, Victoria Road
Torry, Aberdeen AB9 8DB, Scotland
United Kingdom

UNITED STATES

ALASKA

Library
Institute of Marine Science
University of Alaska
College, AK 99701

CALIFORNIA

Library —Serials
Humboldt State University
Arcata, CA 95521

Marine Technical Information Center
Department of Fish and Game
245 W. Broadway, Suite 350
Long Beach, CA 90802

Dr. Donn S. Gorsline
Department of Geology
University of Southern California
Los Angeles, CA 90007

Hancock Library of Biology
and Oceanography
University of Southern California
Los Angeles, CA 90007

James V. Gardner
Geological Survey
Branch of Pacific Marine Geology
345 Middlefield Road, MS999
Menlo Park, CA 94025

Naval Environmental Prediction
Research Facility
Monterey, CA 93940

Prof. C. N. K. Mooers, Chairman
Department of Oceanography
U. S. Naval Postgraduate School
Monterey, CA 93940

Director
Pacific Environmental Group
NMFS/NOAA
C/O Fleet Numerical Weather Central
Monterey, CA 93940

Commanding Officer (Code 40) (2)
Fleet Numerical Weather Central
Monterey, CA 93940

Library
Geology—Oceanography Department
California State University
Northridge, CA 91324

Dr. Donald J. Collins
Jet Propulsion Laboratory
California Institute of Technology
4800 Oak Grove Drive
Pasadena, CA 91109

E. J. List
Jet Propulsion Laboratory
California Institute of Technology
4800 Oak Grove Drive
Pasadena, CA 91109

Ocean Remote Sensing Library
Jet Propulsion Laboratory
California Institute of Technology
4800 Oak Grove Drive
Pasadena, CA 91109

Officer in Charge (Code L31)
Civil Engineering Laboratory
Naval Construction Battalion Center
Port Hueneme, CA 93043

Bernard Cohenour
Code 3144, Bldg. 514
Pacific Missile Test Center
Point Mugu, CA 93042

Director
Operations Research Branch
Department of Fish and Game
1416 Ninth Street
Sacramento, CA 95814

Mr. David Farris
Department of Biology
San Diego State University
San Diego, CA 92182

Library
Department of the Navy
Naval Ocean Systems Center
San Diego, CA 92152

Library
San Diego Society of Natural History
P. O. Box 1390
San Diego, CA 92112

Eric Shulenberg
San Diego Natural History Museum
P. O. Box 1390
San Diego, CA 92112

Library
California Academy of Sciences
Golden Gate Park
San Francisco, CA 94118

Director
Center for Coastal Marine Studies
University of California
Santa Cruz, CA 95064

NMFS/NOAA

Tiburon Laboratory
3150 Paradise Drive
Tiburon, CA 94920

CONNECTICUT

Prof. George Veronis
Department of Geology
and Geophysics
Yale University
P. O. Box 2161, Yale Station
New Haven, CT 06520

FLORIDA

R.S.M.A.S. Library
University of Miami
4600 Rickenbacker Causeway
Miami, FL 33149

Library
Southwest Fisheries Center
NMFS/NOAA
75 Virginia Beach Drive
Miami, FL 33149

HAWAII

Library
Southwest Fisheries Center
NMFS/NOAA
P. O. Box 3830
Honolulu, HI 96812

MAINE

Director
Center for Marine Studies
University of Maine
Orono, ME 04469

MARYLAND

Secretary for Publications
Chesapeake Bay Institute
The Johns Hopkins University
Baltimore, MD 21218

Acquisitions Section, IRDB/D823
Library and Information Services
Division, NOAA
6009 Executive Blvd.
Rockville, MD 20852

Chief
Oceanic Services Division (W16)
Office of Meteorology and
Oceanography
National Weather Service
8060 13th Street, Room 1213
Silver Spring, MD 20910

MASSACHUSETTS

Dr. John M. Edmond
Department of Earth and
Planetary Sciences
Bldg. 54, Room 1326
Mass. Institute of Technology
Cambridge, MA 02139

Prof. Henry M. Stommel
Dept. of Physical Oceanography
Woods Hole Oceanographic Inst.
Woods Hole, MA 02543

Dr. Bruce A. Warren
Woods Hole Oceanographic Inst.
Woods Hole, MA 02543

Dr. L. V. Worthington
Woods Hole Oceanographic Inst.
Woods Hole, MA 02543

MISSISSIPPI

NAV OCEAN
NSTL Station, MS 39522

NEW JERSEY

Princeton Geology Library
Department of Geological and
Geophysical Sciences
Guyot Hall
Princeton University
Princeton, NJ 08540

NEW YORK

Prof. Gerhard Neumann
Department of Meteorology
and Oceanography
New York University
Bronx,
New York, NY 10453

Dr. Arnold L. Gordon
Lamont-Doherty Geological
Observatory of Columbia Univ.
Palisades, NY 10964

OREGON

Pattullo Study
School of Oceanography
Oregon State University
Corvallis, OR 97331

Pacific Marine Fisheries Commission
528 S. W. Mill
Portland, OR 97201

RHODE ISLAND

Pell Marine Science Library
University of Rhode Island
Narragansett Bay Campus
Narragansett, RI 02882

TEXAS

Working Collection
Department of Oceanography
Texas A & M University
College Station, TX 77843

VIRGINIA

Professor Ronald E. Johnson
Institute of Oceanography
Old Dominion University
Norfolk, VA 23508

WASHINGTON

Library
Fisheries-Oceanography WB-30
151 Oceanography Teaching Bldg.
University of Washington
Seattle, WA 98195

Prof. Gunnar I. Roden
Dept. of Oceanography WB-10
University of Washington
Seattle, WA 98195

WASHINGTON, D.C.

British Navy Staff
British Embassy
3100 Massachusetts Avenue, N.W.
Attn: Scientific Information Officer
Washington, DC 20008

Commander (2)
U. S. Naval Oceanographic Office
Library Code 3330
Washington, DC 20373

Director (3)
National Oceanographic Data Center
NOAA
Washington, DC 20235

Director (6)
World Data Center A
NOAA
Washington, DC 20235

Dr. Robert H. Gibbs, Jr.
Division of Fisheries
U. S. National Museum
Washington, DC 20560

Director
National Marine Fisheries Service
NOAA
Washington, DC 20235