

data report

CalCOFI Cruise 0507
1 – 17 July 2005

CC Reference 07-05
26 July 2007

**UNIVERSITY OF CALIFORNIA, SAN DIEGO
SCRIPPS INSTITUTION OF OCEANOGRAPHY
LA JOLLA, CALIFORNIA 92093-0227**

PHYSICAL, CHEMICAL AND BIOLOGICAL DATA

**CalCOFI Cruise 0507
1 – 17 July 2005**

**CC Reference 07-05
26 July 2007**

CONTENTS

Introduction	3
Literature Cited	7
CalCOFI Cruise 0507	
List of Figures	9
Personnel	20
Tabulated Rosette Cast Data	21
Tabulated Primary Productivity Data	53
Tabulated Macrozooplankton Data	57
CalCOFI Cruise 0507 Avifauna	
List of Figures	59

INTRODUCTION

The data presented in this report were collected during cruise 0507* of the California Cooperative Oceanic Fisheries Investigations (CalCOFI) program aboard the RV *New Horizon* of Scripps Institution of Oceanography, University of California, San Diego. The CalCOFI program was organized in the late 1940's to study the causes of variations in population size of fishes of importance to the State of California. It is carried out by NOAA's National Marine Fisheries Service Southwest Fisheries Science Center, the California Department of Fish and Game, and the Integrative Oceanography Division (IOD) at Scripps Institution of Oceanography (SIO). IOD contributes to this program by investigations of the physical, chemical and biological structure of the California Current. Data from the cruises were collected and processed by personnel of the Integrative Oceanography Division and the Southwest Fisheries Science Center. SIO staff members from the Ocean Data Facility participate in the chemical analysis of nutrient samples at sea. CalCOFI data presented in this report and collected on previous cruises can be accessed at <http://www.calcofi.org>.

STANDARD PROCEDURES

CTD/Rosette Cast Data

A Sea-Bird Electronics, Inc., Conductivity-Temperature-Depth (CTD) instrument (Seabird 911, Serial number 1049) with a rosette was deployed at each station on these cruises. The rosette was equipped with 24 ten-liter plastic (PVC) bottles equipped with epoxy-coated springs and Viton O-rings. Each CTD/rosette cast usually sampled 20 depths to a maximum sampling depth of 525 meters, bottom depth permitting. Occasional stations have multiple bottles tripped at the same depth to provide more water for ancillary programs. The sample spacing was designed to sample depth intervals as close as 10 meters around the sharp upper thermocline features such as the chlorophyll, oxygen, nitrite maxima and the shallow salinity minimum. Salinity, oxygen and nutrients were determined at sea for all depths sampled. Chlorophyll-*a* and phaeopigments were determined at sea on samples from the top 200 meters, bottom depth permitting.

Pressures and temperatures assigned to the water sample data were derived from the CTD signals recorded just prior to the bottle trip. Pressures have been converted to depths by the Saunders (1981) pressure-to-depth conversion technique. CTD temperatures reported with the bottle data have been rounded to the nearest hundredth of a degree Celsius.

Salinity samples were collected from all rosette bottles and analyzed at sea using a Guildline model 8410 Portasal salinometer. Salinity samples were drawn into 200 ml Kimax high-alumina borosilicate bottles that were rinsed three times with sample prior to filling. The results were compared with the CTD salinity to verify that the rosette bottle did not mis-trip or leak. The salinometer was standardized before and after each group of samples with standardized seawater. Periodic checks on the conductivity of the standardized seawater were made by comparison with IAPSO Standard Seawater batch P144. Salinity values were calculated using the algorithms for the Practical Salinity Scale, 1978 (UNESCO, 1981a) and are reported to three decimal places, provided that accepted standards were met.

Dissolved oxygen analyses were performed with an Ocean Data Facility of Scripps Institution of Oceanography designed automated oxygen titrator using photometric end-point detection based on the absorption of 365nm wavelength ultra-violet light. A computer using PC software controlled the titration of the samples and the data logging. The method used a modified-Winkler titration following the technique of Carpenter (1965) with modifications by Culberson (1991), but with higher concentrations of thiosulfate solution (50 g/l). Standard KIO₃

* The first two digits represent the year and the last digits the month of the cruise.

solutions prepared ashore were run at the beginning of each run. Reagent and sea water blanks were determined to account for presence of oxidizing or reducing materials.

Nutrient samples were analyzed at sea for dissolved silicate, phosphate, nitrate, nitrite, and ammonium using procedures similar to those described in Gordon *et al.* (1993) and Koroleff (1969, 1970). Samples were collected in 45 ml high-density polypropylene screw-capped tubes, which were rinsed three times prior to filling. Standardizations were done at the beginning and end of each group of samples with a set of mid-concentration range standards prepared fresh for each run. Samples not analyzed immediately after collection were refrigerated and run the following day. Sets of six different concentration standards were analyzed periodically to determine the deviation from linearity as a function of concentration, for the silicate, nitrate and phosphate analyses. Final sample concentrations were corrected for deviations from linearity using a second order polynomial.

Samples for chlorophyll-*a* and phaeopigments were collected in calibrated 138 ml polyethylene bottles and filtered onto Whatman GF/F filters. The pigments were extracted in cold 90% acetone (Venrick and Hayward, 1984) for a minimum of 24 hours. Chlorophyll *a* and pheopigment concentrations were determined from fluorescence readings before and after acidification with a Turner Designs Fluorometer Model 10-AU-005-CE (Yentsch and Menzel, 1963; Holm-Hansen *et al.*, 1965).

Evaluation of the water sample data involved comparisons with the CTD data, adjacent stations and consideration of the variation of a property as a function of density or depth and the relationships with other properties (Klein, 1973). Precision estimates for routine analyses were made on CalCOFI cruise 9003 and are reported in SIO Ref. 91-4.

Primary Productivity Sampling

Primary productivity samples were taken each day shortly before local apparent noon (LAN). Primary production was estimated from ^{14}C uptake using a simulated *in situ* technique. Light penetration was estimated from the Secchi depth (assuming that the 1% light level is three times the Secchi depth). The depths with ambient light intensities corresponding to light levels simulated by the on-deck incubators were identified and sampled on the rosette up-cast. Occasionally an extra bottle or two were tripped in addition to the usual 20 levels sampled in the combined rosette-productivity cast in order to maintain the normal sampling depth resolution. Triplicate samples (two light and one dark control) were drawn from each productivity sample depth into 250 ml polycarbonate incubation bottles. Samples were inoculated with 64.74 μCi of ^{14}C as NaHCO_3 (200 μl of 335.90 $\mu\text{Ci/ml}$ stock) prepared in a 0.3 g/liter solution of sodium carbonate (Fitzwater *et al.*, 1982). Samples were incubated from LAN to civil twilight in seawater-cooled incubators with neutral-density screens which simulate *in situ* light levels. At the end of the incubation, the samples were filtered onto Millipore HA filters and placed in scintillation vials. One half ml of 10% HCl was added to each sample. The sample was then allowed to sit, without a cap, at room temperature for 12 hours (after Lean and Burnison, 1979). Following this, 10 ml of scintillation cocktail were added to each sample and the samples were returned to SIO where the radioactivity was determined with a scintillation counter. Salinity, oxygen, nutrients, chlorophyll-*a* and phaeopigments were determined from all rosette productivity bottles.

Macrozooplankton Net Tows

Macrozooplankton was sampled with a 71 cm mouth diameter paired net (bongo net) equipped with 0.505mm plankton mesh. Bottom depth permitting, the nets were towed obliquely from 210 meters to the surface. The tow time for a standard tow was 21.5 minutes. Volumes filtered were determined from flowmeter readings and the mouth area of the net. Only one sample of each pair was retained and preserved. The biomass, as wet displacement volume, after removal of large (>5 ml) organisms, was determined in the laboratory ashore. These procedures are summarized in greater detail in Kramer *et al.* (1972). An Optical Plankton Counter (OPC, Dave Checkley, SIO) was routinely used in one side of the paired bongo net frame. The purpose of the OPC is to obtain information on the vertical distributions of size categories of zooplankton, using data from the counter, without affecting the ongoing time series of data obtained from the catches of the integrative bongo net.

Avifauna Observations (Point Reyes Bird Observatory)

Sea birds were counted within a 300-meter wide strip off to one side of the ship. Counts were made while underway between stations during periods of daylight. These counts were summed over 20 nautical mile (nm) intervals, or the distance between consecutive stations, whichever was less. Included at the end of this report are individual maps of the most numerous bird species (individuals/nm).

Ancillary Programs

Several ancillary programs produced data on these cruises that are not presented in this report. These programs include:

- 1) *Underway Data.* Continuous near surface measurements of temperature, salinity and *in vivo* chlorophyll fluorescence were recorded from seawater pumped through the ship's uncontaminated seawater system. Water was drawn from a depth of approximately 3 meters. The data were logged in one-minute averages using a Sea-Bird Electronics, Inc., SBE 45 MicroTSG Thermosalinograph and a Wetlabs Wetstar fluorometer.
- 2) *ADCP.* Continuous profiles of ocean currents and acoustic backscatter between 20 and 500 meters deep were measured along the shiptrack from a hull-mounted 150 kHz Acoustic Doppler Current Profiler (ADCP). The ADCP data were averaged over 3-minute intervals. Sixty 8-meter depth bins were recorded. (T. Chereskin, SIO)
- 3) *Underway Sea Surface xCO₂.* Continuous measurements of the partial pressure of CO₂ were made from the ship's uncontaminated seawater system. The seawater was equilibrated in a membrane contactor with a gas loop that was analyzed with a Licor 6262 infrared CO₂/H₂O analyzer. One-minute averages were recorded and the mole fraction of CO₂ (xCO₂) at sea surface temperature was calculated. The system was calibrated with standard gases traceable to CMDL every two hours; at that time absolute zero and atmospheric samples were also collected. (G. Friederich, MBARI)
- 4) *Trace metals.* Seawater samples from the surface and at depth were obtained for iron analysis (dissolved and total iron) at 33 stations using a trace metal-clean pole sampler and trace metal-clean GO-flo bottles. Iron addition incubations were also performed at 15 stations to assay for iron limitation in the phytoplankton community. (K. Barbeau, SIO).
- 5) *California Current Ecosystem Long Term Ecological Research Program:* The CCE-LTER program augments standard CalCOFI measurements to further characterize the lower trophic levels as well as the carbon system. These additional samples, taken at all CalCOFI stations, are for measurements of particulate organic carbon and nitrogen, dissolved organic carbon and nitrogen, taxon-specific phytoplankton pigments, flow-cytometric counts of bacteria and picoautotrophs, microscopic counts of nano- microplankton, determination of mesozooplankton size structure using a Laser Optical Plankton Counter, and mesozooplankton community structure.
- 6) *SCCOOS Nearshore and Bio-optical Observations:* The objective of these observations is to extend CalCOFI time series to the nearshore and make bio-optical observations for the development of empirical proxies for particle size load and structure and phytoplankton biomass and rates of primary production. The nearshore observations consist of 9 stations at the ends and interspersed with current CalCOFI lines on the 20 m isobath with a standard set of CalCOFI observations. Bio-optical measurements at all CalCOFI and SCCOOS stations consist of irradiance at 9 wavelengths, light transmission at three wavelengths, fluorescence of Chl a, CDOM and phycoerythrin and light scattering at three wavelengths.
- 7) *Marine mammal observations.* During daylight transits, visual line-transect surveys were conducted by marine mammal observers focusing on cetaceans. Acoustic line-transect surveys were performed using a towed

hydrophone array which consists of multiple hydrophone elements that sample sounds up to 100 kHz allowing for localization of calling animals. Acoustic monitoring also takes place on individual stations using sonobuoys.

TABULATED DATA

CTD/Rosette Cast Data

The time reported is the Coordinated Universal Time (UTC) of the first rosette bottle trip on the up cast. The rosette bottles tripped on the up cast are reported as cast 2, where cast 1 is considered to be the down CTD profile. The sample number reported is the cast number followed by a two-digit rosette bottle number. Bottom depths, determined acoustically, have been corrected using British Admiralty Tables (Carter, 1980) and are reported in meters. Weather conditions have been coded using WMO code 4501. Secchi depths are reported for most daylight stations.

Data values from discreet sampled CTD rosette were interpolated and are reported for standard depths. Interpolated or extrapolated standard level data are noted by the footnote "ISL" printed after the depth. Multiple bottles tripped at the same depth to provide water for ancillary programs are not used in the calculation of standard depth data. Density-related parameters have been calculated from the International Equation of State of Seawater 1980 (UNESCO, 1981b). Computed values of potential temperature, sigma-theta, specific volume anomaly (SVA), and dynamic height or geopotential anomaly are included with both observed and interpolated standard depth levels.

On stations where primary productivity samples were drawn a footnote appears after each productivity depth sampled. The corresponding primary productivity data are reported in a separate section following the tabulated rosette cast data.

Primary Productivity Data

In addition to the normal hydrographic data that are reported in the rosette cast data section, the tabulated data include: the *in situ* light levels at which the samples were collected, the uptake from each of the replicate light bottles, uptake 1 and uptake 2 (which have been corrected for dark uptake by subtracting the dark value), the mean of the two uptake values and the dark uptake. The uptake values are totals for the incubation period. Also shown are the times of LAN, civil twilight, and the value of the mean uptake integrated from the surface to the deepest sample, assuming the shallowest value continues to the surface and that negative values (when dark uptake exceeds light uptake) are zero. The uptake data are reported to two significant digits (values <1.00) or one decimal (values >1.00). Incubation time, LAN, and civil twilight are given in local Pacific Standard Time (PST); to convert to UTC, add eight hours to the PST time. Incubation light intensities are listed in a footnote at the bottom of each page.

Macrozooplankton Data

Macrozooplankton biomass volumes are tabulated as total biomass volume (cm³/1000m³ strained) and as the total volume minus the volume of larger organisms under the heading "Small." Tow times are given in local PST (+8) time.

FOOTNOTES

In addition to footnotes, special notations are used without footnotes because the meaning is always the same:

- D: CTD salinity value listed in place of normal shipboard salinity analysis.
- ISL: After a depth value indicates that this is an interpolated or extrapolated standard level.
- U: Uncertain value. Values which are not used in interpolation because they seem to be in error without apparent reason.

LITERATURE CITED

- Anderson, G. C., compiler, 1971. "Oxygen Analysis," Marine Technician's Handbook, SIO Ref. No. 71-8, Sea Grant Pub. No. 9.
- Carpenter, J. H., 1965. The Chesapeake Bay Institute technique for the Winkler dissolved oxygen method. *Limnol. Oceanogr.*, 10: 141-143.
- Carter, D. J. T., 1980. Echo-sounding correction tables. Third Edition. Hydrographic Department, Ministry of Defence, Taunton, U.K., NP 139: 150 pp.
- Culberson, C. H. 1991. Dissolved oxygen. WHP Operations and Methods -- July 1991.
- Fitzwater, S. E., G. A. Knauer and J. H. Martin, 1982. Metal contamination and its effect on primary production measurements. *Limnol. Oceanogr.*, 27: 544-551.
- Gordon, L. I., J. C. Jennings, Jr., A. A. Ross, and J. M. Krest, 1993. A suggested protocol for continuous flow automated analysis of seawater nutrients (phosphate, nitrate, nitrite and silicic acid) in the WOCE Hydrographic Program and the Joint Global Ocean Fluxes Study. WOCE Operations Manual, Part 3.1.3 "WHP Operations and Methods," *WHP Office Report WHPO 91-1*.
- Holm-Hansen, O., C. J. Lorenzen, R. W. Holmes and J. D. H. Strickland, 1965. Fluorometric determination of chlorophyll. *J. Cons. perm. int. Explor. Mer*, 30: 3-15.
- Klein, H. T., 1973. A new technique for processing physical oceanographic data. SIO Ref. No. 73-14.
- Koroleff, F. 1969. Direct determination of ammonia in natural waters as Indophenol Blue. *Int. Con. Explor. Sea*, C.M. C: 9.
- Koroleff, F. 1970. The above paper revised, *Int. Con. Explor. Sea*, Information on techniques and methods for sea water analysis. Interlab Report No. 3, 19-22.
- Kramer, D., M. J. Kalin, E. G. Stevens, J. R. Thraillkill and J. R. Zweifel, 1972. Collecting and processing data on fish eggs and larvae in the California Current region. *NOAA Technical Report NMFS CIRC-370*: 38 pp.
- Lean, D. R. S. and B. K. Burnison, 1979. An evaluation of errors in the ^{14}C method of primary production measurement. *Limnol. Oceanogr.*, 24: 917-928.
- Reid, J. L. and A. W. Mantyla, 1976. The effect of the geostrophic flow upon coastal sea elevations in the northern North Pacific Ocean. *J. Geophys. Res.*, 81: 3100-3110.
- Parsons, T. R., Y. Maita, C. M. Lalli, 1984. *A Manual of Chemical and Biological Methods for Seawater Analysis*. Pergamon Press Ltd., 3-28.
- Saunders, P. M., 1981. Practical conversion of pressure to depth. *J. Phys. Oceanogr.*, 11: 573-574.
- Scripps Institution of Oceanography, University of California, 1991. Physical, Chemical and Biological Data, CalCOFI Cruises 9003 and 9004. SIO Ref. 91-4, 96 pp.
- UNESCO, 1981, a. Background papers and supporting data on the Practical Salinity Scale, 1978. *UNESCO Tech. Pap. in Mar. Sci.*, No. 37.
- UNESCO, 1981, b. Background papers and supporting data on the International Equation of State 1980. *UNESCO Tech. Pap. in Mar. Sci.*, No. 38.

- Venrick, E. L. and T. L. Hayward, 1984. Determining chlorophyll on the 1984 CalCOFI surveys. *CalCOFI Rep.*, Vol. XXV: 74-79.
- Weiss, R. F., 1970. The solubility of nitrogen, oxygen and argon in water and seawater. *Deep-Sea Res.*, 17: 721-735.
- Yentsch, C. S. and D. W. Menzel, 1963. A method for the determination of phytoplankton, chlorophyll and phaeophytin by fluorescence. *Deep-Sea Res.*, 10: 221-231.

FIGURES

Cruise 0507

1. CalCOFI Cruise 0507 track and station positions.
2. Horizontal distribution of dynamic height anomaly (0 over 500m). In areas shallower than 500 m, the dynamic heights were extrapolated on the basis of the offshore deeper steric height as described in Reid and Mantyla (1976).
3. Horizontal distributions at 10 meters: A) chlorophyll-*a*; B) potential density; C) temperature; and D) salinity.
4. Horizontal distributions at 200 meters: A) dynamic height anomaly (200 over 500 m); B) potential density; C) temperature; and D) salinity.
5. Sections along CalCOFI line 90 (vertical exaggeration, 1000): A) potential density; B) temperature; C) salinity; D) silicate; E) nitrate; F) phosphate; G) chlorophyll-*a*; H) oxygen saturation; I) oxygen; J) nitrite; and K) phaeopigments.




FIGURE 1




FIGURE 2




FIGURE 3A




FIGURE 3B




FIGURE 3C




FIGURE 3D




FIGURE 4A






FIGURE 4B



CALCOFI CRUISE 0507

4 - 7 July 2005

POTENTIAL DENSITY (σ_θ) ALONG CALCOFI LINE 90




FIGURE 5A




FIGURE 5B

CALCOFI CRUISE 0507

4 - 7 July 2005

SALINITY ALONG CALCOFI LINE 90




FIGURE 5C




FIGURE 5D

CALCOFI CRUISE 0507

4 - 7 July 2005

NITRATE ($\mu\text{M/L}$) ALONG CALCOFI LINE 90




FIGURE 5E




FIGURE 5F

CALCOFI CRUISE 0507

4 - 7 July 2005

CHLOROPHYLL-a ($\mu\text{g/L}$) ALONG CALCOFI LINE 90




FIGURE 5G




FIGURE 5H

CALCOFI CRUISE 0507

4 - 7 July 2005

OXYGEN (mL/L) ALONG CALCOFI LINE 90




FIGURE 5I

NITRITE ($\mu\text{M/L}$) ALONG CALCOFI LINE 90




FIGURE 5J

PHAEOPIGMENTS ($\mu\text{g/L}$) ALONG CALCOFI LINE 90




FIGURE 5K

PERSONNEL

CalCOFI Cruise 0507

SHIP'S CAPTAIN

Murray A. Stein, RV *New Horizon*

PERSONNEL PARTICIPATING IN THE COLLECTION OF DATA

		Participating (Legs)
Wilkinson, James R. (Chief Scientist)	Programmer Analyst, SIO	1,2
Abramenkoff, Dimitry N.	Fisheries Biologist, NMFS	2
Allen, Ann	Volunteer	1,2
Bjorhstedt, Eric P.	Fisheries Biologist, NMFS	1
Camacho, Dominique	Biologist, Cascadia Research	1,2
Clermont, Jason	Staff Research Associate, SIO	1,2
Douglas, Annie	Biologist, Cascadia Research	1,2
Dovel, Shonna	Staff Research Associate, SIO	1,2
Gire, Ben M.	Volunteer	1,2
Hays, Amy E.	Fisheries Biologist, NMFS	1,2
Manion, Sue	Fisheries Biologist, NMFS	1,2
Miller, Aileen K.	Seabird Biologist, Pt. Reyes Bird Observatory	1,2
Oriarte, Veronica	Volunteer, Cascadia Research	1,2
Ramirez, Fernando	Staff Research Associate, SIO	1,2
Reynolds, Susan M.	Staff Research Associate, SIO	1,2
Schuller, Daniel	Staff Research Associate, SIO	1,2
Sheldon, Jennifer	Staff Research Associate, SIO	1,2
Soldevilla, Melissa	Graduate Student, SIO	1,2
Wolgast, David M.	Staff Research Associate, SIO	1,2

Leg 1: San Diego to Dana Point, California, 1-7 July, 2002

Leg 2: Dana Point to San Diego, California, 7-16 July, 2002

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE			
34 3.0 N	122 56.4 W	15/07/05	0802 UTC	4234 m	330 19 kn			1012.0 mb	16.9 c	15.0 c						
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	17.10	17.10	32.933	23.906	399.0	0.000	5.66	102.4	2.5	0.29	0.1	0.00	0.14	0.03	0	
3	17.10	17.10	32.933	23.906	399.1	0.012	5.66	102.4	2.5	0.29	0.1	0.00	0.14	0.03	3	220
10 ISL	17.10	17.10	32.932	23.906	399.4	0.040	5.67	102.6	2.4	0.29	0.1	0.00	0.14	0.03	10	
15	17.10	17.10	32.931	23.905	399.6	0.060	5.68	102.8	2.3	0.29	0.1	0.00	0.14	0.03	15	219
20 ISL	17.10	17.10	32.931	23.905	399.8	0.080	5.68	102.8	2.3	0.29	0.1	0.00	0.14	0.03	20	
30 ISL	17.10	17.10	32.931	23.905	400.0	0.120	5.67	102.6	2.3	0.29	0.1	0.00	0.15	0.02	30	
31	17.10	17.09	32.931	23.906	400.1	0.124	5.67	102.6	2.3	0.29	0.1	0.00	0.15	0.02	31	218
46	15.94	15.93	32.975	24.206	371.8	0.182	5.90	104.4	2.4	0.28	0.0	0.00	0.28	0.06	46	217
50 ISL	15.63	15.62	33.013	24.305	362.5	0.196	5.91	103.9	2.4	0.28	0.0	0.00	0.33	0.13	50	
60	14.89	14.88	33.103	24.536	340.7	0.232	5.94	103.0	2.3	0.29	0.0	0.00	0.44	0.32	60	216
75	13.96	13.95	33.124	24.749	320.8	0.281	5.91	100.5	2.5	0.35	0.1	0.08	0.56	0.56	75	215
85	12.93	12.92	33.072	24.916	305.0	0.313	5.59	93.1	3.9	0.56	2.9	0.05	0.38	0.37	85	214
96	12.12	12.11	33.142	25.127	285.1	0.345	5.24	85.8	6.3	0.81	7.4	0.02	0.15	0.17	96	213
100 ISL	11.69	11.68	33.166	25.225	275.8	0.356	5.05	81.9	7.6	0.93	9.4	0.02	0.12	0.16	100	
105	11.18	11.17	33.198	25.343	264.6	0.370	4.82	77.4	9.2	1.06	11.6	0.02	0.11	0.14	105	212
115	10.60	10.59	33.260	25.494	250.4	0.395	4.58	72.6	11.6	1.20	14.0	0.01	0.09	0.11	115	211
125	10.26	10.25	33.310	25.591	241.2	0.420	4.42	69.6	13.2	1.30	15.8	0.01	0.06	0.07	126	210
139	9.62	9.60	33.448	25.806	221.0	0.452	4.05	62.9	17.5	1.51	19.3	0.01	0.03	0.04	140	209
150 ISL	9.30	9.28	33.564	25.949	207.6	0.476	3.83	59.1	20.5	1.62	21.2	0.01	0.02	0.04	151	
165	9.03	9.01	33.707	26.104	193.1	0.506	3.56	54.7	24.0	1.74	23.3	0.01	0.00	0.01	166	208
196	8.79	8.77	33.884	26.281	176.9	0.563	2.88	44.0	29.8	1.97	26.8	0.01	0.00	0.02	197	207
200 ISL	8.75	8.73	33.903	26.302	174.9	0.570	2.79	42.6	30.6	2.00	27.2	0.01	0.00	0.01	201	
230	8.47	8.45	34.015	26.433	162.9	0.621	2.26	34.3	36.1	2.19	29.8	0.01	0.00	0.01	231	206
250 ISL	8.26	8.23	34.049	26.492	157.6	0.653	2.10	31.8	38.9	2.26	30.9	0.01	0.00	0.01	251	
271	8.06	8.03	34.072	26.540	153.4	0.686	1.97	29.7	41.6	2.32	31.7	0.01	0.00	0.01	273	205
300 ISL	7.96	7.93	34.125	26.597	148.4	0.730	1.61	24.2	45.4	2.46	32.8	0.01	0.00	0.01	302	
320	7.87	7.84	34.154	26.634	145.3	0.759	1.38	20.7	48.0	2.55	33.6	0.01	0.00	0.01	322	204
378	7.02	6.98	34.134	26.739	135.7	0.840	1.23	18.1	56.3	2.69	36.2	0.01	0.00	0.01	380	203
400 ISL	6.81	6.77	34.137	26.770	132.9	0.870	1.13	16.5	59.5	2.75	37.0	0.01	0.00	0.01	403	
436	6.53	6.49	34.153	26.820	128.4	0.917	0.93	13.5	64.9	2.85	38.2	0.01	0.00	0.01	439	202
500 ISL	6.05	6.01	34.211	26.929	118.6	0.996	0.55	7.9	74.3	3.03	40.3	0.01	0.00	0.01	503	
511	5.97	5.93	34.221	26.947	117.0	1.009	0.49	7.0	75.9	3.06	40.7	0.01	0.00	0.01	514	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE			
33 43.4 N	123 38.2 W	15/07/05	0150 UTC	4251 m	330 19 kn	330 08 08	2	1012.7 mb	18.1 c	16.4 c		8/8	Sc			
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	17.34	17.34	33.030	23.924	397.3	0.000	5.66	103.0	2.3	0.29	0.0	0.00	0.20	-0.01	0	
2	17.34	17.34	33.030	23.924	397.4	0.008	5.66	103.0	2.3	0.29	0.0	0.00	0.20	-0.01	2	222
10 ISL	17.35	17.35	33.031	23.922	397.8	0.040	5.65	102.8	2.2	0.29	0.1	0.00	0.20	0.01	10	
16	17.35	17.35	33.031	23.923	398.0	0.064	5.64	102.6	2.2	0.29	0.1	0.00	0.20	0.02	16	220
20 ISL	17.34	17.34	33.029	23.924	398.0	0.080	5.64	102.6	2.2	0.29	0.1	0.00	0.20	0.02	20	
30 ISL	17.30	17.30	33.033	23.936	397.1	0.119	5.66	102.9	2.2	0.28	0.1	0.00	0.21	0.01	30	
31	17.30	17.29	33.034	23.937	397.1	0.123	5.66	102.9	2.2	0.28	0.1	0.00	0.21	0.01	31	219
45	17.11	17.10	33.031	23.980	393.4	0.179	5.67	102.7	2.0	0.28	0.1	0.00	0.27	0.04	45	218
50 ISL	16.77	16.76	33.026	24.056	386.3	0.198	5.73	103.1	2.1	0.28	0.1	0.00	0.29	0.04	50	
60	16.04	16.03	33.009	24.211	371.9	0.236	5.86	103.9	2.2	0.29	0.0	0.00	0.34	0.04	60	217
75	15.49	15.48	32.943	24.283	365.4	0.291	5.91	103.6	2.2	0.29	0.0	0.00	0.47	0.12	75	216
85	14.59	14.58	33.085	24.587	336.6	0.326	6.01	103.5	2.0	0.30	0.0	0.01	0.55	0.31	85	215
95	13.61	13.60	33.082	24.789	317.5	0.359	5.86	98.9	2.5	0.39	0.5	0.16	0.46	0.49	95	214
100 ISL	13.32	13.31	33.101	24.862	310.6	0.375	5.81	97.5	2.8	0.43	0.9	0.12	0.37	0.36	100	
105	13.00	12.99	33.121	24.941	303.2	0.390	5.73	95.5	3.3	0.49	1.3	0.07	0.28	0.20	105	212
115	11.74	11.73	33.149	25.203	278.2	0.419	5.35	86.9	5.7	0.75	5.9	0.18	0.17	0.14	115	211
124	11.11	11.09	33.172	25.336	265.7	0.444	5.00	80.1	8.1	0.96	9.9	0.07	0.15	0.14	125	210
125 ISL	11.04	11.02	33.178	25.353	264.1	0.446	4.95	79.2	8.5	0.99	10.4	0.06	0.14	0.14	126	
138	10.23	10.21	33.275	25.569	243.6	0.479	4.37	68.7	13.4	1.32	16.0	0.01	0.07	0.10	139	209
150 ISL	9.85	9.83	33.370	25.708	230.6	0.508	4.03	62.9	16.5	1.51	19.1	0.01	0.05	0.09	151	
170	9.50	9.48	33.547	25.904	212.3	0.552	3.58	55.5	21.0	1.71	22.3	0.01	0.03	0.07	171	208
193	8.99	8.97	33.796	26.181	186.4	0.598	2.96	45.4	27.5	1.93	25.9	0.02	0.01	0.07	194	207
200 ISL	8.89	8.87	33.847	26.236	181.2	0.611	2.87	44.0	28.9	1.96	26.5	0.02	0.01	0.01	201	
228	8.58	8.56	33.986	26.394	166.7	0.660	2.62	39.9	33.7	2.05	28.2	0.02	0.01	0.01	229	206
250 ISL	8.39	8.36	34.049	26.473	159.6	0.695	2.22	33.7	37.8	2.20	30.0	0.01	0.01	0.01	251	
269	8.19	8.16	34.074	26.523	155.1	0.725	1.93	29.1	41.1	2.32	31.4	0.01	0.01	0.01	270	205
300 ISL	7.61	7.58	34.052	26.591	148.8	0.772	2.08	31.0	45.3	2.32	32.2	0.01	0.01	0.01	302	
318	7.27	7.24	34.033	26.624	145.7	0.799	2.21	32.7	47.6	2.32	32.5	0.01	0.01	0.01	320	204
377	6.80	6.77	34.079	26.725	136.7	0.882	1.50	21.9	56.6	2.62	35.9	0.01	0.01	0.01	379	203
400 ISL	6.53	6.49	34.079													

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE			
33 22.8 N	124 19.8 W	14/07/05	1941 UTC	4550 m	340 18 kn	350 08 07	2	1015.7 mb	18.9 c	16.8 c	19m	8/8	SC			
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	18.17	18.17	33.111	23.785	410.5	0.000	5.54	102.5	2.4	0.27	0.0	0.00	0.15	0.03	0	
2 A	18.17	18.17	33.111	23.785	410.6	0.008	5.54	102.5	2.4	0.27	0.0	0.00	0.15	0.03	2	224
10 ISL	18.17	18.17	33.112	23.787	410.7	0.041	5.54	102.5	2.5	0.27	0.0	0.00	0.14	0.03	10	
14 A	18.17	18.17	33.112	23.787	410.9	0.057	5.54	102.5	2.5	0.27	0.0	0.00	0.14	0.03	14	221
20 ISL	18.11	18.11	33.108	23.799	409.9	0.082	5.55	102.5	2.4	0.27	0.0	0.00	0.15	0.03	20	
27 A	18.05	18.05	33.104	23.810	409.1	0.111	5.56	102.6	2.3	0.27	0.0	0.00	0.18	0.04	27	220
30 ISL	17.45	17.45	33.081	23.938	397.0	0.123	5.71	104.1	2.3	0.27	0.0	0.00	0.20	0.05	30	
40 A	15.33	15.32	33.043	24.394	353.7	0.160	6.14	107.4	2.2	0.28	0.0	0.00	0.31	0.11	40	219
46	14.73	14.72	33.059	24.536	340.3	0.181	6.12	105.7	2.5	0.31	0.1	0.00	0.39	0.20	46	218
50 ISL	14.54	14.53	33.066	24.582	336.0	0.195	6.11	105.2	2.6	0.32	0.0	0.00	0.42	0.23	50	
53 A	14.39	14.38	33.073	24.619	332.6	0.205	6.11	104.8	2.7	0.32	0.0	0.00	0.44	0.28	53	217
62	13.40	13.39	33.126	24.864	309.4	0.234	5.53	93.0	4.3	0.56	3.0	0.25	0.65	0.68	62	216
72 A	12.39	12.38	33.161	25.089	288.1	0.264	5.24	86.3	6.3	0.78	6.9	0.09	0.37	0.41	72	215
75 ISL	11.96	11.95	33.186	25.190	278.5	0.272	5.03	82.1	7.8	0.91	9.1	0.06	0.28	0.34	75	
79	11.40	11.39	33.221	25.321	266.1	0.283	4.76	76.8	9.9	1.08	12.0	0.03	0.19	0.25	79	214
85	10.78	10.77	33.257	25.459	253.0	0.299	4.59	73.1	11.7	1.22	14.1	0.02	0.13	0.16	85	213
93	10.26	10.25	33.337	25.612	238.6	0.318	4.24	66.8	14.8	1.39	17.2	0.02	0.09	0.11	93	212
100 ISL	9.98	9.97	33.396	25.705	229.8	0.335	3.98	62.3	16.9	1.51	19.2	0.02	0.07	0.09	100	
110	9.70	9.69	33.470	25.810	220.1	0.357	3.68	57.3	19.4	1.65	21.4	0.02	0.05	0.08	110	211
125	9.29	9.28	33.576	25.959	206.1	0.389	3.39	52.3	22.7	1.78	23.5	0.01	0.02	0.06	126	210
144	8.99	8.97	33.717	26.118	191.4	0.427	3.43	52.6	24.8	1.78	23.8	0.02	0.01	0.03	145	209
150 ISL	8.95	8.93	33.756	26.155	188.0	0.438	3.33	51.1	25.7	1.81	24.3	0.02	0.01	0.03	151	
171	8.85	8.83	33.876	26.265	177.9	0.477	2.86	43.8	29.3	1.96	26.5	0.01	0.00	0.03	172	208
198	8.59	8.57	34.001	26.404	165.2	0.523	2.41	36.7	34.1	2.11	28.9	0.01	0.00	0.03	199	207
200 ISL	8.57	8.55	34.006	26.411	164.6	0.526	2.39	36.4	34.4	2.12	29.0	0.01			201	
226	8.34	8.32	34.050	26.481	158.3	0.568	2.13	32.3	38.0	2.25	30.5	0.01			227	206
250 ISL	8.11	8.08	34.082	26.541	153.0	0.606	1.83	27.6	41.6	2.36	32.0	0.01			251	
270	7.92	7.89	34.103	26.585	149.0	0.636	1.60	24.0	44.6	2.45	33.2	0.01			272	205
300 ISL	7.64	7.61	34.124	26.643	143.9	0.680	1.39	20.7	48.8	2.56	34.3	0.01			302	
318	7.47	7.44	34.134	26.675	141.0	0.705	1.29	19.2	51.3	2.62	34.9	0.01			320	204
377	6.88	6.84	34.164	26.782	131.5	0.786	0.93	13.6	60.7	2.81	37.1	0.01			379	203
400 ISL	6.68	6.64	34.181	26.822	127.9	0.816									403	
435	6.40	6.36	34.208 D	26.881	122.6	0.859									438	202
500 ISL	5.98	5.94	34.247	26.966	115.0	0.937									503	
513	5.90	5.86	34.255 D	26.982	113.6	0.951									516	201

A) PRIMARY PRODUCTIVITY SAMPLES WERE TAKEN FROM THESE LEVELS.

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE			
34 27.7 N	120 29.1 W	13/07/05	0411 UTC	23 m	290 13 kn			1013.2 mb	14.5 c	13.6 c						
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	15.08	15.08	33.680	24.938	300.7	0.000	6.51	113.7	6.1	0.39	2.5	0.10	7.24	0.72	0	
2	15.08	15.08	33.680	24.938	300.8	0.006	6.51	113.7	6.1	0.39	2.5	0.10	7.24	0.72	2	204
6	15.04	15.04	33.678	24.945	300.2	0.018	6.49	113.3	6.1	0.41	2.5	0.10	7.28	1.31	6	203
10	14.86	14.86	33.679	24.985	296.5	0.030	6.32	109.9	6.5	0.45	3.1	0.11	8.66	0.59	10	202
16	14.32	14.32	33.683	25.104	285.4	0.047	5.85	100.6	8.0	0.60	5.0	0.14	8.17 A	0.75 A	16	201

A) FIRST FLUOROMETER READING NOT RECORDED, CHLOROPHYLL AND PHAEOPIGMENT CALCULATED WITH ASSUMED ACID RATIO INTERPOLATED FROM ADJACENT LEVELS.

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE			
34 27.0 N	120 31.5 W	13/07/05	0459 UTC	76 m	300 19 kn			1013.4 mb	14.0 c	13.2 c						
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	15.79	15.79	33.648	24.756	318.0	0.000	7.41	131.3	2.8	0.09	0.2	0.02	8.82	1.17	0	
1	15.79	15.79	33.648	24.756	318.0	0.003	7.41	131.3	2.8	0.09	0.2	0.02	8.82	1.17	1	209
10 ISL	12.35	12.35	33.633	25.462	251.1	0.029	4.75	78.4	10.3	0.99	10.7	0.17	4.34	1.04	10	
11	11.86	11.86	33.642 D	25.562	241.6	0.031	4.36	71.2	11.5	1.12	12.3	0.19	3.68	1.01	11	207
20 ISL	10.74	10.74	33.652	25.773	221.7	0.052	3.19	50.9	18.9	1.63	19.3	0.25	1.38	0.64	20	
21	10.70	10.70	33.654	25.781	220.9	0.054	3.12	49.7	19.6	1.67	19.9	0.26	1.23	0.60	21	206
30 ISL	10.25	10.25	33.766	25.947	205.4	0.074	2.68	42.3	24.2	1.88	23.0	0.15	0.41	0.45	30	
31	10.23	10.23	33.780	25.961	204.1	0.076	2.66	42.0	24.5	1.89	23.2	0.13	0.38	0.44	31	205
41	10.11	10.11	33.858	26.043	196.5	0.096	2.44	38.4	26.2	1.98	24.4	0.09	0.22	0.42	41	204
50	10.08	10.07	33.877	26.063	194.8	0.113	2.35	37.0	26.9	2.02	24.8	0.08	0.16	0.35	50	203
59	10.09	10.08	33.876	26.061	195.2	0.131	2.35	37.0	26.9	2.03	24.9	0.08	0.18	0.27	59	202
65	10.09	10.08	33.879	26.063	195.1	0.142			27.0	2.03	25.0	0.09	0.14	0.37	65	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE			
34 19.1 N	120 48.3 W	13/07/05	0754 UTC	791 m	320 16 kn			1014.2 mb	14.3 c	13.4 c						
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	13.13	13.13	33.635	25.310	265.3	0.000	6.27	105.2	0.3	0.50	5.5	0.16	4.08	0.47	0	
2	13.13	13.13	33.635	25.310	265.3	0.005	6.27	105.2	0.3	0.50	5.5	0.16	4.08	0.47	2	220
10	13.11	13.11	33.633	25.313	265.3	0.027	6.29	105.5	0.2	0.50	5.5	0.16	4.28	0.56	10	219
20	12.78	12.78	33.652	25.393	257.9	0.053	5.81	96.8	0.9	1.05 U	7.3	0.19	5.16	1.20	20	218
30 ISL	12.42	12.42	33.666	25.474	250.4	0.078	5.29	87.5	3.5	0.96	9.5	0.23	5.01	0.94	30	
31	12.38	12.38	33.668	25.484	249.6	0.081	5.23	86.4	3.9	0.99	9.8	0.23	5.00	0.90	31	217
40	11.94	11.93	33.706	25.597	239.0	0.103	4.69	76.8	9.0	1.27	12.8	0.23	3.61	0.97	40	216
50	10.90	10.89	33.760	25.829	217.1	0.125	3.47	55.6	17.8	1.64	18.8	0.17	6.03	1.52	50	215
61	10.30	10.29	33.818	25.979	203.0	0.149	2.79	44.1	23.0	1.85	22.6	0.14	2.94	1.66	61	214
68	10.20	10.19	33.848	26.020	199.3	0.163	2.66	42.0	24.3	1.90	23.4	0.13	1.37	0.81	68	213
75 ISL	10.07	10.06	33.906	26.088	193.0	0.176	2.47	38.9	26.0	1.97	24.4	0.11	1.03	0.72	75	
87	9.88	9.87	34.024	26.212	181.4	0.199	2.13	33.4	29.2	2.10	26.1	0.07	0.46	0.57	87	212
100	9.78	9.77	34.129	26.311	172.3	0.222	1.82	28.5	32.1	2.22	27.3	0.04	0.22	0.42	101	211
119	9.64	9.63	34.180	26.375	166.7	0.254	1.62	25.3	34.3	2.30	28.2	0.03	0.09	0.29	120	210
125 ISL	9.54	9.53	34.176	26.388	165.5	0.264	1.62	25.2	35.0	2.31	28.5	0.03	0.07	0.28	126	
140	9.30	9.28	34.165	26.419	162.9	0.289	1.63	25.3	36.4	2.32	29.1	0.02	0.05	0.27	141	209
150 ISL	9.32	9.30	34.191	26.436	161.4	0.305	1.56	24.2	36.9	2.34	29.2	0.02	0.04	0.25	151	
169	9.36	9.34	34.241	26.469	158.7	0.335	1.39	21.6	37.7	2.40	29.3	0.02	0.03	0.21	170	208
200	9.06	9.04	34.263	26.535	153.0	0.384	1.22	18.8	40.7	2.49	30.4	0.02	0.03	0.16	201	207
228	8.90	8.88	34.276	26.571	150.1	0.426	1.13	17.4	42.3	2.54	30.9	0.02			229	206
250 ISL	8.76	8.73	34.290	26.605	147.3	0.459	1.03	15.8	44.1	2.60	31.4	0.01			252	
266	8.64	8.61	34.296	26.628	145.3	0.482	0.96	14.7	45.6	2.64	31.9	0.01			268	205
300 ISL	8.25	8.22	34.270	26.668	142.0	0.531	0.95	14.4	48.7	2.68	33.0	0.01			302	
319	8.03	8.00	34.252	26.687	140.4	0.558	0.95	14.3	50.5	2.69	33.6	0.01			321	204
380	7.58	7.54	34.259	26.759	134.3	0.642	0.81	12.1	56.3	2.78	35.0	0.01			383	203
400 ISL	7.42	7.38	34.252	26.777	132.9	0.668	0.79	11.7	57.8	2.80	35.4	0.01			403	
436	7.12	7.08	34.240	26.810	130.1	0.716	0.75	11.1	61.0	2.84	36.3	0.01			439	202
500 ISL	6.46	6.41	34.260	26.915	120.4	0.796	0.54	7.8	71.9	2.99	38.5	0.01			504	
513	6.33	6.28	34.265	26.936	118.5	0.811	0.50	7.2	74.1	3.02	39.0	0.01			517	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE			
34 9.4 N	121 9.4 W	13/07/05	1230 UTC	2240 m	330 17 kn			1014.3 mb	14.9 c	14.1 c						
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	14.70	14.70	33.563	24.930	301.5	0.000	5.90	102.2	1.9	0.51	4.0	0.12	0.58	0.45	0	
2	14.70	14.70	33.563	24.930	301.5	0.006	5.90	102.2	1.9	0.51	4.0	0.12	0.58	0.45	2	220
10 ISL	14.64	14.64	33.559	24.940	300.8	0.030	5.91	102.2	1.8	0.51	4.1	0.12	0.64	0.46	10	
11	14.63	14.63	33.559	24.942	300.6	0.033	5.91	102.2	1.8	0.51	4.1	0.12	0.65	0.46	11	219
20 ISL	13.92	13.92	33.543	25.079	287.8	0.060	5.87	100.0	1.1	0.56	5.5	0.16	1.51	0.60	20	
21	13.82	13.82	33.543	25.100	285.9	0.062	5.86	99.7	1.1	0.57	5.7	0.17	1.68	0.62	21	218
30	13.15	13.15	33.575	25.261	270.8	0.088	5.57	93.5	2.5	0.77	7.2	0.21	4.23	0.97	30	217
40	11.57	11.56	33.590	25.576	241.0	0.113	4.29	69.6	11.2	1.41	13.6	0.34	0.51	0.28	40	216
50	10.95	10.94	33.642	25.729	226.7	0.137	3.62	58.0	15.6	1.65	17.3	0.33	0.24	0.20	50	215
60	10.18	10.17	33.638	25.860	214.4	0.159	3.54	55.8	20.1	1.73	21.6	0.13	0.11	0.22	60	214
70	10.01	10.00	33.722	25.954	205.6	0.180	3.15	49.5	22.6	1.82	23.0	0.08	0.07	0.18	70	213
75 ISL	9.92	9.91	33.734	25.979	203.3	0.190	3.10	48.6	23.2	1.84	23.4	0.08	0.06	0.18	75	
86	9.74	9.73	33.760	26.029	198.8	0.212	3.02	47.1	24.5	1.88	24.0	0.07	0.05	0.19	86	212
100	9.63	9.62	33.891	26.150	187.6	0.239	2.56	39.9	27.7	2.01	25.5	0.05	0.04	0.16	101	211
119	9.57	9.56	33.997	26.243	179.1	0.274	2.21	34.4	30.3	2.10	26.7	0.05	0.03	0.17	120	210
125 ISL	9.38	9.37	34.009	26.284	175.4	0.284	2.22	34.4	31.4	2.12	27.2	0.04	0.03	0.16	126	
141	8.78	8.77	34.026	26.393	165.2	0.312	2.24	34.3	34.8	2.16	28.7	0.03	0.02	0.14	142	209
150 ISL	8.53	8.51	34.042	26.444	160.4	0.326	2.18	33.2	37.0	2.20	29.5	0.03	0.02	0.12	151	
170	8.20	8.18	34.091	26.533	152.3	0.358	1.93	29.2	41.5	2.32	31.1	0.03	0.02	0.09	171	208
200 ISL	8.34	8.32	34.204	26.601	146.5	0.402	1.27	19.3	45.6	2.54	32.2	0.03	0.02	0.09	201	
201	8.35	8.33	34.207	26.602	146.4	0.404	1.25	19.0	45.7	2.55	32.2	0.03	0.02	0.09	202	207
228	8.07	8.05	34.234	26.666	140.7	0.443	1.02	15.4	50.4	2.69	33.3	0.02			229	206
250 ISL	7.86	7.83	34.238	26.700	137.8	0.473	0.94	14.1	52.9	2.74	34.0	0.02			252	
268	7.69	7.66	34.237	26.724	135.7	0.498	0.91	13.6	54.6	2.76	34.6	0.02			270	205
300 ISL	7.36	7.33	34.240	26.774	131.3	0.541	0.81	12.0	58.8	2.81	35.7	0.01			302	
318	7.17	7.14	34.243	26.803	128.7	0.564	0.75	11.1	61.3	2.84	36.3	0.01			320	204
378	6.63	6.60	34.273	26.901	120.0	0.639	0.54	7.9	69.8	2.99	38.2	0.01			381	203
400 ISL	6.38	6.34	34.273	26.934	117.0	0.665	0.49	7.1	73.2	3.04	39.1	0.01			403	
438	5.99	5.95	34.273	26.984	112.4	0.708	0.42	6.0	78.7	3.10	40.4	0.01			441	202
500 ISL	5.78	5.74	34.300	27.033	108.5	0.777	0.33	4.7	83.8	3.15	41.0	0.00			504	
517	5.72	5.68	34.308	27.046	107.4	0.795	0.30	4.3	85.2	3.17	41.2	0.00			521	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE			
33 49.4 N	121 50.7 W	13/07/05	1830 UTC	3634 m	320 15 kn	330 07 06	2	1015.9 mb	16.6 c	15.5 c	16m	8/8	SC			
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	15.68	15.68	33.436	24.618	331.2	0.000	5.88	103.8	2.0	0.61	5.1	0.12	0.41	0.20	0	
2 A	15.68	15.68	33.436	24.618	331.3	0.007	5.88	103.8	2.0	0.61	5.1	0.12	0.41	0.20	2	224
10 ISL	15.67	15.67	33.434	24.619	331.4	0.033	5.89	103.9	2.0	0.60	5.1	0.12	0.40	0.21	10	
12 A	15.67	15.67	33.433	24.618	331.5	0.040	5.89	103.9	2.0	0.60	5.1	0.12	0.40	0.22	12	222
20 ISL	15.47	15.47	33.440	24.668	327.0	0.066	5.90	103.7	2.0	0.61	5.0	0.13	0.42	0.24	20	
23 A	15.40	15.40	33.442	24.685	325.5	0.076	5.90	103.6	2.0	0.61	4.9	0.13	0.44	0.25	23	221
30 ISL	14.54	14.54	33.532	24.941	301.3	0.098	5.89	101.7	2.4	0.68	4.4	0.13	0.50	0.32	30	
34 A	14.04	14.04	33.583	25.086	287.6	0.110	5.87	100.3	2.7	0.72	4.2	0.13	0.52	0.36	34	219
44 A	13.73	13.72	33.563	25.134	283.2	0.138	5.78	98.1	3.5	0.78	5.1	0.15	0.45	0.35	44	217
50 ISL	13.55	13.54	33.552	25.163	280.7	0.155	5.73	96.9	4.1	0.82	5.8	0.16	0.44	0.38	50	
52	13.49	13.48	33.548	25.172	279.9	0.161	5.71	96.5	4.3	0.83	6.0	0.17	0.43	0.38	52	216
61 A	11.68	11.67	33.562	25.534	245.5	0.184	5.19	84.4	9.6	1.22	11.5	0.27	0.36	0.25	61	214
70	10.40	10.39	33.682	25.856	214.9	0.205	4.40	69.7	17.7	1.64	17.5	0.26	0.23	0.18	70	213
75 ISL	10.04	10.03	33.699	25.931	207.9	0.216	4.06	63.8	20.2	1.76	19.7	0.27	0.18	0.16	75	
85	9.69	9.68	33.702	25.992	202.2	0.236	3.56	55.5	23.2	1.87	22.6	0.30	0.10	0.14	85	212
100 ISL	9.38	9.37	33.792	26.113	191.0	0.266	3.26	50.5	26.7	1.99	24.8	0.28	0.04	0.14	101	
101	9.37	9.36	33.798	26.120	190.4	0.267	3.25	50.3	26.9	2.00	24.9	0.28	0.04	0.14	102	211
120	8.94	8.93	33.865	26.241	179.2	0.303	2.84	43.6	29.9	2.05	26.8	0.21	0.03	0.15	121	210
125 ISL	8.89	8.88	33.881	26.262	177.3	0.312	2.79	42.8	30.3	2.05	27.0	0.17	0.03	0.15	126	
140	8.79	8.78	33.926	26.313	172.7	0.338	2.69	41.1	31.4	2.04	27.3	0.05	0.02	0.14	141	209
150 ISL	8.66	8.64	33.952	26.354	169.0	0.355	2.64	40.3	32.5	2.05	27.7	0.05	0.02	0.13	151	
170	8.35	8.33	33.993	26.433	161.7	0.388	2.55	38.6	35.4	2.10	28.7	0.05	0.01	0.10	171	208
199	7.87	7.85	34.031	26.535	152.4	0.433	2.33	34.9	41.1	2.22	30.6	0.04	0.01	0.06	200	207
200 ISL	7.86	7.84	34.031	26.537	152.3	0.435	2.33	34.9	41.2	2.22	30.6	0.04			201	
229	7.50	7.48	34.021	26.581	148.4	0.479	2.38	35.4	44.3	2.25	31.4	0.02			230	206
250 ISL	7.17	7.15	34.016	26.624	144.6	0.509	2.21	32.6	48.1	2.34	32.8	0.02			252	
269	6.90	6.88	34.020	26.664	140.9	0.537	1.97	28.9	51.9	2.45	34.2	0.02			271	205
300 ISL	6.69	6.66	34.059	26.723	135.6	0.579	1.54	22.5	57.0	2.63	36.0	0.01			302	
319	6.61	6.58	34.088	26.757	132.7	0.605	1.29	18.8	59.8	2.73	36.9	0.01			321	204
378	6.36	6.33	34.148	26.838	125.7	0.681	0.89	12.9	66.9	2.89	38.4	0.01			380	203
400 ISL	6.12	6.08	34.147	26.868	123.0	0.708	0.83	11.9	70.4	2.93	39.1	0.01			403	
437	5.72	5.68	34.146	26.917	118.4	0.753	0.76	10.8	76.3	3.00	40.2	0.01			440	202
500 ISL	5.55	5.51	34.221	26.998	111.5	0.826	0.47	6.7	83.1	3.11	41.3	0.01			503	
515	5.51	5.47	34.239	27.017	109.8	0.842	0.40	5.7	84.7	3.14	41.5	0.01			519	201

A) PRIMARY PRODUCTIVITY SAMPLES WERE TAKEN FROM THESE LEVELS.

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE			
33 29.3 N	122 32.4 W	14/07/05	0047 UTC	3983 m	330 17 kn	330 12 09	2	1015.1 mb	17.5 c	15.8 c	18m	8/8	SC			
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	17.10	17.10	33.045	23.992	390.8	0.000	5.63	102.0	2.2	0.28	0.0	0.00	0.18	0.00	0	
2	17.10	17.10	33.045	23.992	390.9	0.008	5.63	102.0	2.2	0.28	0.0	0.00	0.18	0.00	2	224
10 ISL	17.10	17.10	33.045	23.992	391.1	0.039	5.63	102.0	2.2	0.28	0.0	0.00	0.18	0.01	10	
16	17.10	17.10	33.045	23.992	391.3	0.063	5.64	102.1	2.2	0.28	0.0	0.00	0.18	0.02	16	223
20 ISL	17.10	17.10	33.045	23.992	391.4	0.078	5.64	102.1	2.2	0.28	0.0	0.00	0.17	0.02	20	
30	17.11	17.11	33.046	23.991	391.9	0.117	5.65	102.3	2.2	0.28	0.0	0.00	0.14	0.02	30	222
45	17.07	17.06	33.050	24.004	391.1	0.176	5.66	102.4	2.2	0.28	0.0	0.00	0.17	0.02	45	221
50 ISL	16.97	16.96	33.055	24.032	388.7	0.196	5.68	102.6	2.2	0.29	0.0	0.00	0.18	0.04	50	
55	16.67	16.66	33.001	24.060	386.1	0.215	5.73	102.9	2.2	0.29	0.0	0.00	0.22	0.05	55	219
65	15.02	15.01	32.948	24.389	354.9	0.252	6.01	104.4	1.8	0.29	0.0	0.00	0.43	0.32	65	218
75	14.37	14.36	33.019	24.582	336.7	0.287	6.03	103.4	1.8	0.33	0.1	0.01	0.75	0.23	75	216
84	13.93	13.92	33.124	24.755	320.4	0.316	5.93	100.8	2.4	0.35	0.2	0.01	0.50	0.19	84	214
95	13.01	13.00	33.077	24.905	306.4	0.351	5.73	95.5	3.7	0.53	1.6	0.08	0.35	0.14	95	213
100 ISL	12.75	12.74	33.095	24.970	300.3	0.366	5.65	93.7	3.9	0.56	2.1	0.11	0.31	0.15	100	
110	12.12	12.11	33.155	25.137	284.5	0.395	5.44	89.1	5.1	0.65	4.1	0.14	0.25	0.18	110	211
125	10.22	10.21	33.251	25.552	244.9	0.435	4.84	76.1	11.0	1.10	12.8	0.05	0.14	0.11	126	210
144	9.39	9.37	33.456	25.850	216.9	0.479	4.21	65.1	17.7	1.47	18.8	0.01	0.04	0.06	145	209
150 ISL	9.29	9.27	33.519	25.915	210.8	0.491	3.97	61.2	19.6	1.57	20.3	0.01	0.03	0.05	151	
170	9.13	9.11	33.710	26.091	194.5	0.532	3.23	49.7	25.2	1.83	24.2	0.01	0.01	0.03	171	208
198	8.73	8.71	33.911	26.311	174.0	0.584	2.75	42.0	31.1	2.01	27.0	0.01	0.01	0.04	199	207
200 ISL	8.72	8.70	33.922	26.322	173.1	0.587	2.71	41.4	31.5	2.02	27.2	0.01			201	
226	8.55	8.53	34.036	26.438	162.5	0.631	2.21	33.6	36.6	2.18	29.2	0.01			227	206
250 ISL	8.26	8.23	34.080	26.517	155.3	0.669	1.96	29.6	40.8	2.30	30.7	0.01			251	
270	7.98	7.95	34.094	26.570	150.5	0.699	1.82	27.4	44.1	2.39	31.8	0.01			271	205
300 ISL	7.58	7.55	34.109	26.640	144.2	0.744	1.59	23.7	49.3	2.51	33.4	0.01			302	
318	7.36	7.33	34.113	26.674	141.0	0.769	1.47	21.8	52.2	2.57	34.2	0.01			320	204
378	6.78	6.74	34.133	26.771	132.5	0.851	1.16	17.0	60.3	2.73	36.3	0.01			380	203
400 ISL	6.54	6.50	34.137	26.806	129.2	0.880	1.04	15.1	63.9	2.80	37.2	0.01			402</	

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE
33 8.7 N	123 12.8 W	14/07/05	0710	UTC	4223 m	330	22 kn			1015.6 mb	17.5 c	15.7 c				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	18.46	18.46	33.177	23.764	412.5	0.000	5.47	101.8	2.2	0.29	0.0	0.00	0.09	0.02	0	
2	18.46	18.46	33.177	23.765	412.6	0.008	5.47	101.8	2.2	0.29	0.0	0.00	0.09	0.02	2	221
10 ISL	18.47	18.47	33.177	23.762	413.1	0.041	5.47	101.8	2.2	0.29	0.1	0.00	0.10	0.01	10	
15	18.47	18.47	33.177	23.763	413.2	0.062	5.47	101.8	2.2	0.29	0.1	0.00	0.11	0.01	15	219
20 ISL	18.47	18.47	33.177	23.763	413.4	0.083	5.47	101.8	2.2	0.29	0.1	0.00	0.10	0.01	20	
30	18.46	18.45	33.177	23.766	413.4	0.124	5.48	101.9	2.1	0.29	0.1	0.00	0.09	0.02	30	218
45	17.58	17.57	33.150	23.960	395.4	0.185	5.64	103.1	2.1	0.29	0.1	0.00	0.09	0.02	45	217
50 ISL	17.39	17.38	33.141	23.999	391.9	0.204	5.67	103.3	2.0	0.29	0.1	0.00	0.11	0.03	50	
59	16.88	16.87	33.112	24.097	382.7	0.239	5.74	103.5	2.0	0.30	0.1	0.00	0.14	0.04	59	216
75	14.70	14.69	33.022	24.515	343.2	0.297	6.09	105.1	2.4	0.32	0.1	0.00	0.18	0.07	75	215
85	13.99	13.98	33.043	24.680	327.6	0.331	6.06	103.1	2.7	0.35	0.1	0.00	0.24	0.16	85	214
94	12.63	12.62	33.062	24.967	300.3	0.359	5.64	93.3	4.6	0.59	3.1	0.08	0.40	0.29	94	213
100 ISL	11.91	11.90	33.092	25.127	285.1	0.377	5.30	86.4	6.2	0.78	6.4	0.12	0.37	0.28	100	
104	11.52	11.51	33.116	25.218	276.5	0.388	5.09	82.3	7.4	0.90	8.7	0.13	0.32	0.27	104	212
114	10.94	10.93	33.181	25.373	261.9	0.415	4.72	75.4	10.0	1.10	12.2	0.07	0.27	0.19	114	211
123	10.62	10.61	33.226	25.464	253.4	0.438	4.56	72.3	11.5	1.20	13.9	0.04	0.22	0.18	124	210
125 ISL	10.54	10.53	33.241	25.490	251.0	0.443	4.53	71.7	11.9	1.22	14.3	0.03	0.21	0.18	126	
138	10.03	10.01	33.350	25.662	234.8	0.475	4.31	67.5	14.6	1.36	16.8	0.01	0.14	0.16	139	209
150 ISL	9.78	9.76	33.455	25.786	223.2	0.502	3.95	61.6	17.4	1.51	19.3	0.01	0.09	0.11	151	
164	9.58	9.56	33.576	25.913	211.4	0.532	3.55	55.1	20.6	1.67	21.8	0.00	0.05	0.05	165	208
194	8.98	8.96	33.810	26.193	185.2	0.592	3.36	51.6	25.9	1.79	24.2	0.00	0.01	0.03	195	207
200 ISL	8.91	8.89	33.844	26.231	181.7	0.603	3.32	50.9	26.7	1.81	24.6	0.00			201	
229	8.62	8.60	33.964	26.370	168.9	0.654	3.05	46.5	30.9	1.91	26.3	0.00			230	206
250 ISL	8.34	8.31	34.011	26.450	161.6	0.688	2.76	41.8	34.8	2.03	28.1	0.00			251	
268	8.08	8.05	34.033	26.507	156.5	0.717	2.50	37.6	38.4	2.14	29.7	0.00			269	205
300 ISL	7.58	7.55	34.051	26.594	148.5	0.766	2.12	31.6	45.2	2.33	32.2	0.00			302	
318	7.30	7.27	34.054	26.636	144.6	0.792	1.94	28.7	48.9	2.42	33.5	0.00			320	204
378	6.61	6.58	34.070	26.744	134.9	0.876	1.50	21.8	58.4	2.63	36.4	0.00			380	203
400 ISL	6.37	6.33	34.076	26.780	131.5	0.905	1.35	19.5	62.1	2.71	37.4	0.00			402	
438	5.99	5.95	34.092	26.841	125.9	0.954	1.11	15.9	68.7	2.84	39.0	0.00			441	202
500 ISL	5.54	5.50	34.145	26.939	117.0	1.030	0.74	10.5	79.7	3.01	41.0	0.00			503	
516	5.42	5.38	34.159	26.965	114.7	1.048	0.64	9.1	82.6	3.06	41.5	0.00			519	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE
32 49.4 N	123 54.6 W	14/07/05	1333	UTC	4353 m	330	24 kn	320 10 07	2	1014.7 mb	17.5 c	16.1 c			8/8	Sc
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	18.74	18.74	33.203	23.715	417.3	0.000	5.43	101.6	2.2	0.31	0.1	0.00	0.10	0.02	0	
3	18.74	18.74	33.203	23.715	417.4	0.013	5.43	101.6	2.2	0.31	0.1	0.00	0.10	0.02	3	220
10 ISL	18.74	18.74	33.204	23.716	417.5	0.042	5.43	101.6	2.2	0.31	0.1	0.00	0.09	0.02	10	
16	18.74	18.74	33.204	23.716	417.7	0.067	5.43	101.6	2.2	0.31	0.1	0.00	0.09	0.02	16	219
20 ISL	18.42	18.42	33.178	23.776	412.1	0.083	5.50	102.2	2.2	0.31	0.1	0.00	0.10	0.02	20	
30	17.47	17.47	33.116	23.960	394.9	0.124	5.68	103.6	2.3	0.30	0.1	0.00	0.12	0.03	30	218
45	16.62	16.61	33.113	24.157	376.5	0.182	5.79	103.9	2.1	0.28	0.1	0.00	0.12	0.04	45	217
50 ISL	16.16	16.15	33.134	24.279	365.0	0.200	5.86	104.2	2.0	0.28	0.1	0.00	0.14	0.05	50	
60	15.27	15.26	33.192	24.522	342.1	0.235	5.98	104.5	2.0	0.28	0.1	0.00	0.20	0.08	60	216
75 ISL	14.65	14.64	33.256	24.706	325.0	0.286	5.91	102.0	2.2	0.29	0.1	0.00	0.33	0.19	75	
76	14.61	14.60	33.261	24.718	323.8	0.289	5.90	101.8	2.2	0.29	0.1	0.00	0.34	0.20	76	215
85	13.98	13.97	33.323	24.899	306.8	0.317	5.77	98.3	2.6	0.33	0.2	0.01	0.35	0.26	85	214
94	12.85	12.84	33.245	25.066	291.0	0.344	5.54	92.2	4.1	0.52	2.6	0.08	0.32	0.20	94	213
100 ISL	12.47	12.46	33.272	25.161	282.1	0.361	5.41	89.3	4.7	0.60	4.1	0.14	0.27	0.20	100	
106	12.15	12.14	33.312	25.253	273.4	0.378	5.30	86.9	5.4	0.67	5.6	0.17	0.21	0.21	106	212
116	11.23	11.22	33.316	25.426	257.0	0.404	5.14	82.6	7.4	0.84	8.6	0.03	0.12	0.17	116	211
124	10.64	10.63	33.318	25.532	246.9	0.425	4.96	78.7	9.4	1.01	11.2	0.01	0.12	0.16	125	210
125 ISL	10.58	10.57	33.320	25.544	245.8	0.427	4.95	78.5	9.6	1.02	11.4	0.01	0.12	0.16	126	
140	9.85	9.83	33.381	25.716	229.6	0.463	4.77	74.4	13.0	1.18	14.5	0.00	0.07	0.11	141	209
150 ISL	9.47	9.45	33.470	25.848	217.2	0.485	4.55	70.5	15.9	1.32	16.9	0.00	0.04	0.08	151	
166	9.05	9.03	33.631	26.042	199.0	0.518	4.12	63.3	20.7	1.54	20.5	0.00	0.01	0.04	167	208
196	8.83	8.81	33.848	26.246	180.1	0.575	3.27	50.0	27.4	1.84	24.9	0.00	0.00	0.04	197	207
200 ISL	8.79	8.77	33.870	26.270	178.0	0.582	3.22	49.2	28.0	1.85	25.2	0.00			201	
229	8.47	8.45	33.986	26.411	165.1	0.632	3.01	45.7	32.5	1.92	26.8	0.00			230	206
250 ISL	8.19	8.16	34.023	26.482	158.5	0.666	2.73	41.2	36.5	2.04	28.6	0.00			251	
269	7.92	7.89	34.037	26.534	153.9	0.696	2.46	36.9	40.3	2.16	30.2	0.00			270	205
300 ISL	7.48	7.45	34.046	26.605	147.4	0.742	2.14	31.8	46.1	2.31	32.3	0.00			302	
319	7.22	7.19	34.048	26.643	143.9	0.770	1.97	29.1	49.5	2.40	33.4	0.00			321	204
381	6.53	6.50	34.082	26.764	132.9	0.856	1.44	20.9	60.2	2.71	36.9	0.00			383	203
400 ISL	6.39	6.35	34.096	26.793	130.3	0.881	1.26	18.2	63.1	2.80	37.6	0.00				

RV NEW HORIZON

CALCOFI CRUISE 0507

STATION 81.7 43.5

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE
34 24.3 N	119 48.2 W	12/07/05	2105	UTC	18 m	160	04 kn	230 01 07	4	1014.5 mb	19.3 c	17.4 c		8/8		ST
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	16.81	16.81	33.561	24.456	346.6	0.000	7.65	138.2	3.1	0.07	0.0	0.01	3.58	0.75	0	
1	16.81	16.81	33.561	24.456	346.6	0.003	7.65	138.2	3.1	0.07	0.0	0.01	3.58	0.75	1	204
5	16.07	16.07	33.569	24.632	329.9	0.017	7.46	132.8	5.3	0.13	0.1	0.02	7.31	1.46	5	203
10 ISL	14.61	14.61	33.553	24.942	300.6	0.033	5.95	102.9	7.9	0.25	0.4	0.05	5.44	1.42	10	
11	14.29	14.29	33.549	25.006	294.5	0.036	5.65	97.0	8.3	0.27	0.5	0.06	4.77	1.41	11	202
15	13.15	13.15	33.540	25.233	273.0	0.047	5.52	92.6	8.9	0.33	1.0	0.11	4.60	1.38	15	201

RV NEW HORIZON

CALCOFI CRUISE 0507

STATION 82 47

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE
34 16.5 N	120 1.9 W	12/07/05	2314	UTC	584 m	250	06 kn	260 05 06	4	1014.3 mb	17.4 c	16.3 c	13m	8/8		ST
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	16.53	16.53	33.694	24.623	330.7	0.000	6.29	113.1	0.3	0.26	0.6	0.07	1.19	0.33	0	
1 A	16.53	16.53	33.694	24.623	330.7	0.003	6.29	113.1	0.3	0.26	0.6	0.07	1.19	0.33	1	224
10	13.31	13.31	33.735	25.352	261.6	0.030	6.62	111.6	0.1	0.33	2.8	0.11	3.21	0.37	10	223
20	12.24	12.24	33.725	25.554	242.6	0.055	4.21	69.4	7.8	1.22	10.8	0.19	12.28	1.94	20	222
30	11.52	11.52	33.735	25.697	229.2	0.079	3.39	55.0	15.4	1.65	15.8	0.27	1.75	1.12	30	220
41	10.95	10.95	33.728	25.795	220.1	0.103	3.03	48.6	18.9	1.77	19.5	0.28	0.79	0.69	41	219
50 ISL	10.54	10.53	33.747	25.882	212.0	0.123	2.74	43.5	21.6	1.86	22.2	0.36	0.53	0.91	50	
51	10.50	10.49	33.751	25.893	211.1	0.125	2.71	43.0	21.9	1.87	22.5	0.37	0.52	0.93	51	218
60	10.28	10.27	33.832	25.994	201.6	0.144	2.49	39.4	24.4	1.97	23.7	0.27	0.47	0.52	60	217
71	10.18	10.17	33.883	26.051	196.4	0.165	2.36	37.2	25.8	2.01	24.6	0.22	0.22	0.41	71	216
75 ISL	10.14	10.13	33.907	26.077	194.1	0.173	2.30	36.3	26.3	2.03	24.9	0.20	0.20	0.42	75	
85	10.03	10.02	33.976	26.149	187.4	0.192	2.13	33.5	28.0	2.09	25.7	0.15	0.14	0.45	85	215
100	9.78	9.77	34.100	26.288	174.5	0.220	1.84	28.8	31.8	2.22	27.1	0.12	0.12	0.35	101	214
119	9.42	9.41	34.239	26.457	158.8	0.251	1.34	20.8	37.6	2.43	29.3	0.08	0.05	0.25	120	213
125 ISL	9.37	9.36	34.240	26.466	158.1	0.261	1.31	20.3	38.4	2.45	29.4	0.08	0.06	0.30	126	
140	9.28	9.26	34.252	26.490	156.1	0.284	1.25	19.4	39.4	2.48	29.8	0.09	0.08	0.43	141	212
150 ISL	9.22	9.20	34.257	26.504	155.0	0.300	1.22	18.9	40.2	2.50	30.0	0.10	0.07	0.38	151	
170	9.08	9.06	34.260	26.529	153.0	0.331	1.16	17.9	41.7	2.54	30.3	0.11	0.03	0.21	171	211
199	8.79	8.77	34.243	26.562	150.3	0.375	1.08	16.6	44.5	2.59	31.2	0.08	0.03	0.21	200	210
200 ISL	8.78	8.76	34.242	26.563	150.2	0.376	1.08	16.5	44.7	2.59	31.2	0.08			201	
228	8.45	8.43	34.220	26.597	147.4	0.418	0.94	14.3	49.2	2.69	32.1	0.04			229	209
250 ISL	8.16	8.13	34.207	26.631	144.4	0.450	0.89	13.4	52.3	2.74	32.8	0.03			252	
269	7.93	7.90	34.201	26.661	141.8	0.477	0.87	13.1	54.6	2.77	33.4	0.02			271	208
300 ISL	7.76	7.73	34.201	26.686	139.9	0.521	0.81	12.1	56.7	2.81	33.9	0.01			302	
319	7.68	7.65	34.205	26.701	138.8	0.547	0.77	11.5	57.9	2.83	34.1	0.01			321	207
376	7.22	7.18	34.227	26.785	131.5	0.624	0.61	9.0	65.5	2.97	34.7	0.01			379	206
400 ISL	7.06	7.02	34.232	26.811	129.3	0.656	0.50	7.4	70.1	3.06	34.4	0.01			403	
438	6.84	6.80	34.238	26.846	126.4	0.704	0.32	4.7	78.8	3.26	32.5	0.01			441	205
477	6.67	6.63	34.248	26.877	123.8	0.753	0.15	2.2	89.6	3.54	28.3	0.01			480	204
500 ISL	6.60	6.55	34.252	26.890	122.9	0.781	0.08	1.2	97.8	3.84	23.8	0.01			504	
511	6.57	6.52	34.254	26.896	122.5	0.795	0.05	0.7	101.3	3.97	22.0	0.01			515	203
541	6.52	6.47	34.258	26.906	122.0	0.831	0.03	0.4	104.9	4.10	21.6	0.01			545	202
572	6.50	6.45	34.261	26.911	121.9	0.869	0.01	0.1	113.1	4.61	19.5	0.55			576	201

A) SANTA BARBARA BASIN STATION.

RV NEW HORIZON

CALCOFI CRUISE 0507

STATION 83.3 39.4

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE
34 15.5 N	119 19.5 W	12/07/05	1559	UTC	21 m	180	02 kn	00	4	1014.0 mb	18.1 c	16.9 c		8/8		ST
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	17.43	17.43	33.450	24.224	368.7	0.000	8.99	164.3	4.9	0.13	0.0	0.03	20.70	2.36	0	
2	17.43	17.43	33.450	24.224	368.8	0.007	8.99	164.3	4.9	0.13	0.0	0.03	20.70	2.36	2	204
5	16.70	16.70	33.454	24.399	352.2	0.018	7.73	139.2	5.1	0.11	0.0	0.03	8.54	1.74	5	203
10	14.53	14.53	33.490	24.910	303.6	0.035	5.52	95.2	7.0	0.20	0.0	0.03	5.81	1.83	10	202
15	13.69	13.69	33.500	25.093	286.3	0.049	4.26	72.2	11.2	0.44	0.2	0.08	5.91	2.09	15	201

RV NEW HORIZON

CALCOFI CRUISE 0507

STATION 83 40.6

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE
34 13.6 N	119 24.5 W	12/07/05	1435	UTC	34 m	180	03 kn	00	4	1013.0 mb	16.2 c	15.9 c		8/8		ST
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	17.33	17.33	33.495	24.282	363.1	0.000	7.05	128.6	0.8	0.11	0.0	0.01	8.12	1.20	0	
1	17.33	17.33	33.495	24.282	363.2	0.004	7.05	128.6	0.8	0.11	0.0	0.01	8.12	1.20	1	208
5	16.88	16.88	33.501	24.393	352.7	0.018	6.97	126.0	1.4	0.11	0.0	0.01	6.09	1.03	5	207
10	15.40	15.40	33.497	24.727	321.1	0.035	6.38	112.0	2.1	0.22	0.1	0.02	6.10	1.23	10	205
20	12.06	12.06	33.542	25.447	252.8	0.063	3.98	65.2	11.5	1.26	12.6	0.32	2.93	0.94	20	202
29	11.32	11.32	33.574	25.609	237.6	0.086	3.46	55.8	16.8	1.60	15.6	0.36	1.97	1.04	29	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE			
34 10.6 N	119 30.6 W	12/07/05	1834 UTC	164 m	180 05 kn	00	2	1014.6 mb	18.5 c	16.5 c	7m	8/8	ST			
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	17.22	17.22	33.500	24.312	360.3	0.000	6.85	124.7	0.7	0.17	0.0	0.01	2.18	1.05	0	
1 A	17.22	17.22	33.500	24.312	360.3	0.004	6.85	124.7	0.7	0.17	0.0	0.01	2.18	1.05	1	219
5 A	17.16	17.16	33.500	24.327	359.1	0.018	6.84	124.4	0.7	0.17	0.0	0.01	2.26	1.01	5	218
10 A	16.23	16.23	33.500	24.543	338.6	0.035	6.79	121.2	0.9	0.18	0.1	0.01	3.34	1.35	10	216
15 A	14.61	14.61	33.485	24.889	305.8	0.052	6.17	106.6	3.9	0.42	1.4	0.06	6.11	1.96	15	213
19 A	12.81	12.81	33.464	25.242	272.3	0.063	5.17	86.1	8.0	0.85	6.7	0.16	1.86	1.03	19	212
20 ISL	12.56	12.56	33.469	25.294	267.3	0.066	4.99	82.6	8.8	0.92	7.7	0.18	1.76	1.01	20	
27 A	11.64	11.64	33.522	25.510	247.0	0.084	4.15	67.4	13.1	1.25	13.0	0.27	1.10	0.86	27	211
30 ISL	11.38	11.38	33.538	25.570	241.3	0.091	3.93	63.5	14.3	1.34	14.5	0.29	0.98	0.76	30	
34	11.12	11.12	33.558	25.632	235.4	0.101	3.70	59.5	15.5	1.43	16.1	0.30	0.88	0.63	34	210
40	10.84	10.84	33.593	25.710	228.2	0.115	3.32	53.0	17.4	1.58	18.6	0.33	0.72	0.57	40	209
50	10.51	10.50	33.714	25.862	213.9	0.137	2.83	44.9	20.7	1.78	21.7	0.19	0.53	0.46	50	208
60	10.47	10.46	33.792	25.930	207.7	0.158	2.53	40.1	22.6	1.88	22.9	0.14	0.42	0.38	60	207
70	10.28	10.27	33.992	26.119	190.0	0.178	1.97	31.2	27.6	2.10	25.6	0.03	0.10	0.22	70	205
75 ISL	10.27	10.26	34.004	26.130	189.0	0.187	1.94	30.7	27.9	2.11	25.7	0.03	0.09	0.23	75	
85	10.25	10.24	34.027	26.152	187.2	0.206	1.89	29.9	28.4	2.14	25.9	0.03	0.07	0.26	85	204
100	10.15	10.14	34.092	26.220	181.1	0.234	1.77	27.9	30.0	2.20	26.5	0.03	0.03	0.15	101	203
120	10.11	10.10	34.177	26.293	174.5	0.269	1.57	24.8	32.0	2.28	27.1	0.04	0.03	0.13	121	202
125 ISL	10.07	10.06	34.187	26.308	173.3	0.278	1.55	24.4	32.4	2.30	27.2	0.04	0.03	0.14	126	
140	9.97	9.95	34.217	26.349	169.7	0.304	1.47	23.1	33.6	2.35	27.6	0.05	0.03	0.16	141	201

A) PRIMARY PRODUCTIVITY SAMPLES WERE TAKEN FROM THESE LEVELS.

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE			
33 52.7 N	120 8.2 W	12/07/05	0734 UTC	106 m	100 08 kn			1012.5 mb	15.7 c	14.9 c						
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	14.21	14.21	33.670	25.116	283.7	0.000	5.75	98.7	4.8	0.64	4.6	0.09	8.61	1.18	0	
1	14.21	14.21	33.670	25.116	283.7	0.003	5.75	98.7	4.8	0.64	4.6	0.09	8.61	1.18	1	212
10	10.97	10.97	33.681	25.755	223.2	0.026	3.42	54.8	17.0	1.58	18.2	0.25	1.97	0.81	10	209
20	10.52	10.52	33.738	25.878	211.7	0.047	3.04	48.3	20.2	1.73	20.7	0.22	1.14	0.71	20	208
30	10.02	10.02	33.924	26.109	190.0	0.067	2.36	37.1	26.6	2.01	24.8	0.09	0.21	0.36	30	207
40	9.99	9.99	33.941	26.128	188.4	0.086	2.32	36.5	27.0	2.01	25.0	0.07	0.16	0.25	40	206
50	10.05	10.04	33.961	26.134	188.1	0.105	2.24	35.3	27.5	2.03	25.0	0.12	0.20	0.43	50	205
59	9.99	9.98	33.964	26.146	187.1	0.122	2.26	35.5	27.4	2.04	25.3	0.08	0.17	0.32	59	204
69	9.88	9.87	34.057	26.238	178.6	0.140	1.93	30.3	30.7	2.16	26.4	0.17	0.12	0.38	69	203
75 ISL	9.87	9.86	34.060	26.242	178.4	0.151	1.91	30.0	30.9	2.17	26.4	0.19	0.12	0.40	75	
85	9.85	9.84	34.065	26.249	177.9	0.169	1.87	29.3	31.3	2.18	26.5	0.21	0.12	0.42	85	202
95	9.81	9.80	34.084	26.271	176.1	0.187	1.82	28.5	31.8	2.20	26.8	0.22	0.11	0.46	96	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE			
33 44.8 N	120 25.0 W	12/07/05	0332 UTC	1079 m	310 08 kn	320 06 06	4	1012.3 mb	14.9 c	13.7 c		4/8	ST			
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	13.96	13.96	33.624	25.133	282.1	0.000	6.99	119.3	2.3	0.29	0.3	0.06	14.23	-0.08	0	
2	13.96	13.96	33.624	25.133	282.2	0.006	6.99	119.3	2.3	0.29	0.3	0.06	14.23	-0.08	2	223
10	12.81	12.81	33.631	25.371	259.8	0.027	5.41	90.2	7.5	0.69	8.0	0.13	13.64	-0.54	10	219
20	12.43	12.43	33.646	25.457	251.9	0.053	4.85	80.2	10.8	0.96	10.4	0.15	7.72	-0.16	20	218
30	12.22	12.22	33.654	25.503	247.7	0.078	4.55	74.9	12.4	1.15	11.9	0.15	4.21	0.18	30	217
40	10.82	10.82	33.734	25.823	217.4	0.101	3.31	52.9	20.4	1.67	19.4	0.18	1.04	0.72	40	216
50	10.07	10.06	33.835	26.032	197.8	0.122	2.60	40.9	25.6	1.92	23.8	0.07	0.28	0.32	50	215
61	9.76	9.75	33.872	26.113	190.3	0.143	2.55	39.9	27.5	1.98	24.9	0.06	0.18	0.45	61	214
70	9.44	9.43	33.925	26.207	181.5	0.160	2.40	37.3	30.2	2.07	26.4	0.04	0.07	0.27	70	213
75 ISL	9.34	9.33	33.940	26.235	178.9	0.169	2.37	36.7	30.9	2.08	26.8	0.03	0.06	0.21	75	
85	9.23	9.22	33.958	26.267	176.1	0.187	2.35	36.3	31.5	2.10	27.1	0.03	0.03	0.17	85	212
100	9.20	9.19	33.992	26.299	173.4	0.213	2.23	34.4	32.6	2.14	27.6	0.03	0.03	0.22	101	211
120	9.03	9.02	34.057	26.377	166.3	0.247	1.94	29.9	35.6	2.24	29.0	0.04	0.05	0.27	121	210
125 ISL	8.98	8.97	34.071	26.396	164.6	0.255	1.88	28.9	36.3	2.26	29.3	0.04	0.05	0.26	126	
141	8.83	8.81	34.106	26.448	160.0	0.281	1.75	26.8	38.2	2.33	29.9	0.04	0.05	0.22	142	209
150 ISL	8.77	8.75	34.117	26.466	158.5	0.295	1.72	26.3	38.8	2.35	30.1	0.04	0.04	0.22	151	
169	8.62	8.60	34.129	26.499	155.6	0.325	1.68	25.6	40.1	2.39	30.5	0.03	0.03	0.21	170	208
199	8.25	8.23	34.145	26.568	149.5	0.371	1.60	24.2	43.7	2.44	31.6	0.03	0.02	0.18	200	207
200 ISL	8.24	8.22	34.146	26.571	149.3	0.373	1.60	24.2	43.8	2.44	31.6	0.03			201	
229	8.12	8.10	34.163	26.602	146.8	0.416	1.49	22.5	45.5	2.49	32.4	0.03			230	206
250 ISL	8.00	7.97	34.184	26.637	143.8	0.446	1.34	20.2	47.5	2.56	33.1	0.03			252	
269	7.86	7.83	34.197	26.668	141.1	0.473	1.22	18.3	49.5	2.62	33.7	0.03			271	205
300 ISL	7.50	7.47	34.180	26.707	137.8	0.516	1.21	18.0	52.7	2.67	34.6	0.03			302	
317	7.29	7.26	34.169	26.728	135.9	0.540	1.20	17.8	54.6	2.69	35.1	0.03			319	204
377	6.79	6.75	34.200	26.822	127.6	0.619	0.87	12.7	62.5	2.84	37.2	0.01			380	203
400 ISL	6.65	6.61	34.214	2												

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE
33 34.8 N	120 45.5 W	11/07/05	2306	UTC	1421 m	340	21 kn	320 07 07	2	1012.8 mb	15.7 c	14.8 c	12m	8/8	AS	
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	14.37	14.37	33.447	24.910	303.3	0.000	5.89	101.3	3.1	0.57	4.2	0.16	0.71	0.34	0	
1	14.37	14.37	33.447	24.910	303.3	0.003	5.89	101.3	3.1	0.57	4.2	0.16	0.71	0.34	1	221
10	14.35	14.35	33.447	24.915	303.2	0.030	5.89	101.2	2.9	0.57	4.2	0.15	0.69	0.34	10	219
20	14.11	14.11	33.448	24.966	298.6	0.060	5.90	100.9	2.7	0.56	4.4	0.17	0.85	0.40	20	218
30	13.86	13.86	33.498	25.057	290.2	0.090	5.85	99.6	2.1	0.57	4.5	0.17	2.63	0.40	30	217
40	11.31	11.31	33.323	25.416	256.2	0.117	4.95	79.7	11.0	1.19	12.4	0.38	0.47	0.27	40	216
50	10.74	10.73	33.413	25.587	240.1	0.142	4.66	74.2	14.2	1.36	15.4	0.43	0.26	0.17	50	215
60	10.54	10.53	33.446	25.648	234.5	0.166	4.38	69.4	14.9	1.44	17.0	0.29	0.21	0.17	60	214
70	10.44	10.43	33.619	25.800	220.2	0.188	3.85	61.0	17.8	1.67	19.6	0.32	0.08	0.12	70	213
75 ISL	10.17	10.16	33.636	25.860	214.6	0.199	3.70	58.3	19.2	1.71	20.7	0.26	0.07	0.12	75	
85	9.64	9.63	33.663	25.970	204.3	0.220	3.39	52.8	22.3	1.77	22.6	0.13	0.04	0.11	85	212
100	9.63	9.62	33.904	26.160	186.6	0.250	2.49	38.8	27.7	2.03	25.7	0.16	0.03	0.17	101	211
119	9.24	9.23	34.042	26.332	170.6	0.284	2.08	32.2	32.5	2.17	27.8	0.07	0.03	0.19	120	210
125 ISL	9.14	9.13	34.060	26.362	167.9	0.294	2.09	32.2	33.3	2.18	28.0	0.07	0.03	0.19	126	
140	8.90	8.89	34.080	26.416	163.0	0.318	2.11	32.4	35.0	2.19	28.4	0.06	0.03	0.19	141	209
150 ISL	8.69	8.67	34.088	26.456	159.4	0.335	2.10	32.1	36.6	2.21	28.9	0.05	0.02	0.17	151	
170	8.29	8.27	34.096	26.523	153.2	0.366	2.08	31.5	40.0	2.26	30.0	0.03	0.01	0.13	171	208
199	7.93	7.91	34.099	26.580	148.3	0.410	1.95	29.3	43.7	2.35	31.3	0.04	0.01	0.13	200	207
200 ISL	7.92	7.90	34.098	26.580	148.2	0.411	1.95	29.3	43.8	2.35	31.3	0.04	0.01	0.13	201	
229	7.50	7.48	34.079	26.627	144.1	0.453	1.90	28.2	47.3	2.40	32.7	0.04	0.01	0.13	230	206
250 ISL	7.23	7.21	34.079	26.665	140.7	0.483	1.75	25.9	50.5	2.48	33.9	0.03	0.01	0.13	252	
268	7.03	7.00	34.087	26.699	137.7	0.508	1.58	23.2	53.4	2.57	34.9	0.02	0.01	0.13	270	205
300 ISL	6.80	6.77	34.117	26.754	132.8	0.552	1.26	18.4	58.2	2.71	36.4	0.01	0.01	0.13	302	
317	6.71	6.68	34.135	26.781	130.5	0.574	1.10	16.1	60.5	2.77	37.0	0.01	0.01	0.13	319	204
377	6.38	6.35	34.177	26.858	123.8	0.650	0.85	12.3	67.3	2.89	38.2	0.01	0.01	0.13	379	203
400 ISL	6.22	6.18	34.189	26.889	121.2	0.679	0.72	10.4	70.6	2.95	38.9	0.01	0.01	0.13	403	
438	5.95	5.91	34.206	26.937	116.9	0.724	0.53	7.6	76.1	3.04	40.1	0.01	0.01	0.13	441	202
500 ISL	5.60	5.56	34.236	27.004	111.0	0.794	0.43	6.1	83.1	3.11	41.2	0.00	0.01	0.13	504	
513	5.53	5.49	34.243	27.018	109.8	0.809	0.41	5.8	84.6	3.13	41.4	0.00	0.01	0.13	517	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE
33 13.8 N	121 27.9 W	11/07/05	1759	UTC	3561 m	350	25 kn	350 08 05	2	1013.8 mb	17.0 c	16.0 c	14m	8/8	SC	
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	16.15	16.15	33.200	24.330	358.6	0.000	5.78	102.8	1.9	0.45	2.3	0.08	0.37	0.15	0	
2 A	16.15	16.15	33.200	24.330	358.6	0.007	5.78	102.8	1.9	0.45	2.3	0.08	0.37	0.15	2	224
10 A	16.15	16.15	33.200	24.331	358.8	0.036	5.79	103.0	1.8	0.44	2.3	0.08	0.36	0.14	10	222
20 A	16.13	16.13	33.202	24.337	358.5	0.072	5.81	103.3	1.7	0.51	3.0	0.11	0.36	0.13	20	220
30 ISL	15.65	15.65	33.252	24.484	344.9	0.107	5.93	104.5	1.7	0.51	3.0	0.10	0.39	0.18	30	
31 A	15.60	15.60	33.257	24.499	343.5	0.110	5.94	104.6	1.7	0.51	3.0	0.10	0.39	0.18	31	219
38 A	13.12	13.11	33.310	25.062	289.9	0.133	5.84	97.8	4.0	0.80	6.4	0.22	0.74	0.42	38	218
46	11.91	11.90	33.295	25.284	268.9	0.155	5.30	86.5	8.2	1.02	9.7	0.33	0.50	0.29	46	216
50 ISL	11.47	11.46	33.327	25.390	258.9	0.165	5.03	81.3	10.3	1.16	11.8	0.38	0.38	0.22	50	
54 A	11.11	11.10	33.369	25.488	249.7	0.176	4.78	76.7	12.2	1.29	14.0	0.41	0.27	0.16	54	215
63	10.51	10.50	33.457	25.662	233.2	0.197	4.35	68.9	15.6	1.49	17.8	0.37	0.12	0.10	63	214
70	10.03	10.02	33.511	25.786	221.5	0.213	4.00	62.7	18.8	1.63	20.6	0.04	0.07	0.14	70	213
75 ISL	9.74	9.73	33.568	25.879	212.8	0.224	3.74	58.3	20.9	1.71	22.0	0.03	0.05	0.13	75	
85	9.31	9.30	33.682	26.038	197.8	0.245	3.36	51.9	23.9	1.80	23.6	0.02	0.02	0.07	85	212
100	9.07	9.06	33.766	26.143	188.1	0.274	3.48	53.5	24.5	1.76	23.4	0.01	0.01	0.05	100	211
120	8.89	8.88	33.885	26.265	176.9	0.310	3.18	48.7	27.6	1.85	25.1	0.01	0.00	0.05	121	210
125 ISL	8.83	8.82	33.910	26.294	174.3	0.319	3.12	47.8	28.5	1.87	25.5	0.01	0.00	0.05	126	
140	8.64	8.63	33.971	26.371	167.1	0.344	2.94	44.8	31.1	1.93	26.6	0.01	0.00	0.03	141	209
150 ISL	8.54	8.52	33.996	26.406	164.0	0.361	2.81	42.8	32.6	1.98	27.3	0.01	0.00	0.02	151	
169	8.33	8.31	34.024	26.461	159.1	0.392	2.57	38.9	35.7	2.09	28.7	0.01	0.00	0.02	170	208
198	7.82	7.80	34.051	26.558	150.2	0.437	2.20	32.9	42.1	2.25	31.2	0.01	0.00	0.02	199	207
200 ISL	7.79	7.77	34.051	26.563	149.8	0.440	2.19	32.8	42.4	2.26	31.3	0.01	0.00	0.02	201	
229	7.43	7.41	34.056	26.619	144.9	0.482	2.03	30.1	46.8	2.38	32.6	0.01	0.00	0.02	230	206
250 ISL	7.21	7.19	34.074	26.664	140.8	0.512	1.79	26.4	50.5	2.49	33.7	0.01	0.00	0.02	251	
269	7.03	7.00	34.091	26.702	137.4	0.539	1.57	23.1	53.8	2.59	34.6	0.01	0.00	0.02	271	205
300 ISL	6.72	6.69	34.096	26.749	133.3	0.581	1.40	20.4	57.9	2.68	35.8	0.01	0.00	0.02	302	
319	6.56	6.53	34.101	26.774	131.1	0.606	1.31	19.1	60.2	2.73	36.4	0.01	0.00	0.02	321	204
378	6.34	6.31	34.179	26.865	123.2	0.681	0.75	10.9	68.5	2.95	38.5	0.01	0.00	0.02	380	203
400 ISL	6.23	6.19	34.194	26.891	120.9	0.708	0.65	9.4	71.0	3.00	39.0	0.01	0.00	0.02	403	
438	6.04	6.00	34.213	26.931	117.5	0.753	0.54	7.8	75.1	3.06	39.8	0.01	0.00	0.02	441	202
500 ISL	5.74	5.70	34.253	27.000	111.5	0.824	0.38	5.4	81.6	3.15	40.9	0.00	0.00	0.02	503	
517	5.66	5.62	34.264	27.019	109.9	0.843	0.34	4.8	83.4	3.17	41.2	0.				

Table with columns: LATITUDE, LONGITUDE, DAY/MO/YR, CAST, TIME, BOTTOM, WIND, SPEED, WAVES, WEA, BAROMETER, DRY, WET, SECCHI, CLD AMT, TYPE. Rows include depth (0-703 m) and various oceanographic parameters.

Table with columns: LATITUDE, LONGITUDE, DAY/MO/YR, CAST, TIME, BOTTOM, WIND, SPEED, WAVES, WEA, BAROMETER, DRY, WET, SECCHI, CLD AMT, TYPE. Rows include depth (0-520 m) and various oceanographic parameters.

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE			
33 19.4 N	119 39.7 W	08/07/05	1840 UTC	81 m	290 12 kn	300 03 05	2	1014.8 mb	16.4 c	14.5 c	8m	8/8	SC			
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	14.22	14.22	33.620	25.075	287.6	0.000	5.68	97.5	3.8	0.61	5.4	0.13	3.93	1.48	0	
2 A	14.22	14.22	33.620	25.076	287.6	0.006	5.68	97.5	3.8	0.61	5.4	0.13	3.93	1.48	2	213
6 A	14.19	14.19	33.624	25.085	286.9	0.017	5.69	97.6	3.8	0.60	5.3	0.13	3.78	1.34	6	212
10 ISL	13.95	13.95	33.633	25.142	281.5	0.029	5.53	94.4	4.5	0.66	6.2	0.13	4.19	1.30	10	
11 A	13.89	13.89	33.635	25.156	280.2	0.031	5.49	93.6	4.7	0.68	6.4	0.13	4.27	1.29	11	210
16 A	11.89	11.89	33.702	25.603	237.9	0.044	4.17	68.2	13.8	1.27	14.7	0.20	3.60	1.42	16	208
20 ISL	11.70	11.70	33.710	25.644	234.0	0.054	4.02	65.5	14.9	1.34	15.6	0.20	3.25	1.37	20	
22 A	11.61	11.61	33.714	25.664	232.1	0.058	3.95	64.2	15.4	1.38	16.0	0.20	3.07	1.35	22	207
30 ISL	11.08	11.08	33.717	25.763	222.9	0.077	3.54	56.9	18.1	1.53	18.4	0.19	1.63	1.08	30	
31 A	11.01	11.01	33.719	25.777	221.6	0.079	3.48	55.8	18.5	1.55	18.7	0.19	1.45	1.04	31	206
40	10.47	10.47	33.803	25.938	206.5	0.098	3.04	48.2	23.2	1.76	21.2	0.24	0.93	0.86	40	205
50	9.83	9.82	33.902	26.125	188.9	0.118	2.47	38.7	28.6	2.00	24.6	0.27	0.37	0.77	50	203
60	9.42	9.41	34.035	26.296	172.8	0.136	1.98	30.7	33.9	2.18	27.2	0.26	0.14	0.54	60	202
70	9.40	9.39	34.038	26.302	172.5	0.153	1.94	30.1	34.6	2.20	27.4	0.26	0.12	0.48	70	201

A) PRIMARY PRODUCTIVITY SAMPLES WERE TAKEN FROM THESE LEVELS.

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE			
33 9.3 N	120 0.5 W	08/07/05	2222 UTC	1205 m	320 22 kn	310 06 07	1	1014.0 mb	16.1 c	14.9 c	8m	1/8	SC			
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	14.39	14.39	33.465	24.920	302.4	0.000	5.96	102.5	1.2	0.44	3.0	0.13	1.96	0.69	0	
2	14.39	14.39	33.465	24.920	302.4	0.006	5.96	102.5	1.2	0.44	3.0	0.13	1.96	0.69	2	224
10	14.39	14.39	33.465	24.920	302.6	0.030	5.96	102.5	1.1	0.43	2.9	0.12	1.85	0.65	10	223
20	14.32	14.32	33.466	24.936	301.4	0.060	5.95	102.2	1.8	0.50	3.7	0.19	2.18	0.79	20	221
30	13.93	13.93	33.428	24.989	296.7	0.090	5.85	99.7	1.1 U	0.43 U	3.0 U	0.13 U	2.23	0.57	30	220
40	12.38	12.37	33.281	25.184	278.3	0.119	5.28	87.0	6.4	0.90	8.6	0.33	0.67	0.41	40	218
49	11.80	11.79	33.383	25.372	260.6	0.143	5.10	83.1	8.8	1.13	11.2	0.37	0.32	0.26	49	216
50 ISL	11.74	11.73	33.386	25.386	259.3	0.146	5.07	82.5	9.1	1.15	11.5	0.37	0.30	0.25	50	
60	11.17	11.16	33.396	25.498	248.8	0.171	4.69	75.4	11.7	1.27	14.4	0.31	0.21	0.21	60	215
70	10.74	10.73	33.416	25.590	240.2	0.196	4.40	70.1	13.7	1.37	16.4	0.19	0.16	0.17	70	214
75 ISL	10.29	10.28	33.472	25.712	228.7	0.208	4.09	64.5	16.5	1.49	18.6	0.12	0.11	0.13	75	
85	9.46	9.45	33.617	25.963	204.9	0.229	3.44	53.3	22.4	1.75	22.9	0.01	0.02	0.07	85	213
99	9.28	9.27	33.775	26.116	190.7	0.257	3.00	46.4	26.3	1.90	25.1	0.01	0.02	0.07	100	212
100 ISL	9.28	9.27	33.787	26.126	189.8	0.259	2.96	45.7	26.6	1.91	25.2	0.01	0.02	0.07	101	
119	9.23	9.22	33.991	26.294	174.3	0.293	2.25	34.8	32.2	2.10	27.3	0.02	0.01	0.11	120	211
125 ISL	9.20	9.19	34.024	26.324	171.5	0.304	2.14	33.1	33.2	2.14	27.7	0.02	0.01	0.11	126	
139	9.10	9.08	34.071	26.377	166.7	0.327	1.98	30.5	34.9	2.20	28.4	0.02	0.01	0.09	140	210
150 ISL	8.99	8.97	34.098	26.416	163.2	0.346	1.87	28.8	36.4	2.25	28.9	0.02	0.01	0.10	151	
169	8.77	8.75	34.128	26.475	158.0	0.376	1.72	26.3	39.0	2.33	29.8	0.03	0.01	0.12	170	208
199	8.45	8.43	34.147	26.540	152.3	0.423	1.61	24.5	42.4	2.39	30.9	0.03	0.01	0.12	200	207
200 ISL	8.44	8.42	34.147	26.541	152.2	0.424	1.61	24.5	42.5	2.39	30.9	0.03			201	
228	8.09	8.07	34.143	26.591	147.8	0.466	1.60	24.1	45.4	2.44	31.8	0.03			229	206
250 ISL	7.75	7.73	34.132	26.633	144.1	0.498	1.58	23.6	48.2	2.48	32.7	0.03			252	
268	7.47	7.44	34.122	26.665	141.1	0.524	1.55	23.0	50.7	2.51	33.5	0.02			270	205
300 ISL	7.00	6.97	34.107	26.719	136.2	0.568	1.46	21.5	55.5	2.59	35.0	0.01			302	
318	6.77	6.74	34.107	26.751	133.4	0.593	1.38	20.2	58.3	2.64	35.8	0.01			320	204
378	6.39	6.36	34.180	26.859	123.8	0.670	0.84	12.2	67.5	2.87	38.1	0.01			380	203
400 ISL	6.25	6.21	34.187	26.883	121.7	0.697	0.75	10.8	69.6	2.91	38.5	0.01			403	
437	6.06	6.02	34.200	26.918	118.8	0.741	0.65	9.3	67.5 U	2.88 U	38.1 U	0.01 U			440	202
500 ISL	5.98	5.94	34.285	26.996	112.2	0.814	0.37	5.3	79.2	3.10	40.1	0.00			503	
513	5.96	5.92	34.302	27.012	110.9	0.828	0.31	4.4	80.5	3.12	40.3	0.00			517	201

Table with columns: LATITUDE, LONGITUDE, DAY/MO/YR, CAST TIME, BOTTOM, WIND SPEED, WAVES, WEA, BAROMETER, DRY, WET, SECCHI, CLD AMT, TYPE. Rows include depth (0 to 536 m) and various water quality parameters like TEMP, POT TEMP, SALINITY, SIGMA THETA, SVA, DYN HT, OXYGEN, OXY PCT, SI03, P04, N03, N02, CHL-A, PHAE0, PRES, SAMP.

Table with columns: LATITUDE, LONGITUDE, DAY/MO/YR, CAST TIME, BOTTOM, WIND SPEED, WAVES, WEA, BAROMETER, DRY, WET, SECCHI, CLD AMT, TYPE. Rows include depth (0 to 518 m) and various water quality parameters like TEMP, POT TEMP, SALINITY, SIGMA THETA, SVA, DYN HT, OXYGEN, OXY PCT, SI03, P04, N03, N02, CHL-A, PHAE0, PRES, SAMP.

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE			
32 40.9 N	117 52.8 W	02/07/05	0851 UTC	609 m	320 02 kn			1012.3 mb	17.0 C	15.7 C						
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	19.48	19.48	33.493	23.749	414.0	0.000	5.54	105.3	1.2	0.13	0.1	0.00	0.28	0.11	0	
1	19.48	19.48	33.493	23.749	414.1	0.004	5.54	105.3	1.2	0.13	0.1	0.00	0.28	0.11	1	220
10	16.86	16.86	33.421	24.337	358.3	0.039	6.27	113.3	0.6	0.17	0.1	0.00	0.47	0.17	10	219
20	14.27	14.27	33.358	24.863	308.4	0.072	6.53	112.0	0.0	0.27	0.0	0.01	0.69	0.26	20	218
30	11.87	11.87	33.311	25.303	266.7	0.101	4.94	80.5	6.9	0.99	10.0	0.25	2.49	0.94	30	217
40	10.74	10.74	33.328	25.521	246.1	0.127	4.37	69.5	12.7	1.28	14.9	0.05	0.61	0.44	40	216
50	10.32	10.31	33.404	25.653	233.8	0.151	4.12	65.0	15.0	1.41	16.9	0.03	0.36	0.33	50	215
60	9.97	9.96	33.504	25.791	220.9	0.173	3.92	61.4	17.3	1.51	18.6	0.04	0.21	0.20	60	214
70	9.79	9.78	33.603	25.898	210.9	0.195	3.88	60.6	18.5	1.53	19.2	0.03	0.11	0.12	70	213
75 ISL	9.70	9.69	33.650	25.950	206.1	0.205	3.82	59.5	19.4	1.56	19.7	0.03	0.08	0.10	75	
85	9.54	9.53	33.725	26.035	198.2	0.226	3.68	57.2	21.0	1.62	20.8	0.03	0.05	0.08	85	212
99	9.45	9.44	33.761	26.078	194.4	0.253	3.57	55.4	22.2	1.67	21.6	0.03	0.05	0.08	100	211
100 ISL	9.46	9.45	33.772	26.085	193.7	0.255	3.52	54.6	22.5	1.69	21.8	0.03	0.05	0.08	101	
119	9.61	9.60	33.987	26.229	180.5	0.291	2.44	38.0	28.2	2.03	25.6	0.00	0.02	0.06	120	210
125 ISL	9.53	9.52	34.022	26.269	176.8	0.301	2.37	36.9	29.4	2.07	26.2	0.00	0.02	0.06	126	
140	9.25	9.23	34.075	26.357	168.7	0.327	2.21	34.2	32.1	2.13	27.3	0.01	0.01	0.05	141	209
150 ISL	9.09	9.07	34.103	26.404	164.4	0.344	2.08	32.1	34.0	2.19	28.1	0.01	0.01	0.04	151	
169	8.85	8.83	34.147	26.477	157.8	0.374	1.82	27.9	37.3	2.32	29.4	0.00	0.00	0.03	170	208
199	8.80	8.78	34.229	26.550	151.5	0.421	1.39	21.3	40.8	2.48	30.4	0.00	0.01	0.04	200	207
200 ISL	8.79	8.77	34.230	26.552	151.3	0.422	1.38	21.1	40.9	2.48	30.4	0.00			201	
231	8.56	8.54	34.255	26.608	146.5	0.468	1.18	18.0	43.8	2.57	31.4	0.00			232	206
250 ISL	8.34	8.31	34.262	26.647	143.0	0.496	1.09	16.5	46.2	2.63	32.1	0.00			251	
270	8.11	8.08	34.270	26.688	139.4	0.524	0.99	14.9	48.9	2.69	32.8	0.00			272	205
300 ISL	7.96	7.93	34.296	26.732	135.8	0.566	0.78	11.7	52.1	2.79	33.6	0.00			302	
319	7.90	7.87	34.311	26.753	134.1	0.591	0.66	9.9	53.9	2.84	34.0	0.00			321	204
378	7.53	7.49	34.310	26.806	129.8	0.669	0.58	8.6	58.2	2.91	35.2	0.00			380	203
400 ISL	7.31	7.27	34.301	26.831	127.7	0.697	0.55	8.1	60.6	2.94	35.9	0.00			403	
436	6.91	6.87	34.288	26.876	123.6	0.743	0.50	7.3	65.2	2.99	37.2	0.00			439	202
500 ISL	6.31	6.26	34.308	26.972	114.9	0.819	0.37	5.4	75.4	3.11	39.2	0.00			503	
512	6.20	6.15	34.312	26.990	113.3	0.833	0.34	4.9	77.3	3.13	39.6	0.00			516	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE			
32 31.1 N	118 13.1 W	02/07/05	1253 UTC	1641 m	320 05 kn			1012.0 mb	17.0 C	15.9 C						
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	18.30	18.30	33.494	24.046	385.6	0.000	5.72	106.3	1.2	0.12	0.0	0.01	0.42	0.17	0	
1	18.30	18.30	33.494	24.047	385.7	0.004	5.72	106.3	1.2	0.12	0.0	0.01	0.42	0.17	1	220
10	17.51	17.51	33.480	24.228	368.6	0.038	5.84	106.9	0.8	0.16	0.1	0.02	0.57	0.22	10	219
20 ISL	12.13	12.13	33.386	25.312	265.6	0.070	4.88	80.0	5.6	0.97	9.9	0.25	3.38	1.08	20	
21	11.59	11.59	33.395	25.420	255.3	0.072	4.76	77.2	6.3	1.06	11.0	0.27	3.60	1.15	21	218
30 ISL	10.82	10.82	33.414	25.574	240.9	0.094	4.17	66.5	13.3	1.37	15.8	0.10	1.58	0.58	30	
31	10.74	10.74	33.417	25.590	239.3	0.097	4.11	65.4	14.1	1.39	16.2	0.08	1.27	0.50	31	217
41	10.35	10.35	33.544	25.757	223.7	0.120	3.52	55.6	18.3	1.62	19.3	0.06	0.35	0.39	41	216
50 ISL	10.17	10.16	33.607	25.837	216.3	0.140	3.34	52.6	19.7	1.69	20.3	0.05	0.34	0.42	50	
51	10.16	10.15	33.612	25.843	215.8	0.142	3.33	52.4	19.8	1.69	20.4	0.05	0.34	0.43	51	215
61	10.08	10.07	33.641	25.879	212.5	0.163	3.28	51.5	20.6	1.71	20.9	0.05	0.31	0.39	61	214
69	9.97	9.96	33.712	25.953	205.7	0.180	3.11	48.8	22.0	1.79	22.2	0.04	0.22	0.30	69	213
75 ISL	9.93	9.92	33.755	25.993	202.0	0.192	2.99	46.9	22.9	1.83	22.8	0.04	0.18	0.27	75	
85	9.82	9.81	33.818	26.061	195.7	0.212	2.86	44.7	24.5	1.88	23.5	0.03	0.13	0.24	85	212
100	9.31	9.30	33.917	26.223	180.6	0.240	2.92	45.2	27.3	1.90	24.6	0.02	0.04	0.15	101	211
120	9.36	9.35	34.066	26.331	170.7	0.276	2.24	34.7	31.5	2.13	26.8	0.02	0.04	0.14	121	210
125 ISL	9.38	9.37	34.093	26.349	169.2	0.284	2.12	32.9	32.3	2.17	27.1	0.02	0.04	0.14	126	
139	9.42	9.40	34.153	26.390	165.6	0.308	1.88	29.2	34.0	2.26	27.8	0.02	0.04	0.14	140	209
150 ISL	9.35	9.33	34.175	26.419	163.1	0.326	1.74	27.0	35.1	2.31	28.2	0.02	0.03	0.12	151	
169	9.23	9.21	34.206	26.463	159.3	0.356	1.61	24.9	36.9	2.37	28.9	0.01	0.02	0.09	170	208
198	8.63	8.61	34.168	26.528	153.4	0.402	1.69	25.8	40.1	2.39	30.2	0.01	0.01	0.07	199	207
200 ISL	8.63	8.61	34.174	26.533	153.0	0.405	1.66	25.3	40.4	2.40	30.3	0.01			201	
228	8.58	8.56	34.260	26.609	146.4	0.447	1.16	17.7	44.2	2.58	31.6	0.01			229	206
250 ISL	8.44	8.41	34.289	26.653	142.5	0.478	0.92	14.0	47.3	2.69	32.3	0.01			252	
268	8.27	8.24	34.297	26.686	139.7	0.504	0.80	12.1	49.8	2.76	32.8	0.01			270	205
300 ISL	7.87	7.84	34.296	26.745	134.5	0.548	0.70	10.5	54.1	2.84	34.1	0.01			302	
318	7.65	7.62	34.292	26.774	131.9	0.572	0.67	10.0	56.3	2.87	34.8	0.01			320	204
379	7.25	7.21	34.316	26.850	125.4	0.650	0.47	7.0	62.3	2.99	36.3	0.00			381	203
400 ISL	7.06	7.02	34.315	26.876	123.1	0.676	0.44	6.5	64.8	3.02	37.0	0.00			403	
439	6.70	6.66	34.313	26.924	118.9	0.723	0.39	5.7	69.4	3.07	38.2	0.00			442	202
500 ISL	6.32	6.27	34.329	26.987	113.4	0.794	0.30	4.3	75.7	3.15	39.5	0.00			503	
517	6.22	6.17	34.334	27.004	112.0	0.813	0.28	4.0	77.4	3.17	39.8	0.00			521	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE
32 0.7 N	119 14.1 W	03/07/05	0136	UTC	1595 m	320	15 kn	300 03 09	2	1012.5 mb	16.4 c	15.0 c		8/8		SC
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	15.43	15.43	33.482	24.708	322.5	0.000	6.20	108.9	0.0	0.32	0.8	0.07	0.59	0.14	0	
1	15.43	15.43	33.482	24.708	322.6	0.003	6.20	108.9	0.0	0.32	0.8	0.07	0.59	0.14	1	221
10 ISL	15.32	15.32	33.471	24.725	321.3	0.032	6.22	109.0	0.0	0.34	0.9	0.08	0.62	0.20	10	
11	15.30	15.30	33.470	24.728	321.0	0.035	6.22	109.0	0.0	0.34	0.9	0.08	0.62	0.21	11	220
20 ISL	15.12	15.12	33.489	24.782	316.1	0.064	6.32	110.3	0.0	0.28	0.5	0.06	0.93	0.53	20	
21	15.09	15.09	33.491	24.791	315.4	0.067	6.33	110.5	0.0	0.28	0.5	0.06	0.96	0.57	21	219
30	14.76	14.76	33.483	24.856	309.4	0.095	6.26	108.5	0.0	0.37	1.3	0.08	0.89	0.74	30	217
40	14.25	14.24	33.453	24.942	301.5	0.126	6.03	103.4	0.6	0.54	3.3	0.16	2.02	0.86	40	216
50	13.21	13.20	33.312	25.046	291.8	0.156	5.63	94.4	4.3	0.79	6.3	0.39	0.74	0.52	50	215
60	12.16	12.15	33.342	25.273	270.3	0.184	5.37	88.1	6.0	1.01	9.3	0.33	0.34	0.28	60	214
70	10.75	10.74	33.366	25.549	244.1	0.209	4.38	69.7	13.3	1.36	16.1	0.02	0.07	0.10	70	213
75 ISL	10.37	10.36	33.384	25.629	236.6	0.221	4.26	67.3	15.0	1.45	17.6	0.02	0.07	0.11	75	
85	9.91	9.90	33.441	25.752	225.1	0.244	4.02	62.9	16.9	1.54	18.9	0.01	0.06	0.12	85	212
100	9.36	9.35	33.614	25.977	203.9	0.277	3.91	60.5	20.1	1.60	20.5	0.02	0.03	0.04	100	211
120	9.13	9.12	33.817	26.174	185.6	0.316	2.87	44.2	27.2	1.96	25.4	0.01	0.01	0.04	121	210
125 ISL	9.08	9.07	33.853	26.210	182.3	0.325	2.83	43.6	28.1	1.98	25.8	0.01	0.01	0.04	126	
139	8.92	8.91	33.931	26.296	174.3	0.350	2.71	41.6	30.1	2.02	26.4	0.01	0.00	0.04	140	209
150 ISL	8.71	8.69	33.975	26.364	168.1	0.369	2.70	41.2	32.0	2.03	26.9	0.01	0.00	0.04	151	
168	8.36	8.34	34.024	26.456	159.5	0.398	2.69	40.8	35.3	2.06	27.8	0.01	0.01	0.04	169	208
198	7.99	7.97	34.062	26.542	151.8	0.445	2.15	32.3	41.0	2.29	30.4	0.01	0.01	0.05	199	207
200 ISL	7.96	7.94	34.063	26.547	151.4	0.448	2.12	31.8	41.4	2.30	30.6	0.01			201	
228	7.61	7.59	34.082	26.613	145.4	0.489	1.83	27.3	46.5	2.45	32.6	0.00			229	206
250 ISL	7.40	7.38	34.099	26.657	141.6	0.521	1.67	24.8	49.7	2.53	33.5	0.00			251	
268	7.28	7.25	34.120	26.691	138.6	0.546	1.52	22.5	52.1	2.60	34.0	0.00			270	205
300 ISL	7.22	7.19	34.201	26.763	132.3	0.590	1.02	15.1	57.1	2.78	35.2	0.00			302	
319	7.18	7.15	34.248	26.806	128.5	0.614	0.73	10.8	60.2	2.89	35.9	0.00			321	204
376	6.63	6.60	34.281	26.907	119.4	0.685	0.50	7.3	69.7	3.05	37.8	0.00			378	203
400 ISL	6.49	6.45	34.291	26.934	117.1	0.713	0.43	6.2	72.3	3.09	38.2	0.00			403	
436	6.34	6.30	34.304	26.964	114.7	0.755	0.36	5.2	75.4	3.13	38.7	0.00			439	202
500 ISL	6.12	6.08	34.322	27.007	111.3	0.827	0.30	4.3	79.9	3.18	39.3	0.00			503	
519	6.05	6.00	34.328	27.021	110.2	0.848	0.28	4.0	81.2	3.20	39.5	0.00			523	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE
31 50.6 N	119 34.4 W	03/07/05	0526	UTC	1808 m	340	12 kn			1013.5 mb	16.5 c	15.0 c				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	16.83	16.83	33.191	24.167	374.1	0.000	5.69	102.6	1.8	0.28	0.0	0.01	0.21	0.06	0	
2	16.83	16.83	33.191	24.167	374.2	0.007	5.69	102.6	1.8	0.28	0.0	0.01	0.21	0.06	2	221
10	16.81	16.81	33.192	24.173	373.9	0.037	5.73	103.3	1.8	0.28	0.0	0.00	0.31	0.04	10	219
20	16.34	16.34	33.205	24.292	362.9	0.074	5.82	103.9	1.8	0.28	0.0	0.00	0.42	0.14	20	218
30	16.24	16.24	33.217	24.324	360.1	0.110	5.85	104.3	1.9	0.28	0.0	0.00	0.50	0.17	30	217
41	15.96	15.95	33.202	24.376	355.5	0.150	5.87	104.0	1.9	0.29	0.0	0.01	0.54	0.22	41	216
50	15.80	15.79	33.207	24.416	351.9	0.182	5.85	103.4	1.9	0.32	0.0	0.02	0.49	0.31	50	215
60	14.64	14.63	33.181	24.650	329.9	0.216	5.66	97.7	2.0	0.35	0.1	0.04	0.54	0.44	60	214
71	12.18	12.17	33.227	25.181	279.4	0.249	5.02	82.3	2.5	0.41	0.7	0.18	0.19	0.21	71	213
75 ISL	11.69	11.68	33.242	25.284	269.6	0.260	4.88	79.2	2.7	0.48	1.7	0.19	0.17	0.20	75	
86	10.94	10.93	33.282	25.451	253.9	0.289	4.61	73.7	4.2	0.72	5.5	0.22	0.12	0.17	86	212
100	10.44	10.43	33.373	25.609	239.1	0.323	4.28	67.7	8.5	1.04	10.9	0.02	0.05	0.09	100	211
120	9.67	9.66	33.509	25.845	216.9	0.369	3.80	59.1	12.8	1.31	15.6	0.02	0.02	0.05	121	210
125 ISL	9.57	9.56	33.537	25.884	213.3	0.380	3.74	58.1	13.9	1.36	16.5	0.02	0.02	0.05	126	
140	9.36	9.34	33.629	25.990	203.5	0.411	3.59	55.5	17.0	1.48	18.6	0.02	0.01	0.04	141	209
150 ISL	9.24	9.22	33.726	26.085	194.6	0.431	3.46	53.4	18.8	1.55	19.7	0.02	0.01	0.03	151	
170	9.03	9.01	33.910	26.263	178.1	0.468	3.20	49.2	22.1	1.67	21.7	0.02	0.00	0.02	171	208
200 ISL	8.71	8.69	34.002	26.386	167.0	0.520	2.95	45.1	27.4	1.87	24.5	0.02	0.00	0.03	201	
201	8.70	8.68	34.003	26.388	166.8	0.522	2.94	44.9	27.6	1.88	24.6	0.02	0.00	0.03	202	207
226	8.23	8.21	34.028	26.480	158.4	0.562	2.82	42.6	35.3	2.15	28.4	0.02			227	206
250 ISL	7.87	7.85	34.044	26.546	152.3	0.600	2.51	37.6	39.9	2.29	30.2	0.01			251	
267	7.70	7.67	34.062	26.585	148.8	0.625	2.20	32.8	42.4	2.36	31.0	0.01			268	205
300 ISL	7.67	7.64	34.162	26.669	141.5	0.673	1.43	21.3	48.3	2.55	33.0	0.01			302	
317	7.66	7.63	34.208	26.707	138.2	0.697	1.07	16.0	51.3	2.64	33.9	0.01			319	204
376	7.21	7.17	34.246	26.801	130.0	0.776	0.73	10.8	61.3	2.92	36.5	0.01			378	203
400 ISL	6.99	6.95	34.259	26.842	126.3	0.807	0.63	9.3	64.6	2.97	37.3	0.01			402	
436	6.68	6.64	34.276	26.897	121.3	0.851	0.50	7.3	68.9	3.02	38.3	0.01			439	202
500 ISL	6.31	6.26	34.302	26.967	115.3	0.927	0.37	5.4	75.3	3.11	39.6	0.00			503	
519	6.20	6.15	34.310	26.988	113.5	0.949	0.33	4.8	77.2	3.14	40.0	0.00			522	201

A) FIRST FLUOROMETER READING NOT RECORDED, CHLOROPHYLL AND PHAEOPIGMENT CALCULATED WITH ASSUMED ACID RATIO INTERPOLATED FROM ADJACENT LEVELS.

PRIMARY PRODUCTIVITY CASTS

RV NEW HORIZON		CALCOFI CRUISE 0507										STATION 77 70				
LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME					LAN	CIVIL TWILIGHT	INTEGRATED VALUE				
34 23.2 N	122 15.3 W	15/07/05	1719 UTC	17 m	1214 - 1948 PST					1215 PST	1948 PST	211.5 mg C/m2				
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m3)			
m	DEG C		THETA	ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	PCT	1	2	MEAN	DARK
2	16.06	32.859	24.089	5.83	103.3	2.6	0.31	0.0	0.01	0.38	0.11	83. A	4.8	5.4	5.1	0.16
12	16.06	32.859	24.089	5.83	103.3	2.5	0.30	0.0	0.01	0.39	0.11	34.	7.2	7.0	7.1	0.15
24	16.05	32.912	24.132	5.86	103.9	2.4	0.31	0.0	0.01	0.51	0.17	11.	5.0	5.0	5.0	0.13
36	15.61	32.875	24.203	5.91	103.8	2.4	0.31	0.0	0.01	0.52	0.16	3.9	2.3	2.2	2.2	0.11
47	14.35	32.935	24.521	6.16	105.5	2.1	0.31	0.0	0.01	0.51	0.23	1.4	0.82	0.76	0.79	0.08
56	13.77	32.926	24.634	6.09	103.1	2.4	0.39	0.5	0.10	0.60	0.29					
65	12.82	32.953	24.845	5.75	95.4	4.2	0.62	3.1	0.55	0.41	0.29	0.28	0.08	0.12	0.10	0.07

RV NEW HORIZON		CALCOFI CRUISE 0507										STATION 77 100				
LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME					LAN	CIVIL TWILIGHT	INTEGRATED VALUE				
33 22.8 N	124 19.8 W	14/07/05	1941 UTC	19 m	1238 - 1955 PST					1223 PST	1954 PST	111.4 mg C/m2				
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m3)			
m	DEG C		THETA	ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	PCT	1	2	MEAN	DARK
2	18.17	33.111	23.785	5.54	102.5	2.4	0.27	0.0	0.00	0.15	0.03	85. A	2.3	2.6	2.4	0.17
14	18.17	33.112	23.787	5.54	102.5	2.5	0.27	0.0	0.00	0.14	0.03	32.	2.8	2.6	2.7	0.16
27	18.05	33.104	23.810	5.56	102.6	2.3	0.27	0.0	0.00	0.18	0.04	11.	1.8	1.8	1.8	0.16
40	15.33	33.043	24.394	6.14	107.4	2.2	0.28	0.0	0.00	0.31	0.11	3.9	1.5	1.4	1.5	0.19
46	14.73	33.059	24.536	6.12	105.7	2.5	0.31	0.1	0.00	0.39	0.20					
53	14.39	33.073	24.619	6.11	104.8	2.7	0.32	0.0	0.00	0.44	0.28	1.4	0.87	0.90	0.89	0.16
62	13.40	33.126	24.864	5.53	93.0	4.3	0.56	3.0	0.25	0.65	0.68					
72	12.39	33.161	25.089	5.24	86.3	6.3	0.78	6.9	0.09	0.37	0.41	0.30	0.12	0.15	0.14	0.07

RV NEW HORIZON		CALCOFI CRUISE 0507										STATION 80 70				
LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME					LAN	CIVIL TWILIGHT	INTEGRATED VALUE				
33 49.4 N	121 50.7 W	13/07/05	1830 UTC	16 m	1210 - 1952 PST					1213 PST	1952 PST	372.9 mg C/m2				
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m3)			
m	DEG C		THETA	ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	PCT	1	2	MEAN	DARK
2	15.68	33.436	24.618	5.88	103.8	2.0	0.61	5.1	0.12	0.41	0.20	83. A	11.9	12.3	12.1	0.26
12	15.67	33.433	24.618	5.89	103.9	2.0	0.60	5.1	0.12	0.40	0.22	32.	13.7	13.4	13.5	0.24
23	15.40	33.442	24.685	5.90	103.6	2.0	0.61	4.9	0.13	0.44	0.25	11.	7.8	8.0	7.9	0.24
34	14.04	33.583	25.086	5.87	100.3	2.7	0.72	4.2	0.13	0.52	0.36	3.8	4.2	4.0	4.1	0.19
44	13.73	33.563	25.134	5.78	98.1	3.5	0.78	5.1	0.15	0.45	0.35	1.5	1.3	1.1	1.2	0.18
52	13.49	33.548	25.172	5.71	96.5	4.3	0.83	6.0	0.17	0.43	0.38					
61	11.68	33.562	25.534	5.19	84.4	9.6	1.22	11.5	0.27	0.36	0.25	0.29	0.04	0.04	0.04	0.20

RV NEW HORIZON		CALCOFI CRUISE 0507										STATION 83 42				
LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME					LAN	CIVIL TWILIGHT	INTEGRATED VALUE				
34 10.6 N	119 30.6 W	12/07/05	1834 UTC	7 m	1202 - 1946 PST					1204 PST	1945 PST	1045.2 mg C/m2				
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m3)			
m	DEG C		THETA	ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	PCT	1	2	MEAN	DARK
1	17.22	33.500	24.312	6.85	124.7	0.7	0.17	0.0	0.01	2.18	1.05	80. A	78.4	73.7	76.1	1.1
5	17.16	33.500	24.327	6.84	124.4	0.7	0.17	0.0	0.01	2.26	1.01	33.	80.8	85.3	83.1	0.99
10	16.23	33.500	24.543	6.79	121.2	0.9	0.18	0.1	0.01	3.34	1.35	11.	53.7	56.7	55.2	0.79
15	14.61	33.485	24.889	6.17	106.6	3.9	0.42	1.4	0.06	6.11	1.96	3.7	33.7	31.3	32.5	0.56
19	12.81	33.464	25.242	5.17	86.1	8.0	0.85	6.7	0.16	1.86	1.03	1.6	3.4	3.2	3.3	0.34
27	11.64	33.522	25.510	4.15	67.4	13.1	1.25	13.0	0.27	1.10	0.86	0.27	0.18	0.26	0.22	0.23

A) INCUBATION LIGHT INTENSITIES WERE 98, 39, 11, 4.3, 1.9, 0.25 PERCENT RESPECTIVELY.

PRIMARY PRODUCTIVITY CASTS

RV NEW HORIZON

CALCOFI CRUISE 0507

STATION 83 70

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE								
33 13.8 N	121 27.9 W	11/07/05	1759 UTC	14 m	1209 - 1945 PST	1211 PST	1943 PST	228.1 mg C/m2								
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m3)			
m	DEG C		THETA	ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	PCT	1	2	MEAN	DARK
2	16.15	33.200	24.330	5.78	102.8	1.9	0.45	2.3	0.08	0.37	0.15	80. A	5.7	6.0	5.8	0.17
10	16.15	33.200	24.331	5.79	103.0	1.8	0.44	2.3	0.08	0.36	0.14	33.	9.4	9.5	9.5	0.17
20	16.13	33.202	24.337	5.81	103.3	1.7	0.51	3.0	0.11	0.36	0.13	11.	5.9	6.0	5.9	0.18
31	15.60	33.257	24.499	5.94	104.6	1.7	0.51	3.0	0.10	0.39	0.18	3.3	3.1	2.9	3.0	0.19
38	13.12	33.310	25.062	5.84	97.8	4.0	0.80	6.4	0.22	0.74	0.42	1.6	1.7	1.6	1.6	0.20
46	11.91	33.295	25.284	5.30	86.5	8.2	1.02	9.7	0.33	0.50	0.29					
54	11.11	33.369	25.488	4.78	76.7	12.2	1.29	14.0	0.41	0.27	0.16	0.27	0.05	0.07	0.06	0.09

RV NEW HORIZON

CALCOFI CRUISE 0507

STATION 83 110

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE								
31 54.8 N	124 10.7 W	10/07/05	1704 UTC	32 m	1222 - 1950 PST	1222 PST	1949 PST	154.7 mg C/m2								
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m3)			
m	DEG C		THETA	ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	PCT	1	2	MEAN	DARK
1	18.85	33.196	23.682	5.43	101.8	2.6	0.30	0.1	0.00	0.08	0.01	95. A	1.8	1.7	1.7	0.10
12	18.79	33.193	23.695	5.44	101.9	2.6	0.30	0.1	0.00	0.08	0.02					
23	18.37	33.163	23.777	5.50	102.1	2.5	0.29	0.1	0.00	0.09	0.03	33.	2.3	2.2	2.3	0.14
34	17.38	33.132	23.994	5.68	103.5	2.5	0.29	0.1	0.00	0.09	0.03					
46	17.07	33.144	24.076	5.71	103.4	2.5	0.29	0.1	0.00	0.11	0.03	11.	1.4	1.6	1.5	0.10
57	16.64	33.115	24.155	5.76	103.4	2.6	0.29	0.1	0.00	0.13	0.04					
68	15.43	33.085	24.405	5.98	104.8	2.5	0.29	0.1	0.00	0.20	0.08	3.8	1.3	1.3	1.3	0.09
78	14.99	33.167	24.565	5.97	103.7	2.3	0.29	0.0	0.00	0.24	0.10					
88	14.30	33.237	24.766	5.89	101.0	2.4	0.30	0.0	0.00	0.31	0.19	1.5	0.84	0.75	0.79	0.04
97	12.54	33.072	24.992	5.61	92.6	4.9	0.60	3.4	0.10	0.29	0.19					
106	11.85	33.094	25.140	5.28	85.9	6.6	0.79	6.7	0.14	0.25	0.19					
114	10.71	33.177	25.410	4.77	75.8	10.5	1.12	12.4	0.11	0.16	0.10					
122	10.20	33.253	25.557	4.51	70.9	13.1	1.29	15.4	0.07	0.11	0.10	0.29	0.01	0.01	0.01	0.07

RV NEW HORIZON

CALCOFI CRUISE 0507

STATION 87 50

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE								
33 19.4 N	119 39.7 W	08/07/05	1840 UTC	8 m	1204 - 1944 PST	1204 PST	1941 PST	1344.5 mg C/m2								
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m3)			
m	DEG C		THETA	ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	PCT	1	2	MEAN	DARK
2	14.22	33.620	25.076	5.68	97.5	3.8	0.61	5.4	0.13	3.93	1.48	68. A	67.1	50.2	58.6	0.58
6	14.19	33.624	25.085	5.69	97.6	3.8	0.60	5.3	0.13	3.78	1.34	32.	140.5	87.1	113.8	0.48
11	13.89	33.635	25.156	5.49	93.6	4.7	0.68	6.4	0.13	4.27	1.29	12.	68.7	93.4	81.0	0.40
16	11.89	33.702	25.603	4.17	68.2	13.8	1.27	14.7	0.20	3.60	1.42	4.6	25.7	23.8	24.8	0.27
22	11.61	33.714	25.664	3.95	64.2	15.4	1.38	16.0	0.20	3.07	1.35	1.5	7.8	6.6	7.2	0.24
31	11.01	33.719	25.777	3.48	55.8	18.5	1.55	18.7	0.19	1.45	1.04	0.26	0.52	0.63	0.57	0.17

RV NEW HORIZON

CALCOFI CRUISE 0507

STATION 87 80

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE								
32 19.3 N	121 42.8 W	09/07/05	1659 UTC	24 m	1208 - 1946 PST	1209 PST	1946 PST	214.5 mg C/m2								
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m3)			
m	DEG C		THETA	ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	PCT	1	2	MEAN	DARK
1	17.51	33.112	23.946	5.60	102.3	2.6	0.30	0.1	0.00	0.09	0.03	94. A	1.9	1.7	1.8	0.09
18	16.76	33.036	24.065	5.75	103.4	2.3	0.29	0.1	0.00	0.19	0.05	32.	6.6	5.3	5.9	0.30
34	16.38	33.007	24.131	5.81	103.7	2.0	0.29	0.1	0.00	0.24	0.07	11.	4.5	4.8	4.7	0.27
42	16.44	33.079	24.173	5.84	104.4	2.6	0.30	0.1	0.00	0.18	0.05					
51	15.27	33.045	24.409	6.06	105.8	2.7	0.31	0.1	0.00	0.13	0.04	3.8	0.90	0.75	0.83	0.10
59	15.14	33.151	24.519	6.00	104.6	2.4	0.30	0.1	0.00	0.13	0.04					
66	14.57	33.137	24.631	5.99	103.2	2.7	0.31	0.1	0.00	0.17	0.08	1.5	0.36	0.31	0.34	0.11
75	13.93	33.237	24.842	5.80	98.7	3.3	0.37	0.2	0.01	0.36	0.29					
83	13.45	33.246	24.947	5.66	95.3	3.8	0.45	1.4	0.03	0.38	0.34					
92	12.63	33.248	25.111	5.42	89.8	5.3	0.63	4.5	0.15	0.34	0.34	0.28	0.14	0.20	0.17	0.03

A) INCUBATION LIGHT INTENSITIES WERE 98, 39, 11, 4.3, 1.9, 0.25 PERCENT RESPECTIVELY.

PRIMARY PRODUCTIVITY CASTS

RV NEW HORIZON

CALCOFI CRUISE 0507

STATION 90 28

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME					LAN	CIVIL TWILIGHT		INTEGRATED VALUE			
33 29.1 N	117 46.2 W	07/07/05	1824 UTC	9 m	1155 - 1939 PST					1156 PST	1937 PST		1684.0 mg C/m ²			
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m ³)			
m	DEG C		THETA	mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	PCT	1	2	MEAN	DARK
1	18.54	33.488	23.982	6.85	127.9	1.4	0.16	0.0	0.00	2.02	0.00	84. A	20.4	17.5	19.0	0.58
8	16.50	33.453	24.445	6.60	118.4	4.7	0.29	0.0	0.01	7.53	0.23	26.	161.8	170.4	166.1	1.1
14	11.58	33.525	25.523	3.36	54.5	17.0	1.17	2.7	0.10	4.48	0.80	9.2	72.7	83.2	77.9	2.0
19	10.97	33.571	25.669	2.94	47.1	19.1	1.52	11.6	0.21	1.23	0.48	3.9	11.4	10.9	11.2	0.51
25	10.84	33.586	25.704	2.86	45.7	19.8	1.59	13.9	0.22	1.05	0.45	1.4	3.8	3.5	3.6	0.35
34	10.59	33.651	25.799	2.65	42.1	21.9	1.79	19.8	0.23	0.73	0.32	0.30	0.36	0.45	0.40	0.28

RV NEW HORIZON

CALCOFI CRUISE 0507

STATION 90 53

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME					LAN	CIVIL TWILIGHT		INTEGRATED VALUE			
32 39.0 N	119 29.2 W	06/07/05	1954 UTC	16 m	1243 - 1936 PST					1203 PST	1936 PST		390.1 mg C/m ²			
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m ³)			
m	DEG C		THETA	mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	PCT	1	2	MEAN	DARK
1	14.99	33.554	24.860	5.88	102.4	0.8	0.37	1.4	0.06	0.75	0.25	91. A	15.5	14.9	15.2	0.28
12	14.96	33.552	24.866	5.87	102.2	0.7	0.37	1.4	0.06	0.75	0.27	32.	14.6	14.8	14.7	0.29
23	14.85	33.549	24.887	5.84	101.4	0.8	0.40	1.7	0.07	0.65	0.25	11.	6.7	7.1	6.9	0.24
34	12.47	33.421	25.275	5.49	90.7	5.7	0.94	8.6	0.32	0.79	0.60	3.8	4.1	4.0	4.0	0.15
44	11.56	33.454	25.472	4.93	79.9	10.2	1.23	12.8	0.40	0.58	0.37	1.5	0.92	0.82	0.87	0.12
52	11.05	33.567	25.652	4.42	70.9	13.5	1.48	15.7	0.39	0.50	0.61					
61	10.47	33.638	25.810	3.82	60.5	18.8	1.63	19.4	0.34	0.20	0.36	0.29	-0.01	0.02	0.00	0.14

RV NEW HORIZON

CALCOFI CRUISE 0507

STATION 90 90

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME					LAN	CIVIL TWILIGHT		INTEGRATED VALUE			
31 25.0 N	121 59.7 W	05/07/05	1908 UTC	21 m	1213 - 1942 PST					1213 PST	1940 PST		113.5 mg C/m ²			
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m ³)			
m	DEG C		THETA	mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	PCT	1	2	MEAN	DARK
2	17.67	33.136D	23.926	5.58	102.2	2.5	0.29	0.1	0.00	0.14	0.03	86. A	2.7	2.6	2.6	0.17
15	17.68	33.136	23.924	5.59	102.4	2.5	0.28	0.0	0.00	0.15	0.03	33.	2.9	2.8	2.8	0.15
30	17.25	33.134	24.026	5.71	103.8	2.5	0.28	0.0	0.00	0.18	0.05	11.	2.0	1.9	1.9	0.16
45	16.67	33.117	24.149	5.78	103.8	2.4	0.28	0.0	0.00	0.25	0.08	3.7	1.1	1.1	1.1	0.17
51	16.51	33.123	24.191	5.81	104.0	2.4	0.28	0.0	0.01	0.27	0.10					
57	16.36	33.116	24.220	5.83	104.1	2.4	0.29	0.0	0.00	0.31	0.09	1.6	0.47	0.43	0.45	0.13
68	15.55	33.097	24.388	5.92	104.0	2.4	0.29	0.0	0.00	0.47	0.25					
79	14.77	33.097	24.558	5.92	102.4	2.5	0.32	0.0	0.00	0.47	0.41	0.31	0.10	0.12	0.11	0.07

RV NEW HORIZON

CALCOFI CRUISE 0507

STATION 93 26.7

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME					LAN	CIVIL TWILIGHT		INTEGRATED VALUE			
32 57.0 N	117 17.8 W	01/07/05	1831 UTC	4 m	1150 - 1930 PST					1153 PST	1930 PST		530.9 mg C/m ²			
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m ³)			
m	DEG C		THETA	mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	PCT	1	2	MEAN	DARK
1	17.91	33.457	24.114	7.03	129.6	7.6	0.19	0.0	0.01	2.97	0.79	68. A	66.2	74.8	70.5	1.2
2	17.90	33.453	24.113	7.03	129.6	7.6	0.19	0.0	0.01	3.13	0.75	46.	76.7	71.4	74.1	1.1
7	14.56	33.430	24.857	6.35	109.6	8.1	0.40	0.0	0.01	2.53	0.97	6.8	39.7	46.9	43.3	0.96
9	12.76	33.460	25.248	5.44	90.5	10.9	0.65	0.0	0.01	2.23	0.79	3.2	16.3	16.5	16.4	0.25
10	12.02	33.487	25.411	4.67	76.5	13.1	0.92	3.4	0.06	1.24	0.90	2.2	9.0	8.3	8.6	0.41
15	10.79	33.562	25.694	3.16	50.4	17.7	1.54	16.4	0.19	0.98	0.79	0.32	0.34	0.41	0.37	0.24

A) INCUBATION LIGHT INTENSITIES WERE 98, 39, 11, 4.3, 1.9, 0.25 PERCENT RESPECTIVELY.

PRIMARY PRODUCTIVITY CASTS

RV NEW HORIZON

CALCOFI CRUISE 0507

STATION 93 45

LATITUDE 32 20.8 N LONGITUDE 118 33.5 W DAY/MO/YR 02/07/05 CAST TIME 1807 UTC SECCHI 13 m INCUBATION TIME 1157 - 1935 PST LAN 1158 PST CIVIL TWILIGHT 1935 PST INTEGRATED VALUE 426.3 mg C/m2

DEPTH m	TEMP DEG C	SALINITY	SIGMA THETA	OXYGEN ml/L	OXY PCT	SI03 uM/L	P04 uM/L	N03 uM/L	N02 uM/L	CHL-A ug/L	PHAE0 ug/L	LIGHT PCT	UPTAKE (mg C/m3)			
													1	2	MEAN	DARK
2	16.04	33.477	24.568	5.87	104.4	0.4	0.33	0.8	0.06	0.69	0.22	79. A	19.9	21.7	20.8	0.34
10	15.50	33.440	24.661	6.00	105.5	0.4	0.33	0.9	0.08	0.69	0.25	31.	18.8	18.5	18.7	0.27
19	14.04	33.374	24.924	5.72	97.6	1.6	0.59	3.4	0.24	0.72	0.36	11.	10.9	11.3	11.1	0.21
28	13.00	33.395	25.151	5.22	87.2	4.6	0.91	6.9	0.36	0.61	0.39	3.7	3.6	3.9	3.8	0.17
36	12.19	33.480	25.374	4.72	77.6	7.6	1.18	10.7	0.28	0.47	0.38	1.4	0.91	0.93	0.92	0.39
43	11.53	33.434	25.462	4.52	73.2	10.4	1.27	13.0	0.30	0.42	0.40					
49	11.71	33.626	25.578	3.97	64.6	12.5	1.51	14.3	0.25	0.25	0.50	0.31	0.14	0.09	0.11	0.18

RV NEW HORIZON

CALCOFI CRUISE 0507

STATION 93 80

LATITUDE 31 10.8 N LONGITUDE 120 55.3 W DAY/MO/YR 03/07/05 CAST TIME 1740 UTC SECCHI 26 m INCUBATION TIME 1208 - 1945 PST LAN 1208 PST CIVIL TWILIGHT 1943 PST INTEGRATED VALUE 215.6 mg C/m2

DEPTH m	TEMP DEG C	SALINITY	SIGMA THETA	OXYGEN ml/L	OXY PCT	SI03 uM/L	P04 uM/L	N03 uM/L	N02 uM/L	CHL-A ug/L	PHAE0 ug/L	LIGHT PCT	UPTAKE (mg C/m3)			
													1	2	MEAN	DARK
2	17.38	33.102	23.969	5.69	103.6	2.0	0.30	0.1	0.00	0.14	0.04	89. A	3.3	3.1	3.2	0.18
11	17.35	33.100	23.975	5.64	102.7	1.9	0.30	0.0	0.00	0.14	0.05					
19	17.33	33.090	23.973	5.64	102.6	1.9	0.30	0.0	0.00	0.15	0.04	33.	3.5	3.3	3.4	0.14
27	17.19	33.068	23.989	5.69	103.2	1.7	0.30	0.0	0.00	0.18	0.06					
37	16.88	33.054	24.052	5.74	103.5	1.7	0.29	0.1	0.00	0.24	0.08	11.	2.9	3.1	3.0	0.17
45	16.34	33.029	24.157	5.83	104.0	1.6	0.29	0.0	0.00	0.32	0.13					
55	15.65	33.007	24.296	5.91	104.0	1.6	0.30	0.0	0.00	0.46	0.23	3.9	2.7	2.7	2.7	0.17
62	15.37	33.033	24.378	5.93	103.8	2.0	0.30	0.0	0.00	0.56	0.26					
71	14.99	33.077	24.495	5.99	104.0	1.8	0.32	0.0	0.01	0.41	0.33	1.5	1.1	0.99	1.0	0.11
81	14.28	33.092	24.658	5.93	101.5	2.2	0.35	0.1	0.02	0.40	0.38					
91	13.42	33.087	24.831	5.87	98.7	3.2	0.49	1.5	0.11	0.29	0.29					
100	12.56	33.163	25.059	5.53	91.4	5.6	0.77	5.5	0.29	0.14	0.13	0.27	0.01	0.02	0.01	0.09

RV NEW HORIZON

CALCOFI CRUISE 0507

STATION 93 120

LATITUDE 29 50.5 N LONGITUDE 123 35.3 W DAY/MO/YR 04/07/05 CAST TIME 1733 UTC SECCHI 28 m INCUBATION TIME 1220 - 1948 PST LAN 1219 PST CIVIL TWILIGHT 1948 PST INTEGRATED VALUE 104.2 mg C/m2

DEPTH m	TEMP DEG C	SALINITY	SIGMA THETA	OXYGEN ml/L	OXY PCT	SI03 uM/L	P04 uM/L	N03 uM/L	N02 uM/L	CHL-A ug/L	PHAE0 ug/L	LIGHT PCT	UPTAKE (mg C/m3)			
													1	2	MEAN	DARK
2	19.30	33.431	23.747	5.39	102.0	1.7	0.28	0.0	0.00	0.09	0.02	90. A	1.1	1.3	1.2	0.11
12	19.27	33.428	23.753	5.38	101.8	1.6	0.28	0.0	0.00	0.09	0.02					
22	19.26	33.427	23.755	5.39	102.0	1.5	0.28	0.0	0.00	0.10	0.03	30.	2.2	2.1	2.2	0.12
32	18.67	33.453	23.925	5.51	103.1	1.5	0.27	0.0	0.00	0.08	0.02					
41	18.81	33.542	23.958	5.49	103.0	1.3	0.26	0.0	0.00	0.09	0.03	11.	1.3	1.3	1.3	0.10
50	18.54	33.517	24.007	5.52	103.0	1.4	0.26	0.0	0.00	0.11	0.03					
60	17.74	33.528	24.212	5.67	104.2	1.4	0.26	0.0	0.00	0.13	0.04	3.7	0.68	0.72	0.70	0.12
68	17.66	33.602	24.288	5.69	104.5	1.4	0.25	0.0	0.00	0.14	0.04					
77	17.61	33.645	24.333	5.66	103.9	1.4	0.25	0.0	0.00	0.16	0.05	1.5	0.31	0.34	0.32	0.05
87	17.50	33.670	24.379	5.63	103.1	1.4	0.25	0.0	0.00	0.19	0.08					
97	15.72	33.418	24.598	5.69	100.5	1.8	0.30	0.0	0.00	0.22	0.17					
107	15.73	33.635	24.763	5.54	98.0	2.2	0.29	0.0	0.00	0.28	0.22	0.28	0.13	0.14	0.14	0.02

A) INCUBATION LIGHT INTENSITIES WERE 98, 39, 11, 4.3, 1.9, 0.25 PERCENT RESPECTIVELY.

CalCOFI Cruise 0507

MACROZOOPLANKTON BIOMASS

Net Mesh Size: 0.505mm

Line	Sta.	Latitude N	Longitude W	Date		Time (PST)		Water Volume Strained (m ³)	Max. Tow Depth (m)	Volume per 1000 m ³ Strained	
				Mo/Day	Start	End	Total (cm ³)			Small (cm ³)	
76.7	49.0	35 05.4	120 46.9	07/16	0151	0156	105	40	105	105	
76.7	51.0	35 01.3	120 55.2	07/15	2314	2335	419	209	207	207	
76.7	55.0	34 53.3	121 11.8	07/15	1944	2006	457	203	282	282	
76.7	60.0	34 43.2	121 33.1	07/15	1528	1549	417	209	341	341	
76.7	70.0	34 23.2	122 15.3	07/15	0827	0849	441	214	48	48	
76.7	80.0	34 03.1	122 56.0	07/15	0113	0134	452	214	31	31	
76.7	90.0	33 43.2	123 38.0	07/14	1859	1921	453	213	40	40	
76.7	100.0	33 22.5	124 19.3	07/14	1241	1303	476	214	23	23	
80.0	50.5	34 27.7	120 29.1	07/12	2022	2024	59	13	102	102	
80.0	51.0	34 27.1	120 31.3	07/12	2151	2158	157	44	286	286	
80.0	55.0	34 19.0	120 48.0	07/13	0118	0139	426	210	197	181	
80.0	60.0	34 09.0	121 09.0	07/13	0543	0604	453	211	157	157	
80.0	70.0	33 49.2	121 50.7	07/13	1151	1212	459	211	115	115	
80.0	80.0	33 28.9	122 31.9	07/13	1811	1833	463	213	26	26	
80.0	90.0	33 08.6	123 12.8	07/14	0016	0038	454	212	31	31	
80.0	100.0	32 49.1	123 54.4	07/14	0641	0703	479	214	21	21	
81.7	43.5	34 24.3	119 48.0	07/12	1319	1321	46	14	44	44	
81.8	46.9	34 16.6	120 01.4	07/12	1659	1720	450	201	162	162	
83.3	39.4	34 15.5	119 19.5	07/12	0814	0816	51	14	39	39	
83.3	40.6	34 13.5	119 24.6	07/12	0717	0720	60	21	150	150	
83.3	42.0	34 10.6	119 30.6	07/12	0959	1008	205	78	210	112	
83.3	51.0	33 52.7	120 08.2	07/12	0031	0039	161	77	230	230	
83.3	55.0	33 44.6	120 24.6	07/11	2057	2119	451	204	233	233	
83.3	60.0	33 34.7	120 45.4	07/11	1642	1704	444	209	79	79	
83.3	70.0	33 13.8	121 27.7	07/11	0905	0927	484	208	29	29	
83.3	80.0	32 54.3	122 07.9	07/11	0344	0406	427	218	47	47	
83.3	90.0	32 34.7	122 48.8	07/10	2127	2149	488	213	39	39	
83.3	100.0	32 14.6	123 29.7	07/10	1517	1538	435	213	30	30	
83.3	110.0	31 54.7	124 10.7	07/10	0804	0826	452	212	33	33	
85.4	35.8	34 00.7	118 49.8	07/16	1752	1754	44	13	113	113	
86.7	33.0	33 53.4	118 29.4	07/07	2020	2025	104	39	106	106	
86.7	35.0	33 49.4	118 37.7	07/07	2306	2328	415	214	123	123	
86.7	40.0	33 39.4	118 58.5	07/08	0329	0350	432	201	243	125	
86.7	45.0	33 29.4	119 19.2	07/08	0751	0813	392	207	452	452	
86.7	50.0	33 19.4	119 39.8	07/08	1128	1135	118	50	490	490	
86.7	55.0	33 09.4	120 00.2	07/08	1538	1559	413	214	90	90	
86.7	60.0	32 59.4	120 20.9	07/08	2012	2034	458	214	120	120	
86.7	70.0	32 39.3	121 02.2	07/09	0229	0250	425	215	106	106	
86.7	80.0	32 18.5	121 42.2	07/09	0754	0816	419	218	43	43	
86.7	90.0	31 59.4	122 23.4	07/09	1508	1529	446	210	29	29	
86.7	100.0	31 39.4	123 04.2	07/09	2049	2111	447	214	54	54	
86.7	110.0	31 19.5	123 44.6	07/10	0227	0248	437	209	53	53	
86.8	32.5	33 53.4	118 26.4	07/07	1840	1842	39	14	128	128	
88.5	30.1	33 40.3	118 05.0	07/07	1446	1448	41	12	73	73	
90.0	27.7	33 29.4	117 45.2	07/07	1216	1218	42	14	143	143	
90.0	28.0	33 29.2	117 46.2	07/07	1109	1116	142	59	177	177	
90.0	30.0	33 25.1	117 54.3	07/07	0833	0854	314	224	325	325	
90.0	35.0	33 15.1	118 15.0	07/07	0348	0410	401	205	165	165	
90.0	37.0	33 11.1	118 23.2	07/07	0035	0055	356	203	432	432	
90.0	45.0	32 55.0	118 56.3	07/06	1855	1916	408	215	61	61	
90.0	53.0	32 39.0	119 29.0	07/06	1315	1335	407	211	93	93	
90.0	60.0	32 24.8	119 57.3	07/06	0752	0814	480	213	29	29	
90.0	70.0	32 05.1	120 38.4	07/06	0129	0149	489	193	49	49	
90.0	80.0	31 45.1	121 19.0	07/05	1850	1912	342	225	53	53	
90.0	90.0	31 25.0	121 59.5	07/05	1227	1247	424	214	28	28	
90.0	100.0	31 05.4	122 39.7	07/05	0609	0630	488	217	12	12	
90.0	110.0	30 45.0	123 20.0	07/04	2315	2337	476	212	25	25	
90.0	120.0	30 24.9	123 59.7	07/04	1609	1630	440	209	14	14	
91.7	26.4	33 14.7	117 27.7	07/01	1513	1515	38	13	182	182	
93.3	26.7	32 57.3	117 17.8	07/01	1120	1124	88	34	204	204	
93.3	28.0	32 54.6	117 23.6	07/01	1920	1941	403	212	164	164	
93.3	30.0	32 50.8	117 31.9	07/01	2208	2227	383	205	159	159	
93.3	35.0	32 40.9	117 52.6	07/02	0209	0230	408	207	203	203	
93.3	40.0	32 30.9	118 12.6	07/02	0616	0637	383	213	272	272	
93.3	45.0	32 20.8	118 33.3	07/02	0912	0934	428	210	154	154	
93.3	50.0	32 10.8	118 53.2	07/02	1450	1510	402	216	129	129	
93.3	55.0	32 00.8	119 13.9	07/02	1848	1909	381	217	179	179	
93.3	60.0	31 50.8	119 34.2	07/02	2249	2309	425	218	78	78	
93.3	70.0	31 30.9	120 14.4	07/03	0435	0455	456	215	48	48	
93.3	80.0	31 10.8	120 55.2	07/03	1054	1114	403	215	35	35	
93.3	90.0	30 50.9	121 35.4	07/03	1643	1707	477	217	38	38	
93.3	100.0	30 30.8	122 15.4	07/03	2230	2252	469	213	23	23	
93.3	110.0	30 10.8	122 55.5	07/04	0414	0435	437	211	27	27	
93.3	120.0	29 49.5	123 34.3	07/04	0834	0856	430	216	23	23	
93.4	26.4	32 56.8	117 16.9	07/01	1158	1200	45	13	66	66	

FIGURES

Avifauna Observations

CalCOFI Cruise 0507

- 1a. Cook's Petrel distribution.
- 1b. Brown Pelican distribution.
- 1c. Unidentified Dark Shearwater distribution.
- 1d. Western Gull distribution.
- 1e. Leach's Storm-Petrel distribution.
- 1f. Caspian Tern distribution.

CalCOFI Cruise 0507

